

Chronological Index

C04-001 Design of the Blended Wing Body Subsonic Transport. R. H. Liebeck, *The Boeing Company* (41, 1, p. 10) Article

C04-002 Small Aircraft Transportation System Concept and Technologies. Bruce J. Holmes and Michael H. Durham, *NASA Langley Research Center*; and Scott E. Tarry, *University Nebraska at Omaha* (41, 1, p. 26) Article based on AIAA Paper 2003-2510

C04-003 Next Century Aerospace Traffic Management: The Sky is No Longer the Limit. Jim Cistone, *Lockheed Martin Corporation* (41, 1, p. 36) Article based on AIAA Paper 2003-2792

C04-004 Progress in Aeroengine Technology (1939–2003). Dilip R. Ballal, *University of Dayton*; and Joseph Zelina, *U.S. Air Force Research Laboratory* (41, 1, p. 43) Article

C04-005 From Farther, Faster, Higher To Leaner, Meaner, Greener: Future Directions in Aeronautics. John H. McMasters, *The Boeing Company*; and Russell M. Cummings, *California Polytechnic State University* (41, 1, p. 51) Article based on AIAA Paper 2003-553

C04-006 Impact of Operations Research on the Evolution of the Airline Industry. Michael Clarke and Barry Smith, *Sabre Holdings* (41, 1, p. 62) Article

C04-007 Approach to Characterize Mobility Through Modeling of Solution Spaces for Conceptual Aircraft. Daniel A. DeLaurentis, Choongiap Lim, and Taewoo Kang, *Georgia Institute of Technology* (41, 1, p. 73) Article

C04-008 Military Technology Pull and the Structure of the Commercial Aircraft Industry. Paul D. Collopy, *DFM Consulting, Inc.* (41, 1, p. 85) History of Key Technologies

C04-009 Statistical Analysis of Computational Fluid Dynamics Solutions from the Drag Prediction Workshop. Michael J. Hemsch, *NASA Langley Research Center* (41, 1, p. 95) Article based on AIAA Paper 2002-0842

C04-010 Minimum-Induced Power Loss of a Helicopter Rotor via Circulation Optimization. Omri Rand and Vladimir Khromov, *Technion—Israel Institute of Technology, Israel*; and Richard J. Peyran, *U.S. Army Aviation and Missile Command* (41, 1, p. 104) Article

C04-011 Hybrid Turbulence Models for Unsteady Flow Simulation. M. Mani, *Boeing* (41, 1, p. 110) Article based on AIAA Paper 2002-2959

C04-012 New Roughness Computation Method and Geometric Accretion Model for Airfoil Icing. Guy Fortin, *Universite du Quebec a Chicoutimi, Canada*; Adrian Ilinca, *Universite du Quebec a Rimouski, Canada*; Jean-Louis Laforte, *Universite du Quebec a Chicoutimi, Canada*; and Vincenzo Brandi, *Italian Aerospace Research Center, Italy* (41, 1, p. 119) Article based on AIAA Paper 2003-1076

C04-013 Lifting-Line Analysis for Twisted Wings and Washout-Optimized Wings. W. F. Phillips, *Utah State University* (41, 1, p. 128) Article based on AIAA Paper 2003-0393

C04-014 In-Flight Weight and Balance Identification Using Neural Networks. Moshe Idan, Gil Iosilevskii, and Sergey Nazarov, *Technion—Israel Institute of Technology, Israel* (41, 1, p. 137) Article based on AIAA Paper 2003-5787

C04-015 Swept-Wing Outboard-Horizontal-Stabilizer Aircraft Configuration. J. A. Kentfield and Adam Spragins, *University of Calgary, Canada* (41, 1, p. 144) Article based on AIAA Paper 2003-0604

C04-016 Isomer Energy Source in Hybrid Jet Engines for High Altitude Reconnaissance Flight. Christopher E. Hamilton, Paul I. King, and Milton E. Franke, *U.S. Air Force Institute of Technology* (41, 1, p. 151) Article based on AIAA Paper 2003-1211

C04-017 Supercritical Airfoil Design for Future High-Altitude Long-Endurance Concepts. Kasim Biber, *Istanbul Technical University, Turkey*; and Carl P. Tilmann, *U.S. Air Force Research Laboratory* (41, 1, p. 156) Article based on AIAA Paper 2003-1095

C04-018 Effect of Intercycle Ice Accretions on Airfoil Performance. Andy P. Broeren and Michael B. Bragg, *University of Illinois at Urbana–Champaign*; and Harold E. Addy, *NASA John H. Glenn Research Center at Lewis Field* (41, 1, p. 165) Article

C04-019 Aeroelastic Optimization of Adaptive Bumps for Yaw Control. Anand Natarajan, Rakesh K. Kapania and Dan J. Inman, *Virginia Polytechnic Institute and State University* (41, 1, p. 175) Article based on AIAA Paper 2002-0707

C04-020 Unsteady Pressures Associated with Vortical Flows and Forced Oscillation. Robert C. Scott, Walter A. Silva, James R. Florance, and Donald F. Keller, *NASA Langley Research Center* (41, 1, p. 186) Technical Note

C04-021 Effects of Reynolds Number on Characteristics of Fixed and Rotary Wings. S. Sunada, *Osaka Prefecture University, Japan*; and K. Kawachi, *University of Tokyo, Japan* (41, 1, p. 189) Technical Note

C04-022 Detached-Eddy Simulation of the F-15E at High Alpha. James R. Forsythe, *U.S. Air Force Academy*; Kyle D. Squires, *Arizona State University*; Kenneth E. Wurtzler, *Cobalt Solutions, LLC*; and Philippe R. Spalart, *Boeing Commercial Airplanes* (41, 2, p. 193) Article based on AIAA Paper 2002-0591

C04-023 Comparison of Predicted and Measured Formation Flight Interference Effects. William Blake, *U.S. Air Force Research Laboratory*; and David R. Gingras, *Bihre Applied Research* (41, 2, p. 201) Article

C04-024 Swashplateless Helicopter Rotor with Trailing-Edge Flaps. Jinwei Shen and Inderjit Chopra, *University of Maryland* (41, 2, p. 208) Article

C04-025 Tilt Duct Vertical Takeoff and Landing Uninhabited Aerial Vehicle Concept Design Study. Ozlem Armutcuoglu, Mehmet S. Kavsoglu, and Ozan Tekinalp, *Middle East Technical University, Turkey* (41, 2, p. 215) Design Forum

C04-026 Large-Scale Laminar Flow Tests Evaluated with Linear Stability Theory. Geza Schrauf, *Airbus Deutschland GmbH, Germany* (41, 2, p. 224) Article

C04-027 Vortex Flow Visualization of a Yawed Delta Wing with Leading Edge Extension. Myong H. Sohn and Ki Y. Lee, *Korean Air Force Academy, South Korea*; and Jo W. Chang, *Hankuk Aviation University, South Korea* (41, 2, p. 231) Article

C04-028 Attachment-Line Approach for Design of a Wing-Body Leading-Edge Fairing. Bas W. van Oudheusden, Casper B. Steenaert, and Loek M. Boermans, *Delft University of Technology, The Netherlands* (41, 2, p. 238) Article

C04-029 Aerodynamic Shape Design of Rotor Airfoils Undergoing Unsteady Motion. Yushin Kim and Kwanjung Yee, *Korea Aerospace Research Institute, South Korea*; and Dong-Ho Lee, *Seoul National University, South Korea* (41, 2, p. 247) Article

C04-030 High-Order Essentially Nonoscillatory Schemes for Rotary-Wing Wake Computations. Nathan Hariharan, *United Technologies Research Center*; and Lakshmi Sankar, *Georgia Institute of Technology* (41, 2, p. 258) Article

C04-031 Rotation and Curvature Correction Assessment for One-and Two-Equation Turbulence Models. M. Mani, J. A. Ladd, and W. W. Bower, *The Boeing Company* (41, 2, p. 268) Article

C04-032 Correlations to Predict the Streamwise Influence Regions in Supersonic Turbulent Flows. Manohari D. Ramesh and John C. Tannehill, *Iowa State University* (41, 2, p. 274) Article

C04-033 Analysis and Estimation of the Lift Components of Hovering Insects. Lance W. Traub, *Texas A&M University* (41, 2, p. 284) Article

C04-034 Wake Displacement Modifications to Reduce Rotorcraft Blade-Vortex Intreaction Noise. Juan C. Abello and Albert R. George, *Cornell University* (41, 2, p. 290) Article

C04-035 Study of Reduced-Order Models for Gust-Response Analysis of Flexible Fixed Wings. M. Gennaretti and F. Mastroddi, *Universita degli Studi Roma Tre, Italy* (41, 2, p. 304) Article

C04-036 Models for Aeroservoelastic Analysis with Smart Structures. Moti Karpel and Boris Moulin, *Technion-Israel Institute of Technology, Israel* (41, 2, p. 314) Article

C04-037 Alleviation of Vertical Tail Buffeting of F/A-18 Aircraft. Essam F. Sheta, *CFD Research Corporation* (41, 2, p. 322) Article

C04-038 Robust Wing Flutter Suppression Considering Aerodynamic Uncertainty. Dan Borglund and Ulrik Nilsson, *Royal Institute of Technology, Sweden* (41, 2, p. 331) Article

C04-039 Mode Acceleration Based Random Gust Stresses in Aeroservoelastic Optimization. Frode Engelsen, *The Boeing Company*; and Eli Livne, *University of Washington* (41, 2, p. 335) Article

C04-040 Vibration Prediction for Rotor System with Faults Using Coupled Rotor-Fuselage Model. Mao Yang and Inderjit Chopra, *University of Maryland*; and David J. Haas, *Naval Surface Warfare Center* (41, 2, p. 348) Article

C04-041 Linkup Strength of 2024-T3 Bolted Lap Joint Panels with Multiple Site Damage. Ala L. Hijazi, Bert L. Smith, and Thomas E. Lacy, *Wichita State University* (41, 2, p. 359) Article

C04-042 Elastic Analysis of A Pin Loaded Lug. A. Aslam, *Mepco Schlenk Engineering College, India*; G. S. Sekhon and R. Kumar, *Indian Institute of Technology Delhi, India* (41, 2, p. 365) Article based on AIAA Paper 2002-1325

C04-043 Detection and Avoidance of Main Rotor Hub Moment Limits on Rotorcraft. Joseph F. Horn and Nilesh Sahani, *Pennsylvania State University* (41, 2, p. 372) Article based on AIAA Paper 2001-4138

C04-044 Study of Multirow Highly Loaded Bolt Joints in Composite Wing Structure. Hsien-Yang Yeh, Johnathan J. Lee, and Daniel Y. Yang, *California State University, Long Beach*; and Hsien-Liang Yeh, *I-Shou University, China (PRC)* (41, 2, p. 380) Article

C04-045 Study of Stitched and Unstitched Composite Panels Under Shear Loadings. Hsien-Yang Yeh, Johnathan J. Lee, and Daniel Y. Yang, *California State University*; and Hsien-Liang Yeh, *I-Shou University, China (PRC)* (41, 2, p. 386) Article

C04-046 Corrosion Fatigue in 7075-T6 Aluminum: Life Prediction Issues for Carrier Based Operations. Basir Shafiq, *University of Puerto Rico*; and Vinod S. Agarwala, *U.S. Naval Air Warfare Center* (41, 2, p. 393) Article

C04-047 Aerodynamic Analysis of Circular and Noncircular Bodies Using Computational and Semi-Empirical Methods. Shadi Mahjoob, *Aerospace Research Institute, Iran*; Mahmoud Mani, *Amir-Kabir University of Technology, Iran*; and Mohammad Taeibi-Rahni, *Sharif University of Technology, Iran* (41, 2, p. 399) Technical Note based on AIAA Paper 2002-2941

C04-048 Incorrectness of the k Method for Flutter Calculations. Mayuresh J. Patil, *Virginia Polytechnic Institute and State University*; Rudolph N. Yurkovich, *The Boeing Company*; and Dewey H. Hodges, *Georgia Institute of Technology* (41, 2, p. 402) Technical Note

C04-049 Effects of Active and Passive Flow Control on Dynamic-Stall Vortex Formation. Lance W. Traub, Adam Miller, and Othon Rediniotis, *Texas A&M University* (41, 2, p. 405) Technical Note

C04-050 Application of Fiber Optic Sensor and Piezoelectric Actuator to Flutter Suppression. Do-Hyung Kim, Jae-Hung Han, and In Lee, *Korea Advanced Institute of Science and Technology, South Korea* (41, 2, p. 409) Technical Note

C04-051 Convergence of the Subsonic Doublet Point Method. L. H. van Zyl, *Defencetek, CSIR, South Africa*; and T. Ueda, *Japan Aerospace Exploration Agency, Japan* (41, 2, p. 411) Technical Note

C04-052 Rapid Technique for Wind-Tunnel Model Manufacture. Andrew L. Heyes and David A. Smith, *Imperial College London, Great Britain* (41, 2, p. 413) Technical Note

C04-053 Aerodynamic Characteristics of Deflected Surfaces in Compressible Flows. Kung-Ming Chung, *National Cheng Kung University, Taiwan (ROC)* (41, 2, p. 415) Technical Note

C04-054 Estimation of Flight Load History Using a Global Positioning System Data. Fredrik de Try, *Royal Institute of Technology, Sweden* (41, 2, p. 418) Technical Note

C04-055 Comparisons of a Gurney and Jet-Flap for Hinge-Less Control. Lance W. Traub, Adam C. Miller, and Othon Rediniotis, *Texas A&M University* (41, 2, p. 420) Technical Note

C04-056 Introduction to the Abrupt Wing Stall Program. Robert M. Hall, *NASA Langley Research Center*; and Shawn H. Woodson, *Naval Air System Command* (41, 3, p. 425) Article based on AIAA Paper 2003-0589

C04-057 Historical Review of Uncommanded Lateral-Directional Motions at Transonic Conditions. Joseph R. Chambers, *Ball Aerospace Systems Division*; and Robert M. Hall, *NASA Langley Research Center* (41, 3, p. 436) Article based on AIAA Paper 2003-0590

C04-058 Review and Recommended Experimental Procedures for Evaluation of Abrupt Wing Stall Characteristics. Francis J. Capone, Robert M. Hall, D. Bruce Owens, John E. Lamar, and S. Naomi McMillin, *NASA Langley Research Center* (41, 3, p. 448) Article based on AIAA Paper 2003-0922

C04-059 Development of a Transonic Free-To-Roll Test Capability. Francis J. Capone, D. Bruce Owens, and Robert M. Hall, *NASA Langley Research Center* (41, 3, p. 456) Article based on AIAA Paper 2003-0749

C04-060 Usefulness of Transonic Model Static Data in Predicting Flight Abrupt-Wing-Stall. John E. Lamar, Robert M. Hall, Francis J. Capone, and Naomi McMillin, *NASA Langley Research Center* (41, 3, p. 464) Article based on AIAA Paper 2003-0745

C04-061 Transonic Free-to-Roll Analysis of Abrupt Wing Stall on Military Aircraft. D. B. Owens, Francis J. Capone, Robert M. Hall, and Jay M. Brandon, *NASA Langley Research Center*; and Joseph R. Chambers, *Ball Aerospace Systems Division* (41, 3, p. 474) Article based on AIAA Paper 2003-0750

C04-062 Transonic Unsteady Aerodynamics of the F/A-18E Under Conditions Promoting Abrupt Wing Stall. David M. Schuster, *NASA Langley Research Center*; and James E. Byrd, *Lockheed Martin Engineering and Sciences* (41, 3, p. 485) Article based on AIAA Paper 2003-0593

C04-063 A Survey of Recent Developments in Rotorcraft Design Optimization. Ranjan Ganguli, *Indian Institute of Science, India* (41, 3, p. 493) Survey Paper

C04-064 NASA Langley Research Center Impact Dynamics Research Facility Research Survey. Karen E. Jackson and Edwin L. Fasanella, *NASA Langley Research Center* (41, 3, p. 511) History of Key Technologies based on AIAA Paper 2003-1896

C04-065 High-Fidelity Aerostructural Design Optimization of a Supersonic Business Jet. Joaquin R. Martins, *University of Toronto Institute for Aerospace Studies, Canada*; Juan J. Alonso, *Stanford University*; and James J. Reuther, *NASA Ames Research Center* (41, 3, p. 523) Article

C04-066 Development and Flight Testing of an Adaptable Vehicle Health-Monitoring Architecture. Stanley E. Woodard, Neil C. Coffey, and Guillermo A. Gonzalez, *NASA Langley Research Center*; B. D. Taylor, *Swales Corporation*; Rube R. Brett, *Zin Corporation*; Keith L. Woodman, Brenton W. Weathered, and Courtney H. Rollins, *NASA Langley Research Center* (41, 3, p. 531) Article based on AIAA Paper 2002-5802

C04-067 Shock Wave/Boundary-Layer Interaction Control Using Streamwise Slots in Transonic Flows. A. Smith and H. Babinsky, *University of Cambridge, Great Britain*; J. L. Fulker, *QinetiQ, Great Britain*; and P. R. Ashill, *Cranfield College of Aeronautics, Great Britain* (41, 3, p. 540) Article

C04-068 Navier-Stokes Analysis of Tunnel-Wall Interference Effects on Pitching Delta Wings. Yung-Gyo Lee, *University of Kansas, South Korea*; and C. E. Lan, *University of Kansas* (41, 3, p. 547) Article

C04-069 Numerical Analysis of Aerodynamic Control of Delta Wing by Microflap. Takeshi Kaiden and Yoshiaki Nakamura, *Nagoya University, Japan* (41, 3, p. 555) Article

C04-070 Concept of Wake Vortex Behavior Classes. Michael Frech and Tobias Zinner, *Institute of Atmosphere Physics, DLR, German Aerospace Center, Germany* (41, 3, p. 564) Article

C04-071 Limit-Cycle Oscillations of Aircraft Caused by Flutter-Induced Drag. Mayuresh Patil, *Virginia Polytechnic Institute and State University* (41, 3, p. 571) Article

C04-072 Aeroelastic Analysis of Helicopter Rotor Blades on Deformable Chimera Grids. Hubert Pomin and Siegfried Wagner, *University of Stuttgart, Germany* (41, 3, p. 577) Article

C04-073 Robust Structural Design of an Active Aeroelastic Wing with Maneuver Load Inaccuracies. P. S. Zink, Daniella E. Raveh, and Dimitri N. Mavris, *Georgia Institute of Technology* (41, 3, p. 585) Article based on AIAA Paper 2002-5603

C04-074 Application of Active-Aeroelastic-Wing Technology to a Joined-Wing Sensorcraft. Gregory W. Reich, *U.S. Air Force Research Laboratory*; Daniella Raveh and Scott Zink, *Georgia Institute of Technology* (41, 3, p. 594) Article based on AIAA Paper 2002-1633

C04-075 Active Flow Control Using High-Frequency Compliant Structures. Russell F. Osborn, Sridhar Kota, and Joel A. Hetrick, *FlexSys, Inc.*; Donald E. Geister, *University of Michigan*; Carl P. Tilmann and Jinyong Joo, *U.S. Air Force Research Laboratory* (41, 3, p. 603) Article based on AIAA Paper 2001-4144

C04-076 Oscillatory Blowing Control Numerical Simulation of Airfoil Flutter By High Accuracy Method. Jin Yan and Yuan Xin, *Tsinghua University, China (PRC)* (41, 3, p. 610) Article

C04-077 Study on the Use of High-Fidelity Methods in Aeroelastic Optimization. Guru P. Guruswamy, *NASA Ames Research Center*; and Shigeru Obayashi, *Tohoku University, Japan* (**41**, 3, p. 616) Article based on AIAA Paper 2002-5638

C04-078 Identification of Computational-Fluid-Dynamics Based Unsteady Aerodynamic Models for Aeroelastic Analysis. Daniella E. Raveh, *Technion-Israel Institute of Technology, Israel* (**41**, 3, p. 620) Article based on AIAA Paper 2003-1407

C04-079 Development of a Fuzzy Probabilistic Methodology for Multiple-Site Fatigue Damage. U. O. Akpan, P. A. Rushton, and T. S. Koko, *Martec, Ltd., Canada* (**41**, 3, p. 628) Article

C04-080 Strength Analysis of Ceramics Under Different Constraints by Movable Cellular Automata Method. Ke Chen, *Nanjing University of Science and Technology, China (PRC)*; Dewu Huang, *Shenyang Institute of Technology, China (PRC)*; E. V. Shilko and S. G. Psakhie, *Russian Academy of Sciences, Russia* (**41**, 3, p. 641) Article

C04-081 Effects of Auxiliary Lift and Propulsion on Helicopter Vibration Reduction and Trim. Martin K. Sekula, *NASA Langley Research Center*; and Farhan Gandhi, *The Pennsylvania State University* (**41**, 3, p. 645) Article

C04-082 Comparison of Residual Strength Estimates for Bolted Lap-Joint Panels. Ala L. Hijazi, Thomas E. Lacy, and Bert L. Smith, *Wichita State University* (**41**, 3, p. 657) Article

C04-083 Forecasting Intermittent Demand for Aircraft Spare Parts: A Comparative Evaluation of Methods. A. A. Ghobbar, *City University London, Great Britain* (**41**, 3, p. 665) Article

C04-084 Thermoelectric-Based Power System for Unmanned-Air-Vehicle/Microair-Vehicle Applications. Jonathan Fleming and Wing Ng, *Techsburg, Inc.*; and Saeid Ghamaty, *Hi-Z Technology* (**41**, 3, p. 674) Technical Note

C04-085 Simple Trim Drag Prediction Method Based on the Biplane Theory. Kazuhiro Kusunose, *The Boeing Company* (**41**, 3, p. 676) Technical Note based on AIAA Paper 2004-901

C04-086 Aerodynamic Modeling and System Identification from Flight Data—Recent Applications at DLR. Ravindra V. Jategaonkar, Dietrich Fischenberg, and Wolfgang Gruenhagen, *DLR, German Aerospace Center, Germany* (**41**, 4, p. 681) Article

C04-087 Nonlinear Model Development from Flight-Test Data for F/A-18E Super Hornet. Alfonso C. Paris, *Science Applications International Corporation*; and Michael Bonner, *Naval Air Systems Command* (**41**, 4, p. 692) Article based on AIAA Paper 2003-5535

C04-088 Preliminary Model Matching of the EMBRAER 170 Jet. Sergio Cavalcanti, *Empresa Brasileira de Aeronautica, Brazil*; and Marco Papini, *Opal-RT Technologies, Canada* (**41**, 4, p. 703) Article based on AIAA Paper 2003-5534

C04-089 Flying Qualities Applications of Frequency Responses Identified from Flight Data. Edmund J. Field and Kenneth F. Rossitto, *The Boeing Company*; and John Hodgkinson, *AeroArts LLC* (**41**, 4, p. 711) Article based on AIAA Paper 2003-5537

C04-090 Time-Domain System Identification Methods for Aeromechanical and Aircraft Structural Modeling. Raman K. Mehra and Ravi K. Prasanth, *Scientific Systems Company, Inc.* (**41**, 4, p. 721) Article

C04-091 Ground-Effect Identification and Autoland System Validation from Flight Data. Bernard Devesa, Christophe Jourdan, and Christian Marc, *Airbus, France* (**41**, 4, p. 730) Article

C04-092 Rapid Frequency-Domain Modeling Methods for Unmanned Aerial Vehicle Flight Control Applications. Colin R. Theodore, Mark B. Tischler, and Jason D. Colbourne, *Ames Research Center* (**41**, 4, p. 735) Article based on AIAA Paper 2003-5538

C04-093 Application of System Identification Techniques to the F-111C and PC 9/A Aircraft. Jan S. Drobik and Geoff J. Brian, *Defence Science and Technology Organisation, Australia* (**41**, 4, p. 744) Article

C04-094 Retrospective and Recent Examples of Aircraft Parameter Identification at NASA Dryden Flight Research Center. K. C. Wang, *The Aerospace Corporation*; and Kenneth W. Iliff, (**41**, 4, p. 752) Article

C04-095 Development of the Autogiro: A Technical Perspective. J. Gordon Leishman, *University of Maryland* (**41**, 4, p. 765) Survey Paper

C04-096 Small Disturbance Euler Simulations for Delta Wing Unsteady Flows due to Harmonic Oscillations. Caroline Weishaupl and Boris Laschka, *Technische Universitat Munchen* (**41**, 4, p. 782) Article

C04-097 Aircraft Optimization for Minimal Environmental Impact. Nicolas E. Antoine and Ilan M. Kroo, *Stanford University* (**41**, 4, p. 790) Article based on AIAA Paper 2002-5868

C04-098 Computational-Fluid-Dynamics-Based Enhanced Indicial Aerodynamic Models. Jayanarayanan Sitaraman and James D. Baeder, *University of Maryland* (**41**, 4, p. 798) Article

C04-099 Drag Reduction From Square Base Afterbodies at High Speeds. N. B. Mathur and P. R. Viswanath, *National Aerospace Laboratories, India* (**41**, 4, p. 811) Article

C04-100 Iterative Inverse Design Method Based on Streamline Equations. Jianzhong Yu and Ion Paraschivoiu, *Ecole Polytechnique de Montréal, Canada*; and Farooq Saeed, *King Fahd University of Petroleum and Minerals, Saudi Arabia* (**41**, 4, p. 821) Article

C04-101 Studies on Vortex Flaps with Rounded Leading Edges for Supersonic Transport Configuration. Kenichi Rinoie and Katsuhiro Miyata, *University of Tokyo, Japan*; Dong Youn Kwak and Masayoshi Noguchi, *National Aerospace Laboratory, Japan* (**41**, 4, p. 829) Article

C04-102 Hypersonic Power-Law Shaped Waveriders in Off-Design Regimes. I. I. Mazhul and R. D. Rakhimov, *Russian Academy of Science, Russia* (**41**, 4, p. 839) Article

C04-103 Dynamics and Control of Shock Motion in a Near-Isentropic Inlet. Douglas G. MacMartin, *California Institute of Technology* (**41**, 4, p. 846) Article

C04-104 Novel Two-Dimensional Modeling Approach for Aircraft Icing. Krzysztof Szilder, *National Research Council, Canada*; and Edward P. Lozowski, *University of Alberta, Canada* (41, 4, p. 854) Article based on AIAA Paper 2003-1075

C04-105 Compressible Dynamic Stall Control Using a Variable Droop Leading Edge Airfoil. M. S. Chandrasekhara, P. B. Martin, and C. Tung, *NASA Ames Research Center* (41, 4, p. 862) Article based on AIAA Paper 2003-0048

C04-106 Simulations of Store Separation from an F/A-18 with a Cartesian Method. Scott M. Murman, *ELORET*; Michael J. Aftosmis, *NASA Ames Research Center*; and Marsha J. Berger, *Courant Institute New York* (41, 4, p. 870) Article based on AIAA Paper 2003-1246

C04-107 Reynolds-Averaged Navier–Stokes Simulations of Airfoils and Wings with Ice Shapes. Jianping Pan and Eric Loth, *University of Illinois at Urbana–Champaign* (41, 4, p. 879) Article based on AIAA Paper 2003-0729

C04-108 Flutter Analysis of Aircraft with External Stores Using Modal Coupling. M. Karpel and B. Moulin, *Technion–Israel Institute of Technology, Israel*; L. Anguita, C. Maderuelo, and H. Climent, *EADS–CASA, Spain* (41, 4, p. 892) Article

C04-109 Experiments with Tangential Blowing to Reduce Buffet Response on an F-15 Model. M. A. Ferman, *Parks College, St. Louis University*; L. J. Huttshell and E. W. Turner, *U.S. Air Force Research Laboratory* (41, 4, p. 903) Article

C04-110 Improved Understanding of Transonic Flutter: A Three-Parameter Flutter Surface. Denis B. Kholodar, Earl H. Dowell, Jeffrey P. Thomas, and Kenneth C. Hall, *Duke University* (41, 4, p. 911) Article

C04-111 Linear/Nonlinear Supersonic Panel Flutter in a High-Temperature Field. Liviu Librescu, *Virginia Polytechnic Institute and State University*; Piergiorgio Marzocca, *Clarkson University*; and Walter A. Silva, *NASA Langley Research Center* (41, 4, p. 918) Article

C04-112 Analysis, Design, and Optimization of Noncylindrical Fuselage for Blended-Wing-Body Vehicle. V. Mukhopadhyay and J. Sobieszcanski-Sobieski, *NASA Langley Research Center*; I. Kosaka, G. Quinn, and G. N. Vanderpaats, *Vanderplaats R&D Inc.* (41, 4, p. 925) Article based on AIAA Paper 2002-5664

C04-113 Durability Characterization of Active Fiber Composite Actuators for Helicopter Rotor Blade Applications. Viresh K. Wickramasinghe, *Institute for Aerospace Research, National Research Council Canada, Canada*; and Nesbitt W. Hagood, *Continuum Photonics, Inc.* (41, 4, p. 931) Article based on AIAA Paper 2003-1511

C04-114 Approximate Method of Deriving Loiter Time from Range. Daniel P. Raymer, *Conceptual Research Corporation* (41, 4, p. 938) Technical Note

C04-115 Viscous Flow Solutions over CN-235 Cargo Aircraft. Murat Uygun, *Turkish Air Force Academy, Turkey*; and Ismail H. Tuncer, *Middle East Technical University, Turkey* (41, 4, p. 940) Technical Note based on AIAA Paper 2003-3661

C04-116 Effects of Flow Separation on Aerodynamic Loads in Linearized Thin Airfoil Theory. Alexander Khrabrov, *TsAGI, Russia*; and Michael V. OL, *U.S. Air Force Research Laboratory* (41, 4, p. 944) Technical Note

C04-117 Limit Cycle Oscillations of Swept-Back Trapezoidal Wings at Low Subsonic Flow. Saeed Shokrollahi, *Amirkabir University of Technology, Iran*; and Firooz Bakhtiari-Nejad, *Amirkabir University of Technology, Iran* (41, 4, p. 948) Technical Note

C04-118 High-Order Compact Difference Scheme Applied to Double-Delta Wing Vortical Flows. Tomoyuki Arasawa, *Yokohama National University, Japan*; Kozo Fujii, *Japan Aerospace Exploration Society, Japan*; and Koji Miyaji, *Yokohama National University, Japan* (41, 4, p. 953) Technical Note based on AIAA Paper 2003-3537

C04-119 High-Order vs Low-Order Panel Methods for Unsteady Subsonic Lifting Surfaces. Ping Chih Chen, Danny D. Liu, and Darius Sarhaddi, *ZONA Technology, Inc.* (41, 4, p. 957) Technical Note

C04-120 Flight Path Reconstruction Using Numerical Optimization. Fredrik de Try, *Royal Institute of Technology, Sweden* (41, 4, p. 959) Technical Note

C04-121 Closed-Loop Aeroservoelastic Analysis Validation Method. Ruxandra M. Botez, Djallel E. Biskri, Alexandre Doin, Iulian Cotoi, and Petrisor Parvu, *Ecole de Technologie Supérieure, Canada* (41, 4, p. 962) Technical Note

C04-122 Thick Wings in Steady and Unsteady Flows. Reza Karkehabadi, *Lockheed Martin/NASA Langley Research Center* (41, 4, p. 964) Technical Note

C04-123 History of Flight Vehicle Structures 1903-1990. D. Paul and D. Pratt, *U.S. Air Force Research Laboratory* (41, 5, p. 969) History of Key Technologies

C04-124 High Speed Flight Vehicle Structures: An Overview. Christopher L. Clay, *U.S. Air Force Research Laboratory* (41, 5, p. 978) Article

C04-125 Future of Flight Vehicle Structures (2000 to 2023). William J. Renton, *The Boeing Company*; Dennis Olcott, *Dennis Olcott Adams Aircraft*; William Roeseler, *The Boeing Company*; Randy Batzer, *Lockheed Martin*; William Baron, *Wright–Patterson Air Force Base*; and Alexander Velicki, *The Boeing Company* (41, 5, p. 986) Article

C04-126 Comparison Between Dedicated Model Updating Methods and Hybrid Method. Ali S. Nobari and Mohammad A. Farjo, *Amirkabir University of Technology, Iran* (41, 5, p. 999) Article

C04-127 Numerical Study of Blowing and Suction Control Mechanism on NACA0012 Airfoil. L. Huang, P. G. Huang, and R. P. LeBeau, *University of Kentucky*; and T. Hauser, *Utah State University* (41, 5, p. 1005) Article

C04-128 Interdependence of Diffusion and Straining of Helicopter Blade Tip Vortices. Manikandan Ramasamy and J. G. Leishman, *University of Maryland* (41, 5, p. 1014) Article

- C04-129 Transient Helicopter Rotor Wakes in Response to Time-Dependent Blade Pitch Inputs.** Shreyas Ananthan and J. Gordon Leishman, *University of Maryland* (**41**, 5, p. 1025) Article
- C04-130 Understanding Ducted Rotor Antitorque and Directional Control Characteristics Part I: Steady State Simulation.** Emre Alpman and Lyle N. Long, *The Pennsylvania State University*; and Bruce D. Kothmann, *Boeing Defense and Space Group* (**41**, 5, p. 1042) Article
- C04-131 Continuous Descent Approach: Design and Flight Test for Louisville International Airport.** John-Paul B. Clarke, Nhut T. Ho, and Liling Ren, *Massachusetts Institute of Technology*; John A. Brown, Kevin R. Elmer, Kwok-On Tong, and Joseph K. Wat, *The Boeing Company* (**41**, 5, p. 1054) Article
- C04-132 Limit Cycle Oscillation of a Typical Airfoil in Transonic Flow.** Denis B. Kholodar, *U. S. Air Force Academy*; Earl H. Dowell, Jeffrey P. Thomas, and Kenneth C. Hall, *Duke University* (**41**, 5, p. 1067) Article
- C04-133 Effects of Surface Finish on Aerodynamic Performance of a Sailboat Centerboard.** David S. Miklosovic, Michael P. Schultz, and Christian Esquivel, *United States Naval Academy* (**41**, 5, p. 1073) Article
- C04-134 Multi-Element High-Lift Configuration Design Optimization Using Viscous Continuous Adjoint Method.** Sangho Kim, Juan J. Alonso, and Antony Jameson, *Stanford University* (**41**, 5, p. 1082) Article based on AIAA Paper 2002-0844
- C04-135 Application of Vortex Invariants to Roll Up of Vortex Pairs.** Vernon J. Rossow, *NASA Ames Research Center* (**41**, 5, p. 1098) Article
- C04-136 Dynamic Stall Control Based on an Optimal Approach.** Taisul Ahn, Chongam Kim, and Oh-Hyun Rho, *Seoul National University, South Korea* (**41**, 5, p. 1106) Article based on AIAA Paper 2001-0255
- C04-137 Probabilistic Two-Phase Aircraft Wake Vortex Model: Application and Assessment.** Frank Holzäpfel, *DLR, German Aerospace Center, Germany*; and Robert E. Robins, *NorthWest Research Associates, Inc.* (**41**, 5, p. 1117) Article based on AIAA Paper 2003-3809
- C04-138 Edge Vortices of a Double Element Wing in Ground Effect.** Xin Zhang and Jonathan Zerihan, *University of Southampton, Great Britain* (**41**, 5, p. 1127) Article
- C04-139 Structure and Induced Drag of a Tip Vortex.** D. Birch and T. Lee, *McGill University, Canada*; F. Mokhtarian and F. Kafyeke, *Bombardier Aerospace* (**41**, 5, p. 1138) Article
- C04-140 Aerodynamic Wing Design of NEXST-2 Using Unstructured-Mesh and Supersonic Inverse Problem.** Takeshi Fujita, Kisa Matsushima, and Kazuhiro Nakahashi, *Tohoku University, Japan* (**41**, 5, p. 1146) Article
- C04-141 Effects of Synthetic Jet Actuation on a Ramping NACA 0015 Airfoil.** Lance W. Traub, Adam Miller, and Othon Rediniotis, *Texas A&M University* (**41**, 5, p. 1153) Article
- C04-142 Forced Response of a Vortex Filament Pair Measured in a Water Tunnel.** Renaud Rebours, *The Boeing Company*; Linda K. Klilment and Kamran Rokhsaz, *Wichita State University* (**41**, 5, p. 1163) Article based on AIAA Paper 2001-2448
- C04-143 Lifting-Line Analysis of Roll Control and Variable Twist.** W. F. Phillips, N. R. Alley, and W. D. Goodrich, *Utah State University* (**41**, 5, p. 1169) Article based on AIAA Paper 2003-4061
- C04-144 First Look into Effects of Discrete Midspan Vortex Injection on Wing Performance.** Vojin R. Nikolic, *Minnesota State University*; and Eric J. Jumper, *University of Notre Dame* (**41**, 5, p. 1177) Article
- C04-145 Transition on a High-Lift Swept Wing in the European Project EUROLIFT.** Jean Perraud, Alain Séraudie, and Frédéric Moens, *Office National d'Etudes et de Recherches Aérospatiales (ONERA), France* (**41**, 5, p. 1183) Article based on AIAA Paper 2003-3796
- C04-146 Method for Steerable Clustered Round Parachutes.** Calvin K. Lee and John E. Buckley, *U.S. Army Natick Soldier Center* (**41**, 5, p. 1191) Article based on AIAA Paper 2003-2121
- C04-147 Numerical and Experimental Study of Flow Structure of Low-Aspect-Ratio Wing.** Tang Jian, *Tsinghua University, China (PRC)*; and Zhu Ke-Qin, *Tsinghua University, China (PRC)* (**41**, 5, p. 1196) Article
- C04-148 Nonlinear Flutter Aspects of the Flexible High-Speed Civil Transport Semispan Model.** Muhammad R. Hajj, *Virginia Polytechnic Institute and State University*; and Walter A. Silva, *NASA Langley Research Center* (**41**, 5, p. 1202) Article based on AIAA Paper 2003-1515
- C04-149 The μ - k Method for Robust Flutter Solutions.** Dan Borglund, *Royal Institute of Technology, Sweden* (**41**, 5, p. 1209) Article
- C04-150 Uncertainty Quantification in Aeroelasticity: Recent Results and Research Challenges.** Chris L. Pettit, *U.S. Air Force Research Laboratory* (**41**, 5, p. 1217) Article
- C04-151 Preliminary Design of a Structural Wing Box Under a Twist Constraint Part I.** Rakesh K. Kapania and Sangeon Chun, *Virginia Polytechnic Institute and State University* (**41**, 5, p. 1230) Article based on AIAA Paper 2003-2004
- C04-152 Near-Wake Characteristics of an Oscillating NACA 4412 Airfoil.** Jo Won Chang, *Hankuk Aviation University, South Korea* (**41**, 5, p. 1240) Technical Note
- C04-153 Visualized Vortices on Unmanned Combat Air Vehicle Planform: Effect of Reynolds Number.** M. Elkhoury and D. Rockwell, *Lehigh University* (**41**, 5, p. 1244) Technical Note
- C04-154 Suppression of Wing Rock Using Artificial Neural Networks and Fuzzy Logic Controller.** A. G. Sreenatha and P. P. Wong, *University of New South Wales, Australia*; and J. Y. Choi, *Seoul National University, South Korea* (**41**, 5, p. 1247) Technical Note

C04-155 Transpiration Boundary Condition for Computational Fluid Dynamics Solutions in a Noninertial Reference Frames. Timothy J. Cowan, Charles R. O'Neill, and Andrew S. Arena, *Oklahoma State University* (41, 5, p. 1252) Technical Note

C04-156 Mechanization and Control Concepts for Biologically Inspired Micro Air Vehicles. David L. Raney, *NASA Langley Research Center*; and Eric C. Slominski, *Virginia Polytechnic Institute and State University* (41, 6, p. 1257) Article based on AIAA Paper 2003-5345

C04-157 Modeling Viscous Transonic Limit Cycle Oscillation Behavior Using a Harmonic Balance Approach. Jeffrey P. Thomas, Earl H. Dowell, and Kenneth C. Hall, *Duke University* (41, 6, p. 1266) Article

C04-158 An Object-Oriented Unsteady Vortex Lattice Method for Flapping Flight. Lyle N. Long and Tracy E. Fritz, *Pennsylvania State University* (41, 6, p. 1275) Article

C04-159 Three-Dimensional Integrated Thermodynamic Simulation for Wing Anti-Icing System. Hong-Tao Liu and Jun Hua, *University of Toronto, Canada* (41, 6, p. 1291) Article

C04-160 Simulation of Flow About Rotating Forebodies at High Angles of Attack. S. Saephan and C. P. van Dam, *University of California, Davis*; C. M. Fremaux, *NASA Langley Research Center*; and T. DalBello, *University of Toledo, NASA John H. Glenn Research Center* (41, 6, p. 1298) Article

C04-161 Development of Powered Resonance-Tube Actuators for Aircraft Flow Control Applications. Ganesh Raman and Andrew Mills, *Illinois Institute of Technology*; and Valdis Kibens, *The Boeing Company* (41, 6, p. 1306) Article

C04-162 Numerical Analysis of Store-Induced Limit-Cycle Oscillation. Philip S. Beran, Narendra S. Khot, Franklin E. Eastep, Richard D. Snyder, and Jeffrey V. Zweber, *U.S. Air Force Research Laboratory* (41, 6, p. 1315) Article

C04-163 Time Delays In Visually Coupled Systems During Flight Test and Simulation. Sion Jennings, *National Research Council of Canada, Canada*; Lloyd D. Reid, *University of Toronto Institute for Aerospace Studies, Canada*; Gregory Craig, *National Research Council of Canada, Canada*; and R. V. Kruk, *CAE Ltd., Canada* (41, 6, p. 1327) Article

C04-164 Microactuators for Projectile Flight Control Systems: a Feasibility Study. Gjoko Apostolovski and Yiannis Andreopoulos, *The City College of the City University of New York* (41, 6, p. 1336) Article

C04-165 Model for Parachute Canopy Deformation and Feedback on Descent Properties. Mayer Humi, *Worcester Polytechnic Institute* (41, 6, p. 1347) Article

C04-166 Numerical Analyses of Discrete Gust Response for an Aircraft. Guowei Yang, *Chinese Academy of Sciences, China (PRC)*; and Shigeru Obayashi, *Tohoku University, Japan* (41, 6, p. 1353) Article based on AIAA Paper 2003-3513

C04-167 Level Estimation of Extended Acoustic Sources Using a Parametric Method. Daniel Blacodon and Georges Elias, *ONERA, France* (41, 6, p. 1360) Article based on AIAA Paper 2003-3199

C04-168 Understanding Ducted Rotor Antitorque and Directional Control Characteristics Part II: Unsteady Simulations. Emre Alpman and Lyle N. Long, *Pennsylvania State University*; and Bruce D. Kothman, *Boeing Defense and Space Group* (41, 6, p. 1370) Article based on AIAA Paper 2003-4231

C04-169 Experimental Study on the Application of Gurney Flap and Apex Flap on Delta Wing. Jing-Xia Zhan and WANG Jin-jun, *Beijing University of Aeronautics and Astronautics, China (PRC)* (41, 6, p. 1379) Article

C04-170 Transition Prediction on the Slat of a High-Lift System. Mujeeb R. Malik and Ray-Sing Lin, *High Technology Corporation* (41, 6, p. 1384) Article

C04-171 Particle Image Velocimetry Measurements on a Delta Wing with Periodic Forcing. Stefan G. Siegel, Thomas E. McLaughlin, and Julie A. Albertson, *U.S. Air Force Academy* (41, 6, p. 1393) Article based on AIAA Paper 2001-2436

C04-172 Control of VR-7 Dynamic Stall by Strong Steady Blowing. David Weaver, *Lockheed Martin Missiles and Fire Control*; Kenneth McAlister, *NASA Ames Research Center*; and Jin Tso, *California Polytechnic State University* (41, 6, p. 1404) Article based on AIAA Paper 98-2413

C04-173 Momentum Vector Control for Spin Recovery. Dong-Chan Lee, *Systems Technology, Inc.*; and M. G. Nagati, *Wichita State University* (41, 6, p. 1414) Article based on AIAA Paper 2000-0893

C04-174 Aerodynamic Interference of a Large and a Small Aircraft. Reza Karkehabadi, *Virginia Polytechnic Institute and State University* (41, 6, p. 1424) Article

C04-175 Analysis of the Flight Attempt by Samuel Langley's "Great Aerodrome." Lorenzo Auriti, *National Research Council Canada, Canada*; and James DeLaurier, *University of Toronto, Canada* (41, 6, p. 1430) Article

C04-176 A Static/Dynamic Correction Approach for Reduced-Order Modeling of Unsteady Aerodynamics. Jeffrey P. Thomas, Earl H. Howell, and Kenneth C. Hall, *Duke University* (41, 6, p. 1440) Article

C04-177 Order Reduction of State-Space Aeroelastic Models Using Optimal Modal Analysis. Tanyoun Kim, Kanivenahalli S. Nagaraja, and Kumar G. Bhatia, *Boeing Commercial Aircraft* (41, 6, p. 1440) Article

C04-178 Influence of Nonlinear Elastomer on Isolated Lag Dynamics and Rotor/Fuselage Aeromechanical Stability. G. Pohit, C. Venkatesan, and A. K. Mallik, *Indian Institute of Technology, India* (41, 6, p. 1449) Article

C04-179 Aeroelastic Modeling of Trailing-Edge-Flap Helicopter Rotors Including Actuator Dynamics. Jinwei Shen and Inderjit Chopra, *University of Maryland* (41, 6, p. 1465) Article

C04-180 State-Space Model Generation for Flexible Aircraft.

Timothy A. Smith, James W. Hakanson, and Salish S. Nair, *University of Missouri*; and Rudolph N. Yurkovich, *The Boeing Company* (**41**, 6, p. 1473) Article

C04-181 Model of the Neuromuscular Dynamics of the Human

Pilot's Arm. M. M. van Paasen, J. C. (Hans) van der Vaart, and J. A. (Bob) Mulder, *Delft University of Technology, The Netherlands* (**41**, 6, p. 1482) Article

C04-182 Modeling Mechanical Fasteners in Single-Shear Lap

Joints. Dale Cope and Thomas E. Lacy, *Wichita State University* (**41**, 6, p. 1491) Article

C04-183 Thermal Buckling Suppression of Supersonic Vehicle Surface Panels Using Shape Memory Alloy.

Xinyun Guo, Adam Przekop, and Chuh Mei, *Old Dominion University*; and Y. Y. Lee, *City University of Hong Kong, Hong Kong* (**41**, 6, p. 1498) Article

C04-184 HELIPLAT: Design, Aerodynamic, Structural Analysis of Long-Endurance Solar-Powered Stratospheric Platform.

Giulio Romeo, Giacomo Frulla, Enrico Cestino, and Guido Corsino, *Politecnico di Torino, Italy* (**41**, 6, p. 1505) Design Forum

C04-185 Effects of Wing and Canard Sweep on Lift-Enhancement of Canard-Configurations.

Bao-Feng Ma, Pei-Qing Liu, and Yuan Wei, *Beijing University of Aeronautics and Astronautics, China (PRC)* (**41**, 6, p. 1521) Technical Note

C04-186 Aeroelastic Model Design Using an Integrated Optimization Approach.

Martin Carlsson, *Royal Institute of Technology, Sweden* (**41**, 6, p. 1523) Technical Note