

Chronological Index

C04-119 High-Order vs Low-Order Panel Methods for Unsteady Subsonic Lifting Surfaces. Ping Chih Chen, Danny D. Liu, and Darius Sarhaddi, *ZONA Technology, Inc.* (**41**, 4, p. 957) Technical Note

Technical Comment by William P. Rodden (**42**, 2, p. 575)

C04-174 Aerodynamic Interference of a Large and a Small Aircraft. Reza Karkehabadi, *Virginia Polytechnic Institute and State University* (**41**, 6, p. 1424) Article

Errata (**42**, 2, p. 576)

C05-001 Application of System Identification to Aircraft at NASA Langley Research Center. Eugene A. Morelli, *NASA Langley Research Center*; and Vladislav Klein, *George Washington University* (**42**, 1, p. 12) Article

C05-002 Nonlinear Aerodynamic Model Extraction from Flight-Test Data for the S-3B Viking. Alfonso C. Paris and Omeed Alaverdi, *Science Applications International Corporation* (**42**, 1, p. 26) Article based on AIAA Paper 2001-4015

C05-003 Application of Parameter Estimation to Improved Autogyro Simulation Model Fidelity. Douglas G. Thomson and Stewart S. Houston, *University of Glasgow, Great Britain* (**42**, 1, p. 33) Article

C05-004 Parameter Estimation in Nonlinear Systems Using Hopfield Neural Networks. Zhenning Hu and Sivasubramanya N. Balakrishnan, *University of Missouri–Rolla* (**42**, 1, p. 41) Article

C05-005 Global Model Approach for X-31 VECTOR System Identification. Detlef Rohlf, *DLR, German Aerospace Research Center, Germany* (**42**, 1, p. 54) Article

C05-006 System Identification for Retrofit Reconfigurable Control of an F/A-18 Aircraft. David G. Ward and Jeffrey F. Monaco, *Barron Associates, Inc.* (**42**, 1, p. 63) Article

C05-007 Advances in Real-Time Aerodynamic Model Identification. Kenneth Hui, Lorenzo Auriti, and Joseph Ricciardi, *National Research Council, Canada* (**42**, 1, p. 73) Article

C05-008 Five-Hole Flow Probe Calibration from Dynamic and Tower Flyby Maneuvers. V. Parameswaran, *National Aerospace Laboratories, India*; Ravindra Jategaonkar and Michael Press, *DLR, German Aerospace Center, Germany* (**42**, 1, p. 80) Article based on AIAA Paper 2002-4627

C05-009 Flight-Test Estimation of Aircraft Aerodynamic Characteristics—Russian Experience. Yu. I. Sneshko, V. N. Chetvergova, and T. A. Chernysheva, *Gromov Flight Research Institute, Russia* (**42**, 1, p. 87) Technical Note

C05-010 In-Flight Structural Modes Identification for Comfort Improvement by Flight Control Laws. Christophe Le Garrec and François Kubica, *Airbus Industries, France* (**42**, 1, p. 90) Technical Note based on AIAA Paper 2003-5536

C05-011 Design of an Aerolevitation Electric Vehicle for High-Speed Ground Transportation System. Cheolheui Han and Jinsoo Cho, *Hanyang University, South Korea*; Youngjune Moon, *Korea University, South Korea*; Yonghyun Yoon, *Korea Airforce Academy, South Korea*; and Yongkyu Song, *Hankuk Aviation University, South Korea* (**42**, 1, p. 93) Article based on AIAA Paper 2002-5829

C05-012 Capacity-Enhancing Air Traffic Management Concept. Alvin L. Sipe, Robert Schwab, Aslaug Haraldsdottir, and Ewald G. Schoemig, Marissa K. Singleton, Paul van Tulder, Monica Alcabin, Steven H. Glickman, and Arek Shakarian, *The Boeing Company* (**42**, 1, p. 105) Article based on AIAA Paper 2003-2666

C05-013 Characteristics of Y-Shaped Rectangular Diffusing Duct at Different Inflow Conditions. Titiksh Patel, S. N. Singh, and V. Seshadri, *Indian Institute of Technology, Delhi, India* (**42**, 1, p. 113) Article

C05-014 Effect of Airfoil Geometry on Performance with Simulated Intercycle Ice Accretions. Andy P. Broeren and Michael B. Bragg, *University of Illinois at Urbana–Champaign* (**42**, 1, p. 121) Article based on AIAA Paper 2003-0728

C05-015 Flight Characteristics of Shaping the Membrane Wing of a Micro Air Vehicle. Mujahid Abdulrahim, Helen Garcia, and Rick Lind, *University of Florida* (**42**, 1, p. 131) Article

C05-016 Time-Dependent Coefficient Reduced-Order Model for Unsteady Aerodynamics of Proprotors. Massimo Gennaretti and Luca Greco, *University of Rome, Italy* (**42**, 1, p. 138) Article

C05-017 Performance and Stability of a Winged Vehicle in Ground Effect. Nicola de Divitiis, *University of Rome “La Sapienza,” Italy* (**42**, 1, p. 148) Article

C05-018 Huygens Structure Atmospheric Instrument 2002 Balloon Campaign: Probe–Parachute System Attitude Analysis. Vincent Gaborit, *LESIA, Observatory of Paris–Meudon, France*; M. Antonello and G. Colombatti, *University of Padua, Italy*; and M. Fulchignoni, *Universite Denis Diderot/LESIA, Observatory of Paris–Meudon, France* (**42**, 1, p. 158) Article

C05-019 Separated Shock–Boundary-Layer Interaction Control Using Streamwise Slots. Harriet A. Holden and Holger Babinsky, *Cambridge University, Great Britain* (**42**, 1, p. 166) Article

C05-020 Analysis of Proprotor Whirl Flutter: Review and Update. Donald L. Kunz, *U.S. Air Force Institute of Technology* (**42**, 1, p. 172) Article based on AIAA Paper 2002-1602

C05-021 Implementation and Validation of the Spalart–Allmaras Turbulence Model in Parallel Environment. Stephane Seror, Theodor Rubin, and Sergey Peigin, *Israel Aircraft Industries, Israel*; and Boris Epstein, *The Academic College Tel-Aviv–Yaffo, Israel* (**42**, 1, p. 179) Article based on AIAA Paper 2003-3404

C05-022 Wind-Tunnel Interference Effects on Delta Wing Aerodynamics Computational Fluid Dynamics Investigation. Mark R. Allan, Ken J. Badcock, George N. Barakos, and Bryan E. Richards, *University of Glasgow, Great Britain* (42, 1, p. 189) Article based on AIAA Paper 2003-4214

C05-023 Incorporation of Aircraft Performance Considerations in Inverse Airfoil Design. Jeffrey K. Jepson and Ashok Gopalathnam, *North Carolina State University* (42, 1, p. 199) Article based on AIAA Paper 2003-3499

C05-024 Fuel Jet Spread Modeling for Numerical of Aircraft Fuel Dumping Simulation. Tsze C. Tai, *U.S. Naval Surface Warfare Center* (42, 1, p. 208) Article based on AIAA Paper 2003-3929

C05-025 Optimum Range and Endurance of a Piston Propeller Aircraft with Cambered Wing. Mustafa Cavcar and Aydan Cavcar, *Anadolu University, Turkey* (42, 1, p. 212) Article

C05-026 Wright Brothers' Invention of 1903 Propeller and Genesis of Modern Propeller Theory. Trent J. Carroll, *Eye Physicans of Springfield*; and Thomas R. Carroll, *National Oceanic and Atmospheric Administration* (42, 1, p. 218) Article

C05-027 Handling Qualities Analysis of the Wright Brothers' 1902 Glider. Ben Lawrence and Gareth D. Padfield, *University of Liverpool, Great Britain* (42, 1, p. 224) Article based on AIAA Paper 2003-5307

C05-028 Large-Area Aerodynamic Control for High-Altitude Long-Endurance Sensor Platforms. Gregory W. Reich, Jason C. Bowman, and Brian Sanders, *U.S. Air Force Research Laboratory* (42, 1, p. 237) Article

C05-029 Drag Computation and Breakdown in Power-On Conditions. Renato Tognaccini, *University of Naples "Federico II," Italy* (42, 1, p. 245) Article

C05-030 Parametric Studies of Transonic Aeroelastic Effects of an Aircraft Wing/Tip Store. Srinivasan Janardhan and Ramana V. Grandhi, *Wright State University*; Frank Eastep and Brian Sanders, *U.S. Air Force Research Laboratory* (42, 1, p. 253) Article

C05-031 Influence of Angle of Attack and Stabilizer Deflection on T Empennage Flutter. Vitaly D. Chuban, *TsAGI, Russia* (42, 1, p. 264) Article

C05-032 Bonded Composite Patch Design for Aircraft Structures Exhibiting Cracking and Corrosion. Madhukar Singh and William Schonberg, *University of Missouri-Rolla* (42, 1, p. 269) Article

C05-033 Finite Element Model Updating Using Bayesian Framework and Modal Properties. Tshilidzi Marwala, *University of Witwatersrand, South Africa*; and Sibusiso Sibisi, *Council for Scientific and Industrial Research, South Africa* (42, 1, p. 275) Technical Note

C05-034 On Active Aeroelastic Control of an Adaptive Wing Using Piezoelectric Actuators. J. Rocha, P. A. Moniz, Antonio P. Costa, and Afzal Suleman, *Academia da Forca Aerea, Portugal* (42, 1, p. 278) Technical Note based on AIAA Paper 2001-1361

C05-035 Effects of Synthetic Jets on Large Amplitude Sinusoidal Pitch Motions. Lance W. Traub, Adam C. Miller, Othon Rediniotis, Kiwhan Kim, and Suhada Jayasuriya, *Texas A&M University*; and Gyuhong Jung, *Daejin University* (42, 1, p. 282) Technical Note

C05-036 Extension of Flutter Prediction Parameter for Multimode Flutter Systems. Jae-Sung Bae, *Virginia Polytechnic Institute and State University*, Jong-Yun Kim and In Lee, *Korea Advanced Institute of Science and Technology, South Korea*; Yuji Matsuzaki, *Nagoya University, Japan*; and Daniel J. Inman, *Virginia Polytechnic Institute and State University* (42, 1, p. 285) Technical Note

C05-037 History of In-Flight Simulation at General Dynamics. Norman C. Weingarten, *General Dynamics-Advanced Information Systems* (42, 2, p. 290) History of Key Technologies based on AIAA Paper 2003-5464

C05-038 Review of Unsteady Vortex Flows over Slender Delta Wings. Ismet Gursul, *University of Bath, Great Britain* (42, 2, p. 299) Survey Paper based on AIAA Paper 2003-3942

C05-039 Future Air Traffic Timetable Estimator. Dipasis Bhadra, Jennifer Gentry, Brendan Hogan, and Micheal Wells, *The MITRE Corporation* (42, 2, p. 320) Article

C05-040 Military Aviation and the Environment: Historical Trends and Comparison to Civil Aviation. Ian A. Waitz, Stephen P. Lukachko, and Joosung J. Lee, *Massachusetts Institute of Technology* (42, 2, p. 329) Article based on AIAA Paper 2003-2620

C05-041 Simulation of Aircraft Response to Control Surface Deflection Using Unstructured Dynamic Grids. Mitsuhiro Murayama, Fumiya Togashi, Kazuhiro Nakahashi, Kisa Matsushima, and Takuma Kato, *Tohoku University, Japan* (42, 2, p. 340) Article based on AIAA Paper 2002-2940

C05-042 Near Real-Time Simulation of Rotorcraft Acoustics and Flight Dynamics. Kenneth S. Brentner, Leonard V. Lopes, Hsuan-Nien Chen, and Joseph F. Horn, *The Pennsylvania State University* (42, 2, p. 347) Article

C05-043 Spanwise Lift Distribution for Blended Wing Body Aircraft. Ning Qin, *University of Sheffield, Great Britain*; Amando Vavalle, *Cranfield University, Great Britain*; and Alan Le Moigne, *University of Sheffield, Great Britain* (42, 2, p. 356) Article

C05-044 Aerial Refueling Implications for Commercial Aviation. Matthew A. Bennington and Kenneth D. Visser, *Clarkson University* (42, 2, p. 366) Article

C05-045 Airfoil Pitch-and-Plunge Bifurcation Behavior with Fourier Chaos Expansions. Daniel R. Millman and Paul I. King, *Air Force Institute of Technology*; and Philip S. Beran, *U.S. Air Force Research Laboratory* (42, 2, p. 376) Article based on AIAA Paper 2003-3515

C05-046 Flow Visualization of Micro Air Vehicle Scaled Insect-Based Flapping Wings. Matthew J. Tarascio, Manikandan Ramasamy, Inderjit Chopra, and J. G. Leishman, *University of Maryland* (42, 2, p. 385) Article

C05-047 Inviscid Effects of Thin Shear Layers on Four Vortex Systems. Simon J. Hubbard and Andrew J. Marquis, *Imperial College of Science, Technology, and Medicine, Great Britain* (42, 2, p. 391) Article

C05-048 Condensation on ONERA M6 and F-16 Wings in Atmospheric Flight: Numerical Modeling. Kevin A. Goodheart and Guenter H. Schnerr, *Technical University of Munich, Germany* (42, 2, p. 402) Article

C05-049 Efficient Optimization Design Method Using Kriging Model. Shinkyu Jeong, Mitsuhiro Murayama, and Kazuomi Yamamoto, *Japan Aerospace Exploration Agency, Japan* (42, 2, p. 413) Article based on AIAA Paper 2004-0118
Errata (42, 5, p. 1375)

C05-050 Time Domain Training Signals Comparison for Computational Fluid Dynamics Based Aerodynamic Identification. Charles R. O'Neill and Andrew S. Arena, *Oklahoma State University* (42, 2, p. 421) Article based on AIAA Paper 2004-0209

C05-051 Unsteady Trailing Vortex Evolution Behind a Wing In Ground Effect. Jinsoo Cho and Cheolheui Han, *Hanyang University, South Korea* (42, 2, p. 429) Article

C05-052 Propeller Performance at Low Advance Ratio. Rosen Aviv and Ohad Gur, *Technion—Israel Institute of Technology, Israel* (42, 2, p. 435) Article

C05-053 Effect of Trailing-Edge Flap on a Tip Vortex. David M. Birch and Tim Lee, *McGill University, Canada* (42, 2, p. 442) Article

C05-054 Simulation of Helicopter Shipboard Launch and Recovery with Time-Accurate Airwakes. Dooyong Lee, Nilay Sezer-Uzol, Joseph F. Horn, and Lyle N. Long, *Pennsylvania State University* (42, 2, p. 448) Article

C05-055 Computations with k-g Model for Complex Configurations at High-Incidence. Zhixiang Xiao, Haixin Chen, and Song Fu, *Tsinghua University, China (PRC)*; and Fengwei LI, *Northwestern Polytechnical University, China (PRC)* (42, 2, p. 462) Article based on AIAA Paper 2004-0899

C05-056 Autonomous Coordination of Aircraft Formations Using Direct and Nearest-Neighbor Approaches. Larry M. Silverberg and Blaine A. Levedahl, *North Carolina State University* (42, 2, p. 469) Article

C05-057 Altitude Control of Long-Duration Balloons. Paul B. Voss and Emily E. Riddle, *University of Massachusetts*; and Mike Smith, *Raven Industries* (42, 2, p. 478) Article based on AIAA Paper 2003-6819

C05-058 High-Reynolds Number Viscous Flow Computations Using an Unstructured-Grid Method. Hong Luo, and Joseph D. Baum, *Science Applications International Corporation*; and Rainald Lohner, *George Mason University* (42, 2, p. 483) Article based on AIAA Paper 2004-1103

C05-059 Application of Genetic Algorithm for Aeroelastic Tailoring of a Cranked-Arrow Wing. Hitoshi Arizono, *Japan Aerospace Exploration Agency, Japan*; and Koji Isogai, *Nippon Bunri University, Japan* (42, 2, p. 493) Article

C05-060 In-Flight Wing Deformation Characteristics During Limit Cycle Oscillations. Charles M. Denegri, James A. Dubben, and Daniel L. Maxwell, *U.S. Air Force SEEK EAGLE Office* (42, 2, p. 500) Article based on AIAA Paper 2003-1426

C05-061 Aeroelastic System Development Using Proper Orthogonal Decomposition and Volterra Theory. David J. Lucia and Philip S. Beran, *U.S. Air Force Research Laboratory*; and Walter A. Silva, *NASA Langley Research Center* (42, 2, p. 509) Article based on AIAA Paper 2003-1922

C05-062 Elastic-Blade Whirl Flutter Stability Analysis of Two-Bladed Proprotor/Pylon Systems. Beerinder Singh and Inderjit Chopra, *University of Maryland* (42, 2, p. 519) Article based on AIAA Paper 2003-1788

C05-063 Aerodynamic and Static Aeroelastic Characteristics of a Variable-Span Morphing Wing. Jae-Sung Bae, T. Michael Seigler and Daniel J. Inman, *Virginia Polytechnic Institute and State University* (42, 2, p. 528) Article

C05-064 Link-Up Strength of 2524-T3 and 2024-T3 Aluminum Panels with Multiple Site Damage. Bert L. Smith, Tanya L. Flores, and Ala L. Hijazi, *Wichita State University* (42, 2, p. 535) Article

C05-065 Analysis of Bending Vibration of Rectangular Plates Using Two-Dimensional Plate Modes. Gang Wang and Norman M. Wereley, *University of Maryland*; and Der-Chen Chang, *Georgetown University* (42, 2, p. 542) Article based on AIAA Paper 2003-1774

C05-066 Two Simplified Versions of Supersonic Area Rule. Vojin R. Nikolic, *Minnesota State University*; and Eric J. Jumper, *University of Notre Dame* (42, 2, p. 551) Technical Note

C05-067 Upper Bound Flutter Speed Estimation Using the μ -k Method. Dan Borglund, *Royal Institute of Technology, Sweden* (42, 2, p. 555) Technical Note

C05-068 Effect of Miniaturized Gurney Flaps on Aerodynamic Performance of Microscale Rotors. Jeremy Nelson and Nikhil Koratkar, *Rensselaer Polytechnic Institute* (42, 2, p. 557) Technical Note

C05-069 Near Wake Behind an Airfoil with Leading-Edge Flow Control. Peter Gerontakos and Tim Lee, *McGill University, Canada* (42, 2, p. 561) Technical Note

C05-070 Inverse Design of Transonic Airfoils Using Parallel Simultaneous Perturbation Stochastic Approximation. X. Xing and M. Damodaran, *Nanyang Technological University, Singapore* (42, 2, p. 568) Technical Note

C05-071 Maximization of Thrust-Torque Ratio of a Coaxial Rotor. Shigeru Sunada, Kohji Tanaka, and Kenta Kawashima, *Osaka Prefecture University, Japan* (42, 2, p. 570) Technical Note

C05-072 Finite Volume Time-Domain Computations for Electromagnetic Scattering from Intake Configurations. Ashim Bhattacharya and Avijit Chatterjee, *Indian Institute of Technology, Bombay, India* (42, 2, p. 572) Technical Note

C05-073 Understanding Abrupt Wing Stall with Computational Fluid Dynamics. Shawn H. Woodson, Brad E. Green, James J. Chung, and Darren V. Grove, *U.S. Naval Air Systems Command*; Paresh C. Parikh, *NASA Langley Research Center*; and James R. Forsythe, *U.S. Air Force Academy* (42, 3, p. 578) Article based on AIAA Paper 2003-0592

C05-074 Transonic Experimental Observations of Abrupt Wing Stall on an F/A-18E Model. S. N. McMillin, Robert M. Hall, and John E. Lamar, *NASA Langley Research Center* (42, 3, p. 586) Article based on AIAA Paper 2003-0591

C05-075 Computational Study of the Abrupt-Wing-Stall Characteristics of F/A-18E and F-16C. Paresh Parikh, *NASA Langley Research Center*; and James Chung, *U.S. Naval Air Systems Command* (42, 3, p. 600) Article based on AIAA Paper 2003-0746

C05-076 Unsteady Computations of Abrupt Wing Stall Using Detached-Eddy Simulation. James R. Forsythe, *U.S. Air Force Academy*; and Shawn H. Woodson, *U.S. Naval Air Systems Command* (42, 3, p. 606) Article based on AIAA Paper 2003-0594

C05-077 F/A-18C to E Wing Morphing Study for the Abrupt-Wing-Stall Program. Bradford E. Green, *U.S. Naval Air Systems Command*; and James D. Ott, *Combustion Research and Flow Technology, Inc.* (42, 3, p. 617) Article based on AIAA Paper 2003-0925

C05-078 Recommendations for Computational-Fluid-Dynamics Procedures for Predicting Abrupt Wing Stall. Shawn H. Woodson, Brad E. Green, James J. Chung, and Darren V. Grove, *U.S. Naval Air Systems Command*; Paresh C. Parikh, *NASA Langley Research Center*; and James R. Forsythe, *U.S. Air Force Academy* (42, 3, p. 627) Article based on AIAA Paper 2003-0923

C05-079 Flight Test Assessment of Lateral Activity. Michael T. Roesch and Brian E. Randall, *The Boeing Company* (42, 3, p. 634) Article based on AIAA Paper 2003-0748

C05-080 Use of Piloted Simulation for Evaluation of Abrupt-Wing-Stall Characteristics. Alexander Kokolios and Stephen P. Cook, *U.S. Naval Air Systems Command*; and Robert Niewoehner, *U.S. Naval Academy* (42, 3, p. 641) Article based on AIAA Paper 2003-0924

C05-081 Integrated Approach to Assessment of Transonic Abrupt Wing Stall for Advanced Aircraft. Stephen P. Cook, Alex Kokolios, and Anthony Page, *U.S. Naval Air Systems Command*; Joseph Chambers, *Ball Corporation*; Robert Niewoehner, *U.S. Naval Academy*; D. B. Owens, *NASA Langley Research Center*; and Michael Roesch, *The Boeing Company* (42, 3, p. 646) Article based on AIAA Paper 2003-0926

C05-082 Accomplishments of the Abrupt-Wing-Stall Program. Robert M. Hall, *NASA Langley Research Center*; Shawn H. Woodson, *U.S. Naval Air Systems Command*; and Joseph R. Chambers, *Ball Aerospace* (42, 3, p. 653) Article based on AIAA Paper 2003-0927

C05-083 Text Mining the Global Abrupt-Wing-Stall Literature. Ronald N. Kostoff, *Office of Naval Research*; Gabriel Karpouzian, *U.S. Naval Academy*; and Guido Malpohl, *University of Karlsruhe* (42, 3, p. 661) Article

C05-084 Numerical Heat Transfer Correlation for Array of Hot-Air Jets Impinging on 3-Dimensional Concave Surface. Mathieu Fregeau, Farooq Saeed, Ion Paraschivoiu, *Ecole Polytechnique de Montreal, Canada* (42, 3, p. 665) Article based on AIAA Paper 2003-3403

C05-085 Simulating the Aerodynamics of the NASA John H. Glenn Icing Research Tunnel. Chirag Bhargava and Eric Loth, *University of Illinois at Urbana-Champaign*; and Mark Potapczuk, *NASA John H. Glenn Research Center at Lewis Field* (42, 3, p. 671) Article based on AIAA Paper 2003-566

C05-086 Sensitivity of Helicopter Blade-Vortex-Interaction Noise and Vibration to Interaction Parameters. Brendon Malovrh and Farhan Gandhi, *The Pennsylvania State University* (42, 3, p. 685) Article

C05-087 Delta Wing Stall and Roll Control Using Segmented Piezoelectric Fluidic Actuators. Shaul Margalit, David Greenblatt, Avi Seifert, and Israel Wygnanski, *Tel-Aviv University, Israel* (42, 3, p. 698) Article based on AIAA Paper 2002-3270

C05-088 Evaluation of the Wright 1902 Glider Using Full-Scale Wind-Tunnel Data. Kevin Kochersberger, *Rochester Institute of Technology*; Drew Landman, *Old Dominion University*; J. L. Player, *Bihle Applied Research*; and Ken W. Hyde, *The Wright Experience* (42, 3, p. 710) Article based on AIAA Paper 2003-0096

C05-089 New Pair of Leading-Edge Vortex Structure for Flow over Delta Wing. Jinjun Wang and Jingxia Zhan, *Beijing University of Aeronautics and Astronautics, China (PRC)* (42, 3, p. 718) Article

C05-090 Study of Four-Vortex Aircraft Wakes and Layout of Corresponding Aircraft Configurations. Eike Stumpf, *DLR, German Aerospace Center, Germany* (42, 3, p. 722) Article based on AIAA Paper 2004-1067

C05-091 Direct Aeroelastic Bifurcation Analysis of a Symmetric Wing Based on the Euler Equations. Ken J. Badcock, Mark A. Woodgate, and Bryan E. Richards, *University of Glasgow, Great Britain* (42, 3, p. 731) Article

C05-092 Control Surface Response of a Blended Wing Body Aeroelastic Wind-Tunnel Model. Martin Carlsson, *Royal Institute of Technology, Sweden* (42, 3, p. 738) Article based on AIAA Paper 2003-450

C05-093 Computationally Efficient Analysis and Optimization of Stiffened Thin-Walled Panels in Shear. Awie Viljoen, Andries Visser, *Council for Scientific and Industrial Research, South Africa*; and Albert A. Groenwold, *University of Pretoria, South Africa* (42, 3, p. 743) Article

C05-094 High-Order Finite Elements Reduced Models for Use in a Flutter Design Tool. Paolo Lisandrin and Michel van Tooren, *Delft University of Technology, The Netherlands* (42, 3, p. 748) Article based on AIAA Paper 2004-2002

C05-095 Design and Development of the HondaJet. Michimasa Fujino, *Honda R&D Americas, Inc.* (42, 3, p. 755) Design Forum based on AIAA Paper 2003-2530

C05-096 Case for Small Supersonic Civil Aircraft. Preston A. Henne, *Gulfstream Aerospace Corporation* (42, 3, p. 765) Design Forum based on AIAA Paper 2003-2555

C05-097 Two Supersonic Business Aircraft Conceptual Designs With and Without Sonic Boom Constraint. David C. Aronstein and Kurt L. Schueler, *Raytheon Aircraft Company* (42, 3, p. 775) Design Forum based on AIAA Paper 2004-697

C05-098 Inviscid Wing-Tip Vortex Behavior Behind Wings in Close Formation Flight. Cheolheui Han and William H. Mason, *Virginia Polytechnic Institute and State University* (42, 3, p. 787) Technical Note

C05-099 Extension of the g-Method Flutter Solution to Aeroservoelastic Stability Analysis. Moti Karpel and Boris Moulin, *Technion—Israel Institute of Technology, Israel*; and P. C. Chen, *Zona Technology Inc.* (42, 3, p. 789) Technical Note based on AIAA Paper 2003-1512

C05-100 Aircraft Characterization in Icing Using Flight Test Data. Edward A. Whalen and Michael B. Bragg, *University of Illinois Urbana—Champaign* (42, 3, p. 792) Technical Note

C05-101 Passive Shock Control Concept for Drag Reduction in Transonic Flow. Guido Dietz, *DLR, German Aerospace Center, Germany* (42, 3, p. 794) Technical Note

C05-102 Birth of Sweepback: Related Research at Luftfahrtforschungsanstalt—Germany. Peter G. Hamel, *Technical University Braunschweig, Germany* (42, 4, p. 801) History of Key Technologies based on AIAA Paper 2003-5541

C05-103 Evolution of Structures Design Philosophy and Criteria. Michael Mohaghegh, *The Boeing Company* (42, 4, p. 814) History of Key Technologies based on AIAA Paper 1785-2004

C05-104 Joined-Wing Aeroelastic Design with Geometric Nonlinearity. Maxwell Blair, *U.S. Air Force Research Laboratory*; Robert A. Canfield, *Air Force Institute of Technology*; and Ronald W. Roberts, *U.S. Air Force Research Laboratory* (42, 4, p. 832) Article

C05-105 Multistage Trajectory Optimization with Radar Range Constraints. Martin Norsell, *Kungliga Tekniska Högskolan, Sweden* (42, 4, p. 849) Article

C05-106 Growth and Operating Patterns of Regional Jets in the United States. Aleksandra Mozdanowska and John Hansman, *Massachusetts Institute of Technology* (42, 4, p. 858) Article

C05-107 Numerical Simulations of Membrane Wing Aerodynamics for Micro Air Vehicle Applications. Yongsheng Lian and Wei Shyy, *University of Florida* (42, 4, p. 865) Article based on AIAA Paper 2003-1726

C05-108 Effect of Unsteady Blade Pitching Motion on Aerodynamic Performance of Microrotorcraft. Jongmin Kim and Nikhil A. Koratkar, *Rensselaer Polytechnic Institute* (42, 4, p. 874) Article

C05-109 Reduced Order Modeling of Unsteady Flows Without Static Correction Requirement. Morteza Behbahani-Nejad, *Chamran University of Ahwaz, Iran*; Hassan Haddadpour, *Sharif University of Technology, Iran*; and Vahid Esfahanian, *University of Tehran, Iran* (42, 4, p. 882) Article

C05-110 Transonic Drag Prediction Using an Unstructured Multigrid Solver. Dimitri J. Mavriplis, *NASA Langley Research Center*; and David W. Levy, *Cessna Aircraft Company* (42, 4, p. 887) Article based on AIAA Paper 2002-0838

C05-111 Wake Vortex Alleviation Flow Field Studies. Donald A. Durston, Stephen M. Walker, and David M. Driver, *NASA Ames Research Center*; Stephen C. Smith, *NASA Ames Research Center*; and Ömer Savas, *University of California* (42, 4, p. 894) Article based on AIAA Paper 2004-1073

C05-112 Pressure-Sensitive Paint Measurements in a Blowdown Wind Tunnel. Channa Raju and P. R. Viswanath, *National Aerospace Laboratories* (42, 4, p. 908) Article

C05-113 Comparison of Wake-Vortex Parameters Measured by Pulsed and Continuous-Wave Lidars. Friedrich Köpp and Stephan Rahm, *DLR German Aerospace Research Center, Germany*; Agnes Dolfi and Jean-Pierre Cariou, *ONERA, France*; and Michael Harris, *QinetiQ Malvern, Great Britain* (42, 4, p. 916) Article

C05-114 Flight-Simulator Study of Airplane Encounters with Perturbed Trailing Vortices. Roberto E. Loucel and Jeffrey D. Crouch, *Boeing Commercial Airplanes* (42, 4, p. 924) Article based on AIAA Paper 2004-1074

C05-115 Airbus, ONERA, and DLR Results from the Second AIAA Drag Prediction Workshop. Olaf P. Brodersen and Mark Rakowitz, *DLR, German Aerospace Center, Germany*; Stephane Amant and Pascal Larrieu, *Airbus France, France*; Daniel Destarac, *ONERA, France*; and Mark Suttcliffe, *Airbus Deutschland, Germany* (42, 4, p. 932) Article based on AIAA Paper 2004-0391

C05-116 Modeling of Aerodynamic Coupling Between Aircraft in Close Proximity. Atilla Dogan and Sriram Venkataramanan, *University of Texas at Arlington*; and William Blake, *U.S. Air Force Research Laboratory* (42, 4, p. 941) Article based on AIAA Paper 2003-5385

C05-117 Worst-Case Gust-Response Analysis for Typical Airfoil Section with Control Surface. Atsushi Kanda, *Japan Aerospace Exploration Agency, Japan*; and Earl H. Dowell, *Duke University* (42, 4, p. 956) Article

C05-118 Scalable Computational Steering for Visualization/Control of Large-Scale Fluid Dynamics Simulations. Anirudh Modi, Nilay Sezer-Uzol, Lyle N. Long, and Paul E. Plassmann, *Pennsylvania State University* (42, 4, p. 963) Article

C05-119 Aerodynamic Drag of Streamers and Flags. Anna Carruthers and Antonio Filippone, *The University of Manchester, Great Britain* (42, 4, p. 976) Article

C05-120 Sting Effects on Store Captive Loads. Leiyong Y. Jiang, F. C. Tang, Ali Benmeddour, and Francois Fortin, *National Research Council Canada, Canada* (42, 4, p. 983) Article based on AIAA Paper 2001-0575

C05-121 A General Purpose Euler and Navier–Stokes Solver for Structured and Unstructured Grids. Mortaza Mani and Andrew Cary, *The Boeing Company*; and S. V. Ramakrishnan, *Hypercomp, Inc.* (42, 4, p. 991) Article based on AIAA Paper 2004-524

C05-122 Reducing Conservatism in Flutterometer Predictions Using Volterra Modeling with Modal Parameter Estimation. Rick Lind and Joao P. Mortagua, *University of Florida* (42, 4, p. 998) Article

C05-123 Aeroelastic Calculations for the Hawk Aircraft Using the Euler Equations. Mark A. Woodgate, Ken J. Badcock, Abdul M. Rampurawala, and Bryan E. Richards, *University of Glasgow, Great Britain*; Dario Nardini and Michael Henshaw, *BAE SYSTEMS, Great Britain* (42, 4, p. 1005) Article

C05-124 Aeroelastic Stability Enhancement and Vibration Suppression in a Composite Helicopter Rotor. Senthil Murugan and Ranjan Ganguli, *Indian Institute of Science, India* (42, 4, p. 1013) Article

C05-125 Numerical Investigation of Nonlinear Aeroelastic Effects on Flexible High-Aspect-Ratio Wings. Joseph A. Garcia, *NASA Ames Research Center* (42, 4, p. 1025) Article

C05-126 Design and Evaluation of Composite Fuselage Panels Subjected to Combined Loading Conditions. Damodar Ambur and Marshall Rouse, *NASA Langley Research Center* (42, 4, p. 1037) Article

C05-127 Effect of Atmospheric Transmission and Radiance on Aircraft Infrared Signatures. Arvind G. Rao and Shripad P. Mahulikar, *Indian Institute of Technology, Bombay, India* (42, 4, p. 1046) Article

C05-128 Thrust-Matching Requirements for the Conceptual Design of Hypersonic Waverider Vehicles. Kashif H. Javaid and Varnavas C. Serghides, *Imperial College London, Great Britain* (42, 4, p. 1055) Article based on AIAA Paper 2003-6953

C05-129 Spline-Based Airfoil Curvature Smoothing and Its Applications. Wu Li and Steve Krist, *NASA Langley Research Center* (42, 4, p. 1065) Article

C05-130 Improved Harmonic Large-Angle Fuselage Aerodynamics Model. Joseph A. Huwaldt, *U.S. Army Research, Development, and Engineering Command* (42, 4, p. 1075) Technical Note

C05-131 Some Characteristics of Supersonic Transport Trajectories. Robert Windhorst, *NASA Ames Research Center*; and Mark Ardema, *Santa Clara University* (42, 4, p. 1079) Technical Note based on AIAA Paper 2000-4247

C05-132 Aerodynamic Drag of Parafoils. Anna C. Carruthers and Antonio Filippone, *The University of Manchester, Great Britain* (42, 4, p. 1081) Technical Note

C05-133 Impingement of a von Karman Vortex Street on a Delta Wing. Ismael Heron and Roy Y. Myose, *Wichita State University* (42, 4, p. 1084) Technical Note based on AIAA Paper 2004-4731

C05-134 Biologically Inspired Fixed-Wing Configuration Studies. Barry S. Lazos, *NASA Langley Research Center* (42, 5, p. 1089) Article

C05-135 Novel Hierarchical Modular Control Methodology for Closed-Loop-Flow Control Applications. Mehul P. Patel, Richard M. Kolacinski, and Troy S. Prince, *Orbital Research, Inc.*; James Myatt, *U.S. Air Force Research Laboratory*; and T. T. Ng, *University of Toledo* (42, 5, p. 1099) Article

C05-136 Discrete-Blade, Navier–Stokes Computational Fluid Dynamics Analysis of Ducted-Fan Flow. Gene C. Ruzicka and Roger C. Strawn, *NASA Ames Research Center*; and Edward T. Meadowcroft, *The Boeing Company* (42, 5, p. 1109) Article based on AIAA Paper 2004-0048

C05-137 Modified Shear-Stress Transport Turbulence Model for Supersonic Flows. Sang Dug Kim and Dong Joo Song, *Yeungnam University, South Korea* (42, 5, p. 1118) Article

C05-138 The Flow on the Apex of a Sharp-Edged Delta Wing. Niek G. Verhaagen and Victor F. Kunst, *Delft University of Technology, The Netherlands* (42, 5, p. 1126) Article based on AIAA Paper 2004-1065

C05-139 Nose Bluntness for Side-Force Control on Circular Cones at High Incidence. Rajan Kumar and P. R. Viswanath, *National Aerospace Laboratories, India*; and O. N. Ramesh, *Indian Institute of Science, India* (42, 5, p. 1133) Article based on AIAA Paper 2004-37

C05-140 Active Control of Flow Separation from Supercritical Airfoil Leading-Edge Flap Shoulder. Latunia Pack Melton, Norman W. Schaeffler, and Chungsheng Yao, *NASA Langley Research Center*; and Avi Seifert, *Tel-Aviv University, Israel* (42, 5, p. 1142) Article based on AIAA Paper 2002-3156

C05-141 Automatic Transition Prediction and Application to High-Lift Multi-Element Configurations. Andreas M. Krumbein, *DLR, German Aerospace Center, Germany* (42, 5, p. 1150) Article based on AIAA Paper 2004-2543

C05-142 Data Summary from Second AIAA Computational Fluid Dynamics Drag Prediction Workshop. Kelly R. Laflin, Steven M. Klausmeyer, and Tom Zickuhr, *Cessna Aircraft Company*; John C. Vassberg, *The Boeing Company*; Richard A. Wahls and Joseph H. Morrison, *NASA Langley Research Center*; Olaf P. Brodersen and Mark E. Rakowitz, *DLR, German Aerospace Center, Germany*; Edward N. Tinoco, *The Boeing Company*; and Jean-Luc Godard, *ONERA, France* (42, 5, p. 1165) Article based on AIAA Paper 2004-0555

C05-143 Measurements of Wake Vortices Interacting with the Ground. David C. Burnham, *Scientific & Engineering Solutions, Inc.*; and James N. Hallock, *John A. Volpe National Transportation Systems Center* (42, 5, p. 1179) Article based on AIAA Paper 1998-0593

C05-144 Ideal Aerodynamics of Ground Effect and Formation Flight. Rachel M. King and Ashok Gopalarathnam, *North Carolina State University* (42, 5, p. 1188) Article based on AIAA Paper 2004-0906

C05-145 Tip Vortex Behind a Wing Oscillated with Small Amplitude. Tim Lee and David M. Birch, *McGill University, Canada* (42, 5, p. 1200) Article

C05-146 Modeling Delta Wing Limit-Cycle Oscillations Using a High-Fidelity Structural Model. Peter J. Attar, *Computational Sciences Branch, Wright-Patterson Air Force Base*; Earl H. Dowell and John R. White, *Duke University* (42, 5, p. 1209) Article based on AIAA Paper 2004-1692

C05-147 Assessment of Comprehensive Analysis Calculation of Airloads on Helicopter Rotors. Hyeonsoo Yeo and Wayne Johnson, *NASA Ames Research Center* (42, 5, p. 1218) Article

C05-148 Simultaneous-Perturbation-Stochastic-Approximation Algorithm for Parachute Parameter Estimation. Govindarajan Kothandaraman and Mario Rotea, *Purdue University* (42, 5, p. 1229) Article based on AIAA Paper 2003-2118

C05-149 Flutter-Margin Method Accounting for Modal Parameters Uncertainties. Dominique Poirel, *Royal Military College of Canada, Canada*; Shane Dunn, *Defence Science and Technology Organisation, Australia*; and Jay Porter, *University of Waterloo, Canada* (42, 5, p. 1236) Article

C05-150 Semi-Active Vibration Isolation Using Magnetorheological Isolators. Young-Tai Choi and Norman M. Wereley, *University of Maryland*; and Young-Sik Jeon, *Yuhan College, South Korea* (42, 5, p. 1244) Article

C05-151 Aerodynamic Active Control For Fin-Buffer Load Alleviation. Christian Breitsamter, *Technische Universität München, Germany* (42, 5, p. 1252) Article based on AIAA Paper 2000-0656

C05-152 Dynamic Response of Aeroservoelastic Systems to Gust Excitation. Moti Karpel and Boris Moulin, *Technion—Israel Institute of Technology, Israel*; and P. C. Chen, *ZONA Technology* (42, 5, p. 1264) Article

C05-153 Structural Efficiency of Stitched Composite Panels with Stiffener Crippling. Dawn Jegley, *NASA Langley Research Center* (42, 5, p. 1273) Article

C05-154 Analysis of the Cold-Working Process on Holes Containing Preexisting Cracks. W. S. Johnson, and Jidong Kang, *Georgia Institute of Technology* (42, 5, p. 1281) Article

C05-155 Biodynamic Response Mitigation to Shock Loads Using Magnetorheological Helicopter Crew Seat Suspensions. Young-Tai Choi and Norman M. Wereley, *University of Maryland* (42, 5, p. 1288) Article

C05-156 Range Maximization for Emergency Landing After Engine Cutoff. Ilana Shapira and Joseph Ben-Asher, *Technion—Israel Institute of Technology, Israel* (42, 5, p. 1296) Article

C05-157 Investigating Conformance Monitoring Issues in Air Traffic Control Using Fault Detection Techniques. Tom G. Reynolds and R. J. Hansman, *Massachusetts Institute of Technology* (42, 5, p. 1307) Article

C05-158 Near-Surface Topology of Unmanned Combat Air Vehicle Planform: Reynolds Number Dependence. Michel Elkhoury, Mehmet M. Yavuz, and Donald Rockwell, *Lehigh University* (42, 5, p. 1318) Article

C05-159 Reliability-Based Wing Design Optimization Using Trust Region-Sequential Quadratic Programming Framework. Joongki Ahn, Suwhan Kim, and Jang-Hyuk Kwon, *Korea Advanced Institute of Science and Technology, South Korea* (42, 5, p. 1331) Article

C05-160 Parallel Overset-Grid Euler Solution of Generic Wing Pylon and Finned Store. Erhan Tarhan, *TUSAS, Turkish Aircraft Industries, Inc., Turkey*; and Mehmet S. Kavsoglu, *Istanbul Technical University, Turkey* (42, 5, p. 1337) Article

C05-161 On the Uniqueness of the Minimum State Representation. Eliahu Nissim, *Technion—Israel Institute of Technology, Israel* (42, 5, p. 1339) Technical Note

C05-162 Nonlinear Aeroelastic Analysis of an Airfoil Using CFD-Based Indicial Approach. Dong-Hyun Kim, *Gyeongsang National University, South Korea*; In Lee, *Korea Advanced Institute of Science and Technology, South Korea*; Piergiovanni Marzocca, *Clarkson University*; Liviu Librescu, *Virginia Polytechnic Institute and State University*; and Steven Schober, *Clarkson University* (42, 5, p. 1340) Technical Note based on AIAA Paper 2004-1756

C05-163 Equilibrium Manifold Linearization Model for Normal Shock Position Control Systems. Yu Daren, Cui Tao, and Bao Wen, *Harbin Institute of Technology, China (PRC)* (42, 5, p. 1344) Technical Note

C05-164 Subsonic Aircraft Design Optimization with Neural Network and Regression Approximators. Surya N. Patnaik, *Ohio Aerospace Institute*; Rula M. Coroneos, James D. Guptill, and Dale A. Hopkins, *NASA John H. Glenn Research Center* (42, 5, p. 1347) Technical Note

C05-165 Shock-Based Waverider Design with Pressure Gradient Corrections and Computational Simulations. Mark J. Lewis and Marie-Laure Chauffour, *University of Maryland* (42, 5, p. 1350) Technical Note based on AIAA Paper 2004-3405

C05-166 New Blockage-Correction Method for Separated Flows in a Subsonic Wind Tunnel. Seung-Hee Kang, *Korea Advanced Institute of Science and Technology, South Korea*; Seung-Ki Ahn, *Agency for Defence Development, South Korea*; and Oh Joon Kwon, *Korea Advanced Institute of Science and Technology, South Korea* (42, 5, p. 1352) Technical Note

C05-167 Maximum Likelihood Method Based on Interior Point Algorithm for Aircraft Parameter Identification. Xinsheng Zou and Chunwen Li, *Tsinghua University, China (PRC)* (42, 5, p. 1355) Technical Note

C05-168 Aircraft Trajectory Planning for Terrain Following Incorporating Actuator Constraints. Paul Williams, *RMIT University, Australia* (42, 5, p. 1358) Technical Note

C05-169 Automatic Transition Prediction for High-Lift Systems Using a Hybrid Flow Solver. Andreas M. Krumbein, *DLR, German Aerospace Research Center, Germany* (42, 5, p. 1362) Article

C05-170 Wing Tip Vortex in the Near Field: An Experimental Study. Giovanni Lombardi, *University of Pisa, Italy*; and Peter Skinner, *Defencetek-CSIR, South Africa* (42, 5, p. 1366) Technical Note

C05-171 Drag Evolution of a Rectangular Wing with a Triggered Wing-Tip Separation. Pascal L. Ardonneau, *Ecole Nationale Supérieure de Mécanique et d'Aérotechnique, France*; and Simon Trapier, *ONERA, France* (42, 5, p. 1369) Technical Note

C05-172 Deforming Grid Technique Applied to Unsteady Viscous Flow Simulation by a Fully Implicit Solver. Jie Li, Zhengbin Liu, and Shouzhi Huang, *Northwestern Polytechnical University, China (PRC)* (42, 5, p. 1371) Technical Note based on AIAA Paper 2005-1221

C05-173 Unit Cost Estimation Methodology for Commercial Aircraft. Nikolaos L. Tirovolis and Varnavas C. Serghides, *Imperial College London, Great Britain* (42, 6, p. 1377) Article

C05-174 Multi-Attribute Value Approach to Business Airplane Product Assessment. Troy D. Downen, Deborah J. Nightingale, and Christopher L. Magee, *Massachusetts Institute of Technology* (42, 6, p. 1387) Article

C05-175 Knowledge Based Engineering System to Estimate Manufacturing Cost for Composite Structures. Jin-Woo Choi, Donald Kelly, John Raju, and Carl Reidsema, *University of New South Wales, Australia* (42, 6, p. 1396) Article

C05-176 Observations from the Inspection of an Aged Fuselage Panel. Paul N. Clark, *Hill Air Force Base*; Kimberli Jones, *University of Utah*; J. T. Huang, *Lockheed Martin Aeronautics Company*; and David W. Hoepfner, *University of Utah* (42, 6, p. 1403) Article

C05-177 Optimum Two-Per-Revolution Inputs for Improved Rotor Performance. Roberto Celi and Rendy P. Cheng, *University of Maryland* (42, 6, p. 1409) Article

C05-178 Movable Tip Strakes and Wing Aerodynamics. Vojin R. Nikolic, *Minnesota State University Mankato* (42, 6, p. 1418) Article

C05-179 Off-Design Reynolds Number Effects for a Supersonic Transport. Lewis R. Owens, Richard A. Wahls, and S. Melissa Rivers, *NASA Langley Research Center* (42, 6, p. 1427) Article based on AIAA Paper 2001-0911

C05-180 Numerical Simulation of Icing Clouds in the NASA Glenn Icing Research Tunnel. Chirag Bhargava and Eric Loth, *University of Illinois at Urbana-Champaign*; and Mark Potapczuk, *NASA John H. Glenn Research Center at Lewis Field* (42, 6, p. 1442) Article

C05-181 Detached Eddy Simulations for Iced Airfoils. Jianping Pan and Eric Loth, *University of Illinois at Urbana-Champaign* (42, 6, p. 1452) Article based on AIAA Paper 2004-0564

C05-182 Stall Hysteresis of an Airfoil with Slotted Flap. Kasim Biber, *Turkey* (42, 6, p. 1462) Article based on AIAA Paper 05-1230

C05-183 Constant Lift Coefficient Turns. Gil Iosilevskii, *Technion-Israel Institute of Technology, Israel* (42, 6, p. 1471) Article

C05-184 Approach to Induced Drag Reduction with Experimental Evaluation. David Eller and Sebastian Heinze, *Royal Institute of Technology, Sweden* (42, 6, p. 1478) Article based on AIAA Paper 2004-1513

C05-185 Vortex-Generator Model and Its Application to Flow Control. Adam Jirasek, *Swedish Defence Research Agency FOI, Sweden* (42, 6, p. 1486) Article based on AIAA Paper 2004-4965

C05-186 Aircraft Spin Recovery, with and without Thrust Vectoring, Using Nonlinear Dynamic Inversion. P. K. Raghavendra, Tuhin Sahai, P. Ashwani Kumar, Manan Chauhan, and N. Ananthkrishnan, *Indian Institute of Technology, India* (42, 6, p. 1492) Article based on AIAA Paper 2004-0378

C05-187 Support Interference for a Maneuvering Delta Wing. Gordon Taylor and Ismet Gursul, *University of Bath, Great Britain* (42, 6, p. 1504) Article

C05-188 Computational Study of F/A-18 E/F Abrupt Wing Stall in the Approach Configuration. Robert J. Niewoehner and Joshua Filbey, *U.S. Naval Academy* (42, 6, p. 1516) Article based on AIAA Paper 2001-4194

C05-189 Drag Prediction of Engine-Airframe Interference Effects with CFX-5. Robin B. Langtry, Martin Kuntz, and Florian Menter, *ANSYS CFX, Germany* (42, 6, p. 1523) Article based on AIAA Paper 2004-0392

C05-190 Effect of Tip Vortex on Wing Aerodynamics of Micro Air Vehicles. Dragos Viieru, Roberto Albertani, Wei Shyy, and Peter G. Ifju, *University of Florida* (42, 6, p. 1530) Article based on AIAA Paper 2004-4971

C05-191 Effect of Camber on the Aerodynamics of Adaptive-Wing Micro Air Vehicles. William Null and Sergey Shkarayev, *University of Arizona* (42, 6, p. 1537) Article based on AIAA Paper 2004-2694

C05-192 Novel Taguchi-Simulated Annealing Method Applied to Airfoil and Wing Planform Optimization. Jenn-Long Liu, *Leader University, Taiwan (ROC)* (42, 6, p. 1537) Article

C05-193 In-Flight Thrust Measurements of Propeller-Driven Airplanes. Mehdi Sabzehparvar, *Amir Kabir University, Iran* (42, 6, p. 1543) Article

C05-194 Identification of Experimental Unsteady Aerodynamic Impulse Responses. Walter A. Silva, David J. Piatak, and Robert C. Scott, *NASA Langley Research Center* (42, 6, p. 1548) Article based on AIAA Paper 2003-1959

C05-195 Analysis of Model Rotor Blade Pressures During Parallel Interaction with Twin Vortices. Frank N. Coton, Richard B. Green, and Roderick A. Galbraith, *University of Glasgow, Great Britain* (42, 6, p. 1552) Article

C05-196 Flutter Analysis of an F-16A/B in Heavy Store Configuration. Samir Bennani, *Delft University of Technology, The Netherlands*; Jan-Willem van Staveren, *ADSE Consultancy and Engineering Services, The Netherlands*; Bert Beuker, *Royal Netherlands National Air Force, The Netherlands*; and Joshua J. Meijer, *National Aerospace Research Laboratory* (**42**, 6, p. 1565) Article based on AIAA Paper 2002-3967

C05-197 Modeling and Detection of Limit-Cycle Oscillations Using Adaptable Linear Models. Michael R. Johnson, *U.S. Air Force SEEK EAGLE Office*; and Jose C. Principe, *University of Florida* (**42**, 6, p. 1575) Article

C05-198 Limit Cycle Oscillation Flight-Test Results for Asymmetric Store Configurations. Kenneth S. Dawson and Daniel L. Maxwell, *TYBRIN Corporation* (**42**, 6, p. 1588) Article based on AIAA Paper 2003-1427

C05-199 Robust Match-Point Solutions Using Describing Function Method. Dario H. Baldelli, *ZONA Technology, Inc.*; Richard Lind, *University of Florida*; and Martin Brenner, *NASA Dryden Flight Research Center* (**42**, 6, p. 1596) Article

C05-200 Parametric Modeling of Movables for Structural Analysis. Antoon H. van der Laan and Michel J. van Tooren, *Delft University of Technology, The Netherlands* (**42**, 6, p. 1605) Article based on AIAA Paper 2004-1849

C05-201 Aircraft Structural Morphing Using Tendon-Actuated Compliant Cellular Trusses. Deepak S. Ramrakhiani, George A. Lesieutre, Mary I. Frecker, and Smita Bharti, *Pennsylvania State University* (**42**, 6, p. 1614) Article based on AIAA Paper 2004-1728

C05-202 Inverse Design of Adaptive Airfoils with Aircraft Performance Considerations. Jeffrey K. Jepson and Ashok Gopalarathnam, *North Carolina State University* (**42**, 6, p. 1621) Article based on AIAA Paper 2004-0028

C05-203 Dynamic Analysis of Aircraft Landing Impact Using Landing-Region-Based Model. Xiaohui Wei and Hong Nie, *Nanjing University of Aeronautics and Astronautics, China (PRC)* (**42**, 6, p. 1631) Article

C05-204 Optimum Loading of a Wing with a Slit. Jean-Jacques Chattot, *University of California, Davis* (**42**, 6, p. 1637) Technical Note

C05-205 Undesired Equilibria of Self-Deploying Pneumatic Envelopes. Frank E. Baginski, *George Washington University*; and Willi W. Schur, (**42**, 6, p. 1639) Technical Note based on AIAA Paper 2005-1803

C05-206 Aerodynamic Characteristics of an Elliptic Airfoil at Low Reynolds Number. Kijung Kwon, *Korea Aerospace Research Institute, South Korea*; and Seung O. Park, *Korea Advanced Institute of Science and Technology, South Korea* (**42**, 6, p. 1642) Technical Note based on AIAA Paper 2005-4762