

Chronological Index

- C01-045 Flutter Prediction from Flight Flutter Test Data.** G. Dimitriadis and J. E. Cooper, *University of Manchester, Great Britain* (43, 2, p. 255) Article
Technical Comment by G. Dimitriadis and J. E. Cooper, *University of Manchester, Great Britain* (43, 3, p. 862)
- C06-001 Accurate Drag Prediction Using Cobalt.** Ken Wurtzler, *Cobalt Solutions LLC*; and Scott Morton, *U.S. Air Force Academy* (43, 1, p. 10) Article based on AIAA Paper 2004-395
- C06-002 Small Disturbance Navier-Stokes Method: Efficient Tool for Predicting Unsteady Air Loads.** Alexander N. Pechloff and Boris Laschka, *Technische Universität München, Germany* (43, 1, p. 17) Article
- C06-003 Structural Safety Measures for Airplanes.** Erdem Acar, Amit Kale, and Raphael T. Hafika, *University of Florida*; and W. J. Stroud, *NASA Langley Research Center* (43, 1, p. 30) Article based on AIAA Paper 2004-1629
- C06-004 Noise-Minimum Runway-Independent Aircraft Approach Design for Baltimore-Washington International Airport.** Min Xue and Ella M. Atkins, *University of Maryland* (43, 1, p. 39) Article based on AIAA Paper 2005-0909
- C06-005 Extensions of Overset Unstructured Grids to Multiple Bodies in Contact.** Fumiya Togashi, Yasushi Ito, Kazuhiro Nakahashi, and Shigeru Obayashi, *Tohoku University, Japan* (43, 1, p. 52) Article based on AIAA Paper 2002-2809
- C06-006 Ground Effect Characteristics and Centerline Pressure Distributions for a Hypersonic Configuration.** Robert E. Bond, *University of Tennessee*; Gary J. Morris and John L. Loth, *West Virginia University* (43, 1, p. 58) Article
- C06-007 Wind Tunnel Boundary Corrections for a Full Scale 1903 Wright Flyer Replica.** Wael A. Mokhtar and Colin P. Britcher, *Old Dominion University* (43, 1, p. 64) Article based on AIAA Paper 2004-2309
- C06-008 Aircraft Acceleration Prediction Due to Atmospheric Disturbances with Flight Data Validation.** Bill K. Buck, *AeroTech Research (U.S.A.) Inc.*; and Brett A. Newman, *Old Dominion University* (43, 1, p. 72) Article based on AIAA Paper 2004-4826
- C06-009 Wing Drag Prediction and Decomposition.** D. D. Chao and C. P. van Dam, *University of California, Davis* (43, 1, p. 82) Article based on AIAA Paper 2004-5074
- C06-010 Flight Envelope Expansion in Landing Phase Using Classic, Intelligent and Adaptive Controllers.** S. M. B. Malaek and Hojjat A. Izadi, *Sharif University of Technology, Iran*; and Mehrdad Pakmehr, *Concordia University, Canada* (43, 1, p. 91) Article
- C06-011 Novel Taguchi-Simulated Annealing Method Applied to Airfoil and Wing Planform Optimization.** Jenn-Long Liu, *Leader University, Taiwan (ROC)* (43, 1, p. 102) Article
- C06-012 Active Multiple Winglets for Improved Unmanned-Aerial-Vehicle Performance.** Andrew Shelton, Agnivesh Tomar, JVR Prasad, Marilyn Smith, and Narayanan Komerath, *Georgia Institute of Technology* (43, 1, p. 110) Article based on AIAA Paper 2004-4968
- C06-013 Effect of Winglet Dihedral on a Tip Vortex.** Tim Lee and Panayiot Gerontakos, *McGill University, Canada* (43, 1, p. 117) Article
- C06-014 Constant Altitude-Constant Mach Number Cruise Range of Transport Aircraft with Compressibility Effects.** Aydan Cavcar, *Anadolu University, Turkey* (43, 1, p. 125) Article
- C06-015 Drag Reduction on Gurney Flaps by Three-Dimensional Modifications.** Robert Meyer, Wolfram Hage, Dietrich W. Bechert, Markus Schatz, and Frank Thiele, *DLR, German Aerospace Center, Germany* (43, 1, p. 132) Article
- C06-016 Computational Methods for Simulation of Flow Around Helicopter Engine Inlet.** Yihua Cao, Kungang Yuan, and Xiaoyong Li, *Beijing University of Aeronautics and Astronautics, China (PRC)* (43, 1, p. 141) Article
- C06-017 Load Alleviation for a Tilt-Rotor Aircraft in Airplane Mode.** Binoy J. Manimala, Gareth D. Padfield, and Daniel Walker, *University of Liverpool, Great Britain* (43, 1, p. 147) Article
- C06-018 Induced Drag Reduction Using Aeroelastic Tailoring with Adaptive Control Surfaces.** Terrence A. Weisshaar, *Purdue University*; and David K. Duke, *Lockheed-Martin Company* (43, 1, p. 157) Article
- C06-019 Chebyshev Polynomials for Unsteady Aerodynamic Calculations in Aeroservoelasticity.** Alin Dorian Dinu, Ruxandra Botez, and Iulian Cotoi, *Université du Québec, Canada* (43, 1, p. 165) Article
- C06-020 Structural Design Process Improvement Using Evolutionary Finite Element Models.** Robert Taylor, *Raytheon Aircraft Company*; Terrence A. Weisshaar, *Purdue University*; and Vladimir Sarukhanov, *Raytheon Aircraft Company* (43, 1, p. 172) Article based on AIAA Paper 2001-1630
- C06-021 Design-Oriented Structural Model Order Reduction for Strain-Actuated Flight Vehicle Structures.** T. Jackson and Eli Livne, *University of Washington* (43, 1, p. 182) Article based on AIAA Paper 2003-1575
- C06-022 High-Order Modeling and Experimental Validation of Local Effects in Sandwich Beams.** Elena Bozhevolnaya, *Aalborg University, Denmark*; and Yeoshua Frostig, *Technion - Israel Institute of Technology, Israel* (43, 1, p. 189) Article
- C06-023 Experimental and Analytical Study of Blade Lag Damping Augmentation using Chordwise Absorbers.** Hao Kang, Edward C. Smith, and George A. Lesieutre, *Pennsylvania State University* (43, 1, p. 194) Article
- C06-024 Evaluation of Takeoff Performance Monitoring Algorithm in Large Jet Transport Operations.** David Zammit-Mangion and Martin Eshelby, *Cranfield University, Great Britain* (43, 1, p. 201) Article based on AIAA Paper 2003-5616
- C06-025 Progressive Certification Process Based on Living Systems Architecture Using Learning Capable Controllers.** S.M.B. Malaek, *Sharif University of Technology, Iran*; and Hojjat A. Izadi, *Sharif University of Technology, Canada* (43, 1, p. 207) Article

- C06-026 Piloting Strategies for Controlling a Transport Aircraft After Vertical-Tail Loss.** Götz Bramesfeld, Mark D. Maughmer, and Steven M. Willits, *The Pennsylvania State University* (43, 1, p. 216) Article
- C06-027 Infrared Signatures of Low-Flying Aircraft and Their Rear Fuselage Skin's Emissivity Optimization.** Shripad P. Mahulikar, Arvind G. Rao, and Pankaj S. Kolhe, *Indian Institute of Technology, Bombay, India* (43, 1, p. 226) Article
- C06-028 Aircraft Ice Accretion Prediction Based on Neural Networks.** Egemen Ogretim, Wade W. Huebsch, and Aaron Shinn, *West Virginia University* (43, 1, p. 233) Article based on AIAA Paper 2005-1245
- C06-029 Multidisciplinary Design Optimization for Aeromechanics and Handling Qualities.** Dario Fusato and Roberto Celi, *University of Maryland* (43, 1, p. 241) Article
- C06-030 Integrated Multidisciplinary Topology Optimization Approach to Adaptive Wing Design.** Kurt K. Maute, *University of Colorado at Boulder*; and Gregory W. Reich, *U.S. Air Force Research Laboratory* (43, 1, p. 253) Article based on AIAA Paper 2004-1805
- C06-031 Numerical Method for Cost-Weight Optimization of Stringer-Skin Panels.** Richard Curran, *Queens University Belfast, Northern Ireland*; Alan Rothwell, *Delft University of Technology, The Netherlands*; and Sylvie Castagne, *Queens University Belfast, Northern Ireland* (43, 1, p. 264) Article based on AIAA Paper 2004-2018
- C06-032 Response of a Free-to-Roll Slender Delta Wings to Pitching and Plunging.** M. Javed Khan, *Tuskegee University*; Anwar Ahmed, *Auburn University*; and David C. Oehl, *Maven Power, LLC* (43, 1, p. 275) Technical Note based on AIAA Paper 2004-4732
- C06-033 Wind-Tunnel Experimental Investigation on a Fixed-Wing Micro Air Vehicle.** Jing-xia Zhan, Wei-jun Wang, Zhe Wu, and Jin-jun Wang, *Beijing University of Aeronautics and Astronautics, China (PRC)* (43, 1, p. 279) Technical Note
- C06-034 Shape Optimization of Stratosphere Airship.** Xiaoliang Wang and Xue-xiong Shan, *Shanghai Jiaotong University, China (PRC)* (43, 1, p. 283) Technical Note
- C06-035 Challenges Facing Future Micro-Air-Vehicle Development.** Darryll J. Pines and F. Bohorquez, *University of Maryland* (43, 2, p. 290) Survey Paper
- C06-036 Experimental Study on Aircraft Landing Gear Noise.** Yueping Guo, Kingo J. Yamamoto, and Rob W. Stoker, *Boeing Phantom Works* (43, 2, p. 306) Article
- C06-037 Multidisciplinary Approach to Intelligent Unmanned-Airborne-Vehicles Mission Planning.** Iain A. McManus and Rodney A. Walker, *Queensland University of Technology, Australia* (43, 2, p. 318) Article
- C06-038 Nozzle Orientation Effects and Nonlinear Interactions Between Twin Jets of Complex Geometry.** Rahul Joshi, Praveen Panickar, K Srinivasan, and Ganesh Raman, *Illinois Institute of Technology* (43, 2, p. 336) Article based on AIAA Paper 2004-3920
- C06-039 Swashplateless Helicopter Rotor System with Trailing-Edge Flaps for Flight and Vibration Controls.** Jinwei Shen, *National Institute of Aerospace*; M. Yang, *Northwestern Polytechnical University*; and Inderjit Chopra, *University of Maryland* (43, 2, p. 346) Article based on AIAA Paper 2004-1951
- C06-040 Two-Dimensional Simulation of Dynamic Surface Roughness for Aerodynamic Flow Control.** Wade W. Huebsch, *West Virginia University* (43, 2, p. 353) Article based on AIAA Paper 2004-587
- C06-041 Drag of Spheroid-Cone Shaped Airship.** Graham E. Dorrington, *Queen Mary, University of London, Great Britain* (43, 2, p. 363) Article
- C06-042 New Hybrid Method for Predicting the Flowfields of Helicopter Rotors.** Qi-Jun Zhao and Guo-hua Xu, *National University of Aeronautics and Astronautics, China (PRC)*; and Jing-gen Zhao, *Georgia Institute of Technology* (43, 2, p. 372) Article
- C06-043 Classical Wing Theory and the Downward Velocity of Vortex Wakes.** Vernon J. Rossow, *NASA Ames Research Center* (43, 2, p. 381) Article
- C06-044 Low Speed Design and Analysis of Wing/Winglet Combinations Including Viscous Effects.** Jean-Jacques Chattot, *University of California, Davis* (43, 2, p. 386) Article
- C06-045 General Aviation Propeller-Airframe Integration Simulations.** J. M. Janus, *Mississippi State University* (43, 2, p. 390) Article based on AIAA Paper 2000-0357
- C06-046 Validation of Computations Around High-Lift Configurations by Structured- and Unstructured-Mesh.** Mitsuhiro Murayama and Kazuomi Yamamoto, *Japan Aerospace Exploration Agency, Japan*; and Kunihiko Kobayashi, *Ryoyu Systems Company, Ltd., Japan* (43, 2, p. 395) Article based on AIAA Paper 2005-1226
- C06-047 Aerodynamic Loads on Airfoil with Trailing-Edge Flap Pitching with Different Frequencies.** Andrzej Krzysiak, *Institute of Aviation, Poland*; and Janusz Narkiewicz, *Warsaw University of Technology, Poland* (43, 2, p. 407) Article
- C06-048 Aerodynamic Analysis of a Jet Transport in Windshear Encounter During Landing.** Chin-Tang Weng and Ching-Shun Ho, *National Cheng Kung University, Taiwan (ROC)*; C. Edward Lan, *University of Kansas*; and Michael Guan, *The Executive Yuan of R.O.C., Taiwan (ROC)* (43, 2, p. 419) Article
- C06-049 Oscillating Wing Loadings with Trailing-Edge Strips.** Tim Lee and Panayiot Gerontakos, *McGill University, Canada* (43, 2, p. 428) Article
- C06-050 Minimizing Induced Drag with Wing Twist, Computational-Fluid-Dynamics Validation.** Warren F. Phillips, Spencer R. Fugal, and Robert E. Spall, *Utah State University* (43, 2, p. 437) Article based on AIAA Paper 2005-1034
- C06-051 Near-Field Wing-Tip Vortices and Exponential Vortex Solution.** H J. Zhang, *China Institute of Metrology, China (PRC)*; Y Zhou, *Hong Kong Polytechnic University, China (PRC)*; and J.H. Whitelaw, *Imperial College London, Great Britain* (43, 2, p. 445) Article
- C06-052 Air Data Computation in Fly-By-Wire Flight-Control Systems.** Fabio Cervia, *Teleavio S. r. l. - Finmeccanica Company, Italy*; Eugenio Denti, Roberto Galatolo, and Francesco Schettini, *University of Pisa, Italy* (43, 2, p. 450) Article
- C06-053 Coated Hot-Film Sensors for Transition Detection in Cruise Flight.** Felix Hausmann and Wolfgang Schroeder, *RWTH Aachen University, Germany* (43, 2, p. 456) Article based on AIAA Paper 2004-1047

- C06-054 Free-to-Roll Investigation of the Preproduction F/A-18E Powered-Approach Wing Drop.** D. B. Owens, *NASA Langley Research Center*; Elaine M. Bryant, *United States Air Force/University of Maryland*; and Jewel B. Barlow, *University of Maryland* (**43**, 2, p. 466) Article based on AIAA Paper 2005-0239
- C06-055 Unsteady-Aerodynamic Shape Sensitivities for Airplane Aeroservoelastic Configuration Optimization.** P. C. Chen and D. D. Liu, *ZONA Technology, Inc.*; and E. Livne, *University of Washington* (**43**, 2, p. 471) Article based on AIAA Paper 2004-1759
- C06-056 Active Flutter Control with a V-Stack Piezoelectric Flap Actuator.** Emil V. Ardelean, *Science Applications International Corporation*; Mark A. McEver, *L-3 Communications Corporation*; Daniel G. Cole and Robert L. Clark, *Duke University* (**43**, 2, p. 482) Article
- C06-057 Flutter and Limit-Cycle Oscillations for a Wing-Store Model with Freeplay.** Deman Tang and Earl H. Dowell, *Duke University* (**43**, 2, p. 487) Article
- C06-058 Estimating the Probability of Failure of a Nonlinear Aeroelastic System.** Daniel R. Millman, *U.S. Air Force Flight Test Center*; Paul I. King and Raymond C. Maple, *Air Force Institute of Technology*; Philip S. Beran, *U.S. Air Force Research Laboratory*; and Lawrence K. Chilton, *Air Force Institute of Technology* (**43**, 2, p. 504) Article
- C06-059 Response of Damaged and Undamaged Tailored Extension-Shear-Coupled Composite Panels.** Donald J. Baker, *NASA Langley Research Center* (**43**, 2, p. 517) Article based on AIAA Paper 2003-1461
- C06-060 Buckling Analysis and Minimum-Mass Design Procedures for Composite Wing-Box Structures.** Christopher B. York, *University of Glasgow, Great Britain* (**43**, 2, p. 528) Article
- C06-061 Failure-Rate Prediction for De Havilland Dash-8 Tires Employing Neural-Network Technique.** Ahmed Z. Al-Garni, Ahmad Jamal, Abid M. Ahmad, Abdullah M. Al-Garni, and Mueyyet Tozan, *King Fahd University of Petroleum and Minerals, Saudi Arabia* (**43**, 2, p. 537) Article
- C06-062 Solution for Aircraft Anti-Icing System Simulation by a Modified Perturbation Method.** Sumio Kato, *Kawasaki Heavy Industries, Ltd., Japan* (**43**, 2, p. 544) Article
- C06-063 Design of Skid Landing Gears by Means of Multibody Optimization.** Alessandro Airoldi and Luca Lanzi, *Politecnico di Milano, Italy* (**43**, 2, p. 555) Article
- C06-064 Design, Fabrication, and Performance Test of a Rotary-Wing Micro Aerial Vehicle.** Gyou Beom Kim, Nam Seo Goo, Kwang Joon Yoon, Hoon Cheol Park, and Yung H. Yu, *Konkuk University, South Korea* (**43**, 2, p. 564) Technical Note based on AIAA Paper 2004-6333
- C06-065 New Hybrid Interpolation Method for Motion Transfer in Fluid-Structure Interactions.** Young-Ho Kim and Jong-Eun Kim, *The University of Alabama at Birmingham* (**43**, 2, p. 567) Technical Note
- C06-066 Trailing Vortex Rollup from a Wing Equipped with a Gurney Flap.** Vojin R. Nikolic, *Minnesota State University* (**43**, 2, p. 569) Technical Note
- C06-067 Flexible- and Rigid-Wing Micro Air Vehicle: Lift and Drag Comparison.** Anthony M. DeLuca and Mark F. Reeder, *U.S. Air Force Institute of Technology*; Jacob A. Freeman and Michael V. Ol, *U.S. Air Force Research Laboratory* (**43**, 2, p. 572) Technical Note based on AIAA Paper 2004-2396
- C06-068 Flight Testing of a New Earth-to-Orbit Air Launch Method.** Marti Sarigul-Klijn and Nesrin Sarigul-Klijn, *University of California, Davis*; Bob Morgan, Jim Tighe, and Arnaldo Leon, *Scaled Composites*; Gary Hudson and Bevin McKinney, *AirLaunch LLC*; and David Gump, *Transformational Space Corp* (**43**, 3, p. 577) Design Forum
- C06-069 Embedded Laser Doppler Velocimetry Boundary-Layer Investigation on a Tilt-Rotor Blade.** Charlie A. Barla, Eric C. Berton, Daniel Favier, and Christian Maresca, *Centre National de la Recherche Scientifique and Université de la Méditerranée, France* (**43**, 3, p. 584) Article
- C06-070 Studies of Residual Stress in Single-Row Counter-sunk Riveted Lap Joints.** Gang Li, Guoqin Shi, and Nicholas C. Bellinger, *National Research Council Canada, Canada* (**43**, 3, p. 592) Article
- C06-071 Aero-Optic Performance of an Aircraft Forward-Facing Optical Turret.** John E. Pond, *Analysis and Applications Associates, Inc.*; and George W. Sutton, *SPARTA, Inc* (**43**, 3, p. 600) Article based on AIAA Paper 2005-4779
- C06-072 Transonic Free-To-Roll Analysis of the F-35 (Joint Strike Fighter) Aircraft.** Bruce Owens, *NASA Langley Research Center*; Jeff McConnell, *Lockheed Martin Aeronautics Company*; Jay M. Brandon and Robert M. Hall, *NASA Langley Research Center* (**43**, 3, p. 608) Article based on AIAA Paper 2004-5053
- C06-073 Elegant Concept for Reduction of Jet Noise from Turbofan Engines.** Krishna Viswanathan, *The Boeing Company* (**43**, 3, p. 616) Article based on AIAA Paper 2004-2975
- C06-074 Noise of Dual-Stream Beveled Nozzles at Supercritical Pressure Ratios.** Krishna Viswanathan, *The Boeing Company* (**43**, 3, p. 627) Article
- C06-075 Transonic Airfoil Shape Optimization in Preliminary Design Environment.** Wu Li, Steven Krist, and Richard Campbell, *NASA Langley Research Center* (**43**, 3, p. 639) Article based on AIAA Paper 2004-4629
- C06-076 Bifurcation Analysis of Airfoil in Subsonic Flow with Coupled Cubic Restoring Forces.** Ben H. Lee, *National Research Council of Canada, Canada*; and Liping Liu, *University of Texas Pan American* (**43**, 3, p. 652) Article
- C06-077 Poststall Prediction of Multiple-Lifting-Surface Configurations Using a Decambering Approach.** Rinku Mukherjee and Ashok Gopalarathnam, *North Carolina State University* (**43**, 3, p. 660) Article
- C06-078 Induced Drag Minimization: A Variational Approach Using the Acceleration Potential.** Luciano Demasi, *University of Washington* (**43**, 3, p. 669) Article
Erratum (**43**, 4, p. 1247)
- C06-079 Performance and Stability Analysis of a Shrouded-Fan Unmanned Aerial Vehicle.** Nicola de Divitiis, *University of Rome "La Sapienza", Italy* (**43**, 3, p. 681) Article

- C06-080 Aerodynamic Development of a Ground Run-Up Enclosure for Propeller Transport Aircraft.** Joop H. Gooden, *National Aerospace Laboratory/NLR, The Netherlands*; and Werner Hoelmer, *ITF Services* (**43**, 3, p. 692) Article based on AIAA Paper AIAA-0698
- C06-081 Probabilistic Two-Phase Aircraft Wake-Vortex Model: Further Development and Assessment.** Frank Holzäpfel, *DLR, German Aerospace Research Center, Germany* (**43**, 3, p. 700) Article
- C06-082 Origin of Exponential Solution for Laminar Decay of Isolated Vortex.** Vernon J. Rossow, *NASA Ames Research Center* (**43**, 3, p. 709) Article
- C06-083 Numerical Investigation of Low-Aspect-Ratio Wings at Low Reynolds Numbers.** Peter H. Cosyn and Jan Vierendeels, *Ghent University, Belgium* (**43**, 3, p. 713) Article based on AIAA Paper 2005-4609
- C06-084 Oscillating-Wing Tip Vortex with Passive Short-Span Trailing-Edge Flaps.** Tim Lee and David M. Birch, *McGill University, Canada* (**43**, 3, p. 723) Article
- C06-085 Rotor Airloads Prediction Using Loose Aerodynamic/Structural Coupling.** Mark Potsdam, Hyeonsoo Yeo, and Wayne Johnson, *NASA Ames Research Center* (**43**, 3, p. 732) Article
- C06-086 Flutter of High-Speed Civil Transport Flexible Semispan Model: Time Frequency Analysis.** Christopher C. Chabalko, Muhammad R. Hajj, and Walter A. Silva, *Virginia Polytechnic Institute and State University* (**43**, 3, p. 743) Article based on AIAA Paper 2004-1856
- C06-087 Aeroelasticity of Nonlinear Structures Using the Corotational Method.** Ana Relvas, *IDMEC-Instituto Superior Tecnico, Portugal*; and Afzal Suleman, *IDMEC-Instituto Superior Tecnico, Canada* (**43**, 3, p. 749) Article
- C06-088 Unified Aeroelastic and Flight Dynamic Formulation via Rational Function Approximations.** Dario H. Baldelli and Ping C. Chen, *ZONA Technology, Inc.*; and Jose Panza, *General Atomics-Aeronautical Systems, Inc.* (**43**, 3, p. 763) Article
- C06-089 Stress and Fatigue Analysis of Modified Wing-Fuselage Connector for the Agricultural Aircraft.** Lucjan Witek, *Rzeszow University of Technology, Poland* (**43**, 3, p. 773) Article
- C06-090 Diagnostics of Tool-Part Interactions During Riveting on an Aluminum Aircraft Fuselage.** Timothy J. Johnson, Raymond Manning, Douglas E. Adams, and Ronald Sterkenburg, *Purdue University*; and Kumar Jata, *U.S. Air Force Research Laboratory* (**43**, 3, p. 779) Article
- C06-091 Corrosion Fatigue of High-Strength Aircraft Structural Alloys.** Amilcar Quispitupa, Basir Shafiq, O. Marcelo Suárez, Oswald Uwakweh, and Nairobi B. Duque, *University of Puerto Rico* (**43**, 3, p. 787) Article
- C06-092 Analysis of Human Pilot Control Inputs Using Neural Network.** Shinji Suzuki and Yuki Sakamoto, *University of Tokyo, Japan*; Yohei Sanematsu, *Mitsubishi Electric Corporation, Japan*; and Hiroshi Takahara, *All Nippon Airways, Japan* (**43**, 3, p. 793) Article based on AIAA Paper 2005-910
- C06-093 Monitoring Global Positioning System Satellite Orbit Errors for Aircraft Landing Systems.** Jiyun Lee, Sam Pullen, and Per Enge, *Stanford University*; Boris Pervan and Livio Gratton, *Illinois Institute of Technology* (**43**, 3, p. 799) Article
- C06-094 Investigation of External Airbags for Rotorcraft Crashworthiness.** Hyunsun Kim and Bryn P. Kirby, *University of Bath, Great Britain* (**43**, 3, p. 809) Article
- C06-095 Multi-Objective and Multidisciplinary Design Optimization of Supersonic Fighter Wing.** Yushin Kim, Yong-Hee Jeon, and Dong-Ho Lee, *Seoul National University, South Korea* (**43**, 3, p. 817) Article
- C06-096 Automated Scheme Adjustment for Conceptual Aircraft Design and Optimization.** Hu Liu and Zhe Wu, *Beijing University of Aeronautics and Astronautics, China (PRC)*; and Daniel P. Raymer, *Conceptual Research Corporation* (**43**, 3, p. 825) Article based on AIAA Paper 2005-0532
- C06-097 Design Exploration of Aerodynamic Wing Shape for Reusable Launch Vehicle Flyback Booster.** Kazuhisa Chiba, Shigeru Obayashi, and Kazuhiro Nakahashi, *Tohoku University, Japan* (**43**, 3, p. 832) Technical Note
- C06-098 Preliminary Evaluation of Noise Reduction Approaches for a Functionally Silent Aircraft.** Alexis Manneville, Deborah Pilczer, and Zoltan S. Spakovszky, *Massachusetts Institute of Technology* (**43**, 3, p. 836) Technical Note based on AIAA Paper 2004-2925
- C06-099 Experimental Investigation of Vortex Flow over an 80 Degree/60 Degree Double Delta Wing at Sideslip.** Ghasem Atashbaz, *Islamic Azad University, Iran*; and Mohammad Ommian, *Khajeh Nasir Toosi University, Iran* (**43**, 3, p. 840) Technical Note
- C06-100 Robust Airfoil Shape Optimization Using Design For Six Sigma.** Sang Wook Lee and Oh Joon Kwon, *Korea Advanced Institute of Science and Technology, South Korea* (**43**, 3, p. 843) Technical Note
- C06-101 Refining Satellite Methods for Pitot-Static Calibration.** Robert J. Niewoehner, *United States Naval Academy* (**43**, 3, p. 846) Technical Note
- C06-102 Mathematical Modeling for Modal Computations Concerning a Morphable Wing.** Michael B. Webb and Kamesh Subbarao, *University of Texas at Arlington* (**43**, 3, p. 849) Technical Note
- C06-103 Sting Deflection Model for Automatic Image Registration in Wind-Tunnel Testing..** Wim Ruyten, *Aerospace Testing Alliance* (**43**, 3, p. 853) Technical Note based on AIAA Paper 2004-2400
- C06-104 New Method for Evaluating the Hemispheric Five-Hole Probes.** Junnai Zhai and Ruediger Rebstock, *German-Dutch Wind Tunnels, Germany*; and Klaus Hufnagel, *Technical University Darmstadt, Germany* (**43**, 3, p. 855) Technical Note
- C06-105 Numerical Simulation and Physical Characteristics Analysis for Slender Wing Rock.** Wei Liu, *National University of Defense Technology of China, China (PRC)*; Hanxin Zhang, *China Aerodynamics Research and Development Center, China (PRC)*; and Haiyang Zhao, *National University of Defense Technology, China (PRC)* (**43**, 3, p. 858) Technical Note based on AIAA Paper 2005-4724
- C06-106 Static/Dynamic Correction Approach for Reduced-Order Modeling of Unsteady Aerodynamics.** Jeffrey P. Thomas, Earl H. Dowell, and Kenneth C. Hall, *Duke University* (**43**, 4, p. 865) Article

- C06-107 Low Speed Wind Tunnel Buffet Testing on the F/A-22.** Christopher L. Black, Suresh R. Patel, and William D. Anderson, *Lockheed Martin Aeronautics Company* (43, 4, p. 879) Article based on AIAA Paper 2004-1678
- C06-108 Investigating Correlations Between Reynolds-Averaged Flowfields and Noise for Forced Mixed Jets.** Charles W. Wright, Gregory A. Blaisdell, and Anastasios S. Lyrintzis, *Purdue University* (43, 4, p. 886) Article
- C06-109 Development and Experimental Validation of a Shipboard Helicopter On-Deck Maneuvering Simulation.** Darren R. Linn and Robert G. Langlois, *Carleton University, Canada* (43, 4, p. 895) Article
- C06-110 Aerodynamics of Formation Flight.** Zafar A. Bangash, Robin P. Sanchez, and Anwar Ahmed, *Auburn University*; and M. J. Khan, *Tuskegee University* (43, 4, p. 907) Article based on AIAA Paper 2004-725
- C06-111 Value-Based Multidisciplinary Optimization for Commercial Aircraft Design and Business Risk Assessment.** Ryan E. Peoples, *CRA International*; and Karen E. Willcox, *Massachusetts Institute of Technology* (43, 4, p. 913) Article based on AIAA Paper 2004-4438
- C06-112 Development of Mach Scale Rotors with Tailored Composite Coupling for Vibration Reduction.** Jinsong Bao, V.T. Nagaraj, and Inderjit Chopra, *University of Maryland*; and Andreas P. Bernhard, *Sikorsky Aircraft Corporation* (43, 4, p. 922) Article based on AIAA Paper 2003-1787
- C06-113 Civil-Transport Wing Design Concept Exploiting New Technologies.** Prasetyo Edi, *University of Putra Malaysia, Malaysia*; and J. P. Fielding, *Cranfield University* (43, 4, p. 932) Article
- C06-114 Optimization of Flexible Approach Trajectories Using a Genetic Algorithm.** Frizo Vormer, Max Mulder, Rene v. Paassen, and J.A. Mulder, *Delft University of Technology, The Netherlands* (43, 4, p. 941) Article
- C06-115 Methodology for Performance Analysis of Aerospace Vehicles Using the Laws of Thermodynamics.** David W. Riggins and Trent Taylor, *University of Missouri - Rolla*; and David J. Moorhouse, *U.S. Air Force Research Laboratory* (43, 4, p. 953) Article
- C06-116 Drag Reductions Possible with Aircraft Employing Outboard Horizontal Stabilizers.** John A. Kentfield, *University of Calgary, Canada* (43, 4, p. 964) Article based on AIAA Paper 2005-0811
- C06-117 Nonlinear Response and Fatigue Life of Isotropic Panels Subjected to Nonwhite Noise.** Jean-Michel M. Dhainaut, *Embry Riddle Aeronautical University*; and Chuh Mei, *Old Dominion University* (43, 4, p. 975) Article based on AIAA Paper 2002-1635
- C06-118 Stability Analysis of a Free Falling Pararotor.** Vicente Nadal-Mora, *Universidad Nacional de La Plata, Argentina*; and Ángel Sanz-Andrés, *Universidad Politécnica de Madrid, Spain* (43, 4, p. 980) Article
- C06-119 Effect of Injection Slot Size on the Performance of Coflow Jet Airfoil.** Gecheng Zha, Craig Paxton, and Clark A. Conley, *University of Miami*; Adams Wells and Bruce F. Carroll, *University of Florida* (43, 4, p. 987) Article based on AIAA Paper 2005-1260
- C06-120 Numerical Simulation of the Effects of Spanwise Blowing on Wing-tip Vortex Formation and Evolution.** Karthikeyan Duraisamy and James D. Baeder, *University of Maryland* (43, 4, p. 996) Article based on AIAA Paper 2005-4726
- C06-121 On the Formulation of Minimum-State Approximation as a Nonlinear Optimization Problem.** Eliahu Nissim, *University of California* (43, 4, p. 1007) Article
- C06-122 Detached-Eddy Simulation of Three Airfoils with Different Stall Onset Mechanisms.** Dong Li, *Northwestern Polytechnical University, China (PRC)*; Igor Men'shov and Yoshiaki Nakamura, *Nagoya University, Japan* (43, 4, p. 1014) Article
- C06-123 DATUM Project: Cost Estimating Environment for Support of Aerospace Design Decision Making.** James Scanlan and Abhijit Rao, *University of Southampton, Great Britain*; Christophe Bru, Peter Hale, and Rob Marsh, *University of West of England* (43, 4, p. 1022) Article
- C06-124 Analysis of General-Aviation Aircraft Wing Sections with Drooped Leading Edges.** Gerald Syms, *National Research Council Canada, Canada* (43, 4, p. 1029) Article
- C06-125 Hysteresis and Broad Flow Features on a Swept Wing at High Lift.** Lakshmi Venkatakrishnan, *National Aerospace Laboratories, India*; S Sundaram, *Sir M Visveswaraya Institute of Technology, India*; and P R. Viswanath, *National Aerospace Laboratories, India* (43, 4, p. 1036) Article
- C06-126 Stochastic Analysis of a Nonlinear Aeroelastic Model Using the Response Surface Method.** Peter J. Attar, *Computational Sciences Branch, Wright-Patterson Air Force Base*; and Earl H. Dowell, *Duke University* (43, 4, p. 1044) Article based on AIAA Paper 2005-1986
Erratum (43, 6, p. 1959)
- C06-127 Prognostics and Health Management as Design Variable in Air-Vehicle Conceptual Design.** David S. Bodden, Wes Hadden, Bill E. Grube, and N. S. Clements, *Lockheed Martin Aeronautics Company* (43, 4, p. 1053) Article
- C06-128 High-Lift Propulsive Airfoil with Integrated Crossflow Fan.** Joseph D. Kummer and Thong Q. Dang, *Syracuse University* (43, 4, p. 1059) Article
- C06-129 Viscous-Inviscid Method for Airfoil Analysis and Design for Aviation and Windmills.** Risto Peltonen, *Helsinki University of Technology, Finland* (43, 4, p. 1069) Article
- C06-130 Analysis Tools for the Detection of Intermittent Nonlinear Aeroelastic Phenomena.** Christopher C. Chabalko, Zhongfu Ge, and Muhammad R. Hajj, *Virginia Polytechnic Institute and State University*; and Walter A. Silva, *NASA Langley Research Center* (43, 4, p. 1082) Article based on AIAA Paper 2005-1858
- C06-131 Response Surface Method Optimization of Uniform and Axially Segmented Duct Acoustics Liners.** Lorenzo Lafronza, Alan McAlpine, Andy Keane, and Jeremy Astley, *University of Southampton, Great Britain* (43, 4, p. 1089) Article
- C06-132 Numerical Simulations for Transport Aircraft High-Lift Configurations Using Adaptive Cartesian Grid Methods.** Weimin Sang and Fengwei Li, *Northwestern Polytechnical University, China (PRC)* (43, 4, p. 1103) Article based on AIAA Paper 2005-4965

- C06-133 Rolling Moment Characteristics of Supersonic Transport Configurations at High Incidence Angles.** Dong-Youn Kwak and Masayoshi Noguchi, *Japan Aerospace Exploration Agency, Japan*; Masashi Shirotake and Kenichi Rinoie, *University of Tokyo, Japan* (43, 4, p. 1112) Article based on AIAA Paper 2003-3413
- C06-134 Combining Passive Control Method for Dynamic Stall Control.** Wandon Joo, *Seoul National University, South Korea*; Bo-sung Lee, *Samsung SDS, South Korea*; Kwanjung Yee, *Pusan National University, South Korea*; and Dong-ho Lee, *Seoul National University, South Korea* (43, 4, p. 1120) Article based on AIAA Paper 2005-1363
- C06-135 Numerical Simulation of Flare Safe Separation.** Motti Adar, Yuval Levy, and Alon Gany, *Technion-Israel Institute of Technology, Israel* (43, 4, p. 1129) Article
- C06-136 Aircraft Vulnerable-Area Decomposition Method in the Overlapping Region of Components.** Yang Pei and BiFeng Song, *Northwestern Polytechnical University, China (PRC)* (43, 4, p. 1138) Article
- C06-137 Study of the Residual Strain in Lap Joints.** Gang Li, Guoqin Shi, and Nicholas C. Bellinger, *National Research Council* (43, 4, p. 1145) Article
- C06-138 Tip Vortex Control via an Active Trailing-Edge Tab.** Tim Lee and David M. Birch, *McGill University, Canada* (43, 4, p. 1152) Article
- C06-139 Establishment of Gun Blast Wave Model and Structural Analysis for Blast Load.** Dae-Kwan Kim and Jae-Hung Han, *Korea Advanced Institute of Science and Technology, South Korea* (43, 4, p. 1159) Article based on AIAA Paper 2005-2261
- C06-140 Control of Rotorcraft Retreating Blade Stall Using Air-Jet Vortex Generators.** Chrisminder Singh, David J. Peake, Anastasios Kokkalis, and Vahik Khodagolian, *City University, Great Britain*; Frank N. Coton and Roderick A. Galbraith, *University of Glasgow, Great Britain* (43, 4, p. 1169) Article based on AIAA Paper 2005-1366
- C06-141 Estimation of Flyable Regions for Planetary Airships.** Tairo Kusagaya and Hirohisa Kojima, *Tokyo Metropolitan University, Japan*; and Hironori A. Fujii, *Tokyo Metropolitan University and Tokyo Institute of Technology, Japan* (43, 4, p. 1177) Article
- C06-142 Study of a Multitethered Aerostat System: Experimental Observations and Model Validation.** Casey M. Lambert and Meyer Nahon, *McGill University, Canada*; and Chalmers Dean, *Dominion Radio Astrophysical Observatory, Canada* (43, 4, p. 1182) Article
- C06-143 Solving the Combinatorial Explosion Problem When Calculating the Multiple-Hit Vulnerability of Aircraft.** Yang Pei and Feng B. Song, *Northwestern Polytechnical University, China (PRC)* (43, 4, p. 1190) Article
- C06-144 Robust Drag Minimization of Aerodynamic Wings in Engineering Environment.** Sergey Peigin, *Israel Aircraft Industries, Israel*; and Boris Epstein, *Academic College of Tel-Aviv-Yaffo, Israel* (43, 4, p. 1195) Article based on AIAA Paper 2005-5082
- C06-145 Emergency Flight Planning Applied to Total Loss of Thrust.** Ella M. Atkins, *University of Maryland*; Igor Alonso Portillo, *Construcciones y Auxilliar de Ferrocarriles, Spain*; and Matthew J. Strube, *University of Maryland* (43, 4, p. 1205) Article based on AIAA Paper 2002-1073
- C06-146 Numerical Investigation of Flow in an Overexpanded Nozzle with Porous Surfaces.** Khaled S. Abdol-Hamid, *NASA Langley Research Center*; Alaa Elmiligui, *Analytical Services & Materials, Inc.*; and Craig A. Hunter, *NASA Langley Research Center* (43, 4, p. 1217) Article based on AIAA Paper 2005-4159
- C06-147 Flowfield Measurements About an Airfoil with Leading-Edge Ice Shapes.** Andy P. Broeren and Michael B. Bragg, *University of Illinois at Urbana-Champaign*; and Harold E. Addy, *NASA Glenn Research Center* (43, 4, p. 1226) Article based on AIAA Paper 2004-0559
- C06-148 Aeroservoelastic Modeling and Sensitivity Analysis with Strain Actuators.** Moti Karpel and Boris Moulin, *Technion-Israel Institute of Technology, Israel* (43, 4, p. 1235) Article based on AIAA Paper 2005-2078
- C06-149 Preliminary Parametric Study of Gurney Flap Dependencies.** Lance W. Traub, Adam Miller, and Othon Rediniotis, *Texas A&M University* (43, 4, p. 1242) Technical Note
- C06-150 Preliminary Flight Tests of a Hinge-Less Roll Control Effector.** Lance W. Traub, David Lund, Zachary Reeder, and Othon Rediniotis, *Texas A&M University* (43, 4, p. 1244) Technical Note
- C06-151 Time-Related Procedure to Structural Column Failure.** Zachary Sherman, *Consultant* (43, 5, p. 1249) Article
- C06-152 Verification and Validation of NASA LEWICE 2.2 Icing Software Code.** Chaouki Ghenai and Cheng Xian Lin, *Florida International University* (43, 5, p. 1253) Article based on AIAA Paper 2005-1249
- C06-153 Effect of Flap and Slat Riggings on 2-D High-Lift Aerodynamics.** Balaji Renukumar, Frank D. Bramkamp, Michael Hesse, and Josef Ballmann, *Rheinisch-Westfälische Technische Hochschule Aachen, Germany* (43, 5, p. 1259) Article
- C06-154 Aircraft Accident Statistics and Knowledge Database: Analyzing Passenger Behavior in Aviation Accidents.** Edwin R. Galea, Kate M. Finney, Andrew J. Dixon, Asim Siddiqui, and David P. Cooney, *University of Greenwich, Great Britain* (43, 5, p. 1272) Article
- C06-155 Effects of Free-Stream Turbulence on Wing-Tip Vortex Formation and Near Field.** Sean C. Bailey and Stavros Tavoularis, *University of Ottawa, Canada*; and Benedict H. Lee, *National Research Council of Canada, Canada* (43, 5, p. 1282) Article
- C06-156 Computational Investigation and Design Optimization of a Lateral-Jet-Controlled Missile.** Jae-Woo Lee, Byung-Young Min, and Yung-Hwan Byun, *Konkuk University, South Korea* (43, 5, p. 1292) Article
- C06-157 Robust Objective Functions for Sonic-Boom Minimization.** Yoshikazu Makino, *Japan Aerospace Exploration Agency, Japan*; and Ilan M. Kroo, *Stanford University* (43, 5, p. 1301) Article
- C06-158 Flight Handling Qualities of the Wright Brothers' 1905 Flyer 3.** Ben Lawrence and Gareth D. Padfield, *University of Liverpool, Great Britain* (43, 5, p. 1307) Article based on AIAA Paper 2005-0025

- C06-159 Error Estimation and Grid Adaptation Using Euler Adjoint Method.** Hyoung-Jin Kim, Yoshimichi Takano, and Kazuhiro Nakahashi, *Tohoku University, Japan* (43, 5, p. 1317) Article based on AIAA Paper 2005-5336
- C06-160 Additional Aerodynamic Features of Wing-Gurney Flap Flows.** Vojin R. Nikolic, *Minnesota State University* (43, 5, p. 1325) Article
- C06-161 Optimal Conceptual Design of Aircraft Fuel Transfer Systems.** Hampus Gavel, *Saab Aerospace, Sweden*; Johan Ölvander and Petter Krus, *Linköping University, Sweden* (43, 5, p. 1334) Article
- C06-162 Validation of Implicit Algorithms for Unsteady Flows Including Moving and Deforming Grids.** Robert H. Nichols, *University of Alabama at Birmingham*; and Bonnie D. Heikkinen, *Aerospace Testing Alliance* (43, 5, p. 1341) Article
- C06-163 Decision Support Approach to Fleet Maintenance Requirements in the Aviation Industry.** Gary R. Weckman, *Ohio University*; Jon H. Marvel, *Gettysburg College*; and Richard L. Shell, *University of Cincinnati* (43, 5, p. 1352) Article
- C06-164 Stability and Control Characteristics of a New FAR 23 Airplane.** Kasim Biber, *Biber Aeronautical Research, Turkey* (43, 5, p. 1361) Article based on AIAA Paper 2006-0255
- C06-165 Effects of Canard Sweep and Canard-Spanwise Blowing Magnitude on Lift Increment.** Pei-Qing Liu, Rui-Ying Wen, and Guo-Wei Zhang, *Beijing University of Aeronautics and Astronautics, China (PRC)* (43, 5, p. 1369) Article
- C06-166 Human-Computer Interaction Analysis of Flight Management System Messages.** Lance Sherry, *San Jose State University Research Foundation*; Karl Fennell, *United Airlines*; Michael Feary, *NASA Ames Research Center*; and Peter Polson, *University of Colorado* (43, 5, p. 1372) Article
- C06-167 Study of Delayed-Detached Eddy Simulation with Weakly Nonlinear Turbulence Model.** Zhixiang Xiao, Haixin Chen, Yufei Zhang, Jingbo Huang, and Song Fu, *Tsinghua University, China (PRC)* (43, 5, p. 1377) Article
- C06-168 Longitudinal Dynamics of a Perching Aircraft.** Adam M. Wickenheiser and Ephraim Garcia, *Cornell University* (43, 5, p. 1386) Article
- C06-169 Effect of Propeller Torque on Minimum-Control Airspeed.** Warren F. Phillips, *Utah State University*; and Robert J. Niewoehner, *U.S. Naval Academy* (43, 5, p. 1393) Article
- C06-170 Flight Testing a Simple Fix to Lateral Stability Deficiencies.** Joachim L. Grenestedt, *Lehigh University*; Sven-Olof Ridder, *Sweden*; and William J. Maroun, *Lehigh University* (43, 5, p. 1399) Article
- C06-171 Proposed Methodology for the Use of Computer Simulation to Enhance Aircraft Evacuation Certification.** Edwin R. Galea, *University of Greenwich, Great Britain* (43, 5, p. 1405) Article
- C06-172 Stability of Cyclically Symmetric Strained Pumpkin Balloons and the Formation of Undesired Equilibria.** Frank E. Baginski, *George Washington University*; Kenneth A. Brakke, *Susquehanna University*; and Willi W. Schur, (43, 5, p. 1414) Article based on AIAA Paper 2005-1803
- C06-173 Vortex-Free Flight Corridors for Aircraft Executing Compressed Landing Operations.** Vernon J. Rossow, *NASA Ames Research Center* (43, 5, p. 1424) Article
- C06-174 Two General Methods for Calculating the Aircraft Equivalent Singly Vulnerable Area.** Yang PEI and Bi F. Song, *Northwestern Polytechnical University, China (PRC)* (43, 5, p. 1429) Article
- C06-175 Dynamics of Corotating Vortex Filaments Part 1: Analytical Model.** Teresa S. Miller, Linda K. Kliment, and Kamran Rokhsaz, *Wichita State University* (43, 5, p. 1434) Article
- C06-176 Response of Composite Fuselage Sandwich Side Panels Subjected to Internal Pressure and Axial Tension.** Marshall Rouse, *NASA Langley Research Center*; Damodar R. Ambur, *NASA John H. Glenn Research Center at Lewis Field*; Bernard Dopker, *Boeing Commercial Airplane Company*; and Bharat Shah, *Lockheed Martin Aeronautical Systems Company* (43, 5, p. 1440) Article based on AIAA Paper 98-1708
- C06-177 New Ground Deicing Hazard Associated with Freezing Drizzle Ingestion by Jet Engines.** Roy Rasmussen, Chuck Wade, Frank Hage, Scott Landolt, Matt Tryhane, and Jeff Cole, *National Center for Atmospheric Research*; Allan Ramsay, *Science Applications International Corporation*; David Fleming, R.K. Moore, Amor Davis, Barbara Reis, and Tom Lisi, *United Airlines*; and Morris Kjolleberg, *Braathens/SAS, Norway* (43, 5, p. 1448) Article
- C06-178 Unsteady Computational Investigations of Deploying Load Control Microtabs.** Raymond Chow and C.P. van Dam, *University of California, Davis* (43, 5, p. 1458) Article based on AIAA Paper 2006-1063
- C06-179 Joined-Wing Sensor-Craft Configuration Design.** Cody C. Rasmussen and Robert A. Canfield, *U.S. Air Force Institute of Technology*; and Maxwell Blair, *U.S. Air Force Research Laboratory* (43, 5, p. 1470) Article based on AIAA Paper 2004-1760
- C06-180 Designing and Testing a Blended Wing Body with Boundary-Layer Ingestion Nacelles.** Melissa B. Carter, Richard L. Campbell, and Odis C. Pendergraft, *NASA Langley Research Center*; Douglas M. Friedman and Leonel Serrano, *Boeing Phantom Works* (43, 5, p. 1479) Article based on AIAA Paper 2005-0459
- C06-181 Conceptual Design and Simulation of a Small Hybrid-Electric Unmanned Aerial Vehicle.** Frederick G. Harmon, Andrew A. Frank, and Jean-Jacques Chattot, *University of California-Davis* (43, 5, p. 1490) Article
- C06-182 Temperature Correction of Pressure-Sensitive Paint for Industrial Wind Tunnel Testing.** Mitsuru Kurita, Kazuyuki Nakakita, Kazunori Mitsuo, and Shigeya Watanabe, *Japan Aerospace Exploration Agency, Japan* (43, 5, p. 1499) Article based on AIAA Paper 2004-2189
- C06-183 Sensitivity Study of Downwash Weighting Methods for Transonic Aeroelastic Stability Analysis.** Roberto G. Silva, Olympio A. Mello, and João L. Azevedo, *Instituto de Aeronáutica e Espaço, Brazil* (43, 5, p. 1506) Article based on AIAA Paper 2004-5375
- Erratum (43, 6, p. 1959)
- C06-184 Sensitivities and Approximations for Aeroservoelastic Shape Optimization with Gust Response Constraints.** Marat Mor and Eli Livne, *University of Washington* (43, 5, p. 1516) Article based on AIAA Paper 2005-2077

- C06-185 Icing Encounter Flight Simulator.** Robert W. Deters, Glen A. Dimock, and Michael S. Selig, *University of Illinois at Urbana-Champaign* (43, 5, p. 1528) Article based on AIAA Paper 2002-0817
- C06-186 New Mixed Method for Unsteady Aerodynamic Force Approximations for Aeroservoelasticity Studies.** Djallel E. Biskri and Ruxandra M. Botez, *Ecole de Technologie Supérieure, Canada*; Nicholas Stathopoulos, Sylvain Therien, Martin Dickinson, and Alexandre Rathe, *Bombardier Aerospace, Canada* (43, 5, p. 1538) Technical Note
- C06-187 Bréguet Range Equation?.** Mustafa Cavcar, *Anadolu University, Turkey* (43, 5, p. 1542) Technical Note
- C06-188 Experimental Investigation on Forced Boundary-Layer Transition of Axisymmetric Inlet and Numerical Verification.** Xiao-qiang Fan, Hua Li, Di Jia, and Shi-he Yi, *National University of Defense Technology, China (PRC)* (43, 5, p. 1544) Technical Note based on AIAA Paper 2005-3551
- C06-189 Forward Flight Effects on Fan Noise from Supersonic 2-D Inlets.** Lakshmi Venkatakrishnan, *National Aerospace Laboratories, India*; and Anjaneyulu Krothapalli, *Florida State University* (43, 5, p. 1549) Technical Note based on AIAA Paper 2000-0350
- C06-190 Influence of Steady Pitch Rate on 2-D Airfoil Aerodynamic Characteristics at Incidence.** Alexander Khrabrov, *Central Aerohydrodynamics Institute (TsAGI), Russia*; and Doug Greenwell, *City University, Great Britain* (43, 5, p. 1552) Technical Note
- C06-191 Effect of Full-Span Gurney Flap Height on Wing Wake Vortex Alleviation.** Vojin R. Nikolic, *Minnesota State University Mankato* (43, 5, p. 1555) Technical Note
- C06-192 Drag Reduction by Controlled Base Flow Separation..** Viren I. Menezes and Kazuyoshi Takayama, *Tohoku University, Japan*; Mingyu Sun, *Center for Interdisciplinary Research, Tohoku University, Japan*; Jagadeesh Gopalan, *Tohoku University, India*; and K. P. Jagannatha Reddy, *Indian Institute of Science, India* (43, 5, p. 1558) Technical Note
- C06-193 Application of Gurney Flap on a Simplified Forward-Swept Aircraft Model.** Jinjun Wang, Jingxia Zhan, Wang Zhang, and Zhe Wu, *Beijing University of Aeronautics and Astronautics, China (PRC)* (43, 5, p. 1561) Technical Note
- C06-194 Preliminary Investigation of Arc Wing Pitch Characteristics.** William D. Bertelsen, *Aeromobile, Inc.* (43, 5, p. 1564) Technical Note based on AIAA Paper 2005-7440
- C06-195 Cable-Supported Sliding Payload Deployment from a Circling Fixed-Wing Aircraft.** Paul Williams and Pavel Trivailo, *Royal Melbourne Institute of Technology, Australia* (43, 5, p. 1567) Technical Note
- C06-196 Unsteady Rolling Moment Characteristics for a Fighter Oscillating with Yawing-Rolling Coupled Motion.** Da Huang and Genxing Wu, *Nanjing University of Aeronautics and Astronautics, China (PRC)* (43, 5, p. 1570) Technical Note
- C06-197 Experimental Investigation of Three Rotating Parachutes.** Ozgur E. Yagiz, Kahraman Albayrak, and Orhan R. Yildirim, *Middle East Technical University, Turkey* (43, 5, p. 1574) Technical Note
- C06-198 Simple Model for Turbulent Tip Vortices.** Georgios H. Vatisstas, *Concordia University, Canada* (43, 5, p. 1577) Technical Note
- C06-199 Active Boundary-Layer Separation Control on a Multi-Element Airfoil.** Ira J. Walker, *Hampton University* (43, 5, p. 1579) Technical Note
- C06-200 Tip Vortex Dependence with Angle of Attack.** David H. May and Georgios H. Vatisstas, *Concordia University, Canada* (43, 5, p. 1582) Technical Note
- C06-201 Gust Resistant Fixed Wing Micro Air Vehicle.** Cezary R. Galinski, *Warsaw University of Technology, Poland* (43, 5, p. 1586) Technical Note
- C06-202 Separation Control on a Trailing-Edge Flap Using Air Jet Vortex Generators.** William J. Crowther, *University of Manchester, Great Britain* (43, 5, p. 1589) Technical Note
- C06-203 Ejection Seat Test Techniques in a High-Speed Wind Tunnel.** Dehua Chen and Jinjun Wang, *Beijing University of Aeronautics and Astronautics, China (PRC)*; Wenhua Wu and Liyan Chen, *China Aerodynamic Research and Development Center, China (PRC)* (43, 5, p. 1593) Technical Note
- C06-204 Küssner's Function in the Sharp Edged Gust Problem—A Correction.** Altan Kayran, *Middle East Technical University, Turkey* (43, 5, p. 1596) Technical Note
- C06-205 Overview of the Small Aircraft Transportation System Project Four Enabling Operating Capabilities.** Sally A. Viken, *NASA Langley Research Center*; Frederick M. Brooks, *National Consortium for Aviation Mobility*; and Sally C. Johnson, *NASA Langley Research Center* (43, 6, p. 1602) Article based on AIAA Paper 2005-7312
- C06-206 Small Aircraft Transportation System Higher Volume Operations Flight Experiment.** Daniel M. Williams, Jennifer L. Murdoch, and Catherine H. Adams, *NASA Langley Research Center* (43, 6, p. 1613) Article based on AIAA Paper 2005-7421
- C06-207 A Primary Flight Display Vastly Improves Situational Awareness and Accuracy of Flight.** Randall C. Davis, Dennis W. Wilt, and James T. Henion, *RTI International*; Keith Alter, *Nav3D*; and Deaton Deaton, *Florida Institute of Technology* (43, 6, p. 1621) Article based on AIAA Paper 2005-7380
- C06-208 Flight Segment Identification as a Basis for Pilot Advisory Systems.** Wallace E. Kelly, *Blue Rock Research and Development Inc.*; and John H. Painter, *Altair Corporation* (43, 6, p. 1628) Article based on AIAA Paper ATIO-7381
- C06-209 Improving Aircraft Sequencing and Separation at a Small Aircraft Transportation System Airport.** Kyle Helbing, Theresa Spaeth, and John Valasek, *Texas A&M University* (43, 6, p. 1636) Article based on AIAA Paper 2005-7462
- C06-210 Trajectory Management Concepts For Future Small Aircraft Transportation Systems.** Brett Newman, Colin Britcher, Yenew Kassaye, Jon Roy, Michael Krizansky, and Michael Acheson, *Old Dominion University* (43, 6, p. 1643) Article
- C06-211 Optimal Scheduling of Control Surfaces on a Flexible Wing to Reduce Induced Drag.** Raymond M. Kolonay, *U.S. Air Force Research Laboratory*; and Frank Eastep, *University of Dayton* (43, 6, p. 1655) Article based on AIAA Paper 2004-4362

- C06-212 Non-Gaussian Analysis of Turbulent Boundary Layer Fluctuating Pressure on Aircraft Skin Panels.** Alexander Steinwolf, *University of Auckland, New Zealand*; and Stephen A. Rizzi, *NASA Langley Research Center* (**43**, 6, p. 1662) Article
- C06-213 Damage Tolerance Management for Aircraft and Rotorcraft Structural Components.** Anindya Ghoshal, *United Technologies Research Center*; and Heung Soo Kim, *Inha University, South Korea* (**43**, 6, p. 1676) Article
- C06-214 Structural Ritz-Based Simple-Polynomial Nonlinear Equivalent Plate Approach: An Assessment.** Luciano Demasi and Eli Livne, *University of Washington* (**43**, 6, p. 1685) Article based on AIAA Paper 2005-2093
- C06-215 CFD/CSD Prediction of Rotor Vibratory Loads in High-Speed Flight.** Anubhav Datta, *University of Maryland* (**43**, 6, p. 1698) Article
- C06-216 Some Recommendations for Characterization of Composite Panels by Means of Drop Tower Impact Testing.** Paolo Feraboli, *University of Washington* (**43**, 6, p. 1710) Article
- C06-217 Fan Noise Reduction with Increased Bypass Nozzle Area.** Richard P. Woodward, Christopher E. Hughes, and Gary G. Podboy, *NASA Glenn Research Center* (**43**, 6, p. 1719) Article
- C06-218 Simulation of Soft Projectiles Impacting Composite Targets using an Arbitrary Lagrangian-Eulerian Formulation.** Jingyun Cheng and Wieslaw K. Binienda, *University of Akron* (**43**, 6, p. 1726) Article
- C06-219 Data Analysis of Phoenix Reusable Launch Vehicle Demonstrator Flight Test.** Ravindra Jategaonkar, *DLR German Aerospace Center, Germany*; Roland Behr and Wilhelm Gockel, *European Aeronautic Defence Company, Space Transportation, Germany*; and Christoph Zorn, *DLR German Aerospace Center, Germany* (**43**, 6, p. 1732) Article based on AIAA Paper 2005-6129
- C06-220 Post-Stall Flow Control of Sharp-Edged Wings via Unsteady Blowing.** Jose Rullan, Pavlos P. Vlachos, and Demetri P. Telionis, *Virginia Polytechnic Institute and State University*; and Matthew D. Zeiger, *Aeroprope Corporation* (**43**, 6, p. 1738) Article based on AIAA Paper 2003-62
- C06-221 Evaluation of a Three-Degree-of-Freedom Test Rig for Stability Derivative Estimation.** Alvin Gatto and Mark Lowenberg, *Universtiy of Bristol, Great Britain* (**43**, 6, p. 1747) Article
- C06-222 Efficient Computation of Robust Flutter Boundaries Using the μ - k Method.** Dan Borglund and Ulf Ringertz, *Royal Institute of Technology, Sweden* (**43**, 6, p. 1763) Article
- C06-223 Hybrid Inverse Design Method for Nonlifting Bodies in Incompressible Flow.** Benjamin A. Broughton and Michael S. Selig, *University of Illinois at Urbana-Champaign* (**43**, 6, p. 1770) Article based on AIAA Paper 2002-3142
- C06-224 Synthetic Jet Control Effectiveness on Stationary and Pitching Airfoils.** Atique Rehman and Konstantinos Kontis, *University of Manchester, Great Britain* (**43**, 6, p. 1782) Article
- C06-225 Flight Dynamics of Highly Flexible Flying Wings.** Mayuresh J. Patil, *Virginia Polytechnic Institute and State University*; and Dewey H. Hodges, *Georgia Institute of Technology* (**43**, 6, p. 1790) Article
- C06-226 Analysis and Wind Tunnel Testing of a Piezoelectric Tab for Aeroelastic Control Applications.** Sebastian Heinze, *Royal Institute of Technology, Sweden*; and Moti Karpel, *Technion-Israel Institute of Technology, Israel* (**43**, 6, p. 1799) Article based on AIAA Paper IF-150
- C06-227 Cooperative Control of Multiple Unmanned Aerial Vehicles Using the Potential Field Theory.** Yeonju Eun and Hyochong Bang, *Korea Advanced Institute of Science and Technology, South Korea* (**43**, 6, p. 1805) Article based on AIAA Paper 2004-6529
- C06-228 Sonic Boom Minimization Using Inverse Design and Probabilistic Acoustic Propagation.** Sriram K. Rallabhandi and Dimitri N. Mavris, *Georgia Institute of Technology* (**43**, 6, p. 1815) Article
- C06-229 Effects of Tail Dihedral on Static Stability.** Warren F. Phillips, A. B. Hansen, and W. M. Nelson, *Utah State University* (**43**, 6, p. 1829) Article
- C06-230 Aerodynamic Design of Complex Configurations with Junctions.** Salim Koc, Hyoung-Jin Kim, and Kazuhiro Nakahashi, *Tohoku University, Japan* (**43**, 6, p. 1838) Article based on AIAA Paper 2005-4856
- C06-231 Frequency Response Model for Branched Pneumatic Sensing Systems.** Stephen A. Whitmore, *Utah State University* (**43**, 6, p. 1845) Article
- C06-232 Aerodynamic Flow Control of an Airfoil with Small Trailing-Edge Strips.** Deman Tang and Earl H. Dowell, *Duke University* (**43**, 6, p. 1854) Article
- C06-233 Phase-Locked Particle Image Velocimetry Measurements of a Flapping Wing.** Manikandan Ramasamy and J. Gordon Leishman, *University of Maryland* (**43**, 6, p. 1867) Article
- C06-234 Simulation of the Electroimpulse De-Icing Process of Aircraft Wings.** George N. Labeas, Ioannis D. Diamantakos, and Milan M. Sunaric, *University of Patras, Greece* (**43**, 6, p. 1876) Article
- C06-235 Design of Vortex Generator Flow Control in Inlets.** Adam Jirasek, *Swedish Defence Research Agency, Sweden* (**43**, 6, p. 1886) Article based on AIAA Paper 2006-1050
- C06-236 Model of the Aerodynamic Behavior of a Pararotor.** Vicente Nadal-Mora, *Universidad Nacional de La Plata, Argentina*; Ángel Sanz-Andrés and Álvaro Cuerva, *Universidad Politécnica de Madrid, Spain* (**43**, 6, p. 1893) Article
- C06-237 Vortex Behaviors of Rolled Supersonic Transport Configuration with Leading-Edge Flaps.** Kenichi Rinoie and Masashi Shirotake, *University of Tokyo, Japan*; and Dong Youn Kwak, *Japan Aerospace Exploration Agency, Japan* (**43**, 6, p. 1904) Article
- C06-238 Effect of Simulator Motion on Pilot Behavior and Perception.** Peter R. Grant, *University of Toronto Institute for Aerospace Studies, Canada*; Bonnie Yam, *Atlantis Systems International, Canada*; Ruud Hosman, *AMS Consult, The Netherlands*; and Jeffery A. Schroeder, *NASA Ames Research Center* (**43**, 6, p. 1914) Article based on AIAA Paper 2005-6304
- C06-239 Principal Component Regression for Fitting Wing Weight Data of Subsonic Transports.** Humberto Rocha, *Old Dominion University*; Wu Li and Andrew Hahn, *NASA Langley Research Center* (**43**, 6, p. 1925) Article

C06-240 Multidisciplinary Optimization Framework for Control-Configuration Integration in Aircraft Conceptual Design. Ruben E. Perez and Hugh H. Liu, *University of Toronto, Canada*; and Kamran Behdinan, *Ryerson University, Canada* (**43**, 6, p. 1937) Article

C06-241 Numerical Simulation of Helicopter Engine Jet and Fuselage Temperature Field. Yihua Cao, Yuan Su, and Qiang Zhang, *Beijing University of Aeronautics and Astronautics, China (PRC)* (**43**, 6, p. 1949) Technical Note

C06-242 Vortex Interactions Between Chined Forebody and Strake. Bao-Feng Ma and Xue-Ying Deng, *Institute of fluid mechanics, Beijing University of Aeronautics and Astronautics, China (PRC)* (**43**, 6, p. 1953) Technical Note

C06-243 Interaction of a Streamwise Vortex with a Blade Tip Vortex. Tim Lee, *Mech Eng, McGill Univ., Canada* (**43**, 6, p. 1956) Technical Note