

Chronological Index

- C08-001 Increasing the Lift-Drag Ratio of an Unmanned Aerial Vehicle Using Local Twist.** P. J. Boschetti, *Universidad Simón Bolívar, Venezuela*; E. M. Cárdenas, *Universidad Nacional Experimental Politécnica de la Fuerza Armada, Venezuela*; and A. Amerio, *Universidad Simón Bolívar, Venezuela* (45, 1, p. 10) Design Forum based on AIAA Paper 2007-4571
- C08-002 Engineering Solutions in Support of Supplementary Type Certificate to a Transport-Category Aircraft.** O. Leth, G. Leth, D. J. Strash, and N. Leth, *Leth and Associates* (45, 1, p. 16) Article based on AIAA Paper 2006-3318
- C08-003 Transition Point Detection from the Surface Pressure Distribution for Controller Design.** A. V. Popov, R. M. Botez, and M. Labib, *Ecole de Technologie Supérieure, Canada* (45, 1, p. 23) Article
- C08-004 Investigation of a Half-Model High-Lift Configuration in a Wind Tunnel.** P. Eliasson, *FOI, Swedish Defence Research Agency, Sweden* (45, 1, p. 29) Article based on AIAA Paper 2007-262
- C08-005 Simultaneous Airframe and Propulsion Cycle Optimization for Supersonic Aircraft Design.** S. K. Rallabhandi and D. N. Mavris, *Georgia Institute of Technology* (45, 1, p. 38) Article
- C08-006 Choice of Route Networks: A Qualitative Model for Overland and Overwater Routes.** D. Bhadra and B. Hogan, *The MITRE Corporation* (45, 1, p. 56) Article based on AIAA Paper 2006-7725
- C08-007 Calculations of High-Temperature Jet Flow Using Hybrid Reynolds-Averaged Navier-Stokes Formulations.** K. S. Abdol-Hamid, *NASA Langley Research Center*; and A. Elmilgoui, *Analytical Services & Materials, Inc.* (45, 1, p. 64) Article based on AIAA Paper 2005-5092
- C08-008 Experimental and Numerical Investigation of 65 Degree Delta and 65/40 Degree Double-Delta Wings.** A. Z. Al-Garni, F. Saeed, and A. M. Al-Garni, *King Fahd University of Petroleum & Minerals, Saudi Arabia* (45, 1, p. 71) Article based on AIAA Paper 2005-1037
- C08-009 Tradeoff of Weight and Inspection Cost in Reliability-Based Structural Optimization.** A. A. Kale and R. T. Haftka, *University of Florida* (45, 1, p. 77) Article
- C08-010 Efficient Reliability-Based Design and Inspection of Stiffened Panels Against Fatigue.** A. A. Kale, R. T. Haftka, and B. V. Sankar, *University of Florida* (45, 1, p. 86) Article
- C08-011 Optimum Selection of "Number of Seats/Cargo Volume" for Transports in Uncertain Business Environment.** M. A. Shahi Ashtiani and S. M. B. Malaek, *Sharif University of Technology, Iran* (45, 1, p. 98) Article
- C08-012 Multifidelity Design Optimization of Low-Boom Supersonic Jets.** S. Choi, J. J. Alonso, and I. M. Kroo, *Stanford University*; and M. Wintzer, *Desktop Aeronautics, Inc.* (45, 1, p. 106) Article based on AIAA Paper 2004-4371
- C08-013 Maneuver Load Analysis of Overdetermined Trim Systems.** D. E. Ravesh, *Technion—Israel Institute of Technology, Israel* (45, 1, p. 119) Article
- C08-014 General Approach to Enhance Flying Qualities via Dynamic Balancing of Aircraft Mass.** S. M. Malaek and A. Karimi, *Sharif University of Technology, Iran* (45, 1, p. 130) Article
- C08-015 Universal Parametric Geometry Representation Method.** B. M. Kulfan, *The Boeing Company* (45, 1, p. 142) Article based on AIAA Paper 2007-0062
- C08-016 Ecological Approach to Support Pilot Terrain Awareness After Total Engine Failure.** C. Borst, F. A. Sjer, M. Mulder, M. M. van Paassen, and J. A. Mulder, *Delft University of Technology, The Netherlands* (45, 1, p. 159) Article
- C08-017 Computational Fluid Dynamics Analysis of Externally Blown Flap Configuration for Transport Aircraft.** H. A. Griffin, *University of Sydney, Australia*; L. F. Gonzalez, *Queensland University of Technology, Australia*; and K. Srinivas, *University of Sydney, Australia* (45, 1, p. 172) Article
- C08-018 Analysis of Carbon-Dioxide Emissions from Transport Aircraft.** A. Filippone, *University of Manchester, Great Britain* (45, 1, p. 185) Article
- C08-019 Aerodynamic Modeling of the Wing-Propeller Interaction for a Tail-Sitter Unmanned Air Vehicle.** R. H. Stone, *University of Sydney, Australia* (45, 1, p. 198) Article based on AIAA Paper 2002-5951
- C08-020 Investigations for Supersonic Transports at Transonic and Supersonic Conditions.** S. M. B. Rivers, L. R. Owens, and R. A. Wahls, *NASA Langley Research Center* (45, 1, p. 211) Article
- C08-021 Scaling Effects of an Aerodynamic Plasma Actuator.** M. P. Patel, T. T. Ng, and S. Vasudevan, *Orbital Research, Inc.*; T. C. Corke, *University of Notre Dame*; M. Post and T. E. McLaughlin, *U.S. Air Force Academy*; and C. F. Suchomel, *U.S. Air Force Research Laboratory* (45, 1, p. 223) Article based on AIAA Paper 2007-635
- C08-022 Development of the Discrete Adjoint for a Three-Dimensional Unstructured Euler Solver.** G. Carpentieri, B. Koren, and M. J. van Tooren, *Delft University of Technology, The Netherlands* (45, 1, p. 237) Article based on AIAA Paper 2007-3954
- C08-023 Computational Study of the Advancing-Side Lift-Phase Problem.** R. Steijl, *University of Liverpool, Great Britain*; G. N. Barakos, *University of Liverpool, Great Britain*; and K. J. Badcock, *University of Liverpool, Great Britain* (45, 1, p. 246) Article based on AIAA Paper 2005-5124
- C08-024 Simulation of Flow Separation at the Wing-Body Junction with Different Fairings.** C. Li, Z. Ye, and G. Wang, *Northwestern Polytechnical University, China (PRC)* (45, 1, p. 258) Article based on AIAA Paper 2007-1089
- C08-025 Decisive Roll of Filling Time on Classification of Parachute Types.** F. Mohaghegh and M. R. Jahannama, *Engineering Research Institute, Iran* (45, 1, p. 267) Article based on AIAA Paper 2007-2527
- C08-026 Unsteady Panel Method for Complex Configurations Including Wake Modeling.** L. H. van Zyl, *Council for Scientific and Industrial Research, South Africa* (45, 1, p. 276) Article
- C08-027 Ground-Based Simulation of Complex Maneuvers of a Delta-Wing Aircraft.** M. Rein, G. Höhler, and A. Schütte, *DLR, German Aerospace Center, Germany*; A. Bergmann and T. Löser, *German-Dutch Wind Tunnels, Germany* (45, 1, p. 286) Article based on AIAA Paper 2006-3149
- C08-028 Tail-Sitter Vertical Takeoff and Landing Unmanned Aerial Vehicle: Transitional Flight Analysis.** D. Kubo and S. Suzuki, *University of Tokyo, Japan* (45, 1, p. 292) Article
- C08-029 Effects of Bearing Friction of a Free-to-Roll Rig on Transonic Lateral Dynamics.** C. E. Lan, *University of Kansas*; S. Bianchi, *Diamond Aircraft Industries, Canada*; and J. M. Brandon, *NASA Langley Research Center* (45, 1, p. 298) Article based on AIAA Paper 2006-6490

- C08-030 Aeroelastic Response of Composite Helicopter Rotor with Random Material Properties.** S. Murugan, R. Ganguli, and D. Harursampath, *Indian Institute of Science, India* (45, 1, p. 306) Article
- C08-031 Flight-Test Evaluation of the Tool for Analysis of Separation and Throughput.** L. Ren and J.-P. B. Clarke, *Georgia Institute of Technology* (45, 1, p. 323) Article
- C08-032 Low Reynolds Number Aerodynamics of Leading-Edge Flaps.** Rotorcraft Parameter Identification from Real Time Flight Data. R. Kumar, R. Ganguli, and S. N. Omkar, *Indian Institute of Science, India*; and M. V. Kumar, *Hindustan Aeronautics, Ltd., India* (45, 1, p. 333) Article
- C08-033 Low Reynolds Number Aerodynamics of Leading-Edge Flaps.** A. R. Jones, N. M. Bakhtian, and H. Babinsky, *University of Cambridge, Great Britain* (45, 1, p. 342) Technical Note
- C08-034 Wind-Tunnel Measurements of the E-8C Modeled with and Without Winglets.** M. F. Reeder and W. Allen, *Air Force Institute of Technology*; J. M. Phillips, *U.S. Air Force Research Laboratory*; and R. Dimmick, *Northrop Grumman Integrated Systems* (45, 1, p. 345) Technical Note based on AIAA Paper 2007-1633
- C08-035 Review and Experimental Survey of Flapped Exhaust Performance.** E. Benard, *University of Glasgow, Great Britain*; J. K. Watterson and R. Gault, *Queen's University of Belfast, Great Britain*; and J. Richardson, *Bombardier Aerospace-Belfast, Great Britain* (45, 1, p. 349) Technical Note
- C08-036 Conflict Prevention and Separation Assurance in Small Aircraft Transportation Systems.** M. C. Consiglio, V. A. Carreño, and D. M. Williams, *NASA Langley Research Center*; and C. Muñoz, *National Institute of Aerospace* (45, 2, p. 353) Article based on AIAA Paper 2005-7463
- C08-037 Concept Validation Experiment for Small Aircraft Transportation System Higher-Volume Operations.** M. C. Consiglio, D. M. Williams, J. L. Murdoch, and C. A. Adams, *NASA Langley Research Center* (45, 2, p. 359) Article based on AIAA Paper 2005-7314
- C08-038 Inverse Method Using Finite Strain Measurements to Determine Flight Load Distribution Functions.** C. W. Coates and P. Thamburaj, *Armstrong Atlantic State University* (45, 2, p. 366) Article
- C08-039 Design, Integration, and Preliminary Assessment of a Takeoff Monitor Display.** D. Zammit-Mangion and M. Eshelby, *Cranfield University, Great Britain* (45, 2, p. 371) Article based on AIAA Paper 2005-6218
- C08-040 Surface Integral Methods in Jet Aeroacoustics: Refraction Corrections.** F. Pan, *Exa Corporation*; A. Uzun, *Florida State University*; and A. S. Lyrintzis, *Purdue University* (45, 2, p. 381) Article based on AIAA Paper 2004-2873
- C08-041 High-Order Finite Elements for Structural Dynamics Applications.** P. Lisandrin and M. van Tooren, *Delft University of Technology, The Netherlands* (45, 2, p. 388) Article
- C08-042 Buckling Behavior of Composite Laminated Stiffened Panels Under Combined Shear-Axial Compression.** H. Abramovich and T. Weller, *Technion—Israel Institute of Technology, Israel*; and C. Bisagni, *Politecnico di Milano, Italy* (45, 2, p. 402) Article based on AIAA Paper 2005-1933
- C08-043 Aircraft Control via Variable Cant-Angle Winglets.** P. Bourdin, A. Gatto, and M. I. Friswell, *University of Bristol, Great Britain* (45, 2, p. 414) Article based on AIAA Paper 2006-3660
- C08-044 Aerodynamic Characteristics of a Gurney/Jet Flap at Low Reynolds Numbers.** L. W. Traub, *Embry-Riddle Aeronautical University*; and G. Agarwal, *Texas A&M University* (45, 2, p. 424) Article
- C08-045 Design Space Exploration of Supersonic Formation Flying Focusing on Drag Minimization.** Y. Goto, *Bosch Corporation, Japan*; S. Jeong, S. Obayashi, and Y. Kohama, *Tohoku University, Japan* (45, 2, p. 430) Article
- C08-046 Improved Design for Metallic and Composite Single-Lap Joints.** U. V. Turaga, *Abaqus, Inc.*; and C. T. Sun, *Purdue University* (45, 2, p. 440) Article
- C08-047 Dynamics of Vortical Flows Induced by Swept-Notched Wings in Aircraft Wake Simulations.** L. Szkatula, R. J. Grant, and Z. Zouaoui, *University of Wales, Great Britain* (45, 2, p. 448) Article
- C08-048 Skill of an Aircraft Wake-Vortex Model Using Weather Prediction and Observation.** M. Frech and F. Holzäpfel, *Deutsches Zentrum für Luft- und Raumfahrt, Germany* (45, 2, p. 461) Article
- C08-049 Reduced-Size Aeroservoelastic Modeling and Limit-Cycle-Oscillation Simulations with Structurally Nonlinear Actuators.** P. Gold and M. Karpel, *Technion—Israel Institute of Technology, Israel* (45, 2, p. 471) Article based on AIAA Paper 2006-1936
- C08-050 Flight-Loads Effects on Horizontal Tail Free-Play-Induced Limit Cycle Oscillation.** P. C. Chen and D. H. Lee, *ZONA Technology, Inc.* (45, 2, p. 478) Article based on AIAA Paper 2006-1851
- C08-051 Conceptual Study of Gondola Stabilization in a Balloon System.** J. Ashenberg, *Harvard-Smithsonian Center for Astrophysics* (45, 2, p. 486) Article
- C08-052 Characterization of In-Plane Shear Properties of Laminated Composites at High Strain Rates.** K. S. Raju and S. Dandayudhapani, *Wichita State University*; and C. K. Thorbole, *The Engineering Institute* (45, 2, p. 493) Article based on AIAA Paper 2006-2258
- C08-053 Dynamic Multimode Response of Composite Plates to Sonic Boom and Blast Loadings.** V. Dogan, *Istanbul Technical University, Turkey* (45, 2, p. 498) Article
- C08-054 Personalized Ventilation for Commercial Aircraft Cabins.** N. P. Gao and J. L. Niu, *Hong Kong Polytechnic University, China (PRC)* (45, 2, p. 508) Article based on AIAA Paper 2007-514
- C08-055 Approximate Internal Load Prediction in Composite Structures with Locally Buckled Panels.** O. Seresta, *Virginia Polytechnic Institute and State University*; M. M. Abdalla and Z. Gürdal, *Delft University of Technology, The Netherlands* (45, 2, p. 513) Article
- C08-056 Continuation of Higher-Order Harmonic Balance Solutions for Nonlinear Aeroelastic Systems.** G. Dimitriadis, *University of Manchester, Great Britain* (45, 2, p. 523) Article
- C08-057 Flight Dynamics of Highly Flexible Aircraft.** C.-S. Chang and D. H. Hodges, *Georgia Institute of Technology*; and M. J. Patil, *Virginia Polytechnic Institute and State University* (45, 2, p. 538) Article
- C08-058 Uniformly High-Order Essentially Nonoscillatory Schemes for Vortex Convection Across Overset Interfaces.** N. Hariharan, *United Technologies Research Center*; and L. Sankar, *Georgia Institute of Technology* (45, 2, p. 546) Article based on AIAA Paper 2005-1263
- C08-059 Relaxed-Wake Vortex-Lattice Method Using Distributed Vorticity Elements.** G. Bramesfeld, *Saint Louis University*; and M. D. Maughmer, *Pennsylvania State University* (45, 2, p. 560) Article
- C08-060 Thermally Induced Loads of Fastened Hybrid Composite/Aluminum Structures.** C. Yang, W. Sun, W. Seneviratne, and A. K. Shashidhar, *Wichita State University* (45, 2, p. 569) Article
- C08-061 Multidisciplinary Integrated Preliminary Design Applied to Unconventional Aircraft Configurations.** C. Werner-Westphal, W. Heinze, and P. Horst, *Technische Universität Braunschweig, Germany* (45, 2, p. 581) Article based on AIAA Paper 2007-0655

- C08-062 Aerodynamics of Scaled Runback Ice Accretions.** E. A. Whalen, A. P. Broeren, and M. B. Bragg, *University of Illinois at Urbana-Champaign* (45, 2, p. 591) Article
- C08-062E Erratum on Aerodynamics of Scaled Runback Ice Accretions.** E. A. Whalen, A. P. Broeren, and M. B. Bragg, *University of Illinois at Urbana-Champaign* (45, 3, p. 1076) Erratum
- C08-063 Aerodynamic Simulation of a Horn-Ice Accretion on a Subscale Model.** G. T. Busch, A. P. Broeren, and M. B. Bragg, *University of Illinois at Urbana-Champaign* (45, 2, p. 604) Article based on AIAA Paper 2007-0087
- C08-064 Wide Area Augmentation System-Based Flight Inspection System.** E. Kim, T. Walter, and J. D. Powell, *Stanford University* (45, 2, p. 614) Article
- C08-065 Experimental Investigation of Pairs of Vortex Filaments in Ground Effect.** L. K. Kliment and K. Rokhsaz, *Wichita State University* (45, 2, p. 622) Article based on AIAA Paper 2006-3751
- C08-066 Design Tailoring for Pressure Pillowing Using Tow-Placed Steered Fibers.** A. Alhajahmad, M. M. Abdalla, and Z. Gürdal, *Delft University of Technology, The Netherlands* (45, 2, p. 630) Article
- C08-067 Aerodynamic Characteristics of Elliptic Airfoils in High Reynolds Numbers.** S. Choi and O. J. Kwon, *Korea Advanced Institute of Science and Technology, Republic of Korea* (45, 2, p. 641) Article
- C08-068 Metrics for the Evaluation of Pedal Force/Feel Systems in Transport Aircraft.** R. A. Hess, *University of California, Davis* (45, 2, p. 651) Article
- C08-069 Effective Simulation of Delamination in Aeronautical Structures Using Shells and Cohesive Elements.** C. G. Dávila, *NASA Langley Research Center*; P. P. Camanho, *University of Porto, Portugal*; and A. Turon, *University of Girona, Spain* (45, 2, p. 663) Article
- C08-070 Flight Testing of the T-Wing Tail-Sitter Unmanned Air Vehicle.** R. H. Stone, P. Anderson, C. Hutchison, A. Tsai, P. Gibbens, and K. C. Wong, *University of Sydney, Australia* (45, 2, p. 673) Article
- C08-071 Transport Aircraft Wake Influenced by a Large Winglet and Winglet Flaps.** A. Allen and C. Breitsamter, *Technische Universität München, Germany* (45, 2, p. 686) Article
- C08-072 Numerical Simulation of Surface Heat Transfer from an Array of Hot-Air Jets.** F. Saeed, *King Fahd University of Petroleum & Minerals, Saudi Arabia* (45, 2, p. 700) Article based on AIAA Paper 2007-4287
- C08-073 Fuel-Sensitivity Analyses for Jet and Piston-Propeller Airplanes.** T. M. Young, *University of Limerick, Ireland* (45, 2, p. 715) Technical Note based on AIAA Paper 2006-7708
- C08-074 Transient Structure on Unmanned Combat Air Vehicle: Effect of Pitch-Up Motion.** M. Elkhoury, *Lebanese American University, Lebanon* (45, 2, p. 719) Technical Note
- C08-075 Stalling Speeds and Determination of Maneuver Speed for Rogallo-Winged Microlight Airplanes.** G. B. Gratton, *Brunel University, Great Britain* (45, 2, p. 723) Technical Note
- C08-076 Engine Speed and Velocity Controller Development for Small Unmanned Aerial Vehicle.** F.-B. Hsiao, S.-Y. Hsieh, W.-L. Chan, and Y.-C. Lai, *National Cheng Kung University, Taiwan (ROC)* (45, 2, p. 725) Technical Note
- C08-077 Effect of the Blade Inner-Tip Position on the Generation of Twin Vortices.** J. Jung, W. Choi, and S. Lee, *Seoul National University, Republic of Korea* (45, 2, p. 728) Technical Note
- C08-078 Effect of Ce1 on the Performance of the Menter One-Equation Model of Turbulence.** M. Elkhoury, *Lebanese American University, Lebanon* (45, 2, p. 733) Technical Note
- C08-079 Structured and Unstructured Navier-Stokes Solvers for the Third Drag Prediction Workshop.** E. N. Tinoco, V. Venkatakrishnan, C. Winkler, and M. Mani, *The Boeing Company* (45, 3, p. 738) Article based on AIAA Paper 2007-255
- C08-080 Third Drag Prediction Workshop Results Using the NSU3D Unstructured Mesh Solver.** D. J. Mavriplis, *University of Wyoming* (45, 3, p. 750) Article based on AIAA Paper 2007-0256
- C08-081 CFL3D/OVERFLOW Results for DLR-F6 Wing/Body and Drag Prediction Workshop Wing.** A. J. Sclafani, J. C. Vassberg, and N. A. Harrison, *The Boeing Company*; C. L. Rumsey, S. M. Rivers, and J. H. Morrison, *NASA Langley Research Center* (45, 3, p. 762) Article based on AIAA Paper 2007-0257
- C08-082 Abridged Summary of the Third AIAA Computational Fluid Dynamics Drag Prediction Workshop.** J. C. Vassberg, E. N. Tinoco, and M. Mani, *The Boeing Company*; O. P. Brodersen and B. Eisfeld, *DLR Institute of Aerodynamics and Flow Technology, Germany*; R. A. Wahls and J. H. Morrison, *NASA Langley Research Center*; T. Zickuhr and K. R. Laffin, *Cessna Aircraft Company*; and D. J. Mavriplis, *University of Wyoming* (45, 3, p. 781) Article based on AIAA Paper 2007-0260
- C08-083 Comparison Study of Drag Prediction by Structured and Unstructured Mesh Method.** M. Murayama and K. Yamamoto, *Japan Aerospace Exploration Agency, Japan* (45, 3, p. 799) Article based on AIAA Paper 2007-258
- C08-084 DLR Results from the Third AIAA Computational Fluid Dynamics Drag Prediction Workshop.** O. P. Brodersen, B. Eisfeld, and J. Raddatz, *German Aerospace Center, Institute of Aerodynamics and Flow Technology, Germany*; and P. Frohnäpfel, *University of Stuttgart, Germany* (45, 3, p. 823) Article based on AIAA Paper 2007-0259
- C08-085 Drag Prediction for the DLR-F6 Wing-Body Configuration Using the Edge Solver.** P. Eliasson and S.-H. Peng, *FOI, Swedish Defence Research Agency, Sweden* (45, 3, p. 837) Article based on AIAA Paper 2007-897
- C08-086 Reynolds-Averaged Navier-Stokes Simulation of Low-Reynolds-Number Airfoil Aerodynamics.** L. Tang, *D&P LLC* (45, 3, p. 848) Article based on AIAA Paper 2006-0249
- C08-087 Numerical Simulation of Full-Span Delta Wing Buffet at High Angle of Attack.** P. J. Attar, *University of Oklahoma*; R. E. Gordnier and M. R. Visbal, *U.S. Air Force Research Laboratory* (45, 3, p. 857) Article based on AIAA Paper 2006-2075
- C08-088 Wind-Tunnel Testing of Rotor with Individually Controlled Trailing-Edge Flaps for Vibration Reduction.** B. Roget, *National Institute of Aerospace*; and I. Chopra, *University of Maryland* (45, 3, p. 868) Article
- C08-089 Reactive Flow Control of Delta-Wing Vortex.** Y. Liu, M. Wu, J. J. Zhu, and D. A. Lawrence, *Ohio University*; E. J. Gutmark, *University of Cincinnati*; J. H. Myatt, *U.S. Air Force Research Laboratory*; and C. A. May, *University of Cincinnati* (45, 3, p. 880) Article based on AIAA Paper 2006-6189
- C08-090 Bifurcation Analysis of Aircraft with Structural Non-linearity and Freeplay Using Numerical Continuation.** G. Dimitriadis, *University of Liege, Belgium* (45, 3, p. 893) Article
- C08-091 Flutter and Divergence Analysis Using the Generalized Aeroelastic Analysis Method.** J. W. Edwards and C. D. Wieseman, *NASA Langley Research Center* (45, 3, p. 906) Article based on AIAA Paper 2003-1489

- C08-092 Estimation of Nonlinear Aerodynamic Roll Models for Identification of Uncommanded Rolling Motions.** C. E. Lan, *University of Kansas*; S. Bianchi, *Diamond Aircraft Industries, Canada*; and J. M. Brandon, *NASA Langley Research Center* (45, 3, p. 916) Article based on AIAA Paper 2006-6489
- C08-093 Computational Modeling of HART II Blade-Vortex Interaction Loading and Wake System.** J. W. Lim and R. C. Strawn, *NASA Ames Research Center* (45, 3, p. 923) Article based on AIAA Paper 2007-1281
- C08-094 Unsteady Wing-Pylon-Nacelle Interference in Transonic Flow.** G. Dietz, H. Mai, A. Schröder, and C. Klein, *DLR, German Aerospace Center, Germany*; N. Moreaux and P. Leconte, *ONERA, France* (45, 3, p. 934) Article based on AIAA Paper 2007-2018
- C08-095 Semi-Active Magnetorheological Helicopter Crew Seat Suspension for Vibration Isolation.** G. J. Hiemenz, W. Hu, and N. M. Wereley, *University of Maryland* (45, 3, p. 945) Article based on AIAA Paper 2007-1722
- C08-096 Wing-Rock Limit Cycle Oscillation Prediction Based on Computational Fluid Dynamics.** K. J. Badcock and M. A. Woodgate, *University of Liverpool, Great Britain*; M. R. Allan, *University of Glasgow, Great Britain*; and P. S. Beran, *U.S. Air Force Academy* (45, 3, p. 954) Article
- C08-097 Thermoacoustic Random Response of Shape Memory Alloy Hybrid Composite Plates.** H. H. Ibrahim, *National Authority for Remote Sensing and Space Sciences, Egypt*; M. Tawfik, *British University in Egypt, Egypt*; and H. M. Negm, *Cairo University, Egypt* (45, 3, p. 962) Article
- C08-098 Unsteady Simulations of Bell-Agusta 609 Rotor Undergoing Higher Harmonic Oscillation.** C. Sheng, *Mississippi State University*; and J. C. Narramore, *Bell Helicopter Textron, Inc.* (45, 3, p. 971) Article based on AIAA Paper 2007-3928
- C08-099 Improving Hang-Glider Maneuverability Using Multiple Winglets: A Numerical and Experimental Investigation.** D. P. Coiro, F. Nicolosi, F. Scherillo, and U. Maisto, *University of Naples, Italy* (45, 3, p. 981) Article based on AIAA Paper 2007-4435
- C08-100 Improving Aircraft Endurance Through Turbulent Separation Control by Pulsed Blowing.** D. P. Coiro, E. F. Bellobuono, and F. Nicolosi, *University of Naples, Italy*; and R. Donelli, *Italian Aerospace Center, Italy* (45, 3, p. 990) Article based on AIAA Paper 2007-4428
- C08-101 Active Control of Three-Surface Aeroelastic Model.** S. Ricci and A. Scotti, *Politecnico di Milano, Italy*; J. Cecdle and J. Malecek, *Aeronautical Research and Test Institute, Czech Republic* (45, 3, p. 1002) Article
- C08-102 Control of Pressure Loads in Geometrically Complex Cavities.** L. Ukeiley, *University of Florida*; M. Sheehan, F. Coiffet, and F. Alvi, *Florida A & M and Florida State University*; S. Arunajatesan, *Combustion Research and Flow Technology*; and B. Jansen, *University of Mississippi* (45, 3, p. 1014) Article based on AIAA Paper 2007-1238
- C08-103 Wind-Tunnel Testing and Modeling of a Micro Air Vehicle with Flexible Wings.** R. J. Albertani and B. Stanford, *University of Florida*; R. DeLoach, *NASA Langley Research Center*; J. P. Hubner, *University of Alabama*; and P. Ifju, *University of Florida* (45, 3, p. 1025) Article
- C08-104 Estimating the Subsonic Aerodynamic Center and Moment Components for Swept Wings.** W. F. Phillips and D. F. Hunsaker, *Utah State University*; and R. J. Niewoehner, *U.S. Naval Academy* (45, 3, p. 1033) Article
- C08-105 Determination of Wing-Only Aircraft Tumbling Characteristics Through Computational Fluid Dynamics.** S. Saephan and C. P. van Dam, *University of California, Davis* (45, 3, p. 1044) Article
- C08-106 Delta Wing with Store Limit-Cycle-Oscillation Modeling Using a High-Fidelity Structural Model.** P. J. Attar, *University of Oklahoma*; E. H. Dowell and D. Tang, *Duke University* (45, 3, p. 1054) Article based on AIAA Paper 2005-1913
- C08-107 Mesh Generation and Deformation Algorithm for Aeroelasticity Simulations.** P. G. Cizmas and J. I. Gargoloff, *Texas A&M University* (45, 3, p. 1062) Technical Note based on AIAA Paper 2007-556
- C08-108 Laminar Flow Separation and Transition on a Low-Reynolds-Number Airfoil.** Z. Yang and H. Hu, *Iowa State University* (45, 3, p. 1067) Technical Note
- C08-109 Robust Flutter Analysis Considering Mode Shape Variations.** S. Heinze and D. Borglund, *Royal Institute of Technology, Sweden* (45, 3, p. 1070) Technical Note
- C08-110 Simplified Algorithm to Model Aircraft Acceleration During Takeoff.** D. Zammit-Mangion and M. Eshelby, *Cranfield University, Great Britain* (45, 4, p. 1090) Article based on AIAA Paper 2005-6016
- C08-111 Tip-Disturbance Effects on Asymmetric Vortex Breakdown Around a Chined Forebody.** B.-F. Ma and X.-Y. Deng, *Beijing University of Aeronautics and Astronautics, China (PRC)* (45, 4, p. 1098) Article
- C08-112 Probabilistic Modeling on Short-Crack Growth in Airframe Aluminum Alloys.** M. Liao, G. Renaud, and N. Bellingier, *National Research Council Canada, Canada* (45, 4, p. 1105) Article based on AIAA Paper 2007-1980
- C08-113 Numerical Calculation of Impulsive and Indicial Aerodynamic Responses Using Computational Aerodynamics Techniques.** A. N. Marques, *Instituto Tecnológico de Aeronautica, Brazil*; and J. L. Azevedo, *Instituto de Aeronautica e Espaço, Brazil* (45, 4, p. 1112) Article based on AIAA Paper 2007-4067
- C08-114 Theoretical and Experimental Aeroelastic Study for Folding Wing Structures.** D. Tang and E. H. Dowell, *Duke University* (45, 4, p. 1136) Article
- C08-115 Aircraft Wake Vortex Measurement with Airborne Coherent Doppler Lidar.** S. Rahm and I. Smalikho, *DLR, German Aerospace Center, Germany* (45, 4, p. 1148) Article
- C08-116 Nose Blowing for Side Force Control on Slender Cones at High Incidence.** R. Kumar, *Florida A&M and Florida State University*; P. R. Viswanath and O. N. Ramesh, *Indian Institute of Science, India* (45, 4, p. 1156) Article
- C08-117 Effects of Wake Rollup on Formation-Flight Aerodynamics.** G. Bramesfeld, *Saint Louis University*; and M. D. Maughmer, *Pennsylvania State University* (45, 4, p. 1167) Article
- C08-118 Aviation Safety Priorities in Emerging Air Transport Systems.** C. M. Salmon and V. Motevalli, *George Washington University* (45, 4, p. 1174) Article
- C08-119 Fiber/Metal Composite Technology for Future Primary Aircraft Structures.** R. Alderliesten and R. Benedictus, *Delft University of Technology, The Netherlands* (45, 4, p. 1182) Article based on AIAA Paper 2007-2404
- C08-120 Effect of Jerk and Acceleration on the Perception of Motion Strength.** P. R. Grant and B. Haycock, *University of Toronto, Canada* (45, 4, p. 1190) Article based on AIAA Paper 2006-6253
- C08-121 Environmentally Optimized Resolutions of In-Trail Separation Conflicts for Arrival Flights.** H. G. Visser, *Delft University of Technology, The Netherlands* (45, 4, p. 1198) Article based on AIAA Paper 2007-7721
- C08-122 Lift from Spanwise Flow in Simple Flapping Wings.** Y. Hong and A. Altman, *University of Dayton* (45, 4, p. 1206) Article based on AIAA Paper 2006-0448

- C08-123 Measurement-Integrated Simulation of Clear Air Turbulence Using a Four-dimensional Variational Method.** T. Misaka and S. Obayashi, *Tohoku University, Japan*; and E. Endo, *Japan Aerospace Exploration Agency, Japan* (45, 4, p. 1217) Article based on AIAA Paper 2007-81
- C08-124 Performance and Flow Characteristics of Double-Offset Y-Shaped Aircraft Intake Ducts.** R. K. Singh, S. N. Singh, and V. Seshadri, *Indian Institute of Technology, Delhi, India* (45, 4, p. 1230) Article
- C08-125 Effects of Nonlinearities on Subsonic Aerodynamic Center.** W. F. Phillips, *Utah State University*; N. R. Alley, *Georgia Institute of Technology*; and R. J. Niewoehner, *U.S. Naval Academy* (45, 4, p. 1244) Article
- C08-126 Prediction of the Necessary Degrees of Freedom for Helicopter Real-Time Simulation Models.** M. D. Pavel, *Delft University of Technology, The Netherlands* (45, 4, p. 1256) Article based on AIAA Paper 2005-6206
- C08-127 Simultaneous Excitation of Multiple-Input/Multiple-Output CFD-Based Unsteady Aerodynamic Systems.** W. A. Silva, *NASA Langley Research Center* (45, 4, p. 1267) Article based on AIAA Paper 2007-1988
- C08-128 Role Identification of Yaw and Sway Motion in Helicopter Yaw Control Tasks.** J. Ellerbroek, O. Stroosma, M. Mulder, and M. M. van Paassen, *Delft University of Technology, The Netherlands* (45, 4, p. 1275) Article based on AIAA Paper 2007-6800
- C08-129 Eulerian Modeling of In-Flight Icing Due to Supercooled Large Droplets.** R. Honsek and W. G. Habashi, *McGill University, Canada*; and M. S. Aubé, *Newmerical Technologies International, Canada* (45, 4, p. 1290) Article based on AIAA Paper 2006-465
- C08-130 Computational Prediction of Roll Damping for the F/A-18E at Transonic Speeds.** B. E. Green, *Naval Air Systems Command* (45, 4, p. 1297) Article
- C08-131 Effects of a Movable Tip Strake on Wake Vortex Structure.** T. Lee, *McGill University, Canada*; and V. Nikolic, *Minnesota State University* (45, 4, p. 1305) Article
- C08-132 Experimental Investigation of Lift Enhancement and Roll Control Using Plasma Actuators.** A. N. Vorobiev, R. M. Rennie, and E. J. Jumper, *University of Notre Dame*; and T. E. McLaughlin, *U.S. Air Force Academy* (45, 4, p. 1315) Article based on AIAA Paper 2006-3383
- C08-133 Experimental Investigation of Pressure Measurement and Airfoil Characteristics at Low Reynolds Numbers.** L. W. Traub and E. Cooper, *Embry-Riddle Aeronautical University* (45, 4, p. 1322) Article
- C08-134 Boundary-Layer Control by Hydrophilic Surfaces.** D. Favier and C. Maresca, *Centre National de la Recherche Scientifique, France*; W. Geissler, *Institute of Aerodynamic and Flow Technology, Germany*; M. N. Mba and P. Sainton, *Centre National de la Recherche Scientifique, France* (45, 4, p. 1334) Article
- C08-135 Transonic Nonlinear Aeroelastic Analysis of Aircraft Tail Wings Using Multiblock Approach.** J.-Y. Kim, K.-S. Kim, S.-J. Lee, and I. Lee, *Korea Advanced Institute of Science and Technology, Republic of Korea*; and S.-K. Paek, *Korea Aerospace Research Institute, Republic of Korea* (45, 4, p. 1344) Article
- C08-136 Thrust and Drag Models for Performance Calculations for High-Speed Aircraft.** D. H. Bridges, *Mississippi State University* (45, 4, p. 1358) Article based on AIAA Paper 2007-1058
- C08-137 Landing Gear Influence on the Wake Vortex of a Large Transport Aircraft.** A. Allen and C. Breitsamter, *Technische Universität München, Germany* (45, 4, p. 1367) Article
- C08-138 Experimental Investigation on Modal Signature of Smart Spring/Helicopter Blade System.** G. Coppotelli, *University of Rome, Italy*; P. Marzocca, *Clarkson University*; F. D. Ulker, J. Campbell, and F. Nitzsche, *Carleton University, Canada* (45, 4, p. 1373) Article based on AIAA Paper 2006-2035
- C08-139 Interactive Inverse Design Optimization of Fuselage Shape for Low-Boom Supersonic Concepts.** W. Li, *NASA Langley Research Center*; E. Shields, *Alliant Techsystems, Inc.*; and D. Le, *University of Virginia* (45, 4, p. 1381) Article based on AIAA Paper 2008-0136
- C08-140 Pilot-Force Measurement with Inertia and Gravity Compensation.** R. A. Mueller, *NASA Ames Research Center*; and G. H. Hardy, *Science Applications International Corporation* (45, 4, p. 1398) Article based on AIAA Paper 2007-6563
- C08-141 Variable Fidelity Conceptual Design Environment for Revolutionary Unmanned Aerial Vehicles.** S. Dufresne, C. Johnson, and D. N. Mavris, *Georgia Institute of Technology* (45, 4, p. 1405) Article
- C08-142 Application of Piezoelectric Actuators at Subsonic Speeds.** M. Amir and K. Kontis, *University of Manchester, Great Britain* (45, 4, p. 1419) Article
- C08-143 Boundary-Layer-Ingesting Inlet Flow Control.** L. R. Owens, B. G. Allan, and S. A. Gorton, *NASA Langley Research Center* (45, 4, p. 1431) Article based on AIAA Paper 2006-839
- C08-144 Effective Design of Highly Maneuverable Tailless Aircraft.** R. Colgren, *University of Kansas*; and R. Loschke, *Lockheed Martin Aeronautics Company* (45, 4, p. 1441) Design Forum
- C08-145 Simplified Thrust and Fuel Consumption Models for Modern Two-Shaft Turbofan Engines.** M. Bartel, *Rolls-Royce Deutschland, Germany*; and T. M. Young, *University of Limerick, Ireland* (45, 4, p. 1450) Design Forum based on AIAA Paper 2007-7847
- C08-146 Chaotic Motions of an Airfoil with Cubic Nonlinearity in Subsonic Flow.** L. Daochun and X. Jinwu, *Beijing University of Aeronautics and Astronautics, China (PRC)* (45, 4, p. 1457) Technical Note
- C08-147 Examining Effects of Increased Effective Area on Performance of Movable Tip Strakes.** V. R. Nikolic, *Minnesota State University* (45, 4, p. 1460) Technical Note
- C08-148 Topological Geometry Interpretation of Supersonic Inlet Start/Unstart Based on Catastrophe Theory.** C. Tao, Y. Daren, C. Juntao, and B. Wen, *Harbin Institute of Technology, China (PRC)* (45, 4, p. 1464) Technical Note
- C08-149 Rapid Estimation of Airfoil Aerodynamics for Helicopter Rotors.** A. Filippone, *University of Manchester, Great Britain* (45, 4, p. 1468) Technical Note
- C08-150 Multiple Discipline Optimization and Aerodynamic Off-Design Analysis of Supersonic Transport Aircraft.** U. Herrmann, *DLR, German Aerospace Center, Germany* (45, 5, p. 1474) Article
- C08-151 Evolutionary-Based Multidisciplinary Design Exploration for Silent Supersonic Technology Demonstrator Wing.** K. Chiba, Y. Makino, and T. Takatoya, *Japan Aerospace Exploration Agency, Japan* (45, 5, p. 1481) Article based on AIAA Paper 2007-4167
- C08-152 Transition Measurement of Natural Laminar Flow Wing on Supersonic Experimental Airplane NEXST-1.** N. Tokugawa, D.-Y. Kwak, and K. Yoshida, *Japan Aerospace Exploration Agency, Japan*; and Y. Ueda, *Tokyo Business Service Company, Ltd., Japan* (45, 5, p. 1495) Article
- C08-153 Numerical Analysis on Flight-Test Results of Supersonic Experimental Airplane NEXST-1.** H. Ishikawa, D.-Y. Kwak, and K. Yoshida, *Japan Aerospace Exploration Agency, Japan* (45, 5, p. 1505) Article based on AIAA Paper 2007-3925

- C08-154 Flow Simulation of an Supersonic Transport Configuration at Low-Speed and High-Lift Conditions.** Z. Lei, *Japan Aerospace Exploration Agency, Japan* (45, 5, p. 1514) Article
- C08-155 Transonic Limit Cycle Flutter of High-Aspect-Ratio Swept Wings.** O. O. Bendiksen, *UCLA* (45, 5, p. 1522) Article based on AIAA Paper 2006-1635
- C08-156 Wind Tunnel Studies of Damaged-Wing-Induced Limit Cycle Oscillations.** H. Park, R. Stearman, T. Kim, and E. J. Powers, *University of Texas at Austin* (45, 5, p. 1534) Article based on AIAA Paper 2007-1799
- C08-157 Tear Propagation of a High-Performance Airship Envelope Material.** S. Maekawa, *Japan Aerospace Exploration Agency, Japan*; K. Shibasaki, T. Kurose, T. Maeda, and Y. Sasaki, *Kawasaki Heavy Industries, Japan*; and T. Yoshino, *Taiyo Kogyo Corporation, Japan* (45, 5, p. 1546) Article based on AIAA Paper 2007-7829
- C08-158 Transport Aircraft Three-Dimensional High-Lift Wing Numerical Transition Prediction.** J. Perraud, J. Cliquet, R. Houdeville, D. Arnal, and F. Moens, *ONERA, France* (45, 5, p. 1554) Article based on AIAA Paper 2007-264
- C08-159 A z -Transform Discrete-Time State-Space Formulation for Aeroelastic Stability Analysis.** A. N. Marques, *Instituto Tecnológico de Aeronautica, Brazil*; and J. L. F. Azevedo, *Instituto de Aeronautica e Espaço, Brazil* (45, 5, p. 1564) Article based on AIAA Paper 2007-3800
- C08-160 Structure Computation of Quiet SpikeTM Flight-Test Data During Envelope Expansion.** S. L. Kukreja, *NASA Dryden Flight Research Center* (45, 5, p. 1579) Article
- C08-161 Adaptive Eulerian Modeling for Air Traffic Flow Management.** A. P. Saraf and G. L. Slater, *University of Cincinnati* (45, 5, p. 1585) Article based on AIAA Paper 2007-7857
- C08-162 Multidisciplinary Design Exploration for a Winglet.** K. Takenaka and K. Hatanaka, *Mitsubishi Heavy Industries, Ltd., Japan*; W. Yamazaki and K. Nakahashi, *Tohoku University, Japan* (45, 5, p. 1601) Article
- C08-163 Long-Range Propagation of Sonic Boom from the Concorde Airliner: Analyses and Simulations.** G. Ménéxiadis and J. Varnier, *ONERA, France* (45, 5, p. 1612) Article
- C08-164 Airbrake-Induced Fin-Buffer Loads on Fighter Aircraft.** C. Breitsamter and A. Schmid, *Technische Universität München, Germany* (45, 5, p. 1619) Article
- C08-165 Investigation of Rotor Blade Structural Dynamics and Modeling Based on Measured Airloads.** J. C. Ho, *Georgia Institute of Technology*; H. Yeo and R. A. Ormiston, *NASA Ames Research Center* (45, 5, p. 1631) Article
- C08-166 Aerodynamic Redesign Using Discrete Adjoint Approach on Overset Mesh System.** B. J. Lee and C. Kim, *Seoul National University, Republic of Korea* (45, 5, p. 1643) Article
- C08-167 Hydrogen-Assisted Fatigue Lifetime Characteristic of AF1410 Steel.** A. Quispitupa, *Denmark Technical University, Denmark*; B. Shafiq, S. Charca, and O. Uwakweh, *University of Puerto Rico* (45, 5, p. 1654) Article
- C08-168 Computational Prediction of Nose-Down Control for F/A-18E at High Alpha.** B. E. Green, *Naval Air Systems Command* (45, 5, p. 1661) Article based on AIAA Paper 2007-6724
- C08-169 Network-Theoretic Approach for Analyzing Connectivity in Air Transportation Networks.** D. DeLaurentis, E.-P. Han, and T. Kotegawa, *Purdue University* (45, 5, p. 1669) Article
- C08-170 Flow Control for the Systematic Buildup of High-Lift Systems.** A. Shmilovich and Y. Yadlin, *The Boeing Company* (45, 5, p. 1680) Article based on AIAA Paper 2006-2855
- C08-171 General Mass Capture Model for Swiftly Opening Parachutes.** J. Potvin, *Saint Louis University* (45, 5, p. 1689) Article
- C08-172 Modeling the Lofting of Runway Debris by Aircraft Tires.** S. N. Nguyen, E. S. Greenhalgh, R. Olsson, and L. Iannucci, *Imperial College, Great Britain*; and P. T. Curtis, *Defense Science and Technology Laboratory, Great Britain* (45, 5, p. 1701) Article
- C08-173 Aerodynamic Design of Micro Air Vehicles for Vertical Flight.** S. Shkarayev, *University of Arizona*; J.-M. Moschetta and B. Bataille, *Institut Supérieur de l'Aéronautique et de l'Espace, France* (45, 5, p. 1715) Article
- C08-174 Stereo Projections of Miss Distance in Some New Cockpit Display Formats.** D. J. Gates, E. A. Gates, M. Westcott, and N. L. Fulton, *Commonwealth Scientific and Industrial Research Organisation, Australia* (45, 5, p. 1725) Article
- C08-175 Flow Measurements in a Short Takeoff, Vertical Landing Fountain: Parallel Jets.** A. J. Saddington, K. Knowles, and P. M. Cabrita, *Cranfield University, Great Britain* (45, 5, p. 1736) Article based on AIAA Paper 2007-1402
- C08-176 A New Look at High-Altitude Turbulence.** J. F. Torgerson and G. Y. Jumper, *U.S. Air Force Research Laboratory* (45, 5, p. 1744) Article
- C08-177 Transition Prediction and Impact on a Three-Dimensional High-Lift-Wing Configuration.** F. Moens and J. Perraud, *ONERA, France*; A. Krumbein, *DLR, Germany Aerospace Center, Germany*; T. Toulorge, *Instituto Nacional de Técnica Aeroespacial, Spain*; P. Ianneli, *Centro Italiano Ricerche Aerospaziale, Italy*; P. Eliasson and A. Hanifi, *Totalförsvarets Forskningsinstitut, Sweden* (45, 5, p. 1751) Article based on AIAA Paper 2007-4302
- C08-178 Flexible-Membrane Airfoils at Low Reynolds Numbers.** H. Hu, M. Tamai, and J. T. Murphy, *Iowa State University* (45, 5, p. 1767) Article
- C08-179 Generation of Aerodynamics Databases Using High-Order Singular Value Decomposition.** L. S. Lorente, J. M. Vega, and A. Velazquez, *Universidad Politécnica de Madrid, Spain* (45, 5, p. 1779) Article
- C08-180 Design of a High-Lift, Thick Airfoil for Unmanned Aerial Vehicle Applications.** D. F. Cerra and J. Katz, *San Diego State University* (45, 5, p. 1789) Article based on AIAA Paper 2008-0292
- C08-181 Closed-Loop Control Simulations on a Morphing Wing.** A. V. Popov, M. Labib, J. Fays, and R. M. Botez, *École de Technologie Supérieure, Canada* (45, 5, p. 1794) Article
- C08-182 Failure-Finding Frequency for a Repairable System Subject to Hidden Failures.** B. Lienhardt and E. Hugues, *Airbus Industries, France*; C. Bes and D. Noll, *Université Paul Sabatier, France* (45, 5, p. 1804) Design Forum
- C08-183 Simple Experimental Method to Estimate the Lift of Airfoils.** L. W. Traub, *Embry-Riddle Aeronautical University* (45, 5, p. 1810) Technical Note
- C08-184 Aerodynamics of a Generic Optical Turret.** R. Sluder, L. Gris, and J. Katz, *San Diego State University* (45, 5, p. 1814) Technical Note based on AIAA Paper 2008-0429
- C08-185 Experimental Study of Canard-Spanwise Pulsed Blowing on a Canard Configuration.** P.-Q. Liu, R.-Y. Wen, Z.-G. Liu, and S. Wu, *Beijing University of Aeronautics and Astronautics, China (PRC)* (45, 5, p. 1816) Technical Note
- C08-186 Transonic Aeroelastic Analysis of All-Movable Wing with Free Play and Viscous Effects.** J.-Y. Kim, K.-S. Kim, and I. Lee, *Korea Advanced Institute of Science and Technology, Republic of Korea*; and Y.-K. Park, *Agency for Defense Development, Republic of Korea* (45, 5, p. 1820) Technical Note

- C08-187 Small Aircraft Transportation System, Higher Volume Operations Concept and Research Summary.** Brian T. Baxley, Daniel Williams, Maria Consiglio, and Cathy Adams, *NASA Langley Research Center*; and Terrence Abbott, *Booz-Allen and Hamilton* (45, 6, p. 1825) Article based on AIAA Paper 2005-7379
- C08-188 Autonomous Surface Vehicle Free-Rotating Wingsail Section Design and Configuration Analysis.** Gabriel H. Elkaim, *University of California, Santa Cruz* (45, 6, p. 1835) Article
- C08-189 Topology Optimization Approach for the Determination of the Multiple-Configuration Morphing Wing Structure.** Daisaku Inoyama, *Orbital Sciences Corporation*; Brian P. Sanders, *U.S. Air Force Research Laboratory*; and James J. Joo, *University of Dayton Research Institute* (45, 6, p. 1853) Article based on AIAA Paper 2007-1712
- C08-190 Calculated Viscous and Scale Effects on Transonic Aeroelasticity.** John W. Edwards, *NASA Langley Research Center* (45, 6, p. 1863) Article
- C08-191 Robust Model Predictive Control of Shimmy Vibration in Aircraft Landing Gears.** M. S. Fallah, S. H. Long, W. F. Xie, and Rama Bhat, *Concordia University, Canada* (45, 6, p. 1872) Article
- C08-192 Evolutionary Multicriteria Design Optimization of Integrally Stiffened Airframe Structures.** Lars U. Hansen, Sascha M. Häusler, and Peter Horst, *Technische Universität Braunschweig, Germany* (45, 6, p. 1881) Article
- C08-193 Investigation on Transonic Correction Methods for Unsteady Aerodynamics and Aeroelastic Analyses.** Roberto G. Silva, Olympio A. Mello, and João L. Azevedo, *Instituto de Aeronáutica e Espaço, Brazil*; P. C. Chen and D. D. Liu, *ZONA Technology* (45, 6, p. 1890) Article
- C08-194 Nonlinear Stability Analysis of Control Surface Flutter with Freeplay Effects.** James T. Gordon, Edward E. Meyer, and Robert L. Minogue, *The Boeing Company* (45, 6, p. 1904) Article
- C08-195 Higher-Order Spectral Analysis of Limit Cycle Oscillations of Fighter Aircraft.** Muhammad R. Hajj, *Virginia Polytechnic Institute and State University*; and Philip S. Beran, *U.S. Air Force Research Laboratory* (45, 6, p. 1917) Article based on AIAA Paper 2007-1797
- C08-196 Explicit Finite Volume Modeling of Aircraft Anti-Icing and De-Icing.** Ouahid Harireche, Patrick Verdin, Chris P. Thompson, and David W. Hammond, *Cranfield University, Great Britain* (45, 6, p. 1924) Article
- C08-197 Low- and High-Speed Flight Experiments on Transition Detection.** I. Peltzer and W. Nitsche, *Technische Universität Berlin, Germany*; and J. Suttan, *MTU Maintenance Berlin-Brandenburg, Germany* (45, 6, p. 1937) Article
- C08-198 Insectlike Flapping Wings in the Hover Part 1: Effect of Wing Kinematics.** Salman A. Ansari, Kevin Knowles, and Rafal Zbikowski, *Cranfield University, Great Britain* (45, 6, p. 1945) Article
- C08-199 Oscillation Effects on Boundary-Layer Development Under the Influence of Favorable Pressure Gradients.** M. Amir and K. Kontis, *University of Manchester, Great Britain* (45, 6, p. 1955) Article
- C08-200 Being Conservative with a Limited Number of Test Results.** Jungeun An, *University of Florida*; Erdem Acar, *Mississippi State University*; Raphael T. Haftka, Nam H. Kim, and Peter G. Ifju, *University of Florida*; and Theodore F. Johnson, *NASA Langley Research Center* (45, 6, p. 1969) Article based on AIAA Paper 2007-1971
- C08-201 Insectlike Flapping Wings in the Hover Part 2: Effect of Wing Geometry.** Salman A. Ansari, Kevin Knowles, and Rafal Zbikowski, *Cranfield University, Great Britain* (45, 6, p. 1976) Article
- C08-202 Forced Separation and Reattachment of Flow to Modified Glauert Laminar Airfoil Section II.** Boris Zakharin and Israel J. Wygnanski, *University of Arizona* (45, 6, p. 1991) Article
- C08-203 Passengers' Comfort Modeling Inside Aircraft.** A. Brindisi and A. Concilio, *Centro Italiano Ricerche Aerospaziale, Italy* (45, 6, p. 2001) Article
- C08-204 Aerodynamic Performances of Battle-Damaged and Repaired Wings of an Aircraft Model.** Slimane Djellal, *Polytechnical School, Algeria*; and Ahmed Ouibrahim, *Mouloud Mammeri University, Algeria* (45, 6, p. 2009) Article
- C08-205 Flight Control System Design for Inherent Damage Tolerance.** Ronald A. Hess, *University of California, Davis*; and Gianluca Cama, *University of Magdeburg, Germany* (45, 6, p. 2024) Article
- C08-206 Flight Data Analysis and Simulation of Wind Effects During Aerial Refueling.** Atilla Dogan and Timothy A. Lewis, *University of Texas at Arlington*; and William Blake, *U.S. Air Force Research Laboratory* (45, 6, p. 2036) Article
- C08-207 High-Lift Devices Performance Enhancement Using Mechanical and Air-Jet Vortex Generators.** M. Meunier and V. Brunet, *ONERA, France* (45, 6, p. 2049) Article
- C08-208 Experimental Investigation of Gurney Flaps.** Mark D. Maughmer and Götz Bramesfeld, *Pennsylvania State University* (45, 6, p. 2062) Article
- C08-209 Bioinspired Corrugated Airfoil at Low Reynolds Numbers.** Hui Hu and Masatoshi Tamai, *Iowa State University* (45, 6, p. 2068) Article
- C08-210 Air Data Computation Using Neural Networks.** Alberto Calia, Eugenio Denti, Roberto Galatolo, and Francesco Schettini, *University of Pisa, Italy* (45, 6, p. 2078) Article
- C08-211 Numerical Investigations of Injection-Slot-Size Effect on the Performance of Coflow Jet Airfoils.** Baoyuan Wang, Bahaa Haddoukes-souni, Jonathan Levy, and Ge-Cheng Zha, *University of Miami* (45, 6, p. 2084) Article
- C08-212 Effect of Humidity on Transonic Flow.** J. C. Huang and R. I. Gault, *Queen's University of Belfast, Northern Ireland*; E. Benard, *University of Glasgow, Great Britain*; and S. Raghunathan, *Queen's University of Belfast, Northern Ireland* (45, 6, p. 2092) Article based on AIAA Paper 2008-358
- C08-213 Active Flow Control on a Nonslender Delta Wing.** N. M. Williams, Z. Wang, and I. Gursul, *University of Bath, Great Britain* (45, 6, p. 2100) Article based on AIAA Paper 2008-740
- C08-214 Tactical Conflict Resolution Using Vertical Maneuvers in En Route Airspace.** Russell A. Paielli, *NASA Ames Research Center* (45, 6, p. 2111) Article
- C08-215 Aircraft Icing in Glaciated and Mixed Phase Clouds.** John Hallett, *Desert Research Institute*; and George A. Isaac, *Environment Canada, Canada* (45, 6, p. 2120) Article based on AIAA Paper 2002-0677
- C08-216 Airplane Landing Performance on Contaminated Runways in Adverse Conditions.** Nihad E. Daidzic and Juna Shrestha, *Minnesota State University* (45, 6, p. 2131) Article
- C08-217 Shallow Rectangular Cavities at Low Speeds Including Effects of Yaw.** S. L. Gai, T. J. Soper, and J. F. Milthorpe, *University of New South Wales, Australian Defence Force Academy, Australia* (45, 6, p. 2145) Article
- C08-218 Development of a Four-Rotor Cyclocopter.** In Seong Hwang, Seung Yong Min, Choong Hee Lee, and Seung Jo Kim, *Seoul National University, Republic of Korea* (45, 6, p. 2151) Design Forum based on AIAA Paper 2007-2247
- C08-219 Experimental Study on Lift Characteristics for Flow over Flexible Cropped Delta Wings.** J. J. Wang and Y. Liu, *Beijing University of Aeronautics and Astronautics, China (PRC)* (45, 6, p. 2158) Technical Note

C08-220 Soft-Histogram Degradation Analysis of a Tie Bar of a Rotor-Head Structure. P. J. Escamilla-Ambrosio and N. Lieven, University of Bristol, Great Britain (**45**, 6, p. 2161) Technical Note

C08-221 Surface Pressure Distributions on 4% Circular Arc Airfoil at Low Reynolds Number. Asei Tezuka, Yasuto Sunada, and Kenichi Rinoie, University of Tokyo, Japan (**45**, 6, p. 2164) Technical Note

C08-222 Coupled Aerodynamic/Structural Optimization of a Subsonic Transport Wing Using a Surrogate Model. Ke-shi Zhang, Zhong-hua Han, Wei-ji Li, and Wen-ping Song, Northwestern Polytechnical University, China (PRC) (**45**, 6, p. 2167) Technical Note based on AIAA Paper 2008-0897

C08-223 Leading-Edge Surface-Manipulated Flow Separation from an Airfoil. Hong J. Zhang, *China Jiliang University, China (PRC)*; and Yu Zhou, Hong Kong Polytechnic University, China (PRC) (**45**, 6, p. 2171) Technical Note

C08-224 Transformed Normal Probability Density Functions for Parameter Estimation. Marco W. Soijer, *EADS Defence & Security, Germany* (**45**, 6, p. 2173) Technical Note

C08-225 Modified Aileron Tips Improve Lateral Stability. Joachim L. Grenestedt, *Lehigh University* (**45**, 6, p. 2176) Technical Note

C08-226 Methodology for Determination of Baseline Specifications of a Nonrigid Airship. Rajkumar S. Pant, *Indian Institute of Technology, Bombay, India* (**45**, 6, p. 2177) Technical Note based on AIAA Paper 2003-6830

C08-227 Effects of Unsteady Freestream on Aerodynamic Characteristics of a Pitching Delta Wing. Zhi-Wei Shi and Xiao Ming, *Nanjing University of Aeronautics and Astronautics, China (PRC)* (**45**, 6, p. 2182) Technical Note