

Chronological Index

- C08-159 A z-Transform Discrete-Time State-Space Formulation for Aeroelastic Stability Analysis.** A. N. Marques, *Instituto Tecnológico de Aeronautica, Brazil*; and J. L. F. Azevedo, *Instituto de Aeronautica e Espaço, Brazil* (45, 5, p. 1564) Article based on AIAA Paper 2007-3800
Technical Comment by A. Tewari, *Indian Institute of Technology, India* (46, 5, p. 1823)
Reply by Authors to A. Tewari (46, 5, p. 1823)
- C09-001 Improvement of Aircraft Accident Investigation Through Expert Systems.** Goran Milošovski, Cees Bil, and Paul Simon, *RMIT University, Australia* (46, 1, p. 10) Article
- C09-002 Aerodynamic Investigations of an Advanced Over-the-Wing Nacelle Transport Aircraft Configuration.** Geoffrey A. Hill and Osama A. Kandil, *Old Dominion University*; and Andrew S. Hahn, *NASA Langley Research Center* (46, 1, p. 25) Article based on AIAA Paper 2007-670
- C09-003 State-Space Modeling and Identification of Delta Wing Vortex-Coupled Roll Dynamics.** Brandon W. Gordon, *Concordia University, Canada*; Mehrdad Pakmehr, *Georgia Institute of Technology, Canada*; and C. A. Rabbath, *Defence Research and Development Canada, Canada* (46, 1, p. 36) Article
- C09-004 National Transonic Facility Model and Tunnel Vibrations.** John W. Edwards, *NASA Langley Research Center* (46, 1, p. 46) Article based on AIAA Paper 1997-0345
- C09-005 Numerical Simulation of Maneuvering Aircraft by Aerodynamic, Flight Mechanics and Structural Mechanics Coupling.** Andreas Schütte, Gunnar Einarsson, Axel Raichle, Britta Schöning, Wulf Mönnich, Matthias Orlt, Jens Neumann, Jürgen Arnold, and Tomas Forkert, *DLR, German Aerospace Center, Germany* (46, 1, p. 53) Article based on AIAA Paper 2007-1070
- C09-006 Experimental Analysis of Propeller-Wing Interactions for a Micro Air Vehicle.** Brian J. Gamble and Mark F. Reeder, *Air Force Institute of Technology* (46, 1, p. 65) Article based on AIAA Paper 2006-3916
- C09-007 Analysis and Design of a Flap-Equipped Low-Twist Rotor for Hover.** A. Gagliardi, *University of Glasgow, Great Britain*; and G. N. Barakos, *Liverpool University, Great Britain* (46, 1, p. 74) Article
- C09-008 Residual-Strength Assessment of Modified Transport Aircraft Fuselages.** Y. Yamada and T. Lacy, *Mississippi State University*; and J. Luzar, *Spirit AeroSystems* (46, 1, p. 85) Article
- C09-009 Optimization of Propeller Based Propulsion System.** Ohad Gur and Aviv Rosen, *Technion—Israel Institute of Technology, Israel* (46, 1, p. 95) Article based on AIAA Paper 2008-1977
- C09-010 Modified Inertially Coupled Equations of Motion for a Flexible Aircraft with Coupled Vibrations.** Haroon A. Baluch and Michel van Tooren, *Delft University of Technology, The Netherlands* (46, 1, p. 107) Article
- C09-011 Effects of Vortex Generators on an Airfoil at Low Reynolds Numbers.** Amith Seshagiri, Evan Cooper, and Lance W. Traub, *Embry-Riddle Aeronautical University* (46, 1, p. 116) Article
- C09-012 High-Altitude Limit Cycle Flutter of Transonic Wings.** Oddvar O. Bendiksen, *University of California, Los Angeles* (46, 1, p. 123) Article based on AIAA Paper 2007-2017
- C09-013 Characterizing Stability and Control of Subscale Aircraft from Wind-Tunnel Dynamic Motion.** S. D. Carnduff, S. D. Erbsloeh, A. K. Cooke, and M. V. Cook, *Cranfield University, Great Britain* (46, 1, p. 137) Article based on AIAA Paper 2008-196
- C09-014 Impact of the Reduced Vertical Separation Minimum on the Domestic United States.** Andrew Malwitz, Sathya Balasubramanian, and Gregg Fleming, *John A. Volpe National Transportation Systems Center*; Timothy Yoder and Ian Waitz, *Massachusetts Institute of Technology* (46, 1, p. 148) Article
- C09-015 Advanced Design by Numerical Methods and Wind-Tunnel Verification Within European High-Lift Program.** Jochen Wild and Joel Brezillon, *DLR, German Aerospace Center, Germany*; Olivier Amoignon, *Swedish Defence Research Agency, Sweden*; Jürgen Quest, *European Transonic Wind Tunnel, GmbH, Germany*; Frederic Moens, *ONERA, France*; and Domenico Quagliarella, *Centro Italiano Ricerche Aerospaziali, Italy* (46, 1, p. 157) Article based on AIAA Paper 2007-4300
- C09-016 Handling Qualities Evaluation of an Autogiro Against the Existing Rotorcraft Criteria.** Marat Bagiev and Douglas G. Thomson, *University of Glasgow, Great Britain* (46, 1, p. 168) Article
- C09-017 Transport Aircraft Wake Influenced by Oscillating Winglet Flaps.** Christian Breitsamter and Alexander Allen, *Technische Universität München, Germany* (46, 1, p. 175) Article
- C09-018 Novel Algorithm for Simulating the General Parachute-Payload System: Theory and Validation.** Peng Ke and Chunxin Yang, *Beihang University, China (PRC)*; Xiaowei Sun and Xuesong Yang, *Aerospace Life-Support Industries, LTD, China (PRC)* (46, 1, p. 189) Article
- C09-019 Aerodynamic Design of a Supersonic Inlet with a Parametric Bump.** Sang Dug Kim, *Daegu University, ROK* (46, 1, p. 198) Article
- C09-020 Strain-Energy Release Rate Analysis of Adhesive-Bonded Composite Joints with Prescribed Interlaminar Crack.** Alireza Chadehgan and Chihdar Yang, *Wichita State University*; and Eugene Dan-Jumbo, *Northrop Grumman Corporation* (46, 1, p. 203) Article
- C09-021 Thickness Effect on the Thrust Generation of Heaving Elliptic Airfoils.** Sangjoon An and Joosung Maeng, *Hanyang University, ROK*; and Cheolheui Han, *Chungju National University, ROK* (46, 1, p. 216) Article
- C09-022 Analytic Model for Aircraft Survivability Assessment of a One-on-one Engagement.** Xu Wang, Bi-Feng Song, and Yi-Fan Hu, *Northwestern Polytechnical University, China (PRC)* (46, 1, p. 223) Article
- C09-023 Numerical Simulations of a Wingtip Vortex in the Near Field.** Matthew J. Churchfield and Gregory A. Blaisdell, *Purdue University* (46, 1, p. 230) Article
- C09-024 Optimal Placement of Piezoelectric Actuated Trailing-Edge Flaps for Helicopter Vibration Control.** S. R. Viswamurthy and Ranjan Ganguli, *Indian Institute of Science, India* (46, 1, p. 244) Article based on AIAA Paper 2008-1791
- C09-025 Experimental Investigation of Plain- and Flapped-Wing Tip Vortex.** Omer A. Elsayed, Waqar Asrar, and Ashraf A. Omar, *International Islamic University Malaysia, Malaysia*; Kijung Kwon and Hyejin Jung, *Korea Aerospace Research Institute, ROK* (46, 1, p. 254) Article
- C09-026 Identification of Any Aircraft by Its Unique Turbulent Wake Signature.** Mark Garnet and Aaron Altman, *University of Dayton* (46, 1, p. 263) Article
- C09-027 Analysis of Solid Oxide Fuel Cell Systems for More-Electric Aircraft.** M. Santarelli, M. Cabrera, and M. Calì, *Politecnico di Torino, Italy* (46, 1, p. 269) Article
- C09-028 Commercial Aircraft Exterior Cleaning Optimization.** Mark Longmuir and Na. A. Ahmed, *University of New South Wales, Australia* (46, 1, p. 284) Article

- C09-029 Flow Control of an Airfoil via Injection and Suction.** T. L. Chng, *National University of Singapore, Singapore*; A. Rachman, H. M. Tsai, and Ge-Cheng Zha, *University of Miami* (**46**, 1, p. 291) Article
- C09-030 Development of Stable Automated Cruise Flap for an Aircraft with Adaptive Wing.** Craig Cox, Ashok Gopalathnam, and Charles E. Hall, *North Carolina State University* (**46**, 1, p. 301) Article based on AIAA Paper 2008-206
- C09-031 Analytic Drag Prediction for Cambered Wings with Partial Leading Edge Suction.** Lance W. Traub, *Embry-Riddle Aeronautical University* (**46**, 1, p. 312) Article
- C09-032 Effect of Taper Ratio on Aerodynamic Performance of Cropped Nonslender Delta Wings.** P. F. Zhang, J. J. Wang, Y. Liu, and Z. Wu, *Beijing University of Aeronautics and Astronautics, China (PRC)* (**46**, 1, p. 320) Technical Note
- C09-033 Comparison of Conventional and Compression Pylon Designs for an Underwing Nacelle.** R. Devine, R. K. Cooper, R. Gault, and J. K. Watterson, *Queen's University of Belfast, Great Britain*; and E. Benard, *University of Glasgow, Great Britain* (**46**, 1, p. 325) Technical Note based on AIAA Paper 2004-6340
- C09-034 Development of a Piezohydraulic Active Pitch Link for a Swashplateless Helicopter Rotor.** Shaju John and Norman M. Wereley, *University of Maryland*; and Jayant Sirohi, *University of Texas at Austin* (**46**, 1, p. 328) Technical Note based on AIAA Paper 2007-1720
- C09-035 Numerical Optimization of Airfoils in Low Reynolds Number Flows.** D. Nelson, *Los Angeles Air Force Base* (**46**, 1, p. 331) Technical Note
- C09-036 Cooperative Task Assignment/Path Planning of Multiple Unmanned Aerial Vehicles Using Genetic Algorithm.** Yeonju Eun and Hyochong Bang, *Korea Advanced Institute of Science and Technology, ROK* (**46**, 1, p. 338) Technical Note based on AIAA Paper 2007-2982
- C09-037 Analysis of Tethered Aerostat Response Under Atmospheric Turbulence Considering Nonlinear Cable Dynamics.** Wanggu Kang and In Lee, *Korea Advanced Institute of Science and Technology, ROK* (**46**, 1, p. 343) Technical Note
- C09-038 H Flutter Analysis: A Direct Harmonic Interpolation Method.** Michaël H. Hounjet, *National Aerospace Laboratory, The Netherlands* (**46**, 1, p. 348) Technical Note
- C09-039 Overview of the Cranked-Arrow Wing Aerodynamics Project International.** Clifford J. Obara and John E. Lamar, *NASA Langley Research Center* (**46**, 2, p. 355) Article based on AIAA Paper 2007-0487
- C09-040 F16-XL Geometry and Computational Grids Used in Cranked-Arrow Wing Aerodynamics Project International.** O. J. Boelens, *National Aerospace Laboratory, The Netherlands*; K. J. Badcock, *University of Liverpool, Great Britain*; S. Görtz, *Royal Institute of Technology, Sweden*; S. Morton, *U.S. Air Force*; W. Fritz, *European Aeronautic Defence and Space Company, Germany*; S. L. Karman, *University of Tennessee at Chattanooga*; T. Michal, *The Boeing Company*; and J. E. Lamar, *NASA Langley Research Center* (**46**, 2, p. 369) Article based on AIAA Paper 2007-488
- C09-041 Comparison of Measured and Block Structured Simulation Results for the F-16XL Aircraft.** O. J. Boelens, *National Aerospace Laboratory, The Netherlands*; K. J. Badcock, *University of Liverpool, Great Britain*; A. Elmilgui, *Analytical Services and Materials Inc.*; K. S. Abdolhamid, *NASA Langley Research Center*; and S. J. Massey, *Eagle Aeronautics* (**46**, 2, p. 377) Article
- C09-042 Standard Unstructured Grid Solutions for Cranked Arrow Wing Aerodynamics Project International F-16XL.** Stefan Görtz, *Royal Institute of Technology (KTH), Sweden*; A. Jirásek, *Swedish Defence Research Agency (FOI), Sweden*; Scott A. Morton, *U.S. Air Force SEEK EAGLE Office*; David R. McDaniel and Russell M. Cummings, *U.S. Air Force Academy*; John E. Lamar and Khaled S. Abdol-Hamid, *NASA Langley Research Center* (**46**, 2, p. 385) Article
- C09-043 Reynolds-Averaged Navier-Stokes Solutions for the CAWAPI F-16XL Using Different Hybrid Grids.** Willy Fritz, *European Aeronautic Defence and Space (EADS) Military Air Systems, Germany*; M. B. Davis, *Lockheed Martin Aeronautics Company*; Steve L. Karman, *University of Tennessee*; and Todd Michal, *Boeing Phantom Works* (**46**, 2, p. 409) Article
- C09-044 Lessons Learned from Numerical Simulations of the F-16XL Aircraft at Flight Conditions.** Arthur Rizzi, *Royal Institute of Technology, Sweden*; Adam Jirásek, *Swedish Defence Research Agency, Sweden*; John E. Lamar, *NASA Langley Research Center*; Simone Crippa, *Royal Institute of Technology, Sweden*; Kenneth J. Badcock, *University of Liverpool, Great Britain*; and Okko J. Boelens, *National Aerospace Laboratory/NLR, The Netherlands* (**46**, 2, p. 423) Article based on AIAA Paper 2007-683
- C09-045 Investigation of the Propeller Slipstream with Particle Image Velocimetry.** Eric W. Roosenboom, André Heider, and Andreas Schröder, *DLR, German Aerospace Center, Germany* (**46**, 2, p. 442) Article based on AIAA Paper 2007-3810
- C09-046 Time-Periodic Stability of a Flapping Insect Wing Structure in Hover.** Nicholas C. Rosenfeld and Norman M. Wereley, *University of Maryland* (**46**, 2, p. 450) Article based on AIAA Paper 2007-1759
- C09-047 Propulsive Force of a Flexible Flapping Thin Airfoil.** U. Gulcat, *Istanbul Technical University, Turkey* (**46**, 2, p. 465) Article
- C09-048 Prediction of UH-60A Structural Loads Using Multibody Analysis and Swashplate Dynamics.** A. Abhishek, Anubhav Datta, and Inderjit Chopra, *University of Maryland* (**46**, 2, p. 474) Article
- C09-049 Improved Accuracy, Second-Order Response Model for Pressure Sensing Systems.** Stephen A. Whitmore and Brandon Fox, *Utah State University* (**46**, 2, p. 491) Article based on AIAA Paper 2008-0253
- C09-050 Continuous Disreefing Method for Parachute Opening.** James E. Sadeck and Calvin K. Lee, *U.S. Army Natick Soldier Research, Development, and Engineering Center* (**46**, 2, p. 501) Article based on AIAA Paper 2007-2513
- C09-051 Lateral Stability of Aircraft Nose-Wheel Landing Gear with Closed-Loop Shimmy Damper.** Niranjana K. Sura, *Aeronautical Development Agency, India*; and S. Suryanarayan, *Indian Institute of Technology Bombay, India* (**46**, 2, p. 505) Article
- C09-052 Conceptual Design Considerations for Microwave- and Solar-Powered Fuel-Less Aircraft.** Adam M. Wickenheiser and Ephraim Garcia, *Cornell University* (**46**, 2, p. 510) Article
- C09-053 Numerical Study of High-Resolution Scheme Based on Preconditioning Method.** Futian Xie, Wenping Song, and Zhonghua Han, *Northwestern Polytechnical University, China (PRC)* (**46**, 2, p. 520) Article based on AIAA Paper 2008-695
- C09-054 Comparative Study of Three-Dimensional Wing Drag Minimization by Different Optimization Techniques.** Boris Epstein, *Academic College of Tel-Aviv-Yaffo, Israel*; Antony Jameson, *Stanford University*; Sergey Peigin, *Israel Aerospace Industries, Israel*; Dino Roman, Neal Harrison, and John Vassberg, *The Boeing Company* (**46**, 2, p. 526) Article based on AIAA Paper 2008-0326
- C09-055 Aerodynamic Characteristics of Airfoil with Perforated Gurney-Type Flaps.** T. Lee, *McGill University, Canada* (**46**, 2, p. 542) Article

- C09-056 Hydraulic Jump Formation in Water Sloshing Within an Oscillating Tank.** Peter J. Disimile, *University of Cincinnati*; John M. Pyles and Norman Toy, *Engineering and Scientific Innovations, Inc.* (46, 2, p. 549) Article
- C09-057 New Electric Field Computation Method for Aircraft.** Xingya Da, Huairong Shen, and Lei Hong, *Academy of Equipment Command and Technology, China (PRC)* (46, 2, p. 557) Article
- C09-058 Ideal Lift Distributions and Flap Angles for Adaptive Wings.** Ashok Gopalathnam and Rachel K. Norris, *North Carolina State University* (46, 2, p. 562) Article based on AIAA Paper 2004-4722
- C09-059 Characteristic Length and Dynamic Time Scale Associated with Aircraft Pitching Motion.** W. F. Phillips, *Utah State University*; and R. J. Niewoehner, *U.S. Naval Academy* (46, 2, p. 572) Article based on AIAA Paper 2009-0304
- C09-060 Optimization of Flapping Motion Parameters for Two Airfoils in a Biplane Configuration.** Mustafa Kaya and Ismail H. Tuncer, *Middle East Technical University, Turkey*; Kevin D. Jones and Max F. Platzer, *Naval Postgraduate School* (46, 2, p. 583) Article based on AIAA Paper 2007-0420
- C09-061 Supersonic Flutter of Functionally Grated Panels Subject to Acoustic and Thermal Loads.** Hesham H. Ibrahim, *Hanyang University and National Authority for Remote Sensing and Space Sciences, Egypt*; Hong H. Yoo and Kwan S. Lee, *Hanyang University, ROK* (46, 2, p. 593) Article
- C09-062 Design of Composite Wings Including Uncertainties: A Probabilistic Approach.** Abdul Manan and Jonathan Cooper, *University of Liverpool, Great Britain* (46, 2, p. 601) Article
- C09-063 Graphical Techniques for Managing Field Failures of Aircraft Systems and Components.** A. Z. Al-Garni, M. Tozan, and W. G. Abdelrahman, *King Fahd University of Petroleum and Minerals, Saudi Arabia* (46, 2, p. 608) Article
- C09-064 Computational Modeling of Variable-Droop Leading Edge in Forward Flight.** Jeremy J. Bain, Lakshmi N. Sankar, and J. V. Prasad, *Georgia Institute of Technology*; Oliver A. Bauchau, *Georgia Institute of Technology*; David A. Peters, *Washington University*; and Chengjian He, *Advanced Rotorcraft Technology, Inc.* (46, 2, p. 617) Article based on AIAA Paper 2008-3872
- C09-065 Three-Dimensional Trajectory Optimization in Constrained Airspace.** Ran Dai and John E. Cochran, *Auburn University* (46, 2, p. 627) Article based on AIAA Paper 2007-1055
- C09-066 Robust Aerodynamic Design Optimization Using Polynomial Chaos.** Michael Dodson and Geoffrey T. Parks, *University of Cambridge, Great Britain* (46, 2, p. 635) Article
- C09-067 Experimental Investigation of Bistable Winglets to Enhance Aircraft Wing Lift Takeoff Capability.** A. Gatto, *Brunel University, Great Britain*; F. Mattioni and M. I. Friswell, *University of Bristol, Great Britain* (46, 2, p. 647) Article
- C09-068 Numerical and Experimental Analysis of a Generic Fan-in-Wing Configuration.** Nicolas Thouault, Christian Breitsamter, and Nikolaus A. Adams, *Technical University of Munich, Germany* (46, 2, p. 656) Article
- C09-069 Aeroship: A Hybrid Flight Platform.** Tianshu Liu, W. W. Liou, and M. Schulte, *Western Michigan University* (46, 2, p. 667) Article based on AIAA Paper 2006-3922
- C09-070 Numerical and Experimental Validation of Three-Dimensional Shock Control Bumps.** Benedikt König, Martin Pätzold, Thorsten Lutz, and Ewald Krämer, *Universität Stuttgart, Germany*; Henning Rosemann and Kai Richter, *DLR, German Aerospace Center, Germany*; and Heiko Uhlemann, *German-Dutch Wind Tunnels, Germany* (46, 2, p. 675) Article based on AIAA Paper 2008-4001
- C09-071 Pitch Handling Qualities Investigation of the Tailless Gull-Wing Configuration.** Daniël S. Agenbag, Nicolaas Theron, and R. J. Huyssen, *University of Pretoria, South Africa* (46, 2, p. 683) Design Forum
- C09-072 Smart Spring Control of Vibration on Helicopter Rotor Blades.** Gregory Oxley, Fred Nitzsche, and Daniel Feszty, *Carleton University, Canada* (46, 2, p. 692) Technical Note based on AIAA Paper 2005-2270
- C09-073 Stowability Constraint Within a Two-Dimensional Aerodynamic Optimization Method.** M. L. Kolla, J. W. Yokota, and J. V. Lassaline, *Ryerson University, Canada*; and I. Fejtek, *Bombardier Aerospace, Canada* (46, 2, p. 696) Technical Note
- C09-074 Performance, Usage, and Turbofan Transient Simulation Comparisons Between Three Commercial Simulation Tools.** Kirk J. Gomes, Konstanty C. Masiulaniec, and Abdollah A. Afjeh, *University of Toledo* (46, 2, p. 699) Technical Note
- C09-075 Can Supersonic Transport Be Ultraquiet?** Gerard F. Fournier, *GFIC, France* (46, 2, p. 705) Technical Note
- C09-076 Comparison of Theoretical Structural Models with Experiment for a High-Aspect-Ratio Aeroelastic Wing.** Justin W. Jaworski and Earl H. Dowell, *Duke University* (46, 2, p. 708) Technical Note
- C09-077 Aircraft Wake Vortex Scenarios Simulation Package for Takeoff and Departure.** Frank Holzäpfel and Jan Kladetzke, *Deutsches Zentrum für Luft- und Raumfahrt, Germany*; Swantje Amelsberg, *Technische Universität Berlin, Germany*; Helge Lenz and Carsten Schwarz, *Deutsches Zentrum für Luft- und Raumfahrt, Germany*; and Ivan De Visscher, *Université Catholique de Louvain, Belgium* (46, 2, p. 713) Technical Note
- C09-078 Vortex Wake Generated Behind a Forward Swept Wing.** T. Lee and L. S. Ko, *McGill University, Canada* (46, 2, p. 717) Technical Note
- C09-079 Simulation of Heat Transfer from Hot-Air Jets Impinging a Three-Dimensional Concave Surface.** Mathieu Fregeau, Mohammad Gabr, and Ion Paraschivoiu, *Ecole Polytechnique de Montreal, Canada*; and Farooq Saeed, *King Fahd University of Petroleum and Minerals, Saudi Arabia* (46, 2, p. 721) Technical Note
- C09-080 Wing Planform Design Optimization for Reusable Launch Vehicle.** K. Manokaran, G. Vidya, A. E. Sivaramakrishnan, and V. K. Goyal, *Vikram Sarabhai Space Centre, India* (46, 2, p. 726) Technical Note based on AIAA Paper 2006-3458
- C09-081 Promising Benefits of an Active-Extrados Morphing Laminar Wing.** Daniel Coutu, Vladimir Brailovski, and Patrick Terriault, *Ecole de Technologie Supérieure, Canada* (46, 2, p. 730) Technical Note
- C09-082 Design of a High-Lift System with Droop Nose Device.** Adam Jirásek, *FOI, Swedish Research Agency*; and Olivier Amoignon, *Swedish Defence Research Agency, Sweden* (46, 2, p. 731) Technical Note
- C09-083 Review of Smoke Toxicity of Fiber-Polymer Composites Used in Aircraft.** A. P. Mouritz, *Royal Melbourne Institute of Technology, Australia* (46, 3, p. 737) Survey Paper
- C09-084 Detached-Eddy Simulations of Vortex Breakdown over a 70-Degree Delta Wing.** Scott Morton, *U.S. Air Force Academy* (46, 3, p. 746) Article based on AIAA Paper 2003-4217
- C09-085 Pitch Stability Analysis of an Airfoil in Ground Effect.** Gerald M. Angle, Brian M. O'Hara, Franz A. Pertl, and James E. Smith, *West Virginia University* (46, 3, p. 756) Article
- C09-086 Optimized Measurements of Unmanned-Air-Vehicle Mass Moment of Inertia with a Bifilar Pendulum.** Matt R. Jardin, *The MathWorks, Inc.*; and Eric R. Mueller, *NASA Ames Research Center* (46, 3, p. 763) Article based on AIAA Paper 2007-6822

- C09-087 Two-Level Multifidelity Design Optimization Studies for Supersonic Jets.** Seongim Choi, Juan J. Alonso, and Ilan M. Kroo, *Stanford University* (46, 3, p. 776) Article based on AIAA Paper 2005-0531
- C09-088 Vibration and Flutter Characteristics of a Folding Wing.** Matthew P. Snyder, *U.S. Air Force Academy*; Brian Sanders, *U.S. Air Force Research Laboratory*; Franklin E. Eastep and Geoffrey J. Frank, *University of Dayton Research Institute* (46, 3, p. 791) Article
- C09-089 Nonlinear Ten-Degree-of-Freedom Dynamics Model of a Generic Hypersonic Vehicle.** Richard Colgren and Shahriar Keshmiri, *University of Kansas*; and Maj Mirmirani, *Embry-Riddle Aeronautical University* (46, 3, p. 800) Article
- C09-090 Structural Analysis and Testing of an Ultralight Unmanned-Aerial-Vehicle Carbon-Composite Wing.** R. Warsi Sullivan, *Mississippi State University*; Y. Hwang, *Spirit AeroSystems*; M. Rais-Rohani and T. Lacy, *Mississippi State University* (46, 3, p. 814) Article based on AIAA Paper 2006-1870
- C09-091 Nonlinear Dynamic Response Structural Optimization of a Joined-Wing Using Equivalent Static Loads.** Y. I. Kim and G. J. Park, *Hanyang University, ROK*; R. M. Kolonay and M. Blair, *U.S. Air Force Research Laboratory*; and R. A. Canfield, *U.S. Air Force Institute of Technology* (46, 3, p. 821) Article
- C09-092 Three-Dimensional Obstacle Avoidance Strategies for Uninhabited Aerial Systems Mission Planning and Replanning.** Franco Persiani, Francesca De Crescenzo, Giovanni Miranda, and Tiziano Bombardi, *University of Bologna, Italy*; Marco Fabbri and Fabio Boscolo, *Alenia Aeronautica, Italy* (46, 3, p. 832) Article
- C09-093 Single Dielectric Barrier Discharge Plasma Actuators for Improved Airfoil Performance.** James H. Mabe and Frederick T. Calkins, *The Boeing Company*; B. Wesley, R. Wozidlo, L. Taubert, and I. Wygnanski, *University of Arizona* (46, 3, p. 847) Article
- C09-094 Effect of Submerged Vortex Generators on Shock-Induced Separation in Supersonic Flow.** A. Zare Shahneh and F. Motallebi, *Queen Mary, University of London, Great Britain* (46, 3, p. 856) Article
- C09-095 Plasma Flaps and Slats: An Application of Weakly Ionized Plasma Actuators.** Chuan He and Thomas C. Corke, *University of Notre Dame*; and Mehul P. Patel, *Orbital Research, Inc.* (46, 3, p. 864) Article based on AIAA Paper 2004-2127
- C09-096 Flow Measurements in a Short Takeoff, Vertical Landing Fountain: Splayed Jets.** A. J. Saddington, K. Knowles, and P. M. Cabrita, *Cranfield University, Great Britain* (46, 3, p. 874) Article
- C09-097 Multidisciplinary Optimization Method for Designing Boundary-Layer-Ingesting Inlets.** David L. Rodriguez, *Stanford University* (46, 3, p. 883) Article
- C09-098 Thermal Buckling and Flutter Behavior of Shape Memory Alloy Hybrid Composite Shells.** Hesham H. Ibrahim, Hong H. Yoo, and Kwan-Soo Lee, *Hanyang University, ROK* (46, 3, p. 895) Article
- C09-099 Shock Effects on Delta Wing Vortex Breakdown.** L. A. Schiavetta, *University of Glasgow, Great Britain*; O. J. Boelens, *National Aerospace Laboratory, NLR, The Netherlands*; S. Crippa, *Royal Institute of Technology, Sweden*; R. M. Cummings, *U.S. Air Force Academy*; W. Fritz, *EADS Military Air Systems, Germany*; and K. J. Badcock, *University of Liverpool, Great Britain* (46, 3, p. 903) Article based on AIAA Paper 2008-0395
- C09-100 Self-Adaptive Upwinding for Large Eddy Simulation of Turbulent Flows on Unstructured Elements.** Nima Tajallipour, Babak Babaee Owlam, and Marius Paraschivoiu, *Concordia University, Canada* (46, 3, p. 915) Article based on AIAA Paper 2008-674
- C09-101 Application of a Pendulum Support Test Rig for Aircraft Stability Derivative Estimation.** A. Gatto, *Brunel University, Great Britain* (46, 3, p. 927) Article
- C09-102 Grid Quality and Resolution Issues from the Drag Prediction Workshop Series.** Dimitri J. Mavriplis, *University of Wyoming*; John C. Vassberg, Edward N. Tinoco, and Mori Mani, *The Boeing Company*; Olaf P. Brodersen and Bernhard Eisfeld, *DLR, German Aerospace Center, Germany*; Richard A. Wahls and Joseph H. Morrison, *NASA Langley Research Center*; Tom Zickuhr and David Levy, *Cessna Aircraft Company*; and Mitsuhiro Murayama, *Japan Aerospace Exploration Agency, Japan* (46, 3, p. 935) Article based on AIAA Paper 2008-930
- C09-103 Sizing and Performance-Prediction Method for Rotary-Wing Ejector Nozzles.** Alex M. Moodie, Daniel P. Schrage, and Lakshmi N. Sankar, *Georgia Institute of Technology*; and Mark H. Waters, *California Polytechnic State University* (46, 3, p. 951) Article
- C09-104 Drag Characteristics for Optimally Span-Loaded Planar, Wingletted, and C Wings.** Joram G. Verstraeten and Ronald Slingerland, *Delft University of Technology, The Netherlands* (46, 3, p. 962) Article based on AIAA Paper 2008-0161
- C09-105 Accelerating the Numerical Generation of Aerodynamic Models for Flight Simulation.** M. Ghoreysy, K. J. Badcock, and M. A. Woodgate, *University of Liverpool, Great Britain* (46, 3, p. 972) Article
- C09-106 Influence of Layer Thickness on the Design of Rapid-Prototyped Models.** C. Aghanajafi, *Khajeh-Nasir Toosi University of Technology, Iran*; S. Daneshmand and A. Ahmadi Nadooshan, *Islamic Azad University, Iran* (46, 3, p. 981) Article
- C09-107 Experimental Investigation of Annular Wing Aerodynamics.** Lance W. Traub, *Embry-Riddle Aeronautical University* (46, 3, p. 988) Article
- C09-108 Aerodynamics of Battle-Damaged Finite-Aspect-Ratio Wings.** Peter M. Render, Mujahid Samaad-Suhaeb, and Zhiyin Yang, *Loughborough University, Great Britain*; and Mahmoud Mani, *Amirkabir University of Technology, Iran* (46, 3, p. 997) Article
- C09-109 Magnitude of Corona Current Caused by Aircraft Net Charge.** Kingya Da, Huairong Shen, and Lei Hong, *Academy of Equipment Command and Technology, China (PRC)* (46, 3, p. 1005) Article
- C09-110 Assessment of Passive Flow Control for Transonic Cavity Flow Using Detached-Eddy Simulation.** S. J. Lawson and G. N. Barakos, *University of Liverpool, Great Britain* (46, 3, p. 1009) Article
- C09-111 Potential Panel and Time-Marching Free-Wake-Coupling Analysis for Helicopter Rotor.** Seong Yong Wie, *Korea Advanced Institute of Science and Technology, ROK*; Seongkyu Lee, *The Pennsylvania State University*; and Duck Joo Lee, *Korea Advanced Institute of Science and Technology, ROK* (46, 3, p. 1030) Article
- C09-112 In-Flight Estimation of Helicopter Gross Weight and Mass Center Location.** Michael Abraham and Mark Costello, *Georgia Institute of Technology* (46, 3, p. 1042) Article
- C09-113 Design of an Electric Propulsion System for a Quadrotor Unmanned Aerial Vehicle.** Michael J. Stepaniak, *U.S. Air Force Institute of Technology*; Frank van Graas and Maarten Uijt de Haag, *Ohio University* (46, 3, p. 1050) Design Forum
- C09-114 Flowfield of a Forward-Facing Shaped-Charge Cavity.** R. Rifki and A. Ahmed, *Auburn University* (46, 3, p. 1059) Technical Note based on AIAA Paper 2006-0670
- C09-115 Assessment of Uncertain External Store Aerodynamics Using mu-p Flutter Analysis.** Sebastian Heinze, Ulf Ringertz, and Dan Borglund, *Royal Institute of Technology, Sweden* (46, 3, p. 1062) Technical Note

- C09-116 Flutter Equation as a Piecewise Quadratic Eigenvalue Problem.** David Eller, *Royal Institute of Technology, Sweden* (46, 3, p. 1068) Technical Note
- C09-117 Multipoint Optimization of a Short-Range Quiet Passenger Aircraft.** Masaya Sunago, Daisuke Sasaki, Keizo Takenaka, and Kazuhiro Nakahashi, *Tohoku University, Japan* (46, 3, p. 1070) Technical Note based on AIAA Paper 2008-5906
- C09-118 Noninvasive Measurement of Velocity, Pressure, and Temperature in Unseeded Supersonic Air Vortices.** G. C. Herring, *NASA Langley Research Center* (46, 3, p. 1074) Technical Note
- C09-119 Unsteady Airfoil with Dynamic Leading- and Trailing-Edge Flaps.** T. Lee and P. Gerontakos, *McGill University, Canada* (46, 3, p. 1076) Technical Note
- C09-120 Simple Quantitative Method to Compare Aircraft Wing Mode Shapes.** Charles M. Denegri, *U.S. Air Force SEEK EAGLE Office* (46, 3, p. 1082) Technical Note
- C09-121 Effects of Gurney Flaps on an Annular Wing.** Lance W. Traub, *Embry-Riddle Aeronautical University* (46, 3, p. 1085) Technical Note
- C09-122 Modeling of Terminal-Area Airplane Fuel Consumption.** David A. Senzig and Gregg G. Fleming, *U.S. Department of Transportation*; and Ralph J. Iovinelli, *Federal Aviation Administration* (46, 4, p. 1089) Article
- C09-123 Analysis of Departure and Arrival Profiles Using Real-Time Aircraft Data.** Judith Patterson, *Concordia University, Canada*; George J. Noel, David A. Senzig, Christopher J. Roof, and Gregg G. Fleming, *U.S. Department of Transportation* (46, 4, p. 1094) Article
- C09-124 Transport Wing Flutter Model Transonic Limit Cycle Oscillation Test.** John W. Edwards, Charles V. Spain, Donald F. Keller, and Robert W. Moses, *NASA Langley Research Center*; and David M. Schuster, *NASA Engineering and Safety Center* (46, 4, p. 1104) Article based on AIAA Paper 2001-1291
- C09-125 Characterization of Nonsymmetric Forms of Fully Orthotropic Laminates.** C. B. York, *University of Glasgow, Great Britain* (46, 4, p. 1114) Article based on AIAA Paper 2007-2083
- C09-126 Numerical and Mesh Resolution Requirements for Accurate Sonic Boom Prediction.** S. Choi, J. J. Alonso, and E. Van der Weide, *Stanford University* (46, 4, p. 1126) Article based on AIAA Paper 2004-1060
- C09-127 Reynolds Number Scaling Effects on the European High-Lift Configurations.** R. Rudnik, *DLR, German Aerospace Center, Germany*; and E. Germain, *European Transonic Wind Tunnel, Germany* (46, 4, p. 1140) Article based on AIAA Paper 2007-752
- C09-128 Experimental Study of a Ground Vortex.** Jorge M. Barata, Samuel Ribeiro, Pedro Santos, and André R. Silva, *Universidade Beira Interior, Portugal* (46, 4, p. 1152) Article based on AIAA Paper 2008-343
- C09-129 Catastrophe Model for Supersonic Inlet Start/Unstart.** Cui Tao, Yu Daren, Chang Juntao, and Bao Wen, *Harbin Institute of Technology, China (PRC)* (46, 4, p. 1160) Article
- C09-130 Active Control of Vertical Tail Buffeting by Piezoelectric Actuators.** Y. H. Zhao and H. Y. Hu, *Nanjing University of Aeronautics and Astronautics, China (PRC)* (46, 4, p. 1167) Article
- C09-131 Automatic Transition Prediction in Hybrid Flow Solver, Part 1: Methodology and Sensitivities.** Andreas Krumbein, *DLR, German Aerospace Center, Germany*; Normann Krimmelbein, *Braunschweig University of Technology, Germany*; and Geza Schrauf, *Airbus, Germany* (46, 4, p. 1176) Article based on AIAA Paper 2007-4284
- C09-132 Automatic Transition Prediction in Hybrid Flow Solver, Part 2: Practical Application.** Andreas Krumbein, *DLR, German Aerospace Center, Germany*; Normann Krimmelbein, *Braunschweig University of Technology, Germany*; and Geza Schrauf, *Airbus, Germany* (46, 4, p. 1191) Article based on AIAA Paper 2008-413
- C09-133 Field Evaluation of the Tailored Arrivals Concept for Datalink-Enabled Continuous Descent Approach.** Richard A. Coppenbarger, *NASA Ames Research Center*; Rob W. Mead, *The Boeing Company*; and Douglas N. Sweet, *Sensis Corporation* (46, 4, p. 1200) Article based on AIAA Paper 2007-7778
- C09-134 Optimum Design of a Compound Helicopter.** Hyeonsoo Yeo and Wayne Johnson, *NASA Ames Research Center* (46, 4, p. 1210) Article
- C09-135 Importance of Aircraft Type and Operational Factors for Air Taxi Cost Feasibility.** Muharrem Mane and William A. Crossley, *Purdue University* (46, 4, p. 1222) Article based on AIAA Paper 2006-7734
- C09-136 Performance and Design Investigation of Heavy Lift Tilt-Rotor with Aerodynamic Interference Effects.** Hyeonsoo Yeo and Wayne Johnson, *NASA Ames Research Center* (46, 4, p. 1231) Article
- C09-137 Inverted Jet Spoilers for Aerodynamic Control.** Antonio Filippone, *University of Manchester, Great Britain* (46, 4, p. 1240) Article
- C09-138 Life Prediction of Aircraft Aluminum Subjected to Pitting Corrosion Under Fatigue Conditions.** M. R. Sriraman and R. M. Pidaparti, *Virginia Commonwealth University* (46, 4, p. 1253) Article
- C09-139 System Identification of a Miniature Helicopter.** J. Grauer, J. Conroy, J. Hubbard, J. Humbert, and D. Pines, *University of Maryland* (46, 4, p. 1260) Article based on AIAA Paper 2008-6898
- C09-140 Improving Precision Vertical Flight Operations through a Direct-Perception—Action Display.** Mary L. Cummings and Cristin A. Smith, *Massachusetts Institute of Technology* (46, 4, p. 1270) Article
- C09-141 Lagwise Loads Analysis of a Rotor Blade with an Embedded Chordwise Absorber.** Dong Han and Edward C. Smith, *Pennsylvania State University* (46, 4, p. 1280) Article based on AIAA Paper 2008-2182
- C09-142 Unsteady Aerodynamic Coefficients Obtained by a Compressible Vortex Lattice Method.** Fabiano Hernandez and Paulo A. Soviero, *Instituto Tecnológico de Aeronáutica, Brazil* (46, 4, p. 1291) Article based on AIAA Paper 2008-4374
- C09-143 Detached-Eddy Simulation of a Wing Tip Vortex at Dynamic Stall Conditions.** Kaveh Mohamed and Siva Nadarajah, *McGill University, Canada*; and Marius Paraschivoiu, *Concordia University, Canada* (46, 4, p. 1302) Article
- C09-144 Variations in Optical Sensor Pressure Measurements due to Temperature in Wind Tunnel Testing.** Andrei V. Popov and Ruxandra M. Botez, *École de Technologie Supérieure, Canada*; Mahmoud Mamou, *National Research Council, Canada*; and Lucian T. Grigorie, *École de Technologie Supérieure, Canada* (46, 4, p. 1314) Article
- C09-145 Passive Control of the Flow Around the Stratospheric Observatory for Infrared Astronomy.** Sven Schmid, *Universität Stuttgart*; Thorsten Lutz and Ewald Krämer, *Universität Stuttgart, Germany*; and Timo Kühn, *DLR, German Aerospace Center, Germany* (46, 4, p. 1319) Article based on AIAA Paper 2008-6717
- C09-146 Aerodynamic Analysis of a Generic Fighter Using Delayed Detached-Eddy Simulation.** Tiger L. Jeans, *U.S. Air Force Academy*; David R. McDaniel, *U.S. Air Force*; Russell M. Cummings, *U.S. Air Force Academy*; and William H. Mason, *Virginia Polytechnic Institute and State University* (46, 4, p. 1326) Article based on AIAA Paper 2008-6228
- C09-147 Optimizing Electric Propulsion Systems for Unmanned Aerial Vehicles.** Ohad Gur and Aviv Rosen, *Technion—Israel Institute of Technology, Israel* (46, 4, p. 1340) Article based on AIAA Paper 2008-5916

- C09-148 Active Flow Control for Practical High-Lift Systems.** Arvin Shmilovich and Yoram Yadlin, *The Boeing Company* (46, 4, p. 1354) Article based on AIAA Paper 2007-3971
- C09-149 Composite Materials Strength Determination Within the Current Certification Methodology for Aircraft Structures.** Paolo Feraboli, *University of Washington* (46, 4, p. 1365) Article
- C09-150 Simulation Framework for Aircraft Power System Architecting.** S. Liscouët-Hanke, *Airbus S.A.S., France*; J.-C. Maré, *University of Toulouse, France*; and Stefan Pufe, *Airbus S.A.S., France* (46, 4, p. 1375) Article
- C09-151 Low-Speed Fan Noise Attenuation from a Foam-Metal Liner.** Daniel L. Sutliff, *NASA John H. Glenn Research Center at Lewis Field*; and Michael G. Jones, *NASA Langley Research Center* (46, 4, p. 1381) Article based on AIAA Paper 2008-2897
- C09-152 Nonlinear Reduced-Order Analysis with Time-Varying Spatial Loading Distributions.** Adam Przekop, *Analytical Services and Materials, Inc.*; and Stephen A. Rizzi, *NASA Langley Research Center* (46, 4, p. 1395) Article based on AIAA Paper 2008-2323
- C09-153 Numerical Investigation of Circulation Control Airfoils.** Byung-Young Min, *Georgia Institute of Technology*; Warren Lee and Robert Englar, *Georgia Tech Research Institute*; and Lakshmi N. Sankar, *Georgia Institute of Technology* (46, 4, p. 1403) Article based on AIAA Paper 2008-329
- C09-154 Development of an Onboard Doppler Lidar for Flight Safety.** Hamaki Inokuchi and Hisamichi Tanaka, *Japan Aerospace Exploration Agency, Japan*; and Toshiyuki Ando, *Mitsubishi Electric Corporation, Japan* (46, 4, p. 1411) Article
- C09-155 Eulerian Simulation of the Fluid Dynamics of Helicopter Brownout.** Catriona Phillips and Richard E. Brown, *University of Glasgow, Great Britain* (46, 4, p. 1416) Article
- C09-156 Statistics of Atmospheric Gust Patterns Expressed in Terms of Energy and Entropy.** J. G. Jones, *Stirling Dynamics, Ltd., Great Britain* (46, 4, p. 1430) Article
- C09-157 Basic Induced Drag Study of the Joined-Wing Aircraft.** Piotr Mamla and Cezary Galinski, *Warsaw University of Technology, Poland* (46, 4, p. 1438) Technical Note
- C09-158 Surface Streamlines and Normal-to-Plane Motion Adjacent to a Delta-Wing Planform.** M. Elkhoury and Z. Nakad, *Lebanese American University, Lebanon* (46, 4, p. 1440) Technical Note
- C09-159 Response Surface Technique for Static Aeroelastic Optimization on a High-Aspect-Ratio Wing.** Guowei Yang, Dawei Chen, and Kai Cui, *Chinese Academy of Sciences, China (PRC)* (46, 4, p. 1444) Technical Note
- C09-160 Sensor Emplacement on Vertical Surfaces for a Biologically Inspired Morphing from Bats.** Kim Wright and Rick Lind, *University of Florida* (46, 4, p. 1450) Technical Note based on AIAA Paper 2007-6488
- C09-161 Aerodynamic Characteristics of Forward and Aft Swept Arrow Wings.** Lance W. Traub and Jesse Lawrence, *Embry-Riddle Aeronautical University* (46, 4, p. 1454) Technical Note
- C09-162 Drag Extrapolation to Higher Reynolds Number.** Lance W. Traub, *Embry-Riddle Aeronautical University* (46, 4, p. 1458) Technical Note
- C09-163 Stability and Flying Qualities of an Unmanned Airplane Using the Vortex-Lattice Method.** Elsa M. Cárdenas, Pedro J. Boschetti, and Andrea Amerio, *Universidad Simón Bolívar, Venezuela* (46, 4, p. 1461) Technical Note based on AIAA Paper 2009-306
- C09-164 Bubble Burst Control for Stall Suppression on a NACA 631-012 Airfoil.** C. W. Wong and K. Rinoie, *University of Tokyo, Japan* (46, 4, p. 1465) Technical Note based on AIAA Paper 2009-1111
- C09-165 Real-Time Flight Trajectory Optimization and Its Verification in Flight.** Takeshi Tsuchiya, Masahiro Miwa, and Shinji Suzuki, *University of Tokyo, Japan*; Kazuya Masui and Hiroshi Tomita, *Japan Aerospace Exploration Agency, Japan* (46, 4, p. 1468) Technical Note
- C09-166 Effects of In-Plane Shear Loads on Transverse Shear Deformations in Composite Panels.** Jingbo Wang, *Exxon Mobil Research and Engineering Company*; James L. Glancey and Jack R. Vinson, *University of Delaware* (46, 5, p. 1473) Article
- C09-167 Numerical Investigation on Blade/Wake-Interaction Noise Generation.** Y. Mauffrey, G. Rahier, and J. Prieur, *ONERA, France* (46, 5, p. 1479) Article
- C09-168 Evaluation of Computations and Transition Prediction Method for Aircraft High-Lift Configuration.** Mitsuhiro Murayama, Yuzuru Yokokawa, and Kazuomi Yamamoto, *Japan Aerospace Exploration Agency, Japan*; and Yoshine Ueda, *Tokyo Business Service Company, Ltd., Japan* (46, 5, p. 1487) Article based on AIAA Paper 2007-3924
- C09-169 Delta Wing Vortex-Burst Behavior Under a Dynamic Freestream.** Ismael Heron, *Bombardier Learjet*; and Roy Y. Myose, *Wichita State University* (46, 5, p. 1500) Article based on AIAA Paper 2007-6725
- C09-170 Elastic Multibody Models of Transport Aircraft High-Lift Mechanisms.** János Zierath and Christoph Woernle, *University of Rostock, Germany*; and Thomas Heyden, *Airbus Deutschland, GmbH, Germany* (46, 5, p. 1513) Article
- C09-171 Unified Flutter Solution Technique Using Matrix Singularity Indicators.** Zhichun Yang and Yingsong Gu, *Northwestern Polytechnical University, China (PRC)* (46, 5, p. 1525) Article
- C09-172 Fatigue Life Estimation of Helicopter Landing Probe Based on Dynamic Simulation.** Zheng H. Zhu, *York University, Canada*; Michael LaRosa and James Ma, *Curtiss-Wright Flow Control Company, Canada* (46, 5, p. 1533) Article
- C09-173 Aerothermoacoustic Response of Shape Memory Alloy Hybrid Composite Panels.** Hesham H. Ibrahim, *Hanyang University, Egypt*; Mohammad Tawfik, *Emirates Aviation College, Egypt*; Hani M. Negm, *Cairo University, Egypt*; and Hong H. Yoo, *Hanyang University, ROK* (46, 5, p. 1544) Article
- C09-174 Fatigue Performance of Nitrided Aircraft Crankshafts.** John M. Barsom, *Barsom Consulting, Ltd.* (46, 5, p. 1556) Article
- C09-175 Flutter Margins for Multimode Unstable Couplings with Associated Flutter Confidence.** Rick Lind, *University of Florida* (46, 5, p. 1563) Article
- C09-176 Calculation of Rotorcraft Inflow Model Coefficients Using Blade Flapping Measurements.** S. S. Houston and D. G. Thomson, *University of Glasgow, Great Britain* (46, 5, p. 1569) Article
- C09-177 Flow Past a Yawed Rectangular Cavity in Transonic and Low Supersonic Flows.** B. H. Lee, *B. H. K. Lee Consulting, Canada*; D. N. Ochars and F. C. Tang, *National Research Council, Canada* (46, 5, p. 1577) Article based on AIAA Paper 2008-6234
- C09-178 Modeling Pilot Control Behavior with Sudden Changes in Vehicle Dynamics.** Ronald A. Hess, *University of California, Davis* (46, 5, p. 1584) Article
- C09-179 Conceptual Design Prediction of the Buffet Envelope of Transport Aircraft.** Adrien Bérard, *Royal Institute of Technology, Sweden*; and Askin T. Isikveren, *University of Bristol, Great Britain* (46, 5, p. 1593) Article
- C09-180 Multistep Results in ICECREMO2.** P. Verdin, *Cranfield University, Great Britain*; J. P. Charpin, *University of Limerick, Ireland*; and C. P. Thompson, *Cranfield University, Great Britain* (46, 5, p. 1607) Article

- C09-181 Identification of a Nonlinear Wing Structure Using an Extended Modal Model.** M. F. Platten, *Romax Technology, Great Britain*; J. R. Wright, *University of Manchester, Great Britain*; J. E. Cooper, *University of Liverpool, Great Britain*; and G. Dimitriadis, *University of Liège, Belgium* (**46**, 5, p. 1614) Article
- C09-182 Nonlinear Aircraft Loads in Severe Atmospheric Turbulence.** J. G. Jones, *Stirling Dynamics, Ltd., Great Britain* (**46**, 5, p. 1627) Article
- C09-183 Investigation of Unswept Normal Shock Wave/Turbulent-Boundary-Layer Interaction Control.** Jonathan S. Couldrick, Sudhir L. Gai, John F. Milthorpe, and Krishna Shankar, *University of New South Wales, Australian Defence Force Academy, Australia* (**46**, 5, p. 1634) Article based on AIAA Paper 2006-3198
- C09-184 Numerical Simulation of Autorotation in Forward Flight.** Hak Yoon Kim, *Korea Aerospace University, ROK*; Dong Jin Sheen, *Hanseo University, ROK*; and Seung O. Park, *Korea Advanced Institute of Science and Technology, ROK* (**46**, 5, p. 1642) Article
- C09-185 Unscented Kalman Filtering for Reentry Vehicle Identification in the Transonic Regime.** A. Vitale and F. Corrado, *Italian Aerospace Research Center, Italy*; M. Bernard and G. De Matteis, *University of Rome "La Sapienza," Italy* (**46**, 5, p. 1649) Article
- C09-186 Effective Block Approach for Aircraft Damage Tolerance Analyses.** W. Z. Zhuang, M. McDonald, M. Phillips, and L. Molent, *Defence Science and Technology Organisation, Australia* (**46**, 5, p. 1660) Article
- C09-187 Theoretical Predictions of F-16 Fighter Limit Cycle Oscillations for Flight Flutter Testing.** Earl H. Dowell, Jeffrey P. Thomas, and Kenneth C. Hall, *Duke University*; and Charles M. Denegri, *U.S. Air Force SEEK EAGLE Office* (**46**, 5, p. 1667) Article based on AIAA Paper 2007-1640
- C09-188 Flying Qualities for a Twin-Jet Transport in Severe Atmospheric Turbulence.** Ray C. Chang and Cun-En Ye, *China Institute of Technology, Taiwan (ROC)*; C. Edward Lan, *University of Kansas*; and Michael Guan, *Aviation Safety Council, Taiwan (ROC)* (**46**, 5, p. 1673) Article
- C09-189 Three-Degree Decelerating Approaches in High-Density Arrival Streams.** A. M. de Leege, A. C. in 't Veld, M. Mulder, and M. M. van Paassen, *Delft University of Technology, The Netherlands* (**46**, 5, p. 1681) Article based on AIAA Paper 2008-7403
- C09-190 Value of an Overload Indication System Assessed Through Analysis of Aviation Occurrences.** P. Sartor, *University of Sheffield, Great Britain*; D. A. Bond, *Messier-Dowty, Ltd., Great Britain*; W. J. Staszewski, *University of Sheffield, Great Britain*; and R. K. Schmidt, *Messier-Dowty, S. A., France* (**46**, 5, p. 1692) Article
- C09-191 Linear Damage Accumulation for Predicting Fatigue in Fiber Metal Laminates.** S. U. Khan, R. C. Alderliesten, and R. Benedictus, *Delft University of Technology, The Netherlands* (**46**, 5, p. 1706) Article based on AIAA Paper 2008-2017
- C09-192 Unmanned Air Vehicle Wing-Tip Corona Nonlinear Effect on Atmospheric Electric Field Measurements.** Xingya Da, Huairong Shen, Lei Hong, and Rui Zhang, *Academy of Equipment Command and Technology, China (PRC)* (**46**, 5, p. 1714) Article
- C09-193 Neural Network Modeling of Lateral Pilot Landing Control.** Ryota Mori and Shinji Suzuki, *University of Tokyo, Japan* (**46**, 5, p. 1721) Article
- C09-194 Three-Dimensional Aerodynamic Simulations of Jumping Paratroopers and Falling Cargo Payloads.** Victor Udoewa, *University of Cape Town, South Africa* (**46**, 5, p. 1727) Article
- C09-195 New Supersonic Wing Far-Field Composite-Element Wave-Drag Optimization Method.** Brenda Kulfan, *The Boeing Company* (**46**, 5, p. 1740) Article based on AIAA Paper 2008-0132
- C09-196 Numerical Evaluation of Limit Cycles of Aeroelastic Systems.** Mauro Manetti, Giuseppe Quaranta, and Paolo Mantegazza, *Politecnico di Milano, Italy* (**46**, 5, p. 1759) Article
- C09-197 Prediction of Helicopter Maneuver Loads Using a Fluid-Structure Analysis.** Jayanarayanan Sitaraman and Beatrice Roget, *National Institute of Aerospace* (**46**, 5, p. 1770) Article
- C09-198 Numerical Analysis on Aerodynamic Force Generation of Biplane Counter-Flapping Flexible Airfoils.** Jr-Ming Miao and Wei-Hsin Sun, *National Defense University, Taiwan (ROC)*; and Chang-Hsien Tai, *National Pingtung University of Science and Technology, Taiwan (ROC)* (**46**, 5, p. 1785) Article based on AIAA Paper 2008-3817
- C09-199 Design and Testing of a Multi-Element Airfoil for Short-Takeoff-and-Landing Ultralight Aircraft.** D. P. Coiro, F. Nicolosi, and F. Grasso, *University of Naples "Federico II," Italy* (**46**, 5, p. 1795) Article
- C09-200 Flight Dynamics of High Aspect-Ratio Flying Wings: Effect of Large Trim Deformation.** Brijesh Raghavan and Mayuresh J. Patil, *Virginia Polytechnic Institute and State University* (**46**, 5, p. 1808) Technical Note based on AIAA Paper 2007-6383
- C09-201 Effect of Microtab on Reduction of Noise Due to Aircraft High-Lift Devices.** Brian C. Kuo and Nesrin Sarigul-Klijn, *University of California, Davis* (**46**, 5, p. 1812) Technical Note based on AIAA Paper 2008-2864
- C09-202 Effects of Surface Flats on the Performance of a Remotely Piloted Aircraft.** Thomas Nix, Kenneth Toro, and Lance W. Traub, *Embry-Riddle Aeronautical University* (**46**, 5, p. 1815) Technical Note
- C09-203 Dye Visualization of the Flow Structure over a Yawed Nonslender Delta Wing.** C. Canpolat, S. Yayla, B. Sahin, and H. Akilli, *Cukurova University, Turkey* (**46**, 5, p. 1818) Technical Note
- C09-204 Genesis of the F-35 Joint Strike Fighter.** Paul M. Bevilacqua, *Lockheed Martin Aeronautics Company* (**46**, 6, p. 1825) Lecture based on AIAA Paper 2009-1650
- C09-205 Guidance, Navigation, and Control System Design for Tripropeller Vertical-Take-Off-and-Landing Unmanned Air Vehicle.** Rui Huang, Yong Liu, and J. Jim Zhu, *Ohio University* (**46**, 6, p. 1837) Article based on AIAA Paper 2007-6459
- C09-206 Aircraft Parameter Estimation Experiment Design Considering Measurement Colored Residuals.** Nei Salis Brasil Neto, Elder M. Hemerly, Luiz C. Góes, *Technological Institute of Aeronautics, Brazil* (**46**, 6, p. 1857) Article based on AIAA Paper 2006-6283
- C09-207 Light Flapping Micro Aerial Vehicle Using Electrical-Discharge Wire-Cutting Technique.** Lung-Jieh Yang, Cheng-Kuei Hsu, and Hsieh-Cheng Han, *Tamkang University, Taiwan (ROC)*; and Jr-Ming Miao, *National Pingtung University of Science and Technology, Taiwan (ROC)* (**46**, 6, p. 1866) Article
- C09-208 Knowledge-Based Engineering Approach to Support Aircraft Multidisciplinary Design and Optimization.** Gianfranco La Rocca and Michel J. van Tooren, *Delft University of Technology, The Netherlands* (**46**, 6, p. 1875) Article based on AIAA Paper 2007-967
- C09-209 Sonic Boom Variability Due to Homogeneous Atmospheric Turbulence.** Hiroshi Yamashita and Shigeru Obayashi, *Tohoku University, Japan* (**46**, 6, p. 1886) Article
- C09-210 Real-Time Dynamic Modeling: Data Information Requirements and Flight-Test Results.** Eugene A. Morelli, *NASA Langley Research Center*; and Mark S. Smith, *NASA Dryden Flight Research Center* (**46**, 6, p. 1894) Article based on AIAA Paper 2008-6201

- C09-211 Three-Dimensional Aerodynamic Design of Low-Wave-Drag Supersonic Biplane Using Inverse Problem Method.** D. Maruyama and K. Matsushima, *Tohoku University, Japan*; K. Kusunose, *Ministry of Defense, Japan*; and K. Nakahashi, *Tohoku University, Japan* (46, 6, p. 1906) Article based on AIAA Paper 2008-0289
- C09-212 Design and Optimization Method for Inertial Particle Separator Systems.** Eyas Al-Faris, *King Abdulaziz City for Science and Technology, Saudi Arabia*; and Farooq Saeed, *King Fahd University of Petroleum and Minerals, Saudi Arabia* (46, 6, p. 1919) Article based on AIAA Paper 2008-6066
- C09-213 Parametric Study of an Axisymmetric Busemann Biplane Configuration.** Dan Igra and Eran Arad, *Rafael Advanced Defense Systems, Ltd., Israel* (46, 6, p. 1930) Article based on AIAA Paper 2008-3726
- C09-214 Multidisciplinary Code Coupling for Analysis and Optimization of Aeroelastic Systems.** Melike Nikbay, Levent Öncü, and Ahmet Aysan, *Istanbul Technical University, Turkey* (46, 6, p. 1938) Article based on AIAA Paper 2008-5876
- C09-215 Comparison of Design Methods for Fuel-Cell-Powered Unmanned Aerial Vehicles.** Thomas H. Bradley, *Colorado State University*; Blake A. Moffitt, Thomas F. Fuller, and Dimitri N. Mavris, *Georgia Institute of Technology*; and David E. Parekh, *United Technologies Research Center* (46, 6, p. 1945) Article based on AIAA Paper 2008-6413
- C09-216 Computational Investigation of Gurney Flap Effects on Rotors in Forward Flight.** Byung-Young Min, Lakshmi N. Sankar, Nischint Rajmohan, and J. V. Prasad, *Georgia Institute of Technology* (46, 6, p. 1957) Article based on AIAA Paper 2008-6726
- C09-217 Active Control of Smart Fin Model for Aircraft Buffeting Load Alleviation Applications.** Yong Chen, *National Research Council Canada, Canada*; Fatma D. Ulker, *Carleton University, Canada*; Volkan Nalbantoglu, *Middle East Technical University, Turkey*; Viresh Wickramasinghe and David G. Zimcik, *National Research Council Canada, Canada*; and Yavuz Yaman, *Middle East Technical University, Turkey* (46, 6, p. 1965) Article
- C09-218 Industrial Computational Fluid Dynamics Tools for the Evaluation of Aerodynamic Coefficients.** Carlo Necci and Nicola Ceresola, *Alenia Aeronautica, Italy*; Giorgio Guglieri and Fulvia Quagliotti, *Politecnico di Torino, Italy* (46, 6, p. 1973) Article
- C09-219 Improved Representation of High-Lift Devices for a Multidisciplinary Conceptual Aircraft Design Process.** Christian Werner-Spatz, Wolfgang Heinze, and Peter Horst, *Technische Universität Braunschweig, Germany* (46, 6, p. 1984) Article based on AIAA Paper 2008-5872
- C09-220 Solution-Space-Based Complexity Analysis of the Difficulty of Aircraft Merging Tasks.** P. Hermes, M. Mulder, and M. M. van Paassen, *Delft University of Technology, The Netherlands*; J. H. Boering, *To70, B. V., The Netherlands*; and H. Huisman, *Air Traffic Control The Netherlands, The Netherlands* (46, 6, p. 1995) Article
- C09-221 Computational Study of Flexible Wing Ornithopter Flight.** Beatrice Roget and Jayanarayanan Sitaraman, *University of Wyoming*; Robyn Harmon, Jared Grauer, Joseph Conroy, James Hubbard, and Sean Humbert, *University of Maryland* (46, 6, p. 2016) Article based on AIAA Paper 2008-6397
- C09-222 Dynamic Response of a High-Altitude Tethered Balloon System.** G. S. Aglietti, *University of Southampton, Great Britain* (46, 6, p. 2032) Article
- C09-223 Fast Tool for Buckling Analysis and Optimization of Stiffened Panels.** C. Bisagni and R. Vescovini, *Politecnico di Milano, Italy* (46, 6, p. 2041) Article based on AIAA Paper 2008-5978
- C09-224 Overset Euler/Boundary-Layer Solver with Panel-Based Aerodynamic Modeling for Aeroelastic Applications.** P. C. Chen, Zhichao Zhang, Ayan Sengupta, and Danny D. Liu, *ZONA Technology, Inc.* (46, 6, p. 2054) Article
- C09-225 Improved Flutter Boundary Prediction for an Isolated Two-Degree-of-Freedom Airfoil.** Jordan B. Schwarz, Earl H. Dowell, Jeffrey P. Thomas, and Kenneth C. Hall, *Duke University*; Russ D. Rausch and Robert E. Bartels, *NASA Langley Research Center* (46, 6, p. 2069) Article based on AIAA Paper 2008-1819
- C09-226 Collision Detection System Based on Differential Carrier-Phase Global Positioning System Broadcasts.** Soon Sik Hwang and Jason L. Speyer, *University of California, Los Angeles* (46, 6, p. 2077) Article
- C09-227 Optimization of Distribution Parameters for Estimating Probability of Crack Detection.** Alexandra Coppe, Raphael T. Haftka, and Nam-Ho Kim, *University of Florida* (46, 6, p. 2090) Article based on AIAA Paper 2008-5943
- C09-228 Discrete Sweeping Jets as Tools for Improving the Performance of the V-22.** Roman Seele, Philipp Tewes, and René Wosidlo, *University of Arizona*; Michael A. McVeigh, *The Boeing Company*; Nathaniel J. Lucas and Israel J. Wygnanski, *University of Arizona* (46, 6, p. 2098) Article based on AIAA Paper 2008-3868
- C09-229 Basis Vector Quantification of Flutter Analysis Structural Modes.** Jay S. Northington, *TYBRIN Corporation* (46, 6, p. 2107) Article
- C09-230 Prediction of Wall Pressure Fluctuation over a Backward-Facing Step Using Detached Eddy Simulation.** Jean-François Dietiker, *West Virginia University Research Corporation*; and Klaus A. Hoffmann, *Wichita State University* (46, 6, p. 2115) Article
- C09-231 Design and Testing of a Fiber-Metal-Laminate Bird-Strike-Resistant Leading Edge.** Michele Guida, Francesco Marulo, and Tiziano Polito, *University of Naples "Federico II," Italy*; Michele Meo, *University of Bath, Great Britain*; and Massimo Riccio, *Alenia Aeronautica, Italy* (46, 6, p. 2121) Article
- C09-232 Heat Transfer and Pressure Measurements on a Thick Airfoil.** Guoqiang Li and Ephraim J. Gutmark, *University of Cincinnati*; Robert T. Ruggeri and J. H. Mabe, *Boeing Phantom Works* (46, 6, p. 2130) Article based on AIAA Paper 2004-4202
- C09-233 Behaviors of Vortex Wake in Random Atmospheric Turbulence.** Z. C. Zheng and Ying Xu, *Kansas State University*; and D. K. Wilson, *U.S. Army* (46, 6, p. 2139) Article
- C09-234 Uncertainty and Sensitivity Analysis in Aircraft Operating Cost in Structural Design Optimization.** R. Curran, *Delft University of Technology, The Netherlands*; S. Castagne, *Nanyang Technological University, Singapore*; A. Rothwell, *Delft University of Technology, The Netherlands*; M. Price, Adrian Murphy, and S. Raghunathan, *Queen's University Belfast, Northern Ireland* (46, 6, p. 2145) Design Forum based on AIAA Paper 2005-2068
- C09-235 Optimization of Rotorcraft Simultaneous Noninterfering Noise Abatement Approach Procedures.** H. G. Visser, M. D. Pavel, and S. F. Tang, *Delft University of Technology, The Netherlands* (46, 6, p. 2156) Technical Note
- C09-236 Lateral Stability and Control of a Tailless Aircraft Configuration.** Gloria M. Stenfelt and Ulf T. Ringertz, *Royal Institute of Technology, Sweden* (46, 6, p. 2161) Technical Note
- C09-237 Efficient Aeroelastic Analysis Method Including Inverse Design for Body Effects.** Seung-Jun Lee, Dong-Kyun Im, Myung-Koo Kang, In Lee, and Jang-Hyuk Kwon, *Korea Advanced Institute of Science and Technology, ROK* (46, 6, p. 2164) Technical Note

C09-238 Aeroelastic Study of Bistable Composite Airfoils. S. Daynes, P. M. Weaver, and K. D. Potter, *University of Bristol, Great Britain* (**46**, 6, p. 2169) Technical Note

C09-239 Improved Iteration Algorithm for Nonlinear Vortex Lattice Method. Taeseung Lee and Seung O. Park, *Korea Advanced Institute of Science and Technology, ROK* (**46**, 6, p. 2174) Technical Note

C09-240 Lateral Stability of High Wing Configurations. William Blake, *U.S. Air Force Research Laboratory*; Carl Gotwald, Michael Mayor, and Thomas Cunningham, *U.S. Air Force Academy* (**46**, 6, p. 2176) Technical Note

C09-241 Aeroservoelastic Analysis for Transonic Missile Based on Computational Fluid Dynamics. Weiwei Zhang, Zhengyin Ye, and Chen'an Zhang, *Northwestern Polytechnical University, China (PRC)* (**46**, 6, p. 2178) Technical Note based on AIAA Paper 2007-6482

C09-242 New Improved g Method for Flutter Solution. Ju Qiu and Qin Sun, *Northwestern Polytechnical University, China (PRC)* (**46**, 6, p. 2184) Technical Note

C09-243 Impulsively Started Flat Plate Flow. R. M. Beckwith, and H. Babinsky, *University of Cambridge, Great Britain* (**46**, 6, p. 2186) Technical Note based on AIAA Paper 2009-0789

Statement of Ownership, Management, and Circulation (All Periodicals Publications Except Requester Publications)	
1. Publication Title Journal of Aircraft	
2. Publication Number 2 7 8 - 0 8 0	
3. Filing Date 10/1/09	
4. Issue Frequency Bimonthly	
5. Number of Issues Published Annually 6	
6. Annual Subscription Price \$ 65 / \$ 855	
7. Complete Mailing Address of Known Office of Publication (Not printer) (Street, city, county, state, and ZIP+4®) American Institute of Aeronautics And Astronautics, 1801 Alexander Bell Drive, Reston VA 20191	
8. Complete Mailing Address of Headquarters or General Business Office of Publisher (Not printer) American Institute of Aeronautics And Astronautics, 1801 Alexander Bell Drive, Reston VA 20191	
9. Full Names and Complete Mailing Addresses of Publisher, Editor, and Managing Editor (Do not leave blank) Publisher (Name and complete mailing address) Rodger Williams, American Institute of Aeronautics And Astronautics, 1801 Alexander Bell Drive, Reston VA 20191 Editor (Name and complete mailing address) Thomas M. Weeks, Universal Technology Corp., Dayton, OH 45432 Managing Editor (Name and complete mailing address) Michael Baden-Campbell, American Institute of Aeronautics And Astronautics, 1801 Alexander Bell Drive, Reston VA 20191	
10. Owner (Do not leave blank. If the publication is owned by a corporation, give the name and address of the corporation immediately followed by the names and addresses of all stockholders owning or holding 1 percent or more of the total amount of stock. If not owned by a corporation, give the names and addresses of the individual owners. If owned by a partnership or other unincorporated firm, give its name and address as well as those of each individual owner. If the publication is published by a nonprofit organization, give its name and address.) Full Name Complete Mailing Address American Institute of Aeronautics And Astronautics 1801 Alexander Bell Drive, Reston VA 20191	
11. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages, or Other Securities. If none, check box <input checked="" type="checkbox"/> None Full Name Complete Mailing Address	
12. Tax Status (For completion by nonprofit organizations authorized to mail at nonprofit rates) (Check one) The purpose, function, and nonprofit status of this organization and the exempt status for federal income tax purposes <input checked="" type="checkbox"/> Has Not Changed During Preceding 12 Months <input type="checkbox"/> Has Changed During Preceding 12 Months (Publisher must submit explanation of change with this statement)	

13. Publication Title Journal of Aircraft		14. Issue Date for Circulation Data Below Aug-09	
15. Extent and Nature of Circulation		Average No. Copies Each Issue During Preceding 12 Months	No. Copies of Single Issue Published Nearest to Filing Date
a. Total Number of Copies (Net press run)		1700	1600
b. Paid Circulation (By Mail and Outside the Mail)			
(1)	Mailed Outside-County Paid Subscriptions Stated on PS Form 3541 (Include paid distribution above nominal rate, advertiser's proof copies, and exchange copies)	767	726
(2)	Mailed In-County Paid Subscriptions Stated on PS Form 3541 (Include paid distribution above nominal rate, advertiser's proof copies, and exchange copies)	0	0
(3)	Paid Distribution Outside the Mails Including Sales Through Dealers and Carriers, Street Vendors, Counter Sales, and Other Paid Distribution Outside USPS®	512	472
(4)	Paid Distribution by Other Classes of Mail Through the USPS (e.g. First-Class Mail®)	45	59
c. Total Paid Distribution (Sum of 15b (1), (2), (3), and (4))		1324	1257
d. Free or Nominal Rate Distribution (By Mail and Outside the Mail)			
(1)	Free or Nominal Rate Outside-County Copies included on PS Form 3541	1	1
(2)	Free or Nominal Rate In-County Copies included on PS Form 3541	0	0
(3)	Free or Nominal Rate Copies Mailed at Other Classes Through the USPS (e.g. First-Class Mail)	0	0
(4)	Free or Nominal Rate Distribution Outside the Mail (Carriers or other means)	0	0
e. Total Free or Nominal Rate Distribution (Sum of 15d (1), (2), (3) and (4))		1	1
f. Total Distribution (Sum of 15c and 15e)		1325	1258
g. Copies not Distributed (See Instructions to Publishers #4 (page #3))		375	342
h. Total (Sum of 15f and g)		1700	1600
i. Percent Paid (15c divided by 15f times 100)		99.9	99.9
16. Publication of Statement of Ownership <input type="checkbox"/> If the publication is a general publication, publication of this statement is required. Will be printed in the Nov. / Dec. 2009 issue of this publication. <input type="checkbox"/> Publication not required			
17. Signature and Title of Editor, Publisher, Business Manager, or Owner Managing Director of Technical Publications			Date 09/17/09
I certify that all information furnished on this form is true and complete. I understand that anyone who furnishes false or misleading information on this form or who omits material or information requested on the form may be subject to criminal sanctions (including fines and imprisonment) and/or civil sanctions (including civil penalties).			