

Chronological Index

- C09-162E Erratum on Drag Extrapolation to Higher Reynolds Number.** Lance W. Traub, *Embry-Riddle Aeronautical University* (47, 1, p. 352) Erratum
- C10-001 Fuzzy Logic Method Use in F/A-18 Aircraft Model Identification.** Gabriel Kouba, Ruxandra M. Botez, and Nicolas Boely, *École de Technologie Supérieure*, Canada (47, 1, p. 10) Article based on AIAA Paper 2009-1483
- C10-002 Neural-Network-Based Flush Air Data Sensing System Demonstrated on a Mini Air Vehicle.** Ihab Samy, Ian Postlethwaite, and Da-Wei Gu, *University of Leicester*, Great Britain; and John Green, *BlueBear Systems Research, Ltd.*, Great Britain (47, 1, p. 18) Article
- C10-003 Longitudinal Handling Quality Analysis of a Civil Transport Aircraft Encountering Turbulence.** Ming-Hao Yang and Cjing-Shun Ho, *National Cheng Kung University*, Taiwan (ROC); C. Edward Lan, *University of Kansas*; and Fei-Bin Hsiao, *National Cheng Kung University*, Taiwan (ROC) (47, 1, p. 32) Article based on AIAA Paper 2009-5610
- C10-004 Helicopter Thickness Noise Reduction Possibilities Through Active On-Blade Acoustic Control.** Gaurav Gopalan and Fredric H. Schmitz, *University of Maryland* (47, 1, p. 41) Article
- C10-005 Parallel Multigrid Algorithm for Aeroelasticity Simulations.** Paul G. Cizmas, Joaquin I. Gargoloff, and Thomas W. Strganac, *Texas A&M University*; and Philip S. Beran, *U.S. Air Force Research Laboratory* (47, 1, p. 53) Article based on AIAA Paper 2007-330
- C10-006 Effects of Rolling Maneuver on Divergence and Flutter of Aircraft Wing Store.** S. A. Fazelzadeh, *Shiraz University*, Iran; P. Marzocca, *Clarkson University*; E. Rashidi and A. Mazidi, *Shiraz University*, Iran (47, 1, p. 64) Article
- C10-007 Prediction of Tiltrotor Vibratory Loads with Inclusion of Wing-Proprotor Aerodynamic Interaction.** Massimo Gennaretti, Marco Molica Colella, and Giovanni Bernardini, *University Roma Tre*, Italy (47, 1, p. 71) Article
- C10-008 Characteristics of Pitching and Plunging Airfoils Under Dynamic-Stall Conditions.** D. Rival and C. Tropea, *Technische Universität Darmstadt*, Germany (47, 1, p. 80) Article based on AIAA Paper 2009-0537
- C10-009 Bifurcation Analysis of Nose-Landing-Gear Shimmy with Lateral and Longitudinal Bending.** Phanikrishna Thota, Bernd Krauskopf, and Mark Lowenberg, *University of Bristol*, Great Britain (47, 1, p. 87) Article based on AIAA Paper 2008-7099
- C10-010 Toward Real-Time Aero-Icing Simulation of Complete Aircraft via FENSAP-ICE.** Kunio Nakakita, Siva Nadarajah, and Wagdi Habashi, *McGill University*, Canada (47, 1, p. 96) Article based on AIAA Paper 2007-4281
- C10-011 Patch Assembly: An Automated Overlapping Grid Assembly Strategy.** Florian Blanc, *Airbus Industries*, France (47, 1, p. 110) Article
- C10-012 Span Efficiencies of Wings at Low Reynolds Numbers.** G. R. Spedding and J. McArthur, *University of Southern California* (47, 1, p. 120) Article
- C10-013 Near-Optimal Trajectories to Manage Landing Sequence in the Vicinity of Controlled Aerodromes.** S. M. Malaek and S. Y. Nabavi, *Sharif University of Technology*, Iran (47, 1, p. 129) Article
- C10-014 Computation of Unsteady Low Reynolds Number Free-Flight Aerodynamics of Flapping Wings.** Dominic D. Chandar and M. Damodaran, *Nanyang Technological University*, Singapore (ROS) (47, 1, p. 141) Article based on AIAA Paper 2008-420
- C10-015 Effect of Uncertainty on Hub Vibration Response of Composite Helicopter Rotor Blades.** Young H. You and Sung N. Jung, *Konkuk University*, South Korea (ROK); Prashant M. Pawar, *Shri Vithal Education and Research Institute*, India; and Eui S. Shin, *Chonbuk National University*, South Korea (ROK) (47, 1, p. 151) Article
- C10-016 Probabilistic Sensitivity-Based Ranking of Damage Tolerance Analysis Elements.** Harry R. Millwater, *University of Texas at San Antonio*; and David H. Wieland, *Southwest Research Institute* (47, 1, p. 161) Article based on AIAA Paper 2003-1836
- C10-017 Videogrammetry Dynamics Measurements of a Lightweight Flexible Wing in a Wind Tunnel.** Jonathan T. Black, *Air Force Institute of Technology*; Nathan A. Pitcher, *U.S. Air Force Research Laboratory*; Mark F. Reeder and Raymond C. Maple, *Air Force Institute of Technology* (47, 1, p. 172) Article based on AIAA Paper 2009-2416
- C10-018 Fatigue-Based Severity Factors for Shear-Loaded Fastener Joints.** S. Keshavanarayana, B. L. Smith, C. Gomez, and F. Caído, *Wichita State University*; M. Shiao and M. Nuss, *Federal Aviation Administration* (47, 1, p. 181) Article
- C10-019 Free Vibration Analysis of Curvilinear-Stiffened Plates and Experimental Validation.** Ali Yeilaghi Tamijani, Thomas McQuigg, and Rakesh K. Kapania, *Virginia Polytechnic Institute and State University* (47, 1, p. 192) Article
- C10-020 Current Methods Modeling and Simulating Icing Effects on Aircraft Performance, Stability, Control.** Thomas P. Ratvasky, *NASA John H. Glenn Research Center at Lewis Field*; Billy P. Barnhart, *Bihle Applied Research, Inc.*; and Sam Lee, *ASRC Aerospace Corporation* (47, 1, p. 201) Article based on AIAA Paper 2008-6204
- C10-021 Comparison of Two Kite Force Models with Experiment.** George M. Dadd, Dominic A. Hudson, and R. A. Sheno, *University of Southampton*, Great Britain (47, 1, p. 212) Article
- C10-022 Limits of Continuum Aerodynamics.** W. F. Phillips, *Utah State University* (47, 1, p. 225) Article
- C10-023 Numerical Study of Suction-Blowing Flow Control Technology for an Airfoil.** P. Q. Liu, H. S. Duan, J. Z. Chen, and Y. W. He, *Beijing University of Aeronautics and Astronautics*, China (PRC) (47, 1, p. 229) Article
- C10-024 Effect of High-Fidelity Ice-Accretion Simulations on Full-Scale Airfoil Performance.** Andy P. Broeren and Michael B. Bragg, *University of Illinois at Urbana-Champaign*; Harold E. Addy, *NASA John H. Glenn Research Center at Lewis Field*; Sam Lee, *ASRC Aerospace Corporation*; Frédéric Moens and Didier Guffond, *ONERA*, France (47, 1, p. 240) Article
- C10-025 Intelligent Flight-Trajectory Generation to Maximize Safe-Outcome Probability After a Distress Event.** Nesrin Sarigul-Klijn, R. Rapetti, A. Jordan, I. Lopez, M. Sarigul-Klijn, and P. Nespeca, *University of California, Davis* (47, 1, p. 255) Article based on AIAA Paper 2009-2020
- C10-026 Small Rotor Design Optimization Using Blade Element Momentum Theory and Hover Tests.** Felipe Bohorquez, Darryll Pines, and Paul D. Samuel, *University of Maryland* (47, 1, p. 268) Article
- C10-027 Advanced Experimental and Numerical Validation and Analysis of Propeller Slipstream Flows.** Eric W. Roosenboom, Arne Stürmer, and Andreas Schröder, *DLR, German Aerospace Center*, Germany (47, 1, p. 284) Article based on AIAA Paper 2009-3626
- C10-028 Vortex Dynamics of Free-to-Roll Slender and Nonslender Delta Wings.** N. T. Gresham, Z. Wang, and I. Gursul, *University of Bath*, Great Britain (47, 1, p. 292) Article

- C10-029 Novel, Bidirectional, Variable-Camber Airfoil via Macro-Fiber Composite Actuators.** Onur Bilgen, Kevin B. Kochersberger, and Daniel J. Inman, *Virginia Polytechnic Institute and State University*; and Osgar J. Ohanian, *AVID, LLC* (47, 1, p. 303) Article based on AIAA Paper 2009-2133
- C10-030 Use of Digital Manufacturing to Improve Management Learning in Aerospace Assembly.** J. Butterfield, A. McClean, Yan Yin, and R. Curran, *Queen's University*, Great Britain; R. Burke, Brian Welch, and C. Devenney, *Bombardier Aerospace*, Great Britain (47, 1, p. 315) Design Forum based on AIAA Paper 2008-1032
- C10-031 Bat-Inspired Wing Aerodynamics and Optimization.** Emily A. Leylek, Justin E. Manzo, and Ephraim Garcia, *Cornell University* (47, 1, p. 323) Technical Note
- C10-032 Fast Large-Eddy Simulation of Low Reynolds Number Flows over a NACA0025.** Tao Xu and Pierre Sullivan, *University of Toronto*, Canada; and Marius Paraschivoiu, *Concordia University*, Canada (47, 1, p. 328) Technical Note based on AIAA Paper 2007-4199
- C10-033 Bistable Composite Flap for an Airfoil.** S. Daynes, S. J. Nall, P. M. Weaver, K. D. Potter, P. Margaritis, and P. H. Mellor, *University of Bristol*, Great Britain (47, 1, p. 334) Technical Note based on AIAA Paper 2009-2103
- C10-034 Efficient Numerical Aeroelastic Analysis of a High-Aspect-Ratio Wing Considering Geometric Nonlinearity.** Kyung-Seok Kim and In Lee, *Korea Advanced Institute of Science and Technology*, South Korea (ROK); Jae-Han Yoo, *Korea Aerospace Research Institute*, South Korea (ROK); and Hyun-Ki Lee, *Hyundai Kia Motors*, South Korea (ROK) (47, 1, p. 338) Technical Note
- C10-035 Effect of a Perturbed Shear Layer on Cavity Resonance.** B. H. Lee, *B. H. K. Lee Consulting*, Canada (47, 1, p. 343) Technical Note
- C10-036 Drag Force Balance of a Blunt and Divergent Trailing-Edge Airfoil.** M. El-Gammal, *University of Western Ontario*, Canada; J. W. Naughton, *University of Wyoming*; and H. Hangan, *University of Western Ontario*, Canada (47, 1, p. 345) Technical Note
- C10-037 Lift Enhancement at Low Reynolds Numbers Using Self-Activated Movable Flaps.** Jorg U. Schluter, *Nanyang Technological University*, Singapore (ROS) (47, 1, p. 348) Technical Note based on AIAA Paper 2009-4195
- C10-038 Almost 40 Years of Airframe Noise Research: What Did We Achieve?** Werner Dobrzynski, *DLR, German Aerospace Center*, Germany (47, 2, p. 353) Survey Paper
- C10-039 Mean Flowfield Structure of a Supersonic Three-Dimensional Base Flow.** Datta V. Gaitonde, *U.S. Air Force Research Laboratory* (47, 2, p. 368) Article based on AIAA Paper 2008-573
- C10-040 Effects of Local Flow Variations on Landing Gear Noise Prediction and Analysis.** Yueping Guo, *The Boeing Company* (47, 2, p. 383) Article
- C10-041 Airborne Lidar for Automatic Feedforward Control of Turbulent In-Flight Phenomena.** Guillermo Jenaro Rabadan, *Airbus*, France; Nikolaus P. Schmitt, Thomas Pistner, and Wolfgang Rehm, *EADS Innovation Works*, Germany (47, 2, p. 392) Article
- C10-042 Interaction of Synthetic Jet with Boundary Layer Using Microscopic Particle Image Velocimetry.** Manikandan Ramasamy, *NASA Ames Research Center*; Jacob S. Wilson and Preston B. Martin, *NASA Langley Research Center* (47, 2, p. 404) Article
- C10-043 Modeling, Simulation, and Flight Tests for a T-38 Talon with Wing Fences.** Michael D. Williams, Mark F. Reeder, Raymond C. Maple, and Daniel A. Solfelt, *Air Force Institute of Technology* (47, 2, p. 423) Article
- C10-044 Numerical Study of Flow Past a Circular Cylinder Using Hybrid Turbulence Formulations.** Alaa Elmilguy and Khaled S. Abdol-Hamid, *NASA Langley Research Center*; Steven J. Massey, *Eagle Aeronautics, Inc.*; and S. P. Pao, *NASA Langley Research Center* (47, 2, p. 434) Article based on AIAA Paper 2004-4959
- C10-045 Computational Fluid Dynamics Validation Study of Wake-Capturing Capability for Flat-Plate Wake.** Akio Ochi, M. K. Ibrahim, and Yoshiaki Nakamura, *Nagoya University*, Japan (47, 2, p. 441) Article based on AIAA Paper 2007-4195
- C10-046 Mechanism for Warp-Controlled Twist of a Morphing Wing.** Roelof Vos, Zafer Gurdal, and Mostafa Abdalla, *Delft University of Technology*, The Netherlands (47, 2, p. 450) Article based on AIAA Paper 2008-1879
- C10-047 Application of Design of Experiments to Flight Test: A Case Study.** Aaron A. Tucker and Gregory T. Hutto, *U.S. Air Force*; and Cihan H. Dagli, *Missouri University of Science and Technology* (47, 2, p. 458) Article based on AIAA Paper 2008-1632
- C10-048 Aeroelastic Behavior of Flat Plates Moving Near the Ground.** Abdullah O. Nuhait, *King Saud University*, Saudi Arabia; and Dean T. Mook, *Virginia Polytechnic Institute and State University* (47, 2, p. 464) Article
- C10-049 Multilevel Structural Optimization for Preliminary Wing-Box Weight Estimation.** G. Bindolino, G. Ghiringhelli, S. Ricci, and M. Terraneo, *Politecnico di Milano*, Italy (47, 2, p. 475) Article
- C10-050 Aircraft Decompression with Installed Cockpit Security Door.** Nihad E. Daidzic and Matthew P. Simones, *Minnesota State University* (47, 2, p. 490) Article
- C10-051 Aerodynamic-Structural Design Studies of Low-Sweep Transonic Wings.** Antony Jameson, *Stanford University*; John C. Vassberg, *Hydro-Aero Consulting Group*; and Sriram Shankaran, *Intelligent Aerodynamics* (47, 2, p. 505) Article based on AIAA Paper 2008-0145
- C10-052 Controllable Drogue for Automated Aerial Refueling.** Walton R. Williamson, *SySense, Inc.*; Eric Reed, *Arizona Paradrone Systems*; Gregory J. Glenn, *SySense, Inc.*; Stephen M. Stecko, Jeffrey Musgrave, and John M. Takacs, *The Boeing Company* (47, 2, p. 515) Article
- C10-053 Compression Failure of Carbon Fiber-Epoxy Laminates in Fire.** L. A. Burns, S. Feih, and A. P. Mouritz, *Royal Melbourne Institute of Technology*, Australia (47, 2, p. 528) Article
- C10-054 Multidisciplinary Considerations in the Design of Wings and Wing Tip Devices.** S. Andrew Ning and Ilan Kroo, *Stanford University* (47, 2, p. 534) Article based on AIAA Paper 2008-7052
- C10-055 Panel-Method-Based Path Planning and Collaborative Target Tracking for Swarming Micro Air Vehicles.** Oguz Uzol and Ilkay Yavrucuk, *Middle East Technical University*, Turkey; and Nilay Sezer-Uzol, *TOBB University of Economics and Technology*, Turkey (47, 2, p. 544) Article
- C10-056 Flight Determination of Partial-Span-Flap Parasite Drag With Flap Deflection.** David F. Rogers, *U.S. Naval Academy* (47, 2, p. 551) Article
- C10-057 Nonlinear-Aerodynamics/Nonlinear-Structure Interaction Methodology for a High-Altitude Long-Endurance Wing.** Z. Wang, P. C. Chen, and D. D. Liu, *Zona Technology, Inc.*; and D. T. Mook, *Virginia Polytechnic Institute and State University* (47, 2, p. 556) Article based on AIAA Paper 2007-2106
- C10-058 Characterizing Wing Rock with Variations in Size and Configuration of Vertical Tail.** Baron Johnson and Rick Lind, *University of Florida* (47, 2, p. 567) Article
- C10-059 Crosswind Effects on Engine Inlets: The Inlet Vortex.** Luís Gustavo Trapp, *Embraer*, Brazil; and Roberto d. Girardi, *Instituto Tecnológico de Aeronáutica*, Brazil (47, 2, p. 577) Article

- C10-060 Effects of Unsteady Trailing-Edge Blowing on Delta Wing Aerodynamics.** Ping Jiang, Zhijing Wang, and Ismet Gursul, *University of Bath*, Great Britain (47, 2, p. 591) Article
- C10-061 Optimization of Active Flow Control over an Airfoil Using a Surrogate-Management Framework.** Z.-H. Han, K.-S. Zhang, W.-P. Song, and Z.-D. Qiao, *Northwestern Polytechnical University*, China (PRC) (47, 2, p. 603) Article based on AIAA Paper 2009-1280
- C10-062 Planform and Camber Effects on the Aerodynamics of Low-Reynolds-Number Wings.** Taylor A. Swanson, *Arnold Engineering Development Center*; and K. M. Isaac, *Missouri University of Science and Technology* (47, 2, p. 613) Article based on AIAA Paper 2008-0421
- C10-063 Optimal Sizing and Cruise Speed Determination for a Solar-Powered Airplane.** Jaw-Kuen Shiau, Der-Ming Ma, and Chih-Wei Chiu, *Tamkang University*, Taiwan (ROC); and Jie-Ren Shie, *Mingshin University of Science and Technology*, Taiwan (ROC) (47, 2, p. 622) Article
- C10-064 Prediction of Ballistic Separation Effect by Direct Calculation of Incremental Coefficients.** Eugene Kim and Jang Hyuk Kwon, *Korea Advanced Institute of Science and Technology*, South Korea (ROK); and Soo Hyung Park, *Konkuk University*, South Korea (ROK) (47, 2, p. 630) Article
- C10-065 Adjoint-Based Design of Rotors in a Noninertial Reference Frame.** Eric J. Nielsen, Elizabeth M. Lee-Rausch, and William T. Jones, *NASA Langley Research Center* (47, 2, p. 638) Article
- C10-066 Analytical Sensitivity Analysis of an Unsteady Vortex-Lattice Method for Flapping-Wing Optimization.** Bret K. Stanford and Philip S. Beran, *U.S. Air Force Research Laboratory* (47, 2, p. 647) Article based on AIAA Paper 2009-2614
- C10-067 Aircraft Vortex Wake and Flight Safety Problems.** Anatoliy V. Bobylev, *Central Aero-Hydrodynamics Institute*, Russia; Victor V. Vyshinsky, *Moscow Institute of Physics and Technology*, Russia; George G. Soudakov and Vassiliy A. Yaroshevsky, *Central Aero-Hydrodynamics Institute*, Russia (47, 2, p. 663) Article
- C10-068 Gurney Flaps on Slender and Nonslender Delta Wings.** D. I. Greenwell, *City University*, Great Britain (47, 2, p. 675) Article based on AIAA Paper 2006-3468
- C10-069 Optimizing the Performance of the Pilot Control Loaders at NASA Vertical Motion Simulator.** Rodger A. Mueller, *NASA Ames Research Center* (47, 2, p. 682) Design Forum based on AIAA Paper 2008-6349
- C10-070 Tool Development for Low-Noise Aircraft Design.** Lothar Bertsch, Werner Dobrzynski, and Sébastien Guérin, *DLR, German Aerospace Center*, Germany (47, 2, p. 694) Technical Note based on AIAA Paper 2008-2995
- C10-071 Computational Workflow Management for Conceptual Design of Complex Systems.** L. K. Balachandran and M. D. Guenou, *Cranfield University*, Great Britain (47, 2, p. 699) Technical Note
- C10-072 Transition-Flow-Occurrence Estimation: A New Method.** Paul-Dan Silisteanu and Ruxandra M. Botez, *École de Technologie Supérieure*, Canada (47, 2, p. 703) Technical Note
- C10-073 Numerical Investigation of Wind-Tunnel Model Deformations Caused by the Twin-Sting Support System.** Roberto Flores, Enrique Ortega, and Eugenio Oñate, *International Center for Numerical Methods in Engineering*, Spain (47, 2, p. 708) Technical Note
- C10-074 Experimental Investigation of Separation Control Using Upper-Surface Spoilers.** Lance W. Traub and Logan Jaybush, *Embry-Riddle Aeronautical University* (47, 2, p. 714) Technical Note
- C10-075 Determining Direction for Optimization of Movable Wing Tip Strake.** Vojin R. Nikolic, *Minnesota State University* (47, 2, p. 718) Technical Note
- C10-076 Experimental Studies on Transitional and Closed Cavity Configurations Including Flow Control.** C. Lada, *Delft University of Technology*, Great Britain; and K. Kontis, *University of Manchester*, Great Britain (47, 2, p. 723) Technical Note
- C10-077 Development and Conversion Flight Test of a Small Tiltrotor Unmanned Aerial Vehicle.** Seong-Wook Choi, Youngshin Kang, Sungho Chang, Samok Koo, and Jai Moo Kim, *Korea Aerospace Research Institute*, South Korea (ROK) (47, 2, p. 730) Technical Note
- C10-078 Effect of Captive Stores on Internal Weapons Bay Floor Pressure Distributions.** B. H. Lee, *B. H. K. Lee Consulting*, Canada (47, 2, p. 732) Technical Note
- C10-079 Small Disturbance Navier–Stokes Computations for Low-Aspect-Ratio Wing Pitching Oscillations.** Alexander Pechloff and Boris Laschka, *Technical University of Munich*, Germany (47, 3, p. 737) Article
- C10-080 Computational-Fluid-Dynamics-Based Clean-Wing Aerodynamic Noise Model for Design.** Serhat Hosder, *Virginia Polytechnic Institute and State University*; Joseph A. Schetz and William H. Mason, *Virginia Polytechnic Institute and State University*; Bernard Grossman, *National Institute of Aerospace*; and Raphael T. Haftka, *University of Florida* (47, 3, p. 754) Article
- C10-081 Framework for a Landing-Gear Model and Acoustic Prediction.** Leonard V. Lopes, Kenneth S. Brentner, and Philip J. Morris, *Pennsylvania State University* (47, 3, p. 763) Article
- C10-082 Optimal Design of Tow-Placed Fuselage Panels for Maximum Strength with Buckling Considerations.** Ahmad Alhajahmad, Mostafa M. Abdalla, and Zafer Gürdal, *Delft University of Technology*, The Netherlands (47, 3, p. 775) Article
- C10-083 Design and Test of the UW-5006 Transonic Natural-Laminar-Flow Wing.** Ubaldo Cella, *Piaggio Aero Industries*, Italy; Domenico Quagliarella, Raffaele Donelli, and Biagio Imperatore, *Centro Italiano Ricerche Aerospaziali*, Italy (47, 3, p. 783) Article
- C10-084 Identification and Attenuation of a Tonal-Noise Source on an Aircraft's Landing Gear.** Yong Li, Malcolm G. Smith, and Xin Zhang, *University of Southampton*, Great Britain (47, 3, p. 796) Article based on AIAA Paper 2007-3465
- C10-085 Hybrid Reynolds-Average Navier–Stokes and Kinetic Eddy Simulation of External and Internal Flows.** Mina Zaki, Suresh Menon, and Lakshmi N. Sankar, *Georgia Institute of Technology* (47, 3, p. 805) Article based on AIAA Paper 2008-5216
- C10-086 Modeling Performance and Emissions from Aircraft in the Aviation Integrated Modelling Project.** María Vera-Morales and Cesare Hall, *University of Cambridge*, Great Britain (47, 3, p. 812) Article based on AIAA Paper 2009-1263
- C10-087 Self-Sustained Oscillations of Turbulent Flow in an Open Cavity.** Sang Bong Lee, Abu Seena, and Hyung Jin Sung, *Korea Advanced Institute of Science and Technology*, South Korea (ROK) (47, 3, p. 820) Article
- C10-088 Tonal and Broadband Noise Calculations for Aeroacoustic Optimization of a Pusher Propeller.** Antonio Pagano, Mattia Barbarino, Damiano Casalino, and Luigi Federico, *Centro Italiano Ricerche Aerospaziali*, Italy (47, 3, p. 835) Article based on AIAA Paper 2009-3138
- C10-089 Exploring the Stability Landscape of Constant-Stress Pumpkin Balloon Designs.** Frank Baginski, *George Washington University*; and Kenneth Brakke, *Susquehanna University* (47, 3, p. 849) Article based on AIAA Paper 2009-2814
- C10-090 Computational-Fluid-Dynamics- and Computational-Structural-Dynamics-Based Time-Accurate Aeroelasticity of Helicopter Rotor Blades.** G. P. Guruswamy, *NASA Ames Research Center* (47, 3, p. 858) Article based on AIAA Paper 2009-4199

- C10-091 Roll Contrial via Active Flow Control: From Concept to Flight.** A. Seifert, S. David, I. Fono, O. Stalnov, and I. Dayan, *Tel-Aviv University, Israel* (47, 3, p. 864) Article
- C10-092 Impact of an Innovative Quiet Regional Aircraft on the Air Transportation System.** Rolf Henke, Tim Lammering, and Eckhard Anton, *RWTH Aachen University, Germany* (47, 3, p. 875) Article
- C10-093 Experimental Investigation of a Circular-Planform Concept Aircraft.** Bryan D. Recktenwald, *Archangel Systems, Inc.*; Gilbert L. Crouse and Anwar Ahmed, *Auburn University* (47, 3, p. 887) Article based on AIAA Paper 2008-371
- C10-094 Propulsion and Flight Controls Integration for a Blended-Wing-Body Transport Aircraft.** Naveed U. Rahman and James F. Whidborne, *Cranfield University, Great Britain* (47, 3, p. 895) Article
- C10-095 Characterization of Aerospace Vehicle Performance and Mission Analysis Using Thermodynamic Availability.** David W. Riggins, *Missouri University of Science and Technology*; David J. Moorhouse and Jose A. Camberos, *U.S. Air Force Research Laboratory* (47, 3, p. 904) Article
- C10-096 Modeling and Testing of a Morphing Wing in Open-Loop Architecture.** Andrei V. Popov, Teodor L. Grigorie, and Ruxandra M. Botez, *École de Technologie Supérieure, Canada*; Youssef Mébarki and Mahmoud Mamou, *National Research Council, Canada* (47, 3, p. 917) Article
- C10-097 Aerodynamic Simulation of Runback Ice Accretion.** Andy P. Broeren, *NASA John H. Glenn Research Center at Lewis Field*; Edward A. Whalen, *The Boeing Company*; Greg T. Busch and Michael B. Bragg, *University of Illinois* (47, 3, p. 924) Article based on AIAA Paper 2009-4261
- C10-098 Computational Investigation of Microscale Coaxial-Rotor Aerodynamics in Hover.** Vinod K. Lakshminarayan and James D. Baeder, *University of Maryland* (47, 3, p. 940) Article based on AIAA Paper 2009-1069
- C10-099 Airframe Design for Silent Fuel-Efficient Aircraft.** J. I. Hileman, Z. S. Spakovszky, and M. Drela, *Massachusetts Institute of Technology*; M. A. Sargeant and A. Jones, *University of Cambridge, Great Britain* (47, 3, p. 956) Article based on AIAA Paper 2007-453
- C10-100 Stability of Hybrid-Wing-Body-Type Aircraft with Centerbody Leading-Edge Carving.** M. A. Sargeant, T. P. Hynes, and W. R. Graham, *University of Cambridge, Great Britain*; J. I. Hileman, M. Drela, and Z. S. Spakovszky, *Massachusetts Institute of Technology* (47, 3, p. 970) Article
- C10-101 Hybrid Navier-Stokes/Free-Wake Method for Modeling Blade-Vortex Interactions.** Byung-Young Min and Lakshmi N. Sankar, *Georgia Institute of Technology* (47, 3, p. 975) Article based on AIAA Paper 2009-3860
- C10-102 Aerodynamic Performance of the Three-Dimensional Lifting Supersonic Biplane.** Masahito Yonezawa and Shigeru Obayashi, *Tohoku University, Japan* (47, 3, p. 983) Article
- C10-103 Reliability-Based Design Optimization of Nonlinear Aeroelasticity Problems.** Samy Missoum and Christoph Dribusch, *University of Arizona*; and Philip Beran, *U. S. Air Force Research Laboratory* (47, 3, p. 992) Article
- C10-104 Damage of Carbon/Epoxy Composite Plates Subjected to Mechanical Impact and Simulated Lightning.** Paolo Feraboli and Hirohide Kawakami, *University of Washington* (47, 3, p. 999) Article
- C10-105 Unsteady Lift Generation on Rotating Wings at Low Reynolds Numbers.** A. R. Jones and H. Babinsky, *University of Cambridge, Great Britain* (47, 3, p. 1013) Article
- C10-106 Design of an Adaptive Gust Response Alleviation Control System: Simulations and Experiments.** Ke Shao, Zhigang Wu, Chao Yang, and Lei Chen, *Beijing University of Aeronautics and Astronautics, China* (PRC); and Bin Lv, *No. 203 Research Institute of China Ordnance Industries, China* (PRC) (47, 3, p. 1022) Article
- C10-107 Influence of Wing Configurations on Aerodynamic Characteristics of Wings in Ground Effect.** Juhee Lee, Chang-Suk Han, and Chang-Hwan Bae, *Hoseo University, South Korea* (ROK) (47, 3, p. 1030) Article
- C10-108 Fusion of Smart-Sensor Standards and Sensors with Self-Validating Abilities.** Pavel Paces, Michal Reinštein, and Karel Draxler, *Czech Technical University in Prague, Czech Republic* (47, 3, p. 1041) Article
- C10-109 Segmented-Freewing Concept for Gust Alleviation.** Jason Welstead and Gilbert L. Crouse, *Auburn University* (47, 3, p. 1047) Design Forum based on AIAA Paper 2009-1901
- C10-110 Optimization of Hover-to-Cruise Transition Maneuver Using Variable-Incidence Wing.** Adnan Maqsood and Tiauw H. Go, *Nanyang Technological University, Singapore* (ROS) (47, 3, p. 1060) Technical Note
- C10-111 Pressure Waves Generated at the Downstream Corner of a Rectangular Cavity.** B. H. Lee, *B. H. K. Lee Consulting, Canada* (47, 3, p. 1064) Technical Note
- C10-112 Supercruise Aircraft Range.** W. H. Heiser, *U. S. Air Force Academy*; and J. D. Mattingly, *Mattingly Consulting* (47, 3, p. 1066) Technical Note
- C10-113 Preliminary Experimental Investigation of a Morphable Biplane: The X-Wing.** Lance W. Traub, Robert Snyder, and Thomas Pellino, *Embry-Riddle Aeronautical University* (47, 3, p. 1068) Technical Note
- C10-114 Multidisciplinary Shape Optimization of Aerostat Envelopes.** C. Vijay Ram and Rajkumar S. Pant, *Indian Institute of Technology Bombay, India* (47, 3, p. 1073) Technical Note based on AIAA Paper 2007-7830
- C10-115 Effect of Jet-Exhaust Streams on Structure of Vortex Wakes.** Vernon J. Rossow, *NASA Ames Research Center*; and Anthony P. Brown, *National Research Council, Canada* (47, 3, p. 1076) Technical Note
- C10-116 Investigation into the Aerodynamic Performance of the Tiltrotor Unmanned Aerial Vehicle Proprotor.** Seong Wook Choi and Jai Moo Kim, *Korea Aerospace Research Institute, South Korea* (ROK) (47, 3, p. 1083) Technical Note
- C10-117 Design Optimization for Improved Soft In-Plane Tiltrotor Aeroelastic in Airplane Mode.** Jinho Paik and Farhan Gandhi, *Pennsylvania State University* (47, 4, p. 1089) Article
- C10-118 Design Optimization for Minimum Sound Radiation from Point-Excited Curvilinearly Stiffened Panel.** Pankaj Joshi, Sameer B. Mulani, Sham P. Gurav, and Rakesh K. Kapania, *Virginia Polytechnic Institute and State University* (47, 4, p. 1100) Article based on AIAA Paper 2009-2649
- C10-119 Frequency Selection Mechanism of Airfoil Trailing-Edge Noise.** Shohei Takagi, *Muroran Institute of Technology, Japan*; and Yasufumi Konishi, *Tokyo Metropolitan University, Japan* (47, 4, p. 1111) Article based on AIAA Paper 2009-0041
- C10-120 Improving the Aerodynamic Performance of Micro-Air-Vehicle-Scale Cycloidal Rotor: An Experimental Approach.** Moble Benedict, Manikandan Ramasamy, and Inderjit Chopra, *University of Maryland* (47, 4, p. 1117) Article
- C10-121 Laminar Airfoil Modification Attaining Optimum Drag Reduction by Use of Airfoil Morphing.** Hiroharu Suzuki, Kenichi Rinoie, and Asei Tezuka, *University of Tokyo, Japan* (47, 4, p. 1126) Article
- C10-122 Propeller Empennage Interaction Effects on the Vertical Tail Design of Multiengine Aircraft.** M. J. Schroijsen, L. L. Veldhuis, and R. Slingerland, *Delft University of Technology, The Netherlands* (47, 4, p. 1133) Article

- C10-123 Ionospheric Threat Parameterization for Local Area Global-Positioning-System-Based Aircraft Landing Systems.** Seebany Datta-Barua, *San Jose State University*; Jiyun Lee, *Korea Advanced Institute of Science and Technology*, South Korea (ROK); Sam Pullen, Ming Luo, Alexandru Ene, Di Qiu, Godwin Zhang, and Per Enge, *Stanford University* (47, 4, p. 1141) Article
- C10-124 In Pursuit of Grid Convergence for Two-Dimensional Euler Solutions.** John C. Vassberg, *The Boeing Company*; and Antony Jameson, *Stanford University* (47, 4, p. 1152) Article based on AIAA Paper 2009-4114
- C10-125 Numerical Simulation of Rotor Using Coupled Computational Fluid Dynamics and Free Wake.** Seong Yong Wie, Dong Kyun Im, Jang Hyuk Kwon, and Duck Joo Lee, *Korea Advanced Institute of Science and Technology*, South Korea (ROK) (47, 4, p. 1167) Article
- C10-126 Flight Test of Stable Automated Cruise Flap for an Adaptive Wing Aircraft.** Craig Cox, Ashok Gopalathnam, and Charles E. Hall, *North Carolina State University* (47, 4, p. 1178) Article based on AIAA Paper 2009-5728
- C10-127 Effect of Normal Blowing on Compressible Convex-Corner Flows.** Kung-Ming Chung, *National Cheng-Kung University*, Taiwan (ROC) (47, 4, p. 1189) Article based on AIAA Paper 2008-6409
- C10-128 Prediction and Analysis of Main Rotor Loads in a Prescribed Pull-Up Maneuver.** A. Abhishek, *University of Maryland*; Anubhav Datta, *ELORET Corporation*; Shreyas Ananthan and Inderjit Chopra, *University of Maryland* (47, 4, p. 1197) Article based on AIAA Paper 2009-2466
- C10-129 Rapid Estimation of Impaired-Aircraft Aerodynamic Parameters.** Jinwhan Kim, Karthik Palaniappan, and P. K. Menon, *Optimal Synthesis, Inc.* (47, 4, p. 1216) Article based on AIAA Paper 2009-6087
- C10-130 Transonic Aeroelastic Stability Predictions Under the Influence of Structural Variability.** S. Marques, K. J. Badcock, H. H. Khodaparast, and J. E. Mottershead, *University of Liverpool*, Great Britain (47, 4, p. 1229) Article based on AIAA Paper 2009-2324
- C10-131 Validation Studies for Aeroelastic Trim and Stability of Highly Flexible Aircraft.** Zahra Sotoudeh and Dewey H. Hodges, *Georgia Institute of Technology*; and Chong-Seok Chang, *Advanced Rotorcraft Technology, Inc.* (47, 4, p. 1240) Article
- C10-132 Application of Bifurcation Methods to the Prediction of Low-Speed Aircraft Ground Performance.** Etienne Coetzee, *Airbus Industries*, Great Britain; Bernd Krauskopf and Mark Lowenberg, *University of Bristol*, Great Britain (47, 4, p. 1248) Article based on AIAA Paper 2009-6226
- C10-133 Airspace Constraints in Aircraft Emission Trajectory Optimization.** Marianne Jacobsen and Ulf T. Ringertz, *Royal Institute of Technology*, Sweden (47, 4, p. 1256) Article
- C10-134 Evaluation of Aeroelastic Uncertainty Analysis Methods.** Brian P. Danowsky, Jeffrey R. Chrstos, and David H. Klyde, *Systems Technology, Inc.*; Charbel Farhat, *CMSoft, Inc.*; and Marty Brenner, *NASA Dryden Flight Research Center* (47, 4, p. 1266) Article based on AIAA Paper 2008-6371
- C10-135 Incorporation of Feedback Control into a High-Fidelity Aeroservoelastic Fighter Aircraft Model.** Brian P. Danowsky and Peter M. Thompson, *Systems Technology, Inc.*; Charbel Farhat and Thuan Lieu, *CMSoft, Inc.*; Chuck Harris and Jason Lechniak, *U.S. Air Force Flight Test Center* (47, 4, p. 1274) Article based on AIAA Paper 2009-5708
- C10-136 FENSAP-ICE: Analytical Model for Spatial and Temporal Evolution of In-Flight Icing Roughness.** Giulio Croce and Erika De Candido, *Università di Udine*, Italy; Wagdi G. Habashi and Jeffrey Munzar, *McGill University*, Canada; Martin S. Aubé, Guido S. Baruzzi, and Crstian N. Aliaga, *Newmerical Technologies International*, Canada (47, 4, p. 1283) Article based on AIAA Paper 2009-4126
- C10-137 Pitch and Heave Control of Robotic Samara Micro Air Vehicles.** Evan R. Ulrich, J. Sean Humbert, and Darryll J. Pines, *University of Maryland* (47, 4, p. 1290) Article
- C10-138 Experimental Characterization of Limit Cycle Oscillations in Membrane Wing Micro Air Vehicles.** Jordan W. Johnston, Will Romberg, Peter J. Attar, and Ramkumar Parthasarathy, *University of Oklahoma* (47, 4, p. 1300) Article
- C10-139 Closed-Loop Control Validation of a Morphing Wing Using Wind Tunnel Tests.** Andrei V. Popov, Lucian T. Grigorie, and Ruxandra M. Botez, *École de Technologie Supérieure*, Canada; Mahmoud Mamou and Youssef Mébarki, *National Research Council*, Canada (47, 4, p. 1309) Article
- C10-140 Flight Performance Analysis of Hybrid Airship: Revised Analytical Formulation.** Ke-shi Zhang, Zhong-hua Han, and Bi-Feng Song, *Northwestern Polytechnical University*, China (PRC) (47, 4, p. 1318) Article based on AIAA Paper 2009-901
- C10-141 Effective Approach to Characterization of Prediction Errors for Balloon Ascent Trajectories.** Roberto Palumbo, Gianfranco Morani, and Federico Corrado, *Centro Italiano Ricerche Aerospaziali*, Italy (47, 4, p. 1331) Article based on AIAA Paper 2009-2803
- C10-142 Computation of Flow over a High-Performance Parafoil Canopy.** Mohammad A. Mohammadi and Hamid Johari, *California State University, Northridge* (47, 4, p. 1338) Article based on AIAA Paper 2009-2979
- C10-143 Real Time Morphing Wing Optimization Validation Using Wind-Tunnel Tests.** Andrei V. Popov, Lucian T. Grigorie, and Ruxandra M. Botez, *École de Technologie Supérieure*, Canada; Mahmoud Mamou and Youssef Mébarki, *National Research Council*, Canada (47, 4, p. 1346) Article
- C10-144 Full-Configuration Drag Estimation.** Ohad Gur, William H. Mason, and Joseph A. Schetz, *Virginia Polytechnic Institute and State University* (47, 4, p. 1356) Article based on AIAA Paper 2009-4109
- C10-145 Reynolds-Stress Model Flow Prediction in Aircraft-Engine Intake Double-S-Shaped Duct.** G. A. Gerolymos, *Université Pierre-et-Marie-Curie*, France; S. Joly and M. Mallet, *Dassault Aviation*, France; and I. Vallet, *Université Pierre-et-Marie-Curie*, France (47, 4, p. 1368) Article based on AIAA Paper 2009-4161
- C10-146 Helicopter Rotor Load Prediction Using a Geometrically Exact Beam with Multicomponent Model.** Hyun-Ku Lee, S. R. Viswamurthy, Sang Chul Park, Taeseong Kim, Sang Joon Shin, *Seoul National University*, South Korea (ROK); and Deog-Kwan Kim, *Korea Aerospace Research Institute*, South Korea (ROK) (47, 4, p. 1382) Article
- C10-147 Three-Dimensional Curvature-Constrained Trajectory Planning Based on In-Flight Waypoints.** A. R. Babaei and M. Mortazavi, *Amirkabir University of Technology*, Iran (47, 4, p. 1391) Article
- C10-148 Low-Reynolds-Number Airfoil Investigation of Lower-Surface Leading-Edge Flaps.** Lance W. Traub and Sreyes Kadapala, *Embry-Riddle Aeronautical University* (47, 4, p. 1399) Article
- C10-149 Lifetime Assessment of Aircraft Structural Components in Coastal Environments.** Bo Pan, Tongmin Jiang, Xiaoyang Li, and Lincai Huang, *Beijing University of Aeronautics and Astronautics*, China (PRC) (47, 4, p. 1409) Article
- C10-150 Prediction of Nonlinear Rolling and Magnus Coefficients of Cruciform-Finned Missiles.** J. Morote and G. Liaño, *National Institute of Aerospace Technology*, Spain (47, 4, p. 1413) Article based on AIAA Paper 2009-5716
- C10-151 Numerical Simulation of Rotor-Fuselage-Cylinder Interaction in Forward Flight.** Yihua Cao, Ming Zhao, and Li Hu, *Beijing University of Aeronautics and Astronautics*, China (PRC) (47, 4, p. 1426) Technical Note

- C10-152 Vibration Analysis of Elastic Uniform Cantilever Rotor Blades in Unsteady Aerodynamics Modeling.** Mir Y. Ziahari and Behzad Ghadiri, *Tarbiat Modares University*, Iran (47, 4, p. 1430) Technical Note
- C10-153 Experimental Investigation of Double-Hinged Vortex Flap Configurations.** Kenneth Toro, Thomas Nix, and Lance W. Traub, *Embry-Riddle Aeronautical University* (47, 4, p. 1435) Technical Note
- C10-154 Bubble Burst Control Using Smart Structure Sensor Actuators for Stall Suppression.** Chi Wai Wong and Kenichi Rinoie, *University of Tokyo*, Japan (47, 4, p. 1439) Technical Note based on AIAA Paper 2009-4277
- C10-155 Quick Access Recorder Data Analysis Software for Windshear and Turbulence Studies.** H. Haverdings, *National Aerospace Laboratory/NLR*, The Netherlands; and P. W. Chan, *Hong Kong Observatory*, Hong Kong (PRC) (47, 4, p. 1443) Technical Note based on AIAA Paper 2009-3871
- C10-156 Flutter Analysis: Using Piecewise Quadratic Interpolation with Mode Tracking and Wind-Tunnel Tests.** R. Huang, W. M. Qian, Y. H. Zhao, and H. Y. Hu, *Nanjing University of Aeronautics and Astronautics*, China (PRC) (47, 4, p. 1447) Technical Note
- C10-157 Bodies Having Minimum Pressure Drag in Supersonic Flow: Investigating Nonlinear Effects.** Karthik Palaniappan and Antony Jameson, *Stanford University* (47, 4, p. 1451) Technical Note based on AIAA Paper 2004-5383
- C10-158 Uncertainty Quantification in Flutter Analysis for an Airfoil with Preloaded Freeplay.** Li Yi and Yang Zhichun, *Northwestern Polytechnical University*, China (PRC) (47, 4, p. 1454) Technical Note
- C10-159 Induced-Drag Compressibility Correction for Three-Dimensional Vortex-Lattice Methods.** T. Melin, *Linköping University*, Sweden; A. T. Isikveren, *University of Bristol*, Great Britain; and M. I. Friswell, *Swansea University*, Great Britain (47, 4, p. 1458) Technical Note
- C10-160 Micro Air Vehicle Trajectory Planning in Winds.** Yohannes Ketema and Yiyuan J. Zhao, *University of Minnesota* (47, 4, p. 1460) Technical Note based on AIAA Paper 2009-5873
- C10-161 Experimental Investigations on Aerodynamic Characteristics of the ZHIYUAN-1 Airship.** Xiao-liang Wang, Gong-Yi Fu, Deng-ping Duan, and Xue-xiong Shan, *Shanghai Jiaotong University*, China (PRC) (47, 4, p. 1463) Technical Note
- C10-162 Span Efficiency Prediction Using Adjoint-Driven Mesh Refinement.** Mathias Wintzer, *Stanford University* (47, 4, p. 1468) Technical Note
- C10-163 Evaluation of the Thrust Recovery of an Aircraft Flapped Outflow Valve.** Xavier Carbonneau, Nicolas Binder, and Stéphane Jamme, *Université de Toulouse*, France (47, 5, p. 1473) Article
- C10-164 Joined-Wing Wind-Tunnel Test for Longitudinal Control via Aftwing Twist.** Vanessa L. Bond, *Arnold Engineering Development Center*; Robert A. Canfield, *Virginia Polytechnic Institute and State University*; Maria da Luz Madruga Santos Matos, *Academia da Força Aérea*, Portugal; Afzul Suleman, *University of Victoria*, Canada; and Maxwell Blair, *U.S. Air Force Research Laboratory* (47, 5, p. 1481) Article based on AIAA Paper 2007-1772
- C10-165 Aerostructural Optimization of Nonplanar Lifting Surfaces.** Peter W. Jansen, *University of Toronto*, Canada; Ruben E. Perez, *Royal Military College of Canada*, Canada; and Joaquim R. Martins, *University of Michigan* (47, 5, p. 1490) Article based on AIAA Paper 2008-5967
- C10-166 Using Multiobjective Evolutionary Algorithms and Data-Mining Methods to Optimize Ornithopters' Kinematics.** M. Hamdaoui, J. Chaskalovic, S. Doncieux, and P. Sagaut, *Université Pierre et Marie Curie*, France, (47, 5, p. 1504) Article
- C10-167 Parametric Study for Hovering Performance of a Coaxial Rotor Unmanned Aerial Vehicle.** Jaewon Lee, Sanghyun Chae, Sejong Oh, and Kwanjung Yee, *Pusan National University*, South Korea (ROK) (47, 5, p. 1517) Article
- C10-168 Dynamic Stability Analysis of a Tethered Aerostat.** Ashok Rajani, Rajkumar S. Pant, and K. Sudhakar, *Indian Institute of Technology*, India (47, 5, p. 1531) Article
- C10-169 Nonlinear Aeroelasticity of a Very Flexible Blended-Wing-Body Aircraft.** Weihua Su and Carlos E. Cesnik, *University of Michigan* (47, 5, p. 1539) Article based on AIAA Paper 2009-2402
- C10-170 Modeling of Pilot Landing Approach Control Using Stochastic Switched Linear Regression Model.** Ryota Mori, *Electronic Navigation Research Institute*, Japan; and Shinji Suzuki, *University of Tokyo*, Japan (47, 5, p. 1554) Article based on AIAA Paper 2009-6031
- C10-171 Tandem Helicopter Trim and Flight Characteristics in the Icing Condition.** Yihua Cao, Guozhi Li, and Guo Zhong, *Beijing University of Aeronautics and Astronautics*, China (PRC) (47, 5, p. 1559) Article
- C10-172 Yield Strength and Residual Stress Measurements on Friction-Stir-Welded Aluminum Alloys.** H. J. K. Lemmen, R. C. Alderliesten, R. R. Pieters, and R. Benedictus, *Delft University of Technology*, The Netherlands; and J. A. Pineault, *Proto Manufacturing Limited*, Canada (47, 5, p. 1570) Article based on AIAA Paper 2008-1937
- C10-173 Wind-Optimal Routing in the National Airspace System.** Kee Palopo and Robert D. Windhorst, *NASA Ames Research Center*; Salman Suharwardy and Hak-Tae Lee, *University Affiliated Research Center* (47, 5, p. 1584) Article based on AIAA Paper 2009-6993
- C10-174 Adding Additional Load Paths in a Bonded/Bolted Hybrid Joint.** Bhawesh Kumar, C. T. Sun, Peng H. Wang, and R. Sterkenburg, *Purdue University* (47, 5, p. 1593) Article
- C10-175 Potential Effects of Blended Wing Bodies on the Air Transportation System.** Rodrigo Martínez-Val, Cristina Cuerno, and Emilio Pérez, *Universidad Politécnica de Madrid*, Spain; and Horacio H. Ghigliazza, *Universidad Tecnológica Nacional*, Argentina (47, 5, p. 1599) Article
- C10-176 Computational Fluid Dynamics Analyses of Flow over Weapons-Bay Geometries.** S. J. Lawson and G. N. Barakos, *University of Liverpool*, Great Britain (47, 5, p. 1605) Article based on AIAA Paper 2010-1425
- C10-177 Feasibility Study of Global-Positioning-System-Based Aircraft-Carrier Flight-Deck Persistent Monitoring System.** Jeffrey S. Johnston and Eric D. Swenson, *Air Force Institute of Technology* (47, 5, p. 1624) Article based on AIAA Paper 2009-5647
- C10-178 Crack-Tip Behavior in Fiber/Metal Laminates by Means of Digital-Image Correlation.** R. Rodi, *Materials Innovation Institute*, The Netherlands; R. C. Alderliesten and R. Benedictus, *Delft University of Technology*, The Netherlands (47, 5, p. 1636) Article based on AIAA Paper 2009-2586
- C10-179 Ground Resonance Analysis for an Eight-Degrees-of-Freedom Rotorcraft with Double-Stage Oleo-Pneumatic Shock Absorbers.** Yoon-Kyu Lee and Kwang-Joon Kim, *Korea Advanced Institute of Science and Technology*, South Korea (ROK) (47, 5, p. 1647) Article
- C10-180 Optimization and Postbuckling Analysis of Curvilinear-Stiffened Panels Under Multiple-Load Cases.** Thi D. Dang, Rakesh K. Kapania, Wesley C. Slemp, Manav Bhatia, and Sham P. Gurav, *Virginia Polytechnic Institute and State University* (47, 5, p. 1656) Article based on AIAA Paper 2009-2550

- C10-181 Estimation of Aircraft Structural Fatigue Life Using the Crack Severity Index Methodology.** Hongchul Lee, *Aero Technology Research Institute*, South Korea (ROK); Seungbae Park, *State University of New York at Binghamton*; and Hongon Kim, *Logistics Management Wing*, South Korea (ROK) (47, 5, p. 1672) Article
- C10-182 Theoretical Framework for the Simulation of Transport Aircraft Flight.** Antonio Filippone, *University of Manchester*, Great Britain (47, 5, p. 1679) Article
- C10-183 Influence of Tire Inflation Pressure on Nose Landing Gear Shimmy.** Phanikrishna Thota, Bernd Krauskopf, and Mark Lowenberg, *University of Bristol*, Great Britain; and Etienne Coetzee, *Airbus UK*, Great Britain (47, 5, p. 1697) Article based on AIAA Paper 2009-6230
- C10-184 Airfoil Optimization Using Practical Aerodynamic Design Requirements.** Howard P. Buckley, Beckett Y. Zhou, and David W. Zingg, *University of Toronto*, Canada (47, 5, p. 1707) Article based on AIAA Paper 2009-3516
- C10-185 Stochastic Modeling of Incident Gust Effects on Aerodynamic Lift.** M. Ghommem and M. R. Hajj, *Virginia Polytechnic Institute and State University*; C. L. Pettit, *U.S. Naval Academy*; and P. S. Beran, *U.S. Air Force Research Laboratory* (47, 5, p. 1720) Article
- C10-186 Influence of Differential Spoiler Settings on the Wake Vortex Characterization and Alleviation.** Omer A. Elsayed, Waqar Asrar, and Ashraf A. Omar, *International Islamic University Malaysia*, Malaysia; and Kijung Kwon, *Korea Aerospace Research Institute*, South Korea (ROK) (47, 5, p. 1728) Article
- C10-187 Evaluation of a Potential Flow Model for Propeller and Wind Turbine Design.** Scott M. Palmiter and Joseph Katz, *San Diego State University* (47, 5, p. 1739) Article based on AIAA Paper 2010-675
- C10-188 Closed-Loop Stall Control System.** Jonathan Poggie, Carl P. Tilmann, and Peter M. Flick, *U.S. Air Force Research Laboratory*; Joseph S. Silkey and Bradley A. Osbourne, *Boeing Integrated Defense Systems*; Gregory Ervin and Dragan Maric, *FlexSys*; Siva Mangalam and Arun Mangalam, *Tao of Systems Integration* (47, 5, p. 1747) Article based on AIAA Paper 2010-547
- C10-189 Data Mining of Pareto-Optimal Transonic Airfoil Shapes Using Proper Orthogonal Decomposition.** Akira Oyama, *Japan Aerospace Exploration Agency*, Japan; Taku Nonomura, *University of Tokyo*, Japan; and Kozo Fujii, *Japan Aerospace Exploration Agency*, Japan (47, 5, p. 1756) Article based on AIAA Paper 2009-4000
- C10-190 Autonomous Soaring: The Montague Cross-Country Challenge.** Daniel J. Edwards and Larry M. Silberberg, *North Carolina State University* (47, 5, p. 1763) Article
- C10-191 Helicopter Rotor Shape Optimization for the Improvement of Aeroacoustic Performance in Hover.** Sanghyun Chae and Kwanjung Yee, *Pusan National University*, South Korea (ROK); Choongmo Yang and Takashi Aoyama, *Japan Aerospace Exploration Agency*, Japan; Shinkyu Jeong and Shigeru Obayashi, *Tohoku University*, Japan (47, 5, p. 1770) Article
- C10-192 Inlet Stagnation Pressure Loss Estimate for a Simplified Thrust Model.** David H. Bridges, *Mississippi State University* (47, 5, p. 1784) Article based on AIAA Paper 2009-0732
- C10-193 Designing for a Green Future: A Unified Aircraft Design Methodology.** Kemp Kernstine, Bryan Boling, Latessa Bortner, Eric Hendricks, and Dimitri Mavris, *Georgia Institute of Technology* (47, 5, p. 1789) Design Forum
- C10-194 Improved Fuel Capacity Estimation Method.** Ding Ding and Yunfei Zhang, *Beijing University of Aeronautics and Astronautics*, China (PRC) (47, 5, p. 1798) Design Forum
- C10-195 Analytical Criterion for Aircraft Spin Susceptibility.** A. A. Paranjape, *University of Illinois at Urbana-Champaign*; and N. Ananthkrishnan, *Korea Advanced Institute of Science and Technology*, South Korea (ROK) (47, 5, p. 1804) Technical Note
- C10-196 Yaw Control of a Tailless Aircraft Configuration.** Gloria Stenfelt and Ulf Ringertz, *Royal Institute of Technology*, Sweden (47, 5, p. 1807) Technical Note
- C10-197 Experimental Investigation into Articulated Winglet Effects on Flying Wing Surface Pressure Aerodynamics.** A. Gatto, *Brunel University*, Great Britain; P. Bourdin, *Bombardier Aerospace*, Canada; and M. I. Friswell, *University of Swansea*, Great Britain (47, 5, p. 1811) Technical Note
- C10-198 Analysis of Leading-Edge Separation Bubbles on Rotating Blades.** Horia Dumitrescu and Vladimir Cardos, *Institute of Statistical Mathematics and Applied Mathematics*, Romania (47, 5, p. 1815) Technical Note
- C10-199 Coaxial Rotor Helicopter in Hover Based on Unstructured Dynamic Overset Grids.** He-yong Xu and Zheng-Yin Ye, *Northwestern Polytechnical University*, China (PRC) (47, 5, p. 1820) Technical Note
- C10-200 First Fuel-Cell Manned Aircraft.** Nieves Lapeña-Rey, Jonay Mosquera-Fernandez, Elena Bataller-Planes, and Fortunato D. Ortí, *The Boeing Company*, Spain (47, 6, p. 1825) Article
- C10-201 Flight Control Using Wing-Tip Plasma Actuation.** Gilles Boesch, Huu Duc Vo, Bruno Savard, Christelle Wanko-Tchatchouang, and Njuki W. Mureithi, *École Polytechnique de Montréal*, Canada (47, 6, p. 1836) Article
- C10-202 Integrated Framework for Artificial Immunity-Based Aircraft Failure Detection, Identification, and Evaluation.** Mario Perhinschi, Hever Moncayo, and Jennifer Davis, *West Virginia University* (47, 6, p. 1847) Article
- C10-203 Calibration Modeling of Nonmonolithic Wind-Tunnel Force Balances.** Thomas H. Johnson, *Old Dominion University*; Peter A. Parker, *NASA Langley Research Center*; and Drew Landman, *Old Dominion University* (47, 6, p. 1860) Article
- C10-204 Inverse Aerodynamic Design Procedure for Propellers Having a Prescribed Chord-Length Distribution.** Martin Hepperle, *DLR, German Aerospace Center*, Germany (47, 6, p. 1867) Article
- C10-205 Dynamic Sensitivity to Atmospheric Turbulence of Unmanned Aerial Vehicles with Varying Configuration.** Mujahid Abdulrahim, *University of Florida*; Simon Watkins, Reuven Segal, and Matthew Marino, *MIT University*, Australia; and John Sheridan, *Monash University*, Australia (47, 6, p. 1873) Article based on AIAA Paper 2009-5907
- C10-206 Lift Enhancement of Flapping Airfoils by Generalized Pitching Motion.** Harish Gopalan, *University of Wyoming*; and Alex Povitsky, *University of Akron* (47, 6, p. 1884) Article based on AIAA Paper 2008-6394
- C10-207 Optimal Design of Unitized Structures Using Response Surface Approaches.** Sameer B. Mulani, Pankaj Joshi, Jing Li, Rakesh K. Kapania, and Yung S. Shin, *Virginia Polytechnic Institute and State University* (47, 6, p. 1898) Article based on AIAA Paper 2007-1901
- C10-208 Design Optimization of a Truss-Braced-Wing Transonic Transport Aircraft.** Ohad Gur, Manav Bhatia, Joseph A. Schetz, William H. Mason, and Rakesh K. Kapania, *Virginia Polytechnic Institute and State University*; and Dimitri N. Mavris, *Georgia Institute of Technology* (47, 6, p. 1907) Article based on AIAA Paper 2009-7114
- C10-209 Targeted Energy Transfer Between a Model Flexible Wing and Nonlinear Energy Sink.** Sean A. Hubbard, D. Michael McFarland, Lawrence A. Bergman, and Alexander F. Vakakis, *University of Illinois at Urbana-Champaign* (47, 6, p. 1918) Article

- C10-210 Approximate Modeling of Unsteady Aerodynamics for Hypersonic Aeroelasticity.** Jack J. McNamara and Andrew R. Crowell, *Ohio State University*; Peretz P. Friedmann, Bryan Glaz, and Abhijit Gogulapati, *University of Michigan* (47, 6, p. 1932) Article
- C10-211 Nature of Wakelike and Jetlike Axial Tip Vortex Flows.** T. Lee and J. Pereira, *McGill University*, Canada (47, 6, p. 1946) Article
- C10-212 Particle Swarm Optimization of Suction and Blowing on an Airfoils at Transonic Speeds.** Y. Volkan Pehlivanoglu, *Turkish Air Force Academy*, Turkey; Bedri Yagiz, O. Kandil, and O. Baysal, *Old Dominion University* (47, 6, p. 1955) Article
- C10-213 Active Flow Control Systems Architectures for Civil Transport Aircraft.** M. Jabbal, S. C. Liddle, and W. J. Crowther, *University of Manchester*, Great Britain (47, 6, p. 1966) Article
- C10-214 Small and Micro Aerial Vehicles: How Much Span is Too Much Span?** Götz Bramesfeld, *Saint Louis University* (47, 6, p. 1982) Article
- C10-215 Prediction of Flow Dynamics over Cavities by Detached Eddy Simulation.** Niloufar Mahmoudhnejad and Klaus A. Hoffmann, *Wichita State University* (47, 6, p. 1991) Article based on AIAA Paper 2009-3503
- C10-216 Load Alleviation on a Joined-Wing Unmanned Aircraft.** Nicola Paletta, Marika Belardo, and Modesto Pecora, *Centro Italiano Ricerche Aerospaziali*, Italy (47, 6, p. 2005) Article
- C10-217 Probabilities for Severe and Fatal Injuries in General Aviation Accidents.** Christopher Neuhaus, Michael Dambier, Eckard Glaser, and Mandy Schwalbe, *German Society for Aviation and Space Medicine (DGLRM) e.V.*, Germany; and Jochen Hinkelbein, *University Hospital of Cologne*, Germany (47, 6, p. 2017) Article
- C10-218 Arrival Time Controllability of Tailored Arrival Subjected to Flight-Path Constraints.** Noburu Takeichi and Daigo Inami, *Nagoya University*, Japan (47, 6, p. 2021) Article
- C10-219 Uncertainty Reduction of Damage Growth Properties Using Structural Health Monitoring.** Alexandra Coppe, Raphael T. Haftka, and Nam H. Kim, *University of Florida*; and Fuh-Gwo Yuan, *North Carolina State University* (47, 6, p. 2030) Article based on AIAA Paper 2009-2267
- C10-220 Perception Coherence Zones in Flight Simulation.** Ana Rita Valente Pais, M. M. van Paassen, and Max Mulder, *Delft University of Technology*, The Netherlands; and Mark Wentick, *TNO Defense, Security and Safety*, The Netherlands (47, 6, p. 2039) Article based on AIAA Paper 2009-6242
- C10-221 Examination of Rotor Loads due to On-Blade Active Controls for Performance Enhancement.** Rohit Jain, *HyPerComp, Inc.*; Hyeonsoo Yeo, *NASA Ames Research Center*; and Inderjit Chopra, *University of Maryland* (47, 6, p. 2049) Article
- C10-222 Nonlinear Modeling and Aeroelastic Analysis of an Adaptive Camber Wing.** Guclu Seber and Evren Sakarya, *Middle East Technical University*, Turkey (47, 6, p. 2067) Article
- C10-223 Computational-Fluid-Dynamics-Based Twist Optimization of Hovering Rotors.** C. B. Allen, T. C. Randall, and A. M. Morris, *University of Bristol*, Great Britain (47, 6, p. 2075) Article based on AIAA Paper 2010-676
- C10-224 Declining Angle Effects of the Trailing Edge of a Microramp Vortex Generator.** Qin Li and Chaoqun Liu, *University of Texas at Arlington* (47, 6, p. 2086) Article based on AIAA Paper 2010-714
- C10-225 Feasibility Demonstration of Diagnostic Decision Tree for Validating Aircraft Navigation System Accuracy.** Ali H. Ali and Garik Markarian, *Lancaster University*, Great Britain; Alex Tarter, *Ultra Electronics*, Great Britain; and Rainer Kölle, *EUROCONTROL*, Belgium (47, 6, p. 2096) Article
- C10-226 Airfoil Lift Augmentation at Low Reynolds Number.** Lance W. Traub and Adrian Akerson, *Embry-Riddle Aeronautical University* (47, 6, p. 2103) Article
- C10-227 Air-Vessel Corrosion Damage Distribution and Reliability Modeling.** He Ren, *RMIT University*, Australia; Tom Steiner, *RMIT University*; and Xu Wang, *RMIT University*, Australia (47, 6, p. 2115) Article
- C10-228 Optimizing Spanwise Lift Distributions Yacht Sails Using Extended Lifting Line Analysis.** Timm Junge, Frederick C. Gerhardt, Peter Richards, and Richard G. Flay, *University of Auckland*, New Zealand (47, 6, p. 2119) Article
- C10-229 Integration of Three-Dimensional Printing Technology for Wind-Tunnel Model Fabrication.** C. Aghanajafi, *KNT University of Technology*, Iran; and S. Daneshmand, *Islamic Azad University*, Iran (47, 6, p. 2130) Article
- C10-230 Helicopter Tail Rotor Thrust and Main Rotor Wake Coupling in Crosswind Flight.** Timothy M. Fletcher and Richard E. Brown, *University of Glasgow*, Great Britain (47, 6, p. 2136) Article
- C10-231 Conceptual Design of an Aerospace Vehicle Controller Using Axiomatic Theory.** N. Ananthkrishnan, *Korea Advanced Institute of Science and Technology*, South Korea (ROK) (47, 6, p. 2149) Technical Note
- C10-232 Gauss Pseudospectral Method for Less Noise and Fuel Consumption of Aircraft Operations.** M. Houacine and S. Khardi, *French National Institute for Transport and Safety Research*, France (47, 6, p. 2152) Technical Note
- C10-233 Decay of Aircraft Wake Vortices Under Daytime Free Convective Conditions.** Lakshmi Kantha, *University of Colorado* (47, 6, p. 2159) Technical Note
- C10-234 Minimizing Induced Drag with Spanwise Blowing Variation on Circulation-Controlled Wing.** N. R. Alley, *Aerotonomy, Inc.*; and W. F. Phillips, *Utah State University* (47, 6, p. 2164) Technical Note based on AIAA Paper 2007-711
- C10-235 Verification of H flutter analysis.** Michaël H. Hounjet, *National Aerospace Laboratory/NLR*, The Netherlands (47, 6, p. 2168) Technical Note
- C10-236 Comparison of Potential Flow-Based and Measured Pressure Distributions over Upwind Sails.** Manuel Fluck, Frederick C. Gerhardt, Julien Pilate, and Richard G. Flay, *University of Auckland*, New Zealand (47, 6, p. 2174) Technical Note
- C10-237 Flow-Separation Lines on Axisymmetric Bodies with Tapered Tails.** T. L. Jeans, *Defence Research and Development Canada - Atlantic*, Canada; and A. G. Holloway, *University of New Brunswick*, Canada (47, 6, p. 2177) Technical Note
- C10-238 Wingtip Vortex Simulation by Using Nonequilibrium Eddy Viscosity Model.** Younghwa Kim and Sueng O. Park, *Korea Advanced Institute of Science and Technology*, South Korea (ROK) (47, 6, p. 2184) Technical Note