

Chronological Index

- G84-076 Optimal Guidance Law in the Plane.** M. Guelman, *Laboratoire d'Automatique Theorique (France)*; and J. Shinar, *Technion-Israel Institute of Technology* (7, 4, p. 471) Article Errata (8, 1, p. 160)
- G84-118 Fuel-Optimal Maneuvers of a Spacecraft Relative to a Point in Circular Orbit.** Thomas F. Carter, *Eastern Connecticut State University* (7, 6, p. 710) Article Errata (8, 6, p. 789)
- G85-001 Line-of-Sight Reconstruction for Faster Homing Guidance.** F. William Nesline and Paul Zarchan, *Raytheon Company* (8, 1, p. 3) Article based on AIAA Paper 83-2170 CP836
- G85-002 Zeroth-Order Feedback Strategies for Medium-Range Interception in a Horizontal Plane.** J. Shinar, *Technion-Israel Institute of Technology* (8, 1, p. 9) Article
- G85-003 Four-Dimensional Fuel-Optimal Guidance in the Presence of Winds.** Abhijit Chakravarty, *Boeing Commercial Airplane Company* (8, 1, p. 16) Article based on AIAA Paper 83-2242 CP836
- G85-004 Interception in Three Dimensions: An Energy Formulation.** N. Rajan, *Stanford University*; and M. D. Ardema, *NASA Ames Research Center* (8, 1, p. 23) Article based on AIAA Paper 83-2121
- G85-005 Periodic Optimal Cruise of an Atmospheric Vehicle.** Jason L. Speyer, David Dannemiller and David Walker, *University of Texas at Austin* (8, 1, p. 31) Article
- G85-006 Closed-Form Solutions for Feedback Control with Terminal Constraints.** Jer-Nan Juang, *NASA Langley Research Center*; James D. Turner and Hon M. Chun, *Charles Stark Draper Laboratory, Inc.* (8, 1, p. 39) Article
- G85-007 Decoupling of High-Gain Multivariable Tracking Systems.** D. Brett Ridgely and Siva S. Banda, *U. S. Air Force Flight Dynamics Laboratory*; and John J. D'Azzo, *Air Force Institute of Technology* (8, 1, p. 44) Article based on AIAA Paper 83-0280
- G85-008 A Frequency Domain Stability Analysis of a Phase Plane Control System.** Alexander N. Penchuk and Philip D. Hattis, *Charles Stark Draper Laboratory, Inc.*; and Edward T. Kubiak, *NASA Johnson Space Center* (8, 1, p. 50) Article
- G85-009 Pilot Modeling and Closed-Loop Analysis of Flexible Aircraft in the Pitch Tracking Task.** David K. Schmidt, *Purdue University* (8, 1, p. 56) Article based on AIAA Paper 83-2231 CP836
- G85-010 A Fault-Tolerant Approach to Helicopter Swashplate Control.** Bruce K. Walker, *Massachusetts Institute of Technology*; Eliezer Gai and Mukund N. Desai, *Charles Stark Draper Laboratory, Inc.* (8, 1, p. 62) Article
- G85-011 Antenna Pointing Systems for Large Communications Satellites.** J. Broquet, B. Claudinon and A. Bousquet, *Matra Space Branch (France)* (8, 1, p. 71) Article based on AIAA Paper 82-0444 CP821
- G85-012 High Precision Active Nutation Control of a Momentum Biased Spacecraft with Flexible Appendages.** R. A. Laskin and E. H. Kopf, *Jet Propulsion Laboratory, California Institute of Technology* (8, 1, p. 78) Article based on AIAA Paper 83-330
- G85-013 Optimal Simultaneous Structural and Control Design of Maneuvering Flexible Spacecraft.** Arthur L. Hale, Ronald J. Lisowski and Wayne E. Dahl, *University of Illinois at Urbana-Champaign* (8, 1, p. 86) Article
- G85-014 Stochastic Response Analysis, Order Reduction, and Output Feedback Controllers for Flexible Spacecraft.** Hari B. Hablani, *Rockwell International* (8, 1, p. 94) Article based on
- G85-015 Dynamic Analysis of Large-Scale Mechanical Systems and Animated Graphics.** Parviz E. Nikraves, *University of Iowa* (8, 1, p. 104) Article based on AIAA Paper 83-0946 CP832
- G85-016 Attitude Stability of Dual-Spin Spacecraft with Unsymmetrical Bodies.** Michael S. Lukich, *TRW Electronics and Defense*; and D. Lewis Mingori, *University of California, Los Angeles* (8, 1, p. 110) Article
- G85-017 Intercept Probability of Satellites in Circular Orbits.** Raymond M. Zazworsky, *Air Force Weapons Laboratory, Kirtland Air Force Base* (8, 1, p. 118) Article
- G85-018 A Second-Order Solution of the Main Problem of Artificial Satellites Using Multiple Scales.** Ahmed Kamel and Thierry Duhamel, *Ford Aerospace and Communications Corporation* (8, 1, p. 125) Article based on AIAA Paper 82-1408
- G85-019 Minimum-Fuel Aeroassisted Coplanar Orbit Transfer Using Lift-Modulation.** Kenneth D. Mease, *Jet Propulsion Laboratory, California Institute of Technology*; and Nguyen X. Vinh, *University of Michigan* (8, 1, p. 134) Article based on AIAA Paper 83-2094
- G85-020 Modeling of Certain Strapdown Heading-Sensitive Errors in INS Error Models.** Itzhack Y. Bar-Itzhack, *Technion-Israel Institute of Technology* (8, 1, p. 142) Engineering Note
- G85-021 The General Class of Optimal Proportional Navigation.** Wolfgang Pflieger, *Messerschmitt-Boelkow-Blohm* (8, 1, p. 144) Engineering Note
- G85-022 An Analytic Solution for the State Trajectories of a Feedback Control System.** James D. Turner and Hon M. Chun, *Charles Stark Draper Laboratory, Inc.*; and Jer-Nan Juang, *NASA Langley Research Center* (8, 1, p. 147) Engineering Note
- G85-023 Isochromes for Maximum Endurance Horizontal Gliding Flight.** Jeng-Shing Chern, *Chung Shan Institute of Science and Technology* (8, 1, p. 148) Engineering Note
- G85-024 Stability Analysis of Gyroscopic Systems by Matrix Methods.** D. J. Inman, *State University of New York at Buffalo*; and F. Saggio III, *Lear Siegler* (8, 1, p. 150) Engineering Note based on AIAA Paper 83-2286 CP836
- G85-025 Model Reduction of Control Systems.** L. R. Pujara, *Wright State University* (8, 1, p. 152) Engineering Note
- G85-026 Optimal Many-Revolution Orbit Transfer.** William E. Wiesel, *Air Force Institute of Technology, Wright-Patterson AFB*; and Salvatore Alfano, *U. S. Air Force Academy* (8, 1, p. 155) Engineering Note
- G85-027 The Number of Multiplications Required to Chain Coordinate Transformations.** V. N. Dvornychenko, *South Pasadena, California* (8, 1, p. 157) Engineering Note

G85-028 To Pursue or to Evade - That is the Question. A. W. Merz, *Lockheed Palo Alto Research Laboratory* (8, 2, p. 161) Article

G85-029 Nonconservative Evaluation of Uniform Stability Margins of Multivariable Feedback Systems. Hsi-Han Yeh, D. Brett Ridgely and Siva S. Banda, *Flight Dynamics Laboratory, Wright-Patterson Air Force Base* (8, 2, p. 167) Article based on AIAA Paper 84-1939 CP848

G85-030 The Enigma of False Bias Detection in a Strapdown System During Transfer Alignment. I. Y. Bar-Itzhack, *Technion-Israel Institute of Technology*; and Y. Vitek, *Ministry of Defense (Israel)* (8, 2, p. 175) Article

G85-031 A Design Methodology for Pitch Pointing Flight Control Systems. K. M. Sobel and E. Y. Shapiro, *Lockheed California Company* (8, 2, p. 181) Article

G85-032 Design and Flight Testing of Digital Direct Side-Force Control Laws. Scott L. Grunwald and Robert F. Stengel, *Princeton University* (8, 2, p. 188) Article based on AIAA Paper 85-1521

G85-033 Modal Analysis of Flexible Aircraft Dynamics with Handling Qualities Implications. David K. Schmidt, *Purdue University* (8, 2, p. 194) Article based on AIAA Paper 83-2074

G85-034 A Visual Cueing Model for Terrain-Following Applications. Greg L. Zacharias and Alper K. Caglayan, *Charles River Analytics, Inc.*; and John B. Sinacori, *John B. Sinacori Associates* (8, 2, p. 201) Article based on AIAA Paper 30300

G85-035 Poles and Transmission Zeros of Flexible Spacecraft Control Systems. Takashi Kida and Yoshiaki Ohkami, *National Aerospace Laboratory (Japan)*; and Shigeo Sambongi, *National Space Development Agency (Japan)* (8, 2, p. 208) Article

G85-036 Flexural Vibration of Gravity-Stabilized, Structurally Damped, Large Flexible Satellites. Shashi K. Shrivastava and Prashanta K. Maharana, *Indian Institute of Science* (8, 2, p. 214) Article

G85-037 Adaptive Modal Control of Structural Dynamic Systems Using Recursive Lattice Filters. N. Sundararajan, J. P. Williams and R. C. Montgomery, *NASA Langley Research Center* (8, 2, p. 223) Article based on AIAA Paper 83-2245 CP836

G85-038 Shuttle-Tethered Subsatellite System Stability with a Flexible Massive Tether. P. M. Bainum, C. M. Diarra and V. K. Kumar, *Howard University* (8, 2, p. 230) Article

G85-039 Formationkeeping for a Pair of Satellites in a Circular Orbit. Richard H. Vassar and Richard B. Sherwood, *TRW* (8, 2, p. 235) Article

G85-040 Application of the Delta-Rho Perturbation Method to Autonomous Orbit Computation. Alan M. Schneider, *University of California at San Diego*; and Brian D. Trexel, *M/A COM LINKABIT* (8, 2, p. 243) Article

G85-041 An Investigation of Correlation Region in Maneuvering Multi-Target Tracking. Hongren Zhou and K. S. P. Kumar, *University of Minnesota* (8, 2, p. 249) Article

G85-042 Digital Homing Guidance--Stability vs Performance Tradeoffs. F. William Nesline Jr. and Paul Zarchan, *Raytheon Company* (8, 2, p. 255) Article based on AIAA Paper 83-2167 CP836

G85-043 Estimation of the Time-to-Go Parameter for Air-to-Air Missiles. Gordon K. F. Lee, *Colorado State University* (8, 2, p. 262) Article

G85-044 Status and Concerns for Bank-to-Turn Control of Tactical Missiles. A. Arrow, *The Johns Hopkins University* (8, 2, p. 267) Article based on AIAA Paper 83-2198 CP836

G85-045 Least Acceleration Motion for Given Terminal Conditions. Vibeke Raae, *University of Trondheim (Norway)* (8, 2, p. 275) Engineering Note

G85-046 Separation of Time Scales in Aircraft Trajectory Optimization. M. D. Ardema, *NASA Ames Research Center*; and N. Rajan, *Stanford University* (8, 2, p. 275) Engineering Note based on AIAA Paper 83-2136 CP836

G85-047 Optimal Finite Horizon Approximation of Unstable Linear Systems. A.-M. Guillaume, *Universite Catholique de Louvain*; and P. T. Kabamba, *University of Michigan* (8, 2, p. 278) Engineering Note based on AIAA Paper 70400

G85-048 Angular Motion Influence on Re-entry Vehicle Ablation or Erosion Asymmetry Formation. D. H. Platus, *The Aerospace Corporation* (8, 2, p. 280) Engineering Note based on AIAA Paper 40100

G85-049 Measurements of Despin and Yawing Moments Produced by a Viscous Liquid. Miles C. Miller, *Chemical Research and Development Center, U. S. Army, AMCCOM* (8, 2, p. 282) Engineering Note

G85-050 Computerized Generation of Symbolic Equations of Motion for Spacecraft. Edwin J. Kreuzer and Werner O. Schiehlen, *University of Stuttgart* (8, 2, p. 284) Engineering Note based on AIAA Paper 83-302

G85-051 A Relation Between Liquid Roll Moment and Liquid Side Moment. Charles H. Murphy, *Ballistic Research Laboratory* (8, 2, p. 287) Engineering Note

G85-052 Development of the F/A-18A Automatic Carrier Landing System. J. M. Urnes and R. K. Hess, *McDonnell Aircraft Company* (8, 3, p. 289) Article based on AIAA Paper 83-2162 CP836

G85-053 Mixing Four-Dimensional Equipped and Unequipped Aircraft in the Terminal Area. L. Tobias, H. Erzberger and H. Q. Lee, *NASA Ames Research Center*; and P. J. O'Brien, *FAA Technical Center* (8, 3, p. 296) Article

G85-054 Active Flutter Suppression Using Eigenspace and Linear Quadratic Design Techniques. William L. Garrard and Bradley S. Liebst, *University of Minnesota* (8, 3, p. 304) Article

G85-055 Optimal Symmetric Flight with an Intermediate Vehicle Model. P. K. A. Menon, H. J. Kelley and E. M. Cliff, *Virginia Polytechnic Institute and State University* (8, 3, p. 312) Article based on AIAA Paper 83-2238 CP836

G85-056 Onboard Near-Optimal Climb-Dash Energy Management. Alan Weston and Gene Cliff, *Virginia Polytechnic Institute and State University*; and Henry Kelley, *Virginia Polytechnic Institute and State University* (8, 3, p. 320) Article

G85-057 Eccentric Two-Target Model for Qualitative Air Combat Game Analysis. A. Davidovitz and J. Shinar, *Technion-Israel Institute of Technology* (8, 3, p. 325) Article based on AIAA Paper 83-2122

G85-058 A Nonlinear Pilot Model for Hover. Dominick Andrisani II and Ching-Fu Gau, *Purdue University* (8, 3, p. 332) Article based on AIAA Paper 83-2232 CP836

G85-059 Flight Analysis for a Two-Stage Launch Vehicle with a Glideback Booster. J. Chris Naftel and Richard W. Powell, *NASA Langley Research Center* (8, 3, p. 340) Article based on AIAA Paper 83-2112

G85-060 Dynamics and Control of a Shuttle-Attached Antenna Experiment. Shyh Jong Wang, Yu Hwan Lin and Che-Hang Charles Ih, *Jet Propulsion Laboratory, California Institute of Technology* (8, 3, p. 344) Article based on AIAA Paper 83-2227 CP836

G85-061 Moment Induced by Liquid Payload During Spin-up Without a Critical Layer. Charles H. Murphy, *U. S. Army Ballistic Research Laboratory, Aberdeen Proving Ground* (8, 3, p. 354) Article based on AIAA Paper 84-0229

G85-062 Quaternion Feedback for Spacecraft Large Angle Maneuvers. Bong Wie and Peter M. Barba, *Ford Aerospace & Communications Corporation* (8, 3, p. 360) Article based on AIAA Paper 84-1032 CP844

G85-063 Modal-Space Active Damping of a Plane Grid: Experiment and Theory. Hallauer Wm. L. Jr., Gary R. Skidmore and Russell N. Gehling, *Virginia Polytechnic Institute and State University* (8, 3, p. 366) Article based on AIAA Paper 84-1018 CP844

G85-064 Development of Dynamics and Control Simulation of Large Flexible Space Systems. J. Y. L. Ho and D. R. Herber, *Lockheed Missiles and Space Company* (8, 3, p. 374) Article based on AIAA Paper 82-1564 CP825

G85-065 Error Analyses for the Delivery of a Spinning Probe to Jupiter. Gerald R. Hintz and James M. Longuski, *Jet Propulsion Laboratory, California Institute of Technology* (8, 3, p. 384) Article based on AIAA Paper 70400

G85-066 Preliminary Orbit Determination by a Composite Multivariate Search Strategy. B. V. Sheela and R. S. Bhat, *ISRO Satellite Centre (India)* (8, 3, p. 391) Article

G85-067 Use of Frequency Dependence in Linear Quadratic Control Problems to Frequency-Shape Robustness. B. D. O. Anderson, *Australian National University*; and D. L. Mingori, *University of California, Los Angeles* (8, 3, p. 397) Article

G85-068 A New Guidance Law for Homing Missiles. Y. S. Kim and H. S. Cho, *The Korea Advanced Institute of Science and Technology*; and Z. Bien, *The Korea Advanced Institute of Science and Technology* (8, 3, p. 402) Article

G85-069 Inclination Correction for Geostationary Orbits Using Ion Thrusters. Shantha P. Kumar, P. Kudva and P. S. Goel, *ISRO Satellite Centre (India)* (8, 3, p. 405) Engineering Note

G85-070 Trajectory Reconstruction During Thrusting Phase of Rockets Using Differential Corrections. D. R. Manohar, *Vikram Sarabhai Space Centre*; and S. Krishnan, *Indian Institute of Technology* (8, 3, p. 406) Engineering Note

G85-071 Optimal Controller for Homing Missile. William R. Yueh, *Northrup Electronics Division*; and Ching-Fang Lin, *Boeing Military Airplane Company* (8, 3, p. 408) Engineering Note

G85-072 Reliability Considerations in the Placement of Control System Components. Raymond C. Montgomery, *NASA*

Langley Research Center; and Wallace E. Vander Velde, *Massachusetts Institute of Technology* (8, 3, p. 411) Engineering Note based on AIAA Paper 83-2260 CP836

G85-073 Subaliases in the Frequency Response of Digitally Controlled Systems. Hsi-Han Yeh, *University of Kentucky* (8, 3, p. 413) Engineering Note

G85-074 New Concepts in Control Theory, 1959-1984. Arthur E. Bryson Jr., *Stanford University* (8, 4, p. 417) Lecture based on AIAA Paper 84-0161

G85-075 Use of Multiple Inertial Systems to Correct for the Effects of Gravitational Anomalies. Jack Richman, *The Singer Company* (8, 4, p. 426) Article based on AIAA Paper 83-2196 CP836

G85-076 Strapdown Inertial Navigation System Requirements Imposed by Synthetic Aperture Radar. James L. Farrell, *Westinghouse Defense and Electronic Systems Center* (8, 4, p. 433) Article

G85-077 Toward a Unifying Theory for Aircraft Handling Qualities. Ronald A. Hess and Iwan Sunyoto, *University of California, Davis* (8, 4, p. 440) Article based on AIAA Paper 84-0236

G85-078 Roll/Yaw Control of a Flexible Spacecraft Using Skewed Bias Momentum Wheels. Bong Wie, John A. Lehner and Carl T. Plescia, *Ford Aerospace & Communications Corporation* (8, 4, p. 447) Article based on AIAA Paper 84-1962 CP848

G85-079 Space Structure Control Design by Variance Assignment. Robert E. Skelton, *Purdue University*; and Michael DeLorenzo, *U. S. Air Force Academy* (8, 4, p. 454) Article

G85-080 Identification of Vibrating Flexible Structures. S. Rajaram and J. L. Junkins, *Virginia Polytechnic Institute and State University* (8, 4, p. 463) Article

G85-081 Attitude Dynamics of a Rotating Chain of Rigid Bodies in a Gravitational Field. Hari B. Hablani, *Rockwell International* (8, 4, p. 471) Article

G85-082 Low Earth Orbit Navigation in the Tracking and Data Acquisition System Era. Bryant D. Elrod, *Stanford Telecommunications, Inc.* (8, 4, p. 478) Article based on AIAA Paper 84-0320

G85-083 Minimum Energy-Loss Guidance for Aeroassisted Orbital Plane Change. D. G. Hull, J. M. Giltner, J. L. Speyer and J. Mapar, *University of Texas at Austin* (8, 4, p. 487) Article based on AIAA Paper 84-1825 CP848

G85-084 Maximum-Information Guidance for Homing Missiles. D. G. Hull and J. L. Speyer, *University of Texas at Austin*; and C. Y. Tseng, *Chung Shan Institute of Science and Technology, Taiwan* (8, 4, p. 494) Article based on AIAA Paper 84-1887 CP848

G85-085 Robust Missile Autopilot Design Using a Generalized Singular Optimal Control Technique. Ching-Fang Lin, *Boeing Company, Seattle*; and Szu Pin Lee, *Litton Guidance and Control Land Vehicle System* (8, 4, p. 498) Article based on AIAA Paper 84-1847 CP848

G85-086 A Missile Duel Between Two Aircraft. Bernt Jarmark, *Saab-Scania, Sweden* (8, 4, p. 508) Article

G85-087 A Multiloop Robust Controller Design Study Using Singular Value Gradients. Jerry R. Newsom, *NASA Langley Research Center*; and V. Mukhopadhyay, *George Washington University Joint Institute for Advancement of Flight Sciences* (8, 4, p. 514) Article based on AIAA Paper 83-2191 CP836

G85-088 Time-Domain Stability Robustness Measures for Linear Regulators. Rama Krishna Yedavalli, *Stevens Institute of Technology*; Siva S. Banda and D. Brett Ridgely, *Wright Patterson Air Force Base* (8, 4, p. 520) Article

G85-089 Applications of Nonlinear Programming for Automated Multivariable Control System Design. Gary W. Machles and Francis D. Hauser, *Boeing Aerospace Company* (8, 4, p. 525) Article based on AIAA Paper 83-2275 CP836

G85-090 Aerodynamic Requirements at the Indianapolis Motor Speedway. L. Daniel Metz, *University of Illinois at Urbana-Champaign* (8, 4, p. 530) Engineering Note

G85-091 Slow and Fast State Variables for Three-Dimensional Flight Dynamics. M. Ardema, *NASA Ames Research Center*; and N. Rajan, *Stanford University* (8, 4, p. 532) Engineering Note

G85-092 An Analytical Approach to Geosynchronous Acquisition. Charles F. Gartrell, *General Research Corporation* (8, 4, p. 535) Engineering Note

G85-093 Equations of Attitude Motion for an N-Body Satellite with Moving Joints. B. A. Conway, *University of Illinois at Urbana-Champaign*; and J. W. Widhalm, *University of Illinois at Urbana-Champaign* (8, 4, p. 537) Engineering Note

G85-094 Analytic Fourier Transform for a Class of Finite-Time Control Problems. James D. Turner, *Cambridge Research*; and Hon M. Chun, *The Charles Stark Draper Laboratory, Inc.* (8, 4, p. 539) Engineering Note

G85-095 A Robust Compensator Design by Frequency-Shaped Estimation. J. A. Bossi, *University of Washington* (8, 4, p. 541) Engineering Note based on AIAA Paper 84-1927 CP848

G85-096 Predictor Laws for Pictorial Flight Displays. Arthur J. Grunwald, *Technion--Israel Institute of Technology* (8, 5, p. 545) Article

G85-097 Analysis of Aircraft Control Strategies for Microburst Encounter. Mark L. Psiaki and Robert F. Stengel, *Princeton University* (8, 5, p. 553) Article based on AIAA Paper 84-0238

G85-098 Star-Sensor-Based Satellite Attitude/Attitude Rate Estimator. Eliezer Gai, *The Charles Stark Draper Laboratory, Inc.*; Kevin Daly, *The Charles Stark Draper Laboratory, Inc.*; James Harrison, *The Charles Stark Draper Laboratory, Inc.*; and Linda Lemos, *The Charles Stark Draper Laboratory, Inc.* (8, 5, p. 560) Article

G85-099 Thrust Vector Control Design for a Liquid Upper Stage Spacecraft. Bong Wie, *Ford Aerospace & Communications Corporation* (8, 5, p. 566) Article based on AIAA Paper 85-1914 CP856

G85-100 Attitude Stability of an Orbiting Gyrostat in Conical Equilibrium. P. C. Hughes, *University of Toronto* (8, 5, p. 573) Article

G85-101 Stability of Multidimensional Linear Time-Varying Systems. Shashi K. Shrivastava and S. Pradeep, *Indian Institute of Science* (8, 5, p. 579) Article based on AIAA Paper 84-1954 CP848

G85-102 Dynamics of Flexible Bodies in Tree Topology--A Computer-Oriented Approach. Ramendra P. Singh and Richard J. VanderVoort, *Honeywell Incorporated*; and Peter W. Likins, *Lehigh University* (8, 5, p. 584) Article based on AIAA Paper 84-1024 CP844

G85-103 Dynamics and Control of Orbiting Flexible Structures Exposed to Solar Radiation. R. Krishna and P. M. Bainum, *Howard University* (8, 5, p. 591) Article

G85-104 Experimental Research on Flexible Beam Modal Control. Bernd E. Schafer and Hans Holzach, *German Aerospace Research Establishment (DFVLR)* (8, 5, p. 597) Article based on AIAA Paper 84-1020 CP844

G85-105 Distributed Piezoelectric-Polymer Active Vibration Control of a Cantilever Beam. Thomas Bailey and James E. Hubbard Jr., *Massachusetts Institute of Technology* (8, 5, p. 605) Article

G85-106 Dynamics and Control of Lattice Beams Using Simplified Finite Element Models. D. T. Berry, T. Y. Yang and R. E. Skelton, *Purdue University* (8, 5, p. 612) Article based on AIAA Paper 84-1043 CP844

G85-107 An Eigensystem Realization Algorithm for Modal Parameter Identification and Model Reduction. Jer-Nan Juang and Richard S. Pappa, *NASA Langley Research Center* (8, 5, p. 620) Article

G85-108 Characteristic Elastic Systems of Time-Limited Optimal Maneuvers. Arthur L. Hale, *University of Illinois at Urbana-Champaign*; and Ronald J. Lisowski, *University of Illinois at Urbana-Champaign* (8, 5, p. 628) Article

G85-109 Application of a New Multivariable Model-Following Method to Decoupled Flight Control. Kimio Kanai and Shigeru Uchikado, *The National Defense Academy (Japan)*; Peter N. Nikiforuk and Noriyuki Hori, *University of Saskatchewan* (8, 5, p. 637) Article

G85-110 Design of Robust Digital Controllers for Gas Turbines with Actuator and Sensor Dynamics. B. Porter and T. Manganas, *University of Salford (England)* (8, 5, p. 644) Article based on AIAA Paper 84-1185

G85-111 Minimum-Fuel, Three-Dimensional Flight Paths for Jet Transports. Frank Neuman, *NASA Ames Research Center*; and Eliezer Kreindler, *Israel Institute of Technology* (8, 5, p. 650) Article

G85-112 Optimal Catapult Impulse Shaping for Ejection Seats. P. K. A. Menon and R. A. Walker, *Integrated Systems Inc.* (8, 5, p. 658) Engineering Note based on AIAA Paper 84-1895 CP848

G85-113 Absolute Stability of Symmetric Highly Maneuverable Missiles. M. Guelman, *Rafael, Ministry of Defense (Israel)* (8, 5, p. 660) Engineering Note

G85-114 Miss Distance of Proportional Navigation Missile with Varying Velocity. W. R. Chadwick, *Naval Surface Weapons Center* (8, 5, p. 662) Engineering Note

G85-115 Guidance Performance Analysis with In-Flight Radome Error Calibration. William R. Yueh, *Northrop Electronics Division*; and Ching-Fang Lin, *Boeing Company* (8, 5, p. 666) Engineering Note

G85-116 Controllability and Observability of General Linear Lumped-Parameter Systems. Mehdi Ahmadian, *Clemson University* (8, 5, p. 669) Engineering Note

G85-117 Sensor Failure Detection for Jet Engines Using Analytical Redundancy. Walter C. Merrill, *NASA Lewis Research Center* (8, 6, p. 673) Survey Paper based on AIAA Paper 84-1452

G85-118 Effects of Payload Motions on the Nutational Stability of the Galileo Spacecraft. Guy K. Man and Fidelis O. Eke, *Jet Propulsion Laboratory, California Institute of Technology* (8, 6, p. 683) Article based on AIAA Paper 84-1992

G85-119 Longitudinal Vibration of Gravity-Stabilized, Large, Damped Spacecraft Modeled as Elastic Continua. Shashi K. Shrivastava and Prashanta K. Maharana, *Indian Institute of Science* (8, 6, p. 689) Article based on AIAA Paper 84-2004

G85-120 Eigenvalue Optimization Algorithms for Structure/Controller Design Iterations. D. S. Bodden, *Virginia Polytechnic Institute and State University*; and J. L. Junkins, *Texas A&M University* (8, 6, p. 697) Article

G85-121 The Implementation of Modal Filters for Control of Structures. L. Meirovitch and H. Baruh, *Virginia Polytechnic Institute and State University* (8, 6, p. 707) Article

G85-122 Robust Natural Control of Distributed Systems. H. Baruh, *Rutgers University*; and L. Silverberg, *North Carolina State University* (8, 6, p. 717) Article

G85-123 Three- and Four-Satellite Continuous-Coverage Constellations. John E. Drain, *ANSER (Analytical Services Inc.)* (8, 6, p. 725) Article based on AIAA Paper 84-1996

G85-124 Two-Time Scale Stabilization of Systems with Output Feedback. Daniel D. Moerder, *Information and Control Systems, Inc.*; and Anthony J. Calise, *Drexel University* (8, 6, p. 731) Article based on AIAA Paper 84-1933 CP848

G85-125 Optimal Magnetic Bearing Control for High-Speed Momentum Wheels. Thomas Lange, *Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt e. V.* (8, 6, p. 737) Article

G85-126 Longitudinal Stability of a Hovering, Tethered Rotorcraft. D. C. Rye, *The University of Sydney* (8, 6, p. 743) Article

G85-127 Stability and Control of VTOL Capable Airships in Hovering Flight. H. C. Curtiss Jr. and V. Sumantran, *Princeton University* (8, 6, p. 753) Article based on AIAA Paper 83-1987 CP835

G85-128 Ground-Simulation Investigation of VTOL Airworthiness Criteria for Terminal Area Operations. J. V. Lebacqz, *NASA Ames Research Center*; and B. C. Scott, *Federal Aviation Administration* (8, 6, p. 761) Article based on AIAA Paper 84-2105 CP849

G85-129 Normalized Predictive Deconvolution: A Time Series Algorithm for Modeling Human Operator Dynamics. Daniel J. Biezd, *Air Force Institute of Technology*; and David K. Schmidt, *Purdue University* (8, 6, p. 768) Article

G85-130 Selection of an Optimal Cost Index for Airline Hub Operation. Abhijit Chakravarty, *Boeing Commercial Airplane Company* (8, 6, p. 777) Article based on AIAA Paper 84-1859 CP848

G85-131 Collaborative Techniques in Modal Analysis. M. L. Amirouche, *University of Illinois at Chicago*; and R. L. Huston, *University of Cincinnati* (8, 6, p. 782) Engineering Note based on AIAA Paper 85-0632 CP851

G85-132 Reducing the Effects of Model Reduction due to Parameter Variations. J. M. Lin, *National Chiao-Tung University*; and K. W. Han, *Chung-Shan Institute of Science and Technology* (8, 6, p. 785) Engineering Note

G85-133 A New Algorithm for the Computation of the Geodetic Coordinates as a Function of Earth-Centered Earth-Fixed Coordinates. Lawrence O. Lupash, *Intermetrics Inc.* (8, 6, p. 787) Engineering Note