

Chronological Index

G87-020 Relationship Between Kane's Equations and the Gibbs-Appell Equations. Edward A. Desloge, *Florida State University* (10, 1, p. 120) Engineering Note

Technical Comment by David A. Levinson, *Lockheed Palo Alto Research Laboratory* (10, 6, p. 593)

Technical Comment by J. E. Keat, *Photon Research Associates, Inc.* (10, 6, p. 594)

Technical Comment by Dan E. Rosenthal, *Symbolic Dynamics* (10, 6, p. 595)

Technical Comment by Arun K. Banerjee, *Lockheed Missiles & Space Company* (10, 6, p. 597)

Technical Comment by Ronald L. Huston, *University of Cincinnati* (11, 2, p. 191)

G87-092 Re-examination of Eigenvector Derivatives. K. B. Lim and J. L. Junkins, *Texas A&M University*; and B. P. Wang, *University of Texas* (10, 6, p. 581) Article

Errata (11, 2, p. 192)

G88-001 Optimal Landing of a Helicopter in Autorotation. Allen Y. Lee, Arthur E. Bryson Jr. and William S. Hindson, *Stanford University* (11, 1, p. 7) Article

G88-002 Interior Transition Layers in Flight-Path Optimization. Mark D. Ardema, *Santa Clara University*; and L. Yang, *Sterling Software* (1, 1, p. 13) Article based on AIAA Paper 86-2037 CP869

G88-003 Momentum Management and Attitude Control Design for a Space Station. Henry H. Woo, Henley D. Morgan and Eric T. Falangas, *Rockwell International* (11, 1, p. 19) Article based on AIAA Paper 86-2047 CP869

G88-004 Determination of Geopotential Coefficients by Efficient Numerical Integration Techniques. R. A. Hansen, *Brigham Young University* (11, 1, p. 26) Article based on AIAA Paper 86-2258 CP869

G88-005 Recursion Formulas of Legendre Functions for Use with Nonsingular Geopotential Models. John B. Lundberg and Bob E. Schutz, *University of Texas at Austin* (11, 1, p. 31) Article

G88-006 Pseudotriangular Decomposition Method for Constrained Multibody Systems Using Kane's Equations. F. M. L. Amirouche and T. Jia, *University of Illinois at Chicago* (11, 1, p. 39) Article

G88-007 Effect of Rotating Earth for Analysis of Aeroassisted Orbital Transfer Vehicles. Hideo Ikawa, *Aerojet Propulsion Research Institute* (11, 1, p. 47) Article based on AIAA Paper 86-2133 CP868

G88-008 Can a Mixed Guidance Strategy Improve Missile Performance? I. Forte and J. Shinar, *Technion--Israel Institute of Technology* (11, 1, p. 53) Article

G88-009 Generating Parity Relations for Detecting and Identifying Control System Component Failures. Mohammad-Ali Massoumnia and Wallace E. Vander Velde, *Massachusetts Institute of Technology* (11, 1, p. 60) Article

G88-010 Gas Laser Frequency Control for Passive Cavity Ring Gyros. Mark A. Lorenz, *U. S. Air Force Academy*; James R. Rotgé, *Frank J. Seiler Research Laboratory*; and Daniel J. Biezad, *U. S. Air Force Institute of Technology* (11, 1, p. 66) Article based on AIAA Paper 86-2211 CP869

G88-011 Robust Adaptive Flight-Path Reconstruction Technique for Nonsteady Longitudinal Flight Test Maneuvers. M. H. Verhaegen, *NASA Ames Research Center* (11, 1, p. 72) Article based on AIAA Paper 86-2018 CP868

G88-012 Fixed-Order Dynamic Compensation for Multivariable Linear Systems. Friedrich S. Kramer, *DFVLR, FRG*; and Anthony J. Calise, *Georgia Institute of Technology* (11, 1, p. 80) Article

G88-013 Loop-Transfer Recovery via Hardy-Space Optimization. Hsi-Han Yeh, Siva S. Banda, P. J. Lynch and Timothy E. McQuade, *Flight Dynamics Laboratory, Wright-Patterson AFB* (11, 1, p. 86) Article

G88-014 The Use of Weibull Fault Processes in Modeling Fault Tolerant Systems. Robert Geist and Mark Smotherman, *Clemson University*; Kishor Trivedi and Joanne Dugan, *Duke University* (11, 1, p. 91) Engineering Note

G88-015 Approach Trajectory Guidance for Maximum Concealment. David N. Warner Jr., *NASA Ames Research Center* (11, 1, p. 94) Engineering Note

G88-016 Development of Low-Altitude Air Defense Systems (History of Key Technologies). Mike W. Fossier, *Raytheon Company* (11, 2, p. 97) Article

G88-017 Preliminary Performance Analysis of an Interplanetary Navigation System Using Asteroid Based Beacons. J. Rodney Jee, Ahmad R. Khatib, Ronald J. Muellerschoen and Bobby G. Williams, *Jet Propulsion Laboratory, California Institute of Technology*; and Mark A. Vincent, *University of Colorado* (11, 2, p. 103) Article based on AIAA Paper 86-2217 CP867

G88-018 Navigation and Pointing Timeline Development for an Autonomous Free-Flying Shuttle Payload. S. D. Lambros, D. J. Olney and J. G. Watzin, *NASA Goddard Space Flight Center* (11, 2, p. 110) Article based on AIAA Paper 86-2526 CP8611

G88-019 Hubble Space Telescope Precision Pointing Control System. G. A. Beals, R. C. Crum, H. J. Dougherty, D. K. Hegel, J. L. Kelley and J. J. Rodden, *Lockheed Missiles & Space Company, Inc.* (11, 2, p. 119) Article based on AIAA Paper 86-1981 CP869

G88-020 Spillover Alleviation for Nonlinear Active Control of Vibration. Andre Preumont, *Virginia Polytechnic Institute and State University* (11, 2, p. 124) Article

G88-021 Maximum Terminal Velocity Turns at Nearly Constant Altitude. G. Richard Eisler, *Sandia National Laboratories*; and David G. Hull, *University of Texas at Austin* (11, 2, p. 131) Article

G88-022 Optimal Control of Supersonic Inlet/Engine Combination. Jiahn-Bo Yarn and Yan-Shen Guan, *Northwestern Polytechnical University, China* (11, 2, p. 137) Article

G88-023 Preview Control Pilot Model for Near-Earth Maneuvering Helicopter Flight. R. A. Hess and K. K. Chan, *University of California, Davis* (11, 2, p. 146) Article based on AIAA Paper 86-2252 CP869

G88-024 Adaptive Filtering of Biodynamic Stick Feedthrough in Manipulation Tasks On Board Moving Platforms. M. Velger, A. Grunwald and S. Merhav, *Technion--Israel Institute of*

Technology (11, 2, p. 153) Article based on AIAA Paper 86-2248 CP869

G88-025 Identification of Pilot Dynamics in a System with a Choice of Feedback Structures. Norihiro Goto and Takumi Matsuo, *Kyushu University, Japan* (11, 2, p. 159) Article based on AIAA Paper 86-2250 CP869

G88-026 Estimation of Small Perturbations in an Inertial Sensor. Pedro E. Zadunaisky and Ricardo S. Sanchez Peña, *IIAE-Centro Espacial San Miguel, Argentina* (11, 2, p. 167) Article

G88-027 Simulation of a Random Differential Equation. M. Rehak and H. Benaroya, *Weidlinger Associates* (11, 2, p. 173) Article

G88-028 Simple Computational Technique for Determining Angle-of-Attack Convergence of Conical Re-entry Vehicles. Richard Maurer and Dennis Hall, *Massachusetts Institute of Technology* (11, 2, p. 179) Engineering Note

G88-029 Kalman Filtering for Second-Order Models. Hamid R. Hashemipour, *Tau Corporation*; and Alan J. Laub, *University of California, Santa Barbara* (11, 2, p. 181) Engineering Note

G88-030 Optimal Estimation of Local Orbit from GPS Measurements. Roberto V. F. Lopes and Hélio K. Kuga, *Instituto de Pesquisas Espaciais, Brazil* (11, 2, p. 186) Engineering Note

G88-031 Calculation of Geodetic Coordinates from Earth-Centered, Earth-Fixed Coordinates. Karl Donald Olson II, *Pacific Missile Test Center* (11, 2, p. 188) Engineering Note

G88-033 CEP Calculations for a Rocket with Different Control Systems. Gregor Gregoriou, *ENVIRO GmbH, FRG* (11, 3, p. 193) Article based on AIAA Paper 86-2041 CP869

G88-034 Effects of Strapdown Seeker Scale-Factor Uncertainty on Optimal Guidance. Warren, W. Willman, *U. S. Naval Weapons Center* (11, 3, p. 199) Article

G88-035 Input Selection for a Second-Order Mass Property Estimator. Robert F. Richfield, *U. S. Army Missile Command, Redstone Arsenal*; Bruce K. Walker, *University of Cincinnati*; and Edward V. Bergmann, *Charles Stark Draper Laboratory, Inc.* (11, 3, p. 207) Article based on AIAA Paper 86-1983 CP869

G88-036 Application of Parameter Estimation to Highly Unstable Aircraft. Richard E. Maine and James E. Murray, *NASA Ames Research Center* (11, 3, p. 213) Article based on AIAA Paper 86-2020 CP869

G88-037 Design of a Multivariable Flutter Suppression/Gust Load Alleviation System. B. S. Liebst, W. L. Garrard and Jerome A. Farm, *University of Minnesota* (11, 3, p. 220) Article based on AIAA Paper 86-2247 CP869

G88-038 Microprocessor Controlled Force Actuator. D. C. Zimmerman, *State University of New York at Buffalo*; G. C. Horner, *NASA Langley Research Center*; and D. J. Inman, *State University of New York at Buffalo* (11, 3, p. 230) Article

G88-039 Control Theoretic Approach to Inertial Navigation Systems. I. Y. Bar-Itzhack and N. Berman, *Technion-Israel Institute of Technology* (11, 3, p. 237) Article

G88-040 Inflight Observability of Gyro Reference Frame Misalignment. Whittak H. Huang, *Martin Marietta Corporation* (11, 3, p. 246) Article based on AIAA Paper 86-2151 CP869

G88-041 Computer-Aided Control Systems Design Technique with Applications to Aircraft Flying Qualities. L. R. Pujara, *Wright State University* (11, 3, p. 250) Article

G88-042 Minimum Model Error Estimation for Poorly Modeled Dynamic Systems. Joseph D. Mook, *State University of New York at Buffalo*; and John L. Junkins, *Texas A&M University* (11, 3, p. 256) Article based on AIAA Paper 87-0173 Errata (11, 5, p. 480)

G88-043 Variable-Structure Control of Spacecraft Attitude Maneuvers. Thomas A. W. Dwyer III and Herbertt Sira-Ramirez, *University of Illinois* (11, 3, p. 262) Article

G88-044 Active Vibration Control Synthesis for the Control of Flexible Structures Mast Flight System. Bong Wie, *University of Texas at Austin* (11, 3, p. 271) Article based on AIAA Paper 87-2322 CP878

G88-045 Triangularization of Equations of Motion for Robotic Systems. Dan E. Rosenthal, *Symbolic Dynamics* (11, 3, p. 278) Engineering Note

G88-046 Algorithm to Generate Geodetic Coordinates from Earth-Centered Earth-Fixed Coordinates. Atul Nautiyal, *Defence Research and Development Laboratory, India* (11, 3, p. 281) Engineering Note

G88-047 Evaluation of Image Stability of a Precision Pointing Spacecraft. Hari B. Hablani, *Rockwell International* (11, 3, p. 283) Engineering Note

G88-048 Principal Coordinate Realization of State Estimation and Its Application to Order Reduction. Yoshikazu Miyazawa and Earl H. Dowell, *Duke University* (11, 3, p. 286) Engineering Note

G88-049 Application of Frequency-Domain Handling Qualities Criteria to the Longitudinal Landing Task. Shahan K. Sarrafian and Bruce G. Powers, *NASA Ames Research Center* (11, 4, p. 291) Synoptic based on AIAA Paper 85-1848 CP856

G88-050 Cruise-Dash-Climb Analysis of an Airbreathing Missile. David F. Chichka, *Atlantic Research Corporation*; Uday, J. Shankar, *RCA*; Eugene, M. Cliff and Henry J. Kelley, *Virginia Polytechnic Institute and State University* (11, 4, p. 293) Article based on AIAA Paper 87-2512 CP878

G88-051 Optimal Evasion with a Path-Angle Constraint and Against Two Pursuers. Joseph Ben-Asher, Eugene, M. Cliff and Henry J. Kelley, *Virginia Polytechnic Institute and State University* (11, 4, p. 300) Article

G88-052 Singular Optimal Atmospheric Rocket Trajectories. Renjith Kumar and Henry J. Kelley, *Virginia Polytechnic Institute and State University* (11, 4, p. 305) Article

G88-053 Series Representations and Rational Approximations for Hansen Coefficients. R. J. Proulx and W. D. McClain, *Charles Stark Draper Laboratory, Inc.* (11, 4, p. 313) Article

G88-054 Gamma Guidance Schemes for Flight in a Windshear. A. Miele and T. Wang, *Rice University*; W. W. Melvin, *Delta Airlines*; and R. L. Bowles, *NASA Langley Research Center* (11, 4, p. 320) Article based on AIAA Paper 86-0564

G88-055 Reduced-Order Compensation: Linear-Quadratic Reduction Versus Optimal Projection. S. W. Greeley and D. C. Hyland, *Harris Corporation* (11, 4, p. 328) Article

G88-056 Clutter Effect on the Miss Distance of a Radar Homing Missile. Susumu Miwa, *Tokyo Denki University, Japan*;

Fumiaki Imado and Takeshi Kuroda, *Mitsubishi Electric Corporation, Japan* (11, 4, p. 336) Article based on AIAA Paper 87-2449 CP878

G88-057 Propellant Interaction with the Payload Control System of Dual-Spin Spacecraft. Loren I. Slafer and A. Dorian Challoner, *Hughes Aircraft Company* (11, 4, p. 343) Article

G88-058 Optimal Payload Lofting with Tethers. William E. Wiesel, *U. S. Air Force Institute of Technology, Wright-Patterson AFB* (11, 4, p. 352) Article

G88-059 Some Approximations for the Dynamics of Spacecraft Tethers. A. H. von Flotow, *Massachusetts Institute of Technology* (11, 4, p. 357) Article

G88-060 Stabilization of Computational Procedures for Constrained Dynamical Systems. K. C. Park and J. C. Chiou, *University of Colorado* (11, 4, p. 365) Article

G88-061 Discrete Optimal Tracking with Prescribed Disturbances. M. Shefer, *Ministry of Defence, Israel* (11, 4, p. 371) Engineering Note

G88-062 Molniya Orbits Obtained by the Two-Burn Method. Abraham D. Stone and R. F. Brodsky, *TRW Space and Technology Group* (11, 4, p. 372) Engineering Note

G88-063 Optimal Proportional Navigation. Ciann-Dong Yang and Fang-Bo Yeh, *National Cheng Kung University, Taiwan, ROC* (11, 4, p. 375) Engineering Note

G88-064 Dynamics and Control of a Space Platform with a Tethered Subsatellite. Fan Ruying, *Beijing Institute of Control Engineering, China*; and Peter M. Bainum, *Howard University* (11, 4, p. 377) Engineering Note

G88-065 Vector Representation of Finite Rotations. James C. Wilcox, *TRW Space and Technology Group* (11, 4, p. 381) Engineering Note

G88-066 Spin Rate Variations of Spin-Stabilized Apogee Motors in Thrust Phase. V. Adimurthy and Pradeep Kumar, *Vikram Sarabhai Space Centre, India*; and S. Lakshminarayanan, *Vikram Sarabhai Space Center, India* (11, 4, p. 382) Engineering Note

G88-067 Artificial Intelligence Design Challenge--Background, Analysis, and Relative Performance of Algorithms. Owen L. Deutsch, *Charles Stark Draper Laboratory, Inc.* (11, 5, p. 386) Article based on AIAA Paper 87-2339 CP878

G88-068 Efficiency-Guided Method for Traveling-Salesman-Like Resource Allocation Problems. William H. Press, *Harvard University*; and Curtis G. Callan Jr., *Princeton University* (11, 5, p. 394) Article based on AIAA Paper 87-2334 CP878

G88-069 Multiple Algorithm Solution to the Artificial Intelligence Design Challenge. Karl W. Doty, *The Aerospace Corporation* (11, 5, p. 397) Article based on AIAA Paper

G88-070 Rapid Solution of Constrained Traveling Salesman Problems. Clifford D. DeJong, *Kaman Sciences Corporation* (11, 5, p. 403) Article based on AIAA Paper 87-2332 CP878

G88-071 Weighted Hamiltonian Augmentation Method Involving Insertions. Roy W. Dahl, Karen Keating and Laurence Levy, *DISTINCT Management Consultants*; Daryl J. Salamone, *University of Maryland*; Barindra Nag, *Towson State University*; and Joan A. Sanborn, *NASA Goddard Space Flight Center* (11, 5, p. 412) Article based on AIAA Paper 87-2333 CP878

G88-072 Birth of a Salesman. John J. Shaw, Ronald M. James and Daniel B. Grunberg, *ALPHATECH, Inc.* (11, 5, p. 415) Article based on AIAA Paper 87-2335 CP878

G88-073 Brute Force and Artificial Intelligence. David Barry Schaechter, *Lockheed Palo Alto Research Laboratory* (11, 5, p. 421) Article based on AIAA Paper 87-2337 CP878

G88-074 Expert Systems Approach for Generalized Traveling Salesman Problem. Yuval Lirov, *Washington University* (11, 5, p. 425) Article based on AIAA Paper 87-2328 CP878

G88-075 Solution to the Traveling Salesman Problem Using Heuristic Function Maximization. Chien Y. Huang, *Grumman Aerospace Corporation*; and Stephen H. Lane, *Princeton University* (11, 5, p. 430) Article based on AIAA Paper 87-2338 CP878

G88-076 Branch-and-Cut Approach to a Variant of the Traveling Salesman Problem. Manfred Padberg, *New York University*; and Giovanni Rinaldi, *Istituto di Analisi dei Sistemi ed Informatica del CNR, Italy* (11, 5, p. 436) Article based on AIAA Paper 87-2331 CP878

G88-077 Theoretical and Experimental Investigation of Space-Realizable Inertial Actuation for Passive and Active Structural Control. David W. Miller and Edward F. Crawley, *Massachusetts Institute of Technology* (11, 5, p. 449) Article

G88-078 Reduced-Order Modeling of Flexible Structures. Jayant V. Ramakrishnan, S. Vittal Rao and Leslie R. Koval, *University of Missouri--Rolla* (11, 5, p. 459) Article

G88-079 Pilot/Vehicle Analysis of a Twin-Lift Helicopter Configuration in Hover. R. A. Hess and P. M. Tran, *University of California, Davis* (11, 5, p. 465) Article based on AIAA Paper 87-0345

G88-080 Finite-Time Matrix Convolution Integral Sensitivity Calculations. James D. Turner, *Cambridge Research*; Achille Messac, *Charles Stark Draper Laboratory, Inc.*; and John L. Junkins, *Virginia Polytechnic Institute and State University* (11, 5, p. 473) Article

G88-081 Low-Thrust Insertion into Orbit around Mars. S. A. Parvez, *GTE Spacenet Corporation*; and J. M. L. Holman, *RCA Aerospace and Defense* (11, 5, p. 475) Engineering Note based on AIAA Paper 87-0093

G88-082 Tethered Subsatellite Swinging from Atmospheric Gradients. Junjiro Onoda and Naoyuki Watanabe, *The Institute of Space and Astronautical Science, Japan* (11, 5, p. 477) Engineering Note

G88-083 Heuristic Approach to the Artificial Intelligence Design Challenge. Ting-Yi Sung, Her-Jiun Sheu and Denis Naddef, *New York University* (11, 5, p. 406) Article based on AIAA Paper 87-2336 CP878

G88-084 Advantages of Tether Release of Satellites from Elliptic Orbits. George A. Kyroudis, *TRW Space and Technology Group*; and Bruce A. Conway, *University of Illinois* (11, 5, p. 441) Article based on AIAA Paper 86-2276 CP869

G88-085 Miss Distance Analysis for Command Guided Missiles. Joel Alpert, *Massachusetts Institute of Technology, Lincoln Laboratory* (11, 6, p. 481) Article based on AIAA Paper 87-2582 CP878

G88-086 Exactly Solving the Weighted Time/Fuel Optimal Control of an Undamped Harmonic Oscillator. Marcelo Lopes de Oliveira e Souza, *Instituto de Pesquisas Espaciais, Brazil* (11, 6, p. 488) Article

G88-087 New Insights into Minimum-Variance Reduced-Order Filters. Roy H. Setterlund, *Charles Stark Draper Laboratory, Inc.* (11, 6, p. 495) Article

G88-088 Enhanced Assessment of Robustness for an Aircraft's Sliding Mode Controller. S. K. Mudge and R. J. Patton, *University of York, England, UK* (11, 6, p. 500) Article

G88-089 Failure Detection in Dynamic Systems with Modeling Errors. Dan T. Horak, *Allied-Signal Aerospace Company* (11, 6, p. 508) Article based on AIAA Paper 87-2604 CP878

G88-090 Advanced Detection, Isolation, and Accommodation of Sensor Failures--Real-Time Evaluation. Walter C. Merrill, John C. DeLaat and William M. Bruton, *NASA Lewis Research Center* (11, 6, p. 517) Article

G88-091 Fundamental Approach to Equivalent Systems Analysis. Barton J. Bacon and David K. Schmidt, *Purdue University* (11, 6, p. 527) Article based on AIAA Paper 86-2128 CP869

G88-092 Loop Separation Parameter: A New Metric for Landing Flying Qualities. J. J. Martz and D. J. Biezad, *Aeronautical Systems Division, Wright-Patterson AFB*; and E. D. DiDominico, *U. S. Air Force Test Pilot School, Edwards AFB* (11, 6, p. 535) Article based on AIAA Paper 87-2536 CP878

G88-093 Maneuver and Vibration Control of SCOLE. R. D. Quinn and L. Meirovitch, *Virginia Polytechnic Institute and State University* (11, 6, p. 542) Article

G88-094 Pole-Zero Modeling of Flexible Space Structures. Bong Wie, *University of Texas at Austin*; and Arthur E. Bryson Jr., *Stanford University* (11, 6, p. 554) Article

G88-095 Block-Krylov Component Synthesis Method for Struc-

tural Model Reduction. Roy R. Craig Jr., *University of Texas at Austin*; and Arthur L. Hale, *General Dynamics Space Systems Division* (11, 6, p. 562) Article

G88-096 Identification Method for Lightly Damped Structures. Nelson G. Creamer, *General Research Corporation*; and John L. Junkins, *Texas A&M University* (11, 6, p. 571) Article

G88-097 Gyrostat Trajectories and Core Energy. M. Guelman, *International Telecommunications Satellite Organization* (11, 6, p. 577) Article

G88-098 Efficient Inclination Control for Geostationary Satellites. D. D. Slavinskas, H. Dabbaghi and W. J. Benden, *AT&T Bell Laboratories*; and G. K. Johnson, *AT&T-Communications* (11, 6, p. 584) Article based on AIAA Paper 85-0216

G88-099 Identity Between INS Position and Velocity Error Equations in the True Frame. I. Y. Bar-Itzhack and D. Goshen-Meskin, *Technion--Israel Institute of Technology* (11, 6, p. 590) Engineering Note

G88-100 Singular Perturbation and Time Scale Approaches in Discrete Control Systems. D. S. Naidu, *Old Dominion University*; and D. B. Price, *NASA Langley Research Center* (11, 6, p. 592) Engineering Note

G88-101 Extensional Oscillations of Tethered Satellite Systems. A. K. Misra, *McGill University, Canada*; and V. J. Modi, *University of British Columbia, Canada* (11, 6, p. 594) Engineering Note based on AIAA Paper 86-2274 CP867

G88-102 Dynamic Simulation of Spin-Stabilized Spacecraft with Sloshing Fluid Stores. Daniel E. Hill and Joseph, R. Baumgarten, *Iowa State University*; and John T. Miller, *Arnold Engineering Development Center* (11, 6, p. 597) Engineering Note

U.S. Postal Service STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION Required by 39 U.S.C. 3685		
1A. Title of Publication Journal of Guidance, Control, and Dynamics	1B. PUBLICATION NO. 4 4 0 1 0	2. Date of Filing 9-30-88
3. Frequency of Issue Bimonthly	3A. No. of Issues Published Annually 6	3B. Annual Subscription Price \$23.00
4. Complete Mailing Address of Known Office of Publication (Street, City, County, State and ZIP+4 Code) (Do not print)		
370 L'Enfant Promenade, S.W. Washington, D. C. 20024		
5. Complete Mailing Address of the Headquarters of General Business Office of the Publisher (Do not print)		
(same as above)		
6. Full Names and Complete Mailing Address of Publisher, Editor, and Managing Editor (This line MUST NOT be blank)		
Publisher (Name and Complete Mailing Address) American Institute of Aeronautics and Astronautics, Inc. (same as above)		
Editor (Name and Complete Mailing Address) Donald C. Fraser (same as above)		
Managing Editor (Name and Complete Mailing Address) William F. O'Connor (same as above)		
7. Owner (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Do not print)		
Full Name American Institute of Aeronautics and Astronautics, Inc.		
Complete Mailing Address same as above		
8. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages or Other Securities (If there are none, so state)		
None		
9. For Completion by Nonprofit Organizations Authorized to Mail at Special Rates (GSM Section 402.12 only) The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes (Check one) (1) <input checked="" type="checkbox"/> Has Not Changed During Preceding 12 Months (2) <input type="checkbox"/> Has Changed During Preceding 12 Months (If changed, publisher must submit explanation of change with this statement.)		
10. Extent and Nature of Circulation (Do not print on reverse side)		
A. Total No. Copies (Net Press Run)	3417	3500
B. Paid and/or Requested Circulation 1. Sales Through Dealers and Carriers, Street Vendors and Counter Sales	—	—
2. Mail Subscriptions (Paid and/or requested)	2988	3100
C. Total Paid and/or Requested Circulation (Sum of B1 and B2)	2988	3100
D. Free Distribution by Mail, Carrier or Other Means Samples, Complimentary, and Other Free Copies	127	127
E. Total Distribution (Sum of C and D)	3115	3227
F. Copies Not Distributed 1. Office use, left over, unsold, spoiled after printing	302	273
2. Return from News Agents	—	—
G. TOTAL (Sum of E, F1 and F2—should equal net press run shown in A)	3417	3500
11. I certify that the statements made by me above are correct and complete		
Signature and Title of Editor, Publisher, Business Manager, or Owner		Controller