

# Chronological Index

**G90-167 Effect of Thrust/Speed Dependence on Long-Period Dynamics in Supersonic Flight.** Gottfried Sachs, *Technische Universität München, Germany* (13, 6, p. 1163) Engineering Note

Technical Comment by Robert F. Stengel, *Princeton University* (15, 3, p. 795)

Reply (15, 3, p. 797)

**G91-039 Sensor Placement for On-Orbit Modal Identification and Correlation of Large Space Structures.** Daniel C. Kammer, *University of Wisconsin* (14, 2, p. 251) Article

Technical Comment by Wendy L. Poston, *George Washington University* (15, 6, p. 1513)

Reply (15, 6, p. 1514)

**G92-001 Smart End Effector for Dexterous Manipulation in Space.** Kazuo Machida, Yoshitsugu Toda and Toshiaki Iwata, *Ministry of International Trade and Industry, Japan*; and Tadashi Komatsu, *Toshiba Corporation* (15, 1, p. 10) Article based on AIAA Paper 90-3434 CP909

**G92-002 Self-Tuning Control of Attitude and Momentum Management for the Space Station.** X. M. Zhao and L. S. Shieh, *University of Houston*; J. W. Sunkel, *NASA Johnson Space Center*; and Z. Z. Yuan, *University of Nankai, PRC* (15, 1, p. 17) Article

**G92-003 Nonlinear Feedback Deployment and Retrieval of Tethered Satellite Systems.** Euisok Kim and Srinivas R. Vadali, *Texas A&M University* (15, 1, p. 28) Article based on AIAA Paper 90-3460 CP909

**G92-004 Monte Carlo Analysis of Satellite Beam Pointing Errors.** Robert O. Hughes, *General Electric Company* (15, 1, p. 35) Article based on AIAA Paper 89-3606 CP899

**G92-005 Actuator Placement in Structural Control.** K. Choe and H. Baruh, *Rutgers University* (15, 1, p. 40) Article based on AIAA Paper 90-3465 CP909

**G92-006 Method for Optimal Actuator and Sensor Placement for Large Flexible Structures.** K. B. Lim, *NASA Langley Research Center* (15, 1, p. 49) Article based on AIAA Paper 90-3466 CP909

**G92-007 Robustness of Positive Real Controllers for Large Space Structures.** G. L. Slater, Albert B. Bosse and Q. Zhang, *University of Cincinnati* (15, 1, p. 58) Article based on AIAA Paper 89-3534 CP899

**G92-008 Coupled Modal Sliding Mode Control of Vibration in Flexible Structures.** C. K. Kao and A. Sinha, *Pennsylvania State University* (15, 1, p. 65) Article based on AIAA Paper 90-3360 CP909

**G92-009 Control Synthesis for Flexible Space Structures Excited by Persistent Disturbances.** Bong Wie, *Arizona State University*; and Marcelo Gonzalez, *University of Texas at Austin* (15, 1, p. 73) Article based on AIAA Paper 90-3427 CP909

**G92-010 Robustness Characteristics of Optimum Structural/Control Design.** N. S. Khot and D. E. Velez, *Flight Dynamics Laboratory, Wright-Patterson AFB* (15, 1, p. 81) Article based on AIAA Paper 90-3358 CP909

**G92-011 Integrated System Identification and State Estimation for Control of Flexible Space Structures.** Chung-Wen Chen and Jen-Kuang Huang, *Old Dominion University*; Minh Phan and Jer-Nan Juang, *NASA Langley Research Center* (15, 1, p. 88) Article based on AIAA Paper 90-3470 CP909

**G92-012 Closed-Loop Soft-Constrained Time-Optimal Control of Flexible Space Structures.** M. Bikdash, E. M. Cliff and A. H. Nayfeh, *Virginia Polytechnic Institute and State University* (15, 1, p. 96) Article

**G92-013 Zero-Residual-Energy, Single-Axis Slew of Flexible Spacecraft Using Thrusters: Dynamics Approach.** Hari B. Hablani, *Rockwell International* (15, 1, p. 104) Article

**G92-014 Light Impulsive Damping of Spacecraft Exhibiting Normal Mode Behavior.** Larry Silverberg, *North Carolina State University* (15, 1, p. 114) Article

**G92-015 Order- $n$  Formulation of Extrusion of a Beam with Large Bending and Rotation.** Arun K. Banerjee, *Lockheed Missiles & Space Company* (15, 1, p. 121) Article based on AIAA Paper 90-1235 CP903

**G92-016 Nonlinear Strain-Displacement Relations and Flexible Multibody Dynamics.** Carlos E. Padilla and Andreas H. von Flotow, *Massachusetts Institute of Technology* (15, 1, p. 128) Article

**G92-017 Separation Dynamics of Strap-On Boosters.** Rajeev Lochan and V. Adimurthy, *Vikram Sarabhai Space Centre, India*; and K. Kumar, *Indian Institute of Technology* (15, 1, p. 137) Article

**G92-018 Aeroelastic Stability of Slender, Spinning Missiles.** D. H. Platus, *The Aerospace Corporation* (15, 1, p. 144) Article based on AIAA Paper 89-3393 CP898

**G92-019 Estimation of Gyroscope Polhode Motion Using Trapped Magnetic Flux.** Clark E. Cohen, G. M. Keiser and Bradford W. Parkinson, *Stanford University* (15, 1, p. 152) Article based on AIAA Paper 90-3419 CP909

**G92-020 Use of a Velocity Command Motor as a Reaction Mass Actuator.** Jeffrey L. Sulla, *Lockheed Engineering and Sciences Company*; Jer-Nan Juang and Lucas G. Horta, *NASA Langley Research Center* (15, 1, p. 159) Article based on AIAA Paper 90-1227 CP903

**G92-021 Analysis of a Nutation Damper for a Two-Degree-of-Freedom Gyroscope.** C. O. Chang and I. P. Wang, *National Taiwan University, Taiwan, ROC* (15, 1, p. 165) Article

**G92-022 Image Fusion Algorithms for Tracking Maneuvering Targets.** R. G. Hutchins, *ORINCON Corporation*; and D. D. Sworder, *University of California, San Diego* (15, 1, p. 175) Article

**G92-023 Analytic Study of Biased Proportional Navigation.** Pin-Jar Yuan and Jeng-Shing Chern, *Chung Shan Institute of Science and Technology, Taiwan, ROC* (15, 1, p. 185) Article

**G92-024 Game Optimal Guidance Law Synthesis for Short Range Missiles.** A. Green and J. Shinar, *Technion—Israel Institute of Technology*; and M. Guelman, *RAFAEL, Ministry of Defense, Israel* (15, 1, p. 191) Article

**G92-025 Application of Sparse Nonlinear Programming to Trajectory Optimization.** John T. Betts and William P. Huffman, *Boeing Computer Services* (15, 1, p. 198) Article

**G92-026 Parametric Robust Control by Quantitative Feedback Theory.** Osita Nwokah, *Purdue University*; Suhada Jayasuriya, *Texas A&M University*; and Yossi Chait, *University of Massachusetts* (15, 1, p. 207) Article

**G92-027 Optimum Vehicle Acceleration Profile for Minimum Human Injury.** Charles P. Hatsell, *Armstrong Laboratory, Brooks AFB* (15, 1, p. 215) Article

**G92-028 Synthesis of a Helicopter Full-Authority Controller.** M. W. Heiges, *Bell Helicopter Textron, Inc.*; P. K. A. Menon and D. P. Schrage, *Georgia Institute of Technology* (15, 1, p. 222) Article

**G92-029 Nonlinear Aircraft Tracking Filter Utilizing Control Variable Estimation.** D. Joseph Mook and In-Ming Shyu, *State University of New York at Buffalo* (15, 1, p. 228) Article

**G92-030 Aircraft Flight Controls Design Using Output Feedback.** B. L. Stevens, *Georgia Tech Research Institute*; F. L. Lewis, *University of Texas at Arlington*; and F. Al-Sunni, *Georgia Institute of Technology* (15, 1, p. 238) Article

**G92-031 Probabilistic Reasoning for Intelligent Wind Shear Avoidance.** D. Alexander Stratton and Robert F. Stengel, *Princeton University* (15, 1, p. 247) Article based on AIAA Paper 90-3437 CP909

**G92-032 Gamma Guidance of Trajectories for Coplanar, Aero-assisted Orbital Transfer.** A. Miele and T. Wang, *Rice University* (15, 1, p. 255) Article

**G92-033 Results in Orbital Evolution of Objects in the Geosynchronous Region.** Larry Jay Friesen and Albert A. Jackson IV, *Lockheed Engineering and Sciences Company*; Herbert A. Zook and Donald J. Kessler, *NASA Johnson Space Center* (15, 1, p. 263) Article

**G92-034 Solutions of True Proportional Navigation for Maneuvering and Nonmaneuvering Targets.** Pin-Jar Yuan and Jeng-Shing Chern, *Chung Shan Institute of Science and Technology, Taiwan, ROC* (15, 1, p. 268) Engineering Note

**G92-035 Ground-Based Implementation and Verification of Control Laws for Tethered Satellites.** David A. Gwaltney, *NASA Langley Research Center*; and Michael E. Greene, *Auburn University* (15, 1, p. 271) Engineering Note

**G92-036 Estimating Damping in Higher Order Dynamic Systems.** James W. Banham, *Drexel University* (15, 1, p. 273) Engineering Note

**G92-037 Use of the Work-Energy Rate Principle for Designing Feedback Control Laws.** H.-S. Oh, S. R. Vadali and J. L. Junkins, *Texas A&M University* (15, 1, p. 275) Engineering Note

**G92-038 Kane's Equations, Lagrange's Equations, and Virtual Work.** Miles A. Townsend, *University of Virginia* (15, 1, p. 277) Engineering Note

**G92-039 Stabilizing Control for Second-Order Models and Positive Real Systems.** Judith D. Gardiner, *Ohio State University* (15, 1, p. 280) Engineering Note

**G92-040 Measurement of the Passive Attitude Control Performance of a Recovered Spacecraft.** J. C. Gregory, *University of Alabama in Huntsville*; and P. N. Peters, *NASA Marshall Space Flight Center* (15, 1, p. 282) Engineering Note

**G92-041 Observability Under Recurrent Loss of Data.** Rogelio Luck, *Mississippi State University*; Asok Ray, *Pennsylvania State University*; and Yoram Halevi, *Technion—Israel Institute of Technology* (15, 1, p. 284) Engineering Note

**G92-042 Goddard Problem with Constrained Time of Flight.** Panagiotis Tsiotras and Henry J. Kelley, *Virginia Polytechnic Institute and State University* (15, 2, p. 289) Article

**G92-043 Rotor-Pendulum Model for the Perigee Assist Module Nutation Anomaly.** A. C. Or, *Hughes Aircraft Company* (15, 2, p. 297) Article

**G92-044 Orbit Determination by Solving for Gravity Parameters with Multiple Arc Data.** Jiun-Tsong Wu, *Jet Propulsion Laboratory, California Institute of Technology* (15, 2, p. 304) Article

**G92-045 Control of Flexible Spacecraft with Time-Varying Configuration.** Leonard Meirovitch and Moon Kyu Kwak, *Virginia Polytechnic Institute and State University* (15, 2, p. 314) Article

**G92-046 Adaptive Control Applied to Momentum Unloading Using the Low Earth Orbital Environment.** T. F. Burns, *TRW, Inc.*; and H. Flashner, *University of Southern California* (15, 2, p. 325) Article based on AIAA Paper 89-3472 CP899

**G92-047 Effect of Model Error on Sensor Placement for On-Orbit Modal Identification of Large Space Structures.** Daniel C. Kammer, *University of Wisconsin* (15, 2, p. 334) Article based on AIAA Paper 91-1180 CP911

**G92-048 Robust Momentum Management and Attitude Control System for the Space Station.** Ihnseok Rhee and Jason L. Speyer, *University of Texas at Austin* (15, 2, p. 342) Article

**G92-049 Spacecraft In-Orbit Identification Using Eigensystem Realization Methods.** J. E. Cooper and J. R. Wright, *University of Manchester, England, UK* (15, 2, p. 352) Article

**G92-050 Time-Optimal Slewing of Flexible Spacecraft.** Joseph Ben-Asher, John A. Burns and Eugene M. Cliff, *Virginia Polytechnic Institute and State University* (15, 2, p. 360) Article

**G92-051 Sensitivity of the Transmission Zeros of Flexible Space Structures.** Trevor Williams, *University of Cincinnati*; and Jer-Nan Juang, *NASA Langley Research Center* (15, 2, p. 368) Article

**G92-052 Adaptive Simulator Motion Software with Supervisory Control.** M. A. Nahon, *Aercol Ltd., Canada*; L. D. Reid and J. Kirdeikis, *University of Toronto, Canada* (15, 2, p. 376) Article based on AIAA Paper 90-3133 CP9010

**G92-053 Fault Diagnosis for the Space Shuttle Main Engine.** Ahmet Duyar, *Florida Atlantic University*; and Walter Merrill, *NASA Lewis Research Center* (15, 2, p. 384) Article

**G92-054 Active Damping by a Local Force Feedback with Piezoelectric Actuators.** André Preumont, Jean-Paul Dufour and Christian Malékian, *Free University of Brussels, Belgium* (15, 2, p. 390) Article

**G92-055 Design, Manufacture, and Application to Space Robotics of Distributed Piezoelectric Film Sensors.** S. A. Collins, C. E. Padilla, R. J. Notestine and A. H. von Flotow, *Massachusetts Institute of Technology*; E. Schmitz and M. Ramey, *Martin Marietta Space Systems* (15, 2, p. 396) Article based on AIAA Paper 90-0949 CP902

**G92-056 Performance Improvement of a Dynamically Tuned Gyroscope Using an Input Compensator.** Taesam Kang, Jang Gyu Lee and Chan Gook Park, *Seoul National University, Korea* (15, 2, p. 404) Article based on AIAA Paper 90-3418 CP909

**G92-057 Probabilities of Escape, Re-Entry, and Orbit Decay Due to Misdirected Injection Maneuvers.** James M. Longuski, *Purdue University* (15, 2, p. 410) Article based on AIAA Paper 88-4245mCP8811

**G92-058 Optimal Output Feedback for Linear Time-Periodic Systems.** Anthony J. Calise, Mark E. Wasikowski and Daniel P. Schrage, *Georgia Institute of Technology* (15, 2, p. 416) Article based on AIAA Paper 89-3574mCP899

**G92-059 Fuel Consumption in Optimal Control.** Jim Redmond and Larry Silverberg, *North Carolina State University* (15, 2, p. 424) Article

**G92-060 Wave-Absorbing Control for Flexible Structures with Noncollocated Sensors and Actuators.** Hironori Fujii, Toshiyuki Ohtsuka and Tsutomu Murayama, *Tokyo Metropolitan Institute of Technology, Japan* (15, 2, p. 431) Article based on AIAA Paper 89-3537 CP899

**G92-061 Parameter Sensitivity Reduction in Fixed-Order Dynamic Compensation.** Anthony J. Calise and Edward V. Byrns Jr., *Georgia Institute of Technology* (15, 2, p. 440) Article based on AIAA Paper 89-3458 CP899

**G92-062 Time-Optimal Aircraft Pursuit Evasion with a Weapon Envelope Constraint.** P. K. A. Menon, *Georgia Institute of Technology*; and E. L. Duke, *NASA Ames-Dryden Flight Research Facility* (15, 2, p. 448) Article

**G92-063 Reduced-Bandwidth Compensator Design via Control and Observation Normalization.** John R. Sesak and Kristin M. Strong, *Lockheed Missiles & Space Company, Inc.* (15, 2, p. 457) Article based on AIAA Paper 89-3431 CP899

**G92-064 Pulse-Width Equivalent to Pulse-Amplitude Discrete Control of Linear Systems.** Franco Bernelli-Zazzera and Paolo Mantegazza, *Politecnico di Milano, Italy* (15, 2, p. 461) Article

**G92-065 Optimal Control of Two-Time-Scale Systems with State-Variable Inequality Constraints.** A. J. Calise and J. E. Corban, *Georgia Institute of Technology* (15, 2, p. 468) Article based on AIAA Paper 90-3450 CP909

**G92-066 Near-Minimum-Time Control of a Flexible Manipulator.** N. K. Hecht and J. L. Junkins, *Texas A&M University* (15, 2, p. 477) Article based on AIAA Paper 90-2916 CP907

**G92-067 Flight Investigation of Variations in Rotorcraft Control and Display Dynamics for Hover.** Michelle M. Eshow, *NASA Ames Research Center* (15, 2, p. 482) Article based on AIAA Paper 90-3482 CP909

**G92-068 High-Alpha Application of Variable-Gain Output Feedback Control.** Aaron J. Ostroff, *NASA Langley Research Center* (15, 2, p. 491) Article based on AIAA Paper 89-3576 CP899

**G92-069 Abstract Model and Controller Design for an Unstable Aircraft.** Dale Enns, *Honeywell, Inc.*; Hitay Özbay, *Ohio State University*; and Allen Tannenbaum, *University of Minnesota* (15, 2, p. 498) Article

**G92-070 Improved Noise Rejection in Automatic Carrier Landing Systems.** D. Joseph Mook, Douglas A. Swanson and Michael J. Roemer, *State University of New York at Buffalo*; and Roger Noury, *Bell Aerospace TEXTRON* (15, 2, p. 509) Article based on AIAA Paper 90-3374 CP909

**G92-071 Smooth Blend of Time-Optimal and Linear Control.** C. A. Harvey, *University of Minnesota*; and D. J. Bugajski, *Honeywell, Inc.* (15, 2, p. 520) Engineering Note based on AIAA Paper 90-3422 CP909

**G92-072 Projective Formulation of Maggi's Method for Non-holonomic Systems Analysis.** Wojciech Blajer, *Technical University of Radom, Poland* (15, 2, p. 522) Engineering Note

**G92-073 Probing Behavior in Certain Optimal Perturbation Control Laws.** Warren W. Willman, *Naval Weapons Center* (15, 2, p. 525) Engineering Note

**G92-074 Deployment of a Flexible Beam from an Oscillating Base.** Nelson G. Creamer, *Swales and Associates, Inc.* (15, 2, p. 527) Engineering Note based on AIAA Paper 90-1239 CP903

**G92-075 Eigenstructure Assignment for the Extended Medium Range Air-to-Air Missile.** Kenneth Sobel, *City College of New York*; and James R. Cloutier, *U.S. Air Force Wright Laboratories, Eglin AFB* (15, 2, p. 529) Engineering Note

**G92-076 Eigensystem Assignment with Output Feedback.** Peiman G. Maghami, Jer-Nan Juang and Kyong B. Lim, *NASA Langley Research Center* (15, 2, p. 531) Engineering Note based on AIAA Paper 89-3608 CP899

**G92-077 Decomposition Method for Solving Weakly Coupled Algebraic Riccati Equation.** Wu Chung Su, *Ohio State University*; and Zoran Gajic, *Rutgers University* (15, 2, p. 536) Engineering Note

**G92-078 Small Gain Versus Positive Real Modeling of Real Parameter Uncertainty.** Dennis S. Bernstein, *University of Michigan*; Wassim M. Haddad, *Florida Institute of Technology*; and David C. Hyland, *Harris Corporation* (15, 2, p. 538) Engineering Note

**G92-079 Model Order Effects on the Transmission Zeros of Flexible Space Structures.** Trevor Williams, *University of Cincinnati* (15, 2, p. 540) Engineering Note

**G92-080 Survey of Nongravitational Forces and Space Environmental Torques: Applied to the Galileo.** James M. Longuski and Richard E. Todd, *Purdue University*; and Wolfgang W. König, *DFVLR, German Space Operations Center* (15, 3, p. 545) Article

**G92-081 High-Accuracy Attitude Determination for the X-Ray Satellite ROSAT.** T. Rupp and G. Schneiders, *Deutsche Forschungsanstalt für Luft- und Raumfahrt, German Space Operations Center* (15, 3, p. 554) Article based on AIAA Paper 90-3494 CP909

**G92-082 Autonomous Orbit Determination System for Earth Satellites.** Kerry D. Hicks and William E. Wiesel Jr., *U. S. Air Force Institute of Technology, Wright-Patterson AFB* (15, 3, p. 562) Article

**G92-083 Autonomous Spacecraft Navigation and Control for Comet Landing.** J. de Lafontaine, *European Space Agency, The Netherlands* (15, 3, p. 567) Article based on AIAA Paper 90-2911 CP907

**G92-084 Space Station Attitude Control and Momentum Management: A Nonlinear Look.** S. R. Vadali and H.-S. Oh, *Texas A&M University* (15, 3, p. 577) Article based on AIAA Paper 90-3353 CP909

**G92-085 Self-Balanced Modal Control for Spacecraft Using Thrusters and Adaptive Bandpass Filters.** Hari B. Hablani, *Rockwell International* (15, 3, p. 587) Article

**G92-086 Robust Time-Optimal Control of Uncertain Flexible Spacecraft.** Qiang Liu and Bong Wie, *Arizona State University* (15, 3, p. 597) Article based on AIAA Paper 91-2646

**G92-087 Integrated Control of Thermally Distorted Large Space Antennas.** Robert H. Tolson, *NASA Langley Research Center*; and Jen-Kuang Huang, *Old Dominion University* (15, 3, p. 605) Article based on AIAA Paper 91-0965 CP911

**G92-088 Clutch Friction Measurement.** Hartmut Bremer, *Technical University of Munich, FRG* (15, 3, p. 615) Article

**G92-089 Dynamics of a Tethered Satellite in Elliptical, Non-Equatorial Orbits.** Guido de Matteis, *University of Rome "La Sapienza," Italy* (15, 3, p. 621) Article based on AIAA Paper 91-0532

**G92-090 Nonlinear Oscillations of a Controlled Periodic System.** James W. Cole, *Minuteman Guidance and Control Laboratory, Hill AFB*; and Robert A. Calico, *U. S. Air Force Institute of Technology, Wright-Patterson AFB* (15, 3, p. 627) Article based on AIAA Paper 90-2970 CP907

**G92-091 Modal Analysis of Controlled Multilink Systems with Flexible Links and Joints.** Spring C. C. Hung and Cheng-I. Weng, *National Cheng Kung University, Taiwan, ROC* (15, 3, p. 634) Article

**G92-092 Robust Modal Identification/Estimation of the Mini-Mast Testbed.** Michael J. Roemer, *Lord Corporation*; and D. Joseph Mook, *State University of New York at Buffalo* (15, 3, p. 642) Article

**G92-093 Unified Approach to Inertial Navigation System Error Modeling.** Drora Goshen-Meskin and Itzhack Y. Bar-Itzhack, *Technion—Israel Institute of Technology* (15, 3, p. 648) Article

**G92-094 Local Control Design Methodologies for a Hierarchic Control Architecture.** Jonathan P. How and Steven R. Hall, *Massachusetts Institute of Technology* (15, 3, p. 654) Article based on AIAA Paper 91-2806

**G92-095 Finite Element Method for Optimal Guidance of an Advanced Launch Vehicle.** Dewey H. Hodges, Robert R. Bless, Anthony J. Calise and Martin Leung, *Georgia Institute of Technology* (15, 3, p. 664) Article  
Errata (15, 4, p. 1055)

**G92-096 Predictor-Corrector Guidance Algorithm for Use in High-Energy Aerobraking System Studies.** Robert D. Braun and Richard W. Powell, *NASA Langley Research Center* (15, 3, p. 672) Article based on AIAA Paper 91-0058

**G92-097 Robust Wind Shear Stochastic Controller-Estimator.** R. K. Prasanth, J. E. Bailey and K. Krishnakumar, *University of Alabama* (15, 3, p. 679) Article

**G92-098 Inverse and Optimal Control for Desired Outputs.** Etsuroh Sentoh and Arthur E. Bryson, *Stanford University* (15, 3, p. 687) Article based on AIAA Paper 90-3484 CP909

**G92-099 Decentralized Adaptive Robust Control and Its Applications to an Uncertain Flexible Beam.** Y. H. Chen, *Georgia Institute of Technology*; and E. D. Piontek, *Naval Air Test Center* (15, 3, p. 692) Article

**G92-100 Reduced-Order Multirate Compensator Synthesis.** Gregory S. Mason and Martin C. Berg, *University of Washington* (15, 3, p. 700) Article

**G92-101 Decomposition Approach to Solving the All-Up Trajectory Optimization Problem.** Todd J. Beltracchi, *The Aerospace Corporation* (15, 3, p. 707) Article based on AIAA Paper 90-0469

**G92-102 Maximum Likelihood State and Parameter Estimation Via Derivatives of the V-Lambda Filter.** Yaakov Oshman, *Technion—Israel Institute of Technology* (15, 3, p. 717) Article

**G92-103 Distributed Control and Simulation of a Bernoulli-Euler Beam.** Victor D. Lupi, *Massachusetts Institute of Technology*; Hon M. Chun and James D. Turner, *Photon Research Associates, Inc.* (15, 3, p. 727) Article

**G92-104 Control System Optimization Using Genetic Algorithms.** K. Krishnakumar, *University of Alabama*; and David E. Goldberg, *University of Illinois at Urbana-Champaign* (15, 3, p. 735) Article based on AIAA Paper 90-3488 CP909

**G92-105 Experiment of a Noncollocated Controller for Wave Cancellation.** Hironori Fujii and Toshiyuki Ohtsuka, *Tokyo Metropolitan Institute of Technology, Japan* (15, 3, p. 741) Article

**G92-106 Application of Linearization Analysis to Aircraft Dynamics.** B. Wigdorowitz, *University of Witwatersrand, South Africa* (15, 3, p. 746) Article

**G92-107 Control and Display Combinations for Blind Vertical Landings.** J. A. Schroeder and V. K. Merrick, *NASA Ames Research Center* (15, 3, p. 751) Article

**G92-108 Nonlinear Control Law with Application to High Angle-of-Attack Flight.** Daniel J. Bugajski and Dale F. Enns, *Honeywell Systems and Research Center* (15, 3, p. 761) Article based on AIAA Paper 90-3407 CP909

**G92-109 Analyzing the Flared Landing Task with Pitch-Rate Flight Control Systems.** Ronald A. Hess and Marduke Yousefpor, *University of California, Davis* (15, 3, p. 768) Article based on AIAA Paper 90-3483 CP909

**G92-110 Model Error Estimation by Ideal State Processing in Linear Kalman Filter.** S. K. Pillai, S. S. Balakrishnan, V. Seshagiri Rao and N. Narasaiah, *Indian Space Research Organization* (15, 3, p. 775) Article

**G92-111 Optimal Team Tactics.** A. W. Merz, *Lockheed Missiles & Space Company* (15, 3, p. 777) Engineering Note

**G92-112 Design of Low-Sensitivity Modalized Observers Using Left Eigenstructure Assignment.** S. P. Burrows and R. J. Patton, *University of York, England, UK* (15, 3, p. 779) Engineering Note

**G92-113 Pulse Response Method for Vibration Reduction in Periodic Dynamic Systems.** Carl R. Knospe and John Kenneth Haviland, *University of Virginia* (15, 3, p. 782) Engineering Note

**G92-114 Robust Flight Control System Design with Multiple Model Approach.** Yoshikazu Miyazawa, *National Aerospace Laboratory, Japan* (15, 3, p. 785) Engineering Note based on AIAA Paper 90-3411 CP911

**G92-115 Optimal Transfers Between Coplanar Elliptical Orbits.** Derek F. Lawden, *University of Aston, England, UK* (15, 3, p. 788) Engineering Note

**G92-116 Determining the Largest Hypersphere of Stability Using Lagrange Multipliers.** Kai S. Yeung and Karim Q. Chaid, *University of Texas at Arlington*; and Ho M. Lai, *DPA Labs, Inc.* (15, 3, p. 791) Engineering Note

**G92-119 Survey of Experiments and Experimental Facilities for Control of Flexible Structures.** Dean W. Sparks Jr. and Jer-Nan Juang, *NASA Langley Research Center* (15, 4, p. 801) Article

**G92-120 Spacecraft Dynamical Distribution of Fluid Stresses Activated by Gravity-Jitter-Induced Slosh Waves.** R. J. Hung and C. C. Lee, *University of Alabama in Huntsville*; and F. W. Leslie, *NASA Marshall Space Flight Center* (15, 4, p. 817) Article

**G92-121 Complicated Dynamics in Spacecraft Attitude Control Systems.** George E. Piper, *General Electric Company*; and Harry G. Kwatny, *Drexel University* (15, 4, p. 825) Article

**G92-122 Bifurcations and Routes to Chaos in Wave-Structure Interaction Systems.** Oded Gottlieb, *Oregon State University* (15, 4, p. 832) Article based on AIAA Paper 91-5021

**G92-123 Comparison of Two Dissimilar Modal Identification Techniques.** Richard S. Pappa, *NASA Langley Research Center*; Axel Schenk, Norbert Niedbal and Erhard Klusowski, *German Aerospace Research Establishment, FRG* (15, 4, p. 840) Article

**G92-124 Finite Element Approach for Transient Analysis of Multibody Systems.** Shih-Chin Wu, *Lockheed Engineering and Sciences Company*; Che-Wei Chang, *COMTEK*; and Jerrold M. Housner, *NASA Langley Research Center* (15, 4, p. 847) Article

**G92-125 Wideband Control of Gyro/Accelerometer Multi-sensors in a Strapdown Guidance System.** Pierre Constancis, *SAGEM, France*; and Michel Sorine, *Institut National de Recherche en Informatique et Automatique, France* (15, 4, p. 855) Article based on AIAA Paper 89-3441 CP899

**G92-126 Comparison of Six Robustness Tests Evaluating Missile Autopilot Robustness to Uncertain Aerodynamics.** Kevin A. Wise, *McDonnell Douglas Missile Systems Company* (15, 4, p. 861) Article

**G92-127 Optimization of Low-Altitude Global Communication Constellations.** Alexandr Andreevich Gutenev, *Dnieprcher-metavtomatika, Ukraine* (15, 4, p. 871) Article

**G92-128 On-Line Performance Evaluation of Multiloop Digital Control Systems.** Anthony S. Pototzky, *Lockheed Engineering and Sciences Company*; Carol Wieseman, Sherwood Tiffany Hoadley and Vivek Mukhopadhyay, *NASA Langley Research Center* (15, 4, p. 878) Article based on AIAA Paper 90-3501 CP909

**G92-129 High Performance, Accelerometer-Based Control of the Mini-MAST Structure.** Emmanuel G. Collins Jr., James A. King, Douglas J. Phillips and David C. Hyland, *Harris Corporation* (15, 4, p. 885) Article

**G92-130 Approach Guidance in a Downburst.** Yiyuan Zhao, *University of Minnesota*; and A. E. Bryson, *Stanford University* (15, 4, p. 893) Article

**G92-131 Parameter Identification of Linear Systems Based on Smoothing.** M. Idan and A. E. Bryson, *Stanford University* (15, 4, p. 901) Article based on AIAA Paper 90-2800 CP906

**G92-132 Optimal Mix of Passive and Active Control in Structures.** M. J. Smith, K. M. Grigoriadis and R. E. Skelton, *Purdue University* (15, 4, p. 912) Article

**G92-133 Robust Eigensystem Assignment for State Estimators Using Second-Order Models.** Jer-Nan Juang and Peiman G. Maghami, *NASA Langley Research Center* (15, 4, p. 920) Article based on AIAA Paper 90-3474 CP909

**G92-134 High-Bandwidth Positioning Control of Small Payloads Mounted on a Flexible Structure.** James G. Garcia, Lisa A. Sievers and Andreas von Flotow, *Massachusetts Institute of Technology* (15, 4, p. 928) Article

**G92-135 Comparison Between Robustified Feedforward and Feedback for Achieving Parameter Robustness.** Bong Wie and Qiang Liu, *Arizona State University* (15, 4, p. 935) Article based on AIAA Paper 90-3424 CP909

**G92-136 Robust Control Systems Design Using  $H^\infty$  Optimization Theory.** X. P. Li and B. C. Chang, *Drexel University*; S. S. Banda and H. H. Yeh, *Flight Dynamics Laboratory, Wright-Patterson AFB* (15, 4, p. 944) Article

**G92-137 Linear Quadratic Minimax Controllers.** Laurent El Ghaoui, Alain Carrier and Arthur E. Bryson Jr., *Stanford University* (15, 4, p. 953) Article

**G92-138 X-29  $H_\infty$  Controller Synthesis.** W. L. Rogers and D. J. Collins, *Naval Postgraduate School* (15, 4, p. 962) Article

**G92-139 Thrust Laws for Microburst Wind Shear Penetration.** Mark L. Psiaki and Kihong Park, *Cornell University* (15, 4, p. 968) Article based on AIAA Paper 89-3560 CP899

**G92-140 Nonlinear Inversion Flight Control for a Supermaneuverable Aircraft.** S. Antony Snell, Dale F. Enns and William L. Garrard Jr., *University of Minnesota* (15, 4, p. 976) Article based on AIAA Paper 90-3406 CP909

**G92-141 Integrated Aeroservoelastic Wing Synthesis by Nonlinear Programming/Approximation Concepts.** E. Livne, *University of Washington*; P. P. Friedmann and L. A. Schmit, *University of California* (15, 4, p. 985) Article

**G92-142 Discrete Approximations to Optimal Trajectories Using Direct Transcription and Nonlinear Programming.** Paul J. Enright and Bruce A. Conway, *University of Illinois at Urbana-Champaign* (15, 4, p. 994) Article based on AIAA Paper 90-2963 CP907

**G92-143 Alternative Approach to the Solution of Lambert's Problem.** Steven L. Nelson and Paul Zarchan, *Charles Stark Draper Laboratory, Inc.* (15, 4, p. 1003) Article

**G92-144 Minimizing Spacecraft Attitude Disturbances in Space Manipulator Systems.** Miguel A. Torres and Steven Dubowsky, *Massachusetts Institute of Technology* (15, 4, p. 1010) Article

**G92-145 Adaptive Attitude Control and Momentum Management for Large-Angle Spacecraft Maneuvers.** Alexander G. Parlos, *Texas A&M University*; and John W. Sunkel, *NASA Johnson Space Center* (15, 4, p. 1018) Article

**G92-146 Finite Element Solution of Optimal Control Problems with State-Control Inequality Constraints.** Robert R. Bless and Dewey H. Hodges, *Georgia Institute of Technology* (15, 4, p. 1029) Engineering Note

**G92-147 Equivalence of Two Classes of Dual-Spin Spacecraft Spinup Problems.** Christopher D. Hall, *Cornell University* (15, 4, p. 1032) Engineering Note

**G92-148 Stability of a Rate Gyro.** Zheng-Ming Ge and Chin-Jung Chen, *National Chiao Tung University, Taiwan, ROC* (15, 4, p. 1034) Engineering Note

**G92-149 Simple Proof of the Global Optimality of the Hohmann Transfer.** John E. Prussing, *University of Illinois at Urbana-Champaign* (15, 4, p. 1037) Engineering Note

**G92-150 Symptom of Payload-Induced Flight Instability.** Charles H. Murphy, *U. S. Army Ballistic Research Laboratory* (15, 4, p. 1038) Engineering Note

**G92-151 Two Variations of Certainty Control.** Salvatore Alfano, *U. S. Air Force Academy* (15, 4, p. 1040) Engineering Note

**G92-152 Man-in-the-Loop Study of Filtering in Airborne Head Tracking Tasks.** S. Lifshitz and S. J. Merhav, *Technion—Israel Institute of Technology* (15, 4, p. 1043) Engineering Note

**G92-153 Linear Quadratic Stochastic Control Using the Singular Value Decomposition.** Yaakov Oshman, *Technion—Israel Institute of Technology* (15, 4, p. 1045) Engineering Note

**G92-154 Hang-Glider Response to Atmospheric Inputs.** Guido de Matteis, *University of Rome "La Sapienza," Italy* (15, 4, p. 1048) Engineering Note

**G92-155 Thrust/Speed Effects on Long-Term Dynamics of Aerospace Planes.** Gottfried Sachs, *Technische Universität, FRG* (15, 4, p. 1050) Engineering Note

**G92-156 Frequency Analysis of the Hoop-Column Antenna Using a Simplified Model.** Peter Bofah and Ajit K. Choudhury, *Howard University* (15, 4, p. 1053) Engineering Note

**G92-158 Robustness of Solutions to a Benchmark Control Problem.** Robert F. Stengel and Christopher I. Morrison, *Princeton University* (15, 5, p. 1060) Article

**G92-159 Parameter-Robust Control Design Using a Minimax Method.** Raymond A. Mills and Arthur E. Bryson Jr., *Stanford University* (15, 5, p. 1068) Article

**G92-160 Application of a Game Theoretic Controller to a Benchmark Problem.** Ihnseok Rhee and Jason L. Speyer, *University of Texas at Austin* (15, 5, p. 1076) Article

**G92-161 Approximate Pole Placement Approach.** Mats Lilja and Karl Johan Åström, *Lund Institute of Technology, Sweden* (15, 5, p. 1082) Article

**G92-162 Benchmark Problem Solution by Quantitative Feedback Theory.** Suhada Jayasuriya, *Texas A&M University*; Oded Yaniv, *Tel-Aviv University, Israel*; Osita D. I. Nwokah, *Purdue University*; and Yossi Chait, *University of Massachusetts* (15, 5, p. 1087) Article

**G92-163 Application of Maximum Entropy/Optimal Projection Design Synthesis to a Benchmark Problem.** Emmanuel G. Collins Jr. and James A. King, *Harris Corporation*; and Dennis S. Bernstein, *University of Michigan* (15, 5, p. 1094) Article

**G92-164 Robust Control for a Noncollocated Spring-Mass System.** Richard Braatz and Manfred Morari, *California Institute of Technology* (15, 5, p. 1103) Article

**G92-165  $H^\infty$  Synthesis Using a Bilinear Pole Shifting Transform.** R. Y. Chiang, *Jet Propulsion Laboratory, California Institute of Technology*; and M. G. Safonov, *University of Southern California* (15, 5, p. 1111) Article

**G92-166 Loop Transfer Recovery Approach to  $H_\infty$  Design for the Coupled Mass Benchmark Problem.** Edward V. Byrns Jr., *Systems Planning and Analysis, Inc.*; and Anthony J. Calise, *Georgia Institute of Technology* (15, 5, p. 1118) Article

**G92-167 Observer-Based Robust- $H_\infty$  Control Laws for Uncertain Linear Systems.** Yeih J. Wang and Leang S. Shieh, *University of Houston*; and J. W. Sunkel, *NASA Johnson Space Center* (15, 5, p. 1125) Article

**G92-168 Combined Linear Quadratic Gaussian and  $H_\infty$  Control of a Benchmark Problem.** Richard J. Adams and Siva S. Banda, *Flight Dynamics Directorate, Wright-Patterson AFB* (15, 5, p. 1134) Article

**G92-169 Robust  $H_\infty$  Control Synthesis Method and Its Application to Benchmark Problems.** Bong Wie and Qiang Liu, *Arizona State University*; and Kuk-Whan Byun, *Dynacs Engineering Company, Inc.* (15, 5, p. 1140) Article

**G92-170 Linear Quadratic Servo Control of a Reusable Rocket Engine.** Jeffrey L. Musgrave, *NASA Lewis Research Center* (15, 5, p. 1149) Article

**G92-171 Active Member Bridge Feedback Control for Damping Augmentation.** Gun-Shing Chen and Boris J. Lurie, *Jet Propulsion Laboratory, California Institute of Technology* (15, 5, p. 1155) Article

**G92-172 Ideal Proportional Navigation.** Pin-Jar Yuan and Jeng-Shing Chern, *Chung Shan Institute of Science and Technology, Taiwan, ROC* (15, 5, p. 1161) Article

**G92-173 Aerospace Plane Guidance Using Time-Scale Decomposition and Feedback Linearization.** Mark A. Van Buren and Kenneth D. Mease, *Princeton University* (15, 5, p. 1166) Article

**G92-174 Optimal Discrete-Time Static Output-Feedback Design: A  $w$ -Domain Approach.** Cheolkeun Ha and Uy-Loi Ly, *University of Washington* (15, 5, p. 1175) Article

**G92-175 New Multirate Sampled-Data Control Law Structure and Synthesis Algorithm.** Martin C. Berg and Gregory S. Mason, *University of Washington*; and Gen-Sheng Yang, *Chung-Shan Institute of Science and Technology, Taiwan, ROC* (15, 5, p. 1183) Article

**G92-176 Robust Controller Designs for Second-Order Dynamic Systems: A Virtual Passive Approach.** Jer-Nan Juang and Minh Phan, *NASA Langley Research Center* (15, 5, p. 1192) Article based on AIAA Paper 91-0983 CP911

**G92-177 Optimal Vibration Control by the Use of Piezoceramic Sensors and Actuators.** S. Hanagud, M. W. Obal and A. J. Calise, *Georgia Institute of Technology* (15, 5, p. 1199) Article based on AIAA Paper 87-0959 CP873

**G92-178 Robust Flight Control Systems: A Parameter Space Design.** Alberto Cavallo and Giuseppe De Maria, *Università degli Studi di Napoli "Federico II," Italy*; and Leopoldo Verde, *Centro Italiano Ricerche Aerospaziali, Italy* (15, 5, p. 1207) Article

**G92-179 Detection and Identification of Axial Flow Compressor Instabilities.** G. Vachtsevanos, H. Kang, J. Cheng and I. Kim, *Georgia Institute of Technology* (15, 5, p. 1216) Article

**G92-180 Stochastic Prediction Techniques for Wind Shear Hazard Assessment.** D. Alexander Stratton and Robert F. Stengel, *Princeton University* (15, 5, p. 1224) Article

**G92-181 Effects of Deployment Rates and Librations on Tethered Payload Raising.** K. Kumar and R. Kumar, *Indian Institute of Technology*; and A. K. Misra, *McGill University, Canada* (15, 5, p. 1230) Article

**G92-182 Global Steering of Single Gimbal Control Moment Gyroscopes Using a Directed Search.** Joseph A. Paradiso, *Charles Stark Draper Laboratory, Inc.* (15, 5, p. 1236) Article based on AIAA Paper 91-2718

**G92-183 Dynamics and Control of Maneuverable Towed Flight Vehicles.** J. E. Cochran Jr., M. Innocenti, T. S. No and A. Thukral, *Auburn University* (15, 5, p. 1245) Article based on AIAA Paper 90-2841 CP906

**G92-184 Active Vibration Absorber for the CSI Evolutionary Model: Design and Experimental Results.** Anne M. Bruner, *Lockheed Engineering & Sciences Company*; W. Keith Belvin, Lucas G. Horta and Jer-Nan Juang, *NASA Langley Research Center* (15, 5, p. 1253) Article

**G92-185 Analytical Investigation of Damping Enhancement Using Active and Passive Structural Joints.** Aldo A. Ferri and Bonnie S. Heck, *Georgia Institute of Technology* (15, 5, p. 1258) Article

**G92-186 Minimization of Vibration in Elastic Beams with Time-Variant Boundary Conditions.** F. M. L. Amirouche and Mingjun Xie, *University of Illinois at Chicago* (15, 5, p. 1265) Article

**G92-187 Structure Redesign for Improved Dynamic Response.** R. E. Skelton, *Purdue University*; B. R. Hanks, *NASA Langley Research Center*; and M. Smith, *Purdue University* (15, 5, p. 1272) Article

**G92-188 Negative State Weighting in the Linear Quadratic Regulator for Aircraft Control.** F. M. Al-Sunni and B. L. Stevens, *Georgia Institute of Technology*; and F. L. Lewis, *University of Texas at Arlington* (15, 5, p. 1279) Engineering Note

**G92-189 Improved Tracking of an Agile Target.** D. D. Sworder, *University of California, San Diego*; and R. G. Hutchins, *ORINCON Corporation* (15, 5, p. 1281) Engineering Note

**G92-190 Coupling of Tether Lateral Vibration and Subsatellite Attitude Motion.** S. Bergamaschi and F. Bonon, *University of Padova, Italy* (15, 5, p. 1284) Engineering Note

**G92-191 Optimal Spacecraft Attitude Control Using Collocation and Nonlinear Programming.** A. L. Herman and B. A. Conway, *University of Illinois at Urbana* (15, 5, p. 1287) Engineering Note

**G92-192 Equivalence of Kane's, Gibbs-Appell's, and Lagrange's Equations.** Miles A. Townsend, *University of Virginia* (15, 5, p. 1289) Engineering Note

**G92-193 Football as a Differential Game.** J. V. Breakwell, *Stanford University*; and A. W. Merz, *Lockheed Missiles and Space Company* (15, 5, p. 1292) Engineering Note based on AIAA Paper 90-3514 CP909

**G92-194 Asymptotic Disturbance Rejection for Momentum Bias Spacecraft.** Christopher D. Rahn, *Space Systems/Loral* (15, 5, p. 1294) Engineering Note

**G92-195 Roll Metrics for Handling Qualities: The Landing Approach.** Ajay Thukral and Mario Innocenti, *Auburn University* (15, 5, p. 1297) Engineering Note

**G92-196 Use of Approximate Gradients in Trajectory Optimization.** Ping Lu, *Iowa State University* (15, 5, p. 1299) Engineering Note

**G92-197 Design Methodology for Linear Optimal Control Systems.** C. Frangos and Y. Yavin, *University of Pretoria, South Africa* (15, 5, p. 1302) Engineering Note

**G92-198 Model Reduction for Systems with Integrators.** Wodek Gawronski and Jeffrey A. Mellstrom, *Jet Propulsion Laboratory, California Institute of Technology* (15, 5, p. 1304) Engineering Note

**G92-199 Minimizing Selective Availability Error on Satellite and Ground Global Positioning System Measurements.** S. C. Wu, W. I. Bertiger and J. T. Wu, *Jet Propulsion Laboratory, California Institute of Technology* (15, 5, p. 1306) Engineering Note based on AIAA Paper 90-2942 CP907

Errata (15, 6, p. 1514)

**G92-200 Global Transformation of Rotation Matrices to Euler Parameters.** Russell A. Paielli, *NASA Ames Research Center* (15, 5, p. 1309) Engineering Note

**G92-201 Guidance and Targeting for the Strategic Target System.** John E. White, *Sandia National Laboratories* (15, 6, p. 1313) Article based on AIAA Paper 90-3412 CP909

**G92-202 Design of Reduced-Order Observers with Precise Loop Transfer Recovery.** Moghen M. Monahemi, Jewel B. Barlow and Dianne P. O'Leary, *University of Maryland* (15, 6, p. 1320) Article

**G92-203 Experimental Demonstration of a Classical Approach to Flexible Structure Control.** Bong Wie, *Arizona State University* (15, 6, p. 1327) Article based on AIAA Paper 91-2696

**G92-204 Experimental Results of Active Control on a Large Structure to Suppress Vibration.** H. J. Dunn, *NASA Langley Research Center* (15, 6, p. 1334) Article based on AIAA Paper 91-2692

**G92-205 New Approach to the Maneuvering and Control of Flexible Multibody Systems.** Moon K. Kwak and Leonard Meirovitch, *Virginia Polytechnic Institute and State University* (15, 6, p. 1342) Article based on AIAA Paper 91-1221 CP911

**G92-206 Momentum Exchange: Feedback Control of Flexible Spacecraft Maneuvers and Vibration.** Zhong Li and Peter M. Bainum, *Howard University* (15, 6, p. 1354) Article based on AIAA Paper 91-0375

**G92-207 Calculation of Singular Extremal Rocket Trajectories.** D. F. Lawden, *University of Aston, England, UK* (15, 6, p. 1361) Article

**G92-208 Modified Sparse Time Domain Technique for Rotor Stability Testing.** Frederick A. Tasker and Inderjit Chopra, *University of Maryland* (15, 6, p. 1366) Article based on AIAA Paper 90-0946 CP902

**G92-209 Design and Robustness Issues for Highly Augmented Helicopter Controls.** Stephen Osder and Donald Caldwell, *McDonnell Douglas Helicopter Company* (15, 6, p. 1375) Article based on AIAA Paper 91-2751 CP915

**G92-210 Stochastic Measures of Performance Robustness in Aircraft Control Systems.** Laura Ryan Ray, *Clemson University*; and Robert F. Stengel, *Princeton University* (15, 6, p. 1381) Article based on AIAA Paper 90-3410 CP909

**G92-211 Analysis of Airframe and Engine Control Interactions and Integrated Flight/Propulsion Control.** John D. Schierman and David K. Schmidt, *Arizona State University* (15, 6, p. 1388) Article based on AIAA Paper 90-1918

**G92-212 Untruncated Satellite Perturbations in a Nonrotating Gravitational Field.** R. H. Gooding, *Defence Research Agency, Royal Aerospace Establishment, England, UK* (15, 6, p. 1397) Article based on AIAA Paper 90-2884 CP907

**G92-213 Long-Term Orbit Perturbations of the Drain Four-Satellite Constellations.** C. C. Chao, *The Aerospace Corporation* (15, 6, p. 1406) Article based on AIAA Paper 90-2900 CP907



**G92-214 Fuel-Optimal Rendezvous for Linearized Equations of Motion.** Thomas Carter, *Eastern Connecticut State University*; and John Brient, *University of Texas at El Paso* (15, 6, p. 1411) Article based on AIAA Paper 91-0525

**G92-215 Continuous Momentum Management of Earth-Oriented Spacecraft.** John T. Harduvel, *McDonnell Douglas Space Systems Company* (15, 6, p. 1417) Article based on AIAA Paper 90-3315 CP909

**G92-216 Sensitivity of Space Station Alpha Joint Robust Controller to Structural Modal Parameter Variations.** Renjith R. Kumar, *Analytical Mechanics Associates, Inc.*; Paul A. Cooper, *NASA Langley Research Center*; and Tae W. Lim, *Lockheed Engineering and Sciences Company* (15, 6, p. 1427) Article based on AIAA Paper 91-2665 CP915

**G92-217 General Dynamical Equations of Motion for Elastic Body Systems.** Shui-Lin Weng and Donald T. Greenwood, *University of Michigan* (15, 6, p. 1434) Article

**G92-218 Explicit Generalization of Lagrange's Equations for Hybrid Coordinate Dynamical Systems.** Sangchul Lee and John L. Junkins, *Texas A&M University* (15, 6, p. 1443) Article

**G92-219 Recursive Flexible Multibody System Dynamics Using Spatial Operators.** A. Jain and G. Rodriguez, *Jet Propulsion Laboratory, California Institute of Technology* (15, 6, p. 1453) Article

**G92-220 Constraint Violation Stabilization Using Gradient Feedback in Constrained Dynamics Simulation.** Sugjoon Yoon, *Korea Institute of Aeronautical Technology, Korean Air*; Robert M. Howe and Donald T. Greenwood, *University of Michigan* (15, 6, p. 1467) Article

**G92-221 Planar Reorientation Maneuvers of Space Multibody Systems Using Internal Controls.** Mahmut Reyhanoglu and N. Harris McClamroch, *University of Michigan* (15, 6, p. 1475) Article

**G92-222 Testing Electrostatically Suspended Gyroscopes Using Trapped Magnetic Flux and Superconducting Sensors.** S. Feteih, *Florida State University*; G. M. Keiser, J. V. Breakwell and Y. M. Xiao, *Stanford University* (15, 6, p. 1481) Article

**G92-223 Robust Fault Detection of Jet Engine Sensor Systems Using Eigenstructure Assignment.** R. J. Patton and J. Chen, *University of York, England, UK* (15, 6, p. 1491) Article based on AIAA Paper 91-2797 CP915

**G92-224 Problem of Optimal Pursuit.** Mihai Popescu, *Institute of Applied Mathematics of the Romanian Academy of Sciences* (15, 6, p. 1498) Engineering Note

**G92-225 Point Stacking Technique for Set Matching.** Terry W. Barbee, *Space Applications Corporation* (15, 6, p. 1501) Engineering Note

**G92-226 Orbital Motion Under Continuous Tangential Thrust.** Frederick W. Boltz, *NASA Ames Research Center* (15, 6, p. 1503) Engineering Note

**G92-227 Optimum Rendezvous Transfer Between Coplanar Heliocentric Elliptic Orbits Using Solar Sail.** P. V. Subba Rao and R. V. Ramanan, *Vikram Sarabhai Space Centre, India* (15, 6, p. 1507) Engineering Note

**G92-228 Significance of Modeling Internal Damping in the Control of Structures.** H. T. Banks, *North Carolina State University*; and D. J. Inman, *State University of New York at Buffalo* (15, 6, p. 1509) Engineering Note

U.S. Postal Service <b>STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION</b> <i>Required by 39 U.S.C. 3685</i>									
1A. Title of Publication  Journal of Guidance, Control, and Dynamics		1B. PUBLICATION NO. <table border="1"> <tr> <td>4</td> <td>4</td> <td>0</td> <td>7</td> <td>1</td> <td>0</td> </tr> </table>	4	4	0	7	1	0	2. Date of Filing  9/25/92
4	4	0	7	1	0				
3. Frequency of Issue  Bimonthly		3A. No. of Issues Published Annually  6	3B. Annual Subscription Price  \$32.00						
4. Complete Mailing Address of Known Office of Publication (Street, City, County, State and ZIP+4 Code) (Not printers)  370 L'Enfant Promenade, S.W., Washington, D.C. 20024									
5. Complete Mailing Address of the Headquarters of General Business Offices of the Publisher (Not printer)  same as above									
6. Full Names and Complete Mailing Address of Publisher, Editor, and Managing Editor (This item MUST NOT be blank)									
Publisher (Name and Complete Mailing Address) American Institute of Aeronautics and Astronautics, Inc. (same as above)									
Editor (Name and Complete Mailing Address) Kyle T. Alfriend (same as above)									
Managing Editor (Name and Complete Mailing Address) Heather A. Brennan (same as above)									
7. Owner (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed.)									
Full Name		Complete Mailing Address							
American Institute of Aeronautics and Astronautics, Inc.		same as above							
8. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages or Other Securities (If there are none, so state)									
Full Name		Complete Mailing Address							
none									
9. For Completion by Nonprofit Organizations Authorized To Mail at Special Rates (DMM Section 423.12 only) The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes (Check one)									
(1) <input checked="" type="checkbox"/> Has Not Changed During Preceding 12 Months		(2) <input type="checkbox"/> Has Changed During Preceding 12 Months (If changed, publisher must submit explanation of change with this statement.)							
10. Extent and Nature of Circulation (See instructions on reverse side)		Average No. Copies Each Issue During Preceding 12 Months	Actual No. Copies of Single Issue Published Nearest to Filing Date						
A. Total No. Copies (Net Press Run)		3383	3200						
B. Paid and/or Requested Circulation		---	---						
1. Sales through dealers and carriers, street vendors and counter sales									
2. Mail Subscription (Paid and/or requested)		2915	2803						
C. Total Paid and/or Requested Circulation (Sum of 10B1 and 10B2)		2915	2803						
D. Free Distribution by Mail, Carrier or Other Means Samples, Complimentary, and Other Free Copies		94	94						
E. Total Distribution (Sum of C and D)		3009	2897						
F. Copies Not Distributed		374	303						
1. Office use, left over, unaccounted, spoiled after printing									
2. Return from News Agents		---	---						
G. TOTAL (Sum of E, F1 and 2—should equal net press run shown in A)		3383	3200						
11. I certify that the statements made by me above are correct and complete		Signature and Title of Editor, Publisher, Business Manager, or Owner  Norma J. Brennan Director, Journals							