

Chronological Index

- G91-137 Generalized Technique for Inverse Simulation Applied to Aircraft Maneuvers.** Ronald A. Hess, C. Gao and S. H. Wang, *University of California, Davis* (14, 5, p. 920) Article
Technical Comment by K.-C. Lin, *University of Central Florida* (16, 6, p. 1196)
Reply (16, 6, p. 1197)
- G92-027 Optimum Vehicle Acceleration Profile for Minimum Human Injury.** Charles P. Hatsell, *Armstrong Laboratory, Brooks AFB* (15, 1, p. 207)
Technical Comment by P. K. A. Menon, *Optimal Synthesis* (16, 5, p. 991)
- G92-218 Explicit Generalization of Lagrange's Equations for Hybrid Coordinate Dynamical Systems.** Sangchul Lee and John L. Junkins, *Texas A&M University* (15, 6, p. 1443) Article
Errata (16, 1, p. 224)
- G93-001 Experiments in Multivariable Adaptive Control of a Large Flexible Structure.** C.-H. C. Ih, D. S. Bayard, A. Ahmed and S. J. Wang, *Jet Propulsion Laboratory, California Institute of Technology* (16, 1, p. 9) Article
- G93-002 Experimental Study of Robustness in Adaptive Control for Large Flexible Structures.** Che-Hang Charles Ih, David S. Bayard, Asif Ahmed, and Shyh Jong Wang, *Jet Propulsion Laboratory, California Institute of Technology* (16, 1, p. 14) Article based on AIAA Paper 90-3498 CP909
- G93-003 Zero Locus of a Beam with Varying Sensor and Actuator Locations.** Young Jae Lee and Jason L. Speyer, *University of Texas at Austin* (16, 1, p. 21) Article
- G93-004 Real Parameter Margin Computation for Uncertain Structural Dynamic Systems.** Bong Wie, Jianbo Lu and Wayne Warren, *Arizona State University* (16, 1, p. 26) Article based on AIAA Paper 92-4398 CP928
- G93-005 Newton Algorithm for Fitting Transfer Functions to Frequency Response Measurements.** J. T. Spanos, *Jet Propulsion Laboratory, California Institute of Technology*; and D. L. Mingori, *University of California, Los Angeles* (16, 1, p. 34) Article
- G93-006 Shaping of System Responses with Minimax Optimization in the Time Domain.** Toshiyuki Ohtsuka and Hironori Fujii, *Tokyo Metropolitan Institute of Technology, Japan* (16, 1, p. 40) Article based on AIAA Paper 91-0531
- G93-007 Application of Quantitative Feedback Theory to a Class of Missiles.** Daniel G. Benshabat and Yossi Chait, *University of Massachusetts* (16, 1, p. 47) Article
- G93-008 Designing Reduced-Order Linear Multivariable Controllers Using Experimentally Derived Plant Data.** W. Garth Frazier and R. Dennis Irwin, *Ohio University* (16, 1, p. 53) Article
- G93-009 Path-Constrained Trajectory Optimization Using Sparse Sequential Quadratic Programming.** John T. Betts and William P. Huffman, *Boeing Computer Services* (16, 1, p. 59) Article based on AIAA Paper 91-2739 CP915
- G93-010 Design of Flight Control Systems to Meet Rotorcraft Handling Qualities Specifications.** Eicher Low and William L. Garrard, *University of Minnesota* (16, 1, p. 69) Article based on AIAA Paper 90-2805 CP906
- G93-011 Flight Simulator Fidelity Assessment in a Rotorcraft Lateral Translation Maneuver.** R. A. Hess and T. Malsbury, *University of California, Davis*; and A. Atencio Jr., *NASA Ames Research Center* (16, 1, p. 79) Article
- G93-012 Three-Dimensional Modeling and Control of a Twin-Lift Helicopter System.** Manoj Mittal and J. V. R. Prasad, *Georgia Institute of Technology* (16, 1, p. 86) Article based on AIAA Paper 91-2754 CP915
- G93-013 Time-Variant Analysis of Rotorcraft Systems Dynamics—An Exploitation of Vector Processors.** F. M. Amirouche, M. Xie and N. H. Shareef, *University of Illinois at Chicago* (16, 1, p. 96) Article
- G93-014 Fixed-Order Dynamic Compensation for a High-Performance Fighter Aircraft.** Edward V. Byrns Jr., *Systems Planning and Analysis, Inc.*; and Anthony J. Calise, *Georgia Institute of Technology* (16, 1, p. 104) Article
- G93-015 Application of Feedback Linearization Method in a Digital Restructurable Flight Control System.** Yoshimasa Ochi, *National Defense Academy, Japan* (16, 1, p. 111) Article
- G93-016 Design of Insensitive Multirate Aircraft Control Using Optimized Eigenstructure Assignment.** Y. Patel, R. J. Patton and S. P. Burrows, *University of York, England, UK* (16, 1, p. 118) Article
- G93-017 Optimal Control Law Synthesis for Flutter Suppression Using Active Acoustic Excitations.** Pong-Jeu Lu and Li-Jeng Huang, *National Cheng Kung University, Taiwan, ROC* (16, 1, p. 124) Article
- G93-018 Digital Simulation of Atmospheric Turbulence for Dryden and von Kármán Models.** T. R. Beal, *E-Systems, Inc.* (16, 1, p. 132) Article
- G93-019 Visual Display Aid for Orbital Maneuvering: Design Considerations.** Arthur J. Grunwald, *Technion—Israel Institute of Technology*; and Stephen R. Ellis, *NASA Ames Research Center* (16, 1, p. 139) Article
- G93-020 Visual Display Aid for Orbital Maneuvering: Experimental Evaluation.** Arthur J. Grunwald, *Technion—Israel Institute of Technology*; and Stephen R. Ellis, *NASA Ames Research Center* (16, 1, p. 145) Article
- G93-021 Stationkeeping Method for Libration Point Trajectories.** K. C. Howell and H. J. Pernicka, *Purdue University* (16, 1, p. 151) Article based on AIAA Paper 90-2958 CP 907
- G93-022 Trajectory Design, Feedforward, and Feedback Stabilization of Tethered Spacecraft Retrieval.** Eric J. Fleurisson and Andreas H. von Flotow, *Massachusetts Institute of Technology*; and Darryll J. Pines, *Lawrence Livermore National Laboratory, University of California* (16, 1, p. 160) Article
- G93-023 Precision Attitude Control for Tethered Satellites.** Robert J. Kline-Schoder, *Lockheed Research Laboratory*; and J. David Powell, *Stanford University* (16, 1, p. 168) Article
- G93-024 Innovative Approach to the Momentum Management Control for Space Station Freedom.** Jalal Mapar, *Grumman Space Station Integration Division* (16, 1, p. 175) Article based on AIAA Paper 90-3317 CP909

G93-025 Attitude Control with Realization of Linear Error Dynamics. Russell A. Paielli and Ralph E. Bach, *NASA Ames Research Center* (16, 1, p. 182) Article

G93-026 Complex-Frequency Method for Computing the Dynamics of Liquid in a Spinning Container. P. R. Scott, *British Aerospace (Space Systems) Ltd., England, UK*; and D. G. H. Tan, *University of Cambridge, England, UK* (16, 1, p. 190) Article

G93-027 Application of the Global Positioning System for Hermes Rendezvous Navigation. B. A. C. Ambrosius, E. T. Hesper and K. F. Wakker, *Delft University of Technology, The Netherlands* (16, 1, p. 197) Article

G93-028 Ground Tests of Magnetometer-Based Autonomous Navigation (MAGNAV) for Low-Earth-Orbiting Spacecraft. Mark L. Psiaki and Lejin Huang, *Cornell University*; and Stephen M. Fox, *Ithaco, Inc.* (16, 1, p. 206) Article based on AIAA Paper 91-2725 CP915

G93-029 Fuel-Optimal Rendezvous in a General Central Force Field. Mayer Humi, *Worcester Polytechnic Institute* (16, 1, p. 215) Engineering Note

G93-030 Fuel-Optimal Reorientation of Axisymmetric Spin-Stabilized Satellites. Jim Redmond and Larry Silverberg, *North Carolina State University* (16, 1, p. 217) Engineering Note

G93-031 Ground Verification for Satellite High-Accuracy Onboard Antenna Drive Control Systems. Hiroshi Tanaka and Yoichi Kawakami, *NTT Radio Communication Systems Laboratories, Japan* (16, 1, p. 219) Engineering Note

G93-032 Elastomer Damper for a Freely Precessing Dual-Spin Seeker. C.-O. Chang and M. P. Chen, *National Taiwan University, Taiwan, ROC* (16, 1, p. 221) Engineering Note

G93-033 Control of Wing-Rock Motion of Slender Delta Wings. Jia Luo and C. Edward Lan, *University of Kansas* (16, 2, p. 225) Article

G93-034 Time-Optimal Reorientation Maneuvers for a Combat Aircraft. Spiro Bocvarov, Frederick H. Lutze and Eugene M. Cliff, *Virginia Polytechnic Institute and State University* (16, 2, p. 232) Article based on AIAA Paper 91-2709 CP915

G93-035 Robust Flight-Path Control System Design with Multiple-Delay Model Approach. Yoshikazu Miyazawa, *National Aerospace Laboratory, Japan* (16, 2, p. 241) Article based on AIAA Paper 91-2671 CP915

G93-036 Refined H^∞ -Optimal Approach to Rotorcraft Flight Control. Jieh-Shian Young, *Chung San Institute of Science and Technology, Taiwan, ROC*; and Chin E. Lin, *National Cheng Kung University, Taiwan, ROC* (16, 2, p. 247) Article

G93-037 Gain-Scheduled Missile Autopilot Design Using Linear Parameter Varying Transformations. Jeff S. Shamma, *University of Texas at Austin*; and James R. Cloutier, *U.S. Air Force Armament Directorate* (16, 2, p. 256) Article

G93-038 Attitude Dynamics and Control of a Vertical Interferometric Radar Tethered Altimeter. A. Moccia, S. Vetrella and M. Grassi, *University of Naples, Italy* (16, 2, p. 264) Article

G93-039 GSTAR III Attitude for Inclined Geostationary Orbit. S. A. Parvez and P. K. Misra, *GTE Spacenet Corporation* (16, 2, p. 270) Article based on AIAA Paper 90-3493 CP909

G93-040 Active Vibration Damping of the Space Shuttle Remote Manipulator System. Michael A. Scott and Michael G. Gilbert, *NASA Langley Research Center*; and Martha E. Demeo, *Charles Stark Draper Laboratory* (16, 2, p. 275) Article based on AIAA Paper 91-2621 CP915

G93-041 Automatic Spacecraft Docking Using Computer Vision-Based Guidance and Control Techniques. Chi-Chang J. Ho and N. Harris McClamroch, *University of Michigan* (16, 2, p. 281) Article

G93-042 Some Aspects of a Realistic Three-Dimensional Pursuit-Evasion Game. Fumiaki Imado, *Mitsubishi Electric Corporation, Japan* (16, 2, p. 289) Article

G93-043 Fuel-Optimal Propulsive Reboost of Flexible Spacecraft. Larry Silverberg and Jim Redmond, *North Carolina State University* (16, 2, p. 294) Article

G93-044 Sensor-Actuator Placement for Flexible Structures with Actuator Dynamics. P. G. Maghami and S. M. Joshi, *NASA Langley Research Center* (16, 2, p. 301) Article based on AIAA Paper 91-2606 CP915

G93-045 Q-Markov Covariance Equivalent Realization and its Application to Flexible Structure Identification. Ketao Liu and Robert E. Skelton, *Purdue University* (16, 2, p. 308) Article

G93-046 Identification of Observer/Kalman Filter Markov Parameters: Theory and Experiments. Jer-Nan Juang, Minh Phan, Lucas G. Horta and Richard W. Longman, *NASA Langley Research Center* (16, 2, p. 320) Article based on AIAA Paper 91-2735 CP915

G93-047 Frequency-Weighted System Identification and Linear Quadratic Controller Design. Lucas G. Horta, *NASA Langley Research Center*; Minh Phan, *National Research Council at NASA Langley Research Center*; Jer-Nan Juang, *NASA Langley Research Center*; Richard W. Longman, *National Research Council at NASA Langley Research Center*; and Jeffrey L. Sulla, *Lockheed Engineering and Sciences Company* (16, 2, p. 330) Article based on AIAA Paper 91-2733 CP915

G93-048 Nonlinear Smoothing Identification Algorithm with Application to Data Consistency Checks. M. Idan, *Technion—Israel Institute of Technology* (16, 2, p. 337) Article

G93-049 Time-Optimal Attitude Control Scheme for a Spinning Missile. E. Jahangir and R. M. Howe, *University of Michigan* (16, 2, p. 346) Article

G93-050 Missile Autopilot Robustness Using the Real Multiloop Stability Margin. Kevin A. Wise, *McDonnell Douglas Aerospace* (16, 2, p. 354) Article

G93-051 Flight-Path Estimation in Passive Low-Altitude Flight by Visual Cues. Arthur J. Grunwald and S. Kohn, *Technion—Israel Institute of Technology* (16, 2, p. 363) Article

G93-052 Designing Nonlinear Filters Based on Daum's Theory. Garfield C. Schmidt, *Boeing Defense and Space Group* (16, 2, p. 371) Article based on AIAA Paper 91-2700 CP915

G93-053 Maneuvering Target Tracking via Smoothing and Filtering Through Measurement Concatenation. James R. Cloutier, *U. S. Air Force Armament Directorate*; Ching-Fang Lin and Chun Yang, *American GNC Corporation* (16, 2, p. 377) Article based on AIAA Paper 91-2698 CP915

G93-054 Real-Time Optimal Control of Aircraft Turn Trajectories. John C. Clements, *Dalhousie University, Canada* (16, 2, p. 385) Engineering Note

G93-055 U-Parameter Design for Terrain-Following Flight Control. Yang Wei and Chun-Lin Shen, *Nanjing Aeronautical Institute, PRC*; and Peter Dorato, *University of New Mexico* (16, 2, p. 387) Engineering Note

G93-056 Exact Conversion of Earth-Centered, Earth-Fixed Coordinates to Geodetic Coordinates. Jijie Zhu, *Beijing University of Aeronautics and Astronautics, PRC* (16, 2, p. 389) Engineering Note

G93-057 Equation for Optimal Power-Limited Spacecraft Trajectories. John E. Prussing, *University of Illinois at Urbana-Champaign* (16, 2, p. 391) Engineering Note

G93-058 Attitude Determination in Higher Dimensions. Malcolm D. Shuster, *Johns Hopkins University, Applied Physics Laboratory* (16, 2, p. 393) Engineering Note

G93-059 Pointing Control, with Tethers as Actuators, of a Space Station Supported Platform. Arun K. Banerjee, *Lockheed Palo Alto Research Laboratory*; and Thomas R. Kane, *Stanford University* (16, 2, p. 396) Engineering Note

G93-060 Guidance Law for Planar Hypersonic Descent to a Point. G. Richard Eisler, *Sandia National Laboratories*; and David G. Hull, *University of Texas at Austin* (16, 2, p. 400) Engineering Note

G93-061 Factorization Approach to Control System Synthesis. A. Nassirharand, *Scientific Institute of Scholars* (16, 2, p. 402) Engineering Note

G93-062 Parametric Study of Adaptive Generalized Predictive Controllers. William L. Brogan, *University of Nevada*; and Sung-Duck Han, *Daewoo Engineering Company, Korea* (16, 2, p. 405) Engineering Note

G93-063 Model Reduction of Mechanical Systems. Ajmal Yousuff and Mary Breida, *Drexel University* (16, 2, p. 408) Engineering Note

G93-064 New Robust and Flexible Parameter Estimation Method. Cheng-Yu Liu, Min-Chio Kung and Jiunn-Charn Chen, *Chung Cheng Institute of Technology, Taiwan, ROC*; and Shu-Min Chiang, *Tam Kang University, Taiwan, ROC* (16, 2, p. 411) Engineering Note

G93-065 Active Vibration Control of Flexible Structures with Acceleration Feedback. Eunsup Sim and Sung W. Lee, *University of Maryland* (16, 2, p. 413) Engineering Note

G93-066 Two-Axis Dry Tuned-Rotor Gyroscopes: Design and Technology. William M. Mansour, *McMaster University, Canada*; and Corrado Lacchini, *DIGICON S.A., Brazil* (16, 3, p. 417) Survey Paper

G93-067 Optimal Impulsive Intercept with Low-Thrust Rendezvous Return. Catherine A. Lembeck, *NASA Johnson Space Center*; and John E. Prussing, *University of Illinois at Urbana-Champaign* (16, 3, p. 426) Article

G93-068 Stable Orbits About the Martian Moons. William E. Wiesel, *Air Force Institute of Technology* (16, 3, p. 434) Article

G93-069 Refinements in Determining Satellite Drag Coefficients: Method for Resolving Density Discrepancies. Mildred M. Moe and Steven D. Wallace, *University of California, Irvine*; and Kenneth Moe, *Space and Missile Systems Center* (16, 3, p. 441) Article
Errata (16, 5, p. 991)

G93-070 Time-Optimal Three-Axis Reorientation of a Rigid Spacecraft. Karl D. Bilimoria and Bong Wie, *Arizona State University* (16, 3, p. 446) Article based on AIAA Paper 90-3486 CP909

G93-071 Quasi-Closed-Form Solution to the Time-Optimal Rigid Spacecraft Reorientation Problem. R. M. Byers, *University of Central Florida*; and S. R. Vadali, *Texas A&M University* (16, 3, p. 453) Article

G93-072 First-Order Models for Satellite Survivability Optimization. Michael L. Howard, *Tracor Aerospace* (16, 3, p. 462) Article

G93-073 Control of Nonlinear Structural Dynamic Systems: Chaotic Vibrations. E. K. Hall II and S. V. Hanagud, *Georgia Institute of Technology* (16, 3, p. 470) Article based on AIAA Paper 91-1062 CP911

G93-074 Rotational Motion and Guidance System Approximations in Optimizable Operational Launch Vehicle Simulations. Robert A. Luke, *The Aerospace Corporation* (16, 3, p. 477) Article based on AIAA Paper 91-2821 CP915

G93-075 Sensitivity-Based Characterization and Optimization of Viscoelastically Damped Honeycomb Structures. Srinivas Kodiyalam, *General Electric Corporate R&D Center*; and John Molnar, *General Electric Astro Space* (16, 3, p. 484) Article based on AIAA Paper 92-2269 CP922

G93-076 Sensor Failure Detection and Isolation in Flexible Structures Using System Realization Redundancy. David C. Zimmerman and Terri L. Lyde, *University of Florida* (16, 3, p. 490) Article

G93-077 Star Trackers, Star Catalogs, and Attitude Determination: Probabilistic Aspects of System Design. John D. Vedder, *McDonnell Douglas Space Systems Company* (16, 3, p. 498) Article

G93-078 Guidance for an Aerocapture Maneuver. J. G. Gurley, *Hughes Aircraft Company* (16, 3, p. 505) Article

G93-079 Generalized Guidance Law for Collision Courses. Yoriaki Baba and Makoto Yamaguchi, *National Defense Academy, Japan*; and Robert M. Howe, *University of Michigan* (16, 3, p. 511) Article based on AIAA Paper 91-2782 CP915

G93-080 General Adaptive Guidance Using Nonlinear Programming Constraint-Solving Methods. Lisa Skalecki and Marc Martin, *Boeing Defence & Space Group* (16, 3, p. 517) Article based on AIAA Paper 91-2820 CP915

G93-081 Disturbance Model for Control/Structure Optimization with Full State Feedback. G. L. Slater, *University of Cincinnati*; and M. D. McLaren, *Space Systems/LORAL* (16, 3, p. 523) Article

G93-082 Optimal Discrete-Time Dynamic Output-Feedback Design: A w-Domain Approach. Cheolkeun Ha, Uy-Loi Ly and Martin C. Berg, *University of Washington* (16, 3, p. 534) Article based on AIAA Paper 91-2811 CP915

G93-083 Saturating and Time-Optimal Feedback Controls. M. Bikhdash, E. M. Cliff and A. H. Nayfeh, *Virginia Polytechnic Institute and State University* (16, 3, p. 541) Article

G93-084 Multiple-Input, Multiple-Output Time-Series Models from Short Data Records. Joseph J. Hollkamp, *Wright Laboratory* (16, 3, p. 549) Article based on AIAA Paper 91-0994 CP911

G93-085 Optimal Open Multistep Discretization Formulas for Real-Time Simulation. Daniel D. Moerder, *NASA Langley Research Center*; Anthony J. Calise and Paul Clemmons, *Georgia Institute of Technology* (16, 3, p. 557) Article

G93-086 Robustness Evaluation of a Flexible Aircraft Control System. Mark R. Anderson, *Virginia Polytechnic Institute and State University* (16, 3, p. 564) Article based on AIAA Paper 90-3445 CP909

G93-087 Enhancement of Endurance Performance by Periodic Optimal Camber Control. Gottfried Sachs and Rainer Mehlhorn, *Technische Universität München, Germany* (16, 3, p. 572) Article based on AIAA Paper 91-2670 CP915

G93-088 Synthesis and Evaluation of an H_2 Control Law for a Hovering Helicopter. Marc D. Takahashi, *NASA Ames Research Center* (16, 3, p. 579) Article

G93-089 Time-Closed Optimal Transfer by Two Impulses Between Coplanar Elliptical Orbits. Derek F. Lawden, *University of Aston, England, UK* (16, 3, p. 585) Engineering Note

G93-090 Largest Hypersphere of Stability for Polynomials with Perturbed Coefficients. Karim Q. Chaid and Kai S. Yeung, *University of Texas at Arlington* (16, 3, p. 588) Engineering Note

G93-091 New Analytical Solutions for Proportional Navigation. M. N. Rao, *Defence Research and Development Laboratory, India* (16, 3, p. 591) Engineering Note

G93-092 Design of a Robust Estimator for Target Tracking. Eung T. Kim and Dominick Andrisani II, *Purdue University* (16, 3, p. 595) Engineering Note based on AIAA Paper 90-3401 CP909

G93-093 Stabilizability of Linear Quadratic State Feedback for Uncertain Systems. Rong-Jyue Wang and Wen-June Wang, *National Central University, Taiwan, ROC* (16, 3, p. 597) Engineering Note

G93-094 Minimum-Effort Interception of Multiple Targets. Joseph Z. Ben-Asher, *Tel-Aviv University, Israel* (16, 3, p. 600) Engineering Note

G93-095 Gain Scheduling Simplification by Simultaneous Control Design. F. M. Al-Sunni, *King Fahd University of Petroleum and Minerals, Saudi Arabia*; and F. L. Lewis, *University of Texas at Arlington* (16, 3, p. 602) Engineering Note

G93-096 Zero-Gravity Atmospheric Flight by Robust Nonlinear Inverse Dynamics. F. Mora-Camino, *E.N.A.C., France*; and A. K. Achaïbou, *Centre National de la Recherche Scientifique, France* (16, 3, p. 604) Engineering Note

G93-097 Quaternion-Based Rate/Attitude Tracking System with Application to Gimbal Attitude Control. H. Weiss, *Rafael, Israel* (16, 4, p. 609) Article

G93-098 Reaction Wheel Low-Speed Compensation Using a Dither Signal. John B. Stetson Jr., *General Electric Astro Space Division* (16, 4, p. 617) Article

G93-099 Control/Structure Interactions of Space Station Solar Dynamic Modules. Roger D. Quinn, *Case Western Reserve University*; and Isam S. Yunis, *NASA Lewis Research Center* (16, 4, p. 623) Article based on AIAA Paper 90-3323 CP909

G93-100 Pointing Accuracy of a Dual-Spin Satellite due to Torsional Appendage Vibrations. Mark C. Stabb and A. L. Schlack, *University of Wisconsin* (16, 4, p. 630) Article

G93-101 Dynamic Characteristics of Liquid Motion in Partially Filled Tanks of a Spinning Spacecraft. Brij N. Agrawal, *Naval Postgraduate School* (16, 4, p. 636) Article based on AIAA Paper 90-0997 CP902

G93-102 Nutational Stability and Core Energy of a Quasirigid Gyrostat. I. Michael Ross, *Naval Postgraduate School* (16, 4, p. 641) Article

G93-103 Extremal Vehicle Reorientation Maneuvers: Symmetries and Group Properties. Spiro Bocvarov, Frederick H. Lutze and Eugene M. Cliff, *Virginia Polytechnic Institute and State University* (16, 4, p. 648) Article based on AIAA Paper 92-4347 CP928

G93-104 Simultaneous Design of Active Vibration Control and Passive Viscous Damping. Michele L. D. Gaudreault, Brad S. Liebst and Ronald L. Bagley, *Air Force Institute of Technology* (16, 4, p. 654) Article based on AIAA Paper 91-2611 CP915

G93-105 Passive Damping for Robust Feedback Control of Flexible Structures. Richard Gueler, *Matsushita Electric Industrial Company, Ltd., Japan*; Andreas H. von Flotow and David W. Vos, *Massachusetts Institute of Technology* (16, 4, p. 662) Article

G93-106 Maneuver and Vibration Control of Hybrid Coordinate Systems Using Lyapunov Stability Theory. John L. Junkins and Hyochong Bang, *Texas A&M University* (16, 4, p. 668) Article based on AIAA Paper 92-4458 CP928

G93-107 Vibration and Robust Control of Symmetric Flexible Systems. Song-Tsuen Chen and An-Chen Lee, *National Chiao Tung University, Taiwan, ROC* (16, 4, p. 677) Article

G93-108 Singular Control in Minimum Time Spacecraft Reorientation. Hans Seywald and Renjith R. Kumar, *Analytical Mechanics Associates, Inc.* (16, 4, p. 686) Article

G93-109 Robustness Bounds for Linear Systems Under Uncertainty: Eigenvalues Inside a Wedge. Terry R. Alt, *McDonnell Douglas Aerospace*; and Faryar Jabbari, *University of California, Irvine* (16, 4, p. 695) Article

G93-110 Robust Sampled Data Eigenstructure Assignment Using the Delta Operator. Jean E. Piou and Kenneth M. Sobel, *City College of New York* (16, 4, p. 702) Article based on AIAA Paper 92-4400 CP928

G93-111 Analytical Development of an Equivalent System Mismatch Function. Mark R. Anderson, *Virginia Polytechnic Institute and State University* (16, 4, p. 712) Article

G93-112 Constrained Control Allocation. Wayne C. Durham, *Virginia Polytechnic Institute and State University* (16, 4, p. 717) Article

G93-113 Inverse Dynamics Approach to Trajectory Optimization for an Aerospace Plane. Ping Lu, *Iowa State University* (16, 4, p. 726) Article

G93-114 Inverse Simulation of Large-Amplitude Aircraft Maneuvers. C. Gao and R. A. Hess, *University of California, Davis* (16, 4, p. 733) Article based on AIAA Paper 91-2861 CP916

G93-115 Neurocontrol Design and Analysis for a Multivariable Aircraft Control Problem. Terry Troutet, *Sverdrup Technology, Inc.*; Sanjay Garg and Walter Merrill, *NASA Lewis Research Center* (16, 4, p. 738) Article based on AIAA Paper 91-2715 CP915

G93-116 Quantitative Feedback Theory Applied to the Design of a Rotorcraft Flight Control System. R. A. Hess and P. J. Gorder, *University of California, Davis* (16, 4, p. 748) Article

G93-117 Linear Quadratic Gaussian/Loop Transfer Recovery Design for a Helicopter in Low-Speed Flight. Jeremy J. Gribble, *University of Glasgow, Scotland, UK* (16, 4, p. 754) Article

G93-118 Validation of Engineering Methods for Predicting Hypersonic Vehicle Control Forces and Moments. M. Maughmer, L. Ozoroski, D. Straussfogel, and L. Long, *Pennsylvania State University* (16, 4, p. 762) Article based on AIAA Paper 91-2845 CP916

G93-119 Sun-Perturbed Earth-to-Moon Transfers with Ballistic Capture. Edward A. Belbruno and James K. Miller, *Jet Propulsion Laboratory, California Institute of Technology* (16, 4, p. 770) Article

G93-120 Goddard Problem in Presence of a Dynamic Pressure Limit. Hans Seywald, *Analytical Mechanics Associates, Inc.*; and Eugene M. Cliff, *Virginia Polytechnic Institute and State University* (16, 4, p. 776) Article

G93-121 Averaging of Second-Order Hamiltonian Oscillators with a Slowly Varying Parameter. Christopher D. Hall, *Air Force Institute of Technology* (16, 4, p. 782) Engineering Note
Errata(16, 6, p. 1199)

G93-122 Controller Design with Regional Pole Constraints: Hyperbolic and Horizontal Strip Regions. Y. William Wang and Dennis S. Bernstein, *University of Michigan* (16, 4, p. 784) Engineering Note

G93-123 Eigenvalue and Eigenvector Derivatives of Nonlinear Eigenproblems. Zhong-sheng Liu and Su-huan Chen, *Jilin University of Technology, PRC* (16, 4, p. 788) Engineering Note

G93-124 Periodic Maximum Range Cruise with Singular Control. Gottfried Sachs and Klaus Lesch, *Technische Universität München, Germany* (16, 4, p. 790) Engineering Note

G93-125 Performance of Higher Harmonic Control Algorithms for Helicopter Vibration Reduction. Steven R. Hall and Norman M. Wereley, *Massachusetts Institute of Technology* (16, 4, p. 793) Engineering Note

G93-126 Autonomous Position and Velocity Determination in Interplanetary Space. John D. Vedder, *McDonnell Douglas Space Systems Company* (16, 4, p. 797) Engineering Note based on AIAA Paper 92-4599 CP928

G93-127 Active Control Technology for Large Space Structures. D. C. Hyland, *Harris Corporation*; J. L. Junkins, *Texas A&M University*; and R. W. Longman, *Columbia University* (16, 5, p. 801) Survey Paper

G93-128 Longitudinal Dynamics of a Towed Sailplane. Guido de Matteis, *University of Rome "La Sapienza," Italy* (16, 5, p. 822) Article based on AIAA Paper 91-2862 CP916

G93-129 Recursive Dynamics Algorithm for Multibody Systems with Prescribed Motion. Abhinandan Jain and Guillermo Rodriguez, *Jet Propulsion Laboratory, California Institute of Technology* (16, 5, p. 830) Article

G93-130 Nonrecursive Order N Formulation of Multibody Dynamics. Andrew J. Kurdila and Ramesh G. Menon, *Texas A&M University*; and John W. Sunkel, *NASA Johnson Space Center* (16, 5, p. 838) Article based on AIAA Paper 91-1112 CP911

G93-131 Passive Dynamic Controllers for Nonlinear Mechanical Systems. Jer-Nan Juang, Shih-Chin Wu, Minh Phan and Richard W. Longman, *NASA Langley Research Center* (16, 5, p. 845) Article

G93-132 Consistent-Mode Indicator for the Eigensystem Realization Algorithm. Richard S. Pappa and Kenny B. Elliott, *NASA Langley Research Center*; and Axel Schenk, *German Aerospace Research Establishment (DLR), Germany* (16, 5, p. 852) Article based on AIAA Paper 92-2136 CP923

G93-133 Piezoelectric Actuator Design for Vibration Suppression: Placement and Sizing. Santosh Devasia, Tesfay Meressi, Brad Paden and Eduardo Bayo, *University of California, Santa Barbara* (16, 5, p. 859) Article

G93-134 Gain Adaptive Tracking. D. D. Swarder, *University of California, San Diego*; R. Vojak, *INRIA, France*; and R. G. Hutchins, *ORINCON Corporation* (16, 5, p. 865) Article

G93-135 Minimum Time Pulse Response Based Control of Flexible Structures. Jeffrey K. Bennighof, Shih-Hsiao Mark Chang and Murugan Subramaniam, *University of Texas at Austin* (16, 5, p. 874) Article based on AIAA Paper 91-1119 CP911

G93-136 State Equations for Maneuvering and Control of Flexible Bodies Using Quasimomenta. Leonard Meirovitch, *Virginia Polytechnic Institute and State University* (16, 5, p. 882) Article based on AIAA Paper 91-2830 CP915

G93-137 Feedback Gain Sensitivities of Closed-Loop Modal Parameters of Controlled Structures. James A. Fabunmi, *AEDAR Corporation* (16, 5, p. 892) Article based on AIAA Paper 92-2322 CP922

G93-138 Controllability and Observability of Flexible Structures with Proof-Mass Actuators. W. Gawronski, *Jet Propulsion Laboratory, California Institute of Technology*; and K. B. Lim, *NASA Langley Research Center* (16, 5, p. 899) Article based on AIAA Paper 92-2139 CP923

G93-139 Estimation of Kalman Filter Gain from Output Residuals. Jer-Nan Juang, *NASA Langley Research Center*; Chung-Wen Chen, *North Carolina State University*; and Minh Phan, *Lockheed Engineering & Sciences Company* (16, 5, p. 903) Article

G93-140 Two-Error Covariance Analysis Algorithms for Suboptimal Decentralized Kalman Filters. Ren Da, *Northwestern Polytechnical University, PRC* (16, 5, p. 909) Article based on AIAA Paper 91-2834 CP915

G93-141 Automatic Carrier Landing System Utilizing Aircraft Sensors. John L. Crassidis, D. Joseph Mook and James M. McGrath, *State University of New York at Buffalo* (16, 5, p. 914) Article based on AIAA Paper 91-2666 CP915

G93-142 Robustness Analysis of a Multirate Flutter Suppression System. Gregory S. Mason and Martin C. Berg, *University of Washington* (16, 5, p. 922) Article based on AIAA Paper 91-2812 CP915

G93-143 Trajectory Control for a Low-Lift Re-Entry Vehicle. Axel J. Roenneke, *University of Stuttgart, Germany*; and Phillip J. Cornwell, *Rose-Hulman Institute of Technology* (16, 5, p. 927) Article based on AIAA Papers 92-1146 and 92-4455 CP928

G93-144 Use of Neural Networks in Control of High-Alpha Maneuvers. Kamran Rokhsaz and James E. Steck, *Wichita State University* (16, 5, p. 934) Article based on AIAA Paper 92-0048

- G93-145 Application of Structured Singular Value Synthesis to a Fighter Aircraft.** Andrew Sparks and Siva Banda, *Wright Laboratory* (16, 5, p. 940) Article
- G93-146 Full Envelope Multivariable Control Law Synthesis for a High-Performance Test Aircraft.** Richard J. Adams, Andrew Sparks and Siva S. Banda, *Wright Laboratory* (16, 5, p. 948) Article based on AIAA Paper 92-4408 CP928
- G93-147 Analytical Solutions to Constrained Hypersonic Flight Trajectories.** Ping Lu, *Iowa State University* (16, 5, p. 956) Article
- G93-148 Asymptotic Stability Theorem for Autonomous Systems.** Ranjan Mukherjee, *Naval Postgraduate School*; and Degang Chen, *Iowa State University* (16, 5, p. 961) Engineering Note
- G93-149 Exact Closed-Form Solution of Generalized Proportional Navigation.** Pin-Jar Yuan and Shih-Che Hsu, *Chung Shan Institute of Science and Technology, Taiwan, ROC* (16, 5, p. 963) Engineering Note
- G93-150 Optimal Pointing Control of Robotic Manipulators with State Inequality Constraints.** C.-H. Chuang, *Georgia Institute of Technology* (16, 5, p. 966) Engineering Note based on AIAA Paper 91-2788 CP915
- G93-151 Disturbance Rejection in Flexible Structures via the Quantitative Feedback Theory.** Yossi Chait and Myoung Soo Park, *University of Massachusetts at Amherst* (16, 5, p. 970) Engineering Note
- G93-152 Robust Control of Flexible Structures Using Residual Mode Filters.** Chun-Liang Lin, *Chung Shan Institute of Science and Technology, Taiwan, ROC* (16, 5, p. 973) Engineering Note
- G93-153 Buckling Control of a Flexible Beam Using Piezoelectric Actuators.** Tesfay Meressi and Brad Paden, *University of California, Santa Barbara* (16, 5, p. 977) Engineering Note
- G93-154 Robust Time-Optimal Control of Uncertain Structural Dynamic Systems.** Bong Wie, Ravi Sinha and Qiang Liu, *Arizona State University* (16, 5, p. 980) Engineering Note
- G93-155 Control and Filtering of Wide-Band Noise Driven Linear Systems.** A. E. Bashirov, *Institute of Cybernetics, Baku, Azerbaijan Republic* (16, 5, p. 983) Engineering Note
- G93-156 Reduced Order Proportional Integral Observer with Application.** Mehrdad Saif, *Simon Fraser University, Canada* (16, 5, p. 985) Engineering Note
- G93-157 Optimal Weighting of a Priori Statistics in Quick-Look Orbit Determination.** David A. Cicci, *Auburn University* (16, 5, p. 988) Engineering Note
- G93-158 Design and Piloted Simulation of Integrated Flight/Propulsion Controls for STOVL Aircraft.** James A. Franklin and Shawn A. Engelland, *NASA Ames Research Center* (16, 6, p. 993) Article based on AIAA Paper 91-3108
- G93-159 Aircraft Failure Detection and Identification Using Neural Networks.** Marcello R. Napolitano, Ching I. Chen and Steve Naylor, *West Virginia State University* (16, 6, p. 999) Article
- G93-160 Optimal Recovery from Microburst Wind Shear.** Sandeep S. Mulgund, Robert F. Stengel, *Princeton University* (16, 6, p. 1010) Article based on AIAA Paper 92-4338 CP928
- G93-161 Identification of Aerodynamic Coefficients Using Computational Neural Networks.** Dennis J. Linse and Robert F. Stengel, *Princeton University* (16, 6, p. 1018) Article based on AIAA Paper 92-0172
- G93-162 Flight-Determined Multivariable Stability Analysis and Comparison of a Control System.** John J. Burken, *NASA Dryden Flight Research Facility* (16, 6, p. 1026) Article based on AIAA Paper 92-4396 CP928
- G93-163 Flight Control Application of New Stability Robustness Bounds for Linear Uncertain Systems.** Rama K. Yedavalli, *Ohio State University* (16, 6, p. 1032) Article
- G93-164 Six-Degree-of-Freedom Guidance and Control Analysis of Mars Aerocapture.** Richard W. Powell and Robert D. Braun, *NASA Langley Research Center* (16, 6, p. 1038) Article based on AIAA Paper 92-0736
- G93-165 Optimal Cooperative Power-Limited Rendezvous Between Neighboring Circular Orbits.** Victoria Coverstone-Carroll and John E. Prussing, *University of Illinois at Urbana-Champaign* (16, 6, p. 1045) Article
- G93-166 Differential Angle Tracking for Close Geostationary Satellites.** S. Kawase, *Communications Research Laboratory, Japan* (16, 6, p. 1055) Article
- G93-167 Input-Shaped Control of Three-Dimensional Maneuvers of Flexible Spacecraft.** T. Singh and S. R. Vadali, *Texas A&M University* (16, 6, p. 1061) Article
- G93-168 Classical and Robust H_∞ Control Redesign for the Hubble Space Telescope.** Bong Wie and Qiang Liu, *Arizona State University*; and Frank Bauer, *NASA Goddard Space Flight Center* (16, 6, p. 1069) Article
- G93-169 Optimal Periodic Control for Spacecraft Pointing and Attitude Determination.** Mark E. Pittelkau, *Swales and Associates, Inc.* (16, 6, p. 1078) Article
- G93-170 Deployment and Retrieval Optimization of a Tethered Satellite System.** Ehud Netzer, *Technion—Israel Institute of Technology*; and Thomas R. Kane, *Stanford University* (16, 6, p. 1085) Article
- G93-171 Block-Diagonal Equations for Multibody Elastodynamics with Geometric Stiffness and Constraints.** Arun K. Banerjee, *Lockheed Palo Alto Research Laboratory* (16, 6, p. 1092) Article
- G93-172 Component Modes Damping Assignment Methodology for Articulated, Multiflexible Body Structures.** Allan Y. Lee, *Jet Propulsion Laboratory, California Institute of Technology* (16, 6, p. 1101) Article
- G93-173 Application of a Periodic Lattice Filter for Identifying Flexible Structures.** Young Jae Lee and Jason L. Speyer, *University of Texas at Austin* (16, 6, p. 1109) Article
- G93-174 H_2 Optimal Halo Orbit Guidance.** Brian L. Jones and Robert H. Bishop, *University of Texas at Austin* (16, 6, p. 1118) Article based on AIAA Paper 92-4658 CP928
- G93-175 Discrete-Time Model Reduction in Limited Frequency Ranges.** Lucas G. Horta, Jer-Nan Juang and Richard W. Longman, *NASA Langley Research Center* (16, 6, p. 1125) Article based on AIAA Paper 91-2813 CP915
- G93-176 H^∞ Robust Control Design for Linear Feedback Systems.** Jiann-Shiou Yang, *University of Minnesota* (16, 6, p. 1131) Article

G93-177 H_∞ Norm Sensitivity Formula with Control System Design Applications. Daniel P. Giesy, *Lockheed Engineering & Sciences Company*; and Kyong B. Lim, *NASA Langley Research Center* (16, 6, p. 1138) Article

G93-178 H_∞ Optimized Wave-Absorbing Control: Analytical and Experimental Results. Khoichi Matsuda and Hironori Fujii, *Tokyo Metropolitan Institute of Technology, Japan* (16, 6, p. 1146) Article

G93-179 Order Reduction of Linear-Quadratic-Gaussian-Designed Controllers. E. Nissim, *Technion—Israel Institute of Technology* (16, 6, p. 1154) Article

G93-180 Fuel-Optimal Slewing of an Experimental Hinged-Free Beam. Larry Silverberg and John L. Meyer, *North Carolina State University* (16, 6, p. 1162) Article

G93-181 Inversion-Based Nonlinear Control of Robot Arms with Flexible Links. Alessandro De Luca, *Università degli Studi di Roma "La Sapienza," Italy*; and Bruno Siciliano, *Università degli Studi di Napoli Federico II, Italy* (16, 6, p. 1169) Article

G93-182 Control of a Structure with Two Closely Spaced Frequencies. K. Xu, P. Warnitchai and T. Igusa, *Northwestern University* (16, 6, p. 1177) Engineering Note based on AIAA Paper 92-2216 CP922

G93-183 New Proof of the Jacobi Necessary Condition. Hans Seywald and Renjith R. Kumar, *Analytical Mechanics Associates, Inc.*; and Eugene M. Cliff, *Virginia Polytechnic Institute and State University* (16, 6, p. 1178) Engineering Note

G93-184 Riccati Solution for the Minimum Model Error Algorithm. John L. Crassidis, Paul A. C. Mason and D. Joseph Mook, *State University of New York at Buffalo* (16, 6, p. 1181) Engineering Note

G93-185 Optimal Control System Design with Prescribed Damping and Stability Characteristics. Hasan Sehitoglu, *California State University* (16, 6, p. 1183) Engineering Note

G93-186 Design of Guaranteed Performance Controllers for Systems with Varying Parameters. F. Mora-Camino, *E.N.A.C., France*; and A. K. Achaibou, *Centre National de la Recherche Scientifique, France* (16, 6, p. 1185) Engineering Note

G93-187 Optimal Rocket Steering in Terms of Angular Velocity of the Primer Vector. V. N. Dvornychenko, *La Verne University* (16, 6, p. 1188) Engineering Note

G93-188 Invariant Set Analysis of the Hub-Appendage Problem. Ranjan Mukherjee, *Naval Postgraduate School*; and John L. Junkins, *Texas A&M University* (16, 6, p. 1191) Engineering Note

G93-189 Equipomental System of Rigidly Connected Equal Particles. N. C. Huang, *University of Notre Dame* (16, 6, p. 1194) Engineering Note