# **Subject Index**

# Aircraft Technology, Conventional, STOL/VTOL

#### Aerodynamics

Design and Examination of  $H_{\infty}$  Robust Controller for Ground Effect Problem G95-115 Dynamic Modeling of a Trailing Wire Towed by an Orbiting Aircraft G95-132

#### Aeroelasticity and Aeroservoelasticity

Fundamental Mechanisms of Aeroelastic Control with Control Surface and Strain Actuation

Vibration Reduction in Rotocraft Using Active Control: A Comparison of Various Approaches G95-105

Flutter Margin Augmentation Synthesis Using Normalized Coprime Factors Approach

G95-122 Unified Literal Approximations for Longitudinal Dynamics of Flexible Flight Vehicles

G95-167

G95-001

# Aerospace Plane

Integrated Development of the Equations of Motion for Elastic Hypersonic Flight Vehicles

G95-010

Approximate Altitude Transitions for High-Speed Aircraft G95-083

### Communication and Air Traffic Control

Failure Diagnosis System Using ARTMAP Neural Networks G95-109

# Flight Control Integration

High-Performance, Robust, Bank-To-Turn Missile Autopilot Design Design of an Effective Controller via Disturbance Accommodating Left Eigenstructure Assignment Integrated Flight/Propulsion Control: Subsystem Specifications for Performance G95-085 Numerical Approach to Computing Nonlinear  $H_{\infty}$  Control Laws G95-155 Control Stick Logic in High-Angle-of-Attack Maneuvering Passive Airborne Navigation and Terrain Avoidance Using Gravity Gradiometry G95-227

# Flight Mechanics

Dynamics and Control of a Tethered Flight Vehicle Integrated Development of the Equations of Mo-

tion for Elastic Hypersonic Flight Vehicles

Application of Direct Transcription to Commercial Aircraft Trajectory Optimization G95-021 Optimal Aircraft Terrain-Following Analysis and Trajectory Generation G95-082 Nonlinear Decoupling Control of Aircraft Mo-

Time-Optimal Lateral Maneuvers of an Aircraft G95-171

### **Ground Effect Machines**

Design and Examination of  $H_{\infty}$  Robust Controller for Ground Effect Problem G95-115

### Powerplant Integration

Integrated Flight/Propulsion Control: Subsystem Specifications for Performance

#### Rotorcraft

Identification and Simulation Evaluation of a Combat Helicopter in Hover Rotorcraft Handling Qualities in Turbulence

G95-005

G95-110

Sensor Fault Detection and Diagnosis for a T700 Turboshaft Engine G95-099 Vibration Reduction in Rotocraft Using Active Control: A Comparison of Various Approaches G95-105 Flight Test of Radar Altimeter Enhancement for

Terrain-Referenced Guidance

#### Simulation

Identification and Simulation Evaluation of a Combat Helicopter in Hover G95-004 Application of Direct Transcription to Commercial Aircraft Trajectory Optimization

G95-021

Methodology for Integration of Digital Control Loaders in Aircraft Simulators G95-143

#### STOL/VTOL/STOVL

Integrated Flight/Propulsion Control: Subsystem Specifications for Performance

#### Testing, Flight and Ground

Identification of a Nonlinear Aerodynamic Model of the F-14 Aircraft G95-204

Nonlinear Modal Control Method G95-066 Vibration Reduction in Rotocraft Using Active Control: A Comparison of Various Ap-G95-105 Application of Rigid Finite Element Method to

Dynamic Analysis of Spatial Systems

G95-134

# Fluid Dynamics

#### Multiphase Flows

Fluid Force Activated Spacecraft Dynamics Driven by Gravity Gradient and Jitter Acceler-

# Guidance, Control, and Dynamics Technology

# Aircraft Dynamics

Identification and Simulation Evaluation of a Combat Helicopter in Hover Integrated Development of the Equations of Motion for Elastic Hypersonic Flight Vehicles

G95-010

Reduced-Order Nonlinear Analysis of Aircraft Dynamics G95-052 Solution of Aircraft Inverse Problems by Local Optimization G95-084 Nonlinear Decoupling Control of Aircraft Mo-G95-123 tion

Dynamic Modeling of a Trailing Wire Towed by an Orbiting Aircraft G95-132 Proportional Navigation and Weaving Targets

Unified Literal Approximations for Longitudinal Dynamics of Flexible Flight Vehicles

G95-167

G95-152

Control Stick Logic in High-Angle-of-Attack Maneuvering

Time-Optimal Lateral Maneuvers of an Aircraft G95-171

# Aircraft Guidance

Star-Field Identification for Autonomous Attitude Determination G95-008 Approximate Altitude Transitions for High-Speed Aircraft G95-083 Solution of Aircraft Inverse Problems by Local Optimization G95-084 Flight Test of Radar Altimeter Enhancement for Terrain-Referenced Guidance Aircraft Terrain Following Based on a Nonlinear Continuous Predictive Control Approach G95-124

Multistage Integration Model for Human Egomotion Perception G95-148

#### Aircraft Stability and Control

Robust Dynamic Inversion for Control of Highly Maneuverable Aircraft Direct Adaptive and Neural Control of Wing-Rock Motion of Slender Delta Wings

G95-003

Rotorcraft Handling Qualities in Turbulence G95-005

Dynamics and Control of a Tethered Flight Vehicle G95-009

Guaranteed Performance Control of Nonlinear Systems with Application to Flexible Space Structure G95-020

On-Line Learning Nonlinear Direct Neurocontrollers for Restructurable Control Systems

G95-023

Determination of Piloting Feedback Structures for an Altitude Tracking Task G95-025 System Design by Linear Exponential Quadratic Gaussian and Loop Transfer Recovery Methodology G95-028 Reduced-Order Nonlinear Analysis of Aircraft G95-052 Application of Restructurable Flight Control

System to Large Transport Aircraft

G95-053 Design with Multiple-Delay-Model and Multiple-Design-Point Approach G95-076 Robust Multirate Eigenstructure Assignment with Flight Control Application G95-080 On-Line Robust Stabilizer G95-100 Nonlinear Decoupling Control of Aircraft Mo-G95-123

U-Parameter Robust Flight Control Design G95-142

Reconfigurable Tracking Control with Satura-G95-159

Nonlinear Predictive Control of Feedback Linearizable Systems and Flight Control System G95-160 Design

Feedback System Design for Stable Plants with G95-161 Input Saturation

Flexible Vehicle Control Using Quantitative Feedback Theory G95-165

Aircraft Flight Control in Wind Shear Using Se-G95-168 quential Dynamic Inversion Minimal Time Change Detection Algorithm for

Reconfigurable Flight Control Systems

G95-205

Neural-Network-Based Scheme for Sensor Failure Detection, Identification, and Accommodation G95-202 Identification of a Nonlinear Aerodynamic Model of the F-14 Aircraft G95-204 Resonance Control of Aircraft Instabilities by Smooth and Continuous Feedback

#### Artificial Intelligence

Direct Adaptive and Neural Control of Wing-Rock Motion of Slender Delta Wings

G95-003

On-Line Learning Nonlinear Direct Neurocontrollers for Restructurable Control Systems

Neural Networks Approach to AIAA Aircraft
Control Design Challenge G95-114

Control Design Challenge G95-114
On-Line Learning Neural-Network Controllers
for Autopilot Systems G95-158

Hybrid Fuzzy Logic Flight Controller Synthesis via Pilot Modeling G95-170

Aircraft Antilock Brake System with Neural Networks and Fuzzy Logic G95-172

Expert System for Processing Uncorrelated Satellite Tracks G95-176

Neural-Network-Based Scheme for Sensor Failure Detection, Identification, and Accommodation G95-202

Recurrent Artificial Neural Network Simulation of a Chaotic System Without Training

G95-230

#### Astrodynamics

Comment on "Optimal Cooperative Power-Limited Rendezvous Between Neighboring Circular Orbits"

G93-165

Optimal Impulsive Time-Fixed Orbital Rendezvous and Interception with Path Constraints

G95-007

Star-Field Identification for Autonomous Attitude Determination G95-008 Low-Thrust Orbit Transfer Guidance Using an

Inverse Dynamics Approach G95-027
Autonomous Rendezvous Using Artificial Poten-

tial Function Guidance G95-035 Strong Hohmann Transfer Theorem G95-054

Transfer Orbits in Restricted Problem G95-088
Optimization of Low-Thrust Interplanetary Trajectories Using Collocation and Nonlinear

Programming G95-089
Spectral Analysis of Tethered Satellite SystemMission 1 Vibrations G95-092

Mission 1 Vibrations G95-092

Matched Asymptotic Expansion Solutions for an Ablating Hypervelocity Projectile G95-101

Ablating Hypervelocity Projectile G95-1 Approximate Solution to Lawden's Problem

G95-102
Optimal Atmospheric Trajectory for Aerogravity
Assist with Heat Constraint G95-113

Close Conjunction Detection on Parallel Computer G95-125
Terminal Spacecraft Coplanar Rendezvous Con-

trol G95-127
Closed Loop Momentum Transfer Maneuvers

Using Multiwheels G95-131
Low-Earth-Orbit Maintenance: Reboost vs

Thrust-Drag Cancellation G95-146
Stability of Motion on Three-Dimensional Halo
Orbits G95-173

Earth-to-Moon Transfer with a Limited Power
Engine G95-175

Expert System for Processing Uncorrelated Satellite Tracks G95-176

Optimal Power-Limited Rendezvous with Thrust Saturation G95-177

Optimal Station-Change Maneuver for Geostationary Satellites Using Constant Low Thrust G95-178

Elliptical Orbit with Variable Angular Momentum G95-190

Autonomous Ring Formation for a Planar Constellation of Satellites G95-191 Aerocapture with a Flexible Tether G95-206

#### Avionics Systems

Flight Test of Radar Altimeter Enhancement for Terrain-Referenced Guidance G95-110

#### Computer Science

Impact of Near-Coincident Faults on Digital Flight Controls Systems G95-014
Impact of Near-Coincident Faults on Digital Flight Controls Systems G95-014

#### Control System Design

Robust Dynamic Inversion for Control of Highly Maneuverable Aircraft G95-002

Direct Adaptive and Neural Control of Wing-Rock Motion of Slender Delta Wings

G95-003 High-Performance, Robust, Bank-To-Turn Mis-

sile Autopilot Design G95-006 Validation of Finite-Dimensional Approximate Solutions for Dynamics of Distributed-Param-

eter Systems G95-012 Piezoelectric Transformer G95-013

Guaranteed Performance Control of Nonlinear Systems with Application to Flexible Space Structure G95-020

Classical/H<sub>2</sub> Solution for a Robust Control Design Benchmark Problem G95-022

On-Line Learning Nonlinear Direct Neurocontrollers for Restructurable Control Systems

G95-023
Dynamics and Control of Slewing Active Beam
G95-026

System Design by Linear Exponential Quadratic Gaussian and Loop Transfer Recovery Methodology G95-028

Hubble Space Telescope Pointing Control System Design Improvement Study Results

Linear-Quadratic-Gaussian-Based Controller Design for Hubble Space Telescope G95-031 Analytically and Numerically Derived  $H_{\infty}$  Controller Designs for Hubble Space Telescope

Preservicing Mission, On-Orbit Modifications to
Hubble Space Telescope Pointing Control
System G95-033

Covariance Control Design for Hubble Space Telescope G95-034 Dynamics and Control of Limit Cycling Motions

in Boosting Rockets G95-041
Control Design for Variations in Structural Natu-

ral Frequencies G95-047
Modeling and Control for Vibration Suppression
of a Flexible Active Structure G95-049

Design of an Effective Controller via Disturbance Accommodating Left Eigenstructure
Assignment G95-050

Assignment G95-050
Application of Restructurable Flight Control
System to Large Transport Aircraft G95-053

Aircraft Controller Synthesis by Solving a Nonconvex Optimization Problem G95-059 Nonlinear Modal Control Method G95-066

Trainable Neural Network for Mechanically Flexible Systems Based on Nonlinear Filtering G95-075

Design with Multiple-Delay-Model and Multiple-Design-Point Approach G95-076 Mixed  $H_2/H_{\infty}$  Control of Multimodel Plants

G95-078 Self-Scheduled  $H_{\infty}$  Control of Missile via Linear Matrix Inequalities G95-079

Robust Multirate Eigenstructure Assignment with Flight Control Application G95-080
Robust Stabilization of the Space Station in the

Presence of Inertia Matrix Uncertainty

G95-091

Eigenstructure Assignment Using Inverse Eigenvalue Methods G95-093

New Filtering Method for Linear Weakly Cou-

pled Stochastic Systems G95-095
Optimal Modal-Space Controller for Structural
Damping Enhancements G95-104

Experimental Application of an Explicit Optimal Linear Quadratic Gaussian Controller

G95-106
Neural Networks Approach to AIAA Aircraft
Control Design Challenge G95-114

Decentralized Sliding Mode Control in Three-Axis Inertial Platforms G95-119

Aircraft Terrain Following Based on a Nonlinear Continuous Predictive Control Approach

G95-124
Eigenvector Derivatives for Mechanical Second-

Order Systems

Shaping Time Response by State Feedback in

Minimum-Phase Systems G95-139 Experimental Control of a Single-Link Flexible

Arm Incorporating Electrorheological Fluids

G95-140

U-Parameter Robust Flight Control Design

Pointing Geometry for Low Earth Orbit Aurora

Observations G95-145
Feedback Linearization Autopilot Design for the

Advanced Kinetic Energy Missile Boost
Phase G95-149

Numerical Approach to Computing Nonlinear  $H_{\infty}$  Control Laws G95-155

Closed-Form Solutions to Constrained Control Allocation Problem G95-157

On-Line Learning Neural-Network Controllers for Autopilot Systems G95-158

Reconfigurable Tracking Control with Saturation G95-159
Nonlinear Predictive Control of Feedback Line

Nonlinear Predictive Control of Feedback Linearizable Systems and Flight Control System Design G95-160

Feedback System Design for Stable Plants with Input Saturation G95-161

Dissipative Controllers for Nonlinear Multibody
Flexible Space Systems G95-163
Flexible Vehicle Control Using Quantitative

Feedback Theory G95-165
Aircraft Flight Control in Wind Shear Using Se-

quential Dynamic Inversion G95-168 Hybrid Fuzzy Logic Flight Controller Synthesis via Pilot Modeling G95-170

Aircraft Antilock Brake System with Neural Networks and Fuzzy Logic G95-172

Minimal Time Change Detection Algorithm for Reconfigurable Flight Control Systems

Optimal Tradeoff Between H<sub>2</sub> Performance and

Tracking Accuracy in Servocompensator Synthesis G95-196
Real Structured Singular Value Synthesis Using

the Scaled Popov Criterion G95-197
Resonance Control of Aircraft Instabilities by
Smooth and Continuous Feedback G95-205

Comparative Stability Analysis and Performance of Magnetic Controllers for Bias Momentum Satellites G95-207

Experiments with Model-Simplified Computed-Torque Manipulator Controllers for Free-Flying Robots G95-217

Determination of Weighting Matrices of a Linear Quadratic Regulator G95-229

#### Control System Effectors

Neighboring Optimal Trajectories for Aeroassisted Orbital Transfer Under Uncertainties

G95-072
Closed-Form Solutions to Constrained Control
Allocation Problem G95-157

Control Stick Logic in High-Angle-of-Attack
Maneuvering G95-169

#### Control System Sensors

Air Data Prediction from Surface Pressure Measurements on Guided Munitions

G95-051

| New Filtering Method for Linear Weakly Coupled Stochastic Systems G95-095                 | Optimal Power-Limited Rendezvous with Thrust<br>Saturation G95-177                           | Recurrent Artificial Neural Network Simulation of a Chaotic System Without Training           |
|---|--|---|
| Sensor Fault Detection and Diagnosis for a T700   | Distributed Control of Maneuvering Vehicles for  | G95-230   |
| Turboshaft Engine G95-099   | On-Orbit Assembly G95-186 Control Variables for Finite Element Solution of                   | Flight Displays   |
| Minimum-Time Reorientation of a Two-Degree-<br>of-Freedom Gyroscope G95-120               | Missile Trajectory Optimization G95-188  |   |
| Neural-Network-Based Scheme for Sensor Fail-  | Autonomous Ring Formation for a Planar Con-  | Multistage Integration Model for Human Ego-<br>motion Perception G95-148                      |
| ure Detection, Identification, and Accommodation G95-202                                  | stellation of Satellites G95-191 Optimal Tradeoff Between $H_2$ Performance and              | Reduced-Computation End-Game Steering Laws  |
| Roll/Pitch Determination with Scanning Horizon  | Tracking Accuracy in Servocompensator Syn-   | for Predictive Guidance G95-045 System Identification for Adaptive and Recon                  |
| Sensors: Oblateness and Altitude Corrections  | thesis G95-196 Real Structured Singular Value Synthesis Using                                | System Identification for Adaptive and Reconfigurable Control G95-077                         |
| G95-213   | the Scaled Popov Criterion G95-197   | Approximate Solution to Lawden's Problem  |
| Control Theory  | Resonance Control of Aircraft Instabilities by   | G95-102 Terminal Spacecraft Coplanar Rendezvous Con-  |
| Robust Dynamic Inversion for Control of Highly  | Smooth and Continuous Feedback G95-205<br>Comparative Stability Analysis and Performance     | trol G95-127  |
| Maneuverable Aircraft G95-002   | of Magnetic Controllers for Bias Momentum  | Aircraft Flight Control in Wind Shear Using Se-   |
| Guaranteed Performance Control of Nonlinear<br>Systems with Application to Flexible Space | Satellites G95-207   | quential Dynamic Inversion G95-168  Nutational Stability and Passive Control of Spin-         |
| Structure G95-020   | Robust Closed-Loop Control Design for Space-<br>craft Slew Maneuver Using Thrusters          | ning Rockets with Internal Mass Motion  |
| System Design by Linear Exponential Quadratic   | G95-210  | G95-185   |
| Gaussian and Loop Transfer Recovery Methodology G95-028                                   | Smooth Sliding-Mode Control for Spacecraft At-<br>titude Tracking Maneuvers G95-211          | Optimal Direct Ascent with Carrier Return to Base G95-187                                     |
| Covariance Control Design for Hubble Space  | titude Tracking Maneuvers G95-211 Feedback Control Logic for Spacecraft Eigenaxis            |   |
| Telescope G95-034 Attitude Stabilization of a Rigid Spaceceaft Us-                        | Rotations Under Slew Rate and Control Con-   | Handling Qualities  |
| ing Two Momentum Wheel Actuators  | straints G95-215 Experiments with Model-Simplified Computed-                                 | Rotorcraft Handling Qualities in Turbulence   |
| G95-038   | Torque Manipulator Controllers for Free-Fly-   | G95-005  Determination of Piloting Feedback Structures  |
| Passivity Analysis for Flexible Multilink Space<br>Manipulators G95-040                   | ing Robots G95-217   | for an Altitude Tracking Task   |
| Dynamics and Control of Limit Cycling Motions   | Differential Games   | G95-025   |
| in Boosting Rockets G95-041   | Optimum Guidance with a Single Uncertain   | Flexible Vehicle Control Using Quantitative<br>Feedback Theory G95-165                        |
| Design of an Effective Controller via Disturbance Accommodating Left Eigenstructure       | Time Lag G95-154   |   |
| Assignment G95-050  | Dumamia  | Launch Vehicle Guidance and Control   |
| Nonlinear Modal Control Method  | Dynamics   | Monte Carlo Analysis of Titan/Transfer Orbit  |
| G95-066 Guidance of a Homing Missile via Nonlinear  | Validation of Finite-Dimensional Approximate<br>Solutions for Dynamics of Distributed-Param- | Stage Planetary Mission Guidance System<br>G95-017  |
| Geometric Control Methods G95-067   | eter Systems G95-012   | Dynamics and Control of Limit Cycling Motions   |
| Three-Dimensional Air-to-Air Missile Trajec-  | Dynamics and Control of Slewing Active Beam  | in Boosting Rockets G95-041   |
| tory Shaping G95-068 Near-Optimal Three-Dimensional Air-to-Air                            | G95-026 Covariance Control Design for Hubble Space   | Trajectory Optimization Using Parallel Shooting<br>Method on Parallel Computer G95-057        |
| Missile Guidance Against Maneuvering Tar-   | Telescope G95-034  | Eigenvector Derivatives for Mechanical Second-  |
| get G95-069 Optimal Sliding-Mode Control of a Flexible                                    | Alternative Variable Transformation for Simula-  | Order Systems G95-135   |
| Spacecraft Under Stochastic Disturbances  | tion of Multibody Dynamic Systems G95-056 Assumed Modes Method and Articulated Flexi-        | Finite Element Method for the Solution of State-<br>Constrained Optimal Control Problems      |
| G95-073   | ble Multibody Dynamics G95-062   | G95-162   |
| Trajectory and Control Optimization for Flexible<br>Space Robots G95-074                  | Aggregation Effects in Air Traffic Arrival Flows G95-086                                     | Optimal Direct Ascent with Carrier Return to  |
| Trainable Neural Network for Mechanically   | Spectral Analysis of Tethered Satellite System-  | Base G95-187 Simple Guidance Method for Single Stage to                                       |
| Flexible Systems Based on Nonlinear Filter-   | Mission 1 Vibrations G95-092   | Low Earth Orbit G95-223   |
| ing G95-075  Mixed $H_2/H_{\infty}$ Control of Multimodel Plants                          | Hybrid Equations of Motion for Flexible Multi-<br>body Systems Using Quasicoordinates        | Missile Guidance and Control  |
| G95-078   | G95-107  |   |
| Self-Scheduled $H_{\infty}$ Control of Missile via Linear Matrix Inequalities G95-079     | Control of a Flexible Space Robot Executing a  | Comment on "Analytic Solution of the Riccati<br>Equation for the Homing Missile Linear-Qua-   |
| Robust Multirate Eigenstructure Assignment  | Docking Maneuver G95-117 Geometric Stiffening in Multibody Dynamics                          | dratic Control Problem" G94-090   |
| with Flight Control Application G95-080   | Formulations G95-133   | Reduced-Computation End-Game Steering Laws  |
| Aggregation Effects in Air Traffic Arrival Flows G95-086                                  | Application of Rigid Finite Element Method to<br>Dynamic Analysis of Spatial Systems         | for Predictive Guidance G95-045 Optimal Guidance and Nonlinear Estimation for                 |
| Robust Stabilization of the Space Station in the  | G95-134  | Interception of Decelerating Targets  |
| Presence of Inertia Matrix Uncertainty  | Eigenvector Derivatives for Mechanical Second-   | G95-046   |
| G95-091 Eigenstructure Assignment Using Inverse Eigen-                                    | Order Systems G95-135 Calculation of Second and Higher Order Eigen-                          | Air Data Prediction from Surface Pressure Mea-<br>surements on Guided Munitions               |
| value Methods G95-093   | vector Derivatives G95-141   | G95-051   |
| Decentralized Sliding Mode Control in Three-<br>Axis Inertial Platforms G95-119           | Stability of Motion on Three-Dimensional Halo  | Guidance of a Homing Missile via Nonlinear<br>Geometric Control Methods G95-067               |
| Aircraft Terrain Following Based on a Nonlinear   | Orbits G95-173 Spinup Dynamics of Gyrostats G95-182  | Three-Dimensional Air-to-Air Missile Trajec-  |
| Continuous Predictive Control Approach  | Distributed Control of Maneuvering Vehicles for  | tory Shaping G95-068  |
| G95-124 Feedback Linearization Autopilot Design for the                                   | On-Orbit Assembly G95-186  Resonance Continue in Unbalanced Dual Spin                        | Near-Optimal Three-Dimensional Air-to-Air<br>Missile Guidance Against Maneuvering Tar-        |
| Advanced Kinetic Energy Missile Boost   | Resonance Capture in Unbalanced Dual-Spin<br>Spacecraft G95-209                              | get G95-069   |
| Phase <b>G95-149</b>  | Feedback Control Logic for Spacecraft Eigenaxis  | Optimal Midcourse Guidance Law for Fixed-In-  |
| Optimal Pole Placement in Time-Dependent Linear Systems G95-156                           | Rotations Under Slew Rate and Control Con-<br>straints G95-215                               | terval Propulsive Maneuvers G95-070 Self-Scheduled $H_{\infty}$ Control of Missile via Linear |
| Nonlinear Predictive Control of Feedback Lin-   | Modeling of Translational Motion Between Two   | Matrix Inequalities G95-079   |
| earizable Systems and Flight Control System   | Flexible Bodies Connected via Three Points   | Radome Slope Compensation Using Multiple-   |
| Design G95-160 Feedback System Design for Stable Plants with                              | G95-218  Motion of a Rigid Body with an Attached Spring-                                     | Model Kalman Filters G95-098 Decentralized Sliding Mode Control in Three-                     |
| Input Saturation G95-161  | Mass Damper G95-220  | Axis Inertial Platforms G95-119   |

Study of Strapdown Navigation Attitude Algo-

Alternative Variable Transformation for Simula-

tion of Multibody Dynamic Systems

G95-042

G95-056

G95-037

G95-038

Geostationary Operational Environmental Sat-

Attitude Stabilization of a Rigid Spaceceaft Us-

ing Two Momentum Wheel Actuators

ellite Spacecraft Series

| Feedback Linearization Autopilot Design for the     | On-Line Robust Stabilizer G95-100                      | Assumed Modes Method and Articulated Flexi-       |
|---|--|---|
| Advanced Kinetic Energy Missile Boost               | Optimal Guidance of Aeroassisted Transfer Ve-          | ble Multibody Dynamics G95-062                    |
| Phase G95-149                                       | hicles Based on Matched Asymptotic Expan-              | Instability Tests, Lyapunov's Direct Method, and  |
| Bank-to-Turn Optimal Guidance with Linear Ex-       | sions G95-111  | Exact Stability Boundaries for Flexible Satel-    |
| ponential Quadratic Gaussian Performance            | Evaluation of Optimal-Guidance Algorithm for           | lites G95-065                                     |
| Criterion G95-150                                   | Aeroassisted Orbit Transfer G95-112                    | Robust Stabilization of the Space Station in the  |
| Optimal Guidance and Nonlinear Estimation for       | Neural Networks Approach to AIAA Aircraft              | Presence of Inertia Matrix Uncertainty            |
| Interception of Accelerating Targets                | Control Design Challenge G95-114                       | G95-091   |
| G95-151   | Optimal Low-Thrust Three-Dimensional Earth—            | Spectral Analysis of Tethered Satellite System-   |
| Proportional Navigation and Weaving Targets         | Moon Trajectories G95-126                              | Mission 1 Vibrations G95-092                      |
| G95-152   | Controllability and Optimization in Aeroassited        | Vibrations of the Low Power Atmospheric Com-      |
| Linearized Kappa Guidance G95-153                   | Orbital Transfer G95-138                               | pensation Experiment Satellite G95-103            |
| Optimum Guidance with a Single Uncertain            | Shaping Time Response by State Feedback in             | Human-in-the-Loop Evaluation of Remote Ma-        |
| Time Lag G95-154                                    | Minimum-Phase Systems G95-139                          | nipulator System Active Damping Augmenta-         |
| Control Variables for Finite Element Solution of    | Reconfigurable Tracking Control with Satura-           | tion G95-108                                      |
| Missile Trajectory Optimization G95-188             | tion G95-159   | Close Conjunction Detection on Parallel Com-      |
| Adjoint Variable Solutions via an Auxiliary Op-     | Finite Element Method for the Solution of State-       | puter G95-125                                     |
| timization Problem G95-200                          | Constrained Optimal Control Problems                   | Estimation and Control of Tethered Satellite Sys- |
| Optimal Planar Interception with Terminal Con-      | G95-162  | tems G95-129                                      |
| straints G95-201                                    | Experimental Satellite Trajectory Analysis Using       | Closed Loop Momentum Transfer Maneuvers           |
| Terminal Homing Performance of Semiactive           | Decision-Based Robust Design G95-174                   | Using Multiwheels G95-131                         |
| Missiles Against Multitarget Raids G95-224          | Integrating Robustness into Multiobjective             | Geometric Stiffening in Multibody Dynamics        |
| Bayesian State Estimation for Tracking and          |  |   |
| Guidance Using the Bootstrap Filter G95-225         | 1  | Formulations G95-133                              |
| Guidance comg the Bootstrap I file: 'Gyo-222        | Control Variables for Finite Element Solution of       | Substructure-Based Controller Design Method       |
| Navigation  | Missile Trajectory Optimization G95-188                | for Flexible Structures G95-164                   |
|   | Minimal Time Change Detection Algorithm for            | Spinup Dynamics of Gyrostats G95-182              |
| Star-Field Identification for Autonomous Atti-      | Reconfigurable Flight Control Systems                  | Fluid Force Activated Spacecraft Dynamics         |
| tude Determination G95-008                          | G95-189  | Driven by Gravity Gradient and Jitter Acceler-    |
| Study of Strapdown Navigation Attitude Algo-        | Real Structured Singular Value Synthesis Using         | ations G95-184                                    |
| rithms G95-042                                      | the Scaled Popov Criterion G95-197                     | Clarification of the Garber Instability for Grav- |
| Failure Detection and Isolation Structure for Glo-  | Adjoint Variable Solutions via an Auxiliary Op-        | ity-Gradient Stabilized Spacecraft G95-193        |
| bal Positioning System Autonomous Integrity         | timization Problem G95-200                             | Resonance Capture in Unbalanced Dual-Spin         |
| Monitoring G95-043                                  | Simple Guidance Method for Single Stage to             | Spacecraft G95-209                                |
| Analytical Gain Scheduling Approach to Peri-        | Low Earth Orbit G95-223                                | Robust Closed-Loop Control Design for Space-      |
| odic Observer Design G95-081                        | Pointing Systems                                       | craft Slew Maneuver Using Thrusters               |
| Autonomous Orbit and Magnetic Field Determi-        | 1 oming Dystens  | G95-210   |
| nation Using Magnetometer and Star Sensor           | Analytically and Numerically Derived $H_{\infty}$ Con- | Feedback Control Logic for Spacecraft Eigenaxis   |
| Data G95-087  | troller Designs for Hubble Space Telescope             | Rotations Under Slew Rate and Control Con-        |
| Autonomous Imaging of Phobos and Deimos for         | G95-032  | straints G95-215                                  |
| the PLANET-B Mission G95-090                        | Preservicing Mission, On-Orbit Modifications to        | Influence of Pinned Joints on Damping and Dy-     |
| Failure Diagnosis System Using ARTMAP Neu-          | Hubble Space Telescope Pointing Control                | namic Behavior of a Truss G95-219                 |
| ral Networks G95-109                                | System G95-033   | Motion of a Rigid Body with an Attached Spring-   |
| Satellite Autonomous Navigation Based on Mag-       | Autonomous Imaging of Phobos and Deimos for            | Mass Damper G95-220                               |
| netic Field Measurements G95-128                    | the PLANET-B Mission G95-090                           | Spacecraft Guidance and Control                   |
| Two Misconceptions in the Theory of Inertial        | Pointing Geometry for Low Earth Orbit Auroral          | Spacecraji Guiaunce ana Comroi                    |
| Navigation Systems G95-137                          | Observations G95-145                                   | Comment on "Optimal Cooperative Power-Lim-        |
| Elliptical Orbit with Variable Angular Momen-       | Near-Minimum-Time Eigenaxis Rotation Ma-               | ited Rendezvous Between Neighboring Circu-        |
| tum G95-190   | neuvers Using Reaction Wheels G95-183                  | lar Orbits" G93-165                               |
| Observability of Gravimeter-Aided Inertial Nav-     | -  | Optimal Impulsive Time-Fixed Orbital Rendez-      |
| igation Systems G95-222                             | Redundancy Management                                  | vous and Interception with Path Constraints       |
| Terrain-Aided Navigation Using the Viterbi Al-      |  | G95-007   |
| gorithm G95-226                                     | Closed-Form Solutions to Constrained Control           | Dynamics and Control of a Tethered Flight Vehi-   |
| Passive Airborne Navigation and Terrain Avoid-      | Allocation Problem G95-157                             | cle G95-009                                       |
| ance Using Gravity Gradiometry G95-227              | Remote Control   | Validation of Finite-Dimensional Approximate      |
| Ontinuis ation To design                            | Allmost Commut   | Solutions for Dynamics of Distributed-Param-      |
| Optimization Techniques                             | Case Study on Haptic Devices: Human-Induced            | eter Systems G95-012                              |
| Hybrid Near-Optimal Atmospheric Guidance for        | Instability in Powered Hand Controllers                | Monte Carlo Analysis of Titan/Transfer Orbit      |
| Aeroassisted Orbit Transfer G95-018                 | G95-015  | Stage Planetary Mission Guidance System           |
| Application of Direct Transcription to Commer-      |  | G95-017   |
| cial Aircraft Trajectory Optimization               | Software Technology                                    | Hybrid Near-Optimal Atmospheric Guidance for      |
| G95-021   |  | Aeroassisted Orbit Transfer G95-018               |
| Genetic Algorithm Approach for Optimal Con-         | Experimental Satellite Trajectory Analysis Using       | Genetic Algorithm Approach for Optimal Con-       |
| trol Problems with Linearly Appearing Con-          | Decision-Based Robust Design G95-174                   | trol Problems with Linearly Appearing Con-        |
| trols G95-024                                       | Integrating Robustness into Multiobjective             | trols G95-024                                     |
| Trajectory Optimization Using Parallel Shooting     | Space Vehicle Design Process G95-180                   | Low-Thrust Orbit Transfer Guidance Using an       |
| Method on Parallel Computer G95-057                 | Spacecraft Dynamics                                    | Inverse Dynamics Approach G95-027                 |
| Aircraft Controller Synthesis by Solving a Non-     | Spacecraft Dynamics                                    | Linear-Quadratic-Gaussian-Based Controller        |
| convex Optimization Problem G95-059                 | New Formulation for General Spatial Motion of          | Design for Hubble Space Telescope G95-031         |
| Trajectory and Control Optimization for Flexible    | Flexible Beams G95-011                                 | Preservicing Mission, On-Orbit Modifications to   |
| Space Robots G95-074                                | Attitude Stabilization of a Rigid Spaceceaft Us-       | Hubble Space Telescope Pointing Control           |
| System Identification for Adaptive and Recon-       | ing Two Momentum Wheel Actuators                       | System G95-033                                    |
| figurable Control G95-077                           | G95-038  | Autonomous Rendezvous Using Artificial Poten-     |
| Mixed $H_2/H_{\infty}$ Control of Multimodel Plants | General Attitude Maneuvers of Spacecraft with          | tial Function Guidance G95-035                    |
| G95-078   | Flexible Structures G95-039                            | Attitude Control System Conceptual Design for     |

Optimal Aircraft Terrain-Following Analysis

Optimization of Low-Thrust Interplanetary Tra-

jectories Using Collocation and Nonlinear

G95-082

G95-089

and Trajectory Generation

Programming

| General Attitude Maneuvers of Spacecraft with<br>Flexible Structures G95-039<br>Study of Strapdown Navigation Attitude Algo- | Roll/Pitch Determination with Scanning Horizon<br>Sensors: Oblateness and Altitude Corrections<br>G95-213 |
|--|---|
| rithms G95-042 Robust Roll Modulation Guidance for Aeroas-   | Spacecraft Attitude Determination by Kalman Filtering of Global Positioning System Sig-                   |
| sisted Mars Mission G95-044  Examination of a Practical Aerobraking Guid-  | nals G95-214 Experiments with Model-Simplified Computed-  |
| Examination of a Practical Aerobraking Guid-<br>ance Algorithm G95-071   | Torque Manipulator Controllers for Free-Fly-  |
| Neighboring Optimal Trajectories for Aeroas-   | ing Robots G95-217  |
| sisted Orbital Transfer Under Uncertainties G95-072  | State Estimation  |
| Optimal Sliding-Mode Control of a Flexible   |   |
| Spacecraft Under Stochastic Disturbances G95-073   | Failure Detection and Isolation Structure for Glo-<br>bal Positioning System Autonomous Integrity         |
| Autonomous Orbit and Magnetic Field Determi-   | Monitoring G95-043 Optimal Guidance and Nonlinear Estimation for  |
| nation Using Magnetometer and Star Sensor<br>Data G95-087  | Interception of Decelerating Targets  |
| Autonomous Imaging of Phobos and Deimos for  | G95-046   |
| the PLANET-B Mission G95-090   | Air Data Prediction from Surface Pressure Measurements on Guided Munitions G95-051                        |
| Approximate Solution to Lawden's Problem  G95-102  | Maximum Likelihood Estimation of Fractional   |
| Experimental Application of an Explicit Optimal  | Brownian Motion and Markov Noise Parameters G95-058   |
| Linear Quadratic Gaussian Controller G95-106   | Analytical Gain Scheduling Approach to Peri-  |
| Optimal Guidance of Aeroassisted Transfer Vehicles Based on Matched Asymptotic Expan-  | odic Observer Design G95-081  |
| sions G95-111  | Autonomous Orbit and Magnetic Field Determi-<br>nation Using Magnetometer and Star Sensor                 |
| Evaluation of Optimal-Guidance Algorithm for   | Data G95-087  |
| Aeroassisted Orbit Transfer G95-112 Control of a Flexible Space Robot Executing a  | New Filtering Method for Linear Weakly Cou-   |
| Docking Maneuver G95-117   | pled Stochastic Systems G95-095 Radome Slope Compensation Using Multiple-                                 |
| Terminal Spacecraft Coplanar Rendezvous Con-   | Model Kalman Filters G95-098  |
| trol G95-127 Satellite Autonomous Navigation Based on Mag-   | Identification of Linear Stochastic Systems   |
| netic Field Measurements G95-128   | Through Projection Filters G95-118 Setallite Autonomous Novigation Resed on Mag                           |
| Spacecraft Orientation Based on Space Object   | Satellite Autonomous Navigation Based on Mag-<br>netic Field Measurements G95-128                         |
| Observations by Means of Quaternion Algebra G95-130  | Estimation and Control of Tethered Satellite Sys-   |
| Closed Loop Momentum Transfer Maneuvers  | tems G95-129  Reals to Turn Ontime! Guidenes with Linear Five   |
| Using Multiwheels G95-131  | Bank-to-Turn Optimal Guidance with Linear Exponential Quadratic Gaussian Performance                      |
| Controllability and Optimization in Aeroassited Orbital Transfer G95-138   | Criterion G95-150   |
| Optimal Pole Placement in Time-Dependent Linear Systems G95-156  | Optimal Guidance and Nonlinear Estimation for Interception of Accelerating Targets                        |
| Dissipative Controllers for Nonlinear Multibody  | G95-151  Bayesian State Estimation for Tracking and   |
| Flexible Space Systems G95-163 Experimental Satellite Trajectory Analysis Using  | Guidance Using the Bootstrap Filter   |
| Decision-Based Robust Design G95-174   | G95-225 Terrain Aided Navigation Using the Viterbi Al   |
| Optimal Power-Limited Rendezvous with Thrust   | Terrain-Aided Navigation Using the Viterbi Algorithm G95-226  |
| Saturation G95-177 Optimal Station-Change Maneuver for Geosta-   |   |
| tionary Satellites Using Constant Low Thrust   | Structural Control  |
| G95-178  | Piezoelectric Transformer G95-013   |
| Fuel-Optimal Stationkeeping via Differential In-<br>clusions G95-179   | Hubble Space Telescope Pointing Control Sys-<br>tem Design Improvement Study Results                      |
| Integrating Robustness into Multiobjective   | G95-029   |
| Space Vehicle Design Process G95-180   | Linear-Quadratic-Gaussian-Based Controller  |
| Near-Minimum-Time Eigenaxis Rotation Maneuvers Using Reaction Wheels G95-183   | Design for Hubble Space Telescope  G95-031  |
| Fluid Force Activated Spacecraft Dynamics  | Analytically and Numerically Derived $H_{\infty}$ Con-  |
| Driven by Gravity Gradient and Jitter Acceler-   | troller Designs for Hubble Space Telescope  |
| ations G95-184 Distributed Control of Maneuvering Vehicles for   | G95-032 Control Design for Variations in Structural Natu-   |
| On-Orbit Assembly G95-186  | ral Frequencies G95-047   |
| Autonomous Ring Formation for a Planar Con-  | Optimal Sliding-Mode Control of a Flexible  |
| stellation of Satellites G95-191 Orbital Strategies Around a Comet by Means of   | Spacecraft Under Stochastic Disturbances<br>G95-073   |
| a Genetic Algorithm G95-192  | Trajectory and Control Optimization for Flexible  |
| Clarification of the Garber Instability for Grav-  | Space Robots G95-074  |
| ity-Gradient Stabilized Spacecraft G95-193 Comparative Stability Analysis and Performance                                    | Eigenstructure Assignment Using Inverse Eigenvalue Methods G95-093  |
| of Magnetic Controllers for Bias Momentum  | Perturbation Analysis for Flexible System Con-  |
| Satellites G95-207 Robust Closed Loop Control Design for Space   | trol G95-096  Pagglation of Single Link Flexible Manipulator  |
| Robust Closed-Loop Control Design for Space-<br>craft Slew Maneuver Using Thrusters  | Regulation of Single-Link Flexible Manipulator<br>Involving Large Elastic Deflections                     |
| G95-210  | G95-097   |
| Smooth Sliding-Mode Control for Spacecraft At-<br>titude Tracking Maneuvers G95-211  | Optimal Modal-Space Controller for Structural Damping Enhancements G95-104                                |
| Suboptimal Command Generation for Control  | Damping Enhancements G95-104 Experimental Application of an Explicit Optimal                              |
| Moment Gyroscopes and Feedback Control of  | Linear Quadratic Gaussian Controller  |

G95-212

Spacecraft

ermination with Scanning Horizon Hybrid Equations of Motion for Flexible Multibody Systems Using Quasicoordinates lateness and Altitude Corrections titude Determination by Kalman Human-in-the-Loop Evaluation of Remote Ma-Global Positioning System Signipulator System Active Damping Augmenta-G95-214 vith Model-Simplified Computed-Consistent Model Reduction of Experimental Modal Parameters for Reduced-Order Control nipulator Controllers for Free-Fly-G95-217 G95-116 Control of a Flexible Space Robot Executing a Docking Maneuver G95-117 Identification of Linear Stochastic Systems ion and Isolation Structure for Glo-Through Projection Filters G95-118 ing System Autonomous Integrity Flutter Margin Augmentation Synthesis Using G95-043 Normalized Coprime Factors Approach ance and Nonlinear Estimation for G95-122 of Decelerating Targets Experimental Control of a Single-Link Flexible G95-046 Arm Incorporating Electrorheological Fluids iction from Surface Pressure Mea-G95-140 n Guided Munitions G95-051 Generalization of the Wittrick-Williams Forrelihood Estimation of Fractional mula for Counting Modes of Flexible Struc-Iotion and Markov Noise Parame-G95-221 tures G95-058 in Scheduling Approach to Peri-System Identification G95-081 er Design Orbit and Magnetic Field Determi-Maximum Likelihood Estimation of Fractional g Magnetometer and Star Sensor Brownian Motion and Markov Noise Parame-G95-087 G95-058 Efficient Computation of the Eigensystem Real-Method for Linear Weakly Cou-G95-095 stic Systems ization Algorithm G95-061 System Identification for Adaptive and Recone Compensation Using Multiplefigurable Control nan Filters G95-098 G95-077 of Linear Stochastic Radome Slope Compensation Using Multiple-Systems ojection Filters Model Kalman Filters G95-118 G95-098 Sensor Fault Detection and Diagnosis for a T700 nomous Navigation Based on Mag-Turboshaft Engine Measurements G95-128 G95-099 d Control of Tethered Satellite Sys-Optimal Modal-Space Controller for Structural G95-129 Damping Enhancements G95-104 Optimal Guidance with Linear Ex-Consistent Model Reduction of Experimental Quadratic Gaussian Performance Modal Parameters for Reduced-Order Control G95-150 G95-116 ance and Nonlinear Estimation for Identification of Linear Stochastic Systems of Accelerating Targets Through Projection Filters G95-118 G95-151 Identification of a Nonlinear Aerodynamic Model of the F-14 Aircraft te Estimation for Tracking and G95-204 sing the Bootstrap Filter Trajectory Optimization G95-225 Navigation Using the Viterbi Al-Comment on "Optimal Cooperative Power-Lim-G95-226 ited Rendezvous Between Neighboring Circular Orbits" G93-165 ntrol Reply by the Authors to Yurij P. Ulybyshev Transformer G95-013 G93-165 Telescope Pointing Control Sys-Optimal Impulsive Time-Fixed Orbital Rendez-Improvement Study Results vous and Interception with Path Constraints G95-029 G95-007 atic-Gaussian-Based Hybrid Near-Optimal Atmospheric Guidance for Controller Hubble Space Telescope Aeroassisted Orbit Transfer G95-018 G95-031 Genetic Algorithm Approach for Optimal Conand Numerically Derived  $H_{\infty}$  Control Problems with Linearly Appearing Congns for Hubble Space Telescope trols G95-024 G95-032 Robust Roll Modulation Guidance for Aeroasn for Variations in Structural Natusisted Mars Mission G95-044 G95-047 Strong Hohmann Transfer Theorem ing-Mode Control of a Flexible G95-054 Under Stochastic Disturbances Three-Dimensional Air-to-Air Missile Trajectory Shaping G95-073 C95-068

G95-106

sions

Three-Dimensional Control Optimization for Flexible Near-Optimal Air-to-Air G95-074 Missile Guidance Against Maneuvering Tar-Assignment Using Inverse Eigen-G95-069 Neighboring Optimal Trajectories for Aeroas-Analysis for Flexible System Consisted Orbital Transfer Under Uncertainties G95-096 G95-072 Single-Link Flexible Manipulator Optimal Aircraft Terrain-Following Analysis

and Trajectory Generation G95-082 Optimization of Low-Thrust Interplanetary Trajectories Using Collocation and Nonlinear Programming G95-089 Optimal Guidance of Aeroassisted Transfer Vehicles Based on Matched Asymptotic Expan-G95-111

| Evaluation of Optimal-Guidance Algorithm for     |
|--|
| Aeroassisted Orbit Transfer G95-112              |
| Optimal Atmospheric Trajectory for Aerogravity   |
| Assist with Heat Constraint G95-113              |
| Minimum-Time Reorientation of a Two-Degree-      |
| of-Freedom Gyroscope G95-120                     |
| Optimal Low-Thrust Three-Dimensional Earth-      |
| Moon Trajectories G95-126                        |
| Low-Earth-Orbit Maintenance: Reboost vs          |
| Thrust–Drag Cancellation G95-146                 |
| Finite Element Method for the Solution of State- |
| Constrained Optimal Control Problems             |
| G95-162  |
| Time-Optimal Lateral Maneuvers of an Aircraft    |
| G95-171  |
| Fuel-Optimal Stationkeeping via Differential In- |
| clusions G95-179                                 |
| Optimal Direct Ascent with Carrier Return to     |
| Base G95-187                                     |
| Adjoint Variable Solutions via an Auxiliary Op-  |
| timization Problem G95-200                       |
| Optimal Planar Interception with Terminal Con-   |
| straints G95-201                                 |
| Simple Guidance Method for Single Stage to       |
| Low Earth Orbit G95-223                          |
| Terminal Homing Performance of Semiactive        |
| Missiles Against Multitarget Raids G95-224       |
|  |

# **Interdisciplinary Topics**

# Analytical and Numerical Methods

Reduced-Computation End-Game Steering Laws for Predictive Guidance G95-045 Closet Bifurcation Analysis and Robust Stability Design of Flexible Satellites G95-048 Alternative Variable Transformation for Simulation of Multibody Dynamic Systems G95-056 Aggregation Effects in Air Traffic Arrival Flows G95-086 Shaping Time Response by State Feedback in Minimum-Phase Systems G95-139 Spinup Dynamics of Gyrostats G95-182 Resonance Capture in Unbalanced Dual-Spin Spacecraft G95-209 Recurrent Artificial Neural Network Simulation of a Chaotic System Without Training G95-230

#### **Human Factors**

Determination of Piloting Feedback Structures for an Altitude Tracking Task G95-025

Multistage Integration Model for Human Egomotion Perception G95-148

## Reliability, Maintainability, and Logistics Support

Impact of Near-Coincident Faults on Digital Flight Controls Systems G95-014

# Sensor Systems

Two Misconceptions in the Theory of Inertial Navigation Systems G95-137 Passive Airborne Navigation and Terrain Avoidance Using Gravity Gradiometry G95-227

# Launch Vehicle and Missile (LV/M) Technology

### Missile Systems

High-Performance, Robust, Bank-To-Turn Missile Autopilot Design G95-006

Numerical Approach to Computing Nonlinear  $H_{\infty}$  Control Laws G95-155

#### Trajectories and Tracking Systems

Approximate Altitude Transitions for High-Speed Aircraft G95-083 Matched Asymptotic Expansion Solutions for an Ablating Hypervelocity Projectile G95-101

#### Propulsion

#### Electric and Advanced Space Propulsion

Earth-to-Moon Transfer with a Limited Power Engine G95-175

#### Space Technology

# Aerobraking Configurations/ Aerothermodynamics

Aerocapture with a Flexible Tether G95-206

# Aerobraking Flight Mechanics

Robust Roll Modulation Guidance for Aeroassisted Mars Mission G95-044

Examination of a Practical Aerobraking Guidance Algorithm G95-071

#### Mission Design and Analysis

Transfer Orbits in Restricted Problem G95-088
Fuel-Optimal Stationkeeping via Differential Inclusions G95-179
Orbital Strategies Around a Comet by Means of a Genetic Algorithm G95-192

# Mission Trajectories (Earth and Interplanetary)

Monte Carlo Analysis of Titan/Transfer Orbit Stage Planetary Mission Guidance System G95-017

Autonomous Rendezvous Using Artificial Potential Function Guidance G95-035 G95-088 Transfer Orbits in Restricted Problem Matched Asymptotic Expansion Solutions for an Ablating Hypervelocity Projectile G95-101 Optimal Atmospheric Trajectory for Aerogravity Assist with Heat Constraint G95-113 Optimal Low-Thrust Three-Dimensional Earth-Moon Trajectories G95-126 Low-Earth-Orbit Maintenance: Reboost vs Thrust-Drag Cancellation G95-146 Earth-to-Moon Transfer with a Limited Power

Engine G95-175
Optimal Station-Change Maneuver for Geostationary Satellites Using Constant Low Thrust

G95-178

Elliptical Orbit with Variable Angular Momentum G95-190

# Space Experiments

Vibrations of the Low Power Atmospheric Compensation Experiment Satellite G95-103

# Spacecraft Attitude Determination

Onboard Star Identification Without A Priori Attitude Information G95-036
Attitude Control System Conceptual Design for Geostationary Operational Environmental Satcllite Spacecraft Series G95-037
Minimum-Time Reorientation of a Two-Degree-of-Freedom Gyroscope G95-120
Roll/Pitch Determination with Scanning Horizon Sensors: Oblateness and Altitude Corrections G95-213

Spacecraft Attitude Determination by Kalman Filtering of Global Positioning System Signals G95-214

# Spacecraft Data Sensing, Processing, and Transmission

Failure Diagnosis System Using ARTMAP Neural Networks G95-109

#### Spacecraft Sensor Systems

Onboard Star Identification Without A Priori Attitude Information G95-036

# Spacecraft Structural Configuration, Design, and Analysis

Closet Bifurcation Analysis and Robust Stability
Design of Flexible Satellites
G95-048
Instability Tests, Lyapunov's Direct Method, and
Exact Stability Boundaries for Flexible Satellites
G95-065
Substructure-Based Controller Design
for Flexible Structures
G95-164
Influence of Pinned Joints on Damping and Dynamic Behavior of a Truss
G95-219

### Spacecraft Test and Evaluation

Hybrid Approach for Damage Detection in Flexible Structures G95-064

#### Structural Mechanics and Materials

#### Aeroelasticity and Control

Fundamental Mechanisms of Aeroelastic Control with Control Surface and Strain Actuation

G95-001

Design and Examination of  $H_{\infty}$  Robust Controller for Ground Effect Problem G95-115
Flutter Margin Augmentation Synthesis Using Normalized Coprime Factors Approach

G95-122

Unified Literal Approximations for Longitudinal Dynamics of Flexible Flight Vehicles

G95-167

Optimal Maneuver of a Flexible Arm by Space-Time Finite Element Method G95-228

# Dynamic Model Analysis

Passivity Analysis for Flexible Multilink Space Manipulators G95-040 Measurement of the Modal Parameters of a Space Structure in Zero Gravity G95-060 Efficient Computation of the Eigensystem Realization Algorithm G95-061 Dynamic Modeling of a Trailing Wire Towed by an Orbiting Aircraft G95-132 Geometric Stiffening in Multibody Dynamics **Formulations** G95-133 Precision Position Control of Piezoelectric Actuators Using Charge Feedback G95-166 Motion of a Rigid Body with an Attached Spring-Mass Damper G95-220

# Flexible and Active Structures

New Formulation for General Spatial Motion of Flexible Beams G95-011 Piezoelectric Transformer G95-013 Dynamics and Control of Slewing Active Beam G95-026 Passivity Analysis for Flexible Multilink Space Manipulators G95-040 Control Design for Variations in Structural Natural Frequencies G95-047 Closet Bifurcation Analysis and Robust Stability Design of Flexible Satellites G95-048 Modeling and Control for Vibration Suppression of a Flexible Active Structure G95-049 Instability Tests, Lyapunov's Direct Method, and Exact Stability Boundaries for Flexible Satellites G95-065

| Trainable Neural Network for Mechanically         |
|---|
| Flexible Systems Based on Nonlinear Filter-       |
| ing G95-075                                       |
| Regulation of Single-Link Flexible Manipulator    |
| Involving Large Elastic Deflections               |
| G95-097   |
| Human-in-the-Loop Evaluation of Remote Ma-        |
| nipulator System Active Damping Augmenta-         |
| tion G95-108                                      |
| don   |
| Maximum Power Absorption with Active Struts       |
| G95-136   |
| Experimental Control of a Single-Link Flexible    |
| Arm Incorporating Electrorheological Fluids       |
| G95-140   |
| Precision Position Control of Piezoelectric Actu- |
| ators Using Charge Feedback G95-166               |
| Fuel/Time Optimal Control of the Benchmark        |
| Problem G95-194                                   |
| Aerocapture with a Flexible Tether G95-206        |
| Modeling of Translational Motion Between Two      |
| Flexible Bodies Connected via Three Points        |
| G95-218   |
|   |
| Optimal Maneuver of a Flexible Arm by Space-      |
| Time Finite Element Method G95-228                |
| Structural Dynamics and Characterization          |

New Formulation for General Spatial Motion of Flexible Beams G95-011

| Measurement of the Modal Parameters of a       |
|--|
| Space Structure in Zero Gravity G95-060        |
| Efficient Computation of the Eigensystem Real- |
| ization Algorithm G95-061                      |
| Structural Damage Detection Using Constrained  |
| Eigenstructure Assignment G95-063              |
| Hybrid Approach for Damage Detection in Flex-  |
| ible Structures G95-064                        |
| Vibrations of the Low Power Atmospheric Com-   |
| pensation Experiment Satellite G95-103         |
| Hybrid Equations of Motion for Flexible Multi- |
| body Systems Using Quasicoordinates            |
| G95-107  |
| Consistent Model Reduction of Experimental     |
| Modal Parameters for Reduced-Order Control     |
| G95-116  |
| Substructure-Based Controller Design Method    |
| for Flexible Structures G95-164                |
| Modeling of Translational Motion Between Two   |
| Flexible Bodies Connected via Three Points     |
| G95-218  |

#### Structural Finite Elements

namic Behavior of a Truss

Application of Rigid Finite Element Method to Dynamic Analysis of Spatial Systems

Influence of Pinned Joints on Damping and Dy-

Calculation of Second and Higher Order Eigenvector Derivatives G95-141
Optimal Maneuver of a Flexible Arm by Space-Time Finite Element Method G95-228

#### Structural Modeling

Modeling and Control for Vibration Suppression of a Flexible Active Structure G95-049

Measurement of the Modal Parameters of a Space Structure in Zero Gravity G95-060

Assumed Modes Method and Articulated Flexible Multibody Dynamics G95-062

Estimation and Control of Tethered Satellite Systems G95-129

Precision Position Control of Piezoelectric Actuators Using Charge Feedback G95-166

### Structural Optimization

Calculation of Second and Higher Order Eigenvector Derivatives G95-141

#### Structural Stability

G95-219

Perturbation Analysis for Flexible System Control G95-096
Generalization of the Wittrick-Williams Formula for Counting Modes of Flexible Structures G95-221