

Chronological Index

B03-002 Comment on “Analytical Model for the Impulse of Single-Cycle Pulse Detonation Tube.” William H. Heiser, *U.S. Air Force Academy*, and David T. Pratt, *University of Washington* (20, 1, p. 189) Technical Comment

B03-002 Erratum for “Analytical Model for the Impulse of Single-Cycle Pulse Detonation Tube.” E. M. Wintenberger, *California Institute of Technology*, J. M. Austin, *University of Illinois*, M. Cooper, S. Jackson, and J. E. Shepherd, *California Institute of Technology* (20, 4, p. 765) Erratum

B03-002 Comment on “Analytical Model for the Impulse of Single-Cycle Pulse Detonation Tube.” Matei I. Radulescu and Ronald K. Hanson, *Stanford University* (20, 5, p. 956) Technical Comment

B03-002 Reply to Comment on “Analytical Model for the Impulse of Single-Cycle Pulse Detonation Tube.” by M. I. Radulescu and R. K. Hanson. E. Wintenberger, M. Cooper, F. Pintgen, and J. E. Shepherd, *California Institute of Technology* (20, 5, p. 957) Reply

B04-001 Ideas and Methods of Turbomachinery Aerodynamics: A Historical View. N. A. Cumpsty, *Rolls-Royce, plc., Great Britain*; and E. M. Greitzer, *Massachusetts Institute of Technology* (20, 1, p. 15) Article

B04-002 A Century of Ramjet Propulsion Technology Evolution. Ronald S. Fry, *Johns Hopkins University* (20, 1, p. 27) Article

B04-003 Concorde and the Future of Supersonic Transport. Sebastien Candel, *Ecole Centrale Paris and Centre National de la Recherche Scientifique, France* (20, 1, p. 59) Article

B04-004 Orifice Diameter Ratio Effect on the Mixing Performances for Split Triplet Injectors. Yong-Ho Cho and Seong-Woong Lee, *Hyundai MOBIS, South Korea*; and Woong-Sup Yoon, *Yonsei University, South Korea* (20, 1, p. 69) Article

B04-005 Characteristics of Sprays Formed by Impingement of a Pair of Liquid Jets. K. Ramamurthi, K. Nandakumar, and R. K. Patnaik, *Liquid Propulsion Systems Center, India* (20, 1, p. 76) Article

B04-006 Propulsive Performance of Hypergolic H₂O₂/Kerosene Bipropellant. Tao Zhang, *Chinese Academy of Sciences, China (PRC)*; Yu Cong, Tao Li, Jiwen Sun, Xiaodong Wang, and Lei Ma, *Dalian Institute of Chemical Physics, China (PRC)*; Dongbai Liang and Liwu Lin, *Dalian Institute of Chemical Physics* (20, 1, p. 83) Article

B04-007 Chemical Kinetic Model for Monomethylhydrazine/Nitrogen Tetroxide Gas Phase Combustion and Hypergolic Ignition. Laurent Catoire, Nabiha Chaumeix, and Claude Paillard, *Laboratoire de Combustion et Systems Reactifs-CNRS and University of Orleans, France* (20, 1, p. 87) Article

B04-008 Development of Laboratory-Scale Gel Propulsion Technology. Shai Rahimi, Dov Hasan, and Arie Peretz, *RAFAEL, Armament Development Authority, Ltd., Israel* (20, 1, p. 93) Article

B04-009 Intermittent Burning of Ammonium Perchlorate-Hydrocarbon Binder Monomodal Matrixes, Sandwiches, and Propellants. Satyanarayanan R. Chakravarthy, Jerry M. Seitzman, Edward W. Price, and Robert K. Sigman, *Georgia Institute of Technology* (20, 1, p. 101) Article

B04-010 Ultrasonic Measurement of the Pressure-Coupled Response Function for Composite Solid Propellants. Thomas J. Hafenrichter, Jeffrey J. Murphy, and Herman Krier, *University of Illinois at Urbana-Champaign* (20, 1, p. 110) Article

B04-011 Novel High Nitrogen Propellant Use in Solid Fuel Micropropulsion. A. N. Ali, S. F. Son, M. A. Hiskey, and D. L. Naud, *Los Alamos National Laboratory* (20, 1, p. 120) Article

B04-012 Unsteady Stolid Propellant Pressure Combustion Responses Using a Piston Burner. M.Q. Brewster and B. Saarloos, *University of Illinois at Urbana-Champaign* (20, 1, p. 127) Article

B04-013 Ultrasonic Properties of Propellant Ingredients. Makota Kohga, *National Defense Academy*; Robert A. Frederick, *University of Alabama in Huntsville*; and Marlow D. Moser, (20, 1, p. 135) Article

B04-014 Designing and Testing a Lighter, Simpler, Less-Expensive Liquid-Propellant Pump. Andrew Knight, *Andrew Knight Space Propulsion* (20, 1, p. 141) Article

B04-015 Internal Degrees of Freedom of an Actuator Disc Model. Sergei I. Chernyshenko and Aleksei V. Privalov, *University of Southampton, Great Britain* (20, 1, p. 155) Article

B04-016 Approach to High-Performance Transonic Compressor Design. M. Oana, H. Ohtani, O. Kawamoto, and Y. Yamamoto, *Honda R&D Company, Ltd., Japan* (20, 1, p. 164) Article

B04-017 Three-Dimensional Time-Resolved Inlet Guide Vane-Rotor Potential Field Interaction. Robert T. Johnston and Sanford Fleeter, *Purdue University* (20, 1, p. 171) Article

B04-018 Experimental Study on Linear Compressor Cascade with Three-Dimensional Blade Oscillation. H. Yang and L. He, *University of Durham, Great Britain* (20, 1, p. 180) Article

B04-019 A Critical History of Electric Propulsion: The First 50 Years (1906–1956). E. Y. Choueiri, *Princeton University* (20, 2, p. 193) Article

B04-020 Modeling and Analysis of a Megawatt-Class Magnetoplasma Dynamic Thruster. Pavlos G. Mikellides, *Arizona State University* (20, 2, p. 204) Article

B04-021 Indium Field Emission Electric Propulsion Microthruster Experimental Characterization. M. Tajmar, A. Genovese, and W. Steiger, *ARC Seibersdorf Research, Austria* (20, 2, p. 211) Article

B04-022 2000-Hour Endurance Test of Indium Field Emission Electric Propulsion Microthruster Cluster. A. Genovese, M. Tajmar, N. Buldrini, and W. Steiger, *ARC Seibersdorf Research, Austria* (20, 2, p. 219) Article

B04-023 Ion-Energy Diagnostics in an SPT-100 Plume from Thrust Axis to Backflow. Lyon B. King, *Michigan Technological University*; and Alec D. Gallimore, *University of Michigan* (20, 2, p. 228) Article based on AIAA Paper 98-3641

B04-024 Pulsed Plasma Thruster Plume Investigation Using a Current-Mode Quadruple Probe Method. Nikolaos A. Gatsonis, Jurg Zwahlen, and Adrian Wheelock, *Worcester Polytechnic Institute*; Eric J. Pencil and Hani Kamhawi, *NASA Glenn Research Center* (20, 2, p. 243) Article based on AIAA Paper 2002-4123

B04-025 Engine Cycle and Exhaust Configuration for Quiet Supersonic Propulsion. Dimitri Papamoschou, *University of California, Irvine* (20, 2, p. 255) Article

B04-026 Hypervelocity Fuel/Air Mixing in a Shcramjet Inlet. Jean P. Sislian and Bernard Parent, *University of Toronto Institute for Aerospace Studies, Canada* (20, 2, p. 263) Article

B04-027 Experimental Study on Restart Control of a Supersonic Air-Breathing Engine. Takayuki Kojima, *National Aerospace Laboratory of Japan, Japan*; Tetsuya Sato, Shujiro Sawai, and Nobuhiro Tanatsugu, *Institute of Space and Astronautical Science, Japan* (20, 2, p. 273) Article

B04-028 Sonic Injection into a Mach 5.0 Freestream Through Diamond Orifices. Rodney D. W. Bowersox, *Texas A&M University*; Huaiguo Fan and Daina Lee, *University of Alabama* (20, 2, p. 280) Article

B04-029 Mach 4 Performance of Hypersonic Inlet with Rectangular-to-Elliptical Shape Transition. Michael K. Smart

and Carl A. Trexler, *NASA Langley Research Center* (20, 2, p. 288) Article based on AIAA Paper 2003-0012

B04-030 Supersonic Flow Ignition by Plasma Torch and H₂/O₂ Torch. Kan Kobayashi, Sadatake Tomioka, and Tohru Mitani, *Japan Aerospace Exploration Agency, Kakuda Space Propulsion Center, Japan* (20, 2, p. 294) Article based on AIAA Paper 2001-1763

B04-031 High-Pressure-Turbine Clearance Control Systems: Current Practices and Future Directions. Scott B. Lattime, *Ohio Aerospace Institute*; and Bruce M. Steinetz, *NASA John H. Glenn Research Center at Lewis Field* (20, 2, p. 302) Article

B04-032 High-Speed, High-Temperature Finger Seal Test Results. Margaret P. Proctor, *NASA John H. Glenn Research Center at Lewis Field*; Arun Kumar, *Honeywell Engines, Systems and Services*; and Irebert R. Delgado, *U.S. Army Research Laboratory* (20, 2, p. 312) Article

B04-033 Wavelet Analysis of Rotor-Tip Disturbances in an Axial-Flow Compressor. Feng Lin, *Indiana Institute of Technology*; Jingyi Chen and Meilin Li, *Chinese Academy of Sciences, China (PRC)* (20, 2, p. 319) Article

B04-034 Parametric Design of Turbomachinery Airfoils Using Highly Differentiable Splines. Roque Corral and Guillermo Pastor, *Industria de Turbopropulsores S.A., Spain* (20, 2, p. 335) Article

B04-035 Simulations of Normal Shock-Wave/Boundary-Layer Interaction Control Using Mesoflaps. R. K. Jaiman, E. Loth, and J. C. Dutton, *University of Illinois* (20, 2, p. 344) Article

B04-036 Compressible Subsonic Particle-Laden Flow over a Square Cylinder. G. B. Jacobs, *University of Illinois at Chicago*; D. A. Kopriva, *Florida State University*; and F. Mashayek, *University of Illinois at Chicago* (20, 2, p. 353) Article

B04-037 Methane Dissociation in Pulsed dc Discharges at High Reduced Electric Field. S. Douglas Marcum, *Miami University*; John W. Parish and Biswa N. Ganguly, *Air Force Research Laboratory* (20, 2, p. 360) Article

B04-038 New Particle-Image-Velocimetry Method to Measure Flowfields in Luminous Spray Flames. A. K. Gupta, L. Lourenco, M. Linck, and S. Archer, *University of Maryland* (20, 2, p. 369) Technical Note

B04-039 Reaction Rates for Hypergolic Propellants Using Chemical Delay Times. Mark J. Farmer, Lynette O. Mays, Casey S. Hampton, and James E. Smith Jr., *University of Alabama in Huntsville* (20, 2, p. 372) Technical Note

B04-040 Propulsion System Instability for Concentric Tank-Type Launch Vehicle. Olexiy Nikolayev, *Institute of Engineering Mechanics, Ukraine*; and Keiji Komatsu, *National Aerospace Laboratory, Japan* (20, 2, p. 376) Technical Note

B04-041 Experimental Evaluation for Mass Capture Ratio of Scramjet Inlets. Takeshi Kanda, Tetsuo Hiraiwa, Muneo Izumikawa, and Tohru Mitani, *National Aerospace Laboratory of Japan, Japan* (20, 2, p. 378) Technical Note based on AIAA Paper 2003-0011

B04-042 Nucleation Mechanism for the Freezing of Alumina in Solid Propellant Rocket Motor Nozzles. Daniel E. Rosner, *Yale University* (20, 2, p. 380) Technical Note

B04-043 Asymmetric Base-Bleed Effect on Aerospoke Plume-Induced Base-Heating Environment. Ten-See Wang, Alan Droege, Mark D'Agostino, Young-Ching Lee, and Robert Williams, *NASA Marshall Space Flight Center* (20, 3, p. 385) Article

B04-044 Simulations of Flowing Mildly-Cracked Normal Alkanes Incorporating Proportional Product Distributions. Thomas Ward, Jamie S. Ervin, Richard C. Striebich, and Steven Zabarnick, *University of Dayton* (20, 3, p. 394) Article

B04-045 Kinetic Modeling of Heptane Combustion and PAH Formation. V. I. Babushok and W. Tsang, *National Institute of Standards and Technology* (20, 3, p. 403) Article

B04-046 Ignition Delays of Heptane/O₂/Ar Mixtures in the 1300-1600 K Temperature Range. Bruno Imbert, Laurent Catoire, Nabih Chaumeix, and Claude Paillard, *Centre National de la Recherche Scientifique, and University of Orleans, France* (20, 3, p. 415) Article

B04-047 Combustion Characteristics of Aluminum Hydride at Elevated Pressure and Temperature. T. Bazyn, R. Eyer, H. Krier, and N. Glumac, *University of Illinois at Urbana-Champaign* (20, 3, p. 427) Article

B04-048 Role of Radiation on Dynamic Extinction by Depressurization in Metalized Solid Propellants. Ho-Girl Jung, Changjin Lee, and Jae-Woo Lee, *Konkuk University* (20, 3, p. 432) Article

B04-049 Burning-Rate Predictor for Multi-Ingredient Propellants: Nitrate-Ester Propellants. Martin S. Miller and William R. Anderson, *U.S. Army Research Laboratory* (20, 3, p. 440) Article

B04-050 Temperature Measurement of the Burning Surface by a Thermocouple. Atushi Isihara, *Saitama Institute of Technology* (20, 3, p. 455) Article

B04-051 Static Control of Combustion Oscillations by Coaxial Flows: A Large-Eddy-Simulations Investigation. J. U. Schluter, *Stanford University* (20, 3, p. 460) Article

B04-052 Two-Phase Modeling of Hydrodynamic Instabilities in Coaxial Injectors. Byoung-Do Kim and Stephen D. Heister, *Purdue University* (20, 3, p. 468) Article

B04-053 Pressure Control Analysis of Cryogenic Storage Systems. Chin S. Lin, *Analex Corporation*; Neil T. Van Dresar and Mohammad M. Hasan, *NASA John H. Glenn Research Center at Lewis Field* (20, 3, p. 480) Article

B04-054 Full- and Partial-Admission Performance of a Simplex Turbine. Daniel J. Dorney and Lisa W. Griffin, *NASA Marshall Space Flight Center*; and Douglas L. Sondak, *Boston University* (20, 3, p. 486) Article

B04-055 Model for Multistage Compressors to Predict Unsteady Inlet-Compressor Interactions. Miklos Sajben, *University of Cincinnati* (20, 3, p. 492) Article

B04-056 Thrust-Vector Characteristics of Jet Vanes Arranged in X-Formation Within a Shroud. Hong-Gye Sung and Yong-Seok H., *Agency for Defense Development* (20, 3, p. 501) Article

B04-057 Numerical Simulation of Separated Cold Gas Nozzle Flows. A. Gross, *The University of Arizona*; and C. Weiland, *European Aeronautic Defence and Space Company, Germany* (20, 3, p. 509) Article

B04-058 Acoustic Characteristics of Supersonic Jets from Grooved Nozzles. Jayant Vishnu and E. Rathakrishnan, *Indian Institute of Technology Kanpur, India* (20, 3, p. 520) Article based on AIAA Paper 2003-4402

B04-059 Experimental Investigation of Separated Nozzle Flows. Craig A. Hunter, *NASA Langley Research Center* (20, 3, p. 527) Article based on AIAA Paper 98-3107

B04-060 Effect of Delta Tabs on Axis Switching of a Coaxial Square Jet. X. K. Wang, S. C. M. Yu, and L. P. Chua, *Nanyang Technological University* (20, 3, p. 533) Article

B04-061 Multicriteria Design Optimization of a Supersonic Inlet Based upon Global Missile Performance. A. Gaiddon, *Matra Bae Dynamics Aerospatiale Alenia France, France*; D. D. Knight, *Rutgers-The State University of New Jersey*; and C. Poloni, *Universita di Trieste, Italy* (20, 3, p. 542) Article based on AIAA Paper 2002-5546

B04-062 Three-Dimensional Multi-Objective Design Optimization of a Transonic Compressor Rotor. Ernesto Benini, *University of Padova, Italy* (20, 3, p. 559) Article based on AIAA Paper 2003-4090

B04-063 Advanced Coal Power Cycle with a Stand-Alone Magnetohydrodynamic Generator. Naoyuki Kayukawa and Yongming Wang, *Hokkaido University, Japan* (20, 3, p. 566) Article based on AIAA Paper 2003-6009

B04-064 Use of Multiple Actuators for Jet Vectoring. LaTunia Pack-Melton, *NASA Langley Research Center*; and Avi Seifert, *Tel-Aviv University* (20, 3, p. 572) Technical Note

B04-065 Gas Turbine Technology Evolution: A Designers Perspective. Bernard L. Koff, *TurboVision, Inc.* (20, 4, p. 577) Article

B04-066 Flow Characteristics in a Transonic Ultra-Low-Aspect-Ratio Axial Turbine Vane. Naoki Kuno and Toyotaka Sonoda, *Honda R&D Co.* (20, 4, p. 596) Article

B04-066 Erratum for "Flow Characteristics in a Transonic Ultra-Low-Aspect-Ratio Axial Turbine Vane." by Naoki Kuno and Toyotaka Sonoda (20, 6, p. 1135) Erratum

B04-067 Simulations of Cavitating Flows in Turbopumps. A. Hosangadi, V. Ahuja, and R. J. Ungewitter, *Combustion Research and Flow Technology, Inc.* (20, 4, p. 604) Article based on AIAA Paper 2003-1261

B04-068 Transonic Axial-Flow Blade Optimization: Evolutionary Algorithms/Three-Dimensional Navier-Stokes Solver. Akira Oyama and Meng-Sing Liou, *NASA Glenn Research Center*; and Shigeru Obayashi, *Tohoku University, Japan* (20, 4, p. 612) Article based on AIAA Paper 2002-5642

B04-069 Multi-Objective Shape Optimization Study for a Subsonic Submerged Inlet. Ezgi S. Taskinoglu and Doyle D. Knight, *Rutgers University* (20, 4, p. 620) Article

B04-070 Effect of Static and Dynamic Misalignment on Ball Bearing Radial Stiffness. Bugra H. Ertas and John M. Vance, *Texas A&M University* (20, 4, p. 634) Article

B04-071 Instability Mechanisms in a Premixed Prevaporized Combustor. D. Bernier, F. Lacas, and S. Candel, *Ecole Centrale Paris and Centre National de la Recherche Scientifique* (20, 4, p. 648) Article

B04-072 Autoignited Combustion Testing in a Water-Cooled Scramjet Combustor. Takeshi Kanda, Nobuo Chinzei, Kenji Kudo, Atsuo Murakami, and Tetsuo Hiraiwa, *Japan Aerospace Exploration Agency* (20, 4, p. 657) Article

B04-073 Reflected Shock Ignition of $\text{SiH}_4/\text{H}_2/\text{O}_2/\text{Ar}$ and $\text{SiH}_4/\text{CH}_4/\text{O}_2/\text{Ar}$ Mixtures. Eric L. Petersen and Danielle M. Kalitan, *University of Central Florida*; and Matthew J. Rickard, *The Aerospace Corporation* (20, 4, p. 665) Article

B04-074 Interaction of Capillary Plasma with Double-Base and Composite Propellants. Jianquan Li, Thomas A. Litzinger, and Stefan T. Thynell, *The Pennsylvania State University* (20, 4, p. 675) Article

B04-075 Time-Resolved Fuel-Grain Port Diameter Measurement in Hybrid Rockets. Shane De Zilwa, Gregory Zilliac, and Michael Reinath, *NASA Ames Research Center*; and Arif Karabeyoglu, *Stanford University* (20, 4, p. 684) Article based on AIAA Paper 2003-4595

B04-076 Analytical Development of a Slotted-Grain Solid Rocket Motor. Roy J. Hartfield, John E. Burkhalter, and Rhonald M. Jenkins, *Auburn University*; and Jay Witt, *Missile Space Intelligence Command* (20, 4, p. 690) Article

B04-077 Side-Load Phenomena in Highly Overexpanded Rocket Nozzles. Tomas Damgaard, Jan Östlund, and Manuel Frey, *Volvo Aero Corporation, Sweden* (20, 4, p. 695) Article based on AIAA Paper 2001-3684

B04-078 Computational-Fluid-Dynamics-Based Design Optimization for Single-Element Rocket Injector. Rajkumar Vaidyanathan, *University of Florida*; P. K. Tucker, *NASA Marshall Space Flight Center*; Nilay Papila and Wei Shyy, *University of Florida* (20, 4, p. 705) Article

B04-079 Plasma Characterization of a 10-cm Diameter Microwave Discharge Ion Thruster. Ikkoh Funaki, Hitoshi Kuninaka, and Kyoichiro Toki, *Japan Aerospace Exploration Agency* (20, 4, p. 718) Article

B04-080 Ammonium Electrolytes Quench Ion Evaporation in Colloidal Propulsion. Rodrigo Bocanegra and Juan Fernandez de la Mora, *Yale University*; and Manuel Gamero-Castaño, *Busek Company, Inc.* (20, 4, p. 728) Article

B04-081 Characterization of a Six-Emitter Colloid Thruster Using a Torsional Balance. Manuel Gamero-Castaño, *Busek Company, Inc.* (20, 4, p. 736) Article

B04-082 Performance Theory of Diagonal Conducting Wall Magnetohydrodynamic Accelerators. Ron J. Litchford, *NASA Marshall Space Flight Center* (20, 4, p. 742) Article based on AIAA Paper 2003-4284

B04-083 High Spatial Resolution Upstream Forced Response in a Transonic Compressor. Timothy M. Hutton, Timothy J. Leger, David A. Johnston, and J. Mitchell Wolff, *Wright State University* (20, 4, p. 751) Technical Note based on AIAA Paper 2002-4222

B04-084 Flex Circuit Sensor Array for Surface Unsteady Pressure Measurements. T. J. Leger, David A. Johnston, and J. M. Wolff, *Wright State University* (20, 4, p. 754) Technical Note based on AIAA Paper 2002-4221

B04-085 Studies on Ferrocene PolyGlycol Oligomer—Burning Rate Modifier for Composite Propellants. G. M. Gore, R. G. Bhatewara, K. R. Tipare, A. N. Nazare, and S. N. Asthana, *High Energy Materials Research Laboratory* (20, 4, p. 758) Technical Note

B04-086 Dual-Mode Operations in a Scramjet Combustor. Takeshi Kanda, Nobuo Chinzei, Kenji Kudo, and Atsuo Murakami, *National Aerospace Laboratory of Japan, Japan* (20, 4, p. 760) Technical Note based on AIAA Paper 2001-1816

B04-087 Electric Sail for Spacecraft Propulsion. Pekka Janhunen, *Finnish Meteorological Institute/Geophysical Research, Finland* (20, 4, p. 763) Technical Note

B04-088 Mixing and Combustion Studies Using Cavity-Based Flameholders in a Supersonic Flow. M. R. Gruber, J. M. Donbar, and C. D. Carter, *US Air Force Research Laboratory*; and K.-Y. Hsu, *Innovative Scientific Solutions, Inc.* (20, 5, p. 769) Article

B04-089 Analysis of the Magnetohydrodynamic Energy Bypass Engine for High-Speed Airbreathing Propulsion. David W. Riggins, *University of Missouri–Rolla* (20, 5, p. 779) Article

B04-090 Assessment of Solid Hydrogen Slurry Fueling for an Airbreathing Supersonic Combustor. Stephen C. Bates, *Thoughtventions Unlimited LLC* (20, 5, p. 793) Article based on AIAA Paper 2003-4884

B04-091 Unsteady Effects on Ram Accelerator Operation at Elevated Fill Pressures. C. Knowlen, C. Bundy, and A. P. Bruckner, *University of Washington* (20, 5, p. 801) Article

B04-092 Effect of Porous Thrust Surfaces on Detonation Transition and Detonation Tube Impulse. M. Cooper and J. E. Shepherd, *California Institute of Technology* (20, 5, p. 811) Article based on AIAA Paper 2003-4822

B04-093 Heterogeneous Effects in the Propagation and Quenching of Spray Detonations. Tianfeng Lu and Chung K. Law, *Princeton University* (20, 5, p. 820) Article

B04-094 Gas-Turbine Performance Improvements Through the Use of Multiple Turbine Interstage Burners. Gordon Chen, Myron A. Hoffman, and Roger L. Davis, *University of California, Davis* (20, 5, p. 828) Article

B04-095 Rotor-Generated Vane Row Off-Design Unsteady Aerodynamics Including Dynamic Stall, Part I. Sanford Fleeter, Patrick B. Lawless, and Nicole L. Key, *Purdue University* (20, 5, p. 835) Article based on AIAA Paper 2002-3542

B04-096 Rotor Generated Vane Row Off-Design Unsteady Aerodynamics Including Dynamic Stall, Part II. Roy D.

Fulayter, Patrick B. Lawless, and Sanford Fleeter, *Purdue University* (20, 5, p. 842) Article based on AIAA Paper 2002-3542

B04-097 Modeling of Surge in Free-Spool Centrifugal Compressors: Experimental Validation. Jan Tommy Gravdahl, *Norwegian University of Science and Technology, Norway*; Frank Willems, *TNO Automotive, The Netherlands*; Bram de Jager, *Eindhoven University of Technology, The Netherlands*; and Olav Egeland, *Norwegian University of Science and Technology, Norway* (20, 5, p. 849) Article

B04-098 Preliminary Fan-Blade Design Using Intermediate Response Approximations. J. F. Worgan and T. M. Edmunds, *Rolls-Royce plc, Great Britain*; and A. J. Keane, *University of Southampton, Great Britain* (20, 5, p. 858) Article

B04-099 Frequency Veering Effects on Mistuned Bladed Disk Forced Response. J. A. Kenyon, *Air Force Research Laboratory, Propulsion Directorate*; J. H. Griffin and N. E. Kim, *Carnegie Mellon University* (20, 5, p. 863) Article based on AIAA Paper 2003-4976

B04-100 Oscillation Frequency in Wake of a Vee Gutter. Rong F. Huang and Kuo T. Chang, *National Taiwan University of Science and Technology, Taiwan (roc)* (20, 5, p. 871) Article

B04-101 Numerical Simulation of Hot Gas Nozzle Flows. A. Gross, *The University of Arizona*; and C. Weiland, *EADS-ST, Germany* (20, 5, p. 879) Article

B04-102 Combined H₂O/CO₂ Solid Oxide Electrolysis for Mars In Situ Resource Utilization. K. R. Sridhar and Christine S. Iacomini, *The University of Arizona*; and John E. Finn, *NASA Ames Research Center* (20, 5, p. 892) Article

B04-103 A Power Conversion Concept for the Jupiter Icy Moons Orbiter. Lee S. Mason, *NASA Glenn Research Center at Lewis Field* (20, 5, p. 902) Article based on AIAA Paper 2003-6007

B04-104 Maximum Power Tracking and Pulse-Width-Modulated Shunt for Satellite Power Systems. Shengyi Liu, Roger A. Dougal, and Eugene V. Solodovnik, *University of South Carolina* (20, 5, p. 911) Article based on AIAA Paper 2003-6037

B04-105 Spectroscopic Observation of Heavy Oil Luminous Flames in an Industrial Regenerative Furnace. T. Shimada, T. Akiyama, and S. Furushima, *NKK Corporation, Japan*; K. Kitagawa, N. Arai, N. Konishi, S. Itoh, and T. Terabayashi, *Nagoya University, Japan*; Y. Ohkubo, *Kokan-Keisoku Corporation, Japan*; and A. K. Gupta, *University of Maryland* (20, 5, p. 919) Article

B04-106 Simulation and Prediction of Magnetic Propellant Reorientation in Reduced Gravity. Jeffrey G. Marchetta and John I. Hochstein, *University of Memphis* (20, 5, p. 927) Article based on AIAA Paper 99-0845

B04-107 Performance Prediction of a Ducted Rocket Combustor Using a Simulated Solid Fuel. Robert A. Stowe, Charles Dubois, and Paul G. Harris, *Defense R&D Canada-Valcartier, Canada*; Alfons E. Mayer, *TNO Prins Maurits Laboratory, The Netherlands*; Alain deChamplain and Sophie Ringuette, *Laval University, Canada* (20, 5, p. 936) Article based on AIAA Paper 2001-3461

B04-108 Performance Evaluation Method for Ideal Airbreathing Pulse Detonation Engines. Daniel E. Paxson, *NASA Glenn Research Center* (20, 5, p. 945) Technical Note based on AIAA Paper 2001-3465

B04-109 Impulse Correlation for Partially Filled Detonation Tubes. M. Cooper and J. E. Shepherd, *California Institute of Technology*; and F. Schauer, *Air Force Research Laboratory* (20, 5, p. 947) Technical Note

B04-110 Scramjet Inlet Flow Control Using Combined Magnetohydrodynamics and Glow-Discharge-Plasma Effect. V. Soukhomlinov, *Saint-Petersburg State University, Russia*; E. G. Sheikin, *Leninetz Holding Company, Russia*; V. Sheverev and M. V. Otugen, *Polytechnic University* (20, 5, p. 950) Technical Note

B04-111 Studies on Advanced CL-20-Based Composite Modified Double-Base Propellants. U. R. Nair, G. M. Gore, R. Sivabalan, C. N. Divekar, Srinandan N. Asthana, and Haridwar Singh, *High Energy Materials Research Laboratory, India* (20, 5, p. 952) Technical Note

B04-112 Electromagnetic Effects in the Near Field Plume Exhaust of a Micro-Pulsed-Plasma Thruster. Michael Keidar and Iain D. Boyd, *University of Michigan*; Erik Antonsen, *University of Illinois at Urbana-Champaign*; and Gregory G. Spanjers, *Air Force Research Laboratory* (20, 6, p. 961) Article

B04-113 Zero-Dimensional Model for Preliminary Design of Ablative Pulsed Plasma Teflon Thrusters. Claude M. Brito, *France*; Sergio A. Elaskar and Hector H. Brito, *Instituto Universitario Aeronautico, Argentina*; and Nora R. Paoletti, *Universidad Nacional de Cordoba, Argentina* (20, 6, p. 970) Article

B04-114 Propellant Charring in Pulsed Plasma Thrusters. Michael Keidar and Iain Boyd, *University of Michigan, Ann Arbor*; Erik L. Antonsen, *University of Illinois at Urbana-Champaign*; Frank S. Gulczinski III and Gregory G. Spanjers, *U.S. Air Force Research Laboratory* (20, 6, p. 978) Article

B04-115 Plasma Properties in the Plume of a Hall Thruster Cluster. Brian E. Beal and Alec D. Gallimore, *University of Michigan*; James M. Haas and William A. Hargus, *Air Force Research Laboratory* (20, 6, p. 985) Article

B04-116 Characterization of Cathode Keeper Wear by Surface Layer Activation. Robert D. Kolasinski, *California Institute of*

Technology; and James E. Polk, *Jet Propulsion Laboratory* (20, 6, p. 992) Article based on AIAA Paper 2003-5144

B04-117 Micropropulsion Using a Laser Ablation Jet. C. Phipps, *Photonic Associates*; James R. Luke, *New Mexico Institute of Mining and Technology, Institute for Engineering Research and Applications*; Thomas Lippert, Marc Hauer, and Alexander Wokaun, *Paul Scherrer Institut, Switzerland* (20, 6, p. 1000) Article

B04-118 Effect of Paramagnetism and Diamagnetism on Theoretical Rocket Performance. John Baker, *University of Alabama*; and Orenthral T. Morgan, *Pratt & Whitney* (20, 6, p. 1012) Article

B04-119 Performance of a Jet-Pumped Cryogenic Refrigeration System. S. M. Kandil, W. E. Lear, and S. A. Sherif, *University of Florida* (20, 6, p. 1018) Article

B04-120 Deflagration to Detonation Transition Processes by Turbulence-Generating Obstacles in Pulse Detonation Engines. Seong-Young Lee, Jonathan Watts, Silvano Saretto, Sibtos Pal, Chris Conrad, Roger Woodward, and Robert Santoro, *The Pennsylvania State University* (20, 6, p. 1026) Article

B04-121 Scale-Up Tests of High Regression Rate Paraffin-Based Hybrid Rocket Fuels. Arif Karabeyoglu, *Stanford University*; Greg Zilliac, *NASA Ames Research Center*; Brian J. Cantwell, *Stanford University*; Shane DeZilwa, *NASA Ames Research Center*; and Paul Castellucci, *Stanford University* (20, 6, p. 1037) Article based on AIAA Paper 2003-1162

B04-122 Mathematical Modeling of the Development of Anomalous Processes in High-Loading-Density Solid Propulsion Systems. Alexey M. Lipanov, Alexander N. Lukin, and Ali V. Aliev, *Russian Academy of Sciences, Russia* (20, 6, p. 1046) Article

B04-123 Using Aluminum for Space Propulsion. Antonella Ingenito and Claudio Bruno, *University of Rome "La Sapienza," Italy* (20, 6, p. 1056) Article

B04-124 Oxidation Processes and Phase Changes in Metastable Al-Mg Alloys. Mirko Schoenitz and Edward L. Dreizin, *New Jersey Institute of Technology* (20, 6, p. 1064) Article based on AIAA Paper 2003-6164

B04-125 Decomposition of Hydrogen Peroxide on MnO₂/TiO₂ Catalysts. Annamaria Russo Sorge, Maria Turco, Giuseppe Pilone, and Giovanni Bagnasco, *University of Naples, Italy* (20, 6, p. 1069) Article

B04-126 Large-Eddy Simulation of Pollutant Emission in a DOE-HAT Combustor. G. Eggenspieler and S. Menon, *Georgia Institute of Technology* (20, 6, p. 1076) Article

B04-127 Adaptive Combustion Instability Control with Saturation: Theory and validation. Stephanie Evesque, *Technical University of Munich, Germany*; S. Park, *Massachusetts Institute of Technology*; A. J. Riley, *University of Cambridge, Great Britain*; A. M. Annaswamy, *Massachusetts Institute of Technology*; and A. P. Dowling, *University of Cambridge, Great Britain* (20, 6, p. 1086) Article

B04-128 Rotor-Bearing Analysis for Turbomachinery Single- and Dual-Rotor Systems. Hsiao-Wei D. Chiang and Chih-Neng Hsu, *National Tsing Hua University, Taiwan (roc)*; and Shun-Hsu Tu, *Industrial Technology Research Institute, Taiwan (roc)* (20, 6, p. 1096) Article

B04-129 Vane-Endwall Junction Optimization to Reduce Turbine Vane Passage Adiabatic Wall Temperatures. Andrew T. Lethander and Karen A. Thole, *Virginia Polytechnic Institute and*

State University; Gary Zess and Joel Wagner, *Pratt & Whitney* (20, 6, p. 1096) Article

B04-130 Mach Number/Surface Roughness Effects on Symmetric Transonic Turbine Airfoil Aerodynamic Losses. Qiang Zhang and Phillip M. Ligrani, *University of Utah* (20, 6, p. 1117) Article

B04-131 Compatibility of Injector Materials with Hydrogen Peroxide Propellant. Rudy Gostowski, *NASA Marshall Space Flight Center* (20, 6, p. 1126) Technical Note

B04-132 Vacuum Chamber Pressure Maps of a Hall Thruster Cold-Flow Expansion. Mitchell L. R. Walker, Alec D. Gallimore, Iain D. Boyd, and Chunpei Cai, *University of Michigan* (20, 6, p. 1127) Technical Note