

Chronological Index

A82-001 The Initial Development of Ablation Heat Protection, An Historical Perspective (History of Key Technologies). George W. Sutton, *Avco-Everett Research Laboratory, Inc.* (JSR 19, 1, p. 3) Article

A82-002 Space Shuttle Orbiter Static Stability and Control Derivatives Obtained from Wind-Tunnel and Flight Tests. Delma C. Freeman Jr., *NASA Langley Research Center* (JSR 19, 1, p. 12) Synoptic

A82-003 Environmental Effects of Space Systems. D. M. Rote, *Argonne National Laboratory* (JSR 19, 1, p. 14) Article based on AIAA Paper 80-0850

A82-004 OTS: Two Years of Thermal Control Experience in Orbit. J. Gulpen, *ERNO Raumfahrttechnik GmbH*; and J. P. Bouchez, *ESA-ESTEC (The Netherlands)* (JSR 19, 1, p. 22) Article based on AIAA Paper 80-1500

A82-005 Disturbance to the Launch of Fin-Stabilized Projectiles. Edward M. Schmidt, *ARRADCOM, Aberdeen Proving Ground* (JSR 19, 1, p. 30) Article based on AIAA Paper 80-1589 CP806

A82-006 Aerodynamic Properties of an Advanced Indirect Fire System (AIFS) Projectile. Martin R. Fink, *Norden Systems, Inc.* (JSR 19, 1, p. 36) Article based on AIAA Paper 81-0287

A82-007 Three-Dimensional Viscous Flowfield Computations in a Streamline Coordinate System. M. D. Kim, R. R. Thareja and C. H. Lewis, *Virginia Polytechnic Institute and State University* (JSR 19, 1, p. 41) Article based on AIAA Paper 81-0401

A82-008 Experimental Investigation of Pressure Oscillations in a Side Dump Ramjet Combustor. W. H. Clark, *Naval Weapons Center* (JSR 19, 1, p. 47) Article based on AIAA Paper 80-1117

A82-009 Ballistic Optimization of the Star Grain Configuration. Wm. Ted Brooks, *Hercules Incorporated* (JSR 19, 1, p. 54) Article based on AIAA Paper 80-1136

A82-010 Advanced Space Motor Demonstration. Russell A. Ellis and Ralph N. Hammond, *United Technologies*; and Paul Donguy, *Societe Europeenne de Propulsion* (JSR 19, 1, p. 60) Article based on AIAA Paper 80-1270

A82-011 Orbit Selection for the Stanford Relativity Gyroscope Experiment. R. Vassar, J. V. Breakwell, C. W. F. Everitt and R. A. VanPatten, *Stanford University* (JSR 19, 1, p. 66) Article based on AIAA Paper 80-1671

A82-012 Voyager 1 Saturn Targeting Strategy. Robert J. Cesarone, *Jet Propulsion Laboratory, California Institute of Technology* (JSR 19, 1, p. 72) Article based on AIAA Paper 80-1701

A82-013 Obtaining Geostationary Orbit from an Off-Nominal Low Transfer Orbit. M. Rosengren, *European Space Operations Centre (West Germany)* (JSR 19, 1, p. 80) Article

A82-014 Approximate Calculation of Aerodynamic Coefficients for Rotating Slender Bodies at 90 deg Incidence. Takashi Yoshinaga, Atsushi Tate and Kenji Inoue, *National Aerospace Laboratory (Japan)* (JSR 19, 1, p. 84) Engineering Note

A82-015 Subsonic and Transonic Roll Damping Measurements on Basic Finner. H. Sundara Murthy, *National Aeronautical Laboratory (India)* (JSR 19, 1, p. 86) Engineering Note

A82-016 Three-Dimensional Hypersonic Laminar, Transitional, and/or Turbulent Shock-Layer Flows. K. Y. Szema and Clark H. Lewis, *Virginia Polytechnic Institute and State University* (JSR 19, 1, p. 88) Engineering Note based on AIAA Paper 80-1457

A82-017 Effect of Radial Fins on Base Drag of an Axisymmetric Body at Low Speeds. Kamlesh Kapoor, *Indian Institute of Technology* (JSR 19, 1, p. 89) Engineering Note

A82-018 Thermal Decomposition Kinetics of Polybutadiene Binders. K. N. Ninan and K. Krishnan, *Vikram Sarabhai Space Centre* (JSR 19, 1, p. 92) Engineering Note

A82-019 Measurement of Nutation Parameters for the Geostationary Telecommunication Satellite Sirio. P. Barberio-Corsetti, *Selenia (Italy)* (JSR 19, 1, p. 94) Engineering Note

A82-020 Concepts for, and Utility of, Future Space Central-Power Stations. Paul F. Holloway and L. Bernard Garrett, *NASA Langley Research Center* (JSR 19, 2, p. 97) Synoptic based on AIAA Paper 81-0449

A82-021 Elevated Temperature Structural Testing of Advanced Missiles. O. R. Otto and G. J. Inukai, *McDonnell Douglas Astronautics Company* (JSR 19, 2, p. 99) Article based on AIAA Paper 80-0812 CP804

A82-022 Shuttle Subscale Ablative Nozzle Tests. L. B. Powers, *NASA Marshall Space Flight Center*; and R. L. Bailey, *Jet Propulsion Laboratory, California Institute of Technology* (JSR 19, 2, p. 104) Article based on AIAA Paper 80-1102

A82-023 Orbital Phasings of Soviet Ocean Surveillance Satellites. Nicholas L. Johnson, *Teledyne Brown Engineering* (JSR 19, 2, p. 113) Article

A82-024 Space Telescope Orbital Viewing Constraints. T. J. Sherrill, *Lockheed Missiles and Space Company, Inc.* (JSR 19, 2, p. 118) Article based on AIAA Paper 81-0169

A82-025 Interaction between the RIT 10 Exhaust and Negatively Charged Surfaces. K. H. Groh, K. Bescherer, N. K. Nikolaizig and H. W. Loeb, *University of Giessen (Federal Republic of Germany)* (JSR 19, 2, p. 125) Article based on AIAA Paper 81-0726

A82-026 Parasitic Current Losses Due to Solar-Electric Propulsion Generated Plasmas. I. Katz, D. E. Parks, M. J. Mandell and G. W. Schnuelle, *Systems, Science and Software* (JSR 19, 2, p. 129) Article based on AIAA Paper 81-0740

A82-027 Magneto-electrostatic Thruster Physical Geometry Tests. W. D. Ramsey, *Xerox Electro-Optical Systems* (JSR 19, 2, p. 133) Article based on AIAA Paper 81-0753

A82-028 Venusian Probes Subsonic Drag Determination from Flight Data. R. C. Blanchard and W. P. Phillips, *NASA Langley Research Center*; G. M. Kelly and J. T. Findlay, *Analytical Mechanics Associates, Inc.* (JSR 19, 2, p. 139) Article based on AIAA Paper 80-1578 CP806

A82-029 Wing-Alone Aerodynamic Characteristics at High Angle of Attack. Robert L. Stallings Jr. and Milton Lamb, *NASA Langley Research Center* (JSR 19, 2, p. 145) Article based on AIAA Paper 81-0008

A82-030 Control Characteristics for Wrap-Around Fins on Cruise Missile Configurations. W. C. Sawyer and W. J. Monta, *NASA Langley Research Center*; W. V. Carter and W. K. Alexander, *General Dynamics* (JSR 19, 2, p. 150) Article based on AIAA Paper 81-0009

A82-031 Comparison of Analytical and Experimental Supersonic Aerodynamic Characteristics of a Forward Control Missile. Jerry M. Allen and A. B. Blair Jr., *NASA Langley Research Center* (JSR 19, 2, p. 155) Article based on AIAA Paper 81-0398

A82-032 Dynamic Simulation through Analytic Extrapolation. L. E. Ericsson and J. P. Reding, *Lockheed Missiles & Space Company, Inc.* (JSR 19, 2, p. 160) Article based on AIAA Paper 81-0399

A82-033 Experimental Aerodynamic Characteristics of Missiles with Square Cross Sections. D. C. Daniel, *Air Force Armament Laboratory, Eglin Air Force Base*; T. R. Yechout and G. J. Zollars, *United States Air Force Academy* (JSR 19, 2, p. 167) Article based on AIAA Paper 81-0144

A82-034 Shutdown Characteristics of an Axial-Groove Liquid-Trap Heat-Pipe Thermal Diode. M. Groll and W. Supper, *Universitat Stuttgart*; and C. J. Savage, *European Space Research and Technology Centre (The Netherlands)* (JSR 19, 2, p. 173) Article based on AIAA Paper 80-1483

A82-035 Vandenberg Ground Support Equipment for the Space Shuttle. D. J. Berrier, *The Aerospace Corporation* (JSR 19, 2, p. 179) Article

A82-036 Hydrogen Outgassing Considerations for an Orbiting Aluminum Molecular Shield. R. A. Outlaw, *NASA Langley Research Center* (JSR 19, 2, p. 185) Engineering Note

A82-037 Computer Controlled Operation of Ultraviolet Spectrometer and Polarimeter on Solar Maximum Mission Satellite. R. A. Rehse and M. E. C. Bruner, *Lockheed Palo Alto Research Laboratories*; and H. D. Tinsley, *SCI, Inc.* (JSR 19, 2, p. 186) Engineering Note based on AIAA Paper 81-0202

A82-038 Helmholtz Resonator Burners: Analysis for Response Function Measurements. H. F. R. Schoyer, *Delft University of Technology* (JSR 19, 2, p. 188) Engineering Note based on AIAA Paper 80-0083

A82-039 Calculations of Hypersonic Flows Over a Series of Indented Nosetips. Tsuying Hsieh, *Naval Surface Weapons Center* (JSR 19, 3, p. 193) Synoptic based on AIAA Paper 81-0077

A82-040 An Experimental Study of Hypersonic Cavity Flow. Donald E. Nestler, *General Electric Company* (JSR 19, 3, p. 195) Synoptic based on AIAA Paper 81-0335

A82-041 Sabot Design Optimization. D. Siegelman and J. Wang, *AVCO Systems Division*; and E. M. Schmidt, *U. S. Army Ballistic Research Laboratory, Aberdeen Proving Ground* (JSR 19, 3, p. 197) Synoptic based on AIAA Paper 81-1903 CP816

A82-042 MX Missile Thermal Mapping and Surface Flow Results. W. J. Maegley and H. R. Carroll, *Martin Marietta Corporation* (JSR 19, 3, p. 199) Article based on AIAA Paper 80-1310

A82-043 Influence of Support Systems on the Aerodynamics of an Inclined Ogive Cylinder. T. N. Canning and J. N. Nielsen, *Nielsen Engineering & Research, Inc.* (JSR 19, 3, p. 205) Article based on AIAA Paper 81-0007

A82-044 Accuracy Potentials for Large Space Antenna Reflectors with Passive Structure. John M. Hedgepeth, *Astro Research Corporation* (JSR 19, 3, p. 211) Article

A82-045 Results of the Mission Profile Life Test---First Test Segment: Thruster J1. E. L. James, *Xerox Electro-Optical Systems*; and R. T. Bechtel, *NASA Marshall Space Flight Center* (JSR 19, 3, p. 218) Article based on AIAA Paper 81-0716

A82-046 Development of Liquid Oxygen and Hydrogen Turbopumps for the LE-5 Rocket Engine. K. Kamijo and E. Sogame, *National Aerospace Laboratory of Japan*; and A. Okayasu, *Ishikawajima-Harima Heavy Industries Company Ltd., (Japan)* (JSR 19, 3, p. 226) Article based on AIAA Paper 81-1375

A82-047 Performance of the Hard X-Ray Imaging Spectrometer. H. F. van Beek, *Space Research Laboratory at Utrecht (The Netherlands)*; and R. J. Fryer, *University of Birmingham (United Kingdom)* (JSR 19, 3, p. 232) Article based on AIAA Paper 81-0207

A82-048 SERT II 1979-1981 Tests: Plasma Thrust and Neutralizer Measurements. W. R. Kerslake and L. R. Ignaczak, *NASA Lewis Research Center* (JSR 19, 3, p. 236) Article based on AIAA Paper 81-0665

A82-049 SERT II 1979-1981 Tests: Ion Thruster Performance and Durability. W. R. Kerslake and L. R. Ignaczak, *NASA Lewis Research Center* (JSR 19, 3, p. 241) Article based on AIAA Paper 81-0665

A82-050 New Type of Target for the Measurement of Impulse Bits of Pulsed Plasma Thrusters. Ryoji Yanagi and Itsuro Kimura, *University of Tokyo* (JSR 19, 3, p. 246) Article

A82-051 Ignitor Plug Operation in a Pulsed Plasma Thruster. Graeme Aston and Lewis C. Pless, *Jet Propulsion Laboratory, California Institute of Technology* (JSR 19, 3, p. 250) Article based on AIAA Paper 81-0711

A82-052 Performance of a Magnetic Multipole Line-Cusp Argon Ion Thruster. James S. Sovey, *NASA Lewis Research Center* (JSR 19, 3, p. 257) Article based on AIAA Paper 81-0745

A82-053 Vibroacoustic Modeling for Space Shuttle Orbiter Thermal Protection System. George R. Doyle Jr., *Battelle* (JSR 19, 3, p. 263) Article based on AIAA Paper 81-0519 CP811

A82-054 Nonlinear Dynamic Phenomena in the Space Shuttle Thermal Protection System. J. M. Housner, *NASA Langley Research Center*; H. H. Edighoffer, *General Electric Corporation*; and K. C. Park, *Lockheed Palo Alto Research Laboratory* (JSR 19, 3, p. 269) Article based on AIAA Paper 81-0565 CP811

A82-055 Thermal Management for Large Space Platforms. J. A. Oren and R. L. Cox, *Vought Corporation* (JSR 19, 3, p. 278) Article based on AIAA Paper 81-0451

A82-056 An Optimization of the Formation of Negative Ions. Adam N. Chu and I-Dee Chang, *Stanford University* (JSR 19, 3, p. 284) Engineering Note

A82-057 Ideal Ramjet: Optimum M for Fuel Limit and Material Limit. J. A. Roux, *University of Mississippi* (JSR 19, 3, p. 286) Engineering Note

A82-058 Effect of Storable Propellants on Single-Stage Earth-to-Orbit Vehicles. James A. Martin, *NASA Langley Research Center* (JSR 19, 3, p. 287) Engineering Note

A82-059 Maximum Re-entry Drag Deceleration Revisited. Michael E. Hough, *The Analytic Sciences Corporation* (JSR 19, 4, p. 289) Synoptic based on AIAA Paper 81-1861 CP816

A82-060 Regularized Integration of Gravity-Perturbed Trajectories---A Numerical Efficiency Study. L. G. Kraige, J. L. Junkins and L. D. Ziemis, *Virginia Polytechnic Institute and State University* (JSR 19, 4, p. 291) Synoptic

A82-061 Ignition and Combustion of Boron Particles and Clouds. Merrill K. King, *Atlantic Research Corporation* (JSR 19, 4, p. 294) Survey Paper

A82-062 Aeroelastic Stability of Space Shuttle Protuberances. L. E. Ericsson and J. P. Reding, *Lockheed Missiles and Space Company, Inc.* (JSR 19, 4, p. 307) Article

A82-063 Advanced Rocket Propulsion Technology Assessment for Future Space Transportation. Alan W. Wilhite, *NASA Langley Research Center* (JSR 19, 4, p. 314) Article based on AIAA Paper 79-1219

A82-064 Evaluation of Bipropellant Pressurization Concepts for Spacecraft. H. C. Hearn, *Lockheed Missiles and Space Company, Inc.* (JSR 19, 4, p. 320) Article based on AIAA Paper 81-1512

A82-065 Integral Rocket/Ramjet Propulsion---Flight Data Correlation and Analysis Techniques. Frank F. Webster, *Martin Marietta Corporation* (JSR 19, 4, p. 326) Article based on AIAA Paper 81-1606

A82-066 Initial Results of the Japanese Broadcast Satellite (BSE, "Yuri") Experiment. Nobuo Imai, *Radio Research Laboratories, Ministry of Posts and Telecommunications (Japan)*; Shoji Sonoda, *NHK: Japan Broadcasting Corporation*; and Yoh Ichikawa, *National Space Development Agency of Japan* (JSR 19, 4, p. 337) Article based on AIAA Paper 80-0569 CP802

A82-067 Coronal Observations from the Solar Maximum Mission Satellite. A. Csoeke-Poeckh, R. H. Lee, W. J. Wagner, L. House, E. Hildner and C. Sawyer, *National Center for Atmospheric Research* (JSR 19, 4, p. 345) Article based on AIAA Paper 81-0204

A82-068 Erosion Measurements on Quasisteady Magneto-plasmadynamic Thrusters. R. Rowe, W. F. von Jaskowsky, K. Clark and R. Jahn, *Princeton University* (JSR 19, 4, p. 349) Article based on AIAA Paper 81-0687

A82-069 Fluid Model of Plasma Outside a Hollow Cathode Neutralizer. D. E. Parks, M. J. Mandell and I. Katz, *S-Cubed* (JSR 19, 4, p. 354) Article based on AIAA Paper 81-0739

A82-070 Multiwall TPS---An Emerging Concept. John L. Shideler, H. Neale Kelly, Don E. Avery, Max L. Blosser and Howard M. Adelman, *NASA Langley Research Center* (JSR 19, 4, p. 358) Article based on AIAA Paper 81-0586 CP811

A82-071 Hydrogen Chloride Measurements in the Space Shuttle Exhaust Cloud---First Launch, April 12, 1981. Daniel I. Sebacher, Richard J. Bendura and Gerald L. Gregory, *NASA Langley Research Center* (JSR 19, 4, p. 366) Article

A82-072 Space Shuttle Solid Rocket Booster Dewatering System. Kenneth R. Fishel, *Naval Ocean Systems Center* (JSR 19, 4, p. 371) Article based on AIAA Paper 81-1528

A82-073 Design and Performance of the Solar Maximum Mission Hard X-Ray Burst Spectrometer. Lois G. Workman and John L. Wolfgang Jr., *NASA Goddard Space Flight Center* (JSR 19, 4, p. 375) Engineering Note based on AIAA Paper 81-0205

A82-074 Thermodynamics of Similar Particle-Laden Gas Flows in Convergent-Divergent Nozzles. Tarit K. Bose, *Indian Institute of Technology* (JSR 19, 4, p. 376) Engineering Note

A82-075 Geodetic Latitude of a Point in Space. Terrence W. Barbee, *Space Applications Corporation* (JSR 19, 4, p. 378) Engineering Note

A82-076 Gas Gun Study of Selected Buffers for Spall Fracture Reduction in Missile Materials. Willis Mock Jr. and William H. Holt, *Naval Surface Weapons Center* (JSR 19, 4, p. 380) Engineering Note

A82-077 Visible Emission from Space Shuttle Main Engine Mach Disks. J. Wormhoudt and V. Yousefian, *Aerodyne Research, Inc.* (JSR 19, 4, p. 382) Engineering Note

A82-078 MDT-2A Teflon Pulsed Plasma Thruster. Shih-Ming An and Han-Ji Wu, *Space Science and Technology Center, Academia Sinica (China)* (JSR 19, 5, p. 385) Synoptic based on AIAA Paper 81-0713

A82-079 Thermal Design of a Thermoelectrically Cooled Low-Noise Amplifier. N. L. Hyman and H. L. Hung, *COMSAT Laboratories* (JSR 19, 5, p. 387) Synoptic based on AIAA Paper 81-1077

A82-080 Shuttle Boundary-Layer Transition Due to Distributed Roughness and Surface Cooling. John J. Bertin and Timothy E. Hayden, *The University of Texas at Austin*; and Winston D. Goodrich, *NASA Johnson Space Center* (JSR 19, 5, p. 389) Article based on AIAA Paper 81-0417

A82-081 Mach 6 Experiments of Transition on a Cone at Angle of Attack. Kenneth F. Stetson, *Air Force Wright Aeronautical Laboratories* (JSR 19, 5, p. 397) Article based on AIAA Paper 81-1226

A82-082 Unsteady Aerodynamics and Motions of the Pioneer Venus Probes. Alvin Seiff and Charles E. DeRose, *NASA Ames Research Center*; and Vincent U. Muirhead, *University of Kansas* (JSR 19, 5, p. 404) Article

A82-083 Analysis of Static and Dynamic Wind Tunnel Tests of the Shuttle Cable Trays. J. Peter Reding and Lars E. Ericsson, *Lockheed Missiles and Space Company, Inc.* (JSR 19, 5, p. 412) Article based on AIAA Paper 81-1878 CP816

A82-084 Comparison of Shuttle Flight Pressure Data to Computational and Wind-Tunnel Results. P. F. Bradley, P. M. Siemers III and K. James Weilmuenster, *NASA Langley Research Center* (JSR 19, 5, p. 419) Article based on AIAA Paper 81-2477

A82-085 The MARK-II Propulsion Module. J. F. Haley Jr., *Martin Marietta Denver Aerospace*; and R. B. Edelman, *Science Applications, Inc.* (JSR 19, 5, p. 423) Article based on AIAA Paper 81-1411

A82-086 Assessment of a Modular Ramjet Combustor Model. P. T. Harsha, *Science Applications, Inc.* (JSR 19, 5, p. 430) Article based on AIAA Paper 81-1433

A82-087 Rotating Valve for Velocity-Coupled Combustion Response Measurements. R. S. Brown, R. C. Waugh and V. L. Kelly, *United Technologies* (JSR 19, 5, p. 437) Article based on AIAA Paper 81-1522

A82-088 Plasma Propagation Simulation Near an Electrically Propelled Spacecraft. R. S. Robinson, H. R. Kaufman and D. R. Winder, *Colorado State University* (JSR 19, 5, p. 445) Article based on AIAA Paper 81-0744

A82-089 Simplified Power Supplies for Ion Thrusters. Robert P. Gruber, *NASA Lewis Research Center* (JSR 19, 5, p. 451) Article based on AIAA Paper 81-0693

A82-090 Large Modal Survey Testing Using the Ibrahim Time Domain Identification Technique. Samir R. Ibrahim, *Old Dominion University*; and Richard S. Pappa, *NASA Langley Research Center* (JSR 19, 5, p. 459) Article based on AIAA Paper 81-0528 CP811

A82-091 Tropospheric Effects of Satellite Power Systems. K. L. Brubaker and J. Lee, *Argonne National Laboratory* (JSR 19, 5, p. 466) Article based on AIAA Paper 80-0884

A82-092 Worst Case Earth Charging Environment. Marie-Jose Deutsch, *Jet Propulsion Laboratory, California Institute of Technology* (JSR 19, 5, p. 473) Article

A82-093 Lead Aliphatic Mono- and Dicarboxylates as Ballistic Modifiers. Haridwar Singh and K. R. K. Rao, *Explosives Research and Development Laboratory (India)* (JSR 19, 5, p. 478) Engineering Note

A82-094 Hovering Motion of a Friction-Driven Gyroscopic Mass. R. H. Nunn, *Naval Postgraduate School* (JSR 19, 5, p. 480) Engineering Note

A82-095 Evaluation of Component Buildup Methods for Missile Aerodynamic Predictions. S. R. Vukelich, *McDonnell Douglas Astronautics Company*; and J. E. Jenkins, *U. S. Air Force Wright Aeronautical Laboratories* (JSR 19, 6, p. 481) Article based on AIAA Paper 81-1893 CP816

A82-096 Development of Analytical and Experimental Techniques for Determining Store Airlord Distributions. Charles H. Morgret and Richard E. Dix, *Calspan Field Services, Inc., AEDC Division*; and L. E. Lijewski, *Air Force Armament Laboratory, Eglin Air Force Base* (JSR 19, 6, p. 489) Article based on AIAA Paper 81-1896 CP816

A82-097 Hyperballistic Vehicle Dynamics. Lars E. Ericsson, *Lockheed Missiles & Space Company, Inc.* (JSR 19, 6, p. 496) Article

A82-098 Entry Vehicle Performance in Low-Heat-Load Trajectories. Keith A. Havey Jr., *Rockwell International* (JSR 19, 6, p. 506) Article based on AIAA Paper 81-1863 CP816

A82-099 Synergetic Maneuvering of Winged Spacecraft for Orbital Plane Change. Hideo Ikawa and Thomas F. Rudiger, *Rockwell International* (JSR 19, 6, p. 513) Article based on AIAA Paper 82-0361

A82-100 Improved Solution of Optimal Impulsive Fixed-Timed Rendezvous. Frank C. Liu, *University of Alabama*; and Larry D. Plexico, *U. S. Army Missile Command, Redstone Arsenal* (JSR 19, 6, p. 521) Article

A82-101 Space Shuttle Orbit Maneuvering Subsystem Performance Status Report. D. D. Anglim, *McDonnell Douglas Astronautics Company* (JSR 19, 6, p. 529) Article based on AIAA Paper 81-1511

A82-102 Advanced Propulsion for Future Planetary Spacecraft. P. W. Garrison, *Jet Propulsion Laboratory, California Institute of Technology* (JSR 19, 6, p. 534) Article based on AIAA Paper 81-1534

A82-103 Parametric Study of Acceleration Effects on Burning Rates of Metallized Solid Propellants. Michael D. Fuchs and Arie Peretz, *Armament Development Authority (Israel)*; and Y. M. Timnat, *Technion-Israel Institute of Technology* (JSR 19, 6, p. 539) Article based on AIAA Paper 81-1584

A82-104 Thrust Imbalance of the Space Shuttle Solid Rocket Motors. Winfred A. Foster Jr. and Richard H. Sforzin, *Auburn University*; and Benjamin Shackelford Jr., *NASA Marshall Space Flight Center* (JSR 19, 6, p. 545) Article based on AIAA Paper 81-1610

A82-105 Liftoff Ignition Overpressure--A Correlation. E. J. Walsh and P. M. Hart, *Martin Marietta Aerospace* (JSR 19, 6, p. 550) Article based on AIAA Paper 81-2458

A82-106 Analysis of Combustion in Recirculating Flow for Rocket Exhausts in Supersonic Streams. A. C. H. Mace, *Ministry of Defence (England)*; N. C. Markatos, D. B. Spalding and D. G. Tatchell, *CHAM Ltd. (England)* (JSR 19, 6, p. 557) Article based on AIAA Paper 81-1386

A82-107 Structural Service Life Estimate for a Reduced Smoke Rocket Motor. D. I. Thrasher and J. H. Hildreth, *Air Force Rocket Propulsion Laboratory, Edwards AFB* (JSR 19, 6, p. 564) Article based on AIAA Paper 81-1544

A82-108 Ion Thruster Charge-Exchange Plasma Flow. M. R. Carruth Jr., S. B. Gabriel and S. Kitamura, *Jet Propulsion Laboratory, California Institute of Technology* (JSR 19, 6, p. 571) Article based on AIAA Paper 82-0403

A82-109 Microwave Plasma Generation of Hydrogen Atoms for Rocket Propulsion. R. Chapman, J. Filpus, T. Morin, R. Snellenberger, J. Asmussen, M. Hawley and R. Kerber, *Michigan State University* (JSR 19, 6, p. 579) Article based on AIAA Paper 81-0675

A82-110 Baffle Aperture Design Model for Electron Bombardment Thrusters. John R. Brophy and Paul J. Wilbur, *Colorado State University* (JSR 19, 6, p. 586) Article based on AIAA Paper 81-0758

A82-111 Experimental Forces and Moments on Cone-Derived Waveriders for $M_\infty = 3$ to 5. M. L. Rasmussen and M. C. Jischke, *University of Oklahoma*; and D.C. Daniel, *Air Force Armament Laboratory, Eglin Air Force Base* (JSR 19, 6, p. 592) Article based on AIAA paper 81-0149