

Chronological Index

- A89-013 Closed-Form Approach to Rocket-Vehicles Aeroelastic Divergence.** Dov Elyada, *Israel Armament Development Authority* (26, 2, p. 95) Article
Errata (27, 1, p. 95)
- A89-046 Optimum Heat Rejection Temperatures for Spacecraft Heat Pumps.** D. K. Edwards and R. F. Richards, *University of California, Irvine* (26, 5, p. 303) Article
Errata (27, 1, p. 95)
- A90-001 Measurement of In-Flight Base Pressure on an Artillery-Fired Projectile.** Larry R. Rollstin, *Sandia National Laboratories* (27, 1, p. 5) Synoptic based on AIAA Paper 87-2427 CP8810
- A90-002 Evaluation of the "0.1% Rule" for Docking Maneuvers.** Adam R. Brody, *NASA Ames Research Center* (27, 1, p. 7) Synoptic based on AIAA Paper 89-0400
- A90-003 Surface Pressure and Streamline Effects on Laminar Heating Calculations.** C. J. Riley, *NASA Langley Research Center*; Fred R. DeJarnette, *North Carolina State University*; and E. Vincent Zoby, *NASA Langley Research Center* (27, 1, p. 9) Article based on AIAA Paper 88-2708
- A90-004 Analysis of Selected Data from the Triservice Missile Data Base.** Jerry M. Allen, David S. Shaw and Wallace C. Sawyer, *NASA Langley Research Center* (27, 1, p. 15) Article based on AIAA Paper 89-0478
- A90-005 Analysis of Extreme Wind Shear.** Stanley I. Adelfang and Orvel E. Smith, *Computer Sciences Corporation* (27, 1, p. 21) Article based on AIAA Paper 89-0710
- A90-006 Vehicle Charging Effects During Electron Beam Emission from the CHARGE-2 Experiment.** Neil B. Myers, W. John Raitt and A. Brent White, *Utah State University*; Peter M. Banks and Brian E. Gilchrist, *Stanford University*; and Susumu Sasaki, *Institute for Space and Astronautical Sciences, Japan* (27, 1, p. 25) Article
- A90-007 Particle Radiation Near the Orbit of the Vacuum Wake Shield.** Edgar A. Bering III and Alex Ignatiev, *University of Houston* (27, 1, p. 38) Article
- A90-008 Microgravity Bubble Migration in Rotating Flows.** J. S. Ruggles, R. G. Cook and R. Cole, *Clarkson University* (27, 1, p. 43) Article based on AIAA Paper 88-3555 CP888
- A90-009 Terminal Velocity of a Laser-Driven Light Sail.** Colin R. McInnes and John C. Brown, *University of Glasgow, Scotland, UK* (27, 1, p. 48) Article
- A90-010 Systems Analysis of a Low-Acceleration Research Facility.** Gary L. Martin, *George Washington University*; Melvin J. Ferebee Jr. and Robert L. Wright, *NASA Langley Research Center* (27, 1, p. 53) Article based on AIAA Paper 88-3512 CP887
- A90-011 Encoding Y, I, Q Component Estimates of an NTSC Composite Signal.** David A. Border, *Digital Automation Associates*; and S. C. Kwatra, *University of Toledo* (27, 1, p. 61) Article
- A90-012 Graphic-Simulator-Augmented Teleoperation System for Space Applications.** Kazuo Machida, Yoshitsugu Toda and Toshiaki Iwata, *Electrotechnical Laboratory, Japan* (27, 1, p. 64) Article based on AIAA Paper 88-4095 CP889
- A90-013 Spacelab 2 Plasma Diagnostics Package.** W. S. Kurth and L. A. Frank, *University of Iowa* (27, 1, p. 70) Article
- A90-014 Performance Assessment of a Space Station Rescue and Personnel/Logistics Vehicle.** J. Chris Naftel, Richard W. Powell and Theodore A. Talay, *NASA Langley Research Center* (27, 1, p. 76) Article based on AIAA Paper 89-0635
- A90-015 Prediction of the Visible Signature of Solid Rocket Plumes.** Eugene Miller, *Mackay School of Mines, University of Nevada, Reno* (27, 1, p. 82) Article
- A90-016 Axisymmetric Shell Analysis of the Space Shuttle Solid Rocket Booster Field Joint.** Michael P. Nemeth, *NASA Langley Research Center*; and Melvin S. Anderson, *Old Dominion University* (27, 1, p. 85) Article based on AIAA Paper 89-1343 CP891
- A90-017 Method for Estimating Atomic Oxygen Surface Erosion in Space Environments.** N. John Stevens, *TRW, Inc.* (27, 1, p. 93) Engineering Note
- A90-020 Need for Control of Numerical Accuracy.** Patrick J. Roache, *Ecodynamics Research Associates* (27, 2, p. 98) Article based on AIAA Paper 89-1669
- A90-021 Computational Requirements for Hypersonic Flight Performance Estimates.** Unmeel B. Mehta, *NASA Ames Research Center* (27, 2, p. 103) Article based on AIAA Paper 89-1670
- A90-022 Accurate Navier-Stokes Results for the Hypersonic Flow over a Spherical Nosed Tip.** Frederick G. Blottner, *Sandia National Laboratories* (27, 2, p. 113) Article based on AIAA Paper 89-1671
- A90-023 Computational Fluid Dynamics Nose-to-Tail Capability: Hypersonic Unsteady Navier-Stokes Code Validation.** Thomas A. Edwards and Jolen Flores, *NASA Ames Research Center* (27, 2, p. 123) Article based on AIAA Paper 89-1672
- A90-024 Code Calibration Program in Support of the Aeroassist Flight Experiment.** Peter A. Gnoffo, *NASA Langley Research Center* (27, 2, p. 131) Article based on AIAA Paper 89-1673
- A90-025 Navier-Stokes Simulation of Three-Dimensional Hypersonic Equilibrium Flows with Ablation.** P. D. Thomas and K. L. Neier, *Lockheed Missiles & Space Company, Inc.* (27, 2, p. 143) Article based on AIAA Paper 89-1650
- A90-026 Three-Dimensional Upwind Parabolized Navier-Stokes Code for Real Gas Flows.** John C. Tannehill, Philip E. Buelow and John O. Ivalts, *Engineering Analysis, Inc.*; and Scott L. Lawrence, *NASA Ames Research Center* (27, 2, p. 150) Article based on AIAA Paper 89-1651

A90-027 Development and Validation of a Navier-Stokes Code for Hypersonic External Flow. James Stevenson Ryan, *University of Colorado*; Jolen Flores, *NASA Ames Research Center*; and Chuen-Yen Chow, *University of Colorado* (27, 2, p. 160) Article based on AIAA Paper 89-1839

A90-028 Flux-Vector Splitting Calculation of Nonequilibrium Hydrogen-Air Reactions. Seung-Ho Lee, *Eloret Institute*; and George S. Deiwert, *NASA Ames Research Center* (27, 2, p. 167) Article based on AIAA Paper 89-1700

A90-029 Hypersonic Viscous Shock-Layer Solutions over Long Slender Bodies—Part I: High Reynolds Number Flows. R. N. Gupta and K. P. Lee, *Scientific Research and Technology, Inc.*; E. V. Zoby, J. N. Moss and R. A. Thompson, *NASA Langley Research Center* (27, 2, p. 175) Article based on AIAA Paper 87-2487 CP876

A90-030 Hypersonic Viscous Shock-Layer Solutions over Long Slender Bodies—Part II: Low Reynolds Number Flows. K. P. Lee and R. N. Gupta, *Scientific Research and Technology, Inc.*; E. V. Zoby and J. N. Moss, *NASA Langley Research Center* (27, 2, p. 185) Article based on AIAA Paper 88-0460

A90-031 Large-Angle-of-Attack Viscous Hypersonic Flows over Complex Lifting Configurations. Bilal A. Bhutta and Clark H. Lewis, *VRA, Inc.* (27, 2, p. 194) Article based on AIAA Paper 89-0269

A90-032 Nonequilibrium Viscous Hypersonic Flows over Ablating Teflon Surfaces. Bilal A. Bhutta, Dong Joo Song and Clark H. Lewis, *VRA, Inc.* (27, 2, p. 205) Article based on AIAA Paper 89-0314

A90-033 Downward-Deployed Tethered Platforms for High-Enthalpy Aerothermodynamic Research. George M. Wood and Paul M. Siemers, *NASA Langley Research Center*; R. Kenneth Squires and Henry Wolf, *Analytical Mechanics Associates*; Giovanni M. Carlomagno and Luigi de Luca, *University of Naples, Italy* (27, 2, p. 216) Article based on AIAA Paper 88-0688

A90-034 Space Shuttle Externally Induced Environment Compared with Skylab's Natural Environment. Michael Susko, *NASA Marshall Space Flight Center* (27, 2, p. 222) Engineering Note

A90-035 Lunar Habitat Concept Employing the Space Shuttle External Tank. Charles B. King, Ansel J. Butterfield and Warren D. Hypes, *Bionetics Corporation*; John E. Nealy and Lisa C. Simonsen, *NASA Langley Research Center* (27, 3, p. 225) Synoptic

A90-036 Nonplanar Effects on Pitch-Plane Dynamics. L. E. Ericsson, *Lockheed Missiles & Space Company, Inc.*; and M. E. Beyers, *National Aeronautical Establishment, Canada* (27, 3, p. 227) Article based on AIAA Paper 88-0215

A90-037 Effectiveness of Passive Devices for Axisymmetric Base Drag Reduction at Mach 2. P. R. Viswanath and S. R. Patil, *National Aeronautical Laboratory, India* (27, 3, p. 234) Article

A90-038 Performance Verification of the Eurostar Propulsion Subsystem. L. W. Hobbs, *British Aerospace (Space Systems) Limited* (27, 3, p. 238) Article based on AIAA Paper 88-3048

A90-039 Propulsion System Optimization for Advanced Manned Launch System Vehicles. Douglas O. Stanley and T. A. Talay, *NASA Langley Research Center* (27, 3, p. 246) Article based on AIAA Paper 89-2504

A90-040 Ion Beam Removal of Water and Dioctyl Phthalate from Cryogenic Mirrors. Patricia M. George, John M. Lindquist and Martha Hankins, *Aerogel ElectroSystems Company* (27, 3, p. 253) Article based on AIAA Paper 88-2729

A90-041 Effect of Eleven Years in Earth Orbit on a Mirror Surface. Michael J. Mirtich, Herman Mark and William R. Kerslake, *NASA Lewis Research Center* (27, 3, p. 258) Article based on AIAA Paper 88-0026

A90-042 Exterior Spacecraft Subsystem Protective Shielding Analysis and Design. William P. Schonberg, *University of Alabama in Huntsville*; and Roy A. Taylor, *NASA Marshall Space Flight Center* (27, 3, p. 267) Article

A90-043 GSTAR Satellite Disturbance from Plume Impingement. S. A. Parvez, *GTE Spacenet* (27, 3, p. 275) Article based on AIAA Paper 89-0351

A90-044 Ion Drag for a Negatively Biased Solar Array in Low Earth Orbit. Daniel E. Hastings and Mengu Cho, *Massachusetts Institute of Technology* (27, 3, p. 279) Article

A90-045 Observations on Thermospheric and Mesospheric Density Disturbances Caused by Typhoons and Convective Storms. R. J. Hung, Y. D. Tsao and C. C. Lee, *University of Alabama in Huntsville*; D. L. Johnson, *NASA Marshall Flight Center*; A. J. Chen, C. H. Lin and J. J. Pan, *National Central University, Taiwan, ROC* (27, 3, p. 285) Article based on AIAA Papers 89-0765 and 89-0854

A90-046 Velocity Perturbation Distributions in the Breakup of Artificial Satellites. Gautam D. Badhwar and Arjun Tan, *NASA Johnson Space Center*; and Robert C. Reynolds, *Lockheed Engineering & Science Company* (27, 3, p. 299) Article

A90-047 Recent Developments and Near-Term Expectations for the NASA Balloon Program. W. Vernon Jones, *NASA Headquarters* (27, 3, p. 306) Article based on AIAA Paper 89-0233

A90-048 Hardware Development for the Surface Tension Driven Convection Experiment. A. D. Pline, T. P. Jacobson, J. S. Wanhainen and D. A. Petrarca, *NASA Lewis Research Center* (27, 3, p. 312) Article based on AIAA Paper 89-0406

A90-049 Heat-Pump-Augmented Spacecraft Heat-Rejection Systems. R. P. Scaringe, J. A. Buckman and L. R. Grzyll, *Mainstream Engineering Company*; E. T. Mahefkey and J. E. Leland, *Aeropropulsion and Power Laboratory, Wright-Patterson AFB* (27, 3, p. 318) Article based on AIAA Paper 89-0072

A90-050 Foam Formation in Low Gravity. Francis C. Wessling, Samuel P. McManus, John Matthews and Darayas Patel, *University of Alabama in Huntsville* (27, 3, p. 324) Article

A90-051 Adaptive Structures: An Overview. Ben K. Wada, *Jet Propulsion Laboratory, California Institute of Technology* (27, 3, p. 330) Article based on AIAA Paper 89-1160 CP891

A90-052 Opportunities for Space Station Assembly Operations During Crew Absence. Joseph C. Parrish, *Ocean Systems Engineering, Inc.* (27, 3, p. 338) Article based on AIAA Paper 89-0398

A90-053 Vacuum Ultraviolet Radiation/Atomic Oxygen Synergism in Materials Reactivity. Steven Koontz, Lubert Leger and Keith Albyn, *NASA Johnson Space Center*; and Jon Cross, *Los Alamos National Laboratories* (27, 3, p. 346) Engineering Note

- A90-054 Tumble Orbit Transfer of Spent Satellites.** Tetsuo Yasaka, *Nippon Telegraph and Telephone Corporation, Japan* (27, 3, p. 348) Engineering Note
Errata (27, 5, p. 568)
- A90-055 Conversion of Omnidirectional Proton Fluxes into a Pitch Angle Distribution.** Gautam D. Badhwar and Andrei Konradi, *NASA Johnson Space Center* (27, 3, p. 350) Engineering Note
- A90-056 Space Radiation Dose Estimates on the Surface of Mars.** Lisa C. Simonsen, John E. Nealy, Lawrence W. Townsend and John W. Wilson, *NASA Langley Research Center* (27, 4, p. 353) Synoptic
- A90-057 Aerodynamic Characteristics of a Family of Cone-Cylinder-Flare Projectiles.** James E. Danberg, Asher Sigal and Ilmars Celmins, *U.S. Army Ballistic Research Laboratory* (27, 4, p. 355) Article based on AIAA Paper 89-3371 CP898
- A90-058 Flowfield and Vehicle Parameters Influence on Hypersonic Heat Transfer and Drag.** E. V. Zoby and R. A. Thompson, *NASA Langley Research Center* (27, 4, p. 361) Article based on AIAA Paper 87-1475
- A90-059 Physical Properties of Manganese-Bismuth Specimens Produced in Microgravity.** P. Pant, Fried, *Krupp GmbH, Krupp Forschungsinstitut, FRG*; J. H. Wijngaard and C. Haas, *Materials Science Centre of the Rijksuniversiteit, the Netherlands* (27, 4, p. 369) Article based on AIAA Paper 89-0303
- A90-060 Determination of Atmospheric Optical Properties During the First International Satellite Land Surface Climatology Project Field Experiment.** Michael A. Spanner, Robert C. Wrigley and Rudolf F. Pueschel, *NASA Ames Research Center*; John M. Livingston, *SRI International*; and David S. Colburn, *NASA Ames Research Center* (27, 4, p. 373) Article based on AIAA Paper 89-0818
- A90-061 Thermal Distortion Behavior of Graphite Reinforced Aluminum Space Structures.** D. G. Zimcik, *Canadian Space Agency*; and B. M. Koike, *Composite Tecnologia, Brazil* (27, 4, p. 380) Article based on AIAA Paper 89-1228 CP891
- A90-062 Low-Gravity Electrodeposition of Metals and Metal/Cermet Composites.** Clyde Riley, Hind Abi-Akar and Brian Benson, *University of Alabama in Huntsville*; and George Maybee, *McDonnell Douglas Space Systems Company* (27, 4, p. 386) Article based on AIAA Paper 89-0308
- A90-063 Theory of Plasma Contactors in Ground-Based Experiments and Low Earth Orbit.** M. J. Gerver, D. E. Hastings and M. R. Oberhardt, *Massachusetts Institute of Technology* (27, 4, p. 391) Article
- A90-064 New Interplanetary Proton Fluence Model.** Joan Feynman, *Jet Propulsion Laboratory, California Institute of Technology*; T. P. Armstrong, *University of Kansas*; L. Dao-Gibner, *Syscon Corporation*; and S. Silverman, *Boston College* (27, 4, p. 403) Article
- A90-065 Solar Photon Thruster.** Robert L. Forward, *Forward Unlimited* (27, 4, p. 411) Article based on AIAA Paper 89-2545
- A90-066 Ground Studies of Ionospheric Plasma Interactions with a High Voltage Solar Array.** H. Kuninaka, Y. Nozaki, S. Satori and K. Kuriki, *Institute of Space and Astronautical Science, Japan* (27, 4, p. 417) Article
- A90-067 Orbit/Deorbit Analysis for a Mars Rover and Sample Return Mission.** Paul A. Penzo, *Jet Propulsion Laboratory, California Institute of Technology* (27, 4, p. 425) Article based on AIAA Paper 88-4231 CP8811
- A90-068 Disposal of Spacecraft at End of Life in Geosynchronous Orbit.** V. A. Chobotov, *Aerospace Corporation* (27, 4, p. 433) Article based on AIAA Paper 89-378
- A90-069 Effects of the Earth Orbit Environment on Thin-Wall Bubbles.** Scott Thomas, *Utah State University* (27, 4, p. 438) Article
- A90-070 Generalized One-Dimensional Compressible Flow Matrix Inverse.** B. K. Hodge, *Mississippi State University* (27, 4, p. 446) Engineering Note
- A90-071 Organization, Selection, and Training of Crews for Extended Spaceflight: Findings from Analogs and Implications.** John M. Nicholas, *Loyola University of Chicago*; and H. Clayton Foushee, *Federal Aviation Administration* (27, 5, p. 451) Article based on AIAA Paper 88-0444
- A90-072 Psychological, Psychiatric, and Interpersonal Aspects of Long-Duration Space Missions.** Nick Kanas, *Veterans Administration Medical Center* (27, 5, p. 457) Article
- A90-073 Problems of Intergroup Behavior in Human Spaceflight Operations.** Larry W. Penwell, *Mary Washington College* (27, 5, p. 464) Article
- A90-074 Psychosocial Effects of Adjustment in Antarctica: Lessons for Long-Duration Spaceflight.** Lawrence A. Palinkas, *University of California, San Diego* (27, 5, p. 471) Article
- A90-075 Human Factors in Spacecraft Design.** Albert A. Harrison, *University of California, Davis*; and Mary M. Connors, *NASA Ames Research Center* (27, 5, p. 478) Article
- A90-076 Psychological Health Maintenance on Space Station Freedom.** Patricia A. Santy, *NASA Johnson Space Center* (27, 5, p. 482) Article
- A90-077 Induced Roll Computations for Conventional Missiles.** F. J. Priolo and A. B. Wardlaw Jr., *Naval Surface Warfare Center, White Oak* (27, 5, p. 486) Article based on AIAA Paper 89-0331
- A90-078 Prediction of Supersonic/Hypersonic Viscous Flows Over Re-entry Vehicles and Decoys.** Bilal A. Bhutta and Clark H. Lewis, *VRA, Inc.* (27, 5, p. 493) Article based on AIAA Paper 89-0028
- A90-079 Small Submerged Vortex Generators for Turbulent Flow Separation Control.** J. C. Lin and F. G. Howard, *NASA Langley Research Center*; and G. V. Selby, *Old Dominion University* (27, 5, p. 503) Article based on AIAA Paper 89-0976
- A90-080 Lateral Oscillations of Sting-Mounted Models at High Alpha.** L. E. Ericsson, *Lockheed Missiles & Space Company, Inc.* (27, 5, p. 508) Article based on AIAA Paper 89-0047
- A90-081 Use of Atmospheric Braking During Mars Missions.** M. E. Tauber and J. V. Bowles, *NASA Ames Research Center*; and Lily Yang, *Sterling Software* (27, 5, p. 514) Article based on AIAA Paper 89-1730
- A90-082 Strength Design Criteria for Carbon/Epoxy Pressure Vessels.** Stephen R. Swanson, *University of Utah* (27, 5, p. 522) Article

A90-083 Dispersal of Gases Generated Near a Lunar Outpost. Ilias Fernini, *University of New Mexico*; Jack O. Burns, *New Mexico State University*; G. Jeffrey Taylor, *University of New Mexico*; Martin Sulkanen, *Los Alamos National Laboratory*; Nebojsa Duric, *University of New Mexico*; and Stewart Johnson, *BDM International, Inc.* (27, 5, p. 527) Article

A90-084 Threshold Voltage for Arcing on Negatively Biased Solar Arrays. Daniel E. Hastings, Guy Weyl and Donald Kaufman, *Physical Sciences, Inc.* (27, 5, p. 539) Article

A90-085 Explicit Thermochemical Nonequilibrium Algorithm Applied to Compute Three-Dimensional Aeroassist Flight Experiment Flowfields. Grant Palmer, *NASA Ames Research Center* (27, 5, p. 545) Article based on AIAA Paper 89-1701

A90-086 Particle-in-Cell Simulations of Sheath Formation Around Biased Interconnectors in a Low-Earth-Orbit Plasma. H. Thiemann, *Physikalisch-Technische Studien GmbH, FRG*; and R. W. Schunk, *Center for Atmospheric and Space Sciences, Utah State University* (27, 5, p. 554) Article

A90-087 Where Do Negatively Biased Solar Arrays Arc?. H. Thiemann, *Physikalisch-Technische Studien GmbH, FRG*; R. W. Schunk, *Utah State University*; and K. Bogus, *European Space Research and Technology Center, the Netherlands* (27, 5, p. 563) Engineering Note

A90-088 Experimental Base Pressure Histories with Nonsteady Discrete Bleed Rates. M. J. Marongiu, *University of Illinois at Urbana-Champaign* (27, 5, p. 565) Engineering Note

A90-090 OPSMODEL, An On-Orbit Operations Simulation Modeling Tool for Space Station. William T. Davis and Robert L. Wright, *NASA Langley Research Center* (27, 6, p. 569) Synoptic based on AIAA Paper 88-4732 CP8813

A90-091 Modeling Supersonic Missile Fin-Body Interference for Preliminary Design. Milind V. Talpallikar and H. F. Nelson, *University of Missouri-Rolla* (27, 6, p. 571) Article based on AIAA Paper 90-0277

A90-092 Semiempirical Analytical Model for the Spin Modulation of Retarding Potential Analyzer Fluxes. R. H. Comfort, *University of Alabama in Huntsville*; and M. O. Chandler, *NASA Marshall Space Flight Center* (27, 6, p. 577) Article

A90-093 Lift Losses for Fin-Body Gaps in Transonic and Supersonic Speeds. Ameer G. Mikhail, *U.S. Army Ballistic Research Laboratory, Laboratory Command, Aberdeen Proving Ground* (27, 6, p. 583) Article based on AIAA Paper 89-0332

A90-094 Aerothermodynamics of Sprint-Type Manned Mars Missions. Chul Park, *NASA Ames Research Center*; and Carol B. Davies, *Sterling Software* (27, 6, p. 589) Article based on AIAA Paper 89-0319

A90-095 Approximate Viscous Shock-Layer Method for Hypersonic Flow over Blunt-Nosed Bodies. A. C. Grantz and F. R. DeJarnette, *North Carolina State University*; and R. A. Thompson, *NASA Langley Research Center* (27, 6, p. 597) Article based on AIAA Paper 89-1695

A90-096 Lifting Entry Rescue Vehicle Configuration. J. Peter Reding and Harold O. Svendsen, *Lockheed Missiles & Space Company, Inc.* (27, 6, p. 606) Article based on AIAA Paper 88-4342 CP8810

A90-097 Design Model of High-Performance Ramjet or Scramjet-Powered Vehicles. Leon H. Schindel, *Naval Surface Warfare Center* (27, 6, p. 613) Article

A90-098 Second-Stage Trajectories of Air-Breathing Space Planes. R. W. Staufenbiel, *University of Technology, Germany* (27, 6, p. 618) Article

A90-099 Energy Management for Multiple-Pulse Missiles. Craig Phillips, *Naval Surface Warfare Center* (27, 6, p. 623) Article based on AIAA Paper 88-0334

A90-100 Effect of an Anomalous Thruster Input During a Simulated Docking Maneuver. Adam R. Brody, *Sterling Software*; and Stephen R. Ellis, *NASA Ames Research Center* (27, 6, p. 630) Article based on AIAA Paper 90-0519

A90-101 Experimental Study of Plasma Contactor Phenomena. John D. Williams and Paul J. Wilbur, *Colorado State University* (27, 6, p. 634) Article based on AIAA Paper 89-0677

A90-102 Limitations on Vibration Isolation for Microgravity Space Experiments. C. Knospe and P. Allaire, *University of Virginia* (27, 6, p. 642) Article

A90-103 Crack Growth Behavior in a Composite Propellant with Strain Gradients—Part II. C. T. Liu, *Astronautics Laboratory, Edwards AFB* (27, 6, p. 647) Article based on AIAA Paper 85-0615 CP851

A90-104 Automation Techniques for Thermal Analysis of Spacecraft Systems. Sun I. Hong, *Rockwell International* (27, 6, p. 653) Article

A90-105 Qualitative Experiment with Arc Discharges on Negatively Biased Solar Cells. Hitoshi Kuminaka, *Institute of Space and Astronautical Science, Japan* (27, 6, p. 665) Article

A90-106 CIRRIIS-1A Space Shuttle Experiment. M. Ahmadjian, R. M. Nadile and J. O. Wise, *U.S. Air Force Geophysics Laboratory, Hanscom AFB*; and B. Bartschi, *Utah State University* (27, 6, p. 669) Article

A90-107 Response of a Liquid Column to Counterdirectional Excitation. Helmut F. Bauer, *Institute of Space Technology, University of the German Armed Forces* (27, 6, p. 675) Article

A90-108 EivaN: An Interactive Orbital Trajectory Planning Tool. Adam R. Brody, *Sterling Software* (27, 6, p. 681) Article

A90-109 Aeroassisted Flight Experiment Aerodynamic Characteristics at Flight Conditions. K. James Weilmuenster and Peter A. Gnoffo, *NASA Langley Research Center* (27, 6, p. 684) Engineering Note