

Chronological Index

A07-117–A07-124 Special Section: New Perspectives on the Satellite Drag Environments of Earth Mars and Venus. Sean L. Bruinsma, *Centre d'Etudes Spatiales, France*; Jeffrey M. Forbes, *University of Colorado*; Frank G. Lemoine, *NASA Goddard Space Flight Center*; et al. (44, 6, p. 1154)

Technical Comment by G. Koppenwallner, *Hypersonic Technology Goettingen, Germany* (45, 6, p. 1324)

Reply by Erik K. Sutton, R. Steven Nerem, and Jeffrey M. Forbes, *University of Colorado* (45, 6, p. 1328)

A08-001 Systematically Creased Thin-Film Membrane Structures. Alessandro Papa and Sergio Pellegrino, *University of Cambridge, United Kingdom* (45, 1, p. 10) Article based on AIAA Paper 2005-1975

A08-002 Effective Modulus of Creased Thin Membranes. Kyeongsik Woo, *Chungbuk National University, Republic of Korea*; Kuldeep Nandurkar and Christopher H. Jenkins, *Montana State University* (45, 1, p. 19) Article based on AIAA Paper 2006-1798

A08-003 Entry, Descent, and Landing Operations Analysis for the Genesis Entry Capsule. Prasun N. Desai, *NASA Langley Research Center*; and Daniel T. Lyons, *Jet Propulsion Laboratory, California Institute of Technology* (45, 1, p. 27) Article

A08-004 Reconstruction of the Genesis Entry. Prasun N. Desai, Garry D. Qualls, and Mark Schoenenberger, *NASA Langley Research Center* (45, 1, p. 33) Article

A08-005 Deep Impact Navigation System Performance. Raymond B. Frauenholz, Ramachandra S. Bhat, Steven R. Chesley, Nickolaos Mastrodemos, William M. Owen Jr., and Mark S. Ryne, *Jet Propulsion Laboratory, California Institute of Technology* (45, 1, p. 39) Article based on AIAA Paper 06-173

A08-006 Thruster Plumes: Sources for High Pressure and Contamination at the Payload Location. S. Graf, K. Altwegg, H. Balsiger, and P. Bochslers, *University of Bern, Switzerland*; B. Fiethe, *Technische Universität, Germany*; and E. Montagnon, *ESA, Germany* (45, 1, p. 57) Article

A08-007 Slososat Spacecraft Calibration at Stationary Spin Rates. Jan P. B. Vreeburg, *Leiden, The Netherlands* (45, 1, p. 65) Article

A08-008 Improvement of High Heat Flux Measurement Using a Null-Point Calorimeter. Stefan Löhle and Jean-Luc Battaglia, *Université de Bordeaux I, France*; Pierre Jullien and Bruno van Ootegem, *European Aeronautical Defense and Space Academy, France*; Jacques Couzi and Jean-Pierre Lasserre, *Commissariat à l'Energie Atomique/Centre d'Etudes Scientifiques et Techniques d'Aquitaine, France* (45, 1, p. 76) Article

A08-009 Determination of Allowable Hydrogen Permeation Rates for Launch Vehicle Propellant Tanks. Michael J. Robinson, *The Boeing Company* (45, 1, p. 82) Article based on AIAA Paper 2006-2018

A08-010 Low Recurring Cost, Partially Reusable Heavy Lift Launch Vehicle. Benjamin B. Donahue, *Boeing Advanced Systems*; Vince A. Weldon and Steve W. Paris, *Boeing Phantom Works* (45, 1, p. 90) Article based on AIAA Paper 2004-4064

A08-011 Numerical Investigation of Jet Interaction in a Supersonic Freestream. Houshang B. Ebrahimi, *ATA, Inc.* (45, 1, p. 95) Article based on AIAA Paper 2005-4866

A08-012 Qualification of Spacecraft Equipment: Random-Vibration Response Based on Impedance/Mobility Techniques. G. Rodrigues, *Free University of Brussels, Belgium*; and J. Santiago-Prowald, *ESA, The Netherlands* (45, 1, p. 104) Article

A08-013 Navigation Solutions for the Repeated-Intercept Mission with Constrained Maneuver Time. Vincent J. Chioma and Nathan A. Titus, *U.S. Air Force Institute of Technology* (45, 1, p. 116) Article

A08-014 Electric Sail Performance Analysis. Giovanni Mengali and Alessandro A. Quarta, *University of Pisa, Italy*; and Pekka Janhunen, *Finnish Meteorological Institute, Finland* (45, 1, p. 122) Article

A08-015 Extension of Traditional Entry, Descent, and Landing Technologies for Human Mars Exploration. John A. Christian, Grant Wells, Jarret M. Lafleur, Amanda Verges, and Robert D. Braun, *Georgia Institute of Technology* (45, 1, p. 130) Article based on AIAA Paper 2006-7427

A08-016 Analysis of the UNISAT-3 Solar Array In-Orbit Performance. Fabio Santoni, *University of Rome "La Sapienza," Italy*; and Fabrizio Piergentili, *University of Bologna, Italy* (45, 1, p. 142) Article

A08-016E Erratum on "Analysis of the UNISAT-3 Solar Array In-Orbit Performance." Fabio Santoni, *University of Rome "La Sapienza," Italy*; and Fabrizio Piergentili, *University of Bologna, Italy* (45, 2, p. 415) Erratum

A08-017 Accuracy Analysis of the Reflective Surface of the Umbrella-Type Antenna. Alexander V. Lopatin and Marina A. Rutkovskaya, *Siberian State Aerospace University, Russia*; and Vladimir B. Gantovnik, *University of North Carolina at Charlotte* (45, 1, p. 149) Technical Note

A08-018 Optimized Low-Thrust Orbit Transfer for Space Tugs. Andrew Pukniel, Rodney L. Burton, and Adam Jaslikowski, *University of Illinois at Urbana-Champaign* (45, 1, p. 151) Technical Note

A08-019 Photonic Laser Propulsion: Proof-of-Concept Demonstration. Young K. Bae, *Bae Institute* (45, 1, p. 153) Technical Note

A08-020 Enthalpy Measurement of Inductively Heated Airflow. Makoto Matsui, Kimiya Komurasaki, and Yoshihiro Arakawa, *University of Tokyo, Japan*; Andreas Knapp and Georg Herdrich, *University of Stuttgart, Germany*; and Monika Auweter-Kurtz, *University of Hamburg, Germany* (45, 1, p. 155) Technical Note based on AIAA Paper 2007-4408

A08-021 Transition Issues for Atmospheric Entry. Eli Reshotko, *Case Western Reserve University* (45, 2, p. 161) Article based on AIAA Paper 2007-0304

A08-022 Influence of Laminar Boundary-Layer Transition on Entry Vehicle Designs. T. C. Lin, *Northrop-Grumman Corporation* (45, 2, p. 165) Article based on AIAA Paper 2007-0309

A08-023 Hypersonic Boundary-Layer Transition: Application to High-Speed Vehicle Design. Kei Y. Lau, *The Boeing Company* (45, 2, p. 176) Article based on AIAA Paper 2007-310

A08-024 Boundary-Layer Transition and Hypersonic Flight Testing. David W. Kuntz and Donald L. Potter, *Sandia National Laboratories* (45, 2, p. 184) Article based on AIAA Paper 2007-0308

A08-025 Effects of Roughness on Hypersonic Boundary-Layer Transition. Steven P. Schneider, *Purdue University* (45, 2, p. 193) Article based on AIAA Paper 2007-0305

A08-026 Transition Experiments on Blunt Bodies with Distributed Roughness in Hypersonic Free Flight. D. C. Reda and M. C. Wilder, *NASA Ames Research Center*; D. W. Bogdanoff and D. K. Prabhu, *Eloret Corporation* (45, 2, p. 210) Article based on AIAA Paper 2007-0306

A08-027 Discrete-Roughness Transition for Hypersonic Flight Vehicles. Scott A. Berry and Thomas J. Horvath, *NASA Langley Research Center* (45, 2, p. 216) Article based on AIAA Paper 2007-307

- A08-028 Boundary-Layer Stability Analysis of the Hypersonic International Flight Research Transition Experiments.** Heath B. Johnson, Chris R. Alba, and Graham V. Candler, *University of Minnesota*; Matthew MacLean, Timothy Wadhams, and Michael Holden, *Calspan—University at Buffalo Research Center* (45, 2, p. 228) Article based on AIAA Paper 2007-311
- A08-029 Performance of a Low Density Ablative Heat Shield Material.** M. A. Covington and J. M. Heinemann, *Eloret Corporation*; H. E. Goldstein, *Research Institute for Advanced Computer Science*; Y.-K. Chen, I. Terrazas-Salinas, J. A. Balboni, J. Olejniczak, and E. R. Martinez, *NASA Ames Research Center* (45, 2, p. 237) Article based on AIAA Paper 2004-2273
- A08-029E Erratum on “Performance of a Low Density Ablative Heat Shield Material.”** M. A. Covington and J. M. Heinemann, *Eloret Corporation*; H. E. Goldstein, *Research Institute for Advanced Computer Science*; Y.-K. Chen, I. Terrazas-Salinas, J. A. Balboni, J. Olejniczak, and E. R. Martinez, *NASA Ames Research Center* (45, 4, p. 854) Erratum
- A08-029EE Erratum on “Erratum on ‘Performance of a Low Density Ablative Heat Shield Material.’”** M. A. Covington and J. M. Heinemann, *Eloret Corporation*; H. E. Goldstein, *Research Institute for Advanced Computer Science*; Y.-K. Chen, I. Terrazas-Salinas, J. A. Balboni, J. Olejniczak, and E. R. Martinez, *NASA Ames Research Center* (45, 6, p. 1330) Erratum
- A08-030 Kinetic and Continuum Simulations of Electromagnetic Control of a Simulated Reentry Flow.** Hiroshi Katsurayama, Masaaki Kawamura, Atsushi Matsuda, and Takashi Abe, *Japan Aerospace Exploration Agency, Japan* (45, 2, p. 248) Article based on AIAA Paper 2007-1439
- A08-031 Flow Control over a Backward-Facing Step with Application of a Magnetic Field.** Ovais U. Khan and Klaus A. Hoffmann, *Wichita State University* (45, 2, p. 255) Article based on AIAA Paper 2006-3237
- A08-032 Free-Molecule-Microresistojets Performance Using Water Propellant for Nanosatellite Applications.** R. H. Lee, A. M. Bauer, M. D. Killingsworth, T. C. Lilly, and J. A. Duncan, *University of Southern California, Los Angeles*; A. D. Ketsdever, *U.S. Air Force Research Laboratory* (45, 2, p. 264) Article based on AIAA Paper 2007-5185
- A08-033 Improved Aerodynamics for Configurations with Boattails.** F. G. Moore and L. Y. Moore, *Aeroprediction, Inc.* (45, 2, p. 270) Article
- A08-034 Numerical Aerodynamic Investigations on Missile Yawing Control Using Nose-Mounted Flow Effectors.** S. Chen, *National Research Council Canada, Canada*; D. Corriveau, *Defence Research and Development Canada—Valcartier, Canada*; and Stuart McIlwain, *National Research Council Canada, Canada* (45, 2, p. 282) Article
- A08-035 Autonomous Optical Navigation at Jupiter: A Linear Covariance Analysis.** Nathan B. Stastny and David K. Geller, *Utah State University* (45, 2, p. 290) Article based on AIAA Paper 2006-6680
- A08-036 In Situ Navigation of Spacecraft Formations in High-Altitude and Extraterrestrial Orbits.** Greg N. Holt and E. Glenn Lightsey, *University of Texas at Austin* (45, 2, p. 299) Article based on AIAA Paper 2007-6755
- A08-037 Improving Lunar Return Entry Range Capability Using Enhanced Skip Trajectory Guidance.** Z. R. Putnam, *Georgia Institute of Technology*; S. H. Bairstow, *Charles Stark Draper Laboratory*; R. D. Braun, *Georgia Institute of Technology*; and G. H. Barton, *Charles Stark Draper Laboratory* (45, 2, p. 309) Article based on AIAA Paper 2006-7438
- A08-038 Orbital Dynamics of Solar Sails for Geomagnetic Tail Exploration.** Teppei Oyama, Hiroshi Yamakawa, and Yoshiharu Omura, *Kyoto University, Japan* (45, 2, p. 316) Article
- A08-039 Optimal Deployment/Retrieval of Tethered Satellites.** Paul Williams, *Balwyn North, Australia* (45, 2, p. 324) Article based on AIAA Paper 2005-4291
- A08-040 Multibody Orbit Architectures for Lunar South Pole Coverage.** Daniel J. Grebow, Martin T. Ozimek, and Kathleen C. Howell, *Purdue University*; and David C. Folta, *NASA Goddard Space Flight Center* (45, 2, p. 344) Article
- A08-041 Parametric Processing for Two-Dimensional Digital Sun Sensors: Algorithms, Modeling, and Testing.** John Enright, Albert Yam, and Chris Li, *Ryerson University, Canada* (45, 2, p. 359) Article
- A08-042 Design, Analysis, and Testing of Mars Tumbleweed Rover Concepts.** Jamie L. Wilson, Andre P. Mazzoleni, and Fred R. DeJarnette, *North Carolina State University*; Jeffrey Antol and Gregory A. Hajos, *NASA Langley Research Center*; and Christopher V. Strickland, *NASA Wallops Flight Facility* (45, 2, p. 370) Article
- A08-043 Lunar Lander Concepts for Human Exploration.** Benjamin B. Donahue, Glenn N. Caplin, David B. Smith, John Behrens, and Curtis Maulsby, *Boeing Advanced Systems* (45, 2, p. 383) Article based on AIAA Paper 2006-7443
- A08-044 Spacecraft Reliability-Based Design Optimization Under Uncertainty Including Discrete Variables.** Rania Hassan and William Crossley, *Purdue University* (45, 2, p. 394) Article
- A08-045 Reducing the Numerical Viscosity in Nonstructured Three-Dimensional Finite Volume Computations.** Oscar A. Falcinelli, Sergio A. Elaskar, and Jose P. Tamagno, *National University of Cordoba, Argentina* (45, 2, p. 406) Technical Note
- A08-046 Expected Maneuver and Maneuver Covariance Models.** Vincent J. Chioma and Nathan A. Titus, *U.S. Air Force Institute of Technology* (45, 2, p. 409) Technical Note
- A08-047 Quasi-One-Dimensional Numerical Analysis of Payload Venting of Satellite Launch Vehicle.** R. C. Mehta, *Vikram Sarabhai Centre, India* (45, 2, p. 412) Technical Note
- A08-048 Turbulent Aeroheating Testing of Mars Science Laboratory Entry Vehicle.** Brian R. Hollis, *NASA Langley Research Center*; and Arnold S. Collier, *Arnold Engineering Development Center* (45, 3, p. 417) Article based on AIAA Paper 2007-1198
- A08-049 Evolutionary Algorithm Shape Optimization of a Hypersonic Flight Experiment Nose Cone.** N. R. Deepak, T. Ray, and R. R. Boyce, *University of New South Wales, Australian Defence Force Academy, Australia* (45, 3, p. 428) Article based on AIAA Paper 2006-7998
- A08-050 Magnetohydrodynamics Interaction Over an Axisymmetric Body in a Hypersonic Flow.** Andrea Cristofolini, Carlo A. Borghi, and Gabriele Neretti, *University of Bologna, Italy*; Andrea Passaro and Gabriele Fantoni, *Alta Societa per Azioni, Italy*; and Fabrizio Paganucci, *University of Pisa, Italy* (45, 3, p. 438) Article based on AIAA Paper 2006-8008
- A08-051 Electromagnetic Reduction of Plasma Density During Atmospheric Reentry and Hypersonic Flights.** Michael Keidar, *George Washington University*; Minkwan Kim and Iain Boyd, *University of Michigan* (45, 3, p. 445) Article
- A08-052 Influence of Particles on Radiative Base Heating from the Rocket Exhaust Plume.** Man Young Kim, *Chonbuk National University, Republic of Korea*; Myoung Jong Yu, *Korea Aerospace Research Institute, Republic of Korea*; Ju Hyeong Cho, *Korea Institute of Machinery and Materials, Republic of Korea*; and Seung Wook Baek, *Korea Advanced Institute of Science and Technology, Republic of Korea* (45, 3, p. 454) Article
- A08-053 Numerical Investigation of a Spiked Blunt Nose Cone at Hypersonic Speeds.** M. Gauer and A. Paull, *University of Queensland, Australia* (45, 3, p. 459) Article
- A08-054 X-43A Flight-Test-Determined Aerodynamic Force and Moment Characteristics at Mach 7.0.** Mark C. Davis and John T. White, *NASA Dryden Flight Research Center* (45, 3, p. 472) Article based on AIAA Paper 2006-8028

- A08-055 Separation Motion of Strap-On Boosters with Base Flow and Turbulence Effects.** Soon-Heum Ko and Chongam Kim, *Seoul National University, Republic of Korea* (45, 3, p. 485) Article based on AIAA Paper 2006-277
- A08-056 New Methods to Predict Nonlinear Pitch Damping Moments.** F. G. Moore and L. Y. Moore, *Aeroprediction, Inc.* (45, 3, p. 495) Article
- A08-057 Investigation of Actuator Performance for Guiding Supersonic Projectiles.** Sidra I. Siltan, *U.S. Army Research Laboratory*; and Kevin C. Massey, *Georgia Tech Research Institute* (45, 3, p. 504) Article based on AIAA Paper 2004-5195
- A08-058 Atmospheric Modeling Using Accelerometer Data During Mars Reconnaissance Orbiter Aerobraking Operations.** R. Tolson, E. Bemis, S. Hough, and K. Zaleski, *North Carolina State University*; G. Keating, *George Washington University*; J. D. Shidner, S. Brown, A. Brickler, M. Scher, and P. Thomas, *University of Maryland* (45, 3, p. 511) Article
- A08-059 Real-Time Navigation for Mars Missions Using the Mars Network.** E. Glenn Lightsey and Andreas E. Mogensen, *University of Texas at Austin*; P. Daniel Burkhart, Todd A. Ely, and Courtney Duncan, *Jet Propulsion Laboratory, California Institute of Technology* (45, 3, p. 519) Article
- A08-060 Entry, Descent, and Landing Communications for the 2007 Phoenix Mars Lander.** Richard P. Kornfeld, Mark D. Garcia, Lynn E. Craig, and Stan Butman, *Jet Propulsion Laboratory, California Institute of Technology*; and Gina M. Signori, *Deep Space Communications* (45, 3, p. 534) Article
- A08-061 Autonomous Orbit Determination from Lunar Halo Orbits Using Crosslink Range.** Keric Hill and George H. Born, *University of Colorado* (45, 3, p. 548) Article
- A08-062 Space Event Detection Method.** Russell P. Patera, *The Aerospace Corporation* (45, 3, p. 554) Article based on AIAA Paper 2006-6513
- A08-063 Folding Large Antenna Tape Spring.** O. Soykasap, *Afyon Kokatepe University, Turkey*; S. Pellegrino, *California Institute of Technology*; P. Howard and M. Notter, *EADS Astrium, United Kingdom* (45, 3, p. 560) Article based on AIAA Paper 2006-1601
- A08-064 Active Vibration Control of a Deployable Optical Telescope.** Steven A. Lane and Seth L. Lacy, *U.S. Air Force Research Laboratory*; Vit Babuska, *Sandia National Laboratories*; Stephen Hanes, *The Boeing Company*; Karl Schrader and Robert Fuentes, *Boeing-SVS, Inc.* (45, 3, p. 568) Article
- A08-065 Evaluating Technology Projections and Weight Prediction Method Uncertainty of Future Launch Vehicles.** Alan W. Wilhite, *Georgia Institute of Technology*; Sampson E. Gholston, Phillip A. Farrington, and James J. Swain, *University of Alabama in Huntsville* (45, 3, p. 587) Article
- A08-066 Adaptive Collocated Feedback for Noise Absorption in Payload Fairings.** M. Austin Creasy and Donald J. Leo, *Virginia Polytechnic Institute and State University*; and Kevin M. Farinholt, *NanoSonic, Inc.* (45, 3, p. 592) Article
- A08-067 Utilization of Space Stations: 1971–2006.** Igor V. Sorokin and Alexander V. Markov, *S. P. Korolev Rocket and Space Corporation Energia, Russia* (45, 3, p. 600) Article
- A08-068 Egalitarian Peer-to-Peer Satellite Refueling Strategy.** Atri Dutta and Panagiotis Tsiotras, *Georgia Institute of Technology* (45, 3, p. 608) Article
- A08-069 Ballute Entry Systems for Lunar Return and Low-Earth-Orbit Return Missions.** Ian G. Clark and Robert D. Braun, *Georgia Institute of Technology* (45, 3, p. 619) Article based on AIAA Paper 2006-6276
- A08-070 Locating Sudden Changes in Heat Flux Using Higher Temporal Derivatives of Temperature.** J. I. Frankel, M. Keyhani, R. V. Arimilli, and J. Wu, *University of Tennessee* (45, 3, p. 631) Technical Note
- A08-071 Enceladus Mission Architecture Using Titan Aerogravity Assist for Orbital Capture About Saturn.** Philip Ramsey and James Evans Lyne, *University of Tennessee* (45, 3, p. 635) Technical Note
- A08-072 Eccentric Drain Port to Prevent Vortexing During Draining from Cylindrical Tanks.** C.-H. Sohn, B.H. L. Gowda, and M.-G. Ju, *Kyungpook National University, Republic of Korea* (45, 3, p. 638) Technical Note
- A08-073 Development of Hypersonic Quiet Tunnels.** Steven P. Schneider, *Purdue University* (45, 4, p. 641) Survey Paper based on AIAA Paper 2007-4486
- A08-074 Evaluation of Kinetic/Continuum Solver for Hypersonic Nozzle-Plume Flow.** Eswar Josyula, *U.S. Air Force Research Laboratory*; Robert Arslanbekov and Vladimir Kolobov, *CFD Research Corporation*; and Sergey F. Gimelshein, *University of Southern California, Los Angeles* (45, 4, p. 665) Article based on AIAA Paper 2007-209
- A08-075 2009 Version of the Aeroprediction Code: AP09.** F. G. Moore and L. Y. Moore, *Aeroprediction, Inc.* (45, 4, p. 677) Article
- A08-076 Forebody Strake Effects on Rocket Aerodynamic Characteristics at High Angles of Attack.** William V. Logan, Roger L. Davis, and Nesrin Sarigul-Klijn, *University of California, Davis*; and Marti Sarigul-Klijn, *AirLaunch, LLC* (45, 4, p. 691) Article based on AIAA Paper 2007-0549
- A08-077 Transient Modeling of High-Altitude Rocket-Stage Separation.** Allen Eramya, *University of Southern California, Los Angeles*; Jason Cline and Matthew Braunstein, *Spectral Sciences Inc.*; and Sergey Gimelshein, *University of Southern California, Los Angeles* (45, 4, p. 698) Article based on AIAA Paper 2007-4410
- A08-078 Viscous Effects on Performance of Two-Dimensional Supersonic Linear Micronozzles.** William F. Louissos and Darren L. Hitt, *University of Vermont* (45, 4, p. 706) Article based on AIAA Paper 2005-5032
- A08-079 Simulation of a Flush Air-Data System for Transatmospheric Vehicles.** Joel C. Ellsworth and Stephen A. Whitmore, *Utah State University* (45, 4, p. 716) Article based on AIAA Paper 2007-1544
- A08-080 Design Optimization of a Space Launch Vehicle Using a Genetic Algorithm.** Douglas J. Bayley, *U.S. Air Force Academy*; Roy J. Hartfield, John E. Burkhalter, and Rhonald M. Jenkins, *Auburn University* (45, 4, p. 733) Article based on AIAA Paper 2007-1863
- A08-081 Optimal Design of Hypersonic Turbojet Engines for Two-Stage-to-Orbit Spaceplane.** Hiroaki Kobayashi and Hirokazu Suzuki, *Japan Aerospace Exploration Agency, Japan* (45, 4, p. 741) Article based on AIAA Paper 2006-8051
- A08-082 Enhancement of Emissive Properties for In-Space High-Temperature Radiator Materials.** Ivana A. Hrbud, *Purdue University* (45, 4, p. 750) Article
- A08-083 Engineering Model of Temperature-Induced Pneumatic Sensor Pressure Gradients for Rarefied Flow Conditions.** Stephen A. Whitmore, *Utah State University* (45, 4, p. 760) Article
- A08-084 Hall Thruster Plume Model for Spacecraft Impingement Torque: Development and Validation.** Ronald L. Corey, John S. Snyder, Xenophon Price, Shane P. Malone, and Thomas M. Randolph, *Space Systems/Loral* (45, 4, p. 766) Article
- A08-085 Comparative Assessment of Lunar Propellant Options.** Douglas O. Stanley, *Georgia Institute of Technology*; and Roland Martinez, *NASA Johnson Space Center* (45, 4, p. 776) Article

- A08-086 Static Aeroelastic Analysis of Thin-Film Clamped Ballute for Titan Aerocapture.** Reuben R. Rohrschneider, *Ball Aerospace & Technologies Corporation*; and Robert D. Braun, *Georgia Institute of Technology* (45, 4, p. 785) Article
- A08-087 Mechanical Actuators for Guidance of a Supersonic Projectile.** K. C. Massey, J. McMichael, T. Warnock, and F. Hay, *Georgia Institute of Technology* (45, 4, p. 802) Article based on AIAA Paper 2005-4970
- A08-088 Low-Gravity Slosh Analysis for Cylindrical Tanks with Hemielipsoidal Top and Bottom.** M. Utsumi, *IHI Corporation, Japan* (45, 4, p. 813) Article
- A08-089 Method for Crew-Escape Risk-Envelope Assessment During Ascent.** Christopher J. Freitas and Ryan M. Keedy, *Southwest Research Institute* (45, 4, p. 822) Article
- A08-090 Explosive-Hazard Analysis for Reuseable Launch Vehicles in On-Pad Environments.** Christopher J. Freitas and Sidney Chocron, *Southwest Research Institute* (45, 4, p. 829) Article
- A08-091 Technology Readiness Level, Schedule Risk, and Slippage in Spacecraft Design.** Gregory F. Dubos, Joseph H. Saleh, and Robert Braun, *Georgia Institute of Technology* (45, 4, p. 836) Article based on AIAA Paper 2007-6020
- A08-092 Satellite Constellation Design for Complex Coverage.** Yuri Ulybyshev, *Rocket-Space Corporation Energia, Russia* (45, 4, p. 843) Article
- A08-093 Prediction of Center of Pressure for Deformed Solar Sails.** Hirofaka Igawa, *Japan Aerospace Exploration Agency, Japan*; Christopher Jenkins, *Montana State University*; Kyeongsik Woo, *Chungbuk National University, Republic of Korea*; and James D. Moore, *SRS Technologies* (45, 4, p. 850) Technical Note based on AIAA Paper 2005-1800
- A08-094 Spectrum Modeling for Air Shock-Layer Radiation at Lunar-Return Conditions.** Christopher O. Johnston and Brian R. Hollis, *NASA Langley Research Center*; and Kenneth Sutton, *National Institute of Aerospace* (45, 5, p. 865) Article
- A08-095 Non-Boltzmann Modeling for Air Shock-Layer Radiation at Lunar-Return Conditions.** Christopher O. Johnston and Brian R. Hollis, *NASA Langley Research Center*; and Kenneth Sutton, *National Institute of Aerospace* (45, 5, p. 879) Article
- A08-096 Experimental Study on Aerothermal Heating Caused by Jet-Hypersonic Crossflow Interaction.** Ali Guelhan, Gerrit Schuette, and Bernhard Stahl, *DLR, German Aerospace Center, Germany* (45, 5, p. 891) Article
- A08-097 Review of Seal Designs on the Apollo Spacecraft.** Joshua R. Finkbeiner, Patrick H. Dunlap Jr., and Bruce M. Steinetz, *NASA John H. Glenn Research Center at Lewis Field*; and Christopher C. Daniels, *University of Akron* (45, 5, p. 900) Article based on AIAA Paper 2006-5259
- A08-098 Numerical Analysis of Reentry Trajectory Coupled with Magnetohydrodynamics Flow Control.** Takayasu Fujino, Tomoyuki Yoshino, and Motoo Ishikawa, *University of Tsukuba, Japan* (45, 5, p. 911) Article based on AIAA Paper 2007-4249
- A08-099 Bow Shock Wave Mitigation by Laser-Plasma Energy Addition in Hypersonic Flow.** A. C. Oliveira, *Instituto Nacional de Pesquisas Espaciais, Brazil*; M. A. S. Minucci, P. G. P. Toro, and J. B. Chanes Jr., *Instituto de Estudos Avancados, Brazil*; L. N. Myrabo and H. T. Nagamatsu, *Rensselaer Polytechnic Institute* (45, 5, p. 921) Article
- A08-100 Solar Array Plasma Interaction: Influence of Interconnect Shape on Primary Arc Parameters.** Justin J. Likar and Alexander L. Bogorad, *Lockheed Martin Commercial Space Systems* (45, 5, p. 928) Article
- A08-101 Detached Eddy Simulations and Reynolds-Averaged Navier-Stokes Calculations of a Spinning Projectile.** Sriram Doraiswamy and Graham V. Candler, *University of Minnesota* (45, 5, p. 935) Article
- A08-102 Time-Accurate Numerical Prediction of Free-Flight Aerodynamics of a Finned Projectile.** Jubaraj Sahu, *U.S. Army Research Laboratory* (45, 5, p. 946) Article
- A08-103 New Method to Predict Nonlinear Roll Damping Moments.** F. G. Moore and L. Y. Moore, *Aeroprediction, Inc.* (45, 5, p. 955) Article
- A08-104 Improved Atomic Oxygen Quantification Within the Earth's Upper Atmosphere Through Numerical Corrections.** Jeffrey Allen and Thomas Hauser, *Utah State University* (45, 5, p. 965) Article based on AIAA Paper 2007-610
- A08-105 Knowledge Discovery for Flyback-Booster Aerodynamic Wing Using Data Mining.** Kazuhisa Chiba, *Japan Aerospace Exploration Agency, Japan*; and Shigeru Obayashi, *Tohoku University, Japan* (45, 5, p. 975) Article based on AIAA Paper 2006-7992
- A08-106 Aeroelastic Response and Protection of Space Shuttle External Tank Cable Trays.** John W. Edwards, Donald F. Keller, David M. Schuster, David J. Piatak, Russ D. Rausch, Robert E. Bartels, and Thomas G. Ivanko, *NASA Langley Research Center* (45, 5, p. 988) Article based on AIAA Paper 2005-3627
- A08-107 Sensitivity Analysis for the Dynamic Aeroelasticity of a Launch Vehicle.** Franco Mastroddi, Fulvio Stella, Gian Mario Polli, and Marilena Giangi, *University of Rome "La Sapienza," Italy* (45, 5, p. 999) Article
- A08-108 Correlation of Hybrid Rocket Propellant Regression Measurements with Enthalpy-Balance Model Predictions.** Shannon D. Eilers and Stephen A. Whitmore, *Utah State University* (45, 5, p. 1010) Article based on AIAA Paper 2007-5349
- A08-109 Radiative Heat Transfer Analysis with Molten Al₂O₃ Dispersion in Solid Rocket Motors.** Jy-Yun Jung and M. Q. Brewster, *University of Illinois at Urbana-Champaign* (45, 5, p. 1021) Article
- A08-110 Hazard Analysis for Uncontrolled Space Vehicle Reentry.** Russell P. Patera, *The Aerospace Corporation* (45, 5, p. 1031) Article based on AIAA Paper 2006-6500
- A08-111 Dynamic Impact Tolerance of Shuttle Orbiter Wing Leading-Edge Panels.** Edwin L. Fasanella, Karen E. Jackson, Karen H. Lyle, Lisa E. Jones, and Robin C. Hardy, and Sotiris Kellas, *NASA Langley Research Center*; Kelly S. Carney and Matthew E. Melis, *NASA John H. Glenn Research Center at Lewis Field* (45, 5, p. 1042) Article based on AIAA Paper 2005-3631
- A08-112 Slosh Analysis for Teardrop Tank.** M. Utsumi, *IHI Corporation, Japan* (45, 5, p. 1053) Article
- A08-113 Systems Analysis and Structural Design of an Unpressurized Cargo Delivery Vehicle.** K. Chauncey Wu, Jonathan N. Cruz, Jeffrey Antol, and Washito A. Sasamoto, *NASA Langley Research Center* (45, 5, p. 1061) Article based on AIAA Paper 2007-2329
- A08-114 Fault-Tolerant Stabilization of a Tethered Satellite System Using Offset Control.** Godard, K. Kumar, and B. Tan, *Ryerson University, Canada* (45, 5, p. 1070) Article
- A08-115 Damping Behavior of Sloshing Liquid in Laterally Excited Cylindrical Propellant Vessels.** Tim Arndt and Michael Dreyer, *University of Bremen, Germany* (45, 5, p. 1085) Technical Note based on AIAA Paper 2007-5162
- A08-119 Summary of Hypersonic Boundary-Layer Transition Experiments on Blunt Bodies with Roughness.** Steven P. Schneider, *Purdue University* (45, 6, p. 1090) Article based on AIAA Paper 2008-0501
- A08-120 Effect of Freestream Noise on Roughness-Induced Transition for the X-51A Forebody.** Matthew P. Borg and Steven P. Schneider, *Purdue University* (45, 6, p. 1106) Article based on AIAA Paper 2008-592

- A08-121 Aerothermodynamic Testing and Boundary-Layer Trip Sizing of the HIFiRE Flight 1 Vehicle.** Karen T. Berger and Frank A. Greene, *NASA Langley Research Center*; Roger Kimmel, *U.S. Air Force Research Laboratory*; Christopher Alba and Heath Johnson, *University of Minnesota* (45, 6, p. 1117) Article based on AIAA Paper 2008-640
- A08-122 Boundary-Layer Stability Calculations for the HIFiRE Transition Experiment.** Christopher R. Alba, Heath B. Johnson, Matthew D. Bartkiewicz, and Graham V. Candler, *University of Minnesota*; and Karen T. Berger, *NASA Langley Research Center* (45, 6, p. 1125) Article based on AIAA Paper 2008-505
- A08-123 Ground Test Studies of the HIFiRE-1 Transition Experiment Part 1: Experimental Results.** T. P. Wadhams, E. Mundy, M. G. MacLean, and M. S. Holden, *Calspan—University at Buffalo Research Center* (45, 6, p. 1134) Article based on AIAA Paper 2008-0639
- A08-124 Ground Test Studies of the HIFiRE-1 Transition Experiment Part 2: Computational Analysis.** Matthew MacLean, Timothy Wadhams, and Michael Holden, *Calspan—University at Buffalo Research Center*; and Heath Johnson, *University of Minnesota* (45, 6, p. 1149) Article based on AIAA Paper 2008-0641
- A08-125 Receptivity of a Hypersonic Flat-Plate Boundary Layer to Three-Dimensional Surface Roughness.** Xiaowen Wang and Xiaolin Zhong, *University of California, Los Angeles* (45, 6, p. 1165) Article based on AIAA Paper 2008-503
- A08-126 Nonparallel Flow Effects on Roughness-Induced Perturbations in Boundary Layers.** Anatoli Tumin, *University of Arizona* (45, 6, p. 1176) Article based on AIAA Paper 2008-0504
- A08-127 Nonequilibrium Stagnation-Line Radiative Heating for Fire II.** Christopher O. Johnston and Brian R. Hollis, *NASA Langley Research Center*; and Kenneth Sutton, *National Institute of Aerospace* (45, 6, p. 1185) Article based on AIAA Paper 2007-3908
- A08-128 Multiscale Particle-Continuum Simulations of Hypersonic Flow over a Planetary Probe.** Thomas E. Schwartzenruber, *University of Minnesota*; Leonardo C. Scalabrin, *ESI Group North America*; and Iain D. Boyd, *University of Michigan* (45, 6, p. 1196) Article based on AIAA Paper 2007-3892
- A08-129 Stability Analysis of Beagle2 in the Free-Molecular and Transition Regimes.** Madhat M. Abdel-jawad, Mark J. Goldsworthy, and Michael N. Macrossan, *University of Queensland, Australia* (45, 6, p. 1207) Article
- A08-130 Surface Direct Current Discharge for Hypersonic Flow Control.** J. S. Shang, *Wright State University* (45, 6, p. 1213) Article based on AIAA Paper 2008-1352
- A08-131 Analysis of an Electromagnetic Mitigation Scheme for Reentry Telemetry Through Plasma.** Minkwan Kim, *University of Michigan*; Michael Keidar, *George Washington University*; and Iain D. Boyd, *University of Michigan* (45, 6, p. 1223) Article based on AIAA Paper 2008-1394
- A08-132 Stage-Separation Aerodynamics of Two-Stage Space Transport Systems Part 1: Steady-State Simulations.** Mochammad A. Moelyadi, Christian Breitsamter, and Boris Laschka, *Technische Universität München, Germany* (45, 6, p. 1230) Article
- A08-133 Stage-Separation Aerodynamics of Two-Stage Space Transport Systems Part 2: Unsteady Simulation.** Mochammad A. Moelyadi, Christian Breitsamter, and Boris Laschka, *Technische Universität München, Germany* (45, 6, p. 1240) Article
- A08-134 Projectile Aerodynamics Overtaking a Shock Wave.** G. Rajesh and H. D. Kim, *Andong National University, Republic of Korea*; and T. Setoguchi, *Saga University, Japan* (45, 6, p. 1251) Article
- A08-135 Entry, Descent, and Landing Operations Analysis for the Stardust Entry Capsule.** Prasun N. Desai, *NASA Langley Research Center*; Dan T. Lyons, Jeff Tooley, and Julie Kangas, *Jet Propulsion Laboratory, California Institute of Technology* (45, 6, p. 1262) Article based on AIAA Paper 2006-6410
- A08-136 Modeling a Low-Energy Ballistic Lunar Transfer Using Dynamical Systems Theory.** Jeffrey S. Parker and George H. Born, *University of Colorado* (45, 6, p. 1269) Article based on AIAA Paper 2005-383
- A08-137 Active Vibroacoustic Device for Noise Reduction in Launch Vehicles.** Steven Griffin, *Boeing-SVS, Inc.*; Steven A. Lane, *U.S. Air Force Research Laboratory*; and Anthony Lazzaro, *Boeing-SVS, Inc.* (45, 6, p. 1282) Article
- A08-138 Mission Results from FORMOSAT-3/COSMIC Constellation System.** Chen-Joe Fong, Cheng-Yung Huang, Vicky Chu, and Nick Yen, *National Space Organization, Taiwan (ROC)*; Ying-Hwa Kuo, *University Corporation for Atmospheric Research*; Yuei-An Liou, *National Central University, Taiwan (ROC)*; and Sien Chi, *National Chiao-Tung University, Taiwan (ROC)* (45, 6, p. 1293) Article based on AIAA Paper 2007-6086
- A08-139 Electric Propulsion and Controller Design for Drag-Free Spacecraft Operation.** Paul Marchetti, John J. Blandino, and Michael A. Demetriou, *Worcester Polytechnic Institute* (45, 6, p. 1303) Article based on AIAA Paper 2006-5166
- A08-140 Preliminary Design of Superorbital Earth Entry Flight Experiment Using the Volna Launcher.** Jae Jeong Na, Chul Park, and Keun Shik Chang, *Korea Advanced Institute of Science and Technology, Republic of Korea*; and Jean Muylaert, *European Space Research and Technology Center, The Netherlands* (45, 6, p. 1316) Technical Note based on AIAA Paper 2008-1129
- A08-141 Global Static Testing and Model Validation of Stiffened Thin-Film Polyimide Panels.** Jonathan T. Black, *Air Force Institute of Technology*; Jack Leifer, *Trinity University*; and Suzanne W. Smith, *University of Kentucky* (45, 6, p. 1318) Technical Note based on AIAA Paper 2008-2137