

- Lester, R. M., A80-015
 Levadou, F., A80-086
 Lewis, C. H., A80-055
 Lin, T. C., A80-023
 Lunde, B. K., A80-067
 MacConochie, I. O., A80-044, A80-079
 Macklis, H., A80-069
 Magiawala, K. R., A80-088
 Martin, J. A., A80-066, A80-068
 McCool, A. A., A80-072
 McNamara, R. P., A80-088
 Mendillo, M., A80-040
 Mihora, D. J., A80-081
 Moss, J. N., A80-034
 Muench, W. K., A80-051
 Murphy, J. P., A80-057
 Nachtsheim, P. R., A80-022
 Nielsen, J. N., A80-033
 Outlaw, R. A., A80-067
- Pasley, G. F., A80-070
 Patil, S. R., A80-008
 Pearce, B. E., A80-036
 Pearson, O. L., A80-056
 Pergament, H. S., A80-036
 Pershing, B. M., A80-023
 Phillips, W. M., A80-060
 Pitchaiah, K., A80-050
 Pless, L. C., A80-078
 Pollack, L., A80-001
 Ponting, M. H., A80-049
 Pope, L. D., A80-041
 Porcelli, G., A80-043
 Potter, J. H., A80-072
 Poubeau, P. C., A80-018
 Powell, R. W., A80-054
 Prasad, A., A80-082
 Price, H. G., A80-007
 Pruett, R. G., A80-047
 Quaglione, G., A80-014
- Rasmussen, M. L., A80-095
 Readey Jr., H. J., A80-020
 Reding, J. P., A80-021, A80-026, A80-097, A80-098
 Redmond, P. J., A80-081
 Rehder, J. J., A80-044
 Reudink, D. O., A80-002
 Rote, D., A80-040
 Rousar, D. C., A80-007
 Rudolph, L. K., A80-077, A80-078
 Sackheim, R. L., A80-069
 Salinsa, M. P., A80-071
 Schmidt, F. A., A80-067
 Schneider, G. E., A80-063
 Schoyer, H. F. R., A80-037
 Shackelford, B. W., A80-089
 Shope, F. L., A80-013
 Simmonds, A. L., A80-034
 Slysh, P., A80-061
 Sparks, R. H., A80-087
- Spencer, R. G., A80-007
 Stallings Jr., R. L., A80-024
 Stassinopoulos, E. G., A80-027
 Stenmark, L., A80-048
 Stockbridge, R. D., A80-074
 Stockel, J. F., A80-006
 Strand, L. D., A80-088, A80-105
 Verble Jr., A. J., A80-072
 Vogel, E., A80-043
 Wallace, D. A., A80-028
 Waltrup, P. J., A80-074
 Weeks, G. E., A80-076
 Wilby, J. F., A80-041
 Wilhite, A. W., A80-019, A80-066
 Wittmeyer, R. E., A80-099
 Wurster, K. E., A80-080
 Yeh, Y. S., A80-002
 Young, D. E., A80-094
 Yovanovich, M. M., A80-063
 Zigrang, D. J., A80-039

Chronological Index

A80-001 Technologies for Future INTELSAT Satellites. Louis Pollack, *COMSAT Laboratories* (JSR 17, 1, p. 4) Article based on AIAA Paper 79-0244

A80-002 Rapid-Scan Area-Coverage Communication Satellite. D. O. Reudink and Y. S. Yeh, *Bell Laboratories* (JSR 17, 1, p. 9) Article based on AIAA Paper 78-548 CP782

A80-003 Communications Satellite System Concept Based on the AMPS Experiment. S. H. Durrani, *NASA Headquarters*; and F. S. Keblawi, *The MITRE Corporation* (JSR 17, 1, p. 15) Article based on AIAA Paper 78-629 CP782

A80-004 High-Performance Parabolic Antenna Reflectors. J. S. Archer, *TRW Defense and Space Systems Group* (JSR 17, 1, p. 20) Article based on AIAA Paper 78-593 CP782

A80-005 High-Power Travelling Wave Tubes for Direct TV Broadcast Satellites. D. Deml, *AEG-Telefunken* (JSR 17, 1, p. 27) Article based on AIAA Paper 78-635 CP782

A80-006 NTS-2 Nickel-Hydrogen Battery Performance. Stockel, J. F., and J. D. Dunlop, *COMSAT Laboratories*; and F. Betz, *Naval Research Laboratory* (JSR 17, 1, p. 31) Article based on AIAA Paper 78-536 CP782

A80-007 LOX-Cooled Thrust Chamber Technology Developments. R. G. Spencer, and D. C. Rousar, *Aerojet Liquid Rocket Company*; and H. G. Price, *NASA Lewis Research Center* (JSR 17, 1, p. 35) Article based on AIAA Paper 78-1035

A80-008 Subsonic Axisymmetric Base Flow Experiments with Base Modifications. S. L. Gai and S. R. Patil, *Indian Institute of Technology* (JSR 17, 1, p. 42) Article

A80-009 GAU-8 Projectile Afterbody Drag Reduction by Boattailing and Heated Gas Injection. Wladimiro Calarese, *Air Force Flight Dynamics Laboratory* (JSR 17, 1, p. 47) Article based on AIAA Paper 79-0146

A80-010 Deployable Heatshields for Future Multistage Missiles. Alan C. Goetz and Duane L. Jensen, *Lockheed Missile Systems Division* (JSR 17, 1, p. 53) Article

A80-011 Particulate Release Rates from Shuttle Orbiter Surfaces Due to Meteoroid Impact. J. Barengoltz, *Jet Propulsion Laboratory, California Institute of Technology* (JSR 17, 1, p. 58) Article based on AIAA Paper 78-1608 CP788

A80-012 Strain Damage Effects on Chemical Aging. E. C. Francis, S. M. Breitling and C. H. Carlton, *United Technologies* (JSR 17, 1, p. 63) Engineering Note based on AIAA Paper 79-1246

A80-013 Simplified Geometric Modeling of Complex Aerodynamic Shapes. Frederick L. Shope, *ARO, Inc.* (JSR 17, 2, p. 65) Synoptic

A80-014 Evolution of the Intelsat System from Intelsat IV to Intelsat V. Giuseppe Quaglione, *Telespazio* (JSR 17, 2, p. 67) Article

A80-015 Telesat Canada Plans for New Satellite Systems. R. M. Lester, *Telesat Canada* (JSR 17, 2, p. 75) Article based on AIAA Paper 78-544 CP782

A80-016 Advanced Technology for Direct TV-Broadcasting Satellites. Dietrich E. Koelle, *Messerschmitt-Boelkow-Blohm (MBB)* (JSR 17, 2, p. 79) Article based on AIAA Paper 78-634 CP782

A80-017 Large Space Erectable Antenna Stiffness Requirements. John A. Fager, *General Dynamics/Convair Division* (JSR 17, 2, p. 86) Article based on AIAA Paper 78-590 CP782

A80-018 Satellite Flywheels with Magnetic Bearings and Passive Radial Centering. P. C. Poubeau, *Societe Nationale Industrielle Aerospatiale* (JSR 17, 2, p. 93) Article based on AIAA Paper 78-571 CP782

A80-019 Optimization of Rocket Propulsion Systems for Advanced Earth-to-Orbit Shuttles. Alan W. Wilhite, *NASA Langley Research Center* (JSR 17, 2, p. 99) Article based on AIAA Paper 78-972

A80-020 Center-Loaded Duct Integral Rocket-to-Ramjet Transition Testing. Harvey J. Readey Jr. and Edgar R. Cobb,

Martin Marietta Aerospace (JSR 17, 2, p. 105) Article based on AIAA Paper 78-937

A80-021 Scale Effects on Fluctuating Pressures in Spike-Induced Flow Separation. J. Peter Reding, Rolf A. Guenther and Dennis M. Jecmen, *Lockheed Missiles & Space Company, Inc.* (JSR 17, 2, p. 112) Article based on AIAA Paper 79-0143

A80-022 Unified Treatment of Lifting Atmospheric Entry. Philip R. Nachtsheim, *NASA Ames Research Center*; and Larry L. Lehman, *Stanford University* (JSR 17, 2, p. 119) Article

A80-023 Engineering Model for Re-entry Vehicle Turbulent Wakes. T. C. Lin, J. B. Fedele, R. L. Baker and B. M. Pershing, *The Aerospace Corporation* (JSR 17, 2, p. 123) Article based on AIAA Paper 79-0153

A80-024 Reynolds Number Effects on Aerodynamic Characteristics at Large Angles of Attack. Robert L. Stallings Jr., *NASA Langley Research Center* (JSR 17, 2, p. 129) Article based on AIAA Paper 79-0301

A80-025 Photographic Observation of Reactive Stream Impingement. B. R. Lawver, *Aerojet Liquid Rocket Company* (JSR 17, 2, p. 134) Article based on AIAA Paper 79-0154

A80-026 Transonic Sting Interference. L. E. Ericsson and J. P. Reding, *Lockheed Missiles & Space Company, Inc.* (JSR 17, 2, p. 140) Article based on AIAA Paper 79-0109

A80-027 The Geostationary Radiation Environment. E. G. Stassinopoulos, *NASA Goddard Space Flight Center* (JSR 17, 2, p. 145) Article

A80-028 Miniature Quartz Crystal Microbalance for Contamination Measurement. Donald A. Wallace, *Berkeley Controls Incorporated* (JSR 17, 2, p. 153) Article based on AIAA Paper 78-1632

A80-029 Feasibility of Simple Bipropellant Blowdown Systems. H. C. Hearn, *Lockheed Missiles & Space Company, Inc.* (JSR 17, 2, p. 157) Engineering Note

A80-030 Evacuation of a Spacelab Experiment Chamber Through the Venting Line. H. Hamacher, *Deutsche Forschungs- und Versuchsanstalt für Luft- und Raumfahrt e.V.* (JSR 17, 2, p. 158) Engineering Note based on AIAA Paper 78-1605 CP788

A80-031 Ogive Cylinder Modified for Near-Minimum Side Moment. Peter Daniels, *Naval Surface Weapons Center* (JSR 17, 3, p. 161) Synoptic

A80-032 High-Energy Launcher for Commercial Transportation to Space. E. Lantz, *U.S. Nuclear Regulatory Commission* (JSR 17, 3, p. 163) Synoptic based on AIAA Paper 79-0869 CP797

A80-033 Missile Aerodynamics—Past, Present, Future. Jack N. Nielsen, *Nielsen Engineering & Research, Incorporated* (JSR 17, 3, p. 165) Lecture based on AIAA Paper 79-1819

A80-034 Turbulent Radiating Shock Layers with Coupled Ablation Injection. James N. Moss, and Ann L. Simmonds, *NASA Langley Research Center*; and E. Clay Anderson, *DCW Industries, Inc.* (JSR 17, 3, p. 177) Article based on AIAA Paper 78-1186

A80-035 Aerodynamic Characteristics for Debris from Space Shuttle External Tank. S. P. Bonson, *Martin Marietta Corporation* (JSR 17, 3, p. 184) Article based on AIAA Paper 79-0258

A80-036 Prediction of Rocket Plume Flowfields for Infrared Signature Studies. S. M. Dash, B. E. Pearce, H. S. Pergament and E. S. Fishburne, *Aeronautical Research Associates of Princeton, Inc.* (JSR 17, 3, p. 190) Article based on AIAA Paper 79-0095

A80-037 Results of Experimental Investigations of the L \times Phenomenon. H. F. R. Schoyer, *Delft University of Technology* (JSR 17, 3, p. 200) Article based on AIAA Paper 78-1075

A80-038 Solving Subsynchronous Whirl in the High-Pressure Hydrogen Turbomachinery of the SSME. Matthew C. Ek, *Rockwell International/Rocketdyne Division* (JSR 17, 3, p. 208) Article based on AIAA Paper 78-1002

A80-039 Response of Graphite/Epoxy Sandwich Panels to Moisture and Temperature Transients. D. J. Zigrang, *Rockwell International*; and H. W. Bergmann, *Institute of Structural Mechanics, DFVLR* (JSR 17, 3, p. 219) Article

A80-040 Modification of the Aerospace Environment by Large Space Vehicles. Michael Mendillo, and Bruce Herniter, *Boston University*; and Donald Rote, *Argonne National Laboratory* (JSR 17, 3, p. 226) Article based on AIAA Paper 79-0391

A80-041 Prediction of the Acoustic Environment in the Space Shuttle Payload Bay. John F. Wilby and Larry D. Pope, *Bolt Beranek and Newman, Inc.* (JSR 17, 3, p. 232) Article based on AIAA Paper 79-0643

A80-042 Ballistic Missile Re-entry Dispersion. Hartley H. King, *Effects Technology, Inc.* (JSR 17, 3, p. 240) Article

A80-043 Two-Impulse Orbit Transfer Error Analysis via Covariance Matrix. G. Porcelli, *International Telecommunication Satellite Organization*; and E. Vogel, *Fairchild Space and Electronics Company* (JSR 17, 3, p. 248) Article based on AIAA Paper 79-0256

A80-044 Preliminary Design for a Space-Based Orbital Transfer Vehicle. Ian O. MacConochie, and John J. Rehder, *NASA Langley Research Center*; and E. P. Brien, *Kentron International, Inc.* (JSR 17, 3, p. 256) Article based on AIAA Paper 79-0897 CP797

A80-045 Effects of Line Ties on Parachute Deployment. Kenneth E. French, *Lockheed Missiles & Space Company, Inc.* (JSR 17, 3, p. 260) Article based on AIAA Paper 79-0450 CP791

A80-046 Analysis of an Arctic Polesitter. Johnie M. Driver, *Jet Propulsion Laboratory* (JSR 17, 3, p. 263) Article based on AIAA Paper 79-0127

A80-047 Comparison of DMSP and NTS-2 Dosimeter Measurements with Predictions. R. G. Pruett, *The Aerospace Corporation* (JSR 17, 3, p. 270) Article based on AIAA Paper 79-0322

A80-048 Swedish Materials Science Experiment in the Texus 1 and 2 Rockets. Sven Grahn and Lars Stenmark, *Swedish Space Corporation* (JSR 17, 3, p. 275) Article based on AIAA Paper 79-0521 CP792

A80-049 Symmetric Body Vortices on Slender Bodies of Revolution at Transonic Speeds. J. R. Deane, and M. H. Ponting, *British Aerospace Dynamic Group*; and K. A. Fellows, *Aircraft Research Association* (JSR 17, 3, p. 282) Engineering Note

A80-050 Ignition Delay Studies on Hybrid Propellant Grains. K. Pitchaiah and P. M. M. Krishna, *Indian Institute of Science* (JSR 17, 3, p. 284) Engineering Note

A80-051 Automatic Fabrication of Large Space Structures—The Next Step. W. K. Muench, *Grumman Aerospace Corporation* (JSR 17, 3, p. 286) Engineering Note based on AIAA Paper 78-1651

A80-052 Prediction of Loads on Antenna Ribs Due to Mesh Deployment. Bushnell David, *Lockheed Palo Alto Research Laboratory* (JSR 17, 4, p. 290) Article based on AIAA Paper 80-0814 CP804

A80-053 Quarter-Scale Space Shuttle Design, Fabrication, and Test. Emero D. H., *Rockwell International Space Systems Group* (JSR 17, 4, p. 303) Article based on AIAA Paper 79-0827 CP794

A80-054 Impact of Far-Aft Center of Gravity for a Single-Stage-to-Orbit Vehicle. Freeman Delma C. Jr. and Powell Richard W., *NASA Langley Research Center* (JSR 17, 4, p. 311) Article based on AIAA Paper 79-0892 CP797

A80-055 Hypersonic Viscous Shock-Layer Flows Including Leeside Separation. P. R. Gogineni, and Clark H. Lewis, *Virginia Polytechnic Institute and State University*; and Bohdan Denysyk, *EG&G* (JSR 17, 4, p. 316) Article

A80-056 Modification of a Very Large Test Chamber for Plasmasphere Simulation. O. L. Pearson, *NASA Johnson Space Flight Center* (JSR 17, 4, p. 323) Article based on AIAA Paper 78-1625

A80-057 Future Planetary Probes for Jupiter and Saturn. Aubrey J. Butts, *Martin Marietta Aerospace Corporation*; and James P. Murphy, *NASA Ames Research Center* (JSR 17, 4, p. 327) Article based on AIAA Paper 79-0945 CP797

A80-058 Hybrid Rocket/Airbreathing Propulsion for Ballistic Space Transportation. P. A. Kramer, *Institut für Raumfahrtantriebe*; and R. D. Bühler, *Institut für Raumfahrtantriebe* (JSR 17, 4, p. 334) Article based on AIAA Paper 79-7038

A80-059 Technology Status of a Fluorine-Hydrazine Propulsion System for Planetary Spacecraft. Donald L. Bond, *Jet Propulsion Laboratory, California Institute of Technology* (JSR 17, 4, p. 342) Article based on AIAA Paper 79-0907 CP797

A80-060 Nuclear Electric Power System for Solar System Exploration. W. M. Phillips, *Jet Propulsion Laboratory* (JSR 17, 4, p. 348) Article based on AIAA Paper 79-1337

A80-061 Large Space Structure Automated Assembly Technique. Paul Slysh, *General Dynamics*; and Donald A. Kugath, *General Electric Company* (JSR 17, 4, p. 354) Article based on AIAA Paper 79-0939 CP797

A80-062 Large Multibeam Antennas for Space. P. Foldes, *General Electric Company, Valley Forge*; and Philadelphia Dienemann M. W., *General Electric Company* (JSR 17, 4, p. 363) Article based on AIAA Paper 79-0942 CP797

A80-063 Thermal Resistance of a Convectively Cooled Plate with Nonuniform Applied Flux. G. E. Schneider, and M. M. Yovanovich, *University of Waterloo*; and R. L. D. Cane, *National Research Council* (JSR 17, 4, p. 372) Article based on AIAA Paper 78-86

A80-064 Vortex Development on Slender Missiles at Supersonic Speeds. Jerry M. Allen, *NASA Langley Research Center*; and Marnix F. E. Dillenius, *Nielsen Engineering and Research, Inc.* (JSR 17, 4, p. 377) Engineering Note based on AIAA Paper 79-0360

A80-065 Differential Absorption Factors Between Two Area Elements in a Cylinder. Masao Furukawa, *National Space Development Agency of Japan* (JSR 17, 4, p. 378) Engineering Note

A80-066 Dual-Fuel Propulsion: Recent Results for Earth-to-Orbit Vehicles. James A. Martin and Alan W. Wilhite, *NASA Langley Research Center* (JSR 17, 4, p. 381) Engineering Note based on AIAA Paper 79-0878 CP797

A80-067 Preparation of Ultrapure Thorium Under Outer Space Conditions. F. A. Schmidt, and B. K. Lunde, *Ames Laboratory, Department of Energy*; and R. A. Outlaw, *NASA Langley Research Center* (JSR 17, 4, p. 383) Engineering Note based on AIAA Paper 79-0308

A80-068 Economic and Programmatic Considerations for Advanced Transportation Propulsion Technology. James A. Martin, *NASA Langley Research Center* (JSR 17, 5, p. 385) Article based on AIAA Paper 79-1222

A80-069 Performance Trends in Spacecraft Auxiliary Propulsion Systems. R. L. Sackheim, D. E. Fritz and H. Macklis, *TRW Defense and Space Systems Group* (JSR 17, 5, p. 390) Article based on AIAA Paper 79-1301

A80-070 LEASAT Liquid Apogee Motor Subsystem Design. G. F. Pasley and P. A. Donatelli, *Hughes Aircraft Company* (JSR 17, 5, p. 396) Article based on AIAA Paper 79-1302

A80-071 Specific Impulse Prediction of Solid-Propellant Motors. Ellis M. Landsbaum, Manuel P. Salinsa and J. P. Leary, *The Aerospace Corporation* (JSR 17, 5, p. 400) Article

A80-072 Space Transportation System Solid Rocket Booster Thrust Vector Control System. Alexander A. McCool, *NASA Marshall Space Flight Center*; Adas J. Verble Jr., *NASA Marshall Flight Center*; and Jack H. Potter, *NASA Marshall Space Flight Center* (JSR 17, 5, p. 407) Article based on AIAA Paper 79-1139

A80-073 Combustion Studies of Aluminized PVC Plastisol. A. K. Chatterjee and P. C. Joshi, *Birla Institute of Technology* (JSR 17, 5, p. 413) Article

A80-074 Integral-Rocket Dual-Combustion Ramjets: A New Propulsion Concept. F. S. Billig, P. J. Waltrup and R. D. Stockbridge, *The John Hopkins University Applied Physics Laboratory* (JSR 17, 5, p. 416) Article based on AIAA Paper 79-7094

A80-075 Free-Flight Rocket Attitude Motion Due to Transverse Vibration. John E. Cochran Jr., *Auburn University*; and D. E. Christensen, *U. S. Army Missile Command* (JSR 17, 5, p. 425) Article based on AIAA Paper 79-1668 CP7911

A80-076 Coupled-Interaction Launch Behavior of a Flexible Rocket and Flexible Launcher. George E. Weeks and Thomas L. Cost, *The University of Alabama* (JSR 17, 5, p. 432) Article

A80-077 Inductive Energy Storage for MPD Thrusters. L. K. Rudolph and R. M. Jones, *Jet Propulsion Laboratory, California Institute of Technology* (JSR 17, 5, p. 440) Article based on AIAA Paper 79-0883 CP797

A80-078 Pulsed Plasma Thruster Backflow Characteristics. L. K. Rudolph, L. C. Pless and K. G. Harstad, *Jet Propulsion Laboratory, California Institute of Technology* (JSR 17, 5, p. 447) Article based on AIAA Paper 79-1293

A80-079 Large Delta Wings for Earth-to-Orbit Transports. I. O. MacConochie, *NASA Langley Research Center*; R. W. LeMessurier and J. P. Bailey, *Kentron International Inc.* (JSR 17, 5, p. 453) Article based on AIAA Paper 79-0873 CP797

A80-080 Technology and Operational Considerations for Low-Heat-Rate Entry Trajectories. Kathryn E. Wurster and Charles H. Eldred, *NASA Langley Research Center* (JSR 17, 5, p. 459) Article based on AIAA Paper 79-0890 CP797

A80-081 Electrostatically Formed Antennas. Dennis J. Mihora and Peter J. Redmond, *General Research Corporation* (JSR 17, 5, p. 465) Article based on AIAA Paper 79-0922 CP797

A80-082 Radiative Melting of Materials with Melt Removal. Anant Prasad, *Regional Institute of Technology* (JSR 17, 5, p. 474) Engineering Note

A80-083 Axially Compressed Optimum Cylinder—Comparison of Stiffener Configurations. R. Karmaker, *Indian Institute of Technology* (JSR 17, 5, p. 477) Engineering Note

A80-084 Impact of the Space Environment on Spacecraft Lifetimes. J. C. Baker, *Analytic Services Inc.*; and G. A. Baker Sr., *University of California* (JSR 17, 5, p. 479) Engineering Note

A80-085 Afterbody Pressure Correlations for Vehicles with Ablated Nose Shapes. Frank J. Barbera, *Kaman Sciences Corporation* (JSR 17, 6, p. 481) Synoptic based on AIAA Paper 80-0312

A80-086 Ultraviolet Irradiation Effects on Candidate Spacelab Thermal Control Coatings. J. Bosma and F. Levadou, *European Space Research and Technology Centre (ESTEC)* (JSR 17, 6, p. 558) Article based on AIAA Paper 78-1621

A80-087 Nickel-Cadmium Battery Technology Advancements for Geosynchronous Orbit Spacecraft. Richard H. Sparks, *TRW Defense and Space Systems Group* (JSR 17, 6, p. 554) Article based on AIAA Paper 78-535 CP782

A80-088 Microwave Measurement of the Solid-Propellant Pressure-Coupled Response Function. L. D. Strand, K. R. Magiawala and R. P. McNamara, *Jet Propulsion Laboratory* (JSR 17, 6, p. 483) Article based on AIAA Paper 79-1211

A80-089 Thrust and Ignition Transients of the Space Shuttle Solid Rocket Motor. Leonard H. Caveny, *Princeton University*; Kenneth K. Kuo, *Pennsylvania State University*; and Benjamin W. Shackelford, *NASA Marshall Space Flight Center* (JSR 17, 6, p. 489) Article based on AIAA Paper 79-1137

A80-090 Orbit Transfer Propulsion and Large Space Systems. K. E. Kunz, *Rockwell International Corporation* (JSR 17, 6, p. 495) Article

A80-091 Wall Temperatures and Solar Deflection of Cylindrical Structures in Space. Masao Furukawa, *National Space Development Agency of Japan* (JSR 17, 6, p. 501) Article

A80-094 Calculation of Pressures on Bodies at Low Angles of Attack in Supersonic Flow. F. R. DeJarnette, and C. P. Ford, *North Carolina State University*; and D. E. Young, *Naval Surface Weapons Center* (JSR 17, 6, p. 529) Article based on AIAA Paper 79-1552

A80-095 Waverider Configurations Derived From Inclined Circular and Elliptic Cones. Maurice L. Rasmussen, *University of Oklahoma* (JSR 17, 6, p. 537) Article based on AIAA Paper 79-1665 CP7911

A80-097 Maximum Side Forces and Associated Yawing Moments on Slender Bodies. J. Peter Reding and Lars E. Ericsson, *Lockheed Missiles & Space Company, Inc.* (JSR 17, 6, p. 515) Article based on AIAA Paper 79-1647 CP7911

A80-098 Alleviation of Vortex-Induced Axymmetric Loads. L. E. Ericsson and J. P. Reding, *Lockheed Missiles & Space Company, Inc.* (JSR 17, 6, p. 546) Article based on AIAA Paper 79-1646 CP7911

A80-099 Aerodynamic Effects of Body Slots on a Guided Projectile with Cruciform Surfaces. W. H. Appich Jr. and R. E. Wittmeyer, *Martin Marietta Corporation* (JSR 17, 6, p. 522) Article based on AIAA Paper 79-1658 CP7911

A80-104 The Drag Balance: An Apparatus for Studying Atmosphere-Satellite Surface Interactions. Andrew D. Goldfinger, *The Johns Hopkins University, Applied Physics Laboratory* (JSR 17, 6, p. 565) Engineering Note

A80-105 Effects of HMX on the Combustion Response Function. L. D. Strand, *Jet Propulsion Laboratory, California Institute of Technology*; and N. S. Cohen, *Jet Propulsion Laboratory* (JSR 17, 6, p. 566) Engineering Note

U.S. POSTAL SERVICE STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION (Required by 39 U.S.C. 3685)	
1. TITLE OF PUBLICATION JOURNAL OF SPACECRAFT AND ROCKETS	2. DATE OF FILING OCT. 1, 1980
3. FREQUENCY OF ISSUE BIMONTHLY	4. LOCATION OF KNOWN OFFICE OF PUBLICATION (Street, City, County, State and ZIP Code) (Not printers) 1290 AVENUE OF THE AMERICAS, NEW YORK, N.Y. 10104
5. LOCATION OF THE HEADQUARTERS OR GENERAL BUSINESS OFFICES OF THE PUBLISHERS (Not printers) Same as above	6. NAMES AND COMPLETE ADDRESSES OF PUBLISHER, EDITOR, AND MANAGING EDITOR PUBLISHER (Name and Address) AMERICAN INSTITUTE OF AERONAUTICS AND ASTRONAUTICS INC., SAME AS ABOVE EDITOR (Name and Address) PAUL P. HOLLOWAY SAME AS ABOVE MANAGING EDITOR (Name and Address) LAWRENCE S. LEVY SAME AS ABOVE
7. OWNER (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.)	
8. NAME AMERICAN INSTITUTE OF AERONAUTICS AND ASTRONAUTICS, INC.	ADDRESS SAME AS ABOVE
9. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES (If there are none, so state)	
NAME NONE	ADDRESS

9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES (Section 133.122, PSN) The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes (Check one) <input type="checkbox"/> HAVE NOT CHANGED DURING PRECEDING 12 MONTHS <input type="checkbox"/> HAVE CHANGED DURING PRECEDING 12 MONTHS (If changed, publisher must submit explanation of change with this statement.)	
10. EXTENT AND NATURE OF CIRCULATION	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS
A. TOTAL NO. COPIES PRINTED (Net Press Run)	3833
B. PAID CIRCULATION 1. SALES THROUGH DEALERS AND CARRIERS, STREET VENDORS AND COUNTER SALES	3800
2. MAIL SUBSCRIPTIONS	3415
C. TOTAL PAID CIRCULATION (Sum of 10B1 and 10B2)	3415
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLER, COMPLIMENTARY, AND OTHER FREE COPIES	40
E. TOTAL DISTRIBUTION (Sum of C and D)	3455
F. COPIES NOT DISTRIBUTED 1. OFFICE USE, LEFT OVER, UNACCOUNTED, SPOILED AFTER PRINTING	451
2. RETURNS FROM NEWS AGENTS	---
G. TOTAL (Sum of E, F1 and F2—should equal net press run shown in A)	3833
11. I certify that the statements made by me above are correct and complete.	SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER Nelson W. Friedman, Admin. Mgmt. Sys.
12. FOR COMPLETION BY PUBLISHERS MAILING AT THE REGULAR RATES (Section 133.121, Postal Service Manual) 39 U.S.C. 3626 provides in pertinent part: "No person who would have been entitled to mail matter under former section 4359 of this title shall mail such matter at the rate provided under this subsection unless he files annually with the Postal Service a written request for permission to 'mail matter at such rate.'" In accordance with the provisions of this statute, I hereby request permission to mail the publication named in Item 1 at the phased postage rates presently authorized by 39 U.S.C. 3626. SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER Nelson W. Friedman, Administrator, Management Systems	