

Chronological Index

- A94-001 Characteristics of the Shuttle Orbiter Leaside Flow During a Re-Entry Condition.** William L. Kleb and K. James Weilmuenster, *NASA Langley Research Center* (31, 1, p. 8) Article based on AIAA Paper 92-2951
- A94-002 Particle Simulation of Rarefied Aeropass Maneuvers of the Magellan Spacecraft.** Brian L. Haas, *Eloret Institute*; and William J. Feiereisen, *NASA Ames Research Center* (31, 1, p. 17) Article
- A94-003 Monte Carlo Simulation of a Near-Continuum Shock-Shock Interaction Problem.** Ann B. Carlson and Richard G. Wilmoth, *NASA Langley Research Center* (31, 1, p. 25) Article based on AIAA Paper 92-2862
- A94-004 Technology and Staging Effects on Two-Stage-to-Orbit Systems.** Alan W. Wilhite, Walter C. Englund, Douglas O. Stanley, J. Christopher Naftel, Roger A. Lepsch, Lance B. Bush, and Kathryn E. Wurster, *NASA Langley Research Center* (31, 1, p. 31) Article
- A94-005 Consort 3 Results.** Francis C. Wessling, *University of Alabama in Huntsville*; and George W. Maybee, *McDonnell Douglas Aerospace* (31, 1, p. 39) Article
- A94-006 Estimation of the Low-Earth-Orbit Debris Population and Distribution.** Kyle T. Alfrend and D. Laurie Lewis, *General Research Corporation* (31, 1, p. 48) Article
- A94-007 Electrical Breakdown Currents on Large Spacecraft in Low Earth Orbit.** Jason A. Vaughn and Melvin R. Carruth Jr., *NASA Marshall Space Flight Center*; and Ira Katz, Myron J. Mandell, and Gary A. Jongeward, *Maxwell Laboratories Inc.* (31, 1, p. 54) Article based on AIAA Paper 92-0822
- A94-008 Mars Transfer Vehicle Using Regolith as Propellant.** Brian Tillotson, *Boeing Defense and Space Group* (31, 1, p. 60) Article based on AIAA Paper 92-3449
- A94-009 Semiactive Vibration Suppression of Truss Structures by Coulomb Friction.** Junjiro Onoda and Kenji Minesugi, *Institute of Space and Astronautical Science, Japan* (31, 1, p. 67) Article based on AIAA Paper 92-2270 CP922
- A94-010 Bandwidth Compression of the Digitized High-Definition Television Images for Transmission via Satellites.** A. K. Al-Asmari, *King Saud University, Saudia Arabia*; and S. C. Kwatra, *University of Toledo* (31, 1, p. 75) Article based on AIAA Paper 92-2032
- A94-011 Probabilistic Crack Growth Model for Application to Composite Solid Propellants.** C. T. Liu, *Phillips Laboratory*; and J. N. Yang, *University of California, Irvine* (31, 1, p. 79) Article
- A94-012 Drag Reduction for Turbulent Flow over a Projectile: Part I.** Jan-Kuang Fu, *Chinese Air Force Academy, Taiwan, ROC*; and Shen-Min Liang, *National Cheng Kung University, Taiwan, ROC* (31, 1, p. 85) Article
- A94-013 Drag Reduction for Turbulent Flow Over a Projectile: Part II.** Shen-Min Liang, *National Cheng Kung University, Taiwan, ROC*; and Jan-Kuang Fu, *Chinese Air Force Academy, Taiwan, ROC* (31, 1, p. 93) Article
- A94-014 Modeling Radiation Forces Acting on Topex/Poseidon for Precision Orbit Determination.** J. Andrew Marshall, *NASA Goddard Space Flight Center*; and Scott B. Luthcke, *Hughes STX* (31, 1, p. 99) Article
Errata (31, 3, p. 535)
- A94-015 Three-Dimensional Flow Calculations for a Projectile with Standard and Dome Bases.** Jubaraj Sahu and Charles J. Nietubicz, *U. S. Army Research Laboratory* (31, 1, p. 106) Article
- A94-016 Effects of the Roll Angle on Cruciform Wing-Body Configurations at High Incidences.** J. Meyer, *Technion—Israel Institute of Technology* (31, 1, p. 113) Article based on AIAA Paper 92-3456 CP929
- A94-017 Supersonic Flow in the Second-Throat Ejector-Diffuser System.** Falin Chen, C. F. Liu, and J. Y. Yang, *National Taiwan University, Taiwan, ROC* (31, 1, p. 123) Article
- A94-018 Simplified Method for Evaluating the Flight Stability of Liquid-Filled Projectiles.** Daniel J. Weber, *U.S. Army Edge-wood Research, Development, and Engineering Center* (31, 1, p. 130) Article based on AIAA Paper 92-0650
- A94-019 Mechanism Synthesis and Two-Dimensional Control Designs of an Active Three-Cable Crane.** Li-Farn Yang and Martin M. Mikulas Jr., *University of Colorado* (31, 1, p. 135) Article
- A94-020 Reliability Consideration of Thin-Film Temperature Sensors in Future Space Shuttle Propulsion Systems.** Hsien-Lu Huang, *Rockwell Space Operations Company* (31, 1, p. 145) Article based on AIAA Paper 91-2262
- A94-021 Engineering Code for Hypersonic Vehicle Optimization.** Richard A. Thompson and Christopher J. Riley, *NASA Langley Research Center* (31, 1, p. 150) Engineering Note
- A94-022 Analysis of Environmentally Induced Spacecraft Anomalies.** A. L. Vampola, *The Aerospace Corporation* (31, 2, p. 154) Article
- A94-023 National Oceanic and Atmospheric Administration's Spacecraft Anomaly Data Base and Examples of Solar Activity Affecting Spacecraft.** Daniel C. Wilkinson, *National Oceanic and Atmospheric Administration* (31, 2, p. 160) Article based on AIAA Paper 90-0173
- A94-024 Anomalies due to Single Event Upsets.** P. Robinson, W. Lee, R. Agüero, and S. Gabriel, *Jet Propulsion Laboratory, California Institute of Technology* (31, 2, p. 166) Article
- A94-025 NASA/National Space Science Data Center Trapped Radiation Models.** John D. Gaffey Jr. and Dieter Bilitza, *Hughes STX* (31, 2, p. 172) Article
- A94-026 Spacecraft Environmental Anomalies Expert System.** Harry C. Koons and David J. Gorney, *The Aerospace Corporation* (31, 2, p. 177) Article
- A94-027 On-Line Spacecraft Environment Interactions Information System.** Michael Lauriente, *NASA Goddard Space Flight Center* (31, 2, p. 182) Article based on AIAA Paper 90-0171
- A94-028 Applications of Computational Fluid Dynamics to the Aerodynamics of Army Projectiles.** Walter B. Sturek, Charles J. Nietubicz, Jubaraj Sahu, and Paul Weinacht, *U.S. Army Research Laboratory* (31, 2, p. 186) Article
- A94-029 Determination of Slender Body Aerodynamics Using Discrete Vortex Methods.** G. A. Gebert, *Utah State University* (31, 2, p. 200) Article
- A94-030 Investigation of the Flow past the ARIANE 5 Launcher Afterbody.** Philippe Reijasse and Jean Déleroy, *Office National d'Etudes et de Recherches Aéropatiales, France* (31, 2, p. 208) Article based on AIAA Paper 91-2897 CP916

A94-031 Navier-Stokes Solver for Hypersonic Flow over a Slender Cone. Chang-Sheng Tai, *Chung Cheng Institute of Technology, Taiwan, ROC*; and Ar-Fu Kao, *Armour Research and Development Center, Taiwan, ROC* (31, 2, p. 215) Article

A94-032 Effects of Gas Models on Hypersonic Base Flow Calculations. M. S. Kim, J. M. Loellbach, and K. D. Lee, *University of Illinois* (31, 2, p. 223) Article

A94-033 NASP Vehicle Interactions and Signatures above 100 Kilometers. B. David Green, Girard A. Simons, and Mark E. Fraser, *Physical Sciences, Inc.*; and Daniel Hastings, *Massachusetts Institute of Technology* (31, 2, p. 231) Article

A94-034 Thermal Modeling of Shuttle Solid Rocket Motors on the Launch Pad. E. C. Mathias and R. A. Ahmad, *Thiokol Corporation* (31, 2, p. 237) Article

A94-035 Control Strategies for Space Boosters Using Air Collection Systems. H. G. Kauffman, R. V. Grandhi, W. L. Hanky, and P. J. Belcher, *Wright State University* (31, 2, p. 243) Article based on AIAA Paper 91-0472

A94-036 Monte Carlo Simulation of Launch Site Winds at Kennedy Space Center. Eric M. Queen, *NASA Langley Research Center*; Michael S. Warner, *George Washington University*; and Daniel D. Moerder, *NASA Langley Research Center* (31, 2, p. 249) Article

A94-037 Calculations of Low-Reynolds-Number Resistojet Nozzles. Suk C. Kim, *Sverdrup Technology, Inc.* (31, 2, p. 259) Article

A94-038 Simplified Model for Calculation of Backflow Contamination from Rocket Exhausts in Vacuum. Rhonald M. Jenkins, Alessandro Ciucci, and John E. Cochran Jr., *Auburn University* (31, 2, p. 265) Article based on AIAA Paper 90-1846

A94-039 Particle Simulations of Helium Microthruster Flows. Iain D. Boyd, *Eloret Institute*; Yusuf Jafry, *Stanford University*; and Jeff Vanden Beukel, *Lockheed Missiles and Space Company* (31, 2, p. 271) Article

A94-040 Analysis of Multifastener Composite Joints. O. H. Griffin Jr. and M. W. Hyer, *Virginia Polytechnic Institute and State University*; D. Cohen, *Hercules Aerospace Company*; M. J. Shuart, *NASA Langley Research Center*; S. R. Yalamanchili, *General Motors Truck Engineering*; and C. B. Prasad, *Analytical Services and Materials, Inc.* (31, 2, p. 278) Article

A94-041 Propellant Stress Relief Groove for the Titan IV Solid Rocket Motor Upgrade. I-Shih Chang, *The Aerospace Corporation* (31, 2, p. 285) Article

A94-042 Measurements of Jet-Induced Pressure Decay in a Thermally Stratified Tank. Ogden S. Jones, Jere S. Meserole, and Anthony Fortini, *Boeing Defense & Space Group* (31, 2, p. 290) Article

A94-043 Bayesian Formulation of the Best of Liquid and Solid Reliability Methodology. W. R. Blischke, *University of Southern California* (31, 2, p. 297) Article

A94-044 Three-Dimensional Numerical Investigation of Gravitational and Solutal Effects in a Cylindrical Cell. N. Ramachandran, *Universities Space Research Association*; and James Patton Downey, *NASA Marshall Space Flight Center* (31, 2, p. 304) Article based on AIAA Paper 91-1332
Errata (31, 4, p. 712)

A94-045 Object-Oriented, Optimization-Based Design of Satellite Structures. Srinivas Kodiyalam, Catherine M. Graichen,

Isobel J. Connell, and Peter M. Finnigan, *General Electric Corporate Research and Development Center* (31, 2, p. 312) Article

A94-046 Foam Fractionation of Particles in Low Gravity. David A. Noever, *NASA Marshall Space Flight Center* (31, 2, p. 319) Article

A94-047 Role of Criteria in Design and Management of Space Systems. James C. Blair and Robert S. Ryan, *NASA Marshall Space Flight Center* (31, 2, p. 323) Article based on AIAA Paper 92-1585

A94-048 International Space University Variable Gravity Research Facility Design. Sheila G. Bailey, Francis P. Chiamonte, and Kenneth J. Davidian, *NASA Lewis Research Center* (31, 2, p. 330) Article

A94-049 Hypersonic Fin Aerodynamics. R.-J. Yang, *Rockwell International* (31, 2, p. 339) Engineering Note

A94-050 Columbus: To Mars with Solar-Electric Propulsion. James A. Martin and Ricky A. Wallace, *University of Alabama* (31, 2, p. 341) Engineering Note

A94-051 Deployed High-Temperature Superconducting Coil Magnetic Shield. Erik J. Hilinski and F. Hadley Cocks, *Duke University* (31, 2, p. 342) Engineering Note

A94-052 Approximate Method for Calculating Heating Rates on Three-Dimensional Vehicles. H. Harris Hamilton II and Francis A. Greene, *NASA Langley Research Center*; and F. R. DeJarnette, *North Carolina State University* (31, 3, p. 345) Article based on AIAA Paper 93-2881

A94-053 Navier-Stokes Simulations of Orbiter Aerodynamic Characteristics Including Pitch Trim and Bodyflap. K. James Weilmuenster, Peter A. Gnoffo, and Francis A. Greene, *NASA Langley Research Center* (31, 3, p. 355) Article

A94-054 Multiblock Analysis for Shuttle Orbiter Re-Entry Heating from Mach 24 to Mach 12. Peter A. Gnoffo and K. James Weilmuenster, *NASA Langley Research Center*; and Stephen J. Alter, *Lockheed Engineering and Sciences Company* (31, 3, p. 367) Article

A94-055 Aerodynamically Blunt and Sharp Bodies. W. H. Mason and Jaewoo Lee, *Virginia Polytechnic Institute and State University* (31, 3, p. 378) Article based on AIAA Paper 92-2727

A94-056 Navier-Stokes Computation of a Viscous Optimized Waverider. Naruhisa Takashima and Mark J. Lewis, *University of Maryland* (31, 3, p. 383) Article

A94-057 Hypersonic Waverider Test Vehicle: A Logical Next Step. Douglas J. Tincher, *Science Applications International Corporation*; and David W. Burnett, *McDonnell Douglas Aerospace* (31, 3, p. 392) Article based on AIAA Paper 92-0308

A94-058 Development of an Efficient Inverse Method for Supersonic and Hypersonic Body Design. Jaewoo Lee and W. H. Mason, *Virginia Polytechnic Institute and State University* (31, 3, p. 400) Article based on AIAA Paper 91-0395

A94-059 Minimum-Drag Axisymmetric Bodies in the Supersonic/Hypersonic Flow Regimes. W. H. Mason and Jaewoo Lee, *Virginia Polytechnic Institute and State University* (31, 3, p. 406) Article based on AIAA Paper 90-3072

A94-060 Propulsion Requirements for Reusable Single-Stage-to-Orbit Rocket Vehicles. Douglas O. Stanley, Walter C. Engelund, and Roger Lepsch, *NASA Langley Research Center* (31, 3, p. 414) Article based on AIAA Paper 92-3504

- A94-061 Trajectory-Based Heating Analysis for the European Space Agency/Rosetta Earth Return Vehicle.** William D. Henline and Michael E. Tauber, *NASA Ames Research Center* (31, 3, p. 421) Article
- A94-062 Lip Leakage Flow Simulation for the Gravity Probe B Gas Spinup.** Leonardo Dagum, *Computer Sciences Corporation* (31, 3, p. 429) Article based on AIAA Paper 92-0559
- A94-063 Solid Rocket Exhaust in the Stratosphere: Plume Diffusion and Chemical Reactions.** M. Richard Denison, John J. Lamb, William D. Bjorndahl, Eric Y. Wong, and Peter D. Lohn, *TRW, Inc.* (31, 3, p. 435) Article
- A94-064 Physiological Constraints on Deceleration During the Aerocapture of Manned Vehicles.** J. E. Lyne, *University of Tennessee* (31, 3, p. 443) Article
- A94-065 Optimization of Spacecraft Orbit and Shielding for Radiation Dose.** Michele M. Gates and Mark J. Lewis, *University of Maryland at College Park* (31, 3, p. 447) Article
- A94-066 Feasibility Study of Inflatable Structures for a Lunar Base.** Paul S. Nowak, Willy Z. Sadeh, and Jeffrey Janakus, *Colorado State University* (31, 3, p. 453) Article based on AIAA Paper 92-1031
- A94-067 Lunar Missions Using Advanced Chemical Propulsion: System Design Issues.** Bryan Palaszewski, *NASA Lewis Research Center* (31, 3, p. 458) Article
- A94-068 Probabilistic Progressive Buckling of Trusses.** Shantaram S. Pai and Christos C. Chamis, *NASA Lewis Research Center* (31, 3, p. 466) Article based on AIAA Paper 91-0916 CP911
- A94-069 Intelsat Solar Array Coupon Atomic Oxygen Flight Experiment.** S. Koontz and G. King, *NASA Johnson Space Center*; A. Dunnet, *International Telecommunications Satellite Organization*; T. Kirkendahl, *Communications Satellite Corporation*; and R. Linton and J. Vaughn, *NASA Marshall Space Flight Center* (31, 3, p. 475) Article
- A94-070 Solar Pressure Disturbance on GSTAR and SPACENET Satellites.** S. A. Parvez, *GTE Spacenet Corporation* (31, 3, p. 482) Article
- A94-071 Ablation Response Testing of Simulated Radioisotope Power Supplies.** Steven A. Lutz and Chris C. Chan, *Johns Hopkins University Applied Physics Laboratory* (31, 3, p. 489) Article based on AIAA Paper 93-0381
- A94-072 Arcing of Negatively Biased Solar Cells in a Plasma Environment.** B. L. Upschulte, W. J. Marinelli, and K. L. Carleton, *Physical Sciences, Inc.*; G. Weyl, *Network Physics*; E. Aifer, *Boston University*; and D. E. Hastings, *Massachusetts Institute of Technology* (31, 3, p. 493) Article
- A94-073 Ascent Wind Model for Launch Vehicle Design.** S. I. Adelfang, O. E. Smith, and G. W. Batts, *New Technology, Inc.* (31, 3, p. 502) Article
- A94-074 Dynamics of a Space Module Impacting Water.** J. R. Brooks and L. A. Anderson, *University of Central Florida* (31, 3, p. 509) Article
- A94-075 Aerothermodynamic Methods for a Mars Environmental Survey Mars Entry.** R. A. Mitcheltree, *NASA Langley Research Center* (31, 3, p. 516) Article based on AIAA Paper 93-2761
- A94-076 Managing Single Event Effects in Satellite Systems.** Richard H. Maurer and James D. Kinnison, *Johns Hopkins University Applied Physics Laboratory* (31, 3, p. 524) Engineering Note
- A94-077 Perturbed Volume of Orbiting Debris.** Joshua Ashenberg (31, 3, p. 526) Engineering Note
- A94-078 Broadband Radio-Frequency Spectrum from Electrostatic Discharges on Spacecraft.** H. C. Koons, *The Aerospace Corporation*; and T. S. Chin, *Lockheed Missiles & Space Company, Inc.* (31, 3, p. 528) Engineering Note
- A94-079 Plasma Chamber Testing of Advanced Photovoltaic Solar Array Coupons.** G. Barry Hillard, *NASA Lewis Research Center* (31, 3, p. 530) Engineering Note
- A94-080 Cercignani-Lampis-Lord Gas-Surface Interaction Model: Comparisons Between Theory and Simulation.** Michael S. Woronowicz, *ViGYAN, Inc.*; and D. F. G. Rault, *NASA Langley Research Center* (31, 3, p. 532) Engineering Note
- A94-081 Aerodynamic Characteristics of the Magellan Spacecraft in the Venus Upper Atmosphere.** Didier F. G. Rault, *NASA Langley Research Center* (31, 4, p. 537) Article based on AIAA Paper 93-0723
- A94-082 Abort Options for Potential Mars Missions.** Paul V. Tartabini, Scott A. Striepe, and Richard W. Powell, *NASA Langley Research Center* (31, 4, p. 543) Article
- A94-083 Rarefield-Flow Shuttle Aerodynamics Flight Model.** Robert C. Blanchard, *NASA Langley Research Center*; and Kevin T. Larman and Christina D. Moats, *Lockheed Engineering and Sciences Company* (31, 4, p. 550) Article based on AIAA Paper 93-3441
- A94-084 Long-Term Variability of Electron Radiation Dose in Geosynchronous Orbit.** H. C. Koons, D. J. Gorney, and J. B. Blake, *The Aerospace Corporation* (31, 4, p. 557) Article
- A94-085 Shuttle Upper Atmosphere Mass Spectrometer Experimental Flight Results.** Robert C. Blanchard, *NASA Langley Research Center*; and Thomas A. Ozoroski and John Y. Nicholson, *ViGYAN, Inc.* (31, 4, p. 562) Article
- A94-086 Neutral Buoyancy Evaluation of Extravehicular Activity Assembly of a Large Precision Reflector.** Walter L. Heard Jr. and Mark S. Lake, *NASA Langley Research Center* (31, 4, p. 569) Article
- A94-087 Visual Photometric Experiment: A Getaway Special Payload Aboard STS-042.** Paul D. LeVan, *U.S. Air Force Philips Laboratory* (31, 4, p. 578) Article
- A94-088 Basic Aerodynamic and Heat Transfer Studies for Spacecraft Boosters in Prelaunch Conditions.** L. Scott Miller, *Wichita State University* (31, 4, p. 585) Article
- A94-089 Hypersonic Interceptor Aero-Optics Performance Predictions.** George W. Sutton, John E. Pond, Ronald Snow, and Yanfang Hwang, *Aero Thermo Technology, Inc.* (31, 4, p. 592) Article based on AIAA Paper 93-2675
- A94-090 Euler and Navier-Stokes Solutions for Supersonic Flow Around a Complex Missile.** Th. Streit, *DLR, German Aerospace Research Establishment, Germany* (31, 4, p. 600) Article
- A94-091 Integrated Inlets for Cone-Derived Waveriders with Combined Transverse and Longitudinal Curvature.** Sheam-Chyun Lin and Yu-Shan Luo, *National Taiwan Institute of Technology* (31, 4, p. 609) Article
- A94-092 Computation of the Roll Moment for a Projectile with Wrap-Around Fins.** Harris L. Edge, *U.S. Army Research Laboratory* (31, 4, p. 615) Article based on AIAA Paper 93-0499

- A94-093 Approximate Viscous Shock Layer Technique for Calculating Hypersonic Flows About Blunt-Nosed Bodies.** F. McNeil Cheatwood, *ViGYAN, Inc.*; and F. R. DeJarnette, *North Carolina State University* (31, 4, p. 621) Article
- A94-094 Computation of Unsteady Flow past an Oscillating Cylinder near a Vertical Wall.** Guan-Wei Yen and Oktay Baysal, *Old Dominion University* (31, 4, p. 630) Article based on AIAA Paper 92-4653
- A94-095 Overview of Technical Challenges of Re-Entry Analysis of Radioisotope Heat Sources.** E. F. Lucero, *The Johns Hopkins University* (31, 4, p. 636) Article based on AIAA Paper 93-0379
- A94-096 Radiation Control with Selectively Reflective Overcoats.** Susan M. White, *NASA Ames Research Center* (31, 4, p. 642) Article based on AIAA Paper 91-1320
- A94-097 Monte Carlo Simulation for Backscatter of Outgassing Molecules from Simple Spacecraft Surfaces.** Chien Fan, Clifford Gee, and Michael C. Fong, *Lockheed Missile and Space Company* (31, 4, p. 649) Article based on AIAA Paper 93-2867
- A94-098 Atomic-Oxygen Undercutting of Long Duration Exposure Facility Aluminized-Kapton Multilayer Insulation.** Kim K. de Groh and Bruce A. Banks, *NASA Lewis Research Center* (31, 4, p. 656) Article
- A94-099 Shape of Space Debris as Estimated from Radar Cross Section Variations.** Toru Sato, Toshio Wakayama, and Takeshi Tanaka, *Kyoto University, Japan*; Ken-ichiro Ikeda, *University of Tokyo, Japan*; and Iwane Kimura, *Kyoto University, Japan* (31, 4, p. 665) Article
- A94-100 Optical Properties of Orbital Debris.** Karl G. Henize and Christine A. O'Neill, *NASA Johnson Space Center*; and Mark K. Mulrooney and Phillip Anz-Meador, *Lockheed Engineering and Sciences Company* (31, 4, p. 671) Article based on AIAA Paper 93-0162
- A94-101 Jimsphere and Radar Wind Profiler Turbulence Indicators.** Michael Susko, *NASA George C. Marshall Space Flight Center* (31, 4, p. 678) Article
- A94-102 Arc Mitigation on High Voltage Solar Arrays.** Renee Mong and Daniel E. Hastings, *Massachusetts Institute of Technology* (31, 4, p. 684) Article
- A94-103 Gasdynamic Approach to Small Plumes Computation.** L. Genkin and M. Baer, *Soreq NRC, Israel*; and J. Falco-vitz, *Technion-Israel Institute of Technology* (31, 4, p. 691) Article
- A94-104 Effects of Space Exposure on Pyroelectric Infrared Detectors.** James B. Robertson, *NASA Langley Research Center* (31, 4, p. 701) Engineering Note
- A94-105 Mars Aerocapture: Extension and Refinement.** P. F. Wercinski, *NASA Ames Research Center*; and J. E. Lyne, *University of Tennessee* (31, 4, p. 703) Engineering Note
- A94-106 Wing Effects on Missile Asymmetric Vortex Behavior.** R. M. Howard, M. H. Lung, J. J. Viniotis, D. A. Johnson, and J. A. Pinaire, *Naval Postgraduate School* (31, 4, p. 705) Engineering Note
- A94-107 Nuclear Explosive Propelled Interceptor for Deflecting Objects on Collision Course with Earth.** Johnndale C. Solem, *Los Alamos National Laboratory* (31, 4, p. 707) Engineering Note
- A94-108 Modeling the Short-Term Evolution of Orbital Debris Clouds in Circular Orbits.** R. Crowther, *Defense Research Agency Farnborough, England, UK* (31, 4, p. 709) Engineering Note
- A94-109 Hypersonic Rarefied Flow past Spheres Including Wake Structure.** Virendra K. Dogra, *ViGYAN, Inc.*; and James N. Moss, Richard G. Wilmoth, and Joseph M. Price, *NASA Langley Research Center* (31, 5, p. 713) Article based on AIAA Paper 92-0495
- A94-110 Aerodynamic Characteristics of a Hypersonic Viscous Optimized Waverider at High Altitudes.** Didier F. G. Rault, *NASA Langley Research Center* (31, 5, p. 719) Article based on AIAA Paper 92-0306
- A94-111 Hypersonic Nonequilibrium Navier-Stokes Solutions over an Ablating Graphite Nosedtip.** Y.-K. Chen and W. D. Henline, *NASA Ames Research Center* (31, 5, p. 728) Article based on AIAA Paper 93-2836
- A94-112 Hypersonic Convective Heat Transfer over 140-deg Blunt Cones in Different Gasses.** D. A. Stewart, *NASA Ames Research Center*; and Y. K. Chen, *Eloret Institute* (31, 5, p. 735) Article based on AIAA Paper 93-2787
- A94-113 Application of the Multigrid Solution Technique to Hypersonic Entry Vehicles.** Francis A. Greene, *NASA Langley Research Center* (31, 5, p. 744) Article
- A94-114 Higher-Order Viscous Shock-Layer Solutions for High-Altitude Flows.** Roop N. Gupta and Ernest V. Zoby, *NASA Langley Research Center*; and Sudheer N. Nayani and Kam-Pui Lee, *ViGYAN, Inc.* (31, 5, p. 751) Article based on AIAA Paper 93-2724
- A94-115 Base Drag Prediction on Missile Configurations.** F. G. Moore, *Naval Surface Warfare Center*; F. Wilcox, *NASA Langley Research Center*; and T. Hymer, *Naval Surface Warfare Center* (31, 5, p. 759) Article
- A94-116 Aerodynamic Characteristics of a Canard-Controlled Missile at High Angles of Attack.** Edmund H. Smith, *Naval Air Warfare Center*; and Sheshagiri K. Hebbur and Max F. Platzer, *Naval Postgraduate School* (31, 5, p. 766) Article based on AIAA Paper 93-0763
- A94-117 Predicting Exhaust Plume Boundaries with Supersonic External Flows.** Kyle L. Nash, *Mevatec Corporation*; and Kevin W. Whitaker and L. Michael Freeman, *University of Alabama* (31, 5, p. 773) Article
- A94-118 Three-Dimensional Structure of a Supersonic Jet Impinging on an Inclined Plate.** Kyoung-Ho Kim and Keun-Shik Chang, *Korea Advanced Institute of Science and Technology* (31, 5, p. 778) Article
- A94-119 An Improved Version of the Naval Surface Warfare Center Aeroprediction Code (AP93).** F. G. Moore, T. Hymer, and R. McInville, *Naval Surface Warfare Center* (31, 5, p. 783) Article
- A94-120 Rocket-Powered Single-Stage Vehicle Configuration Selection and Design.** Douglas O. Stanley, Walter C. Englund, Roger A. Lepsch, Mark McMillin, Kathryn E. Wurster, Richard W. Powell, Tony Guinta, and Resit Unal, *NASA Langley Research Center* (31, 5, p. 792) Article based on AIAA Paper 93-1053
- A94-121 Uranus and Neptune Atmospheric-Entry Probe Study.** M. Tauber, P. Wercinski, W. Henline, and J. Paterson, *NASA Ames Research Center*; and L. Yang, *Sterling Software* (31, 5, p. 799) Article based on AIAA Paper 93-3689

A94-122 Functional Dependence of Trajectory Dispersion on Initial Condition Errors. Robert A. LaFarge and Roy S. Baty, *Sandia National Laboratories* (31, 5, p. 806) Article

A94-123 Examining the Accuracy of Space Shuttle Support Loads Using Probabilistic Analysis Techniques. J. A. Richardson, *University of Alabama*; and J. S. Townsend, *NASA Marshall Space Flight Center* (31, 5, p. 814) Article based on AIAA Paper 93-1107

A94-124 Structural and Loads Analysis of a Two-Stage Reusable Manned Launch System. James C. Robinson, *Old Dominion University Research Foundation*; and Douglas O. Stanley, *NASA Langley Research Center* (31, 5, p. 821) Article based on AIAA Paper 92-4774

A94-125 Improved GPS Solar Radiation Pressure Modeling for Precise Orbit Determination. Yvonne Vigue, Stephen M. Lichten, Ron J. Muellerschoen, Geoff Blewitt, and Michael B. Heflin, *Jet Propulsion Laboratory, California Institute of Technology* (31, 5, p. 830) Article

A94-126 Fourth-Generation Mars Vehicle Concepts. Brent Sherwood, *Boeing Defense & Space Group* (31, 5, p. 834) Article based on AIAA Paper 93-1069

A94-127 Acceleration Mapping on Consort 5. Robert J. Naumann, *University of Alabama in Huntsville* (31, 5, p. 842) Article

A94-128 Commercial Experiment Transporter—COMET. Francis C. Wessling, *University of Alabama in Huntsville*; Michael Robinson, *University of Colorado—Boulder*; Ramiro S. Martinez, *Texas A&M University*; Thomas Gallimore, *University of Alabama at Birmingham*; and Nick Combs, *University of Houston* (31, 5, p. 846) Article

A94-129 Thermal Force Modeling for Global Positioning System Satellites Using the Finite Element Method. Yvonne Vigue, *Jet Propulsion Laboratory, California Institute of Technology*; and Bob E. Schutz and P. A. M. Abusali, *University of Texas at Austin* (31, 5, p. 855) Article based on AIAA Paper 91-188

A94-130 Effects of 69 Months in Low Earth Orbit on Kapton Antenna Structures. J. B. Whiteside, E. Kamykowski, W. D. Rooney, R. Schulte, and M. Stauber, *Grumman Research & Development Center* (31, 5, p. 860) Article

A94-131 Cadmium Simulation of Orbital-Debris Shield Performance to Scaled Velocities of 18km/s. Robert M. Schmidt and Kevin R. Housen, *Boeing Defense & Space Group*; and Andrew J. Piekutowski, and Kevin L. Poorman, *University of Dayton Research Institute* (31, 5, p. 866) Article

A94-132 Deployment Reliability Prediction for Large Satellite Antennas Driven by Spring Mechanisms. Masayoshi Misawa, *NTT Radio Communications Systems Laboratories, Japan* (31, 5, p. 878) Article

A94-133 On-Orbit Nonlinear Structural Parameters Realization via Artificial Neural Network. Rafael Gluck, *TRW Space and Technology Group*; and Han-Sen Dai and Walter J. Karplus, *University of California, Los Angeles* (31, 5, p. 883) Article

A94-134 Multibody-Plasma Interactions: Charging in the Wake. J. Wang, P. Leung, H. Garrett, and G. Murphy, *Jet Propulsion Laboratory, California Institute of Technology* (31, 5, p. 889) Article

A94-135 Effects of Satellite Bunching on the Probability of Collision in Geosynchronous Orbit. V. A. Chobotov and C. G. Johnson, *The Aerospace Corporation* (31, 5, p. 895) Article

A94-136 Midcourse Space Experiment: Introduction to the Spacecraft, Instruments, and Scientific Objectives. John D. Mill, *Environmental Research Institute of Michigan*; Robert R. O'Neil and Stephan Price, *U.S. Air Force Phillips Laboratory*; Gerald J. Romick and O. Manuel Uy, *Johns Hopkins University Applied Physics Laboratory*; E. M. Gaposchkin, *Massachusetts Institute of Technology*; Glenn C. Light, *The Aerospace Corporation*; W. Walding Moore Jr., *U.S. Army Space and Strategic Command*; Thomas L. Murdock, *General Research Corporation*; and A. T. Stair Jr., *Visidyne* (31, 5, p. 900) Article

A94-137 Solid-Propellant Grain Design by an Interface Reconstruction Scheme. F. Mashayek and N. Ashgriz, *State University of New York at Buffalo* (31, 5, p. 908) Engineering Note

A94-138 Measured Plasma Conductivity of Zinc-Oxide-Based Thermal Control Coatings. G. Barry Hillard, *NASA Lewis Research Center* (31, 5, p. 910) Engineering Note

A94-139 Launch Strategy Using Ground-Based Mass Drivers. Richard B. Peterson, *Oregon State University* (31, 5, p. 912) Engineering Note

A94-140 Effect of Transverse Vibration on the Performance of a Heat Pipe. Mark C. Charlton and W. Jerry Bowman, *Air Force Institute of Technology* (31, 5, p. 914) Engineering Note based on AIAA Paper 93-2734

A94-141 Dynamical Instability of the Aerogravity Assist Maneuver. Colin R. McInnes, *University of Glasgow, Scotland, United Kingdom* (31, 5, p. 916) Engineering Note

A94-142 Supersonic Axisymmetric Conical Flow Solutions for Different Ratios of Specific Heats. Bhavesh B. Patel, B. K. Hodge, and Keith Koenig, *Mississippi State University* (31, 5, p. 918) Engineering Note

A94-143 Removal of Orbital Debris from Low Earth Orbit by Laser-Generated Drag. Mengu Cho, *Kobe University, Japan* (31, 5, p. 920) Engineering Note

A94-144 Calculating the Number of Meteoroid Impacts onto a Gravity-Gradient-Stabilized Spacecraft. Michael D. Bjorkman, *Boeing Defense & Space Group* (31, 5, p. 922) Engineering Note

A94-145 Analytical Solution for Controls, Heats, and States of Flight Trajectories. Ahmed Z. Al-Garni, *King Fahd University of Petroleum and Minerals, Saudi Arabia* (31, 5, p. 924) Engineering Note

A94-146 Computer Experiments on Arcing Processes as Observed in Ground Tests. Heinz Thiemann, *Arbeitsgruppe Weltraumforschung und -Technologie, Germany*; and Robert W. Schunk, *Utah State University* (31, 6, p. 929) Article

A94-147 Fluid Dynamics Within a Rotating Bioreactor in Space and Earth Environments. Yow-Min D. Tsao, *KRUG Life Sciences*; Ernest Boyd, *Mankato State University*; and David A. Wolf and Glenn Spaulding, *NASA Johnson Space Center* (31, 6, p. 937) Article

A94-148 Aerodynamics of the Shuttle Orbiter at High Altitudes. Didier F. G. Rault, *NASA Langley Research Center* (31, 6, p. 944) Article

A94-149 Near-Wake Structure for a Generic Configuration of Aeroassisted Space Transfer Vehicles. Virendra K. Dogra, *ViGYAN, Inc.*; and James N. Moss and Joseph M. Price, *NASA Langley Research Center* (31, 6, p. 953) Article

A94-150 Direct Simulation Monte Carlo Simulation of the Interaction Between Rarefied Free Jets. Leonardo Dagum, *NASA*

Ames Research Center, and S. Konrad Zhu, *Rockwell International Corporation* (31, 6, p. 960) Article

A94-151 Determination of Wall Boundary Conditions for High-Speed-Ratio Direct Simulation Monte Carlo Calculations. Frank G. Collins, *University of Tennessee Space Institute*; and E. C. Knox, *REMTECH, Inc.* (31, 6, p. 965) Article

A94-152 Zonally Decoupled Direct Simulation Monte Carlo Solutions of Hypersonic Blunt-Body Wake Flows. Richard G. Wilmoth, Robert A. Mitcheltree, and James N. Moss, *NASA Langley Research Center*; and Virendra K. Dogra, *ViGYAN, Inc.* (31, 6, p. 971) Article

A94-153 Simulated Rarefied Aerodynamics of the Magellan Spacecraft During Aerobraking. Brian L. Haas, *Thermosciences Institute*; and Durwin A. Schmitt, *Martin Marietta Astronautics Company* (31, 6, p. 980) Article based on AIAA Paper 93-3676 CP937

A94-154 Convective and Radiative Heat Transfer Analysis for the Fire II Forebody. Robert B. Greendyke, *ViGYAN, Inc.*; and Lin C. Hartung, *NASA Langley Research Center* (31, 6, p. 986) Article

A94-155 Thermal Response and Ablation Characteristics of Lightweight Ceramic Ablators. Huy K. Tran and Daniel J. Rasky, *NASA Ames Research Center*; and Lili Esfahani, *San Jose State University* (31, 6, p. 993) Article based on AIAA Paper 93-2790

A94-156 Wing Vertical Position Effects on Wing-Body Carry-over for Noncircular Missiles. Brian E. Est and H. F. Nelson, *University of Missouri-Rolla* (31, 6, p. 999) Article based on AIAA Paper 92-0078

A94-157 Aerodynamic Design of Pegasus: Concept to Flight with Computational Fluid Dynamics. Michael R. Mendenhall, Daniel J. Lesieutre, Steven C. Caruso, Marnix F. E. Dillenius, and Gary D. Kuhn, *Nielsen Engineering & Research, Inc.* (31, 6, p. 1007) Article

A94-158 Some Aspects of the Aerodynamics of Separating Strap-ons. K. K. Biswas and C. G. Krishnan, *Vikram Sarabhai Space Centre, India* (31, 6, p. 1016) Article

A94-159 Supersonic Near-Wake Afterbody Boattailing Effects on Axisymmetric Bodies. J. L. Herrin and J. C. Dutton, *University of Illinois at Urbana-Champaign* (31, 6, p. 1021) Article based on AIAA Paper 94-0029

A94-160 Fast Missions to Pluto Using Jupiter Gravity-Assist and Small Launch Vehicles. Michael A. Minovitch, *Phaser Telepropulsion, Inc.* (31, 6, p. 1029) Article

A94-161 Application of Probabilistic Analysis and Design Methods in Space Programs. R. S. Ryan and J. S. Townsend, *NASA Marshall Space Flight Center* (31, 6, p. 1038) Article based on AIAA Paper 93-1381 CP931

A94-162 Formulas for the Phase Characteristics in the

Problem of Low-Earth-Orbital Debris. Joshua Ashenberg (31, 6, p. 1044) Article

A94-163 First-Order Reliability Application and Verification Methods for Semistatic Structures. V. Verderaiame, *NASA Marshall Space Flight Center* (31, 6, p. 1050) Article

A94-164 Space Shuttle Main Engine Sensor Modeling Using Radial-Basis-Function Neural Networks. Kevin R. Wheeler and Atam P. Dhawan, *University of Cincinnati*; and Claudia M. Meyer, *Sverdrup Technology, Inc.* (31, 6, p. 1054) Article

A94-165 TOPEX Microwave Radiometer Thermal Control: Post-System-Test Modifications and On-Orbit Performance. Edward I. Lin, *Jet Propulsion Laboratory, California Institute of Technology* (31, 6, p. 1061) Article based on AIAA Paper 93-2743

A94-166 TRANSYS—Space Transportation System Preliminary Design Software. Dieter M. Wolf, *DLR, German Aerospace Research Establishment* (31, 6, p. 1067) Article based on AIAA Paper 92-1193

A94-167 Safety Index Approach to Predicting the Storage Life of Rocket Motors. I. Janajreh, R. A. Heller, and S. Thangjitham, *Virginia Polytechnic Institute and State University* (31, 6, p. 1072) Article

A94-168 Interactions Between the Space Experiments with Particle Accelerators Plasma Contactor and the Ionosphere. I. Katz, *Maxwell Laboratories, Inc.*; J. N. Barfield, J. L. Burch, J. A. Marshall, and W. C. Gibson, *Southwest Research Institute*; T. Neubert, *University of Michigan*; W. T. Roberts, *NASA Marshall Space Flight Center*; W. W. L. Taylor, *Nichols Research Corporation*; and J. R. Beattie, *Hughes Research Laboratories* (31, 6, p. 1079) Article

A94-169 Precision Landing on Mars Using Imaging Penetrator Beacons. Dan G. Tuckness, *University of Texas at Arlington* (31, 6, p. 1085) Article

A94-170 Structural Design and Mitigation of Mirror Deformations in Lunar-Based Telescopes. Paul L. Luz, *NASA Marshall Space Flight Center* (31, 6, p. 1092) Article based on AIAA Paper 93-4776

A94-171 Method of Filling Screen Liquid Acquisition Devices in Low Gravity. E. DiStefano and E. C. Cady, *McDonnell Douglas Aerospace—West*; and R. H. Rangel, *University of California, Irvine* (31, 6, p. 1099) Article based on AIAA Paper 91-3540

A94-172 Effect of a Baffle on SLOSH Waves Excited by Gravity-Gradient Acceleration in Microgravity. R. J. Hung and C. C. Lee, *University of Alabama in Huntsville* (31, 6, p. 1107) Article

A94-173 Design and Structural Analysis of Highly Mobile Space Suits and Gloves. John A. Main, Steven W. Peterson, and Alvin M. Strauss, *Vanderbilt University* (31, 6, p. 1115) Article

A94-174 Imaging Penetrator-Beacon Design for Mars. Dan G. Tuckness, *University of Texas at Arlington* (31, 6, p. 1123) Article

U.S. Postal Service STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION <i>Required by 39 U.S.C. 3685</i>									
1A. Title of Publication Journal of Spacecraft and Rockets		1B. PUBLICATION NO. <table border="1" style="width: 100%; text-align: center; border-collapse: collapse;"> <tr> <td style="width: 20px;">2</td> <td style="width: 20px;">8</td> <td style="width: 20px;">2</td> <td style="width: 20px;">9</td> <td style="width: 20px;">4</td> <td style="width: 20px;">0</td> </tr> </table>	2	8	2	9	4	0	2. Date of Filing 9/30/94
2	8	2	9	4	0				
3. Frequency of Issue Bimonthly		3A. No. of Issues Published Annually 6	3B. Annual Subscription Price \$38.00						
4. Complete Mailing Address of Known Office of Publication (Street, City, County, State and ZIP+4 Code) (Not printers) 370 L'Enfant Promenade, S.W., Washington, D.C. 20024									
5. Complete Mailing Address of the Headquarters of General Business Offices of the Publisher (Not printer) same as above									
6. Full Names and Complete Mailing Address of Publisher, Editor, and Managing Editor (This item MUST NOT be blank)									
Publisher (Name and Complete Mailing Address) American Institute of Aeronautics and Astronautics, Inc. (same as above)									
Editor (Name and Complete Mailing Address) E. Vincent Zoby (same as above)									
Managing Editor (Name and Complete Mailing Address) Jacqueline Dupree (same as above)									
7. Owner (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed.)									
Full Name		Complete Mailing Address							
American Institute of Aeronautics and Astronautics, Inc.		same as above							
8. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages or Other Securities (If there are none, so state)									
Full Name		Complete Mailing Address							
none									
9. For Completion by Nonprofit Organizations Authorized To Mail at Special Rates (DMM Section 423.12 only) The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes (Check one)									
(1) <input checked="" type="checkbox"/> Has Not Changed During Preceding 12 Months		(2) <input type="checkbox"/> Has Changed During Preceding 12 Months <i>(If changed, publisher must submit explanation of change with this statement.)</i>							
10. Extent and Nature of Circulation <i>(See instructions on reverse side)</i>		Average No. Copies Each Issue During Preceding 12 Months	Actual No. Copies of Single Issue Published Nearest to Filing Date						
A. Total No. Copies (Net Press Run)		2767	2600						
B. Paid and/or Requested Circulation									
1. Sales through dealers and carriers, street vendors and counter sales		---	---						
2. Mail Subscription (Paid and/or requested)		2221	2207						
C. Total Paid and/or Requested Circulation (Sum of 10B1 and 10B2)		2221	2207						
D. Free Distribution by Mail, Carrier or Other Means Samples, Complimentary, and Other Free Copies		118	118						
E. Total Distribution (Sum of C and D)		2339	2325						
F. Copies Not Distributed									
1. Office use, left over, unaccounted, spoiled after printing		428	275						
2. Return from News Agents		---	---						
G. TOTAL (Sum of E, F1 and 2—should equal net press run shown in A)		2767	2600						
11. I certify that the statements made by		Signature and Title of Editor, Publisher, Business Manager, or Owner <i>Norma J. Brennan</i> Division Director, Journals							