

Chronological Index

- A05-001 Stationary Coupling of Hypersonic Nonequilibrium Flows and Thermal-Protection-System Structure.** Farid Infed, Ferdinand Olawsky, and Monika Auweter-Kurtz, *University of Stuttgart, Germany* (42, 1, p. 9) Article based on AIAA Paper 2003-3984
- A05-002 Flat-Faced Leading-Edge Effects in Low-Density Hypersonic Wedge Flow.** Wilson F. Santos, *National Institute for Space Research, Brazil* (42, 1, p. 22) Article
- A05-003 Aerodynamics of Low-Blowing-Ratio Fuselage Injection into a Supersonic Freestream.** Zakaria Mahmud and Rodney D. Bowersox, *Texas A&M University* (42, 1, p. 30) Article
- A05-004 Jet Interaction in Supersonic Flow with a Downstream Surface Ramp.** Y. H. Byun and K. J. Bae, *Konkuk University, Republic of Korea*; S. Wallis, V. Viti, and J. A. Schetz, *Virginia Polytechnic Institute and State University*; and R. Bowersox, *University of Alabama* (42, 1, p. 38) Article based on AIAA Paper 2003-3933
- A05-005 Analysis of Magnetoplasma-dynamic Interaction in the Boundary Layer of a Hypersonic Vehicle.** Carlo A. Borghi, Mario Carraro, and Andrea Cristofolini, *University of Bologna, Italy* (42, 1, p. 45) Article based on AIAA Paper 2003-3761
- A05-006 Laser-Supported Directed-Energy "Air Spike" in Hypersonic Flow.** M. A. Minucci, P. G. Toro, A. C. Oliveira, A. G. Ramos, J. B. Chanes, and A. L. Pereira, *Instituto de Estudos Avançados, Brazil*; H. M. T. Nagamatsu and L. N. Myrabo, *Rensselaer Polytechnic Institute* (42, 1, p. 51) Article
- A05-007 Spin Axis Attitude Estimation by a Controlled Correlation Method.** Luc Fraiture, *ESA, Germany* (42, 1, p. 58) Article
- A05-008 Dynamic Model Establishment of a Deployable Missile Control Fin with Nonlinear Hinge.** Dae-Kwan Kim, Jae-Sung Bae, In Lee, and Jae-Hung Han, *Korea Advanced Institute of Science and Technology, Republic of Korea* (42, 1, p. 66) Article
- A05-009 Streamwise Vortex Instability and Transition on the Hyper-2000 Scramjet Forebody.** Shin Matsumura and Steven P. Schneider, *Purdue University*; and Scott A. Berry, *NASA Langley Research Center* (42, 1, p. 78) Article based on AIAA Paper 2003-3592
- A05-010 Optimal Design of Two-Stage-To-Orbit Space Planes with Airbreathing Engines.** Takeshi Tsuchiya, *University of Tokyo, Japan*; and Takashige Mori, *Japan Aerospace Exploration Agency, Japan* (42, 1, p. 90) Article
- A05-011 Variational Coupled Loads Analyses: Reducing Risk in Development of Space-Flight Hardware.** Arya Majed, Kevin Partin, and Ed Henkel, *Applied Structural Dynamics, Inc.*; and Thomas P. Sarafin, *Instar Engineering and Consulting, Inc.* (42, 1, p. 98) Article
- A05-012 Nonlinear Dynamic Analysis to Extend the Value of Liquid Rocket Qualification Test.** Mary Baker, *ATA Engineering Inc.*; Frank X. Moehrle, *Pratt and Whitney Liquid Rocket Propulsion*; Kyle C. Indermuehle and Marcus D. Billings, *ATA Engineering Inc.* (42, 1, p. 105) Article based on AIAA Paper 2003-1971
- A05-013 Numerical Simulation of Aeroacoustic Phenomena in a Solid Rocket Booster.** P. H. Cosyn and J. Vierendeels, *Ghent University, Belgium*; and J. Anthoine, *von Kármán Institute for Fluid Dynamics, Belgium* (42, 1, p. 111) Article based on AIAA Paper 2003-3874
- A05-014 Mission and Constellation Design for Low-Cost Weather Observation Satellites.** Chung-Hsien Lin, *National Central University, Taiwan (ROC)*; and Zuu-Chang Hong, *Tamkang University, Taiwan (ROC)* (42, 1, p. 118) Article
- A05-015 Ionospheric Instability Observed in Low Earth Orbit Using Global Positioning System.** Leonard Kramer and John L. Goodman, *United Space Alliance* (42, 1, p. 124) Article based on AIAA Paper 2001-4653
- A05-016 Preliminary Design of Earth-Mars Cyclers Using Solar Sails.** Robert Stevens and I. M. Ross, *Naval Postgraduate School* (42, 1, p. 132) Article based on AIAA Paper AAS0-3244
- A05-017 Geometric Analysis of Free-Return Trajectories Following a Gravity-Assisted Flyby.** Ryan P. Russell and Cesar A. Ocampo, *University of Texas at Austin* (42, 1, p. 138) Article based on AIAA Paper 03-508
- A05-018 Robust Control for Microgravity Vibration Isolation System.** Mark Whorton, *NASA Marshall Space Flight Center* (42, 1, p. 152) Article based on AIAA Paper 2003-5422
- A05-019 Pulsed Plasma Thruster System for Microsatellites.** Christopher D. Rayburn, Mark E. Campbell, and A. Thomas Mattick, *University of Washington* (42, 1, p. 161) Article
- A05-020 Electrical Performance from Bifacial Illumination International Space Station Photovoltaic Array.** Ann M. Delleur and Thomas W. Kerslake, *NASA John H. Glenn Research Center at Lewis Field* (42, 1, p. 171) Article
- A05-021 Changes in the Optical Properties of Simulated Shuttle Waste Water Deposits: Urine Darkening.** Keith Albyn and David Edwards, *NASA Marshall Space Flight Center*; and John Alred, *Boeing Space Station Program Office* (42, 1, p. 177) Article
- A05-022 Generalized Model for Solar Sails.** L. Rios-Reyes and D. J. Scheeres, *University of Michigan* (42, 1, p. 182) Technical Note
- A05-023 Effect of Kinetic Energy Projectile Inertia upon Precision.** E. Schmidt and H. Edge, *U.S. Army Research Laboratory* (42, 1, p. 185) Technical Note based on AIAA Paper 2003-203
- A05-024 Nonfree Space Radiating Fin Optimum Dimension and Efficiency Correlations.** C. K. Krishnaprakas and K. Badari Naranya, *ISRO Satellite Center, India* (42, 1, p. 187) Technical Note
- A05-025 Nonequilibrium Viscous Shock-Layer Heat Transfer with Arbitrary Surface Catalyticity.** George R. Inger, *Iowa State University*; and Richard L. Baker, *The Aerospace Corporation* (42, 2, p. 193) Article
- A05-026 Simulation of Foam-Impact Effects on the Space Shuttle Thermal Protection System.** Eric P. Fahrenthold and Young-Keun Park, *University of Texas at Austin* (42, 2, p. 201) Article based on AIAA Paper 2004-940

A05-027 Aerothermodynamic Environments and Thermal Protection for a Wave-Rider Second Stage. David Manor, *Saint Louis University*; Kei Y. Lau and Donald B. Johnson, *The Boeing Company* (42, 2, p. 208) Article based on AIAA Paper 2002-5160

A05-028 Calculation of Shock Wave Structure over Power Law Bodies in Hypersonic Flow. Wilson F. Santos, *National Institute for Space Research, Brazil*; and Mark J. Lewis, *University of Maryland* (42, 2, p. 213) Article based on AIAA Paper 2003-1134

A05-029 Navier–Stokes Computations for a Spinning Projectile from Subsonic to Supersonic Speeds. S. I. Siltan, *U.S. Army Research Laboratory* (42, 2, p. 223) Article based on AIAA Paper 2003-3936

A05-030 Aerodynamic Performances of Lifting-Body Configurations for a Reentry Vehicle. Hiroshi Kawato, Shigeya Watanabe, Yukimitsu Yamamoto, and Kenji Fujii, *National Aerospace Laboratory, Japan* (42, 2, p. 232) Article based on AIAA Paper 2002-5265

A05-031 2005 Version of the Aeroprediction Code (AP05). F. G. Moore, *Aeroprediction, Inc.*; and T. C. Hymer, *U.S. Naval Surface Warfare Center* (42, 2, p. 240) Article

A05-032 Aerodynamic Predictions, Comparisons, and Validations Using Missile DATCOM (97) and Aeroprediction 98 (AP98). Thomas J. Sooy and Rebecca Z. Schmidt, *Technology Service Corporation* (42, 2, p. 257) Article based on AIAA Paper 2004-1246

A05-033 Numerical Study of Turbulent Flows over Launch Vehicle Configurations. Enda Dimitri V. Bigarella, *Instituto Tecnológico de Aeronáutica, Brazil*; and João Luiz F. Azevedo, *Centro Técnico Aeroespacial, Brazil* (42, 2, p. 266) Article based on AIAA Paper 2003-0602

A05-034 Stability of Flexible Spacecraft During a Shallow Aeroassist. Joseph R. Schultz and Darryll J. Pines, *University of Maryland* (42, 2, p. 277) Article

A05-035 Effective Modeling and Nonlinear Shell Analysis of Thin Membranes Exhibiting Structural Wrinkling. Alexander Tessler, David W. Sleight, and John T. Wang, *NASA Langley Research Center* (42, 2, p. 287) Article based on AIAA Paper 2003-1931

A05-036 Self-Pressurization of Large Spherical Cryogenic Tanks in Space. Charles H. Panzarella, *Ohio Aerospace Institute*; and Mohammad Kassemi, *NASA John H. Glenn Research Center at Lewis Field* (42, 2, p. 299) Article

A05-037 Cost-Benefit Analysis of the Aerocapture Mission Set. Jeffery L. Hall, Muriel A. Noca, and Robert W. Bailey, *Jet Propulsion Laboratory, California Institute of Technology* (42, 2, p. 309) Article based on AIAA Paper 2003-4658

A05-038 Orbit Transfer via Tube Jumping in Planar Restricted Problems of Four Bodies. Hideaki Yamato and David B. Spencer, *Pennsylvania State University* (42, 2, p. 321) Article

A05-039 Secondary Discharges on Solar Arrays: Vacuum Arcs Across Adjacent Biased Cells. Emmanuel Amorim, Leon Levy, and Daniel Sarraill, *ONERA, France*; Jean-Pierre Gardou, *University Paul Sabatier, France*; Jean-Luc Meunier, *McGill University, Canada*; Klaus Bogus, *ESA, The Netherlands*; and Serge Vacquie, *University Paul Sabatier, France* (42, 2, p. 329) Article

A05-040 Restoring Redundancy to the Wilkinson Microwave Anisotropy Probe Propulsion System. James R. O'Donnell Jr., Gary T. Davis, and David K. Ward, *NASA Goddard Space Flight Center* (42, 2, p. 336) Article

A05-041 Low-Cost Cold-Gas Reaction Control System for the Slosat FLEVO Small Satellite. Shimshon Adler, Abraham Warshavsky, and Arie Peretz, *RAFAEL Armament Development Authority, Ltd., Israel* (42, 2, p. 345) Article

A05-042 Molecular Dynamics from Remote Observation of CO(a) from Space Shuttle Plumes. William L. Dimpfl and Glenn C. Light, *The Aerospace Corporation*; and Lawrence S. Bernstein, *Spectral Sciences, Inc.* (42, 2, p. 352) Article based on AIAA Paper 2003-6204

A05-043 Experimental Cryogenic Gas Leakage Through Damaged Composite Laminates for Propellant Tank Application. Tomohiro Yokoe, *Japan Aerospace Exploration Agency, Japan*; Takahira Aoki, *University of Tokyo*; and Takashi Ishikawa, *Japan Aerospace Exploration Agency* (42, 2, p. 363) Technical Note

A05-044 Performance of Spread-Spectrum Communication for Satellite-Based Range Services. S. P. Kozaitis, *Florida Institute of Technology* (42, 2, p. 366) Technical Note

A05-045 Multiple Sensors and Actuators for Vibration Suppression of an Inflated Torus. Henry A. Sodano, *Virginia Polytechnic Institute and State University*; Gyuhae Park, *Los Alamos National Laboratory*; and Daniel J. Inman, *Virginia Polytechnic Institute and State University* (42, 2, p. 370) Technical Note based on AIAA Paper 2003-1644

A05-046 Dynamics of Rotating Linear Array Tethered Satellite System. K. D. Kumar and T. Yasaka, *Kyushu University, Japan* (42, 2, p. 373) Technical Note

A05-047 Time-Optimal Three-Dimensional Trajectories for Solar Photon Thruster Spacecraft. Giovanni Mengali and Alessandro A. Quarta, *University of Pisa, Italy* (42, 2, p. 379) Technical Note

A05-048 Vane-Type Suppressor to Prevent Vortexing During Draining from Cylindrical Tanks. B. H. L. Gowda and H. Udhayakumar, *Indian Institute of Technology Madras, India* (42, 2, p. 381) Technical Note

A05-049 Mars Odyssey Navigation Experience. Robert A. Mase, Peter Antreasian, Julia L. Bell, Tomas L. Martin-Mur, and John C. Smith Jr., *Jet Propulsion Laboratory, California Institute of Technology* (42, 3, p. 386) Article

A05-050 2001 Mars Odyssey Orbit Determination During Interplanetary Cruise. P. G. Antreasian, D. T. Baird, J. S. Border, P. D. Burckhart, E. J. Graat, M. K. Jah, R. A. Mase, T. P. McElrath, and B. M. Portock, *Jet Propulsion Laboratory, California Institute of Technology* (42, 3, p. 394) Article

A05-051 2001 Mars Odyssey Aerobraking. John C. Smith and Julia L. Bell, *Jet Propulsion Laboratory, California Institute of Technology* (42, 3, p. 406) Article based on AIAA Paper 2002-4532

A05-052 Aerodynamic Safing Approach for the 2001 Mars Odyssey Spacecraft During Aerobraking. Jim D. Chapel, Mark A. Johnson, Wayne P. Sidney, William H. Willcockson, and Douglas Gulick, *Lockheed Martin Space Systems*; and Jason A. Wynn, *Advanced Solutions, Inc.* (42, 3, p. 416) Article

A05-053 Development and Evaluation of an Operational Aerobraking Strategy for Mars Odyssey. Paul Tartabini, Michelle M. Munk, and Richard W. Powell, *NASA Langley Research Center* (42, 3, p. 423) Article

A05-054 Application of Accelerometer Data to Mars Odyssey Aerobraking and Atmospheric Modeling. R. H. Tolson, *University of Maryland*; A. M. Dwyer and J. L. Hanna, *NASA Langley Research Center*; G. M. Keating, B. E. George, P. E. Escalera, and M. R. Werner, *George Washington University* (42, 3, p. 435) Article

A05-055 Modeling Reaction-Control-System Effects on Mars Odyssey. Jill L. Hanna Prince, *NASA Langley Research Center*; Zachary Q. Chavis, *The George Washington University*; and Richard G. Wilmoth, *NASA Langley Research Center* (42, 3, p. 444) Article based on AIAA Paper 2002-4934

A05-056 Plume Modeling and Application to Mars 2001 Odyssey Aerobraking. Zachary Chavis, *George Washington University and NASA Langley Research Center*; and Richard G. Wilmoth, *NASA Langley Research Center* (42, 3, p. 450) Article

A05-057 Aeroheating Thermal Model Correlation for Mars Global Surveyor Solar Array. Ruth M. Amundsen and John A. Dec, *NASA Langley Research Center*; and Benjamin George, *U.S. Air Force* (42, 3, p. 457) Article based on AIAA Paper 2003-3765

A05-058 Rapid Engineering Approach to Modeling Hypersonic Laminar-To-Turbulent Transitional Flows. J. L. Papp and S. M. Dash, *Combustion Research and Flow Technology, Inc.* (42, 3, p. 467) Article based on AIAA Paper 2002-0155

A05-059 Transpiration Cooling Performance in LOX/Methane Liquid-Fuel Rocket Engines. Andrea Bucchi and Claudio Bruno, *University of Rome "La Sapienza," Italy*; and Alessandro Congiunti, *Avio S.p.a., Italy* (42, 3, p. 476) Article

A05-060 Orbital Debris Effects from Space-Based Ballistic Missile Interception. John L. Remo, *Quantum Resonance Inc.* (42, 3, p. 487) Article

A05-061 Thermal Design of Liquid Droplet Radiator for Space Solar-Power System. Tsuyoshi Totani, Takuya Kodama, Harunori Nagata, and Isao Kudo, *Hokkaido University, Japan* (42, 3, p. 493) Article

A05-062 Cold-Flow Testing of Subscale Model Exhaust System for Space-Based Laser. I. S. Bautista, S. E. Bergren, and M. E. Franke, *Air Force Institute of Technology* (42, 3, p. 500) Article based on AIAA Paper 2003-3754

A05-063 Trajectory and System Analysis for Outer-Planet Solar Electric Propulsion Missions. Byoungsam Woo, Victoria L. Coverstone, and John W. Hartmann, *University of Illinois at Urbana-Champaign*; and Michael Cupples, *Science Applications International Corporation* (42, 3, p. 510) Article

A05-064 Method for Parking-Orbit Reorientation for Human Missions to Mars. Damon F. Landau and James M. Longuski, *Purdue University*; and Paul A. Penzo, *Global Aerospace Corporation* (42, 3, p. 517) Article

A05-065 Multibody Dynamics Modeling of Segmented Booms of the Mars Express Spacecraft. Edward Mettler and Marco B. Quadrelli, *Jet Propulsion Laboratory, California Institute of Technology* (42, 3, p. 523) Article

A05-066 Nutation Time Constant Determination of On-Axis Diaphragm Tanks on Spinner Spacecraft. Marco B. Quadrelli, *Jet Propulsion Laboratory, California Institute of Technology* (42, 3, p. 530) Article

A05-067 Solar Arrays for Direct-Drive Electric Propulsion: Arcing at High Voltages. Todd A. Schneider, *NASA Marshall Space Flight Center*; I. G. Mikellides and G. A. Jongeward, *Science Applications International Corporation*; T. P. Peterson, T. W. Kerslake, D. Snyder, and D. Ferguson, *NASA John H. Glenn Research Center at Lewis Field* (42, 3, p. 543) Article based on AIAA Paper 2003-5017

A05-068 Solar Arrays for Direct-Drive Electric Propulsion: Electron Collection at High Voltages. Ioannis G. Mikellides and Gary A. Jongeward, *Science Applications International Corporation*; T. Schneider, *NASA Marshall Space Flight Center*; T. Peterson, Thomas W. Kerslake, and D. Snyder, *NASA John H. Glenn Research Center at Lewis Field* (42, 3, p. 550) Article based on AIAA Paper 2003-4725

A05-069 Estimating Parameterized Post-Newtonian Parameters from Spacecraft Radiometric Tracking Data. R. S. Park and D. J. Scheeres, *University of Michigan*; G. Giampieri, *Imperial College, England, U.K.*; J. M. Longuski and E. Fischbach, *Purdue University* (42, 3, p. 559) Article

A05-070 Air-Launching Earth to Orbit: Effects of Launch Conditions and Vehicle Aerodynamics. Nesrin Sarigul-Klijn, Marti Sarigul-Klijn, and Christopher Noel, *University of California, Davis* (42, 3, p. 569) Technical Note based on AIAA Paper 2004-872

A05-071 Numerical Simulation of Compressible Separated Turbulent Flows over Inclined Slender Body. Xianming Liu and Song Fu, *Tsinghua University, China (PRC)* (42, 3, p. 572) Technical Note

A05-072 Control of Hypersonic Turbulent Skin Friction by Boundary-Layer Combustion of Hydrogen. R. J. Stalker, *University of Queensland, Australia* (42, 4, p. 577) Article

A05-073 Aerothermodynamic Performance Analysis of Hypersonic Flow on Power Law Leading Edges. Wilson F. N. Santos, *National Institute for Space Research, Brazil*; and Mark J. Lewis, *University of Maryland* (42, 4, p. 588) Article

A05-074 Construction of a Unified Continuum/Kinetic Solver for Aerodynamic Problems. V. I. Kolobov, S. A. Bayyuk, and R. R. Arslanbekov, *CFD Research Corporation*; V. V. Aristov, A. Frolova, and S. Zabelok, *Dorodnicyn Computing Center of the Russian Academy of Sciences, Russia* (42, 4, p. 598) Article

A05-075 Electroactive-Polymer Actuators for Controlling Space Inflatable Structures. Steve Tung and Scott Witherspoon, *University of Arkansas* (42, 4, p. 607) Article

A05-076 Debonding Failure of Sandwich-Composite Cryogenic Fuel Tank with Internal Core Pressure. Edward H. Glaessgen, James R. Reeder, David W. Sleight, John T. Wang, Ivatury S. Raju, and Charles E. Harris, *NASA Langley Research Center* (42, 4, p. 613) Article

A05-077 Fabrication and Operation of Microfabricated Emitters as Components for a Colloid Thruster. John Stark, *University of London, England, U.K.*; Bob Stevens, *Rutherford Appleton Laboratory, England, U.K.*; Matthew Alexander, *University of London, England, U.K.*; and Barry Kent, *Rutherford Appleton Laboratory, England, U.K.* (42, 4, p. 628) Article based on AIAA Paper 2003-4852

A05-078 Fairing Noise Control Using Tube-Shaped Resonators. Steven A. Lane, *U.S. Air Force Research Laboratory*; Robert E. Richard, *Boeing-SVS*; and Scott J. Kennedy, *CSA Engineering* (42, 4, p. 640) Article

A05-079 Through-Thickness Connection of Matrix Cracks in Laminate Composites for Propellant Tank. Tomohiro Yokozeki and Takashi Ishikawa, *Japan Aerospace Exploration Agency, Japan*; and Takahira Aoki, *University of Tokyo, Japan* (42, 4, p. 647) Article based on AIAA Paper 2004-1772

A05-080 Dynamic Design of Octostrut Platform for Launch Stage Whole-Spacecraft Vibration Isolation. L. Liu, L. Liang, G. T. Zheng, and W. H. Huang, *Harbin Institute of Technology, China (PRC)* (42, 4, p. 654) Article

A05-081 Airframe-Propulsion Integration Methodology for Waverider-Derived Hypersonic Cruise Aircraft Design Concepts. Kashif H. Javaid and Varnavas C. Serghides, *Imperial College London, England, U.K.* (42, 4, p. 663) Article based on AIAA Paper 2004-1201

A05-082 Flight Reconstruction of the Mars Pathfinder Disk-Gap-Band Parachute Drag Coefficients. Prasun N. Desai, *NASA Langley Research Center*; John T. Schofield and Michael E. Lisano, *Jet Propulsion Laboratory, California Institute of Technology* (42, 4, p. 672) Article based on AIAA Paper 2003-2126

A05-083 Guidance Strategy for Radially Accelerated Trajectories. Hiroshi Yamakawa, *Japan Aerospace Exploration Agency, Japan* (42, 4, p. 677) Article based on AIAA Paper 03-521

A05-084 Trajectory and Attitude Simulation for Aerocapture and Aerobraking. Mrinal Kumar and Ashish Tewari, *Indian Institute of Technology, India* (42, 4, p. 684) Article

A05-085 Toward a Standard Nomenclature for Earth-Mars Cycler Trajectories. T. T. McConaghy, *Purdue University*; Ryan P. Russell, *University of Texas at Austin*; and James M. Longuski, *Purdue University* (42, 4, p. 694) Article

A05-086 Optimization of a Tetrahedral Satellite Formation. Daniel Chavez Clemente and Ella M. Atkins, *University of Maryland* (42, 4, p. 699) Article

A05-087 Lidar Backscatter Properties of Al_2O_3 Rocket Exhaust Particles. Robert A. Reed and Mitchel K. Nolen, *Jacobs-Sverdrup Corporation*; Michael E. Zolensky, *NASA Johnson Space Center*; Isaac Bankman, John Giles, and Peter Lang, *Johns Hopkins University*; Michael I. Mischenko, *NASA Goddard Institute for Space*; and Martin N. Ross, *The Aerospace Corporation* (42, 4, p. 711) Article

A05-088 Photostability of Reflecting Coatings Based on the ZrO_2 Powders Doped with SrSiO_3 . Mikhail Mikhailov and Aleksey Verevkin, *Tomsk State University of Control Systems and Radio Electronics, Russia* (42, 4, p. 716) Article

A05-089 Operational Workarounds for the Space Station Beta Gimbal Anomaly. Ann M. Delleur, *NASA John H. Glenn Research Center at Lewis Field*; and Timothy W. Propp, *The Boeing Company* (42, 4, p. 721) Article based on AIAA Paper 2003-0758

A05-090 Design and Testing of a Control Moment Gyroscope Cluster for Small Satellites. V. J. Lappas, W. H. Steyn, and C. Underwood, *University of Surrey, England, U.K.* (42, 4, p. 729) Article

A05-091 Number of Arcs Estimated on Solar Array of a Geostationary Satellite. Mengu Cho, *Kyushu Institute of Technology, Japan*; Shirou Kawakita, Masao Nakamura, Masato Takahashi, and Tetsuo Sato, *Japan Aerospace Exploration Agency, Japan*; and Yukishige Nozaki, *NEC Toshiba Space Systems, Ltd., Japan* (42, 4, p. 740) Article

A05-092 Optimal Frequency Configuration for Dual One-Way Ranging Systems. Jeongrae Kim, *Hankuk Aviation University, Republic of Korea*; and Byron D. Tapley, *University of Texas at Austin* (42, 4, p. 749) Article

A05-093 Integrating System-Level and Component-Level Designs Under Uncertainty. Natasha Smith and Sankaran Mahadevan, *Vanderbilt University* (42, 4, p. 752) Article based on AIAA Paper 2003-1655

A05-094 Discharge Frequency Modulation of Pulsed Plasma Thruster. N. Dubey, V. Ravi, and Abhijit Kushari, *Indian Institute of Technology, India* (42, 4, p. 761) Article

A05-095 Engine-Switching Strategies for Interplanetary Solar-Electric-Propulsion Spacecraft. Y. Gao and C. A. Kluever, *University of Missouri-Columbia* (42, 4, p. 765) Technical Note

A05-096 Fluid Structure Interaction on a Generic Body-Flap Model in Hypersonic Flow. Andreas Mack and Roger Schaefer, *DLR, German Aerospace Center, Germany* (42, 5, p. 769) Article

A05-097 Hypersonic Experimental Facility for Magneto-aerodynamic Interactions. J. S. Shang, R. Kimmel, J. Hayes, Charles Tyler, and J. Menart, *U.S. Air Force Research Laboratory* (42, 5, p. 780) Article based on AIAA Paper 2003-0329

A05-098 Stabilization of Blunt Nose Cavity Flows by Using Energy Deposition. Leonid A. Bazyma, *National Aerospace University "Kharkov Aviation Institute," Ukraine*; and Vasyl M. Rashkovan, *National Polytechnic Institute, Mexico* (42, 5, p. 790) Article

A05-099 Material Characterization of Shuttle Thermal Protection System for Impact Analyses. W.-Y. Lu, B. R. Antoun, J. S. Korellis, S. Scheffel, M. Y. Lee, R. D. Hardy, and L. S. Costin, *Sandia National Laboratories* (42, 5, p. 795) Article based on AIAA Paper 2004-945

A05-100 Benefits of Surface Coatings for Impacted Composites for Cryogenic Tankage. Benjamin C. Findley and W. S. Johnson, *Georgia Institute of Technology* (42, 5, p. 804) Article

A05-101 Direct Simulation Monte Carlo Investigation of Hyperthermal Oxygen Beam Exposures. J. A. Cline, *Spectral Sciences, Inc.*; T. K. Minton, *Montana State University*; and M. Braunstein, *Spectral Sciences, Inc.* (42, 5, p. 810) Article based on AIAA Paper 2004-2685

A05-102 Oxidation Behavior of Siliconcarbide-Based Materials by Using New Probe Techniques. G. Herdrich, M. Fertig, S. Löhle, S. Pidan, and M. Auweter-Kurtz, *University of Stuttgart, Germany*; and T. Laux, *DLR, German Aerospace Center, Germany* (42, 5, p. 817) Article based on AIAA Paper 2004-2173

A05-103 Improved Method of Mixed-Boundary Component-Mode Representation for Structural Dynamic Analysis. A. Majed and E. E. Henkel, *Applied Structural Dynamics, Inc.*; and C. Wilson, *MSC Software Corporation* (42, 5, p. 825) Article

A05-104 Thermal Buckling of Metal Foam Sandwich Panels for Convective Thermal Protection Systems. Joseph F. Rakow and Anthony M. Waas, *University of Michigan* (42, 5, p. 832) Article based on AIAA Paper 2004-1710

A05-105 Dynamic Characteristic Prediction of Large Satellite Antennas by Component Tests. Masayoshi Misawa, *Shizuoka University, Japan*; and Kenichi Funamoto, *Sansei Yusou Seiki, Japan* (42, 5, p. 845) Article based on AIAA Paper 2004-1792

A05-106 Dynamic Wrinkle Reduction Strategies for Cable-Suspended Membrane Structures. Hiraku Sakamoto and K. C. Park, *University of Colorado*; and Yasuyuki Miyazaki, *Nihon University, Japan* (42, 5, p. 850) Article based on AIAA Paper 2004-1581

A05-107 Using NASA Standard Breakup Model to Describe Low-Velocity Impacts on Spacecraft. Toshiya Hanada and Tetsuo Yasaka, *Kyushu University, Japan*; Hidehiro Hata, *Kumamoto University, Japan*; and Yasuhiro Akahoshi, *Kyushu Institute of Technology, Japan* (42, 5, p. 859) Article

A05-108 Prediction of the Pitch-Damping Coefficients Using Sacks's Relations. Paul Weinacht and James E. Danberg, *U.S. Army Research Laboratory* (42, 5, p. 865) Article based on AIAA Paper 2003-5467

A05-109 Lateral Motion of Free-Rolling Tail Rockets in Free Flight. Jesús Morote, *National Institute of Aerospace Technology, Spain* (42, 5, p. 873) Article based on AIAA Paper 2004-5056

A05-110 Artificial Gravity and Abort Scenarios via Tethers for Human Missions to Mars. Michael D. Jokic, *University of Queensland, Australia*; and James M. Longuski, *Purdue University* (42, 5, p. 883) Article

A05-111 Trajectory Options for Manned Mars Missions. Brice N. Cassenti, *Pratt and Whitney Aircraft* (42, 5, p. 890) Article based on AIAA Paper 2002-3787

A05-112 Orbit Determination Strategy Using Single-Frequency Global-Positioning-System Data. Yoola Hwang, *Electronics and Telecommunications Research Institute, South Korea*; and George H. Born, *University of Colorado* (42, 5, p. 896) Article based on AIAA Paper AAS-222

A05-113 Tundra Constellation Design and Stationkeeping. Michael J. Bruno, *San Jose State University*; and Henry J. Pernicka, *University of Missouri-Rolla* (42, 5, p. 902) Article

A05-114 Optimal Invariant Spacecraft Formation Deployment with Collision Risk Management. A. Boutonnet and V. Martinot, *Alcatel Space, France*; A. Baranov, *Russian Academy of Sciences, Russia*; and B. Escudier, *Higher National School for Aeronautics and Space, France* (42, 5, p. 913) Article based on AIAA Paper 03-0653

A05-115 Powered Earth-Mars Cypher with Three-Synodic-Period Repeat Time. K. Joseph Chen, T. Troy McConaghy, Damon F. Landau, and James M. Longuski, *Purdue University*; and Buzz Aldrin, *Starcraft Enterprises* (42, 5, p. 921) Article

A05-116 Lessons Learned During Redesign of Shuttle Reaction Control Thruster Pilot Seat Assembly. Jess Waller, Michael Reynolds, and Regor L. Saulsberry, *NASA Johnson Space Center, White Sands Test Facility*; and John Albright, *NASA Johnson Space Center* (42, 5, p. 928) Article based on AIAA Paper 2000-3546

A05-117 Simplified Vibration Model of Solid-Rocket Motor Coupled with Solid Propellant. Yuji Kohsetsu, *Japan Aerospace Exploration Agency, Japan* (42, 5, p. 936) Article based on AIAA Paper 2004-1790

A05-118 Uncertainty Analysis of Propellant Gauging System for Spacecraft. Amit Lal and B. N. Raghunandan, *Indian Institute of Science, India* (42, 5, p. 943) Article

A05-119 Degradation of High-Voltage Solar Array Due to Arcing in Plasma Environment. Kazuhiro Toyoda, *Chiba University, Japan*; Teppei Okumura, Satoshi Hosoda, and Mengu Cho, *Kyushu Institute of Technology, Japan* (42, 5, p. 947) Article

A05-120 Near-Optimal Solar-Sail Orbit-Raising from Low Earth Orbit. Giovanni Mengali and Alessandro A. Quarta, *University of Pisa, Italy* (42, 5, p. 954) Technical Note

A05-121 Navier-Stokes Solutions with Finite Rate Ablation for Planetary Mission Earth Reentries. Yih-Kanq Chen and Frank S. Milos, *NASA Ames Research Center* (42, 6, p. 961) Article based on AIAA Paper 2004-2270

A05-122 Modeling of Mechanical Ablation in Thermal Protection Systems. R. A. Palaninathan, *IIT Madras, India*; and S. Bindu, *TKM College of Engineering, India* (42, 6, p. 971) Article

A05-123 High-Temperature Thermodynamic Properties of Mars-Atmosphere Components. M. Capitelli and G. Colonna, *Istituto di Metodologie Inorganiche e Plasmi, Italy*; D. Giordano and L. Marraffa, *European Space Research and Technology Center, The Netherlands*; A. Casavola, P. D. Minelli, D. Pagano, L. Pietanza, and F. Taccogna, *Università degli Studi di Bari, Italy* (42, 6, p. 980) Article based on AIAA Paper 2004-2378

A05-124 Mars Exploration Rover Transverse Impulse Rocket Cover Thermal Protection System Design Verification. Christine Szalai, Yih-kano Chen, and Mark Loomis, *NASA Ames Research Center*; Benjamin L. Thoma and Stephanie E. Buck, *Jet Propulsion Laboratory, California Institute of Technology* (42, 6, p. 990) Article based on AIAA Paper 2003-3767

A05-125 Hypersonic Shear Layer Stability Experiments. Anatolii A. Maslov, Sergei G. Mironov, and Vladimir M. Aniskin, *Russian Academy of Sciences, Russia* (42, 6, p. 999) Article

A05-126 Aerodynamic Yaw Controller for the Space Shuttle Orbiter. W. I. Scallion, *NASA Langley Research Center* (42, 6, p. 1005) Article

A05-127 Effect of Intake Geometry on Longitudinal Aerodynamics of Airbreathing Vehicles. A. Satyanarayana, *Defence Research and Development Laboratory, India*; S. Santhakumar, *Indian Institute of Technology Madras, India*; S. Panneerselvam, *Defence Research and Development Laboratory, India*; and Sajeer Ahmed, *National Aerospace Laboratories, India* (42, 6, p. 1011) Article

A05-128 Sub-Boundary-Layer Disturbance Effects on Supersonic Base-Pressure Fluctuations. Jonathan R. Janssen, *ATK-Thiokol Propulsion*; and J. Craig Dutton, *University of Texas at Arlington* (42, 6, p. 1017) Article

A05-129 Closed-Loop Trajectory Simulation for Thermal Protection System Design for Neptune Aerocapture. Roman Jits, Michael J. Wright, and Y.-K. Chen, *NASA Ames Research Center* (42, 6, p. 1025) Article

A05-130 Parametric Study of Aerocapture for Missions to Venus. Scott Craig and James Evans Lyne, *University of Tennessee* (42, 6, p. 1035) Article based on AIAA Paper 2002-4730

A05-131 Trajectory Analysis and Staging Trades for Smaller Mars Ascent Vehicles. John C. Whitehead, *Lawrence Livermore National Laboratory* (42, 6, p. 1039) Article based on AIAA Paper 2004-4069

A05-132 Spacecraft Rendezvous on Small Relative Inclination Orbits Using Tethers. Paul Williams, *Royal Melbourne Institute of Technology, Australia* (42, 6, p. 1047) Article based on AIAA Paper 2004-5310

A05-133 Correlation of Double Star Anomalies with Space Environment. Jianwei Han, Jianguo Huang, Zhenxing Liu, and Shijin Wang, *Chinese Academy of Sciences, China (PRC)* (42, 6, p. 1061) Article

A05-134 Effects of Space Environment Factors on Optical Materials. Hai Liu, Geng Hongbin, and Dezhuang Yang, *Harbin Institute of Technology, China (PRC)*; V. V. Abramov, *Kharkov National University, Ukraine*; and Huaiyi Wang, *508 Institute of Space Technology Academy of China, China (PRC)* (42, 6, p. 1066) Article

A05-135 Orbital Evolution of Cloud Particles from Explosions of Geosynchronous Objects. Toshiya Hanada and Tetsuo Yasaka, *Kyushu University, Japan* (42, 6, p. 1070) Article

A05-136 Toolkit for Updating Interplanetary Proton Cumulated Fluence Models. L. Rosenqvist, *ESA, Sweden*; A. Hilgers, H. Evans, and E. Daly, *ESA, The Netherlands*; M. Hapgood and R. Stamper, *CLRC Rutherford Appleton Laboratory, England, U.K.*; R. Zwickl, *National Oceanic and Atmospheric Administration*; S. Bourdarie and D. Boscher, *ONERA, France* (42, 6, p. 1077) Article

A05-137 Development, Design, and Testing of PowerSphere Multifunctional Ultraviolet-Rigidizable Inflatable Structures. Edward J. Simburger, *The Aerospace Corporation*; John K. Lin and Stephen E. Scarborough, *ILC Dover, Inc.*; and Henry B. Curtis, *NASA John H. Glenn Research Center at Lewis Field* (42, 6, p. 1091) Article based on AIAA Paper 2003-1897

A05-138 Zero- and One-g Comparison of Surface Profile in Single-Curved Parabolic Membrane. Christopher G. Meyer and Jack Leifer, *University of Kentucky*; Bernardo C. Lopez, *Jet Propulsion Laboratory, California Institute of Technology*; David C. Jones and Boyd C. Caddell, *University of Kentucky* (42, 6, p. 1101) Article based on AIAA Paper 2004-1736

A05-139 Pendulum Mode Control of Free-Free Launcher Structural Models in Gravity Fields. Sebastiaan Fransen, *ESA, The Netherlands*; Andreas Kreis, *Kreis Consultancies, Switzerland*; and Michel Klein, *ESA, The Netherlands* (42, 6, p. 1109) Article based on AIAA Paper 2004-1791

A05-140 Impact of Subsystem Reliability on Satellite Revenue Generation and Present Value. J. H. Saleh, R. Hassan, J. P. Torres-Padilla, D. E. Hastings, and D. J. Newman, *Massachusetts Institute of Technology* (42, 6, p. 1122) Article

A05-141 Optimal Control Laws for Axially Symmetric Solar Sails. Giovanni Mengali and Alessandro A. Quarta, *University of Pisa, Italy* (42, 6, p. 1130) Technical Note

A05-142 Angular Rate Estimation Using Fixed and Vibrating Triaxial Acceleration Measurements. Mark Costello and Chad Webb, *Oregon State University* (42, 6, p. 1133) Technical Note based on AIAA Paper 2003-5623