

Chronological Index

- A08-121 Aerothermodynamic Testing and Boundary-Layer Trip Sizing of the HiFiRE Flight 1 Vehicle.** Karen T. Berger and Frank A. Greene, *NASA Langley Research Center*; Roger Kimmel, *U.S. Air Force Research Laboratory*; Christopher Alba and Heath Johnson, *University of Minnesota* (**45**, 6, p. 1117) Article based on AIAA Paper 2008-640
- A08-121E Erratum on “Aerothermodynamic Testing and Boundary-Layer Trip Sizing of the HiFiRE Flight 1 Vehicle.”** Karen T. Berger and Frank A. Greene, *NASA Langley Research Center*; Roger Kimmel, *U.S. Air Force Research Laboratory*; Christopher Alba and Heath Johnson, *University of Minnesota* (**46**, 2, p. 473)
- A09-001 Combined Low-Energy Environment Stimulation Test of Geosynchronous Satellite Thermal Control Coatings.** Weiquan Feng, Yigang Ding, Dekui Yan, Xuechao Liu, Wei Wang, and Dongmei Li, *Beijing Institute of Spacecraft Environment Engineering, China (PRC)* (**46**, 1, p. 11) Article
- A09-002 Degradation of Mechanical Properties of Polyimide Film Exposed to Space Environment.** Hiroyuki Shimamura and Ichiro Yamagata, *Japan Aerospace Exploration Agency, Japan* (**46**, 1, p. 15) Article
- A09-003 Passive Space-Environment-Effect Measurement on the International Space Station.** Yugo Kimoto, Keiichi Yano, Junichiro Ishizawa, Eiji Miyazaki, and Ichiro Yamagata, *Japan Aerospace Exploration Agency, Japan* (**46**, 1, p. 22) Article
- A09-004 Results of Space-Environment Exposure of the Flexible Optical Solar Reflector.** Eiji Miyazaki and Ichiro Yamagata, *Japan Aerospace Exploration Agency, Japan* (**46**, 1, p. 28) Article
- A09-005 Contamination Growth Observed on the Micro-Particles Capturer and Space Environment Exposure Device.** Naoko Baba and Yugo Kimoto, *Japan Aerospace Exploration Agency, Japan* (**46**, 1, p. 33) Article
- A09-006 Induced-Contamination Predictions for the Micro-Particle Capturer and Space Environment Exposure Device.** Courtney A. Steagall, Kendall Smith, Carlos Soares, and Ronald Mikatarian, *The Boeing Company*; and Naoko Baba, *Japan Aerospace Exploration Agency, Japan* (**46**, 1, p. 39) Article
- A09-007 Durability of Polymeric Materials in Space: Application of Scanning Thermal Microscopy.** Hartmut R. Fischer, *TNO Science and Technology, The Netherlands*; and Christopher O. Semprimoschnig, *ESA, The Netherlands* (**46**, 1, p. 45) Article
- A09-008 Modal Linear Stability of the Near-Wall Flow on a Hypersonic Forebody.** Marc Ferrier, Ivan Fedioun, Evgeniy Orlik, and Dmitry Davidenko, *Centre National de la Recherche Scientifique, France* (**46**, 1, p. 51) Article based on AIAA Paper 2008-2599
- A09-009 Influence of Shock Waves on Supersonic Film Cooling.** Wei Peng and Pei-Xue Jiang, *Tsinghua University, China (PRC)* (**46**, 1, p. 67) Article
- A09-010 Entry Trajectory and Aeroheating Environment Definition for Capsule-Shaped Vehicles.** Jeffrey S. Robinson and Kathryn E. Wurster, *NASA Langley Research Center*; and Janelle C. Mills, *ViGYAN, Inc.* (**46**, 1, p. 74) Article based on AIAA Paper 2006-7949
- A09-011 Thermal Characterization of Emisshield (TM).** Brandon W. Olson, *University of Oklahoma*; and Harikishin P. Bakhtiani, *Rocketplane-Kistler Inc.* (**46**, 1, p. 87) Article based on AIAA Paper 2007-0417
- A09-012 Visualization of a Capsule Entry Vehicle Reaction-Control System Thruster.** Paul M. Danehy, J A. Inman, G J. Brauckmann, D W. Alderfer, and S B. Jones, *NASA Langley Research Center*; and D P. Patry, *Swales Aerospace* (**46**, 1, p. 93) Article based on AIAA Paper 2006-1532
- A09-013 Assessment of Straight Tapered Geometry Approximations of Raked-Tip Wings.** William B. Blake, *U.S. Air Force Research Laboratory*; and Arik F. Johnson, *University of Maryland* (**46**, 1, p. 103) Article
- A09-014 Normalized Force Coefficients for Satellites with Elongated Shapes.** Eric K. Sutton, *University of Colorado at Boulder* (**46**, 1, p. 112) Article
- A09-015 Orbital Delivery of Small Payloads Using Hypersonic Airbreathing Propulsion.** Michael K. Smart, *University of Queensland, Australia*; and Matthew R. Tetlow, *University of Adelaide, Australia* (**46**, 1, p. 117) Article based on AIAA Paper 2008-8019
- A09-016 Method for Prediction and Optimization of a Stratospheric Balloon Ascent Trajectory.** Gianfranco Morani, Roberto Palumbo, Giovanni Cuciniello, Federico Corrado, and Michelangelo Russo, *Italian Aerospace Research Center, Italy* (**46**, 1, p. 126) Article
- A09-017 Rapid Solar Sail Rendezvous Missions to Asteroid 99942 Apophis.** Giovanni Mengali and Alessandro A. Quarta, *University of Pisa, Italy* (**46**, 1, p. 134) Article
- A09-018 Optimal Geostationary Satellite Collocation Using Relative Orbital Element Corrections.** Igor Beigelman and Pini Gurfil, *Technion—Israel Institute of Technology, Israel* (**46**, 1, p. 141) Article
- A09-019 Genetic-Algorithm Optimization of Liquid-Propellant Missile Systems.** David B. Riddle, *U.S. Army*; Roy J. Hartfield, John E. Burkhalter, and Rhonald M. Jenkins, *Auburn University* (**46**, 1, p. 151) Article based on AIAA Paper 2007-362
- A09-020 Statistical Conjunction Analysis and Modeling of Low-Earth-Orbit Catalogued Objects.** A. K. Anilkumar and D. Sudheer Reddy, *Vikram Sarabhai Space Center, India* (**46**, 1, p. 160) Article
- A09-021 Modeling Regeneration Time and Ground Support Manpower for a Reusable Launch Vehicle.** Alan W. Johnson and Sydney C. Michalski, *Air Force Institute of Technology*; Adam Stiegelmeier, John Pope, and Michael Martindale, *U.S. Air Force* (**46**, 1, p. 168) Article based on AIAA Paper 2006-7230
- A09-022 Toroidal Magnetic Spacecraft Shield Used to Deflect Energetic Charged Particles.** Simon G. Shepherd, *Dartmouth College*; and John P. Shepherd, *University of Wisconsin* (**46**, 1, p. 177) Article
- A09-023 Experimental Investigation of a Passive Deployable/Stowable Radiator.** Hosei Nagano, Akira Ohnishi, and Ken Higuchi, *Japan Aerospace Exploration Agency, Japan*; and Yuji Nagasaka, *Keio University, Japan* (**46**, 1, p. 185) Article based on AIAA Paper 2007-1215
- A09-024 Uncertainty Analysis of a Large-Scale Satellite Finite Element Model.** Gerhart I. Schuëller, *University of Innsbruck, Austria*; Adriano Calvi, *ESA, The Netherlands*; Manuel F. Pellissetti and Helmut J. Pradlwarter, *University of Innsbruck, Austria*; Sebastiaan H. Franssen, *ESA, The Netherlands*; and Andreas Kreis, *Andreas Kreis Consultancies, Switzerland* (**46**, 1, p. 191) Article
- A09-025 Stiffening and Mechanical Load Effects on Thermal Buckling of Stiffened Cylindrical Shells.** Theodore F. Johnson and Michael F. Card, *NASA Langley Research Center* (**46**, 1, p. 203) Article based on AIAA Paper 1995-1317
- A09-026 Characterization of Low Density Open-Cell Foams for Space Inflatable Applications.** Grazia Bitetti, Sandro Miletì, and Mario Marchetti, *University of Rome “La Sapienza,” Italy* (**46**, 1, p. 210) Article

- A09-027 High-Performance Nanoadhesive Bonding of Space-Durable Polymer and Its Performance Under Space Environments.** Shantanu Bhowmik, Rinze Benedictus, and Hans Poulis, *Delft University of Technology, The Netherlands*; Hugues Bonin and Van T. Bui, *Royal Military College of Canada, Canada* (46, 1, p. 218) Article based on AIAA Paper 2007-0094
- A09-028 Atomic Oxygen Concentrators for Material Exposure Acceleration Tests in Low Earth Orbit.** Masahito Tagawa, Hiroaki Doi, and Kumiko Yokota, *Kobe University, Japan* (46, 2, p. 226) Article
- A09-029 Composite Materials Behavior Under Hypervelocity Debris Impact.** Sari Katz, Eitan Grossman, Irina Gouzman, and Michael Murat, *Soreq Nuclear Research Center, Israel*; Erica Wiesel and Hanoch D. Wagner, *Weizmann Institute of Science, Israel* (46, 2, p. 230) Article
- A09-030 Contamination Produced by Vacuum Outgassing of Kapton Acrylic Adhesive Tape.** Alexander Laikhtman, Irina Gouzman, Ronen Verker, and Eitan Grossman, *Soreq Nuclear Research Center, Israel* (46, 2, p. 236) Article
- A09-031 Investigations into Synergistic Effects of Atomic Oxygen and Vacuum Ultraviolet.** Hiroyuki Shimamura and Eiji Miyazaki, *Japan Aerospace Exploration Agency, Japan* (46, 2, p. 241) Article
- A09-032 Environmental Testing of Thermal Control Materials at Elevated Temperature and Intense Ultraviolet Radiation.** Stan Heltzel, Christopher Semprimoschnig, and Marc v. Eesbeek, *ESA, The Netherlands* (46, 2, p. 248) Article
- A09-033 Novel Sensor for Fast Heat Flux Measurements.** Tim Roediger and Helmut Knauss, *University of Stuttgart, Germany*; Dmitry Bountin, Boris Smorodsky, and Anatoli Maslov, *Russian Academy of Sciences, Russia*; and Julio Srulijes, *French-German Research Institute of Saint-Louis, France* (46, 2, p. 255) Article based on AIAA Paper 2006-3637
- A09-034 Hypersonic Instability Waves Measured Using Fast-Response Heat-Flux Gauges.** Tim Roediger and Helmut Knauss, *University of Stuttgart, Germany*; Boris V. Smorodsky, *Russian Academy of Sciences, Russia*; Malte Estorf, *Technical University of Brunswick, Germany*; and Steven P. Schneider, *Purdue University* (46, 2, p. 266) Article based on AIAA Paper 2008-638
- A09-035 Experimental Verification of Heat-Flux Mitigation by Electromagnetic Fields in Partially-Ionized-Argon Flows.** Ali Gülhan, Burkard Esser, Uwe Koch, Frank Siebe, and Johannes Riehmer, *DLR, German Aerospace Center, Germany*; Domenico Giordano, *European Space Research and Technology Center, The Netherlands*; and Detlev Konigorski, *EADS Astrium, Germany* (46, 2, p. 274) Article
- A09-036 Heating Augmentation for Short Hypersonic Protuberances.** Alireza Mazaheri, *Analytical Mechanics Associates, Inc./NASA Langley Research Center*; and William A. Wood, *NASA Langley Research Center* (46, 2, p. 284) Article based on AIAA Paper 2008-4255
- A09-037 Autonomous Aerobraking Using Thermal Response Surface Analysis.** Jill L. Prince and John A. Dec, *NASA Langley Research Center*; and Robert H. Tolson, *North Carolina State University* (46, 2, p. 292) Article based on AIAA Paper 2007-861
- A09-038 Entry Trajectory Model with Thermomechanical Breakup.** Ashish Tewari, *Indian Institute of Technology, India* (46, 2, p. 299) Article
- A09-039 Experimental and Numerical Investigations of Flow Confined in a Vertical Missile Launcher.** Frédéric Sourgen, Jacques Haertig, and Christian Rey, *French-German Research Institute of Saint-Louis, France*; Denis Baudin and Nicolas Getin, *MBDA France, France* (46, 2, p. 307) Article
- A09-040 Interaction of a Fin Trailing Vortex with a Downstream Control Surface.** Steven J. Beresh, Justin A. Smith, John F. Henfling, Thomas W. Grasser, and Russell W. Spillers, *Sandia National Laboratories* (46, 2, p. 318) Article based on AIAA Paper 2008-0342
- A09-041 Bluntness Impact on Lift-to-Drag Ratio of Hypersonic Wedge Flow.** Wilson Santos, *National Institute for Space Research, Brazil* (46, 2, p. 329) Article based on AIAA Paper 2007-0615
- A09-042 Supersonic Inflatable Aerodynamic Decelerators for Use On Future Robotic Missions to Mars.** Ian G. Clark, Allison L. Hutchings, Christopher L. Tanner, and Robert D. Braun, *Georgia Institute of Technology* (46, 2, p. 340) Article
- A09-043 Saturn Impact Trajectories for Cassini End-of-Mission.** Chit Hong Yam, *European Space Research and Technology Center*; Diane Craig Davis, James M. Longuski, and Kathleen C. Howell, *Purdue University*; and Brent Buffington, *Jet Propulsion Laboratory, California Institute of Technology* (46, 2, p. 353) Article
- A09-044 Hybrid Evolutionary Algorithm for the Optimization of Interplanetary Trajectories.** Matteo Rosa Sentinella and Lorenzo Casalino, *Politecnico di Torino, Italy* (46, 2, p. 365) Article
- A09-045 Optimizing Multiple-Flyby Orbits for Increasing the Resolution of Space Telescopes.** Dmitry M. Pisarevsky and Pini Gurfil, *Technion—Israel Institute of Technology, Israel* (46, 2, p. 373) Article
- A09-046 Practical Systems Design for an Earth-Magnetotail-Monitoring Solar Sail Mission.** Vaios Lappas, *University of Surrey, Great Britain*; Giovanni Mengali and Alessandro Quarta, *University of Pisa, Italy*; Jesus Gil-Fernandez, *GMV, GmbH, Spain*; Tilo Schmidt, *HTS, GmbH, Germany*; and Bong Wie, *Iowa State University* (46, 2, p. 381) Article
- A09-047 Deployment Analysis of the Lenticular Jointed Antennas Onboard the Mars Express Spacecraft.** Mehran Mobrem, *Northrop Grumman Space Technology Astro Aerospace*; and Douglas Adams, *Jet Propulsion Laboratory, California Institute of Technology* (46, 2, p. 394) Article based on AIAA Paper 2006-1683
- A09-048 Lenticular Jointed Antenna Deployment Anomaly and Resolution Onboard the Mars Express Spacecraft.** Mehran Mobrem, *Northrop Grumman Space Technology Astro Aerospace*; and Douglas Adams, *Jet Propulsion Laboratory, California Institute of Technology* (46, 2, p. 403) Article based on AIAA Paper 2006-1684
- A09-049 Application of an Elongated Kelvin Model to Space Shuttle Foams.** Roy M. Sullivan, Louis J. Ghosn, and Bradley A. Lerch, *NASA John H. Glenn Research Center at Lewis Field* (46, 2, p. 411) Article based on AIAA Paper 2008-1786
- A09-050 Analysis of Human Lunar Outpost Strategies and Architectures.** Wilfried K. Hofstetter, Paul D. Wooster, and Edward F. Crawley, *Massachusetts Institute of Technology* (46, 2, p. 419) Article based on AIAA Paper 2007-6276
- A09-051 Incorporating Safety in Early System Architecture Trade Studies.** Nancy G. Leveson and Nicholas Dulac, *Massachusetts Institute of Technology* (46, 2, p. 430) Article
- A09-052 Statistical Number of Primary Discharges Required for Solar Array Secondary-Arc Tests.** Mengu Cho, Tomoki Kitamura, Takayuki Ose, Hirokazu Masui, and Kazuhiro Toyoda, *Kyushu Institute of Technology, Japan* (46, 2, p. 438) Article based on AIAA Paper 2008-455
- A09-053 Launch and Deployment Analysis for a Small, Medium Earth Orbit, Technology-Demonstration Satellite.** Stephen A. Whitmore and Tyson Smith, *Utah State University* (46, 2, p. 449) Article based on AIAA Paper 2008-1131
- A09-054 Analytical Model for Cryogenic Stratification in a Rotating and Reduced-Gravity Environment.** Justin M. Oliveira and Daniel R. Kirk, *Florida Institute of Technology*; and Paul Schallhorn, *NASA Kennedy Space Center* (46, 2, p. 459) Article based on AIAA Paper 2006-5059
- A09-055 Reconfigurable Spacecraft as Kinematic Mechanisms Based on Flux-Pinning Interactions.** Joseph Shoer and Mason Peck, *Cornell University* (46, 2, p. 466) Technical Note

A09-056 Satellite Miniaturization Techniques for Space Sensor Networks. David J. Barnhart, Tanya Vladimirova, and Martin N. Sweeting, *University of Surrey, Great Britain* (**46**, 2, p. 469) Technical Note

A09-057 Influence of Ablation on Radiative Heating for Earth Entry. Christopher O. Johnston and Peter A. Gnoffo, *NASA Langley Research Center*; and Kenneth Sutton, *National Institute of Aerospace* (**46**, 3, p. 481) Article based on AIAA Paper 2008-4107

A09-058 Coupled Analysis of Flow and Surface Ablation in Carbon-Carbon Rocket Nozzles. Daniele Bianchi, Francesco Nasuti, and Emanuele Martelli, *University of Rome "La Sapienza," Italy* (**46**, 3, p. 492) Article based on AIAA Paper 2008-3912

A09-059 Comparison of Materials for an Integrated Thermal Protection System for Spacecraft Reentry. Christian Gogu, Satish K. Bapanapalli, Raphael T. Haftka, and Bhavani V. Sankar, *University of Florida* (**46**, 3, p. 501) Article based on AIAA Paper 2007-1860

A09-060 Effective Thermal/Mechanical Properties of Honeycomb Core Panels for Hot Structure Applications. Javad Fatemi, *Dutch Space, The Netherlands*; and Martin Lemmen, *Netherlands Organization for Applied Scientific Research, The Netherlands* (**46**, 3, p. 514) Article based on AIAA Paper 2006-8121

A09-061 Kinetics and Thermophysical Properties of Polymer Nanocomposites for Solid Rocket Motor Insulation. D.W. K. Ho, Joseph H. Koo, and Ofodike Ezekoye, *University of Texas at Austin* (**46**, 3, p. 526) Article

A09-062 Supersonic/Hypersonic Laminar Heating Correlations for Rectangular and Impact-Induced Open and Closed Cavities. Joel L. Everhart, *NASA Langley Research Center* (**46**, 3, p. 545) Article based on AIAA Paper 2008-1283

A09-063 Effect of a Rearward-Facing Step on Plasma Ignition in Supersonic Flow. Junya Watanabe, Naoyuki Abe, and Kenichi Takita, *Tohoku University, Japan* (**46**, 3, p. 561) Article

A09-064 Numerical Study of Plasma-Assisted Aerodynamic Control for Hypersonic Vehicles. Nicholas J. Bisek and Iain D. Boyd, *University of Michigan*; and Jonathan Poggie, *U.S. Air Force Research Laboratory* (**46**, 3, p. 568) Article based on AIAA Paper 2008-4226

A09-065 Investigation of Missile-Shaped Body with Forward-Facing Cavity at Mach 8. Saravanan Selvaraj, Jagadeesh Gopalan, and K.P.J. Reddy, *Indian Institute of Science, India* (**46**, 3, p. 577) Article

A09-066 Optimal Aft End Distorted Fin Model Using Response Surface Method. Se-Yoon Oh, *Agency for Defense Development, ROK*; and Seung O. Park, *Korea Advanced Institute of Science and Technologies, ROK* (**46**, 3, p. 592) Article

A09-067 Ground Effects for Widely Spaced, Supersonic, Vertical Retrorockets. Richard E. Wirz, *University of California, Los Angeles*; and Shaun S. Shariff, *Metacomp Technologies Inc.* (**46**, 3, p. 599) Article based on AIAA Paper 2007-5758

A09-068 Flare-Type Membrane Aeroshell Flight Test at Free Drop from a Balloon. Kazuhiko Yamada, Daisuke Akita, Eiji Sato, and Kojiro Suzuki, *University of Tokyo, Japan*; Tomohiro Narumi, *Kyushu University, Japan*; and Takashi Abe, *Japan Aerospace Exploration Agency, Japan* (**46**, 3, p. 606) Article

A09-069 PRISMA: An In-Orbit Test Bed for Guidance, Navigation, and Control Experiments. Per Bodin, Robin Larsson, Fredrik Nilsson, Camille Chasset, Ron Noteborn, and Matti Nylund, *Swedish Space Corporation, Sweden* (**46**, 3, p. 615) Article based on AIAA Paper 2008-6662

A09-070 Demonstration of a Wire Suspension for Wind-Tunnel Virtual Flight Testing. John C. Magill, Paolo Cataldi, Joseph R. Morency, and Daniel X. Hammer, *Physical Sciences, Inc.*; Riley Burgess and Edward Jeter, *Naval Air Warfare Center* (**46**, 3, p. 624) Article

A09-071 Science Operations Planning Optimization for Spacecraft Formation Flying Maneuvers. Ross Burgon and Peter Roberts, *Cranfield University, Great Britain*; Jennifer Roberts, *Aon Space, Great Britain*; and Finn Ankersen, *ESA, The Netherlands* (**46**, 3, p. 634) Article

A09-072 Asteroid Diversion Using Long Tether and Ballast. David B. French and Andre P. Mazzoleni, *North Carolina State University* (**46**, 3, p. 645) Article

A09-073 Effects of Self-Shadowing on Nonconservative Force Modeling for Mars-Orbiting Spacecraft. Erwan Mazarico and Maria T. Zuber, *Massachusetts Institute of Technology*; Frank G. Lemoine and David E. Smith, *NASA Goddard Space Flight Center* (**46**, 3, p. 662) Article based on AIAA Paper 2008-7201

A09-074 Solar Sail Formation Flying for Deep-Space Remote Sensing. James D. Biggs and Colin McInnes, *University of Strathclyde, Great Britain* (**46**, 3, p. 670) Article

A09-075 Analysis of Space Shuttle Primary Reaction-Control Engine-Exhaust Transients. Benjamin D. Hester, Yu-hui Chiu, and Jeremy R. Winick, *U.S. Air Force Research Laboratory*; Rainer A. Dressler, Lawrence S. Bernstein, and Matthew Braunstein, *Spectral Sciences, Inc.*; and Paul F. Sydney, *Pacific Defense Solutions* (**46**, 3, p. 679) Article

A09-076 Influence of Power Supplies on the Secondary Arc Test of Solar Arrays. Teppei Okumura, Kazuhiro Toyoda, and Mengu Cho, *Kyushu Institute of Technology, Japan*; Andreas Kroier and Erich Leitgeb, *Graz University of Technology, Austria* (**46**, 3, p. 689) Article

A09-077 Environmental Effects on Solar Array Electrostatic Discharge Current Waveforms and Test Results. Teppei Okumura, Hirokazu Masui, Kazuhiro Toyoda, and Mengu Cho, *Kyushu Institute of Technology, Japan*; Kumi Nitta and Mitsuru Imaizumi, *Japan Aerospace Exploration Agency, Japan* (**46**, 3, p. 697) Article

A09-078 Measurement Interpolation Methods for Dual One-Way Ranging Systems. Jeongrae Kim, *Korea Aerospace University, ROK*; and Young Jae Lee, *Konkuk University, ROK* (**46**, 3, p. 706) Article

A09-079 New Radiation Dose Model for Geostationary Orbit. Ravinarayana Bhat, *Indian Space Research Organisation, India* (**46**, 3, p. 712) Article

A09-080 Mitigation Method of Spacecraft Momentum by Solar Radiation Pressure. Seongkyun Jeong, Sanguk Lee, Hae-yeon Kim, and Jae-Hoon Kim, *Electronics and Telecommunications Research Institute, ROK* (**46**, 3, p. 716) Technical Note

A09-081 Stationkeeping of Geosynchronous Spacecraft Using a Hybrid Orbit Propagator and Optimization Technique. Tae Soo No, *Chonbuk National University, ROK*; Okchul Jung and S.-C. Lee, *Korea Aerospace Research Institute, ROK* (**46**, 3, p. 719) Technical Note based on AIAA Paper 2006-5331

A09-082 Genetic Design of Target Orbits for a Temporary Reconnaissance Mission. Hae-Dong Kim, *Korea Aerospace Research Institute, ROK*; Hyochong Bang, *Korea Advanced Institute of Science and Technology, ROK*; and Ok-Chul Jung, *Korea Aerospace Research Institute, ROK* (**46**, 3, p. 725) Technical Note

A09-083 Photometric Detection of Known Sun-Occcluding Satellites. Brian Poller and Robert D. Culp, *University of Colorado* (**46**, 3, p. 728) Technical Note

A09-084 Aerospace Materials Property Database (TPSX). Thomas H. Squire and Frank S. Milos, *NASA Ames Research Center*; and George C. Hartlieb, *ELORET Corporation* (**46**, 3, p. 733) Technical Note

A09-085 Geometry of Fan Beam Albedo Measurements on Spin-Stabilized Satellites. Luc Fraiture, *Germany* (**46**, 4, p. 737) History of Key Technologies

- A09-086 Hypersonic Turbulent Flow Simulation of Fire II Reentry Vehicle Afterbody.** D. Siva K. Reddy and Krishnendu Sinha, *Indian Institute of Technology Bombay, India* (46, 4, p. 745) Article based on AIAA Paper 2007-805
- A09-087 Aerothermodynamic Testing of the Crew Exploration Vehicle at Mach 6 and Mach 10.** Karen T. Berger, *NASA Langley Research Center* (46, 4, p. 758) Article based on AIAA Paper 2008-1225
- A09-088 Aeroheating Testing and Predictions for Project Orion Crew Exploration Vehicle.** Brian R. Hollis, Karen T. Berger, and Thomas J. Horvath, *NASA Langley Research Center*; Joseph J. Coblish and Joseph D. Norris, *Arnold Engineering Development Center*; Randolph P. Lillard, *NASA Lyndon B. Johnson Space Center*; and Benjamin S. Kirk, *NASA Johnson Space Center* (46, 4, p. 766) Article based on AIAA Paper 2008-1226
- A09-089 Hypersonic Low-Density Aerothermodynamics of Orion-Like Exploration Vehicle.** Raffaele Votta, Antonio Schettino, Giuliano Ranuzzi, and Salvatore F. Borrelli, *Italian Aerospace Research Center, Italy* (46, 4, p. 781) Article
- A09-090 Preliminary Design of Vertical Takeoff Hopper Concept of Future Launchers Preparatory Program.** Giuseppe Pezzella, *Centro Italiano Ricerche Aerospaziali, Italy*; Marco Marini and Pietro Roncioni, *Italian Aerospace Research Center, Italy*; Jens Kauffmann, *ESA, France*; and Carlo Tomatis, *Next Generation Launcher Prime, Italy* (46, 4, p. 788) Article
- A09-091 Postflight Analysis of Inflatable Reentry and Descent Technology Blackout During Earth Reentry.** Philippe Reynier, *Ingenierie et Systemes Avances, France*; and David Evans, *Fluid Gravity Engineering, Great Britain* (46, 4, p. 800) Article based on AIAA Paper 2008-3894
- A09-092 Thermal Analysis of Radiometer Onboard a Geostationary Satellite.** Zhenyu Liu and Huier Cheng, *Shanghai Jiaotong University, China (PRC)*; and Jingliang Sun, *Shanghai Academe of Spaceflight Technology, China (PRC)* (46, 4, p. 810) Article
- A09-093 Virtual Air Data System Architecture for Space Reentry Applications.** Francesco Nebula, Roberto Palumbo, Gianfranco Morani, and Federico Corraro, *Italian Aerospace Research Center, Italy* (46, 4, p. 818) Article based on AIAA Paper 2008-6995
- A09-094 Dynamic Simulations of Atmospheric-Entry Capsules.** Scott M. Murman, *NASA Ames Research Center* (46, 4, p. 829) Article based on AIAA Paper 2008-6911
- A09-095 Transfer Trajectories Design for a Variable Lightness Solarcraft.** Shengping Gong, Junfeng Li, and Hexi Baoyin, *Tsinghua University, China (PRC)* (46, 4, p. 836) Article
- A09-096 Above the Horizon Satellite Coverage with Dual-Altitude Band Constraints.** Belinda G. Marchand, *University of Texas at Austin*; and Christopher J. Kobel, *The Aerospace Corporation* (46, 4, p. 845) Article
- A09-097 Landing Point Designation Algorithm for Lunar Landing.** Babak E. Cohanin and Brian K. Collins, *Charles Stark Draper Laboratory* (46, 4, p. 858) Article based on AIAA Paper 2008-6818
- A09-098 Autonomous Midcourse Navigation for Lunar Return.** Renato Zanetti, *Charles Stark Draper Laboratory, Inc.* (46, 4, p. 865) Article based on AIAA Paper 2008-6758
- A09-099 Saturn Escape Options for Cassini Encore Missions.** Kevin W. Kloster, Chit Hong Yam, and James M. Longuski, *Purdue University* (46, 4, p. 874) Article based on AIAA Paper 2008-6753
- A09-100 Space-Based Global Weather Monitoring System: FORMOSAT-3/COSMIC Constellation and Its Follow-On Mission.** Chen-Joe Fong, *National Chiao Tung University, Taiwan (ROC)*; Nick L. Yen, Vicky Chu, and Chun-Chieh Hsiao, *National Space Organization, Taiwan (ROC)*; Yui-An Liou, *National Central University, Taiwan (ROC)*; and Sien Chi, *National Chiao Tung University, Taiwan (ROC)* (46, 4, p. 883) Article
- A09-101 Procedure for Optimization of Truss Space Structures with Fixed Minimum Vibration Frequency.** Silvano Tizzi, *University of Rome "La Sapienza," Italy* (46, 4, p. 892) Article
- A09-102 Robust Design Optimization by First Design Method.** Guillaume Chemla and Louis Jezequel, *Ecole Centrale de Lyon, France*; and Bernard Troclet, *EADS Astrium Space Transportation, France* (46, 4, p. 900) Article
- A09-103 Reliability Improvement of a Solid Rocket Motor in Early Design Phases.** Kenan Bozkaya, *Scientific & Technological Research Council of Turkey, Turkey*; Metin Akkok and Alp Esin, *Middle East Technical University, Turkey* (46, 4, p. 914) Article
- A09-104 Constitutive Properties of Silicone-Impregnated Reusable Ceramic Ablator in Compression: Poisson's Ratios.** Mike H. Gray, *Occidental College*; Lev Kurbanyan and Frederick Milstein, *University of California, Santa Barbara* (46, 4, p. 923) Technical Note
- A09-105 Survey of Supersonic Retropropulsion Technology for Mars Entry, Descent, and Landing.** Ashley M. Korzun and Robert D. Braun, *Georgia Institute of Technology*; and Juan R. Cruz, *NASA Langley Research Center* (46, 5, p. 929) Survey Paper
- A09-106 Improved Method for the Estimation of Spacecraft Free-Molecular Aerodynamic Properties.** John D. Fuller and Robert H. Tolson, *North Carolina State University* (46, 5, p. 938) Article
- A09-107 Numerical Study on Choked Flow over Grid-Fin Configurations.** Jinsheng Cai, *Northwest Polytechnical University, China (PRC)* (46, 5, p. 949) Article
- A09-108 Multi-Objective Hypersonic Entry Aeroshell Shape Optimization.** John E. Theisinger and Robert D. Braun, *Georgia Institute of Technology* (46, 5, p. 957) Article based on AIAA Paper 2008-5873
- A09-109 Capabilities of Furlable Solar Sails for Asteroid Proximity Operations.** Trevor Williams, *University of Cincinnati*; and Matthew Abate, *Orbital Sciences Corporation* (46, 5, p. 967) Article
- A09-110 Predicting the Perforation Response of Honeycomb Sandwich Panels Using Ballistic Limit Equations.** William P. Schonberg, *Missouri University of Science and Technology*; Frank Schaefer and Robin Putzar, *Fraunhofer Institute for High-Speed Dynamics, Germany* (46, 5, p. 976) Article
- A09-111 Spacecraft Radiation Shielding Using Ultralightweight Superconducting Magnets.** Erwan A. Kervendal and Daniel R. Kirk, *Florida Institute of Technology*; and Reiner B. Meinke, *Advanced Magnet Laboratory, Inc.* (46, 5, p. 982) Article based on AIAA Paper 2007-0497
- A09-112 Plasma Actuation for the Control of a Supersonic Projectile.** Patrick Gnemmi and Christian Rey, *French-German Research Institute of Saint-Louis, France* (46, 5, p. 989) Article based on AIAA Paper 2008-6885
- A09-113 Electrostatic Discharge Test on Cu (In, Ga) Se₂ Solar Cell Array.** Teppei Okumura, Kazuhiro Toyoda, and Mengu Cho, *Kyushu Institute of Technology, Japan*; Shirou Kawakita and Mitsuru Imaizumi, *Japan Aerospace Exploration Agency, Japan* (46, 5, p. 999) Article
- A09-114 Pointing-Stability Performance of the Cassini Spacecraft.** Emily B. Pilinski and Allan Y. Lee, *Jet Propulsion Laboratory, California Institute of Technology* (46, 5, p. 1007) Article based on AIAA Paper 2008-6810
- A09-115 Flyby Error Analysis Based on Contour Plots for Cassini Tour.** P. W. Stumpf, E. M. Gist, T. D. Goodson, Y. Hahn, S. V. Wagner, and P. N. Williams, *Jet Propulsion Laboratory, California Institute of Technology* (46, 5, p. 1016) Article based on AIAA Paper 2008-6749
- A09-116 Review of Options for Autonomous Cislunar Navigation.** John A. Christian and E. Glenn Lightsey, *University of Texas at Austin* (46, 5, p. 1023) Article based on AIAA Paper 2008-7265

A09-117 Matrix Modeling Methods for Spaceflight Campaign Logistics Analysis. Afreen Siddiqi and Olivier L. de Weck, *Massachusetts Institute of Technology*; Gene Y. Lee, *Jet Propulsion Laboratory, California Institute of Technology*; and Sarah A. Shull, *NASA Johnson Space Center* (**46**, 5, p. 1037) Article based on AIAA Paper 2008-7749

A09-118 Metrics for Evaluating Survivability in Dynamic Multi-Attribute Tradespace Exploration. Matthew G. Richards, Adam M. Ross, Nirav B. Shah, and Daniel E. Hastings, *Massachusetts Institute of Technology* (**46**, 5, p. 1049) Article based on AIAA Paper 2008-7882

A09-119 Satellite Reliability: Statistical Data Analysis and Modeling. Jean-Francois Castet and Joseph H. Saleh, *Georgia Institute of Technology* (**46**, 5, p. 1065) Article

A09-120 Stochastic Analysis of Constellation Performance and Mass Margins. Brian K. Muirhead, Robert Shishko, and George Fox, *Jet Propulsion Laboratory, California Institute of Technology* (**46**, 5, p. 1077) Article

A09-124 Two-Dimensional Ablation, Thermal Response, and Sizing Program for Pyrolyzing Ablators. F. S. Milos and Y.-K. Chen, *NASA Ames Research Center* (**46**, 6, p. 1089) Article based on AIAA Paper 2008-1223

A09-125 Experimental Results for Communications Blackout Amelioration Using Crossed Electric and Magnetic Fields. Kristina M. Lemmer, Alec D. Gallimore, and Timothy B. Smith, *University of Michigan*; Christopher N. Davis and Peter Peterson, *ElectroDynamic Applications, Inc.* (**46**, 6, p. 1100) Article

A09-126 Computational Assessment of Thermal Protection System Damage Experienced During STS-118. Grant E. Palmer, *ELORET Corporation*; Maria Pulsonetti, William A. Wood, Steve Alter, and Peter Gnoffo, *NASA Langley Research Center*; and Chun Tang, *NASA Ames Research Center* (**46**, 6, p. 1110) Article based on AIAA Paper 2008-4246

A09-127 Influence of Asymmetric Transition Conditions on a Slender-Body Flight Vehicle. Seol Lim, *Yeungnam University, ROK*; Sang Dug Kim, *UNISON Company, Ltd., ROK*; and Dong Joo Song, *Yeungnam University, ROK* (**46**, 6, p. 1117) Article based on AIAA Paper 2008-4071

A09-128 Collisionless Gas Flows over a Cylindrical or Spherical Object. Chunpei Cai, Khaleel R. Khasawneh, Hongli Liu, and Mingjun Wei, *New Mexico State University* (**46**, 6, p. 1124) Article based on AIAA Paper 2009-3603

A09-129 Shock/Boundary-Layer Interaction Effects on Transverse Jets in Crossflow over a Flat Plate. Dean A. Dickmann, *Lockheed Martin Missiles and Fire Control*; and Frank K. Lu, *University of Texas at Arlington* (**46**, 6, p. 1132) Article based on AIAA Paper 2008-3723

A09-130 Navier-Stokes Predictions of Dynamic Stability Derivatives: Evaluation of Steady-State Methods. James DeSpirito, Sidra I. Silton, and Paul Weinacht, *U.S. Army Research Laboratory* (**46**, 6, p. 1142) Article based on AIAA Paper 2008-214

A09-131 Supersonic Performance of Disk-Gap-Band Parachutes Constrained to a 0-Degree Trim Angle. Anita Sengupta, *Jet Propulsion Laboratory, California Institute of Technology*; Richard Kelsch, James Roeder, and Mark P. Wernet, *NASA John H. Glenn Research Center at Lewis Field*; Allen Witkowski and Mike Kandis, *Pioneer Aerospace Corporation* (**46**, 6, p. 1155) Article based on AIAA Paper 2008-6217

A09-132 Suppression of High Mach Number Rocket Jet Noise by Water Injection. S. Sankaran, Jopaul K. Ignatius, R. Ramkumar, and T. N. V. Satyanarayana, *Indian Space Research Organization, India*; Satyanarayanan R. Chakravarthy and N. R. Panchapakesan, *Indian Institute of Technology Madras, India* (**46**, 6, p. 1164) Article

A09-133 Experiment on Drag Enhancement for a Blunt Body with Electrodynamic Heat Shield. Masaaki Kawamura, *University of Tokyo, Japan*; Atsushi Matsuda and Hiroshi Katsurayama, *Japan Aerospace Exploration Agency, Japan*; Hirotaka Otsu, *Shizuoka University, Japan*; Detlev Konigorski, *EADS Space Transportation, GmbH, Germany*; Shunichi Sato and Takashi Abe, *Japan Aerospace Exploration Agency, Japan* (**46**, 6, p. 1171) Article based on AIAA Paper 2007-3889

A09-134 Star-Body Waveriders with Multiple Design Mach Numbers. Stephen Corda, *University of Tennessee Space Institute* (**46**, 6, p. 1178) Article

A09-135 Empirical and Computational Performance Prediction for Monopropellant Hydrazine Thruster Employed for Satellite. Dong In Han, *Korea Advanced Institute of Science and Technology, ROK*; Cho Young Han, *Korea Aerospace Research Institute, ROK*; and Hyun Dong Shin, *Korea Advanced Institute of Science and Technology, ROK* (**46**, 6, p. 1186) Article

A09-136 Phoenix Landing Site Hazard Assessment and Selection. David A. Spencer, Douglas S. Adams, Eugene Bonfiglio, and Matthew Golombek, *California Institute of Technology*; Raymond Arvidson, *Washington University*; and Kim Seelos, *Johns Hopkins University* (**46**, 6, p. 1196) Article

A09-137 Flight Testing of Multiple Spacecraft Control on SPHERES During Close Proximity Operations. Shawn B. McCamish and Marcello Romano, *U.S. Naval Postgraduate School*; Simon Nolet, Christine M. Edwards, and David W. Miller, *Massachusetts Institute of Technology* (**46**, 6, p. 1202) Article based on AIAA Paper 2008-6664

A09-138 Sensitivity of Orbit Predictions to Density Variability. Rodney L. Anderson, George H. Born, and Jeffrey M. Forbes, *University of Colorado* (**46**, 6, p. 1214) Article based on AIAA Paper 2008-6443

A09-139 Linear Covariance Analysis for Powered Lunar Descent and Landing. David K. Geller and Daniel Christensen, *Utah State University* (**46**, 6, p. 1231) Article

A09-140 Hot- and Cold-Case Orbits for Robust Thermal Control. Derek W. Hengeveld, James E. Braun, and Eckhard A. Groll, *Purdue University*; and Andrew D. Williams, *U.S. Air Force Research Laboratory* (**46**, 6, p. 1249) Article based on AIAA Paper 2008-1956

A09-141 Effects of Control Power and Guidance Cues on Lunar Lander Handling Qualities. Karl D. Bilimoria, *NASA Ames Research Center* (**46**, 6, p. 1261) Article based on AIAA Paper 2008-7799

A09-142 Data Analysis of a Tethered SpaceMail Experiment. Michiel Kruijff and Erik J. van der Heide, *Delta-Utec Space Research & Consultancy, The Netherlands*; and Wubbo J. Ockels, *Delft University of Technology, The Netherlands* (**46**, 6, p. 1272) Article

A09-143 Dynamic Coupling and Control Response Effects on Spacecraft Handling Qualities During Docking. Eric Mueller, Karl D. Bilimoria, and Chad Frost, *NASA Ames Research Center* (**46**, 6, p. 1288) Article based on AIAA Paper 2008-6832

A09-144 Coning Control of Solar Sails Using Magnetic Momentum Error Reduction. Dale A. Lawrence, *University of Colorado*; and Mark S. Whorton, *Teledyne Brown Engineering* (**46**, 6, p. 1298) Article based on AIAA Paper 2008-7161

A09-145 Qualification of Spacecraft Equipment: Early Prediction of Vibroacoustic Environment. J. Santiago-Prowald, *ESA, The Netherlands*; and G. Rodrigues, *Université Libre de Bruxelles, Belgium* (**46**, 6, p. 1309) Article

A09-146 Processing Mechanical Test Specimens of Charred Solid Rocket Motor Insulation Materials. Steven A. Kyriakides and Scott W. Case, *Virginia Polytechnic Institute and State University* (**46**, 6, p. 1318) Technical Note

A09-147 Linear Feedback Guidance for Low-Thrust Many-Revolution Earth-Orbit Transfers. Yang Gao, *Chinese Academy of Sciences, China (PRC)* (46, 6, p. 1320) Technical Note

A09-148 Visualization of the Multidimensional Human Interplanetary Mission Design Space. Dale Arney and Alan Wilhite, *National Institute of Aerospace* (46, 6, p. 1325) Technical Note

UNITED STATES POSTAL SERVICE® (All Periodicals Publications Except Requester Publications)

1. Publication Title
Journal of Spacecraft and Rockets

2. Publication Number
2 8 2 9 4 0

3. Filing Date
10/1/09

4. Issue Frequency
Bimonthly

5. Number of Issues Published Annually
6

6. Annual Subscription Price
\$ 60/ \$ 810

7. Complete Mailing Address of Known Office of Publication (Not printer) (Street, city, county, state, and ZIP+®4)
American Institute of Aeronautics and Astronautics, 1801 Alexander Bell Drive Suite 500, Reston VA 20191

Contact Person
Becky Rivard
Telephone (include area code)
703-264-7630

8. Complete Mailing Address of Headquarters or General Business Office of Publisher (Not printer)
American Institute of Aeronautics and Astronautics, 1801 Alexander Bell Drive Suite 500, Reston VA 20191

9. Full Names and Complete Mailing Addresses of Publisher, Editor, and Managing Editor (Do not leave blank)
Publisher (Name and complete mailing address)
Rodger Williams, American Institute of Aeronautics and Astronautics, 1801 Alexander Bell Drive Suite 500, Reston VA 20191
Editor (Name and complete mailing address)
E. Vincent Zoby, NASA Langley Research Center, Hampton, VA 23681
Managing Editor (Name and complete mailing address)
Becky Rivard, American Institute of Aeronautics and Astronautics, 1801 Alexander Bell Drive Suite 500, Reston VA 20191


10. Owner (Do not leave blank. If the publication is owned by a corporation, give the name and address of the corporation immediately followed by the names and addresses of all stockholders owning or holding 1 percent or more of the total amount of stock. If not owned by a corporation, give the names and addresses of the individual owners. If owned by a partnership or other unincorporated firm, give its name and address as well as those of each individual owner. If the publication is published by a nonprofit organization, give its name and address.)

Full Name	Complete Mailing Address
American Institute of Aeronautics and Astronautics	1801 Alexander Bell Drive Suite 500, Reston VA 20191

11. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages, or Other Securities. If none, check box ☒ None

Full Name	Complete Mailing Address

12. Tax Status (For completion by nonprofit organizations authorized to mail at nonprofit rates) (Check one)
☒ Has Not Changed During Preceding 12 Months
☐ Has Changed During Preceding 12 Months (Publisher must submit explanation of change with this statement)

13. Publication Title Journal Of Spacecraft And Rockets		14. Issue Date for Circulation Data Below Aug-09	
15. Extent and Nature of Circulation		Average No. Copies Each Issue During Preceding 12 Months	No. Copies of Single Issue Published Nearest to Filing Date
a. Total Number of Copies (Net press run)		1717	1600
(1)	Mailed Outside-County Paid Subscriptions Stated on PS Form 3541 (Include paid distribution above nominal rate, advertiser's proof copies, and exchange copies)	920	845
b. Paid Circulation (By Mail and Outside the Mail)	(2) Mailed In-County Paid Subscriptions Stated on PS Form 3541 (Include paid distribution above nominal rate, advertiser's proof copies, and exchange copies)	0	0
(3)	Paid Distribution Outside the Mails Including Sales Through Dealers and Carriers, Street Vendors, Counter Sales, and Other Paid Distribution Outside USPS®	385	359
(4)	Paid Distribution by Other Classes of Mail Through the USPS (e.g. First-Class Mail®)	40	20
c. Total Paid Distribution (Sum of 15b (1), (2), (3), and (4))		1345	1224
d. Free or Nominal Rate Distribution (By Mail and Outside the Mail)	(1) Free or Nominal Rate Outside-County Copies included on PS Form 3541	1	1
(2)	Free or Nominal Rate In-County Copies Included on PS Form 3541	0	0
(3)	Free or Nominal Rate Copies Mailed at Other Classes Through the USPS (e.g. First-Class Mail)	0	0
(4)	Free or Nominal Rate Distribution Outside the Mail (Carriers or other means)	0	0
e. Total Free or Nominal Rate Distribution (Sum of 15d (1), (2), (3), and (4))		1	1
f. Total Distribution (Sum of 15c and 15e)		1346	1225
g. Copies not Distributed (See Instructions to Publishers #4 (page #3))		371	375
h. Total (Sum of 15f and g)		1717	1600
i. Percent Paid (15c divided by 15f times 100)		99.9	99.9
16. Publication of Statement of Ownership <input checked="" type="checkbox"/> If the publication is a general publication, publication of this statement is required. Will be printed in the Nov./Dec. 2009 issue of this publication. <input type="checkbox"/> Publication not required.			
17. Signature and Title of Editor, Publisher, Business Manager, or Owner  Managing Director of Technical Publications			Date 09/09/09

I certify that all information furnished on this form is true and complete. I understand that anyone who furnishes false or misleading information on this form or who omits material or information requested on the form may be subject to criminal sanctions (including fines and imprisonment) and/or civil sanctions (including civil penalties).