# ACCOUNTS CHEMICAL RESEARCH®

FEBRUARY 1990

Registered in U.S. Patent and Trademark Office; Copyright 1990 by the American Chemical Society

## C O M M E N T A R Y

# Comments on "IUPAC Recommendations for the Representation of Reaction Mechanisms"

I consider the IUPAC recommendations on reaction mechanisms discussed in the recent Account by Guthrie and Jencks<sup>1</sup> unsuited for general usage and teaching.

IUPAC is recommending abandoning Ingold's time-proven symbolisms<sup>2</sup> and replacing them with a new "System for Symbolic Representation of Reaction Mechanisms". The new system "lists the sequence of covalent-bond-making and -breaking steps and the apportionment of electrons in these processes." I IUPAC cites two major problems (not discussed in the Account) with Ingold's system as justification for its new recommendations.

- 1. It is overconcise by having to serve partly as a phenomenological description of the observed features of the reaction (substitution, elimination, etc.) and partly as a statement regarding the mechanism of the reaction (molecularity, concertedness, electronic characteristics).
- 2. It provides ambiguous interpretations of mechanisms, which are perhaps most noticeable for the  $S_N 2 S_N 1$  spectrum in solvolysis and other substitution reactions. In some cases, quite different mechanisms come under the same designations (see, for example,  $S_E 2$ ).

Ingold classified organic reactions according to remarkably few major types, i.e., substitution, elimination, addition rearrangement, etc., with further differentiation of the heterolytic (nucleophilic or electrophilic) or homolytic (radical) nature of the bond-breaking and -making steps. From both pedagogical and practical points of view, this is by far the simplest and most logical way to systematize reactions. It introduced some order into an otherwise too varied and complex area. The symbols S for substitution, E for elimination, and Ad for addition reactions with subscripts N for nucleophilic, E for electrophilic, and R for radical reactions are by now an integral part of our chemical vocabulary. Whereas Ingold's sym-

- (1) Guthrie, R. D.; Jencks, W. P. Acc. Chem. Res. 1989, 22, 343.
- (2) (a) Ingold, C. K. Structure and Mechanism in Organic Chemistry, 1st ed.; Cornell University Press: Ithaca, NY, 1953. (b) Idem. Ibid., 2nd ed.; 1969.
- (3) Commission on Physical Organic Chemistry, IUPAC. Pure Appl. Chem. 1989, 61, 23.

bolism was not designed originally for reaction mechanisms, it became widely used, including by Ingold himself, as chemists associated the reaction types with the related mechanisms. Do we really want to replace this so widely used system with a new, nondescript naming system, which incidentally does not anymore indicate the basic reaction types? I seriously doubt it. What IUPAC proposes as its system for categorizing reaction mechanisms is a depiction of the bond-breaking and -making processes, based on the necessity of a detailed a priori knowledge of the reaction path (more frequently not accurately known and apt to change frequently as our knowledge advances). Mechanisms are not measurable quantities, but the best rationalization of the reaction path based on presently available data. To categorize any reaction, it seems first of all necessary to indicate the major type to which it belongs. It is useful (although not essential) to be also able to indicate the molecularity emphasized by Ingold. Of course we recognize now the continuum between  $S_N1$  and  $S_N2$ reactions, and thus frequently we indicate only that we are dealing with an S<sub>N</sub> reaction. Other reaction types are similarly used to indicate their mechanism.

IUPAC is recommending a system for naming reaction mechanism by listing the bonds made and broken (using the symbol D for dissociative and A for associative processes), with punctuation to separate reaction steps and subscripts to indicate electron apportionment. It claims by these to remove ambiguities of the traditional system. Does IUPAC's recommended naming of S<sub>N</sub>1 and S<sub>N</sub>2 reactions as  $D_N + A_N$  and  $A_N D_N$ , respectively, in any way change the question of the mechanistic continuum between the two limiting cases? Clearly not. Ingold's naming system served well for over 50 years depicting the major reaction types. Do chemists really want to discard it for a nondescriptive, more complex, and by necessity still frequently ambiguous system? Do we want to refer to an  $S_N$ 2 reaction as  $A_ND_N$  or to an E2 reaction as  $A_nD_ED_N$  or to use any other of the new naming suggested to us by **IUPAC?** 

Guthrie and Jencks conclude their Account by suggesting that the new IUPAC symbolism should be par-

ticularly useful in teaching general chemistry. Students, they argue, will get used to it from their earliest experience to mechanistic problems and thus will go on to use it. I strongly disagree. General chemistry should be a joyful experience of the miraculous world of chemistry and could do well without excessive exposure to either the Schrödinger equation or the new IUPAC symbolism of reaction mechanisms. The latter may find useful application by specialized practitioners of mechanisms, but I see no compelling reason to discard the widely used Ingold system. Change for the sake of change does not always necessarily represent progress. Time-proven units, classifications, and namings tend to survive even IUPAC's attempts. Calories are still around and are making a strong comeback, despite all attempts telling us the advantages of using joules. Let's not rush to condemn Ingold's symbols for substitution, elimination, and addition reactions. Particularly, let's save our students from further confusion

of nomenclature and instead concentrate our efforts on emphasizing the real meaning of chemistry.<sup>4</sup>

(4) One of the referees stated that my Commentary represents what one might call the reactionary position with regard to the IUPAC proposal and its main argument is that we should stick with the old system just because we are used to it. He added that this is a puzzling point of view for someone who was a chief campaigner for changing the nomenlature of carbocations. I would better describe my views as conservative. I believe in conserving established values. If I am accused of this, I take full responsibility. The naming of carbocations (in analogy to carbanions) as the generic name for all positive ions of carbon compounds emerged from the necessity of the experimental realization that different types of these ions exist (trivalent carbenium ions and pentacoordinate (or higher coordinate) carbonium ions). The general carbocation naming avoids the necessity of previous detailed knowledge of the structure of any ion.

### George A. Olah

Loker Hydrocarbon Research Institute and Department of Chemistry University of Southern California Los Angeles, California 90089

### Responses to Commentary by Professor Olah

In my opinion, the most important problem in chemical reaction mechanisms today is to make a clear distinction between appearance and reality.

The appearance of the rate-limiting transition state of a reaction is characterized by measurements of the effects of substituents, isotopes, solvent, temperature, and pressure on the reaction rate. These measurements can provide evidence that supports a dissociative or an associative transition state, for example. The overall nature of a chemical reaction may be defined by the transformations that take place and the kinetic order of the reaction, as described by the Ingold nomenclature. The mechanism of a reaction, on the other hand, is defined by the nature, the number, and the sequence of the steps in the reaction. The steps represent the formation or further reaction of intermediate species that have a significant lifetime. The number of steps can usually be defined if an intermediate species is taken to be a structure with a lifetime that permits several vibrations, i.e.,  $> \sim 10^{-13}$  s.

Reaction mechanisms have an integral number of steps and an integral reaction order; a reaction can have one step or two steps, but not one and a half steps. Thus, it is usually misleading to speak of a spectrum, a continuum, or merging of mechanisms. These terms generally refer to the appearance of a transition state, not a reaction mechanism. It is, of course, possible that a reaction can occur concurrently through two different mechanisms, but this is described better as a mixture than as a merging of mechanisms.

The appearance of the transition state cannot be relied on for the diagnosis of a reaction mechanism. For example, solvolysis and substitution reactions of monosubstituted phosphate monoanions and dianions proceed through a dissociative transition state, and for many years it was widely believed that they proceed through a monomeric metaphosphate monoanion intermediate. In fact, there is evidence that in most nucleophilic solvents they proceed by a one-step concerted mechanism (A<sub>N</sub>D<sub>N</sub>) with a dissociative transition state that resembles the metaphosphate ion. Similarly, solvolysis and substitution at carbon can

proceed through a concerted mechanism  $(A_ND_N)$  with a dissociative transition state that resembles a carbenium ion; such reactions can easily be (and have been) mistakenly assigned to a stepwise  $S_N1$  mechanism.<sup>2</sup>

George Olah expresses the view that will undoubtedly be held by many, perhaps most chemists, when first confronted with a new system. Why, indeed, should a "tried and true" nomenclature be abandoned and a new system learned? As indicated above, the original or a modified Ingold system need not be abandoned; rather it should be used to describe the nature of reactions, the purpose for which it was designed.

A new system is needed because the Ingold system does not describe reaction mechanisms and its use has led to ambiguity in the interpretation of mechanisms. For example, Ingold himself described the  $S_N2$  reaction as concerted  $(A_ND_N)$ ; it "contains only one stage, in which two molecules simultaneously undergo covalency change", but more recently a stepwise " $S_N2$  intermediate" mechanism  $(D_N*A_N)$  has been proposed. The term " $S_N2$ " does not distinguish between these different mechanisms. In order to save our students from the existing confusion of nomenclature, it is essential to use a nomenclature that distinguishes the nature of a reaction from its mechanism and that describes reaction mechanisms clearly and unambiguously.

- (1) Westheimer, F. N. Chem. Rev. 1981, 81, 313. Bourne, N.; Williams, A. J. Am. Chem. Soc. 1984, 106, 7591. Skoog, M. T.; Jencks, W. P. J. Am. Chem. Soc. 1984, 106, 7597. Herschlag, D.; Jencks, W. P. J. Am. Chem. Soc. 1989, 111, 7679.
- (2) Craze, G. A.; Kirby, A. J.; Osborne, R. J. J. Chem. Soc., Perkin Trans. 2 1978, 357. Knier, B. L.; Jencks, W. P. J. Am. Chem. Soc. 1980, 102, 6789.
- (3) Ingold, C. K. Structure and Mechanism in Organic Chemistry, 2nd ed.; Cornell Univ. Press: Ithaca, NY, 1969; p 423.
  - (4) Bentley, T. W.; Schleyer, P. v. R. J. Am. Chem. Soc. 1976, 98, 7658.

### William P. Jencks

Graduate Department of Biochemistry Brandeis University Waltham, Massachusetts 02254-9110