ESEARC

DECEMBER 2002


Registered in U.S. Patent and Trademark Office; Copyright 2002 by the American Chemical Society

GUEST EDITORIAL

Carbon Nanotubes

Few materials have elicited such glowing reviews as carbon nanotubes (CNTs). Widely recognized as the quintessential nanomaterial, CNTs have already compiled an impressive list of superlatives since their discovery in 1991. Carbon nanotubes are recognized as the ultimate carbon fiber with the highest strength of any material2 and the highest thermal conductivity,3 and they have been shown to possess outstanding field emission properties.⁴ Metallic carbon nanotubes transport electric current ballistically-they do not dissipate heat.⁵ They can also function as the active semiconductor in nanoscale devices, 6 all as a result of their unique topologically controlled electronic properties.7

Carbon nanotubes were initially the province of scientists interested in their unique physical properties, but over the past few years interest has begun to focus on their chemical properties. Thus, this special issue of Accounts of Chemical Research, which brings together contributions from some of the leading practitioners of carbon nanotube science, is both timely and informative for the chemical community. Functionalization has been demonstrated at the ends and walls of carbon nanotubes. Due to the relative curvatures, the caps seem to be much more reactive than the walls of the nanotubes, and are readily lost during chemical processing. The chemical aspects of carbon nanotube science have only been under investigation for about five years, but in this short time the present issue of *Accounts* documents impressive progress.



Nevertheless, it seems fair to say that the real opportunities for carbon nanotube chemistry still lie in the future. There is probably no other material with so much potential, but which offers so many challenges: from the preparation of the carbon nanotubes;^{8–12} their purification from catalyst residues, carbon nanoparticles, and amorphous carbon; their separation according to length,

diameter, and chirality into semiconducing and metallic nanotubes; and finally to the in-depth understanding and control of their formation and chemistry. All of these challenges lie before us-impure carbon nanotubes still cost more than gold!

Carbon nanotubes provide the archetypal example of the promise of nanomaterials—unparalleled performance in a host of properties. Mastery of carbon nanotube chemistry is the missing element in the widespread application of this amazing material.

References

- (1) Iijima, S. Helical Microtubules of Graphitic Carbon. Nature 1991, *354*, 56–58.
- Yu, M. F.; Files, B. S.; Arepalli, S.; Ruoff, R. S. Tensile loading of ropes of single wall carbon nanotubes and their mechanical properties. Phys. Rev. Lett. 2000, 84, 5552-5555
- (3) Hone, J.; Batlogg, B.; Benes, Z.; Johnson, A. T.; Fischer, J. E. Quantized Phonon Spectrum of Single-Wall Carbon Nanotubes. Science **2000**, *289*, 1730–1733.

- (4) de Heer, W. A.; Chatelain, A.; Ugaarte, D. A Carbon Nanotube Field-Emission Electron Source. *Science* 1995, 270, 1179–1180.
 (5) Frank, S.; Poncharal, P.; Wang, Z. L.; de Heer, W. A. Carbon Nanotube Quantum Resistors. *Science* 1998, 280, 1744–1746.
 (6) Collins, P. G.; Arnold, M. S.; Avouris, P. Engineering Carbon Nanotubes and Nanotube Circuits Using Electrical Breakdown. Science 2001, 292, 706-708.
- (7) Hu, J.; Odom, T. W.; Lieber, C. M. Chemistry and Physics in One Dimension: Synthesis and Properties of Nanowires and Nanotubes. *Acc. Chem. Res.* 1999, *32*, 435–445.
 (8) Ebbesen, T. W.; Ajayan, P. M. Large-Scale Synthesis of Carbon
- Nanotubes. Nature 1992, 358, 220-222.
- (9) Iijima, S.; Ichihashi, T. Single-Shell Carbon Nanotubes of 1-nm Diameter. *Nature* **1993**, *363*, 603–605.
- (10) Bethune, D. S.; Kiang, C. H.; de Vries, M. S.; Gorman, G.; Savoy, R.; Vazquez, J.; Bevers, R. Cobalt-Catalized Growth of Carbon Nanotubes with Single-Atomic-Layer Walls. Nature 1993, 363,
- (11) Thess, A.; Lee, R.; Nikolaev, P.; Dai, H.; Petit, P.; Robert, J.; Xu, C.; Lee, Y. H.; Kim, S. G.; Rinzler, A. G.; Colbert, D. T.; Scuseria,
- C.; Lee, T. H.; Killi, S. G.; Killzier, A. G.; Collect, D. L.; Scassing, G. E.; Tomanek, D.; Fischer, J. E.; Smalley, R. E. Crystalline Ropes of Metallic Carbon Nanotubes. *Science* 1996, 273, 483–487.
 Journet, C.; Maser, W. K.; Bernier, P.; Loiseau, A.; Lamy de la Chappelle, M.; Lefrant, S.; Deniard, P.; Lee, R.; Fischer, J. E. Large Scale Production of Single-Walled Carbon Nanotubes by the Electric Act Tools in Metallo 1907, 260, 756. Electric-Arc Technique. Nature 1997, 388, 756-758.

Robert C. Haddon

University of California, Riverside Guest Editor AR020259H