

SHORT COMMUNICATION

Acta Cryst. (1996). **B52**, 215

Structural properties of synthetic ionophore GL_2E_4 diastereomers, 18-membered cyclic lactone tetraepoxides, by X-ray crystal analyses: possible relation between crystal structure and Ca^{2+} -transportation ability. Addendum.

M. DOI,^a Y. IN, T. NISHINO,^a T. ISHIDA,^a M. INOUE,^a H. SHIBUYA,^b K. OHASHI,^b N. NARITA^b and I. KITAGAWA^b at ^a*Osaka University of Pharmaceutical Sciences, 2-10-65 Kawai, Matsubara, Osaka 580, Japan, and* ^b*Faculty of Pharmaceutical Sciences, Osaka University, Yamada-oka, Suita, Osaka 565, Japan*

(Received 18 December 1995)

Abstract

Structure factors, anisotropic displacement parameters, H-atom coordinates and complete geometry for the paper by Doi, In Nishino, Ishida, Inoue, Shibuya, Ohashi, Narita and

Kitagawa [*Acta Cryst.* (1995), **B51**, 1045–1050] have been deposited with the IUCr (Reference: AS0697). Copies may be obtained through The Managing Editor, International Union of Crystallography, 5 Abbey Square, Chester CH1 2HU, England.

©1996 International Union of Crystallography
Printed in Great Britain – all rights reserved

Acta Crystallographica Section B
ISSN 0108-7681 ©1996