

Poly[di- μ_5 -adipato- $\kappa^4 O:O':O'':O'''$, O'''' - μ_4 -adipato- $\kappa^4 O:O':O'':O'''$ -bis[2-phenyl-1*H*-1,3,7,8-tetraazacyclopenta[*l*]-phenanthrene- $\kappa^2 N^7, N^8$]tricobalt(II)]

Mao-Liang Xu,^a Rui Zhou,^a Ge-Yang Wang^a and Seik Weng Ng^{b*}

^aXi'an Modern Chemistry Research Institute, Xi'an 710065, People's Republic of China, and ^bDepartment of Chemistry, University of Malaya, 50603 Kuala Lumpur, Malaysia

Correspondence e-mail: seikweng@um.edu.my


Received 16 January 2008; accepted 18 April 2008

Key indicators: single-crystal X-ray study; $T = 295$ K; mean $\sigma(C-C) = 0.009$ Å; R factor = 0.068; wR factor = 0.179; data-to-parameter ratio = 15.4.

In the title polymer, $[Co_3(C_6H_8O_4)_3(C_{19}H_{12}N_4)_2]_n$, two adipate dianions ($C_6H_8O_4^{2-}$) occupy general positions and two are situated on different inversion centres. The two on general positions bind through their four O atoms to five 2-phenyl-1*H*-1,3,7,8-tetraazacyclopenta[*l*]phenanthrene-chelated Co^{II} ions, whereas the two on special positions bind to only four. Of the three Co atoms, two are chelated by *N*-heterocycles; the third is bonded to six O atoms. The bonding mode of the dianion gives rise to a three-dimensional network structure; the network is further consolidated by $N-H \cdots O$ hydrogen bonds.

Related literature

There are several studies of 4-(1*H*-1,3,7,8-tetraazacyclopenta[*l*]phenanthren-2-yl)phenol transition metal dicarboxylate compounds. See, for example: Che (2006*a,b*); Che *et al.* (2006); Wang, Yu, Meng *et al.* (2006); Wang, Yu, Zhao *et al.* (2006).



Experimental

Crystal data

$[Co_3(C_6H_8O_4)_3(C_{19}H_{12}N_4)_2]$
 $M_r = 1201.81$
 Triclinic, $P\bar{1}$
 $a = 8.150$ (4) Å
 $b = 15.896$ (8) Å
 $c = 20.474$ (9) Å
 $\alpha = 69.48$ (2)°
 $\beta = 83.23$ (2)°

$\gamma = 87.34$ (2)°
 $V = 2467$ (2) Å³
 $Z = 2$
 Mo $K\alpha$ radiation
 $\mu = 1.07$ mm⁻¹
 $T = 295$ (2) K
 0.11 × 0.10 × 0.09 mm

Data collection

Rigaku R-Axis RAPID
 diffractometer
 Absorption correction: multi-scan
 (ABSCOR; Higashi, 1995)
 $T_{min} = 0.632$, $T_{max} = 0.910$

23585 measured reflections
 10947 independent reflections
 5288 reflections with $I > 2\sigma(I)$
 $R_{int} = 0.094$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.067$
 $wR(F^2) = 0.178$
 $S = 1.02$
 10947 reflections

712 parameters
 H-atom parameters constrained
 $\Delta\rho_{max} = 0.64$ e Å⁻³
 $\Delta\rho_{min} = -0.59$ e Å⁻³

Table 1

Selected bond lengths (Å).

Co1—O1	2.016 (5)	Co2—O9	2.039 (4)
Co1—O3	2.022 (4)	Co2—O5 ⁱ	2.167 (4)
Co1—O5 ⁱ	2.156 (4)	Co2—O11 ⁱⁱ	2.176 (4)
Co1—O6 ⁱ	2.274 (5)	Co3—O8	2.030 (4)
Co1—N1	2.098 (5)	Co3—O10	2.027 (4)
Co1—N2	2.163 (4)	Co3—O11 ⁱⁱ	2.159 (4)
Co2—O2	2.088 (4)	Co3—O12 ⁱⁱ	2.264 (4)
Co2—O4	2.040 (4)	Co3—N5	2.097 (5)
Co2—O7	2.061 (4)	Co3—N6	2.166 (4)

Symmetry codes: (i) $x - 1, y, z$; (ii) $x + 1, y, z$.

Table 2
Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
$N3-H3N\cdots O6^{iii}$	0.86	2.05	2.785 (6)	143
$N7-H7N\cdots O12^{iv}$	0.86	2.05	2.795 (6)	144

Symmetry codes: (iii) $-x + 2, -y + 2, -z + 1$; (iv) $-x + 1, -y + 1, -z$.

Data collection: *RAPID-AUTO* (Rigaku, 1998); cell refinement: *RAPID-AUTO*; data reduction: *CrystalStructure* (Rigaku/MSC, 2002); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *X-SEED* (Barbour, 2001); software used to prepare material for publication: *publCIF* (Westrip, 2008).

The authors thank Xi'an Modern Chemistry Research Institute and the University of Malaya for supporting this work.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: BH2161).

References

- Barbour, L. J. (2001). *J. Supramol. Chem.* **1**, 189–191.
 Che, G.-B. (2006a). *Acta Cryst.* **E62**, m1535–m1537.
 Che, G.-B. (2006b). *Acta Cryst.* **E62**, m1686–m1688.
 Che, G.-B., Lin, X.-F. & Liu, C.-B. (2006). *Acta Cryst.* **E62**, m1456–m1458.
 Higashi, T. (1995). *ABSCOR*. Rigaku Corporation, Tokyo, Japan.
 Rigaku (1998). *RAPID-AUTO*. Rigaku Corporation, Tokyo, Japan.
 Rigaku/MSC (2002). *CrystalStructure*. Rigaku/MSC, The Woodlands, Texas, USA.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
 Wang, Q.-W., Yu, Z.-X., Meng, Q.-L. & Zhao, X.-H. (2006). *Acta Cryst.* **E62**, m3012–m3013.
 Wang, Q.-W., Yu, Z.-X., Zhao, X.-H. & Che, G.-B. (2006). *Acta Cryst.* **E62**, m2538–m2539.
 Westrip, S. P. (2008). *publCIF*. In preparation.

supplementary materials

Acta Cryst. (2008). E64, m710-m711 [doi:10.1107/S1600536808010738]

Poly[di- μ_5 -adipato- $\kappa^4 O:O':O'':O'''$, O'''' - μ_4 -adipato- $\kappa^4 O:O':O'':O'''$ -bis[2-phenyl-1*H*-1,3,7,8-tetraazacyclopenta[*I*]phenanthrene- $\kappa^2 N^7, N^8$]tricobalt(II)]

M.-L. Xu, R. Zhou, G.-Y. Wang and S. W. Ng

Comment

The 4-(1*H*-1,3,7,8-tetraazacyclopenta[*I*]phenanthren-2-yl)phenol *N*-heterocycle furnishes adducts with metal dicarboxylates, *i.e.* the manganese phthalate adduct (Wang *et al.*, 2006*b*), manganese isophthalate adduct (Che, 2006*b*), manganese terephthalate adduct (Che *et al.*, 2006), the zinc naphthalene-1,4-dicarboxylate adduct (Wang, Yu, Meng *et al.*, 2006), and the zinc terephthalate adduct (Che, 2006*a*).

Experimental

Cobalt(II) acetate (0.1 mmol), adipic acid, 4-(1*H*-1,3,7,8-tetraazacyclopenta[*I*]phenanthren-2-yl)phenol (0.1 mmol) and water (12 ml) were heated in a 23 ml, Teflon-lined, stainless-steel Parr bomb at 408 K for 2 days. Crystals were obtained in 40% yield.

Refinement

The carbon- and nitrogen-bound H atoms were placed in calculated positions [C—H 0.93 (aromatic CH) or 0.97 Å (methylene CH₂); N—H 0.86 Å, and $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{carrier C,N})$], and were included in the refinement in the riding-model approximation.

Figures




Fig. 1. Thermal ellipsoid plot of a portion of polymeric $\text{Co}_3(\text{C}_{19}\text{H}_{12}\text{N}_4)_2(\text{C}_6\text{H}_8\text{O}_4)_3$; displacement ellipsoids are drawn at the 50% probability level, and H atoms as spheres of arbitrary radii. Symmetry codes are given in Table 1.

Poly[di- μ_5 -adipato- $\kappa^4 O:O':O'':O'''$, O'''' - μ_4 -adipato- $\kappa^4 O:O':O'':O'''$ - bis[2-phenyl-1*H*-1,3,7,8-tetraazacyclopenta[*I*]phenanthrene- $\kappa^2 N^7, N^8$]tricobalt(II)]

Crystal data

[$\text{Co}_3(\text{C}_6\text{H}_8\text{O}_4)_3(\text{C}_{19}\text{H}_{12}\text{N}_4)_2$]

$M_r = 1201.81$

Triclinic, $P\bar{1}$

Hall symbol: -P 1

$Z = 2$

$F_{000} = 1234$

$D_x = 1.618 \text{ Mg m}^{-3}$

Mo $K\alpha$ radiation

supplementary materials

$a = 8.150 (4) \text{ \AA}$	$\lambda = 0.71073 \text{ \AA}$
$b = 15.896 (8) \text{ \AA}$	Cell parameters from 12081 reflections
$c = 20.474 (9) \text{ \AA}$	$\theta = 3.0\text{--}27.5^\circ$
$\alpha = 69.48 (2)^\circ$	$\mu = 1.07 \text{ mm}^{-1}$
$\beta = 83.23 (2)^\circ$	$T = 295 (2) \text{ K}$
$\gamma = 87.34 (2)^\circ$	Block, brown
$V = 2467 (2) \text{ \AA}^3$	$0.11 \times 0.10 \times 0.09 \text{ mm}$

Data collection

Rigaku R-Axis RAPID diffractometer	10947 independent reflections
Radiation source: fine-focus sealed tube	5288 reflections with $I > 2\sigma(I)$
Monochromator: graphite	$R_{\text{int}} = 0.094$
Detector resolution: 10 pixels mm^{-1}	$\theta_{\text{max}} = 27.5^\circ$
$T = 295(2) \text{ K}$	$\theta_{\text{min}} = 3.0^\circ$
ω scans	$h = -10 \rightarrow 10$
Absorption correction: multi-scan (ABSCOR; Higashi, 1995)	$k = -20 \rightarrow 20$
$T_{\text{min}} = 0.632, T_{\text{max}} = 0.910$	$l = -26 \rightarrow 26$
23585 measured reflections	

Refinement

Refinement on F^2	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: inferred from neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.067$	H-atom parameters constrained
$wR(F^2) = 0.179$	$w = 1/[\sigma^2(F_o^2) + (0.0677P)^2 + 0.2367P]$
$S = 1.02$	where $P = (F_o^2 + 2F_c^2)/3$
10947 reflections	$(\Delta/\sigma)_{\text{max}} = 0.001$
712 parameters	$\Delta\rho_{\text{max}} = 0.64 \text{ e \AA}^{-3}$
Primary atom site location: structure-invariant direct methods	$\Delta\rho_{\text{min}} = -0.59 \text{ e \AA}^{-3}$
	Extinction correction: none

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
Co1	0.65991 (10)	0.83605 (6)	0.38528 (4)	0.0322 (2)
Co2	0.73442 (10)	0.73830 (5)	0.25912 (4)	0.02684 (19)
Co3	0.81551 (9)	0.64935 (5)	0.12644 (4)	0.0297 (2)
O1	0.7209 (5)	0.7077 (3)	0.4380 (2)	0.0448 (11)
O2	0.6863 (5)	0.6431 (3)	0.35964 (19)	0.0392 (11)
O3	0.8855 (5)	0.8859 (3)	0.3400 (2)	0.0440 (11)
O4	0.9352 (5)	0.7868 (3)	0.2850 (2)	0.0405 (11)
O5	1.5779 (4)	0.8357 (3)	0.28902 (17)	0.0300 (9)

O6	1.5515 (5)	0.9617 (3)	0.3092 (2)	0.0407 (11)
O7	0.7836 (5)	0.8353 (3)	0.16135 (18)	0.0381 (10)
O8	0.7492 (5)	0.7790 (3)	0.07753 (19)	0.0384 (10)
O9	0.5385 (5)	0.6889 (3)	0.2308 (2)	0.0369 (10)
O10	0.5899 (5)	0.5970 (3)	0.1704 (2)	0.0387 (10)
O11	-0.1084 (4)	0.6433 (3)	0.22552 (18)	0.0308 (9)
O12	-0.0707 (5)	0.5232 (3)	0.1982 (2)	0.0380 (10)
N1	0.6627 (6)	0.8841 (3)	0.4684 (2)	0.0308 (11)
N2	0.4137 (6)	0.8036 (3)	0.4390 (2)	0.0328 (12)
N3	0.2967 (6)	0.8937 (3)	0.6757 (2)	0.0353 (12)
H3N	0.3509	0.9185	0.6977	0.042*
N4	0.0891 (6)	0.8240 (3)	0.6515 (2)	0.0376 (13)
N5	0.8226 (5)	0.6114 (3)	0.0378 (2)	0.0297 (11)
N6	1.0624 (6)	0.6873 (3)	0.0749 (2)	0.0302 (11)
N7	1.2030 (6)	0.6180 (3)	-0.1701 (2)	0.0344 (12)
H7N	1.1514	0.5949	-0.1939	0.041*
N8	1.4042 (6)	0.6844 (3)	-0.1400 (2)	0.0366 (13)
C1	0.7076 (7)	0.6401 (4)	0.4194 (3)	0.0352 (15)
C2	0.7213 (8)	0.5488 (4)	0.4747 (3)	0.0472 (18)
H2A	0.8212	0.5199	0.4619	0.057*
H2B	0.7335	0.5566	0.5188	0.057*
C3	0.5812 (9)	0.4880 (5)	0.4860 (4)	0.063 (2)
H3A	0.5687	0.4816	0.4414	0.076*
H3B	0.6112	0.4293	0.5176	0.076*
C4	0.9721 (7)	0.8537 (4)	0.2988 (3)	0.0341 (14)
C5	1.1306 (8)	0.9023 (6)	0.2622 (4)	0.070 (3)
H5A	1.1023	0.9641	0.2366	0.084*
H5B	1.1976	0.9032	0.2981	0.084*
C6	1.2297 (10)	0.8697 (7)	0.2155 (4)	0.094 (4)
H6A	1.1563	0.8615	0.1843	0.113*
H6B	1.2648	0.8100	0.2434	0.113*
C7	1.3780 (7)	0.9137 (4)	0.1705 (3)	0.0381 (15)
H7A	1.3436	0.9539	0.1264	0.046*
H7B	1.4478	0.8678	0.1601	0.046*
C8	1.4824 (7)	0.9668 (4)	0.1990 (3)	0.0355 (14)
H8A	1.5793	0.9881	0.1656	0.043*
H8B	1.4193	1.0192	0.2011	0.043*
C9	1.5386 (6)	0.9193 (4)	0.2688 (3)	0.0274 (13)
C10	0.7904 (7)	0.9207 (4)	0.4835 (3)	0.0362 (15)
H10	0.8879	0.9292	0.4534	0.043*
C11	0.7861 (7)	0.9467 (4)	0.5417 (3)	0.0369 (15)
H11	0.8792	0.9712	0.5502	0.044*
C12	0.6438 (7)	0.9360 (4)	0.5862 (3)	0.0354 (14)
H12	0.6385	0.9533	0.6253	0.042*
C13	0.5047 (7)	0.8983 (4)	0.5718 (3)	0.0298 (13)
C14	0.5209 (7)	0.8710 (4)	0.5128 (3)	0.0281 (13)
C15	0.3495 (7)	0.8799 (4)	0.6141 (3)	0.0328 (14)
C16	0.1398 (7)	0.8599 (4)	0.6950 (3)	0.0366 (15)
C17	0.0455 (8)	0.8572 (4)	0.7621 (3)	0.0393 (16)

supplementary materials

C18	0.1196 (9)	0.8753 (4)	0.8142 (3)	0.0462 (17)
H18	0.2295	0.8931	0.8064	0.055*
C19	0.0269 (11)	0.8664 (5)	0.8771 (3)	0.057 (2)
H19	0.0742	0.8794	0.9117	0.068*
C20	-0.1355 (11)	0.8385 (5)	0.8894 (4)	0.061 (2)
H20	-0.1946	0.8306	0.9328	0.073*
C21	-0.2119 (9)	0.8221 (5)	0.8379 (4)	0.057 (2)
H21	-0.3222	0.8051	0.8458	0.068*
C22	-0.1186 (8)	0.8319 (5)	0.7742 (3)	0.0472 (18)
H22	-0.1676	0.8212	0.7391	0.057*
C23	0.2206 (7)	0.8376 (4)	0.5996 (3)	0.0293 (13)
C24	0.2344 (7)	0.8094 (4)	0.5404 (3)	0.0335 (14)
C25	0.3856 (7)	0.8275 (4)	0.4970 (3)	0.0290 (13)
C26	0.1144 (7)	0.7657 (4)	0.5222 (3)	0.0394 (16)
H26	0.0127	0.7527	0.5493	0.047*
C27	0.1462 (8)	0.7416 (5)	0.4638 (3)	0.0464 (17)
H27	0.0667	0.7118	0.4512	0.056*
C28	0.2976 (7)	0.7620 (5)	0.4240 (3)	0.0407 (16)
H28	0.3177	0.7453	0.3845	0.049*
C29	0.7730 (7)	0.8424 (4)	0.1000 (3)	0.0294 (13)
C30	0.7970 (8)	0.9353 (4)	0.0440 (3)	0.0417 (16)
H30A	0.7550	0.9365	0.0013	0.050*
H30B	0.7370	0.9799	0.0600	0.050*
C31	0.9788 (8)	0.9563 (4)	0.0300 (3)	0.0414 (16)
H31A	1.0380	0.9075	0.0193	0.050*
H31B	1.0167	0.9593	0.0722	0.050*
C32	0.5034 (7)	0.6247 (4)	0.2143 (3)	0.0348 (14)
C33	0.3462 (7)	0.5743 (5)	0.2488 (3)	0.0474 (18)
H33A	0.2811	0.5736	0.2122	0.057*
H33B	0.3748	0.5126	0.2745	0.057*
C34	0.2435 (9)	0.6090 (6)	0.2963 (4)	0.081 (3)
H34A	0.2078	0.6683	0.2680	0.097*
H34B	0.3162	0.6178	0.3275	0.097*
C35	0.0948 (7)	0.5637 (5)	0.3412 (3)	0.0441 (17)
H35A	0.0245	0.6090	0.3522	0.053*
H35B	0.1296	0.5229	0.3851	0.053*
C36	-0.0088 (7)	0.5111 (4)	0.3121 (3)	0.0402 (16)
H36A	0.0548	0.4594	0.3087	0.048*
H36B	-0.1056	0.4888	0.3453	0.048*
C37	-0.0648 (6)	0.5623 (4)	0.2419 (3)	0.0302 (13)
C38	0.6984 (7)	0.5767 (4)	0.0194 (3)	0.0381 (15)
H38	0.5997	0.5662	0.0487	0.046*
C39	0.7067 (7)	0.5549 (4)	-0.0414 (3)	0.0419 (16)
H39	0.6156	0.5314	-0.0524	0.050*
C40	0.8518 (7)	0.5691 (4)	-0.0841 (3)	0.0356 (15)
H40	0.8612	0.5543	-0.1246	0.043*
C41	0.9874 (7)	0.6060 (4)	-0.0672 (3)	0.0320 (14)
C42	0.9655 (7)	0.6271 (4)	-0.0055 (3)	0.0294 (13)
C43	1.1452 (7)	0.6283 (4)	-0.1076 (3)	0.0310 (14)

C44	1.3593 (7)	0.6522 (4)	-0.1866 (3)	0.0346 (14)
C45	1.4589 (7)	0.6573 (4)	-0.2526 (3)	0.0327 (14)
C46	1.3919 (8)	0.6420 (4)	-0.3071 (3)	0.0413 (16)
H46	1.2816	0.6260	-0.3022	0.050*
C47	1.4920 (9)	0.6507 (4)	-0.3684 (3)	0.0444 (17)
H47	1.4488	0.6396	-0.4046	0.053*
C48	1.6558 (9)	0.6759 (4)	-0.3768 (3)	0.0481 (18)
H48	1.7202	0.6832	-0.4191	0.058*
C49	1.7243 (9)	0.6902 (4)	-0.3233 (3)	0.0490 (18)
H49	1.8348	0.7059	-0.3285	0.059*
C50	1.6238 (8)	0.6806 (4)	-0.2610 (3)	0.0407 (16)
H50	1.6685	0.6900	-0.2244	0.049*
C51	1.2684 (7)	0.6692 (4)	-0.0897 (3)	0.0315 (13)
C52	1.2497 (6)	0.6902 (4)	-0.0268 (3)	0.0283 (13)
C53	1.0969 (6)	0.6689 (4)	0.0145 (3)	0.0269 (13)
C54	1.3660 (7)	0.7308 (4)	-0.0048 (3)	0.0398 (15)
H54	1.4686	0.7455	-0.0309	0.048*
C55	1.3313 (8)	0.7499 (4)	0.0560 (3)	0.0442 (17)
H55	1.4090	0.7779	0.0712	0.053*
C56	1.1771 (8)	0.7264 (4)	0.0940 (3)	0.0389 (16)
H56	1.1540	0.7391	0.1352	0.047*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Co1	0.0322 (4)	0.0377 (5)	0.0308 (4)	-0.0075 (4)	0.0032 (4)	-0.0184 (3)
Co2	0.0291 (4)	0.0251 (4)	0.0276 (4)	-0.0082 (3)	0.0040 (3)	-0.0120 (3)
Co3	0.0310 (4)	0.0309 (5)	0.0303 (4)	-0.0079 (3)	0.0022 (3)	-0.0154 (3)
O1	0.054 (3)	0.046 (3)	0.036 (2)	-0.004 (2)	0.001 (2)	-0.018 (2)
O2	0.049 (3)	0.032 (2)	0.032 (2)	-0.012 (2)	0.003 (2)	-0.0064 (17)
O3	0.042 (2)	0.053 (3)	0.044 (2)	-0.015 (2)	0.009 (2)	-0.028 (2)
O4	0.034 (2)	0.034 (2)	0.059 (3)	-0.0096 (19)	0.002 (2)	-0.024 (2)
O5	0.031 (2)	0.033 (2)	0.0305 (19)	0.0015 (18)	-0.0002 (17)	-0.0170 (17)
O6	0.044 (3)	0.041 (3)	0.045 (2)	-0.007 (2)	-0.002 (2)	-0.025 (2)
O7	0.054 (3)	0.029 (2)	0.028 (2)	-0.012 (2)	0.006 (2)	-0.0069 (16)
O8	0.049 (3)	0.034 (2)	0.034 (2)	-0.008 (2)	0.002 (2)	-0.0162 (18)
O9	0.029 (2)	0.040 (3)	0.050 (2)	-0.0129 (19)	0.0017 (19)	-0.027 (2)
O10	0.032 (2)	0.046 (3)	0.045 (2)	-0.008 (2)	0.009 (2)	-0.027 (2)
O11	0.033 (2)	0.027 (2)	0.036 (2)	0.0007 (18)	-0.0002 (18)	-0.0174 (17)
O12	0.042 (2)	0.033 (2)	0.046 (2)	-0.004 (2)	-0.002 (2)	-0.0233 (19)
N1	0.030 (3)	0.035 (3)	0.028 (2)	-0.009 (2)	-0.001 (2)	-0.012 (2)
N2	0.029 (3)	0.040 (3)	0.034 (2)	-0.008 (2)	-0.001 (2)	-0.019 (2)
N3	0.034 (3)	0.045 (3)	0.037 (3)	-0.005 (2)	-0.002 (2)	-0.026 (2)
N4	0.033 (3)	0.044 (3)	0.040 (3)	-0.010 (2)	0.004 (2)	-0.021 (2)
N5	0.027 (2)	0.028 (3)	0.033 (2)	-0.006 (2)	-0.001 (2)	-0.010 (2)
N6	0.032 (3)	0.031 (3)	0.030 (2)	-0.007 (2)	-0.006 (2)	-0.012 (2)
N7	0.039 (3)	0.040 (3)	0.031 (2)	-0.007 (2)	0.001 (2)	-0.021 (2)
N8	0.036 (3)	0.036 (3)	0.040 (3)	-0.010 (2)	0.007 (2)	-0.018 (2)

supplementary materials

C1	0.028 (3)	0.040 (4)	0.032 (3)	-0.007 (3)	0.004 (3)	-0.007 (3)
C2	0.052 (4)	0.045 (4)	0.033 (3)	-0.007 (3)	-0.002 (3)	0.002 (3)
C3	0.057 (5)	0.038 (4)	0.076 (5)	-0.005 (4)	-0.002 (4)	0.003 (4)
C4	0.024 (3)	0.048 (4)	0.035 (3)	-0.008 (3)	-0.001 (3)	-0.020 (3)
C5	0.047 (4)	0.106 (7)	0.084 (5)	-0.037 (4)	0.029 (4)	-0.072 (5)
C6	0.067 (5)	0.163 (10)	0.084 (6)	-0.072 (6)	0.039 (5)	-0.088 (6)
C7	0.028 (3)	0.058 (4)	0.034 (3)	-0.005 (3)	-0.006 (3)	-0.021 (3)
C8	0.031 (3)	0.036 (4)	0.037 (3)	-0.005 (3)	-0.003 (3)	-0.009 (3)
C9	0.025 (3)	0.029 (3)	0.027 (3)	-0.007 (2)	0.007 (2)	-0.012 (2)
C10	0.025 (3)	0.048 (4)	0.043 (3)	-0.003 (3)	-0.004 (3)	-0.024 (3)
C11	0.029 (3)	0.042 (4)	0.045 (3)	-0.004 (3)	-0.006 (3)	-0.021 (3)
C12	0.045 (4)	0.029 (3)	0.037 (3)	-0.002 (3)	-0.011 (3)	-0.015 (3)
C13	0.036 (3)	0.024 (3)	0.032 (3)	-0.002 (3)	-0.003 (3)	-0.014 (2)
C14	0.030 (3)	0.027 (3)	0.031 (3)	-0.002 (2)	-0.004 (3)	-0.014 (2)
C15	0.034 (3)	0.036 (3)	0.032 (3)	-0.001 (3)	0.000 (3)	-0.018 (3)
C16	0.039 (3)	0.034 (4)	0.038 (3)	-0.003 (3)	0.008 (3)	-0.018 (3)
C17	0.050 (4)	0.034 (4)	0.034 (3)	-0.004 (3)	0.012 (3)	-0.017 (3)
C18	0.057 (4)	0.044 (4)	0.038 (3)	0.001 (3)	-0.003 (3)	-0.017 (3)
C19	0.099 (6)	0.052 (5)	0.027 (3)	0.021 (4)	-0.009 (4)	-0.023 (3)
C20	0.087 (6)	0.043 (4)	0.042 (4)	0.007 (4)	0.021 (4)	-0.012 (3)
C21	0.058 (5)	0.059 (5)	0.053 (4)	-0.011 (4)	0.018 (4)	-0.025 (4)
C22	0.049 (4)	0.059 (5)	0.038 (3)	-0.012 (3)	0.013 (3)	-0.026 (3)
C23	0.029 (3)	0.027 (3)	0.031 (3)	-0.001 (2)	0.002 (3)	-0.010 (2)
C24	0.030 (3)	0.041 (4)	0.031 (3)	0.002 (3)	-0.002 (3)	-0.016 (3)
C25	0.031 (3)	0.034 (3)	0.025 (3)	-0.003 (3)	-0.002 (3)	-0.013 (2)
C26	0.031 (3)	0.051 (4)	0.044 (3)	-0.014 (3)	-0.001 (3)	-0.026 (3)
C27	0.040 (4)	0.060 (5)	0.052 (4)	-0.014 (3)	-0.001 (3)	-0.035 (3)
C28	0.030 (3)	0.062 (5)	0.038 (3)	-0.011 (3)	0.000 (3)	-0.028 (3)
C29	0.025 (3)	0.028 (3)	0.029 (3)	0.003 (2)	0.002 (3)	-0.005 (2)
C30	0.050 (4)	0.036 (4)	0.037 (3)	-0.006 (3)	-0.001 (3)	-0.009 (3)
C31	0.052 (4)	0.034 (4)	0.031 (3)	-0.015 (3)	0.011 (3)	-0.006 (3)
C32	0.033 (3)	0.029 (3)	0.039 (3)	-0.005 (3)	-0.001 (3)	-0.009 (3)
C33	0.037 (4)	0.050 (4)	0.059 (4)	-0.021 (3)	0.013 (3)	-0.027 (3)
C34	0.059 (5)	0.122 (8)	0.095 (6)	-0.047 (5)	0.032 (5)	-0.085 (6)
C35	0.023 (3)	0.068 (5)	0.037 (3)	-0.001 (3)	0.002 (3)	-0.015 (3)
C36	0.031 (3)	0.039 (4)	0.044 (3)	-0.009 (3)	-0.005 (3)	-0.005 (3)
C37	0.018 (3)	0.034 (3)	0.038 (3)	-0.006 (2)	0.004 (3)	-0.014 (3)
C38	0.037 (3)	0.041 (4)	0.044 (3)	-0.011 (3)	0.003 (3)	-0.025 (3)
C39	0.035 (3)	0.053 (4)	0.045 (3)	-0.014 (3)	-0.001 (3)	-0.026 (3)
C40	0.035 (3)	0.036 (4)	0.040 (3)	-0.007 (3)	-0.002 (3)	-0.019 (3)
C41	0.032 (3)	0.031 (3)	0.036 (3)	-0.004 (3)	0.002 (3)	-0.017 (3)
C42	0.027 (3)	0.029 (3)	0.033 (3)	-0.007 (2)	0.001 (3)	-0.012 (2)
C43	0.035 (3)	0.029 (3)	0.030 (3)	-0.004 (3)	0.002 (3)	-0.013 (2)
C44	0.034 (3)	0.034 (3)	0.035 (3)	-0.009 (3)	0.005 (3)	-0.013 (3)
C45	0.041 (3)	0.026 (3)	0.032 (3)	-0.002 (3)	0.005 (3)	-0.014 (2)
C46	0.041 (4)	0.049 (4)	0.038 (3)	0.001 (3)	-0.003 (3)	-0.021 (3)
C47	0.063 (4)	0.036 (4)	0.032 (3)	0.003 (3)	0.002 (3)	-0.013 (3)
C48	0.059 (4)	0.041 (4)	0.040 (3)	0.005 (3)	0.013 (4)	-0.016 (3)
C49	0.049 (4)	0.048 (4)	0.050 (4)	-0.013 (3)	0.016 (3)	-0.022 (3)

C50	0.044 (4)	0.039 (4)	0.039 (3)	-0.007 (3)	0.007 (3)	-0.016 (3)
C51	0.030 (3)	0.028 (3)	0.039 (3)	-0.007 (2)	0.004 (3)	-0.016 (2)
C52	0.023 (3)	0.033 (3)	0.031 (3)	-0.005 (2)	-0.006 (2)	-0.012 (2)
C53	0.027 (3)	0.030 (3)	0.028 (3)	-0.005 (2)	0.001 (2)	-0.016 (2)
C54	0.032 (3)	0.051 (4)	0.039 (3)	-0.005 (3)	-0.004 (3)	-0.019 (3)
C55	0.046 (4)	0.051 (4)	0.045 (3)	-0.019 (3)	-0.004 (3)	-0.027 (3)
C56	0.047 (4)	0.047 (4)	0.032 (3)	-0.014 (3)	0.000 (3)	-0.024 (3)

Geometric parameters (Å, °)

Co1—O1	2.016 (5)	C11—H11	0.9300
Co1—O3	2.022 (4)	C12—C13	1.412 (8)
Co1—O5 ⁱ	2.156 (4)	C12—H12	0.9300
Co1—O6 ⁱ	2.274 (5)	C13—C14	1.410 (7)
Co1—N1	2.098 (5)	C13—C15	1.426 (7)
Co1—N2	2.163 (4)	C14—C25	1.453 (8)
Co2—O2	2.088 (4)	C15—C23	1.387 (8)
Co2—O4	2.040 (4)	C16—C17	1.480 (7)
Co2—O7	2.061 (4)	C17—C22	1.383 (9)
Co2—O9	2.039 (4)	C17—C18	1.403 (9)
Co2—O5 ⁱ	2.167 (4)	C18—C19	1.380 (8)
Co2—O11 ⁱⁱ	2.176 (4)	C18—H18	0.9300
Co3—O8	2.030 (4)	C19—C20	1.382 (11)
Co3—O10	2.027 (4)	C19—H19	0.9300
Co3—O11 ⁱⁱ	2.159 (4)	C20—C21	1.388 (11)
Co3—O12 ⁱⁱ	2.264 (4)	C20—H20	0.9300
Co3—N5	2.097 (5)	C21—C22	1.393 (8)
Co3—N6	2.166 (4)	C21—H21	0.9300
O1—C1	1.271 (7)	C22—H22	0.9300
O2—C1	1.241 (7)	C23—C24	1.423 (8)
O3—C4	1.263 (7)	C24—C26	1.382 (8)
O4—C4	1.251 (7)	C24—C25	1.410 (7)
O5—C9	1.284 (6)	C26—C27	1.372 (8)
O5—Co1 ⁱⁱ	2.156 (4)	C26—H26	0.9300
O5—Co2 ⁱⁱ	2.167 (4)	C27—C28	1.381 (8)
O6—C9	1.252 (6)	C27—H27	0.9300
O6—Co1 ⁱⁱ	2.274 (5)	C28—H28	0.9300
O7—C29	1.234 (6)	C29—C30	1.524 (8)
O8—C29	1.276 (7)	C30—C31	1.506 (9)
O9—C32	1.236 (7)	C30—H30A	0.9700
O10—C32	1.265 (7)	C30—H30B	0.9700
O11—C37	1.257 (7)	C31—C31 ^{iv}	1.518 (10)
O11—Co3 ⁱ	2.159 (4)	C31—H31A	0.9700
O11—Co2 ⁱ	2.176 (4)	C31—H31B	0.9700
O12—C37	1.262 (7)	C32—C33	1.505 (7)
O12—Co3 ⁱ	2.264 (4)	C33—C34	1.445 (8)

supplementary materials

N1—C10	1.332 (7)	C33—H33A	0.9700
N1—C14	1.360 (6)	C33—H33B	0.9700
N2—C28	1.302 (7)	C34—C35	1.479 (8)
N2—C25	1.359 (7)	C34—H34A	0.9700
N3—C16	1.370 (7)	C34—H34B	0.9700
N3—C15	1.372 (7)	C35—C36	1.518 (9)
N3—H3N	0.8600	C35—H35A	0.9700
N4—C16	1.324 (8)	C35—H35B	0.9700
N4—C23	1.385 (6)	C36—C37	1.494 (8)
N5—C38	1.327 (7)	C36—H36A	0.9700
N5—C42	1.353 (6)	C36—H36B	0.9700
N6—C56	1.313 (7)	C38—C39	1.397 (8)
N6—C53	1.362 (6)	C38—H38	0.9300
N7—C44	1.366 (7)	C39—C40	1.363 (7)
N7—C43	1.371 (6)	C39—H39	0.9300
N7—H7N	0.8600	C40—C41	1.407 (8)
N8—C44	1.322 (7)	C40—H40	0.9300
N8—C51	1.388 (6)	C41—C42	1.408 (7)
C1—C2	1.504 (8)	C41—C43	1.431 (7)
C2—C3	1.475 (9)	C42—C53	1.454 (8)
C2—H2A	0.9700	C43—C51	1.373 (8)
C2—H2B	0.9700	C44—C45	1.470 (7)
C3—C3 ⁱⁱⁱ	1.467 (13)	C45—C50	1.385 (8)
C3—H3A	0.9700	C45—C46	1.396 (8)
C3—H3B	0.9700	C46—C47	1.380 (8)
C4—C5	1.512 (8)	C46—H46	0.9300
C5—C6	1.400 (9)	C47—C48	1.385 (10)
C5—H5A	0.9700	C47—H47	0.9300
C5—H5B	0.9700	C48—C49	1.377 (10)
C6—C7	1.472 (8)	C48—H48	0.9300
C6—H6A	0.9700	C49—C50	1.395 (7)
C6—H6B	0.9700	C49—H49	0.9300
C7—C8	1.519 (8)	C50—H50	0.9300
C7—H7A	0.9700	C51—C52	1.429 (7)
C7—H7B	0.9700	C52—C54	1.371 (8)
C8—C9	1.479 (8)	C52—C53	1.404 (7)
C8—H8A	0.9700	C54—C55	1.376 (8)
C8—H8B	0.9700	C54—H54	0.9300
C10—C11	1.387 (8)	C55—C56	1.391 (8)
C10—H10	0.9300	C55—H55	0.9300
C11—C12	1.366 (8)	C56—H56	0.9300
O1—Co1—O3	100.15 (19)	C23—C15—C13	123.3 (5)
O1—Co1—N1	97.09 (18)	N4—C16—N3	113.8 (5)
O3—Co1—N1	93.72 (17)	N4—C16—C17	124.4 (5)
O1—Co1—O5 ⁱ	105.69 (17)	N3—C16—C17	121.6 (6)
O3—Co1—O5 ⁱ	94.34 (15)	C22—C17—C18	119.8 (5)
N1—Co1—O5 ⁱ	154.05 (18)	C22—C17—C16	118.2 (6)
O1—Co1—N2	86.74 (18)	C18—C17—C16	122.0 (6)

O3—Co1—N2	169.85 (18)	C19—C18—C17	119.0 (7)
N1—Co1—N2	77.94 (17)	C19—C18—H18	120.5
O5 ⁱ —Co1—N2	90.92 (16)	C17—C18—H18	120.5
O1—Co1—O6 ⁱ	163.61 (17)	C18—C19—C20	120.7 (7)
O3—Co1—O6 ⁱ	87.28 (17)	C18—C19—H19	119.6
N1—Co1—O6 ⁱ	96.99 (17)	C20—C19—H19	119.6
O5 ⁱ —Co1—O6 ⁱ	58.86 (15)	C19—C20—C21	121.1 (6)
N2—Co1—O6 ⁱ	88.02 (17)	C19—C20—H20	119.4
O9—Co2—O4	178.17 (15)	C21—C20—H20	119.4
O9—Co2—O7	93.16 (17)	C20—C21—C22	118.1 (7)
O4—Co2—O7	85.93 (17)	C20—C21—H21	121.0
O9—Co2—O2	88.27 (16)	C22—C21—H21	121.0
O4—Co2—O2	92.67 (17)	C17—C22—C21	121.3 (7)
O7—Co2—O2	178.13 (17)	C17—C22—H22	119.3
O9—Co2—O5 ⁱ	91.48 (16)	C21—C22—H22	119.3
O4—Co2—O5 ⁱ	90.08 (16)	N4—C23—C15	110.6 (5)
O7—Co2—O5 ⁱ	87.92 (15)	N4—C23—C24	127.5 (5)
O2—Co2—O5 ⁱ	90.85 (15)	C15—C23—C24	121.8 (5)
O9—Co2—O11 ⁱⁱ	88.14 (16)	C26—C24—C25	117.5 (5)
O4—Co2—O11 ⁱⁱ	90.27 (16)	C26—C24—C23	126.1 (5)
O7—Co2—O11 ⁱⁱ	90.28 (15)	C25—C24—C23	116.5 (5)
O2—Co2—O11 ⁱⁱ	90.96 (15)	N2—C25—C24	121.9 (5)
O5 ⁱ —Co2—O11 ⁱⁱ	178.13 (14)	N2—C25—C14	116.6 (4)
O10—Co3—O8	99.43 (17)	C24—C25—C14	121.5 (5)
O10—Co3—N5	96.08 (16)	C27—C26—C24	119.6 (5)
O8—Co3—N5	95.76 (17)	C27—C26—H26	120.2
O10—Co3—O11 ⁱⁱ	93.23 (15)	C24—C26—H26	120.2
O8—Co3—O11 ⁱⁱ	105.97 (16)	C26—C27—C28	119.3 (6)
N5—Co3—O11 ⁱⁱ	154.59 (17)	C26—C27—H27	120.4
O10—Co3—N6	171.27 (17)	C28—C27—H27	120.4
O8—Co3—N6	86.79 (17)	N2—C28—C27	123.2 (5)
N5—Co3—N6	77.10 (17)	N2—C28—H28	118.4
O11 ⁱⁱ —Co3—N6	90.90 (16)	C27—C28—H28	118.4
O10—Co3—O12 ⁱⁱ	88.27 (16)	O7—C29—O8	126.8 (5)
O8—Co3—O12 ⁱⁱ	163.45 (16)	O7—C29—C30	117.7 (5)
N5—Co3—O12 ⁱⁱ	97.97 (17)	O8—C29—C30	115.5 (5)
O11 ⁱⁱ —Co3—O12 ⁱⁱ	58.68 (14)	C31—C30—C29	108.4 (5)
N6—Co3—O12 ⁱⁱ	87.31 (16)	C31—C30—H30A	110.0
C1—O1—Co1	127.0 (4)	C29—C30—H30A	110.0
C1—O2—Co2	134.4 (4)	C31—C30—H30B	110.0
C4—O3—Co1	121.3 (4)	C29—C30—H30B	110.0
C4—O4—Co2	138.2 (4)	H30A—C30—H30B	108.4
C9—O5—Co1 ⁱⁱ	93.5 (3)	C30—C31—C31 ^{iv}	113.7 (7)
C9—O5—Co2 ⁱⁱ	142.7 (3)	C30—C31—H31A	108.8

supplementary materials

Co1 ⁱⁱ —O5—Co2 ⁱⁱ	105.31 (17)	C31 ^{iv} —C31—H31A	108.8
C9—O6—Co1 ⁱⁱ	89.0 (4)	C30—C31—H31B	108.8
C29—O7—Co2	136.7 (4)	C31 ^{iv} —C31—H31B	108.8
C29—O8—Co3	123.5 (4)	H31A—C31—H31B	107.7
C32—O9—Co2	139.8 (4)	O9—C32—O10	125.1 (5)
C32—O10—Co3	121.4 (4)	O9—C32—C33	118.5 (5)
C37—O11—Co3 ⁱ	93.6 (3)	O10—C32—C33	116.5 (5)
C37—O11—Co2 ⁱ	144.3 (3)	C34—C33—C32	116.2 (6)
Co3 ⁱ —O11—Co2 ⁱ	106.05 (17)	C34—C33—H33A	108.2
C37—O12—Co3 ⁱ	88.7 (4)	C32—C33—H33A	108.2
C10—N1—C14	118.1 (5)	C34—C33—H33B	108.2
C10—N1—Co1	126.7 (4)	C32—C33—H33B	108.2
C14—N1—Co1	115.1 (4)	H33A—C33—H33B	107.4
C28—N2—C25	118.6 (4)	C33—C34—C35	124.6 (6)
C28—N2—Co1	128.0 (4)	C33—C34—H34A	106.2
C25—N2—Co1	113.3 (4)	C35—C34—H34A	106.2
C16—N3—C15	105.7 (5)	C33—C34—H34B	106.2
C16—N3—H3N	127.1	C35—C34—H34B	106.2
C15—N3—H3N	127.1	H34A—C34—H34B	106.4
C16—N4—C23	103.7 (5)	C34—C35—C36	117.2 (5)
C38—N5—C42	117.6 (5)	C34—C35—H35A	108.0
C38—N5—Co3	125.9 (3)	C36—C35—H35A	108.0
C42—N5—Co3	116.5 (4)	C34—C35—H35B	108.0
C56—N6—C53	118.0 (4)	C36—C35—H35B	108.0
C56—N6—Co3	128.1 (4)	H35A—C35—H35B	107.2
C53—N6—Co3	113.8 (3)	C37—C36—C35	115.4 (5)
C44—N7—C43	105.9 (5)	C37—C36—H36A	108.4
C44—N7—H7N	127.0	C35—C36—H36A	108.4
C43—N7—H7N	127.0	C37—C36—H36B	108.4
C44—N8—C51	104.2 (5)	C35—C36—H36B	108.4
O2—C1—O1	125.6 (6)	H36A—C36—H36B	107.5
O2—C1—C2	117.4 (6)	O11—C37—O12	118.9 (5)
O1—C1—C2	117.0 (6)	O11—C37—C36	121.7 (5)
C3—C2—C1	115.6 (6)	O12—C37—C36	119.5 (6)
C3—C2—H2A	108.4	N5—C38—C39	124.1 (5)
C1—C2—H2A	108.4	N5—C38—H38	118.0
C3—C2—H2B	108.4	C39—C38—H38	118.0
C1—C2—H2B	108.4	C40—C39—C38	118.2 (6)
H2A—C2—H2B	107.4	C40—C39—H39	120.9
C3 ⁱⁱⁱ —C3—C2	118.6 (9)	C38—C39—H39	120.9
C3 ⁱⁱⁱ —C3—H3A	107.7	C39—C40—C41	120.1 (5)
C2—C3—H3A	107.7	C39—C40—H40	120.0
C3 ⁱⁱⁱ —C3—H3B	107.7	C41—C40—H40	120.0
C2—C3—H3B	107.7	C40—C41—C42	117.3 (5)
H3A—C3—H3B	107.1	C40—C41—C43	127.0 (5)
O4—C4—O3	125.3 (5)	C42—C41—C43	115.6 (5)
O4—C4—C5	117.9 (5)	N5—C42—C41	122.7 (5)

O3—C4—C5	116.8 (5)	N5—C42—C53	116.3 (5)
C6—C5—C4	118.8 (6)	C41—C42—C53	121.0 (4)
C6—C5—H5A	107.6	N7—C43—C51	106.7 (4)
C4—C5—H5A	107.6	N7—C43—C41	129.7 (5)
C6—C5—H5B	107.6	C51—C43—C41	123.6 (5)
C4—C5—H5B	107.6	N8—C44—N7	113.1 (5)
H5A—C5—H5B	107.0	N8—C44—C45	124.9 (5)
C5—C6—C7	125.7 (7)	N7—C44—C45	121.9 (5)
C5—C6—H6A	105.9	C50—C45—C46	119.5 (5)
C7—C6—H6A	105.9	C50—C45—C44	118.2 (6)
C5—C6—H6B	105.9	C46—C45—C44	122.3 (5)
C7—C6—H6B	105.9	C47—C46—C45	119.0 (6)
H6A—C6—H6B	106.2	C47—C46—H46	120.5
C6—C7—C8	117.0 (5)	C45—C46—H46	120.5
C6—C7—H7A	108.0	C46—C47—C48	121.1 (7)
C8—C7—H7A	108.0	C46—C47—H47	119.4
C6—C7—H7B	108.0	C48—C47—H47	119.4
C8—C7—H7B	108.0	C49—C48—C47	120.6 (6)
H7A—C7—H7B	107.3	C49—C48—H48	119.7
C9—C8—C7	117.0 (5)	C47—C48—H48	119.7
C9—C8—H8A	108.0	C48—C49—C50	118.4 (6)
C7—C8—H8A	108.0	C48—C49—H49	120.8
C9—C8—H8B	108.0	C50—C49—H49	120.8
C7—C8—H8B	108.0	C45—C50—C49	121.4 (6)
H8A—C8—H8B	107.3	C45—C50—H50	119.3
O6—C9—O5	118.5 (5)	C49—C50—H50	119.3
O6—C9—C8	119.6 (5)	C43—C51—N8	110.1 (5)
O5—C9—C8	121.8 (5)	C43—C51—C52	121.7 (4)
N1—C10—C11	123.6 (5)	N8—C51—C52	128.2 (5)
N1—C10—H10	118.2	C54—C52—C53	118.0 (5)
C11—C10—H10	118.2	C54—C52—C51	125.6 (5)
C12—C11—C10	119.3 (6)	C53—C52—C51	116.4 (5)
C12—C11—H11	120.3	N6—C53—C52	122.0 (5)
C10—C11—H11	120.3	N6—C53—C42	116.3 (4)
C11—C12—C13	119.0 (5)	C52—C53—C42	121.7 (5)
C11—C12—H12	120.5	C52—C54—C55	120.1 (5)
C13—C12—H12	120.5	C52—C54—H54	119.9
C14—C13—C12	118.1 (5)	C55—C54—H54	119.9
C14—C13—C15	115.8 (5)	C54—C55—C56	118.3 (6)
C12—C13—C15	125.9 (5)	C54—C55—H55	120.8
N1—C14—C13	121.8 (5)	C56—C55—H55	120.8
N1—C14—C25	117.1 (5)	N6—C56—C55	123.5 (5)
C13—C14—C25	121.1 (4)	N6—C56—H56	118.2
N3—C15—C23	106.2 (4)	C55—C56—H56	118.2
N3—C15—C13	130.5 (5)		
O3—Co1—O1—C1	-99.9 (5)	C22—C17—C18—C19	0.8 (10)
N1—Co1—O1—C1	165.0 (4)	C16—C17—C18—C19	-176.2 (6)
O5 ⁱ —Co1—O1—C1	-2.5 (5)	C17—C18—C19—C20	1.2 (10)

supplementary materials

N2—Co1—O1—C1	87.6 (5)	C18—C19—C20—C21	-2.6 (11)
O6 ⁱ —Co1—O1—C1	16.0 (8)	C19—C20—C21—C22	2.0 (11)
O9—Co2—O2—C1	-150.8 (6)	C18—C17—C22—C21	-1.3 (10)
O4—Co2—O2—C1	30.8 (6)	C16—C17—C22—C21	175.7 (6)
O5 ⁱ —Co2—O2—C1	-59.3 (6)	C20—C21—C22—C17	0.0 (11)
O11 ⁱⁱ —Co2—O2—C1	121.1 (6)	C16—N4—C23—C15	1.4 (7)
O1—Co1—O3—C4	59.4 (5)	C16—N4—C23—C24	177.8 (6)
N1—Co1—O3—C4	157.3 (5)	N3—C15—C23—N4	-0.7 (7)
O5 ⁱ —Co1—O3—C4	-47.4 (5)	C13—C15—C23—N4	176.5 (5)
N2—Co1—O3—C4	-168.4 (10)	N3—C15—C23—C24	-177.4 (5)
O6 ⁱ —Co1—O3—C4	-105.9 (5)	C13—C15—C23—C24	-0.2 (9)
O7—Co2—O4—C4	74.8 (6)	N4—C23—C24—C26	2.8 (11)
O2—Co2—O4—C4	-103.9 (6)	C15—C23—C24—C26	178.9 (6)
O5 ⁱ —Co2—O4—C4	-13.1 (6)	N4—C23—C24—C25	-176.6 (6)
O11 ⁱⁱ —Co2—O4—C4	165.1 (6)	C15—C23—C24—C25	-0.6 (9)
O9—Co2—O7—C29	-33.4 (6)	C28—N2—C25—C24	-0.8 (9)
O4—Co2—O7—C29	145.1 (6)	Co1—N2—C25—C24	-178.0 (4)
O5 ⁱ —Co2—O7—C29	-124.7 (6)	C28—N2—C25—C14	178.0 (6)
O11 ⁱⁱ —Co2—O7—C29	54.8 (6)	Co1—N2—C25—C14	0.8 (6)
O10—Co3—O8—C29	104.6 (4)	C26—C24—C25—N2	0.4 (9)
N5—Co3—O8—C29	-158.2 (4)	C23—C24—C25—N2	179.9 (5)
O11 ⁱⁱ —Co3—O8—C29	8.5 (4)	C26—C24—C25—C14	-178.3 (6)
N6—Co3—O8—C29	-81.6 (4)	C23—C24—C25—C14	1.2 (9)
O12 ⁱⁱ —Co3—O8—C29	-12.3 (7)	N1—C14—C25—N2	0.2 (8)
O7—Co2—O9—C32	102.7 (6)	C13—C14—C25—N2	-179.9 (5)
O2—Co2—O9—C32	-78.5 (6)	N1—C14—C25—C24	178.9 (5)
O5 ⁱ —Co2—O9—C32	-169.3 (6)	C13—C14—C25—C24	-1.1 (9)
O11 ⁱⁱ —Co2—O9—C32	12.5 (6)	C25—C24—C26—C27	0.2 (10)
O8—Co3—O10—C32	-61.0 (5)	C23—C24—C26—C27	-179.2 (6)
N5—Co3—O10—C32	-157.9 (5)	C24—C26—C27—C28	-0.4 (11)
O11 ⁱⁱ —Co3—O10—C32	45.8 (5)	C25—N2—C28—C27	0.6 (10)
O12 ⁱⁱ —Co3—O10—C32	104.3 (5)	Co1—N2—C28—C27	177.3 (5)
O1—Co1—N1—C10	92.0 (5)	C26—C27—C28—N2	0.0 (11)
O3—Co1—N1—C10	-8.8 (5)	Co2—O7—C29—O8	-12.9 (10)
O5 ⁱ —Co1—N1—C10	-116.6 (5)	Co2—O7—C29—C30	169.5 (4)
N2—Co1—N1—C10	177.1 (6)	Co3—O8—C29—O7	-26.5 (8)
O6 ⁱ —Co1—N1—C10	-96.5 (5)	Co3—O8—C29—C30	151.0 (4)
O1—Co1—N1—C14	-84.0 (4)	O7—C29—C30—C31	76.3 (7)
O3—Co1—N1—C14	175.3 (4)	O8—C29—C30—C31	-101.5 (6)
O5 ⁱ —Co1—N1—C14	67.4 (5)	C29—C30—C31—C31 ^{iv}	174.6 (6)
N2—Co1—N1—C14	1.1 (4)	Co2—O9—C32—O10	-47.3 (10)
O6 ⁱ —Co1—N1—C14	87.6 (4)	Co2—O9—C32—C33	132.5 (5)
O1—Co1—N2—C28	-79.9 (6)	Co3—O10—C32—O9	5.9 (9)
O3—Co1—N2—C28	147.0 (10)	Co3—O10—C32—C33	-173.9 (4)
N1—Co1—N2—C28	-177.9 (6)	O9—C32—C33—C34	3.2 (10)

O5 ⁱ —Co1—N2—C28	25.7 (6)	O10—C32—C33—C34	-176.9 (7)
O6 ⁱ —Co1—N2—C28	84.5 (6)	C32—C33—C34—C35	-172.7 (7)
O1—Co1—N2—C25	96.9 (4)	C33—C34—C35—C36	-34.2 (12)
O3—Co1—N2—C25	-36.2 (13)	C34—C35—C36—C37	-54.2 (9)
N1—Co1—N2—C25	-1.0 (4)	Co3 ⁱ —O11—C37—O12	4.3 (5)
O5 ⁱ —Co1—N2—C25	-157.4 (4)	Co2 ⁱ —O11—C37—O12	128.6 (5)
O6 ⁱ —Co1—N2—C25	-98.6 (4)	Co3 ⁱ —O11—C37—C36	-174.7 (4)
O10—Co3—N5—C38	8.2 (5)	Co2 ⁱ —O11—C37—C36	-50.5 (9)
O8—Co3—N5—C38	-91.9 (5)	Co3 ⁱ —O12—C37—O11	-4.1 (4)
O11 ⁱⁱ —Co3—N5—C38	119.1 (5)	Co3 ⁱ —O12—C37—C36	175.0 (4)
N6—Co3—N5—C38	-177.3 (5)	C35—C36—C37—O11	-38.1 (7)
O12 ⁱⁱ —Co3—N5—C38	97.3 (5)	C35—C36—C37—O12	142.9 (5)
O10—Co3—N5—C42	-174.3 (4)	C42—N5—C38—C39	0.5 (9)
O8—Co3—N5—C42	85.5 (4)	Co3—N5—C38—C39	177.9 (5)
O11 ⁱⁱ —Co3—N5—C42	-63.5 (6)	N5—C38—C39—C40	0.8 (10)
N6—Co3—N5—C42	0.1 (4)	C38—C39—C40—C41	-1.0 (10)
O12 ⁱⁱ —Co3—N5—C42	-85.2 (4)	C39—C40—C41—C42	-0.1 (9)
O8—Co3—N6—C56	81.9 (5)	C39—C40—C41—C43	-177.4 (6)
N5—Co3—N6—C56	178.6 (6)	C38—N5—C42—C41	-1.7 (9)
O11 ⁱⁱ —Co3—N6—C56	-24.1 (5)	Co3—N5—C42—C41	-179.3 (4)
O12 ⁱⁱ —Co3—N6—C56	-82.6 (5)	C38—N5—C42—C53	177.4 (5)
O8—Co3—N6—C53	-96.6 (4)	Co3—N5—C42—C53	-0.3 (7)
N5—Co3—N6—C53	0.0 (4)	C40—C41—C42—N5	1.5 (9)
O11 ⁱⁱ —Co3—N6—C53	157.4 (4)	C43—C41—C42—N5	179.1 (5)
O12 ⁱⁱ —Co3—N6—C53	98.9 (4)	C40—C41—C42—C53	-177.5 (6)
Co2—O2—C1—O1	23.4 (9)	C43—C41—C42—C53	0.1 (8)
Co2—O2—C1—C2	-155.7 (4)	C44—N7—C43—C51	0.8 (6)
Co1—O1—C1—O2	15.5 (8)	C44—N7—C43—C41	178.3 (6)
Co1—O1—C1—C2	-165.4 (4)	C40—C41—C43—N7	-1.3 (11)
O2—C1—C2—C3	-56.1 (8)	C42—C41—C43—N7	-178.6 (6)
O1—C1—C2—C3	124.7 (7)	C40—C41—C43—C51	175.9 (6)
C1—C2—C3—C3 ⁱⁱⁱ	-65.4 (12)	C42—C41—C43—C51	-1.4 (9)
Co2—O4—C4—O3	46.2 (10)	C51—N8—C44—N7	0.6 (7)
Co2—O4—C4—C5	-132.0 (6)	C51—N8—C44—C45	176.3 (6)
Co1—O3—C4—O4	-4.4 (9)	C43—N7—C44—N8	-0.9 (7)
Co1—O3—C4—C5	173.9 (5)	C43—N7—C44—C45	-176.7 (5)
O4—C4—C5—C6	-0.9 (12)	N8—C44—C45—C50	13.8 (9)
O3—C4—C5—C6	-179.3 (8)	N7—C44—C45—C50	-170.8 (6)
C4—C5—C6—C7	173.5 (8)	N8—C44—C45—C46	-164.5 (6)
C5—C6—C7—C8	33.0 (13)	N7—C44—C45—C46	10.8 (9)
C6—C7—C8—C9	53.8 (9)	C50—C45—C46—C47	-0.3 (9)
Co1 ⁱⁱ —O6—C9—O5	3.7 (4)	C44—C45—C46—C47	178.0 (6)
Co1 ⁱⁱ —O6—C9—C8	-175.0 (4)	C45—C46—C47—C48	-1.1 (10)
Co1 ⁱⁱ —O5—C9—O6	-3.9 (5)	C46—C47—C48—C49	1.9 (10)
Co2 ⁱⁱ —O5—C9—O6	-125.0 (5)	C47—C48—C49—C50	-1.3 (10)

supplementary materials

Co1 ⁱⁱ —O5—C9—C8	174.8 (4)	C46—C45—C50—C49	0.9 (10)
Co2 ⁱⁱ —O5—C9—C8	53.7 (8)	C44—C45—C50—C49	-177.5 (6)
C7—C8—C9—O6	-145.8 (5)	C48—C49—C50—C45	-0.1 (10)
C7—C8—C9—O5	35.5 (7)	N7—C43—C51—N8	-0.4 (7)
C14—N1—C10—C11	-0.6 (9)	C41—C43—C51—N8	-178.2 (5)
Co1—N1—C10—C11	-176.4 (5)	N7—C43—C51—C52	-180.0 (5)
N1—C10—C11—C12	-0.8 (10)	C41—C43—C51—C52	2.3 (10)
C10—C11—C12—C13	0.2 (9)	C44—N8—C51—C43	-0.1 (7)
C11—C12—C13—C14	1.7 (9)	C44—N8—C51—C52	179.4 (6)
C11—C12—C13—C15	177.8 (6)	C43—C51—C52—C54	179.9 (6)
C10—N1—C14—C13	2.6 (9)	N8—C51—C52—C54	0.5 (10)
Co1—N1—C14—C13	178.9 (4)	C43—C51—C52—C53	-1.7 (9)
C10—N1—C14—C25	-177.4 (5)	N8—C51—C52—C53	178.8 (6)
Co1—N1—C14—C25	-1.1 (7)	C56—N6—C53—C52	0.2 (9)
C12—C13—C14—N1	-3.2 (9)	Co3—N6—C53—C52	178.9 (4)
C15—C13—C14—N1	-179.7 (5)	C56—N6—C53—C42	-178.9 (6)
C12—C13—C14—C25	176.8 (5)	Co3—N6—C53—C42	-0.2 (6)
C15—C13—C14—C25	0.3 (8)	C54—C52—C53—N6	-0.1 (9)
C16—N3—C15—C23	-0.3 (7)	C51—C52—C53—N6	-178.5 (5)
C16—N3—C15—C13	-177.2 (6)	C54—C52—C53—C42	179.0 (6)
C14—C13—C15—N3	176.7 (6)	C51—C52—C53—C42	0.5 (8)
C12—C13—C15—N3	0.6 (11)	N5—C42—C53—N6	0.4 (8)
C14—C13—C15—C23	0.3 (9)	C41—C42—C53—N6	179.4 (5)
C12—C13—C15—C23	-175.9 (6)	N5—C42—C53—C52	-178.7 (5)
C23—N4—C16—N3	-1.6 (7)	C41—C42—C53—C52	0.3 (9)
C23—N4—C16—C17	-176.1 (6)	C53—C52—C54—C55	-0.3 (10)
C15—N3—C16—N4	1.2 (7)	C51—C52—C54—C55	178.1 (6)
C15—N3—C16—C17	175.9 (6)	C52—C54—C55—C56	0.5 (10)
N4—C16—C17—C22	-13.3 (10)	C53—N6—C56—C55	0.0 (10)
N3—C16—C17—C22	172.6 (6)	Co3—N6—C56—C55	-178.4 (5)
N4—C16—C17—C18	163.6 (7)	C54—C55—C56—N6	-0.3 (11)
N3—C16—C17—C18	-10.5 (10)		

Symmetry codes: (i) $x-1, y, z$; (ii) $x+1, y, z$; (iii) $-x+1, -y+1, -z+1$; (iv) $-x+2, -y+2, -z$.

Hydrogen-bond geometry (\AA , $^\circ$)

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
N3—H3N \cdots O6 ^v	0.86	2.05	2.785 (6)	143
N7—H7N \cdots O12 ^{vi}	0.86	2.05	2.795 (6)	144

Symmetry codes: (v) $-x+2, -y+2, -z+1$; (vi) $-x+1, -y+1, -z$.

Fig. 1

