

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

3,5-Dichlorophenyl 4-methylbenzoate

B. Thimme Gowda,^{a*} Sabine Foro,^b K. S. Babitha^a and Hartmut Fuess^b^aDepartment of Chemistry, Mangalore University, Mangalagangotri 574 199, Mangalore, India, and ^bInstitute of Materials Science, Darmstadt University of Technology, Petersenstrasse 23, D-64287 Darmstadt, Germany
Correspondence e-mail: gowdabt@yahoo.com


Received 9 July 2008; accepted 16 July 2008

Key indicators: single-crystal X-ray study; $T = 299$ K; mean $\sigma(\text{C}-\text{C}) = 0.003$ Å; R factor = 0.041; wR factor = 0.140; data-to-parameter ratio = 14.2.

The structure of the title compound, $\text{C}_{14}\text{H}_{10}\text{Cl}_2\text{O}_2$, resembles those of 3-chlorophenyl 4-methylbenzoate, 2,6-dichlorophenyl 4-methylbenzoate and 2,4-dichlorophenyl 4-methylbenzoate, with similar bond parameters. The dihedral angle between the benzene and benzoyl rings is 48.81 (6)°.

Related literature

For related literature, see: Gowda *et al.* (2007, 2008a,b); Nayak & Gowda (2008).



Experimental

Crystal data

 $\text{C}_{14}\text{H}_{10}\text{Cl}_2\text{O}_2$
 $M_r = 281.12$ Monoclinic, $P2_1/n$
 $a = 3.9273$ (6) Å $b = 28.412$ (4) Å
 $c = 11.705$ (1) Å
 $\beta = 94.06$ (1)°
 $V = 1302.8$ (3) Å³
 $Z = 4$ Mo $K\alpha$ radiation
 $\mu = 0.49$ mm⁻¹
 $T = 299$ (2) K
 $0.48 \times 0.40 \times 0.08$ mm

Data collection

Oxford Diffraction Xcalibur diffractometer with a Sapphire CCD detector
Absorption correction: multi-scan (*CrysAlis RED*; Oxford)Diffraction, 2007
 $T_{\min} = 0.800$, $T_{\max} = 0.962$
7613 measured reflections
2621 independent reflections
1755 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.025$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.040$
 $wR(F^2) = 0.139$
 $S = 1.11$
2621 reflections
184 parametersH atoms treated by a mixture of independent and constrained refinement
 $\Delta\rho_{\max} = 0.32$ e Å⁻³
 $\Delta\rho_{\min} = -0.24$ e Å⁻³

Data collection: *CrysAlis CCD* (Oxford Diffraction, 2004); cell refinement: *CrysAlis RED* (Oxford Diffraction, 2007); data reduction: *CrysAlis RED*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *PLATON* (Spek, 2003); software used to prepare material for publication: *SHELXL97*.

BTG thanks the Alexander von Humboldt Foundation, Bonn, Germany, for extensions of his research fellowship.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: BX2159).

References

- Gowda, B. T., Foro, S., Babitha, K. S. & Fuess, H. (2007). *Acta Cryst.* **E63**, o3877.
Gowda, B. T., Foro, S., Babitha, K. S. & Fuess, H. (2008a). *Acta Cryst.* **E64**, o843.
Gowda, B. T., Foro, S., Babitha, K. S. & Fuess, H. (2008b). *Acta Cryst.* **E64**, o1390.
Nayak, R. & Gowda, B. T. (2008). *Z. Naturforsch. Teil A*, **63**. In the press.
Oxford Diffraction (2004). *CrysAlis CCD*. Oxford Diffraction Ltd, Köln, Germany.
Oxford Diffraction (2007). *CrysAlis RED*. Oxford Diffraction Ltd, Köln, Germany.
Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
Spek, A. L. (2003). *J. Appl. Cryst.* **36**, 7–13.

supplementary materials

Acta Cryst. (2008). E64, o1545 [doi:10.1107/S1600536808022277]

3,5-Dichlorophenyl 4-methylbenzoate

B. T. Gowda, S. Foro, K. S. Babitha and H. Fuess

Comment

In the present work, as part of a study of the substituent effects on the structures of chemically and industrially significant compounds (Gowda *et al.*, 2007, 2008*a, b*), the structure of 3,5-dichlorophenyl 4-methylbenzoate (35DCP4MeBA) has been determined. The structure of 35DCP4MeBA (Fig. 1) resembles those of 3-chlorophenyl 4-methylbenzoate (3CP4MeBA)(Gowda *et al.*, 2008*b*), 2,6-dichlorophenyl 4-methylbenzoate (26DCP4MeBA)(Gowda *et al.*, 2008*a*), 2,4-dichlorophenyl 4-methyl benzoate (24DCP4MeBA) and other aryl benzoates (Gowda *et al.*, 2007). The bond parameters in 35DCP4MeBA are similar to those in 3CP4MeBA, 26DCP4MeBA, 24DCP4MeBA and other benzoates. The dihedral angle between the benzene and benzoyl rings in 35DCP4MeBA is 48.81 (6)°, compared to the values of 71.75 (7)° in 3CP4MeBA (Gowda *et al.*, 2008*b*), 77.97 (9)° in 26DCP4MeBA (Gowda *et al.*, 2008*a*) and 48.13 (5)° in 24DCP4MeBA (Gowda *et al.*, 2007). The molecular packing in the crystal structure of 35DCP4MeBA is shown in Fig. 2.

Experimental

The title compound was prepared according to a literature method of Nayak & Gowda (2008). The purity of the compound was checked by determining its melting point. It was characterized by recording its infrared and NMR spectra (Nayak & Gowda, 2008). Single crystals of the title compound used for X-ray diffraction studies were obtained by a slow evaporation of an ethanolic solution at room temperature.

Refinement

The H atoms of the methyl group were positioned with idealized geometry using a riding model with C—H = 0.96 Å. The other H atoms were located in difference map, and its positional parameters were refined freely [C—H = 0.89 (3)–1.02 (3) Å. All H atoms were refined with isotropic displacement parameters (set to 1.2 times of the U_{eq} of the parent atom).

Figures




Fig. 1. Molecular structure of the title compound, showing the atom labelling scheme. The Displacement ellipsoids are drawn at the 50% probability level. The H atoms are represented as small spheres of arbitrary radii.



Fig. 2. Molecular packing of the title compound.

3,5-Dichlorophenyl 4-methylbenzoate

Crystal data

$C_{14}H_{10}Cl_2O_2$	$F_{000} = 576$
$M_r = 281.12$	$D_x = 1.433 \text{ Mg m}^{-3}$
Monoclinic, $P2_1/n$	Mo $K\alpha$ radiation
Hall symbol: -P 2yn	$\lambda = 0.71073 \text{ \AA}$
$a = 3.9273 (6) \text{ \AA}$	Cell parameters from 3406 reflections
$b = 28.412 (4) \text{ \AA}$	$\theta = 2.3\text{--}27.9^\circ$
$c = 11.705 (1) \text{ \AA}$	$\mu = 0.49 \text{ mm}^{-1}$
$\beta = 94.06 (1)^\circ$	$T = 299 (2) \text{ K}$
$V = 1302.8 (3) \text{ \AA}^3$	Plate, colourless
$Z = 4$	$0.48 \times 0.40 \times 0.08 \text{ mm}$

Data collection

Oxford Diffraction Xcalibur diffractometer with a Sapphire CCD detector	2621 independent reflections
Radiation source: fine-focus sealed tube	1755 reflections with $I > 2\sigma(I)$
Monochromator: graphite	$R_{\text{int}} = 0.025$
$T = 299(2) \text{ K}$	$\theta_{\text{max}} = 26.4^\circ$
Rotation method data acquisition using ω and φ scans	$\theta_{\text{min}} = 2.3^\circ$
Absorption correction: multi-scan (CrysAlis RED; Oxford Diffraction, 2007)	$h = -4 \rightarrow 4$
$T_{\text{min}} = 0.800, T_{\text{max}} = 0.962$	$k = -35 \rightarrow 34$
7613 measured reflections	$l = -14 \rightarrow 14$

Refinement

Refinement on F^2	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: inferred from neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.040$	H atoms treated by a mixture of independent and constrained refinement
$wR(F^2) = 0.139$	$w = 1/[\sigma^2(F_o^2) + (0.0783P)^2]$
$S = 1.11$	where $P = (F_o^2 + 2F_c^2)/3$
2621 reflections	$(\Delta/\sigma)_{\text{max}} = 0.001$
184 parameters	$\Delta\rho_{\text{max}} = 0.32 \text{ e \AA}^{-3}$
Primary atom site location: structure-invariant direct methods	$\Delta\rho_{\text{min}} = -0.24 \text{ e \AA}^{-3}$
	Extinction correction: none

Special details

Experimental. CrysAlis RED, Oxford Diffraction Ltd., 2007 Empirical absorption correction using spherical harmonics, implemented in SCALE3 ABSPACK scaling algorithm.

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	0.4042 (6)	0.15541 (8)	-0.1194 (2)	0.0418 (6)
C2	0.2829 (6)	0.13459 (9)	-0.0235 (2)	0.0444 (6)
H2	0.200 (6)	0.1519 (9)	0.035 (2)	0.053*
C3	0.2772 (6)	0.08640 (9)	-0.01881 (19)	0.0419 (6)
C4	0.3809 (6)	0.05839 (9)	-0.1061 (2)	0.0442 (6)
H4	0.373 (5)	0.0228 (10)	-0.0960 (19)	0.053*
C5	0.4990 (6)	0.08058 (9)	-0.20047 (19)	0.0413 (6)
C6	0.5140 (6)	0.12902 (9)	-0.2088 (2)	0.0432 (6)
H6	0.583 (6)	0.1444 (9)	-0.270 (2)	0.052*
C7	0.5453 (6)	0.23217 (9)	-0.0486 (2)	0.0450 (6)
C8	0.4837 (6)	0.28221 (8)	-0.0721 (2)	0.0405 (6)
C9	0.3278 (7)	0.29931 (10)	-0.1734 (2)	0.0492 (7)
H9	0.260 (7)	0.2789 (10)	-0.231 (2)	0.059*
C10	0.2734 (7)	0.34658 (10)	-0.1884 (2)	0.0506 (7)
H10	0.164 (6)	0.3558 (9)	-0.263 (2)	0.061*
C11	0.3722 (6)	0.37871 (9)	-0.1031 (2)	0.0437 (6)
C12	0.5333 (7)	0.36165 (10)	-0.0028 (2)	0.0477 (7)
H12	0.607 (6)	0.3843 (9)	0.049 (2)	0.057*
C13	0.5880 (7)	0.31429 (9)	0.0140 (2)	0.0464 (7)
H13	0.689 (6)	0.3038 (9)	0.079 (2)	0.056*
C14	0.3049 (8)	0.43029 (10)	-0.1188 (3)	0.0598 (8)
H14A	0.5179	0.4468	-0.1197	0.072*
H14B	0.1808	0.4417	-0.0567	0.072*
H14C	0.1729	0.4354	-0.1899	0.072*
O1	0.3978 (5)	0.20416 (6)	-0.13445 (15)	0.0544 (5)
O2	0.7075 (5)	0.21609 (6)	0.03319 (17)	0.0650 (6)
Cl1	0.13414 (18)	0.05912 (3)	0.10169 (6)	0.0602 (3)
Cl2	0.6296 (2)	0.04648 (2)	-0.31227 (6)	0.0605 (3)

supplementary materials

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C1	0.0491 (15)	0.0345 (15)	0.0402 (13)	0.0037 (11)	-0.0078 (11)	-0.0019 (10)
C2	0.0466 (15)	0.0452 (16)	0.0408 (14)	0.0089 (12)	-0.0020 (11)	-0.0037 (11)
C3	0.0391 (13)	0.0472 (16)	0.0389 (13)	0.0018 (11)	0.0000 (10)	0.0042 (11)
C4	0.0464 (15)	0.0382 (15)	0.0473 (15)	0.0007 (11)	-0.0014 (11)	0.0021 (11)
C5	0.0436 (14)	0.0397 (14)	0.0402 (13)	0.0001 (11)	-0.0003 (10)	-0.0035 (11)
C6	0.0460 (14)	0.0445 (16)	0.0384 (13)	-0.0056 (12)	-0.0014 (11)	0.0015 (11)
C7	0.0496 (15)	0.0404 (15)	0.0443 (14)	0.0022 (12)	-0.0024 (12)	-0.0045 (11)
C8	0.0396 (13)	0.0399 (15)	0.0414 (13)	0.0021 (11)	0.0000 (10)	-0.0020 (11)
C9	0.0616 (17)	0.0426 (16)	0.0425 (15)	-0.0007 (13)	-0.0017 (12)	-0.0020 (12)
C10	0.0597 (17)	0.0440 (17)	0.0468 (15)	0.0019 (12)	-0.0043 (13)	0.0081 (12)
C11	0.0448 (14)	0.0384 (15)	0.0493 (15)	0.0026 (11)	0.0122 (11)	0.0029 (11)
C12	0.0562 (16)	0.0397 (16)	0.0470 (15)	-0.0010 (12)	0.0016 (12)	-0.0072 (12)
C13	0.0540 (16)	0.0407 (16)	0.0433 (15)	0.0034 (12)	-0.0059 (12)	-0.0013 (12)
C14	0.0715 (19)	0.0452 (18)	0.0641 (19)	0.0082 (14)	0.0148 (14)	0.0106 (13)
O1	0.0802 (13)	0.0341 (11)	0.0465 (10)	0.0014 (9)	-0.0120 (9)	-0.0001 (8)
O2	0.0828 (14)	0.0442 (11)	0.0635 (12)	0.0109 (10)	-0.0274 (11)	-0.0019 (9)
Cl1	0.0681 (5)	0.0635 (5)	0.0504 (4)	-0.0026 (3)	0.0136 (3)	0.0100 (3)
Cl2	0.0806 (5)	0.0503 (5)	0.0521 (4)	0.0015 (4)	0.0149 (3)	-0.0108 (3)

Geometric parameters (\AA , $^\circ$)

C1—C6	1.382 (3)	C8—C9	1.383 (4)
C1—C2	1.382 (3)	C8—C13	1.398 (3)
C1—O1	1.396 (3)	C9—C10	1.369 (4)
C2—C3	1.371 (3)	C9—H9	0.91 (3)
C2—H2	0.92 (3)	C10—C11	1.387 (4)
C3—C4	1.379 (3)	C10—H10	0.98 (3)
C3—C11	1.737 (2)	C11—C12	1.382 (3)
C4—C5	1.381 (3)	C11—C14	1.498 (3)
C4—H4	1.02 (3)	C12—C13	1.375 (4)
C5—C6	1.382 (3)	C12—H12	0.91 (3)
C5—C12	1.735 (2)	C13—H13	0.89 (3)
C6—H6	0.89 (3)	C14—H14A	0.9600
C7—O2	1.202 (3)	C14—H14B	0.9600
C7—O1	1.377 (3)	C14—H14C	0.9600
C7—C8	1.465 (3)		
C6—C1—C2	121.8 (2)	C13—C8—C7	117.5 (2)
C6—C1—O1	116.5 (2)	C10—C9—C8	120.7 (2)
C2—C1—O1	121.5 (2)	C10—C9—H9	119.5 (18)
C3—C2—C1	117.9 (2)	C8—C9—H9	119.9 (18)
C3—C2—H2	119.8 (16)	C9—C10—C11	121.3 (3)
C1—C2—H2	122.3 (16)	C9—C10—H10	115.5 (16)
C2—C3—C4	122.7 (2)	C11—C10—H10	123.2 (16)
C2—C3—C11	119.06 (19)	C12—C11—C10	117.9 (2)

C4—C3—C11	118.25 (19)	C12—C11—C14	120.9 (2)
C3—C4—C5	117.6 (2)	C10—C11—C14	121.2 (2)
C3—C4—H4	118.3 (13)	C13—C12—C11	121.5 (3)
C5—C4—H4	124.1 (13)	C13—C12—H12	123.8 (17)
C4—C5—C6	122.0 (2)	C11—C12—H12	114.7 (17)
C4—C5—C12	118.88 (19)	C12—C13—C8	120.0 (2)
C6—C5—C12	119.10 (18)	C12—C13—H13	120.5 (17)
C5—C6—C1	118.0 (2)	C8—C13—H13	119.5 (17)
C5—C6—H6	124.0 (17)	C11—C14—H14A	109.5
C1—C6—H6	117.9 (17)	C11—C14—H14B	109.5
O2—C7—O1	122.2 (2)	H14A—C14—H14B	109.5
O2—C7—C8	126.1 (2)	C11—C14—H14C	109.5
O1—C7—C8	111.6 (2)	H14A—C14—H14C	109.5
C9—C8—C13	118.6 (2)	H14B—C14—H14C	109.5
C9—C8—C7	124.0 (2)	C7—O1—C1	118.56 (18)
C6—C1—C2—C3	0.6 (4)	O1—C7—C8—C13	173.3 (2)
O1—C1—C2—C3	175.7 (2)	C13—C8—C9—C10	-0.8 (4)
C1—C2—C3—C4	-1.2 (4)	C7—C8—C9—C10	178.9 (2)
C1—C2—C3—C11	178.75 (18)	C8—C9—C10—C11	0.0 (4)
C2—C3—C4—C5	0.9 (4)	C9—C10—C11—C12	1.1 (4)
C11—C3—C4—C5	-179.01 (18)	C9—C10—C11—C14	-178.5 (2)
C3—C4—C5—C6	-0.1 (4)	C10—C11—C12—C13	-1.5 (4)
C3—C4—C5—C12	-179.67 (18)	C14—C11—C12—C13	178.1 (2)
C4—C5—C6—C1	-0.4 (4)	C11—C12—C13—C8	0.8 (4)
C12—C5—C6—C1	179.14 (18)	C9—C8—C13—C12	0.3 (4)
C2—C1—C6—C5	0.2 (4)	C7—C8—C13—C12	-179.3 (2)
O1—C1—C6—C5	-175.2 (2)	O2—C7—O1—C1	7.5 (4)
O2—C7—C8—C9	172.5 (3)	C8—C7—O1—C1	-173.6 (2)
O1—C7—C8—C9	-6.3 (4)	C6—C1—O1—C7	-131.0 (2)
O2—C7—C8—C13	-7.9 (4)	C2—C1—O1—C7	53.6 (3)

Fig. 1




Fig. 2

