

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

2-Methylcarbamoyl-4-{4-[3-(trifluoromethyl)benzamido]phenoxy}pyridinium 4-methylbenzenesulfonate monohydrate

Zhao Wang,^a Na-Na Meng,^a Ting-Ting Huang,^a Yong-Kui Zhang^b and Luo-Ting Yu^{a*}

^aState Key Laboratory of Biotherapy and Cancer Center, West China Hospital, West China Medical School, Sichuan University, Chengdu 610041, People's Republic of China, and ^bDepartment of Pharmaceutical and Bioengineering, School of Chemical Engineering, Sichuan University, Chengdu 610065, People's Republic of China
Correspondence e-mail: yuluot@scu.edu.cn


Received 17 December 2009; accepted 28 December 2009

Key indicators: single-crystal X-ray study; $T = 113$ K; mean $\sigma(C-C) = 0.002$ Å; R factor = 0.044; wR factor = 0.112; data-to-parameter ratio = 16.1.

The asymmetric unit of the title compound, $C_{21}H_{17}F_3N_3O_3^+ \cdot C_7H_7O_3S^- \cdot H_2O$, contains two formula units. In one of the cations, the pyridinium and trifluoromethyl benzene rings form dihedral angles of 87.42 (8) and 45.92 (8)°, respectively, with the central benzene ring [79.56 (8) and 43.52 (8)° in the other cation]. In the crystal structure, $N-H \cdots O$, $O-H \cdots O$ and $C-H \cdots O$ hydrogen bonds link the ions and water molecules, forming a three-dimensional network.

Related literature

For general background to the use of small molecule inhibitors of Raf kinase activity in the treatment of cancer, see: Lowinger *et al.* (2002). For bond-length data, see: Allen *et al.* (1987).



Experimental

Crystal data

 $C_{21}H_{17}F_3N_3O_3^+ \cdot C_7H_7O_3S^- \cdot H_2O$ $M_r = 605.58$ Triclinic, $P\bar{1}$ $a = 10.657$ (2) Å $b = 16.000$ (3) Å $c = 16.985$ (3) Å $\alpha = 82.98$ (3)° $\beta = 75.63$ (3)° $\gamma = 81.62$ (3)° $V = 2764.6$ (10) Å³ $Z = 4$ Mo $K\alpha$ radiation $\mu = 0.19$ mm⁻¹ $T = 113$ K

0.29 × 0.25 × 0.22 mm

Data collection

Rigaku Saturn CCD area-detector diffractometer

Absorption correction: multi-scan (*ABSCOR*; Higashi, 1995) $T_{\min} = 0.947$, $T_{\max} = 0.960$

23339 measured reflections

12940 independent reflections

9042 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.037$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.044$ $wR(F^2) = 0.112$ $S = 1.02$

12940 reflections

802 parameters

H atoms treated by a mixture of independent and constrained refinement

 $\Delta\rho_{\max} = 0.36$ e Å⁻³ $\Delta\rho_{\min} = -0.40$ e Å⁻³

Table 1

Hydrogen-bond geometry (Å, °).

$D-H \cdots A$	$D-H$	$H \cdots A$	$D \cdots A$	$D-H \cdots A$
N1—H1N···O5 ⁱ	0.90 (2)	2.12 (2)	3.012 (2)	170 (2)
N2—H2N···O13	0.96 (2)	1.79 (2)	2.664 (2)	150 (2)
N3—H3N···O12	0.90 (2)	1.90 (2)	2.789 (2)	172 (2)
N4—H4N···O11 ⁱⁱ	0.86 (2)	2.06 (2)	2.894 (2)	163 (2)
N5—H5N···O14	0.93 (2)	1.73 (2)	2.628 (2)	160 (2)
N6—H6N···O5	0.89 (2)	2.00 (2)	2.868 (2)	163 (2)
O13—H1O···O9 ⁱⁱⁱ	0.96 (3)	1.83 (3)	2.785 (2)	173 (2)
O13—H2O···O10 ^{iv}	0.88 (3)	1.94 (3)	2.802 (2)	167 (2)
O14—H3O···O4 ⁱⁱⁱ	1.04 (3)	1.65 (3)	2.682 (2)	172 (2)
O14—H4O···O3 ⁱⁱⁱ	0.76 (3)	1.98 (3)	2.737 (2)	179 (3)
C3—H3···O8 ⁱ	0.95	2.58	3.477 (2)	158
C4—H4···O5 ⁱ	0.95	2.49	3.299 (2)	143
C14—H14···O7 ^v	0.95	2.48	3.381 (2)	159
C16—H16···O12	0.95	2.15	3.068 (2)	162
C18—H18···O10 ⁱⁱ	0.95	2.41	3.220 (2)	143
C18—H18···O11 ⁱⁱ	0.95	2.41	3.061 (2)	126
C24—H24···O1 ^{vi}	0.95	2.43	3.300 (2)	151
C38—H38···O11 ⁱⁱ	0.95	2.51	3.293 (2)	139
C44—H44···O5	0.95	2.38	3.297 (2)	162
C46—H46···O6 ⁱⁱ	0.95	2.32	2.951 (2)	124
C52—H52···O7 ^{vi}	0.95	2.38	3.305 (3)	166

Symmetry codes: (i) $x-1, y, z+1$; (ii) $x-1, y, z$; (iii) $-x+1, -y, -z$; (iv) $-x+1, -y, -z+1$; (v) $-x, -y+1, -z+1$; (vi) $-x+1, -y+1, -z+1$.

Data collection: *CrystalClear* (Rigaku/MS, 2005); cell refinement: *CrystalClear*; data reduction: *CrystalClear*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP III* (Burnett & Johnson, 1996); software used to prepare material for publication: *PLATON* (Spek, 2009).

The authors thank the Analytical and Testing Center of Sichuan University for the X-ray measurements.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: CI2994).

References

- Allen, F. H., Kennard, O., Watson, D. G., Brammer, L., Orpen, A. G. & Taylor, R. (1987). *J. Chem. Soc. Perkin Trans. 2*, pp. S1–19.
- Burnett, M. N. & Johnson, C. K. (1996). *ORTEP III*. Report ORNL-6895. Oak Ridge National Laboratory, Tennessee, USA.
- Higashi, T. (1995). *ABSCOR*. Rigaku Corporation, Tokyo, Japan.
- Lowinger, T. B., Riedl, B., Dumas, J. & Smith, R. A. (2002). *Curr. Pharm. Des.* **25**, 2269–2278.
- Rigaku/MS (2005). *CrystalClear*. Rigaku/MS, The Woodlands, Texas, USA.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.

supplementary materials

Acta Cryst. (2010). E66, o375 [doi:10.1107/S1600536809055603]

2-Methylcarbamoyl-4-{4-[3-(trifluoromethyl)benzamido]phenoxy}pyridinium 4-methylbenzenesulfonate monohydrate

Z. Wang, N.-N. Meng, T.-T. Huang, Y.-K. Zhang and L.-T. Yu

Comment

There are many small molecule inhibitors of Raf kinase activity for the treatment of cancer (Lowinger *et al.*, 2002). The title compound is one of the important agents in our synthetic investigations of antitumor drugs. We report here its crystal structure.

The asymmetric unit of the title compound contains two cationic units, two anionic units and two water molecules. One of the independent units of all constituents are shown in Fig. 1. Bond lengths (Allen *et al.*, 1987) and angles are within normal ranges. In one of the cationic units, the central benzene ring (C9-C14) forms dihedral angles of 87.42 (8) and 45.92 (8)°, respectively, with the pyridinium (N2/C15-C19) and trifluoromethyl phenyl ring (C1-C6). The corresponding angles in the other cationic unit are 79.56 (8) and 43.52 (8)°.

In the crystal structure, N—H···O, O—H···O and C—H···O hydrogen bonds link the ionic units and water molecules into a three-dimensional network.

Experimental

A mixture of 4-methylbenzenesulfonic acid (2.4 g, 14 mmol), ethyl acetate (30 ml) and water (5 ml) was added to a solution of *N*-methyl-4-[4-(3-(trifluoromethyl)benzamido)phenoxy]picolinamide (5 g, 12 mmol) in ethyl acetate (120 ml). The resulting mixture was stirred for 2 h under reflux, then cooled to ambient temperature. The precipitate was collected by filtration and washed with cold ethyl acetate to yield the title compound as a white solid (6.6 g, 91%). Crystals suitable for X-ray analysis were obtained by slow evaporation of a ethyl acetate-water (26:1) solution.

Refinement

H atoms of the amino group and water molecules were located in a difference map and refined freely. The remaining H atoms were positioned geometrically (C—H = 0.95–0.98 Å) and refined using a riding model, with $U_{\text{iso}}(\text{H}) = 1.2\text{--}1.5U_{\text{eq}}(\text{C})$.

Figures




Fig. 1. One of the independent formula units of the title compound. Displacement ellipsoids are drawn at the 30% probability level.

supplementary materials

2-(*N*-Methylcarbamoyl)-4-{4-[3-(trifluoromethyl)benzamido]phenoxy}pyridinium 4-methylbenzenesulfonate monohydrate

Crystal data

$C_{21}H_{17}F_3N_3O_3^+ \cdot C_7H_7O_3S^- \cdot H_2O$	$Z = 4$
$M_r = 605.58$	$F(000) = 1256$
Triclinic, $P\bar{1}$	$D_x = 1.455 \text{ Mg m}^{-3}$
Hall symbol: $-P 1$	Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$
$a = 10.657 (2) \text{ \AA}$	Cell parameters from 8045 reflections
$b = 16.000 (3) \text{ \AA}$	$\theta = 1.7\text{--}27.9^\circ$
$c = 16.985 (3) \text{ \AA}$	$\mu = 0.19 \text{ mm}^{-1}$
$\alpha = 82.98 (3)^\circ$	$T = 113 \text{ K}$
$\beta = 75.63 (3)^\circ$	Block, colourless
$\gamma = 81.62 (3)^\circ$	$0.29 \times 0.25 \times 0.22 \text{ mm}$
$V = 2764.6 (10) \text{ \AA}^3$	

Data collection

Rigaku Saturn CCD area-detector diffractometer	12940 independent reflections
Radiation source: rotating anode confocal	9042 reflections with $I > 2\sigma(I)$
Detector resolution: $7.31 \text{ pixels mm}^{-1}$	$R_{\text{int}} = 0.037$
ω and φ scans	$\theta_{\text{max}} = 27.9^\circ$, $\theta_{\text{min}} = 1.9^\circ$
Absorption correction: multi-scan (<i>ABSCOR</i> ; Higashi, 1995)	$h = -13 \rightarrow 14$
$T_{\text{min}} = 0.947$, $T_{\text{max}} = 0.960$	$k = -21 \rightarrow 21$
23339 measured reflections	$l = -13 \rightarrow 22$

Refinement

Refinement on F^2	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: mixed
$R[F^2 > 2\sigma(F^2)] = 0.044$	H atoms treated by a mixture of independent and constrained refinement
$wR(F^2) = 0.112$	$w = 1/[\sigma^2(F_o^2) + (0.0554P)^2]$
$S = 1.02$	where $P = (F_o^2 + 2F_c^2)/3$
12940 reflections	$(\Delta/\sigma)_{\text{max}} = 0.001$
802 parameters	$\Delta\rho_{\text{max}} = 0.36 \text{ e \AA}^{-3}$
0 restraints	$\Delta\rho_{\text{min}} = -0.39 \text{ e \AA}^{-3}$
Primary atom site location: structure-invariant direct methods	Extinction correction: (<i>SHELXL97</i> ; Sheldrick, 2008), $F_c^* = kFc[1 + 0.001xFc^2\lambda^3/\sin(2\theta)]^{-1/4}$
	Extinction coefficient: 0.0195 (8)

Special details

Experimental. Interpolation using Int.Tab. Vol. C (1992) p. 523, Tab. 6.3.3.3 for values of μ_R in the range 0-2.5, and Int.Tab. Vol. II (1959) p.302; Table 5.3.6 B for μ_R in the range 2.6-10.0. The interpolation procedure of C.W.Dwiggins Jr (Acta Cryst.(1975) A31,146-148) is used with some modification.

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R - factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
S1	0.91430 (4)	0.14041 (3)	0.05883 (3)	0.01812 (11)
F1	-0.34020 (10)	0.61736 (7)	1.15550 (6)	0.0288 (3)
F2	-0.22027 (10)	0.66570 (6)	1.04205 (7)	0.0285 (3)
F3	-0.42588 (10)	0.66433 (6)	1.05457 (6)	0.0275 (3)
O1	0.02637 (12)	0.46121 (8)	0.86161 (8)	0.0272 (3)
O2	0.40566 (11)	0.19670 (8)	0.63601 (7)	0.0254 (3)
O3	0.55988 (12)	0.03690 (9)	0.32473 (8)	0.0325 (3)
O4	0.85481 (12)	0.06433 (7)	0.09516 (8)	0.0260 (3)
O5	0.87361 (11)	0.17359 (7)	-0.01677 (7)	0.0214 (3)
O6	1.05425 (11)	0.13110 (8)	0.04777 (8)	0.0285 (3)
N1	-0.01171 (14)	0.32273 (9)	0.87890 (9)	0.0181 (3)
H1N	-0.0524 (18)	0.2827 (13)	0.9142 (12)	0.032 (6)*
N2	0.36243 (13)	0.08092 (10)	0.44574 (9)	0.0200 (3)
H2N	0.354 (2)	0.0571 (14)	0.3987 (13)	0.045 (7)*
N3	0.71041 (14)	0.07959 (10)	0.38048 (9)	0.0217 (3)
H3N	0.7301 (19)	0.1030 (13)	0.4207 (12)	0.032 (6)*
C1	-0.29467 (16)	0.53268 (10)	1.04459 (10)	0.0167 (3)
C2	-0.39162 (16)	0.47909 (11)	1.07203 (10)	0.0196 (4)
H2	-0.4703	0.4974	1.1094	0.023*
C3	-0.37330 (16)	0.39950 (11)	1.04486 (10)	0.0196 (4)
H3	-0.4388	0.3626	1.0644	0.024*
C4	-0.25946 (15)	0.37292 (10)	0.98901 (10)	0.0179 (4)
H4	-0.2476	0.3182	0.9701	0.022*
C5	-0.16238 (16)	0.42665 (10)	0.96064 (10)	0.0169 (3)
C6	-0.18014 (16)	0.50646 (10)	0.98895 (10)	0.0178 (4)
H6	-0.1141	0.5431	0.9703	0.021*
C7	-0.31815 (16)	0.61905 (11)	1.07397 (11)	0.0206 (4)
C8	-0.04016 (16)	0.40543 (11)	0.89624 (10)	0.0186 (4)
C9	0.09422 (15)	0.29258 (11)	0.81636 (10)	0.0169 (3)

supplementary materials

C10	0.15109 (16)	0.20909 (11)	0.82654 (11)	0.0218 (4)
H10	0.1198	0.1745	0.8751	0.026*
C11	0.25314 (17)	0.17617 (11)	0.76617 (11)	0.0242 (4)
H11	0.2921	0.1192	0.7727	0.029*
C12	0.29695 (16)	0.22781 (12)	0.69646 (10)	0.0211 (4)
C13	0.24228 (16)	0.31032 (12)	0.68505 (10)	0.0225 (4)
H13	0.2744	0.3445	0.6364	0.027*
C14	0.14031 (16)	0.34301 (11)	0.74490 (10)	0.0199 (4)
H14	0.1015	0.3999	0.7374	0.024*
C15	0.38334 (16)	0.15906 (11)	0.57489 (10)	0.0205 (4)
C16	0.49500 (16)	0.13655 (11)	0.51394 (11)	0.0219 (4)
H16	0.5783	0.1482	0.5173	0.026*
C17	0.48196 (16)	0.09764 (11)	0.44978 (10)	0.0194 (4)
C18	0.25565 (16)	0.10187 (11)	0.50330 (11)	0.0222 (4)
H18	0.1736	0.0889	0.4989	0.027*
C19	0.26269 (16)	0.14201 (11)	0.56889 (11)	0.0218 (4)
H19	0.1862	0.1577	0.6093	0.026*
C20	0.59060 (17)	0.06918 (11)	0.37853 (10)	0.0214 (4)
C21	0.82469 (16)	0.05376 (13)	0.31621 (11)	0.0272 (4)
H21A	0.8044	0.0099	0.2874	0.041*
H21B	0.8982	0.0312	0.3407	0.041*
H21C	0.8478	0.1029	0.2776	0.041*
C22	0.84928 (15)	0.21982 (10)	0.12704 (10)	0.0173 (3)
C23	0.92194 (17)	0.28484 (11)	0.12897 (11)	0.0226 (4)
H23	1.0091	0.2839	0.0973	0.027*
C24	0.86702 (17)	0.35103 (11)	0.17704 (11)	0.0251 (4)
H24	0.9173	0.3951	0.1781	0.030*
C25	0.73932 (17)	0.35394 (11)	0.22376 (11)	0.0226 (4)
C26	0.66884 (17)	0.28718 (11)	0.22277 (11)	0.0229 (4)
H26	0.5827	0.2871	0.2559	0.027*
C27	0.72200 (16)	0.22117 (11)	0.17450 (10)	0.0206 (4)
H27	0.6719	0.1769	0.1737	0.025*
C28	0.67826 (19)	0.42795 (12)	0.27238 (12)	0.0307 (4)
H28A	0.7431	0.4670	0.2677	0.046*
H28B	0.6474	0.4075	0.3298	0.046*
H28C	0.6045	0.4576	0.2513	0.046*
S2	0.89838 (4)	0.15086 (3)	0.53643 (3)	0.01848 (11)
F4	-0.33636 (13)	0.59319 (8)	0.64537 (7)	0.0474 (3)
F5	-0.20384 (11)	0.64667 (8)	0.54200 (8)	0.0406 (3)
F6	-0.40474 (11)	0.65049 (8)	0.54127 (8)	0.0467 (3)
O7	0.01905 (12)	0.47448 (8)	0.32258 (8)	0.0289 (3)
O8	0.46040 (10)	0.22239 (7)	0.10696 (7)	0.0178 (3)
O9	0.65314 (11)	0.03829 (8)	-0.18903 (7)	0.0257 (3)
O10	0.95419 (11)	0.07396 (7)	0.57676 (7)	0.0228 (3)
O11	0.99564 (11)	0.19081 (8)	0.47245 (7)	0.0251 (3)
O12	0.78472 (11)	0.13747 (9)	0.50857 (8)	0.0313 (3)
N4	0.02326 (14)	0.33070 (9)	0.34663 (9)	0.0191 (3)
H4N	-0.0020 (18)	0.2911 (12)	0.3843 (12)	0.027 (5)*
N5	0.45081 (13)	0.07662 (9)	-0.07060 (9)	0.0163 (3)

H5N	0.4452 (19)	0.0439 (13)	-0.1111 (12)	0.035 (6)*
N6	0.79628 (14)	0.08258 (10)	-0.12880 (9)	0.0205 (3)
H6N	0.8094 (19)	0.1046 (13)	-0.0860 (12)	0.033 (6)*
C29	-0.27709 (17)	0.51754 (12)	0.52830 (11)	0.0219 (4)
C30	-0.36521 (16)	0.45805 (12)	0.55576 (11)	0.0243 (4)
H30	-0.4409	0.4700	0.5979	0.029*
C31	-0.34257 (16)	0.38180 (11)	0.52173 (11)	0.0231 (4)
H31	-0.4028	0.3413	0.5405	0.028*
C32	-0.23199 (16)	0.36392 (11)	0.46014 (10)	0.0203 (4)
H32	-0.2167	0.3112	0.4369	0.024*
C33	-0.14335 (16)	0.42324 (11)	0.43233 (10)	0.0193 (4)
C34	-0.16670 (16)	0.50029 (11)	0.46667 (10)	0.0203 (4)
H34	-0.1070	0.5411	0.4479	0.024*
C35	-0.30389 (18)	0.60065 (12)	0.56420 (11)	0.0265 (4)
C36	-0.02601 (16)	0.41201 (11)	0.36214 (10)	0.0194 (4)
C37	0.13333 (15)	0.30592 (10)	0.28415 (10)	0.0168 (3)
C38	0.19331 (16)	0.22322 (11)	0.29177 (10)	0.0215 (4)
H38	0.1601	0.1859	0.3378	0.026*
C39	0.30118 (17)	0.19458 (11)	0.23285 (10)	0.0213 (4)
H39	0.3430	0.1383	0.2385	0.026*
C40	0.34650 (15)	0.24888 (10)	0.16636 (10)	0.0163 (3)
C41	0.28742 (16)	0.33076 (11)	0.15683 (10)	0.0184 (4)
H41	0.3203	0.3672	0.1100	0.022*
C42	0.18004 (16)	0.35979 (11)	0.21560 (10)	0.0190 (4)
H42	0.1385	0.4161	0.2092	0.023*
C43	0.45035 (15)	0.17280 (10)	0.05117 (10)	0.0142 (3)
C44	0.56742 (15)	0.14987 (10)	-0.00578 (10)	0.0158 (3)
H44	0.6470	0.1673	-0.0020	0.019*
C45	0.56476 (15)	0.10210 (10)	-0.06671 (10)	0.0161 (3)
C46	0.33890 (16)	0.09730 (10)	-0.01653 (10)	0.0180 (4)
H46	0.2609	0.0783	-0.0213	0.022*
C47	0.33494 (15)	0.14550 (10)	0.04570 (10)	0.0173 (3)
H47	0.2554	0.1599	0.0841	0.021*
C48	0.67809 (16)	0.07187 (10)	-0.13396 (10)	0.0176 (4)
C49	0.91145 (16)	0.05350 (13)	-0.19078 (11)	0.0286 (4)
H49A	0.9047	-0.0039	-0.2026	0.043*
H49B	0.9900	0.0530	-0.1705	0.043*
H49C	0.9167	0.0919	-0.2407	0.043*
C50	0.83936 (16)	0.22327 (11)	0.61150 (10)	0.0187 (4)
C51	0.91040 (16)	0.28864 (11)	0.61394 (11)	0.0227 (4)
H51	0.9926	0.2929	0.5768	0.027*
C52	0.86104 (17)	0.34797 (12)	0.67079 (11)	0.0256 (4)
H52	0.9097	0.3927	0.6723	0.031*
C53	0.74038 (18)	0.34208 (12)	0.72563 (11)	0.0254 (4)
C54	0.67206 (18)	0.27478 (12)	0.72337 (11)	0.0264 (4)
H54	0.5909	0.2695	0.7614	0.032*
C55	0.72004 (16)	0.21541 (11)	0.66682 (11)	0.0231 (4)
H55	0.6722	0.1700	0.6658	0.028*
C56	0.6846 (2)	0.40946 (13)	0.78350 (12)	0.0356 (5)

supplementary materials

H56A	0.7526	0.4444	0.7842	0.053*
H56B	0.6525	0.3826	0.8385	0.053*
H56C	0.6123	0.4453	0.7655	0.053*
O13	0.25378 (14)	0.01762 (8)	0.34427 (8)	0.0264 (3)
H10	0.282 (3)	0.0026 (17)	0.2890 (18)	0.083 (10)*
H20	0.182 (2)	-0.0068 (16)	0.3634 (15)	0.064 (8)*
O14	0.38900 (14)	-0.02701 (9)	-0.15984 (9)	0.0258 (3)
H30	0.297 (3)	-0.0464 (16)	-0.1373 (15)	0.072 (8)*
H40	0.403 (3)	-0.0305 (17)	-0.2053 (16)	0.061 (9)*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
S1	0.0125 (2)	0.0206 (2)	0.0205 (2)	-0.00281 (16)	-0.00165 (16)	-0.00267 (17)
F1	0.0400 (6)	0.0285 (6)	0.0188 (5)	-0.0017 (5)	-0.0061 (5)	-0.0103 (4)
F2	0.0277 (6)	0.0210 (5)	0.0367 (6)	-0.0064 (4)	-0.0023 (5)	-0.0092 (5)
F3	0.0278 (6)	0.0207 (5)	0.0340 (6)	0.0061 (4)	-0.0108 (5)	-0.0059 (5)
O1	0.0274 (7)	0.0193 (6)	0.0304 (7)	-0.0068 (5)	0.0063 (6)	-0.0077 (5)
O2	0.0157 (6)	0.0384 (8)	0.0221 (7)	0.0004 (5)	0.0002 (5)	-0.0160 (6)
O3	0.0228 (7)	0.0542 (9)	0.0224 (7)	-0.0067 (6)	-0.0008 (6)	-0.0172 (6)
O4	0.0254 (7)	0.0191 (6)	0.0299 (7)	-0.0053 (5)	0.0020 (6)	-0.0027 (5)
O5	0.0209 (6)	0.0235 (6)	0.0203 (6)	-0.0028 (5)	-0.0047 (5)	-0.0045 (5)
O6	0.0123 (6)	0.0391 (8)	0.0344 (8)	-0.0004 (5)	-0.0038 (5)	-0.0108 (6)
N1	0.0181 (7)	0.0149 (7)	0.0195 (8)	-0.0028 (6)	0.0003 (6)	-0.0030 (6)
N2	0.0158 (7)	0.0271 (8)	0.0170 (8)	-0.0005 (6)	-0.0034 (6)	-0.0039 (6)
N3	0.0162 (7)	0.0318 (9)	0.0160 (8)	0.0004 (6)	-0.0008 (6)	-0.0082 (7)
C1	0.0190 (9)	0.0158 (8)	0.0158 (8)	0.0017 (7)	-0.0062 (7)	-0.0037 (7)
C2	0.0160 (8)	0.0228 (9)	0.0176 (9)	0.0022 (7)	-0.0017 (7)	-0.0026 (7)
C3	0.0156 (8)	0.0200 (9)	0.0236 (9)	-0.0031 (7)	-0.0045 (7)	-0.0019 (7)
C4	0.0179 (8)	0.0157 (8)	0.0205 (9)	-0.0002 (7)	-0.0050 (7)	-0.0041 (7)
C5	0.0171 (8)	0.0180 (8)	0.0150 (8)	0.0015 (7)	-0.0042 (7)	-0.0028 (7)
C6	0.0181 (8)	0.0184 (8)	0.0172 (8)	-0.0022 (7)	-0.0050 (7)	-0.0007 (7)
C7	0.0205 (9)	0.0215 (9)	0.0196 (9)	-0.0003 (7)	-0.0049 (7)	-0.0031 (7)
C8	0.0183 (8)	0.0190 (8)	0.0184 (9)	-0.0020 (7)	-0.0031 (7)	-0.0036 (7)
C9	0.0151 (8)	0.0204 (8)	0.0156 (8)	-0.0018 (7)	-0.0020 (7)	-0.0063 (7)
C10	0.0230 (9)	0.0202 (9)	0.0208 (9)	-0.0019 (7)	-0.0024 (7)	-0.0027 (7)
C11	0.0253 (10)	0.0210 (9)	0.0255 (10)	0.0033 (7)	-0.0053 (8)	-0.0077 (8)
C12	0.0144 (8)	0.0313 (10)	0.0176 (9)	0.0007 (7)	-0.0013 (7)	-0.0107 (7)
C13	0.0208 (9)	0.0296 (10)	0.0162 (9)	-0.0036 (7)	-0.0016 (7)	-0.0034 (7)
C14	0.0190 (9)	0.0192 (9)	0.0211 (9)	-0.0005 (7)	-0.0043 (7)	-0.0030 (7)
C15	0.0214 (9)	0.0226 (9)	0.0166 (9)	0.0023 (7)	-0.0042 (7)	-0.0049 (7)
C16	0.0131 (8)	0.0305 (10)	0.0215 (9)	-0.0003 (7)	-0.0033 (7)	-0.0046 (8)
C17	0.0168 (8)	0.0241 (9)	0.0158 (8)	0.0015 (7)	-0.0028 (7)	-0.0028 (7)
C18	0.0145 (8)	0.0289 (10)	0.0225 (9)	0.0010 (7)	-0.0043 (7)	-0.0047 (8)
C19	0.0143 (8)	0.0281 (10)	0.0204 (9)	0.0024 (7)	-0.0003 (7)	-0.0057 (7)
C20	0.0190 (9)	0.0282 (10)	0.0161 (9)	-0.0006 (7)	-0.0022 (7)	-0.0048 (7)
C21	0.0184 (9)	0.0386 (11)	0.0197 (9)	0.0026 (8)	0.0032 (7)	-0.0068 (8)
C22	0.0161 (8)	0.0190 (8)	0.0174 (8)	-0.0022 (7)	-0.0057 (7)	-0.0007 (7)

supplementary materials

C23	0.0189 (9)	0.0263 (9)	0.0238 (9)	-0.0086 (7)	-0.0049 (7)	-0.0002 (8)
C24	0.0299 (10)	0.0242 (9)	0.0266 (10)	-0.0099 (8)	-0.0130 (8)	-0.0020 (8)
C25	0.0291 (10)	0.0208 (9)	0.0191 (9)	-0.0008 (7)	-0.0100 (8)	0.0002 (7)
C26	0.0203 (9)	0.0242 (9)	0.0226 (9)	-0.0017 (7)	-0.0030 (7)	-0.0020 (8)
C27	0.0181 (9)	0.0210 (9)	0.0228 (9)	-0.0054 (7)	-0.0040 (7)	-0.0002 (7)
C28	0.0410 (12)	0.0257 (10)	0.0281 (10)	0.0005 (9)	-0.0136 (9)	-0.0064 (8)
S2	0.0133 (2)	0.0236 (2)	0.0168 (2)	-0.00178 (16)	-0.00035 (16)	-0.00240 (17)
F4	0.0669 (9)	0.0492 (8)	0.0233 (6)	-0.0057 (7)	0.0001 (6)	-0.0166 (6)
F5	0.0324 (6)	0.0391 (7)	0.0499 (8)	-0.0093 (5)	0.0031 (6)	-0.0229 (6)
F6	0.0403 (7)	0.0371 (7)	0.0691 (9)	0.0175 (6)	-0.0280 (7)	-0.0244 (6)
O7	0.0340 (7)	0.0178 (6)	0.0265 (7)	-0.0013 (5)	0.0079 (6)	-0.0025 (5)
O8	0.0152 (6)	0.0194 (6)	0.0179 (6)	-0.0024 (5)	0.0009 (5)	-0.0078 (5)
O9	0.0219 (7)	0.0366 (8)	0.0201 (7)	-0.0083 (5)	0.0001 (5)	-0.0127 (6)
O10	0.0208 (6)	0.0206 (6)	0.0231 (7)	-0.0024 (5)	0.0005 (5)	0.0012 (5)
O11	0.0220 (6)	0.0270 (7)	0.0193 (6)	-0.0007 (5)	0.0043 (5)	0.0035 (5)
O12	0.0171 (6)	0.0523 (9)	0.0273 (7)	-0.0001 (6)	-0.0057 (6)	-0.0185 (6)
N4	0.0205 (8)	0.0179 (7)	0.0151 (7)	-0.0009 (6)	0.0011 (6)	-0.0002 (6)
N5	0.0159 (7)	0.0184 (7)	0.0156 (7)	-0.0031 (6)	-0.0039 (6)	-0.0034 (6)
N6	0.0148 (7)	0.0281 (8)	0.0183 (8)	-0.0019 (6)	-0.0008 (6)	-0.0080 (7)
C29	0.0210 (9)	0.0266 (9)	0.0180 (9)	0.0043 (7)	-0.0073 (7)	-0.0041 (7)
C30	0.0166 (9)	0.0343 (11)	0.0193 (9)	0.0023 (8)	-0.0007 (7)	-0.0055 (8)
C31	0.0153 (9)	0.0283 (10)	0.0249 (10)	-0.0030 (7)	-0.0043 (7)	0.0005 (8)
C32	0.0197 (9)	0.0209 (9)	0.0205 (9)	0.0019 (7)	-0.0076 (7)	-0.0025 (7)
C33	0.0168 (8)	0.0226 (9)	0.0167 (8)	0.0027 (7)	-0.0037 (7)	-0.0010 (7)
C34	0.0201 (9)	0.0220 (9)	0.0171 (9)	0.0004 (7)	-0.0029 (7)	-0.0012 (7)
C35	0.0228 (10)	0.0337 (11)	0.0215 (10)	0.0013 (8)	-0.0023 (8)	-0.0081 (8)
C36	0.0187 (9)	0.0202 (9)	0.0183 (9)	0.0000 (7)	-0.0035 (7)	-0.0033 (7)
C37	0.0156 (8)	0.0197 (8)	0.0147 (8)	-0.0009 (7)	-0.0021 (7)	-0.0039 (7)
C38	0.0238 (9)	0.0196 (9)	0.0175 (9)	-0.0022 (7)	0.0009 (7)	0.0005 (7)
C39	0.0247 (9)	0.0143 (8)	0.0224 (9)	0.0006 (7)	-0.0020 (7)	-0.0025 (7)
C40	0.0124 (8)	0.0219 (9)	0.0145 (8)	-0.0034 (6)	0.0000 (6)	-0.0056 (7)
C41	0.0202 (9)	0.0198 (8)	0.0144 (8)	-0.0048 (7)	-0.0019 (7)	0.0004 (7)
C42	0.0202 (9)	0.0169 (8)	0.0186 (9)	0.0006 (7)	-0.0041 (7)	-0.0006 (7)
C43	0.0155 (8)	0.0116 (7)	0.0146 (8)	-0.0021 (6)	-0.0013 (6)	-0.0021 (6)
C44	0.0127 (8)	0.0164 (8)	0.0186 (8)	-0.0035 (6)	-0.0036 (7)	-0.0005 (7)
C45	0.0144 (8)	0.0176 (8)	0.0154 (8)	-0.0013 (6)	-0.0035 (7)	0.0010 (7)
C46	0.0143 (8)	0.0210 (8)	0.0185 (9)	-0.0036 (7)	-0.0027 (7)	-0.0015 (7)
C47	0.0127 (8)	0.0195 (8)	0.0179 (8)	-0.0010 (6)	-0.0004 (7)	-0.0026 (7)
C48	0.0171 (8)	0.0181 (8)	0.0161 (8)	-0.0017 (7)	-0.0010 (7)	-0.0025 (7)
C49	0.0173 (9)	0.0412 (12)	0.0252 (10)	-0.0013 (8)	0.0029 (8)	-0.0134 (9)
C50	0.0165 (8)	0.0228 (9)	0.0147 (8)	0.0001 (7)	-0.0023 (7)	0.0001 (7)
C51	0.0146 (8)	0.0283 (10)	0.0236 (9)	-0.0034 (7)	-0.0026 (7)	0.0000 (8)
C52	0.0238 (10)	0.0282 (10)	0.0269 (10)	-0.0049 (8)	-0.0087 (8)	-0.0034 (8)
C53	0.0298 (10)	0.0269 (10)	0.0180 (9)	0.0039 (8)	-0.0065 (8)	-0.0028 (8)
C54	0.0243 (10)	0.0294 (10)	0.0213 (10)	-0.0007 (8)	0.0022 (8)	-0.0039 (8)
C55	0.0208 (9)	0.0238 (9)	0.0217 (9)	-0.0039 (7)	0.0004 (7)	-0.0005 (7)
C56	0.0434 (12)	0.0340 (11)	0.0278 (11)	0.0036 (10)	-0.0063 (9)	-0.0107 (9)
O13	0.0305 (8)	0.0296 (7)	0.0201 (7)	-0.0153 (6)	0.0010 (6)	-0.0070 (6)
O14	0.0305 (8)	0.0305 (7)	0.0196 (7)	-0.0139 (6)	-0.0040 (6)	-0.0064 (6)

supplementary materials

Geometric parameters (Å, °)

S1—O6	1.4440 (12)	S2—O11	1.4590 (13)
S1—O4	1.4532 (13)	S2—C50	1.7648 (19)
S1—O5	1.4703 (13)	F4—C35	1.331 (2)
S1—C22	1.7725 (19)	F5—C35	1.335 (2)
F1—C7	1.343 (2)	F6—C35	1.351 (2)
F2—C7	1.337 (2)	O7—C36	1.224 (2)
F3—C7	1.3560 (19)	O8—C43	1.341 (2)
O1—C8	1.222 (2)	O8—C40	1.4206 (19)
O2—C15	1.347 (2)	O9—C48	1.234 (2)
O2—C12	1.418 (2)	N4—C36	1.361 (2)
O3—C20	1.234 (2)	N4—C37	1.417 (2)
N1—C8	1.365 (2)	N4—H4N	0.864 (19)
N1—C9	1.417 (2)	N5—C46	1.338 (2)
N1—H1N	0.903 (19)	N5—C45	1.355 (2)
N2—C18	1.334 (2)	N5—H5N	0.93 (2)
N2—C17	1.359 (2)	N6—C48	1.321 (2)
N2—H2N	0.96 (2)	N6—C49	1.464 (2)
N3—C20	1.320 (2)	N6—H6N	0.89 (2)
N3—C21	1.466 (2)	C29—C34	1.386 (2)
N3—H3N	0.90 (2)	C29—C30	1.393 (3)
C1—C6	1.391 (2)	C29—C35	1.491 (3)
C1—C2	1.393 (2)	C30—C31	1.378 (3)
C1—C7	1.492 (2)	C30—H30	0.95
C2—C3	1.378 (2)	C31—C32	1.389 (2)
C2—H2	0.95	C31—H31	0.95
C3—C4	1.389 (2)	C32—C33	1.395 (2)
C3—H3	0.95	C32—H32	0.95
C4—C5	1.397 (2)	C33—C34	1.391 (2)
C4—H4	0.95	C33—C36	1.505 (2)
C5—C6	1.390 (2)	C34—H34	0.95
C5—C8	1.504 (2)	C37—C38	1.389 (2)
C6—H6	0.95	C37—C42	1.392 (2)
C9—C10	1.393 (2)	C38—C39	1.386 (2)
C9—C14	1.395 (2)	C38—H38	0.95
C10—C11	1.387 (2)	C39—C40	1.370 (2)
C10—H10	0.95	C39—H39	0.95
C11—C12	1.379 (2)	C40—C41	1.377 (2)
C11—H11	0.95	C41—C42	1.383 (2)
C12—C13	1.374 (2)	C41—H41	0.95
C13—C14	1.380 (2)	C42—H42	0.95
C13—H13	0.95	C43—C47	1.391 (2)
C14—H14	0.95	C43—C44	1.408 (2)
C15—C19	1.383 (2)	C44—C45	1.367 (2)
C15—C16	1.404 (2)	C44—H44	0.95
C16—C17	1.364 (2)	C45—C48	1.509 (2)
C16—H16	0.95	C46—C47	1.372 (2)

C17—C20	1.516 (2)	C46—H46	0.95
C18—C19	1.375 (3)	C47—H47	0.95
C18—H18	0.95	C49—H49A	0.98
C19—H19	0.95	C49—H49B	0.98
C21—H21A	0.98	C49—H49C	0.98
C21—H21B	0.98	C50—C51	1.388 (3)
C21—H21C	0.98	C50—C55	1.393 (2)
C22—C23	1.392 (2)	C51—C52	1.392 (3)
C22—C27	1.394 (2)	C51—H51	0.95
C23—C24	1.387 (3)	C52—C53	1.396 (2)
C23—H23	0.95	C52—H52	0.95
C24—C25	1.392 (2)	C53—C54	1.394 (3)
C24—H24	0.95	C53—C56	1.505 (3)
C25—C26	1.396 (3)	C54—C55	1.387 (3)
C25—C28	1.502 (3)	C54—H54	0.95
C26—C27	1.384 (3)	C55—H55	0.95
C26—H26	0.95	C56—H56A	0.98
C27—H27	0.95	C56—H56B	0.98
C28—H28A	0.98	C56—H56C	0.98
C28—H28B	0.98	O13—H1O	0.96 (3)
C28—H28C	0.98	O13—H2O	0.88 (3)
S2—O10	1.4560 (12)	O14—H3O	1.04 (3)
S2—O12	1.4568 (13)	O14—H4O	0.76 (3)
O6—S1—O4	114.09 (8)	O10—S2—O11	112.48 (7)
O6—S1—O5	112.25 (8)	O12—S2—O11	112.90 (8)
O4—S1—O5	111.11 (8)	O10—S2—C50	106.43 (8)
O6—S1—C22	106.77 (9)	O12—S2—C50	105.44 (8)
O4—S1—C22	106.97 (8)	O11—S2—C50	106.64 (8)
O5—S1—C22	105.00 (7)	C43—O8—C40	118.78 (13)
C15—O2—C12	118.33 (14)	C36—N4—C37	125.67 (14)
C8—N1—C9	123.99 (14)	C36—N4—H4N	117.1 (13)
C8—N1—H1N	119.0 (13)	C37—N4—H4N	115.5 (12)
C9—N1—H1N	116.0 (12)	C46—N5—C45	121.95 (16)
C18—N2—C17	121.63 (17)	C46—N5—H5N	115.8 (12)
C18—N2—H2N	119.1 (13)	C45—N5—H5N	122.3 (12)
C17—N2—H2N	119.2 (13)	C48—N6—C49	120.78 (16)
C20—N3—C21	122.60 (16)	C48—N6—H6N	121.5 (13)
C20—N3—H3N	123.8 (13)	C49—N6—H6N	117.6 (13)
C21—N3—H3N	113.5 (13)	C34—C29—C30	120.15 (17)
C6—C1—C2	120.13 (16)	C34—C29—C35	120.23 (17)
C6—C1—C7	121.06 (16)	C30—C29—C35	119.60 (16)
C2—C1—C7	118.78 (15)	C31—C30—C29	119.98 (16)
C3—C2—C1	119.97 (15)	C31—C30—H3O	120.0
C3—C2—H2	120.0	C29—C30—H3O	120.0
C1—C2—H2	120.0	C30—C31—C32	120.23 (17)
C2—C3—C4	120.29 (16)	C30—C31—H31	119.9
C2—C3—H3	119.9	C32—C31—H31	119.9
C4—C3—H3	119.9	C31—C32—C33	120.09 (17)
C3—C4—C5	120.04 (16)	C31—C32—H32	120.0

supplementary materials

C3—C4—H4	120.0	C33—C32—H32	120.0
C5—C4—H4	120.0	C34—C33—C32	119.55 (16)
C6—C5—C4	119.63 (15)	C34—C33—C36	116.51 (16)
C6—C5—C8	116.66 (15)	C32—C33—C36	123.80 (16)
C4—C5—C8	123.61 (16)	C29—C34—C33	120.01 (17)
C5—C6—C1	119.93 (16)	C29—C34—H34	120.0
C5—C6—H6	120.0	C33—C34—H34	120.0
C1—C6—H6	120.0	F4—C35—F5	106.54 (17)
F2—C7—F1	107.09 (15)	F4—C35—F6	105.35 (15)
F2—C7—F3	106.08 (13)	F5—C35—F6	105.35 (16)
F1—C7—F3	105.21 (14)	F4—C35—C29	113.27 (16)
F2—C7—C1	113.63 (14)	F5—C35—C29	113.77 (15)
F1—C7—C1	113.00 (14)	F6—C35—C29	111.86 (16)
F3—C7—C1	111.24 (15)	O7—C36—N4	123.94 (16)
O1—C8—N1	123.59 (16)	O7—C36—C33	119.63 (15)
O1—C8—C5	120.05 (15)	N4—C36—C33	116.43 (15)
N1—C8—C5	116.35 (15)	C38—C37—C42	119.61 (15)
C10—C9—C14	119.63 (15)	C38—C37—N4	117.50 (14)
C10—C9—N1	118.25 (15)	C42—C37—N4	122.86 (14)
C14—C9—N1	122.10 (15)	C39—C38—C37	120.61 (15)
C11—C10—C9	120.33 (16)	C39—C38—H38	119.7
C11—C10—H10	119.8	C37—C38—H38	119.7
C9—C10—H10	119.8	C40—C39—C38	118.84 (15)
C12—C11—C10	118.63 (16)	C40—C39—H39	120.6
C12—C11—H11	120.7	C38—C39—H39	120.6
C10—C11—H11	120.7	C39—C40—C41	121.60 (15)
C13—C12—C11	122.05 (16)	C39—C40—O8	119.96 (14)
C13—C12—O2	118.48 (15)	C41—C40—O8	118.38 (14)
C11—C12—O2	119.40 (15)	C40—C41—C42	119.81 (15)
C12—C13—C14	119.37 (16)	C40—C41—H41	120.1
C12—C13—H13	120.3	C42—C41—H41	120.1
C14—C13—H13	120.3	C41—C42—C37	119.50 (15)
C13—C14—C9	119.99 (15)	C41—C42—H42	120.2
C13—C14—H14	120.0	C37—C42—H42	120.2
C9—C14—H14	120.0	O8—C43—C47	124.88 (15)
O2—C15—C19	125.35 (16)	O8—C43—C44	115.22 (15)
O2—C15—C16	114.78 (16)	C47—C43—C44	119.88 (16)
C19—C15—C16	119.87 (17)	C45—C44—C43	118.96 (16)
C17—C16—C15	118.94 (16)	C45—C44—H44	120.5
C17—C16—H16	120.5	C43—C44—H44	120.5
C15—C16—H16	120.5	N5—C45—C44	119.81 (15)
N2—C17—C16	120.01 (16)	N5—C45—C48	112.88 (15)
N2—C17—C20	113.60 (16)	C44—C45—C48	127.31 (16)
C16—C17—C20	126.40 (16)	N5—C46—C47	121.05 (16)
N2—C18—C19	120.92 (17)	N5—C46—H46	119.5
N2—C18—H18	119.5	C47—C46—H46	119.5
C19—C18—H18	119.5	C46—C47—C43	118.33 (15)
C18—C19—C15	118.63 (16)	C46—C47—H47	120.8
C18—C19—H19	120.7	C43—C47—H47	120.8

C15—C19—H19	120.7	O9—C48—N6	125.13 (16)
O3—C20—N3	125.72 (17)	O9—C48—C45	117.39 (15)
O3—C20—C17	117.36 (16)	N6—C48—C45	117.48 (16)
N3—C20—C17	116.90 (16)	N6—C49—H49A	109.5
N3—C21—H21A	109.5	N6—C49—H49B	109.5
N3—C21—H21B	109.5	H49A—C49—H49B	109.5
H21A—C21—H21B	109.5	N6—C49—H49C	109.5
N3—C21—H21C	109.5	H49A—C49—H49C	109.5
H21A—C21—H21C	109.5	H49B—C49—H49C	109.5
H21B—C21—H21C	109.5	C51—C50—C55	120.47 (17)
C23—C22—C27	119.59 (16)	C51—C50—S2	119.94 (13)
C23—C22—S1	119.91 (13)	C55—C50—S2	119.58 (15)
C27—C22—S1	120.33 (14)	C50—C51—C52	119.92 (16)
C24—C23—C22	120.01 (16)	C50—C51—H51	120.0
C24—C23—H23	120.0	C52—C51—H51	120.0
C22—C23—H23	120.0	C51—C52—C53	120.39 (18)
C23—C24—C25	121.05 (18)	C51—C52—H52	119.8
C23—C24—H24	119.5	C53—C52—H52	119.8
C25—C24—H24	119.5	C54—C53—C52	118.73 (17)
C24—C25—C26	118.24 (17)	C54—C53—C56	121.40 (18)
C24—C25—C28	120.76 (18)	C52—C53—C56	119.83 (19)
C26—C25—C28	120.98 (17)	C55—C54—C53	121.39 (17)
C27—C26—C25	121.28 (17)	C55—C54—H54	119.3
C27—C26—H26	119.4	C53—C54—H54	119.3
C25—C26—H26	119.4	C54—C55—C50	119.06 (18)
C26—C27—C22	119.79 (17)	C54—C55—H55	120.5
C26—C27—H27	120.1	C50—C55—H55	120.5
C22—C27—H27	120.1	C53—C56—H56A	109.5
C25—C28—H28A	109.5	C53—C56—H56B	109.5
C25—C28—H28B	109.5	H56A—C56—H56B	109.5
H28A—C28—H28B	109.5	C53—C56—H56C	109.5
C25—C28—H28C	109.5	H56A—C56—H56C	109.5
H28A—C28—H28C	109.5	H56B—C56—H56C	109.5
H28B—C28—H28C	109.5	H10—O13—H2O	103 (2)
O10—S2—O12	112.30 (8)	H3O—O14—H4O	105 (2)
C6—C1—C2—C3	0.9 (2)	C34—C29—C30—C31	0.1 (2)
C7—C1—C2—C3	178.98 (15)	C35—C29—C30—C31	178.64 (16)
C1—C2—C3—C4	-1.2 (2)	C29—C30—C31—C32	0.1 (3)
C2—C3—C4—C5	0.6 (2)	C30—C31—C32—C33	-0.1 (2)
C3—C4—C5—C6	0.4 (2)	C31—C32—C33—C34	-0.1 (2)
C3—C4—C5—C8	-175.89 (15)	C31—C32—C33—C36	-175.63 (15)
C4—C5—C6—C1	-0.6 (2)	C30—C29—C34—C33	-0.3 (2)
C8—C5—C6—C1	175.86 (14)	C35—C29—C34—C33	-178.83 (15)
C2—C1—C6—C5	0.0 (2)	C32—C33—C34—C29	0.3 (2)
C7—C1—C6—C5	-178.03 (15)	C36—C33—C34—C29	176.15 (14)
C6—C1—C7—F2	-0.2 (2)	C34—C29—C35—F4	-132.90 (17)
C2—C1—C7—F2	-178.28 (14)	C30—C29—C35—F4	48.6 (2)
C6—C1—C7—F1	-122.49 (16)	C34—C29—C35—F5	-11.0 (2)
C2—C1—C7—F1	59.4 (2)	C30—C29—C35—F5	170.46 (15)

supplementary materials

C6—C1—C7—F3	119.43 (16)	C34—C29—C35—F6	108.22 (18)
C2—C1—C7—F3	-58.7 (2)	C30—C29—C35—F6	-70.3 (2)
C9—N1—C8—O1	-3.2 (3)	C37—N4—C36—O7	0.9 (3)
C9—N1—C8—C5	175.56 (14)	C37—N4—C36—C33	-179.48 (15)
C6—C5—C8—O1	-12.3 (2)	C34—C33—C36—O7	-22.0 (2)
C4—C5—C8—O1	164.08 (16)	C32—C33—C36—O7	153.64 (18)
C6—C5—C8—N1	168.98 (15)	C34—C33—C36—N4	158.29 (15)
C4—C5—C8—N1	-14.7 (2)	C32—C33—C36—N4	-26.0 (2)
C8—N1—C9—C10	150.58 (17)	C36—N4—C37—C38	161.02 (17)
C8—N1—C9—C14	-31.0 (3)	C36—N4—C37—C42	-20.9 (3)
C14—C9—C10—C11	0.1 (3)	C42—C37—C38—C39	1.7 (3)
N1—C9—C10—C11	178.57 (16)	N4—C37—C38—C39	179.82 (16)
C9—C10—C11—C12	0.2 (3)	C37—C38—C39—C40	-0.9 (3)
C10—C11—C12—C13	-0.3 (3)	C38—C39—C40—C41	-0.1 (3)
C10—C11—C12—O2	176.66 (16)	C38—C39—C40—O8	177.14 (16)
C15—O2—C12—C13	-90.9 (2)	C43—O8—C40—C39	79.4 (2)
C15—O2—C12—C11	92.0 (2)	C43—O8—C40—C41	-103.29 (18)
C11—C12—C13—C14	0.0 (3)	C39—C40—C41—C42	0.3 (3)
O2—C12—C13—C14	-177.00 (16)	O8—C40—C41—C42	-176.93 (15)
C12—C13—C14—C9	0.4 (3)	C40—C41—C42—C37	0.4 (3)
C10—C9—C14—C13	-0.4 (3)	C38—C37—C42—C41	-1.4 (3)
N1—C9—C14—C13	-178.83 (16)	N4—C37—C42—C41	-179.45 (16)
C12—O2—C15—C19	-5.2 (3)	C40—O8—C43—C47	1.0 (2)
C12—O2—C15—C16	174.82 (14)	C40—O8—C43—C44	179.58 (12)
O2—C15—C16—C17	179.65 (16)	O8—C43—C44—C45	-177.48 (14)
C19—C15—C16—C17	-0.3 (2)	C47—C43—C44—C45	1.2 (2)
C18—N2—C17—C16	0.2 (3)	C46—N5—C45—C44	0.5 (2)
C18—N2—C17—C20	-179.84 (14)	C46—N5—C45—C48	-179.72 (13)
C15—C16—C17—N2	-0.3 (3)	C43—C44—C45—N5	-1.0 (2)
C15—C16—C17—C20	179.75 (15)	C43—C44—C45—C48	179.21 (13)
C17—N2—C18—C19	0.5 (3)	C45—N5—C46—C47	-0.1 (2)
N2—C18—C19—C15	-1.1 (3)	N5—C46—C47—C43	0.2 (2)
O2—C15—C19—C18	-178.97 (16)	O8—C43—C47—C46	177.74 (14)
C16—C15—C19—C18	1.0 (3)	C44—C43—C47—C46	-0.8 (2)
C21—N3—C20—O3	0.6 (3)	C49—N6—C48—O9	-0.4 (3)
C21—N3—C20—C17	179.10 (15)	C49—N6—C48—C45	178.83 (14)
N2—C17—C20—O3	1.9 (2)	N5—C45—C48—O9	9.0 (2)
C16—C17—C20—O3	-178.14 (17)	C44—C45—C48—O9	-171.26 (16)
N2—C17—C20—N3	-176.72 (15)	N5—C45—C48—N6	-170.30 (14)
C16—C17—C20—N3	3.2 (3)	C44—C45—C48—N6	9.5 (2)
O6—S1—C22—C23	30.07 (15)	O10—S2—C50—C51	102.11 (14)
O4—S1—C22—C23	152.59 (13)	O12—S2—C50—C51	-138.43 (14)
O5—S1—C22—C23	-89.27 (14)	O11—S2—C50—C51	-18.17 (15)
O6—S1—C22—C27	-154.70 (13)	O10—S2—C50—C55	-79.34 (14)
O4—S1—C22—C27	-32.18 (15)	O12—S2—C50—C55	40.13 (15)
O5—S1—C22—C27	85.95 (14)	O11—S2—C50—C55	160.38 (13)
C27—C22—C23—C24	-0.9 (2)	C55—C50—C51—C52	-1.4 (2)
S1—C22—C23—C24	174.39 (13)	S2—C50—C51—C52	177.11 (12)
C22—C23—C24—C25	-0.2 (3)	C50—C51—C52—C53	0.1 (3)

C23—C24—C25—C26	1.7 (2)	C51—C52—C53—C54	1.4 (3)
C23—C24—C25—C28	-176.91 (16)	C51—C52—C53—C56	-176.45 (16)
C24—C25—C26—C27	-2.4 (3)	C52—C53—C54—C55	-1.6 (3)
C28—C25—C26—C27	176.30 (16)	C56—C53—C54—C55	176.19 (16)
C25—C26—C27—C22	1.4 (3)	C53—C54—C55—C50	0.3 (3)
C23—C22—C27—C26	0.3 (2)	C51—C50—C55—C54	1.2 (2)
S1—C22—C27—C26	-174.97 (13)	S2—C50—C55—C54	-177.34 (13)

Hydrogen-bond geometry (\AA , $^\circ$)

<i>D</i> —H \cdots <i>A</i>	<i>D</i> —H	H \cdots <i>A</i>	<i>D</i> \cdots <i>A</i>	<i>D</i> —H \cdots <i>A</i>
N1—H1N \cdots O5 ⁱ	0.90 (2)	2.12 (2)	3.012 (2)	170 (2)
N2—H2N \cdots O13	0.96 (2)	1.79 (2)	2.664 (2)	150 (2)
N3—H3N \cdots O12	0.90 (2)	1.90 (2)	2.789 (2)	172 (2)
N4—H4N \cdots O11 ⁱⁱ	0.86 (2)	2.06 (2)	2.894 (2)	163 (2)
N5—H5N \cdots O14	0.93 (2)	1.73 (2)	2.628 (2)	160 (2)
N6—H6N \cdots O5	0.89 (2)	2.00 (2)	2.868 (2)	163 (2)
O13—H1O \cdots O9 ⁱⁱⁱ	0.96 (3)	1.83 (3)	2.785 (2)	173 (2)
O13—H2O \cdots O10 ^{iv}	0.88 (3)	1.94 (3)	2.802 (2)	167 (2)
O14—H3O \cdots O4 ⁱⁱⁱ	1.04 (3)	1.65 (3)	2.682 (2)	172 (2)
O14—H4O \cdots O3 ⁱⁱⁱ	0.76 (3)	1.98 (3)	2.737 (2)	179 (3)
C3—H3 \cdots O8 ⁱ	0.95	2.58	3.477 (2)	158
C4—H4 \cdots O5 ⁱ	0.95	2.49	3.299 (2)	143
C14—H14 \cdots O7 ^v	0.95	2.48	3.381 (2)	159
C16—H16 \cdots O12	0.95	2.15	3.068 (2)	162
C18—H18 \cdots O10 ⁱⁱ	0.95	2.41	3.220 (2)	143
C18—H18 \cdots O11 ⁱⁱ	0.95	2.41	3.061 (2)	126
C24—H24 \cdots O1 ^{vi}	0.95	2.43	3.300 (2)	151
C38—H38 \cdots O11 ⁱⁱ	0.95	2.51	3.293 (2)	139
C44—H44 \cdots O5	0.95	2.38	3.297 (2)	162
C46—H46 \cdots O6 ⁱⁱ	0.95	2.32	2.951 (2)	124
C52—H52 \cdots O7 ^{vi}	0.95	2.38	3.305 (3)	166

Symmetry codes: (i) $x-1, y, z+1$; (ii) $x-1, y, z$; (iii) $-x+1, -y, -z$; (iv) $-x+1, -y, -z+1$; (v) $-x, -y+1, -z+1$; (vi) $-x+1, -y+1, -z+1$.

Fig. 1

