

SUBJECT INDEX

A

- A-B block copolymers, 7, 211
- A β ₁₁₋₂₆, 109
- Acetone, 137
- ACL. *See* Anterior cruciate ligaments
- Actin, 50, 61
 - polymerization, 55
- Activation rate, 58
- Adenovirus, 195
- Aerogels, 204f
- AFM. *See* Atomic force microscopy
- AG repeats, 109–110
- Aggregates, 16, 22
- Aggregation numbers, 16–17, 52, 71
- Aggregation-prone regions, 163
- Agrobacterium tumefaciens*, 93
- Alanine, 98, 122, 123, 217
- Alcohol oxidase 1 (AOX1), 103
- Alcohol systems, 139
- Aliphatic groups, 46
- Alkanes, 55
- Alzheimer disease, 164, 217
- Amino acids, 2, 47, 100, 148
 - motifs, 124f
- Ammonium hydroxide vapor, 218
- Amorphous matrix, 129–130
- Amphiphiles, 5, 32, 164
- Ampullate gland, 121
 - schematic representation of, 135f
- Amyloid fibrils
 - applications, 189–205
 - assembly, 165–167
 - biocompatible materials, 196–204
 - biosensors and, 193–196
 - disassembly, 165–167
 - electronics in, 189–193
 - in enzyme immobilization, 193–196
 - in photonics, 189–193
 - polypeptide self-assembly, 162–167
 - stability, 165–167
- Animal cells, 80
- Anionic peptides, 35
- Anterior cruciate ligaments (ACL), 143
- Antibody interactions, 163
- AOX1. *See* Alcohol oxidase 1
- APFO-12, 185, 192
- Aqueous gels, 33
- Aqueous solutions, 68
 - macroscopic properties of, 19t
- Aragonite polymorphism, 146
- Arg. *See* Arginine
- Arginine (Arg), 17–18, 29, 38, 83, 124
- Aromatic groups, 180
- Artificial spinning, 133–142
- Aspergillus nidulans*, 91
- Assembly active, 51
- Assembly inactive, 51
- Atom transfer radical polymerization (ATRP), 214
- Atomic force microscopy (AFM), 165, 168, 179
 - of fibril microarray, 184f
 - high-resolution, 174
- Atomistic simulations, 68
- Atoms, 3
- Atrina*, 145
- ATRP. *See* Atom transfer radical polymerization
- Attraction energy, 15
- AUG codon, 82
- Autoinduction, 88
- Autosteric binding, 52
- Avidin, 189

B

- Bacillus subtilis*, 88
- Bacitracin, 96
- Bacteria, 80
 - disadvantages of, 89
 - high-density cultures, 88
 - as host organism, 87–90
 - protein production in, 88
- Barnase, 193
- Barrel channel β -sheets, 6
- Basic fibroblast growth factor (bFGF), 200, 204
- Benzene, 3
- Best-fit energy values, 20, 22
- bFGF. *See* Basic fibroblast growth factor
- Bioactivity, 212
- Bioapplication, fibroin, 142–144
- Biocompatible materials, 196–204
- Biodegradability, 143
- Biofactories, 81
- Bioinspired protein-like self-assembly, 12
- Biomimetic molecules, 62
- Biomimetic supramolecular polymers, 56f
- Biom mineralization, 144–147
- Biopolymers, 212
- Biosensors, 193–196
 - glucose, 195f
- Biotin-streptavidin, 163
- Birefringent solutions, 24–25
- Bjerrum length, 69
- BL21, 104
- Bolaamphiphile, 192
- Boltzmann weight, 63
- Boltzmann's constant, 47
- Bombyx mori*, 119, 122, 127f, 128, 132
- Butyl acrylate, 215

C

- Ca(NO₃), 138
- CAC. *See* Critical aggregate concentration
- CaCO₃, 146, 147
- Cadmium sulfate, 192
- Calcium phosphate, 146
- CaMV 35S, 94, 98
- Canaliculi, 132

- Carbon, 3
- Carbonic anhydrase, 193
- Cathelicidins, 105–107
- Cationic peptides, 35
 - indolicidin derivative, 107
- CC. *See* Coiled coil
- ccbeta switch system, 166
- CDAP. *See* 1-cyano-4-dimethylaminopyridium tetrafluoroborate
- CDS. *See* Peptide-coding sequence
- Cecropins, 103–105
- Cell dissociation, 197f
- Cellulose-binding domain, 107
- Chiral rods, hierarchical self-assembling, 13–25
- Chirality, 6
 - fibril formation and, 23–24
 - of monomers, 15
- Chitin-binding domain, 104
- Chondrocytes, 202
- Circular dichroism spectroscopy, 65f
- Citrate, 190
- Cloning target coding regions, 82f
- Clostridium*, 107
- CM4, 104
- CNBr. *See* Cyanogen bromide
- Coarse grained models, 163
- Coarse graining reversed, 66–70, 71
- Coat proteins, 47
 - assembled state of, 70f
- Coatings, 202–203
- Coaxial fibers, 191
- CodenPlus, 83
- Codon optimization, 83
- Coiled coil (CC), 213
- Collagen, 80, 201
- Colloidal gold, 190
- Complementary peptides, 35–36
- Conformational frustration, 62, 63
- Conformational switching, 71
- CONH₂, 18, 20
- COO[−], 30
- COOD, 29
- Cooperativity, nucleation and, 61–65
- Copolymers, 212
- Copper, 192

- Coulomb repulsion, 68–69
 free energy of, 69
Couper, Archibald Scott, 3
CR1, 131f
Critical aggregate concentration
 (CAC), 111
Critical slowing down, 60
Crop Tech Corp., 95
C-terminal, 84, 125, 187f, 203
Curing, 135f
1-cyano-4-dimethylaminopyridium
 tetrafluoroborate (CDAP), 111
Cyanogen bromide (CNBr), 84, 101,
 102f, 112
Cyclopeptide nanotubes, 215
Cyclopeptide-polymer coil
 copolymers, 216
Cysteine, 35, 187f, 213
 residue, 188
- D**
Darwin, Charles, 4
Debye length, 69
Dermcidin, 105
DHBCs. *See* Double-hydrophilic block
 copolymers
Dichlorodimethylsilane, 185
Dimensionless relaxation rate, 60f
2,4-dinitrophenyl acetate, 193
Dipeptide nanotubes, 202
Diphenylalanine, 164, 180, 186f
 peptide nanotubes, 181f, 186, 190,
 194–195
Discotic compounds, 65
Distortion energy, 15
DLVO theory, 31, 34
Double-hydrophilic block copolymers
 (DHBCs), 145
Dragline silk, 126, 134
Drying methods, 178, 182
Dry-wet spinning, 136
- E**
EAK II, 27
EAK16, 26, 200, 201–202
EAK16-II, 177
 fibers, 179–180
ECM. *See* Extracellular matrix
EFK, 202
Elastin, 98–100, 197
Elastin-like protein polymers (ELP), 99
Electron micrographs
 of fibers, 21f
 of ribbons, 21f
Electronics, 189–193
Electrospinning, 140–142
Electrostatic Coulombic effects, 3
Electrostatics, 174, 180, 183
Elongation, 165
 fibril, 168
Elongation rate, 58
ELP. *See* Elastin-like protein polymers
End association, 57
End interchange, 57
Engineering materials, 2–4
 future challenges, 7–8
 ordering in, 3
Enthalpy, 49, 53
Entrepreneurialism, 2
Entropy, 72
Enzymatic dephosphorylation, 34
Enzymatic digestion, 163
Enzyme immobilization, 193–196
Enzyme proteinase K, 190
Epitaxial growth, 175
Escherichia coli, 83, 88, 99, 101,
 104, 106, 107
Ethanol dehydrogenase, 195
EtOH, 138
Expression, 81–87
 microbial peptide, 108
 peptides, 85t–86t, 102–103
 transient, 93
External triggers, 25–37
 ionic strength and, 28–34
 pH, 25–27
Extracellular matrix (ECM), 196
- F**
F-actin, 50
Fibers
 coaxial, 191
 EAK16-II, 179–180
 electron micrographs, 21f

- nematic fluids and, 24–25
- nematic gels and, 24–25
- peptide, 176f
- Fibril(s), 15
 - AFM of, 184f
 - amyloid, 162–167, 189–205
 - β -sheet, 192
 - chirality, 23–24
 - coupling, 187
 - covalent attachment, 187f
 - deposition, 182, 183
 - electron micrographs of, 21f
 - elongation, 168
 - formation of, 16f, 175
 - forming peptides, 20–23
 - growth, 166, 169t–172t, 173, 178
 - incubation, 184
 - insulin, 173, 185f, 187
 - lithographic columns and, 188
 - nematic fluids and, 24–25
 - nematic gels and, 24–25
 - nucleation, 168
 - P₁₁-2 and, 23
 - pre-formed, 183f
 - SAM, 173
 - stability of, 179
 - sup35, 187f, 188
 - TEM, 33
- Fibrillation pathway, 163
- Fibroin, 97, 120–123, 128,
 - 132, 136, 139, 148. *See also* Silk;
 - Spinning
 - artificial spinning of, 133
 - bioapplication of, 142–144
 - electrospun, 140f
 - regenerated, 136, 137t
 - schematic representation of, 123f
 - ultrathin, 132
- Fibronectin, 197
- Filamentous fungi, 91–92, 194
 - advantages of, 91
 - disadvantages of, 92
- Fischer, Emil, 4
- Flagellin, 50
- Flocculate, 29
 - insoluble, 31
- Flory-Huggins parameter, 218
- Fluorenylmethoxycarbonyl (FMOC), 166, 202
- Fluorophore, 188
- FMOC. *See* Fluorenylmethoxycarbonyl
- 4 kDa Scorpion Defensin, 103
- Fourier transforms, 165, 181f
 - two-dimensional, 176f
- Fraction helical bonds, 64f
- Fraction polymerized material, 59f
- Free energy
 - of binding, 47
 - of Coulomb repulsion, 69
 - penalty, 63
- FTIR spectra, 18, 28, 30, 37f
- Function, 4
- Fungi, 80
 - filamentous, 91–92, 194
- Fusion proteins, 100
- G**
- G. *See* Glycine
- G-actin, 50
- Gadolinium, 192
- β -galactosidase, 101
- GAV9, 178, 179
- Gelatin, 140
- Gelation, 24–25
- Gels, 214–215
- Generally recognized as safe (GRAS), 90, 91
- GFP. *See* Green fluorescent protein
- Gln. *See* Glutamine
- Globule formation, 135f
- Glu. *See* Glutamate
- Glucose, 6
 - biosensor, 195f
- Glucose oxidase (GOX), 194
- Glutamate (Glu), 17–18, 38, 110, 124, 166
 - self-assembly and, 25
- Glutamic acid, 26, 29
- Glutamine (Gln), 17–18, 20, 23, 124
- Glutathione S-transferase (GST),
 - 99, 104, 193
- Glycine (G), 98, 123, 128, 130, 217
- Glycosylation, 89, 95
- Glycylglycine, 192
- Gold, 190, 194

Gold-thiol interactions, 163
GOX. *See* Glucose oxidase
Graphite, 194
GRAS. *See* Generally recognized as safe
Green fluorescent protein (GFP), 95
GST. *See* Glutathione S-transferase
Guanidine, 215

H

HA. *See* Hyaluronic acid
HAP. *See* Hydroxyapatite
Hard tissue engineering, 202–203
HBsAg. *See* Hepatitis B surface antigen
hCAP-18, 105
HDEL, 94, 95
Helical configuration, 14
Helical tape, 14f
Helix-coil transition, 62
Heparin, 199
Hepatitis B, 93
Hepatitis B surface antigen (HBsAg), 96
Herpes simplex virus type 2 (HSV-2), 195
Heteroaggregates, 35–36
Hevea brasiliensis, 91
1,1,1,3,3,3-hexafluoro-2-propanol
(HFP), 180
Hexafluoroisopropanol (HFIP), 137, 139
H-fibroin, 121
HFIP. *See* Hexafluoroisopropanol
HFP. *See* 1,1,1,3,3,3-hexafluoro-2-propanol
Hierarchical self-assembling chiral rods,
13–25
 experimental evidence of, 17–25
 model of, 14f
 theoretical rational of, 13–17
Hierarchical self-assembly
 macroscopic level, 46f
 mesoscopic level, 46f
 microscopic level, 46f
Highly oriented pyrolytic graphite
(HOPG), 174, 175, 176f, 178, 180
 hydrophilic step edge, 182
 stability of, 179
 step edges of, 177f, 179
 steps in, 177
 ZYB grade, 171t
 ZYH grade, 171t

High-performance liquid
 chromatography (HPLC), 101, 104
His. *See* Histidine
Histidine (His), 84
 residues, 192
Histonin, 107–108
HOPG. *See* Highly oriented pyrolytic
 graphite
Host organisms, 80
 bacteria, 87–90
 for recombinant expression, 87–97
HPLC. *See* High-performance liquid
 chromatography
HRP. *See* Hydrogen peroxidase
HSV-2. *See* Herpes simplex virus type 2
Human β_2 -microglobulin,
 169t–170t, 173
Hyalophora ceropia, 92
Hyaluronic acid (HA), 203
Hydrogels, 5, 6
Hydrogen, 3, 123
 bonding, 71
Hydrogen peroxidase (HRP), 194
Hydrophilic A blocks, 211
Hydrophilic B blocks, 211
Hydrophilic regions, 213
Hydrophobic interactions, 68
Hydrophobic regions, 213
Hydrophobic rods, 219
Hydrophobicity, 173
Hydrophobins, 194, 195
Hydroxyapatite (HAP), 140, 144, 147, 198
N-hydroxy succinimidyl, 213
N-hydroxysuccinimide-activated glass
 surface, 187
Hypersensitivity, 144

I

IgM, 92
IKV, 201
IKVAV, 199
Imidazolyl, 193
Inclusion bodies, 89
Industrial Revolution, 2
Influenza, 195
Insulin fibrils, 173, 185f
 formation of, 187

Interfacial activity, 7
Interleukin-18, 96
Internal drawdown, 134, 135
Intramolecular ordering transition, 56f
Iodoacetamide, 188f
Ionic complementary peptides, 200–202
Ionic strength, 28–34
Ions, 6
IPTG. *See* Isopropyl-B-D-thiogalactopyranoside
Ising model, 62
Isodesmic assembly, 48, 50f, 61, 63, 64, 71
Isodichroic points, 20, 22
Isopropyl-B-D-thiogalactopyranoside (IPTG), 88
Isotropic fluid, 19t

J

JAVA Codon Adaptation Tool, 83
Jelly-roll structure, 47

K

KDEL, 94, 95
KDL12, 201
Kekulé, Friedrich August, 3
Keratin, 2
Ketosteroid isomerase (KSI), 101, 102f, 112
Kevlar, 125
KEX2, 103
KF8, 201
KFE12, 33
KGE motif, 200
Kinetics
 of nucleated assembly, 55–61
 polymerization, 59
 sigmoidal, 57, 59
KLD-12, 200
Kluyveroyces lactis, 90
KR-20, 105, 106
KSI. *See* Ketosteroid isomerase
Kymography, 174

L

Ladder model, 48
Laminin, 201
Landau model, 58, 59f
Law of mass action, 47

Leu, 83
L-fibroin, 121
LiBr, 138
Light chain amyloidosis, 174
Light microscopy, 205f
Linear assemblies, 48
Linear chain, 212
Linear Taylor expansion, 49
Lipid-water interfaces, 175
Liquid-gas interfaces, 167
Liquid-liquid interfaces, 167
Literature, self-assembling peptides, 4–7
Lithographic columns, 188
LL-23, 105, 106
LL-29, 105, 106
LL-37, 105
Lysine, 26, 98, 213
Lysis, 83

M

M. *See* Met
Macroscopic Landau free-energy density, 58, 59f
Macroscopic odd-even events, 55
Macroscopic phase transitions, 61
Magnetite, 185
MagnICON, 93
Mass action, law of, 47
MAX1, 34
Mean field theory, 54
Mechanical gene activation (MeGA), 95
MeGA. *See* Mechanical gene activation
MeOH, 138
Met (M), 83
Metal coordination, 3
Metalnikowin-2A, 103
Methanol, 137
Methionine, 84, 92, 102f
Mica, 38, 179
 hexagonal crystalline lattice of, 178
 modified, 170t–172t
 negatively charged, 174
 positively charged, 174
 surface, 178f
 unmodified, 170t–172t
Micelles, 46
 formation, 135f

Micro phase separation, 45
 Microbial peptide expression, 108
 Microscopic origin, 51
 Molecular dynamics, 163
 Molecular parameters, 19t
 Molecular weight distribution, 48
 Molecules, 3
 Monomers, 13
 chirality of, 15
 Monte Carlo simulations, 163–164
 Multiple antimicrobial peptide
 expression, 102–103
 Multistage open association, 48
Musca domestica, 104

N

N27C cysteine, 178
 NaCl, 30, 32
 NADH. *See* Nicotinamide adenine
 dinucleotide
 Nano phase separation, 45
 Nanofibers, 175
 peptide amphiphile, 181f
 Nanofibrils, 132, 136
 Nanomaterials, 12
 Nanostructural orientation, 220
 Nanotubes, 190
 dipeptide, 202
 diphenylalaline-based peptide, 181f,
 186, 190, 194–195
 Nanowires, 190
 Native chemical ligation (NCL), 203
 Natural selection, 4
 Natural silk, 125–127
 fabrication of, 134–136
 Nature
 repetitive and self-assembling
 peptides in, 97–100
 repetitive and self-assembling
 proteins in, 97–100
 self-assembly in, 80
n-butanol, 65f
 NCL. *See* Native chemical ligation
 Nematic fluid, 19t, 31
 fibers and, 24–25
 fibrils and, 24–25
 Nematic gels, 19t

 fibers and, 24–25
 fibrils and, 24–25
Nephila clavipes, 98, 134, 140
Nephila edulis, 120f, 127
 Newtonian fluids, 31
 Nicotinamide adenine dinucleotide
 (NADH), 195
 NIPAM/BAM. *See* *N*-isopropylacrylamide
 -co-*N*-tert-butrylacrylamide
N-isopropylacrylamide-co-*N*-tert-
 butrylacrylamide (NIPAM/BAM),
 168t
 Nitric acid, 144
 Nonlinear equations, 57
 North Western University, 5
 Novagen, 101
 NT1, 96
 N-terminus, 35, 84, 125,
 178, 212
 Nucleated assembly, 48f, 50f, 51–55, 66,
 70, 71
 cooperativity and, 61–65
 kinetics of, 55–61
 non-self-catalyzed, 52
 self-catalyzed, 53
 solvents in, 55
 Nucleated equilibrium polymerization,
 70
 Nucleated supramolecular
 polymerization, 70
 Nucleation, 165
 fibril, 168
 surface-induced, 169t–172t

O

O-acyl, 166
 OAR1, 131f
 OAR2, 131f
 Odd-even events, 55
 Oligo(phenylene vinylene), 54f, 55,
 62, 65
 Oligoelectrolytes, 192
 Oligomeric prenuclei, 56f
 Oligopeptides, 51, 219
 chains, 66, 67
O-N acyl transfer reaction, 217
On Growth and Form (Thompson), 4

- O-N intramolecular acyl migration,
166, 167
- OPH. *See* Organophosphohydrolase
- Ordering, 3
intramolecular, 56f
- Organometric peptide-polymer
conjugation, 216–217
- Organophosphohydrolase (OPH), 89
- Orn, 31, 166
self-assembly and, 25
- Osteogenic cells, 204
- P**
- P. *See* Proline
- P₁₁-1, 18
 ϵ_{trans} , 23
properties of, 19t
self-assembling properties of, 18f
- P₁₁-2, 111–112
dimeric, 39f
 ϵ_{trans} , 23
fibril formation and, 23
phase behavior of, 21f
properties of, 19t
ribbons, 23
self-assembling behavior of, 22f
- P₁₁-4, 112, 202
initial random coil state, 37f
phase behavior, 27f
self-assembly of, 26f
in water, 27f
- P₁₁-5
initial random coil state, 37f
molecular structure of, 36f
molecular structure of, 36f
phase behavior, 28f
self-assembly of, 26f
- P₁₁-9, 28, 203
self-assembly of, 29f
TEM, 30f
- P₁₁-12, 31
self-assembly of, 32f
TEM, 33f
- P₁₁-X family, 13
- P25, 121
- PA-1, 34
- pacC*, 91
- palA*, 91
- palB*, 91
- palC*, 91
- palF*, 91
- palH*, 91
- palI*, 91
- Palmitoyl, 5
- Palmitoyl-pentapeptides, 5
- PDMS. *See* Polydimethylsiloxane
- PECs. *See* Polyelectrolyte β -sheet
complexes
- PEDOT. *See* Poly(4,5-ethylene-
dioxothiophene)
- PEGylation, 213
- PEO. *See* Poly(ethylene oxide);
Polyethyleneoxide
- Pepfactants, 7
- Peptide(s)
amphiphiles, 181f, 191, 198–200,
204, 205f
anionic, 35
branching, 199
C, 35
cationic, 35
complementary, 35–36
defined, 2
expression, 85t–86t, 102–103
fibers, 176f
fibril-forming, 20–23
fractions of, 22f
in gel formation, 214–215
hydrophilic, 164
hydrophobic, 164
nanotubes, 181f, 186, 190, 194–195
in nature, 97–100
primary structure, 5–6
recombinant bioactive, 102–108
recombinant expression of, 108–112
recombinant production, 100–108
self-assembling, 4–7
self-assembly on surfaces, 37–39
 β -sheet-forming, 111–112
solid phase synthesis, 214
stag, 106
surfactants, 6
tape-forming, 17–20
vesicle-forming, 110–111

- Peptide-coding sequence (CDS), 102f
Peptide-polymer conjugation, 213–214
 organometric, 216–217
 polyelectric, 216–217
pET31b, 101, 112
Petroleum, 3
PGA. *See* Polyglycolic acid
pH, 25–27, 174
 in water, 27f
Phase behavior
 P₁₁-2, 21f
 P₁₁-4, 27f
 P₁₁-5, 28f
Phase diagram, 16f
Phase transitions
 macroscopic, 61
 phenomenological theory of, 57–58
 thermodynamic, 57
Phenomenological relaxation rates, 58
Phenomenological theory, 57–58
Phenylalanine, 20
Phe-Phe motif, 164
Photobiotin, 188f
Photocage, 35
Photonics, 189–193
PHSRN, 199
Pichia pastoris, 90, 102
Pi-pi interactions, 3
Piscidins, 106–107
Plant cells, 80
 culture, 96–97
Plastics, 3
Poly(4,5-ethylene-dioxythiophene)
 (PEDOT), 191
Poly(ethersulfone), 169t
Poly(ethylene glycol), 214
Poly(ethylene oxide) (PEO), 219
Poly(glycolic acid), 199
Poly(thiophene acetic acid)
 (PTAA), 185
Poly(vinylidene difluoride), 169t
Poly-aramide, 125
Polydiacetylene, 218
Polydimethylsiloxane (PDMS), 182, 183
 stamp, 185
Polyelectric peptide-polymer
 conjugation, 216–217
Polyelectrolyte β -sheet complexes
 (PECs), 35
Polyelectrolytes, 145
Polyethyleneimine, 194
Polyethyleneoxide (PEO), 136
Polyglycolic acid (PGA), 204, 205f
Poly-L-lysine, 183
Polymerization
 actin, 55
 atom transfer radical, 214
 kinetics, 59
 nucleated equilibrium, 70
 nucleated supramolecular, 70
 reversible, 51, 70
 temperature, 54f
Polymerized state, 49f
Polymers
 biomimetic supramolecular, 56f
 supramolecular, 46–47
Polymethyl-methacrylate polymer
 surface, 184
Poly-paraphenylene-terephthalamide, 125
Polypeptide chain, 182
Polypeptide self-assembly, 162–167
 in bulk liquid phase, 167f
 surfaces in, 167–189
Polystyrene (PS), 170t
Polytetrafluoroethylene, 169t
Polyurethane, 212
Post hoc fine graining, 66
Proline (P), 98, 124, 126
Protease, 84
Protegrin-1, 103
Protein. *See also specific types*
 in nature, 97–100
 production in bacteria, 88
 self-assembling, 97–100
Protein recovery, 81–87
 purification and, 83–84
Protein-protein binding energy, 69
Proteolytic degradation, 143
PS. *See* Polystyrene
Pseudoproline, 166
PTAA. *See* Poly(thiophene acetic acid)
PurF, 107
Purification, protein recovery
 and, 83–84

Q

Quasi-atomistic simulations, 68

R

Rabies, 96
 RAD16, 110, 200–201
Ralstonia eutropha, 89
 Rate-determining steps, 59
 Reactor platforms, 167
 Receptor-ligand interactions, 163
 Recombinant bioactive peptides, 102–108
 cathelicidins, 105–107
 cecropins, 103–105
 dermcidin, 105
 histonin, 107–108
 piscidins, 106–107
 Recombinant expression
 bacteria and, 87–90
 host organisms for, 87–97
 of self-assembling peptides, 108–112
 Recombinant peptide production,
 100–108
 Recombinant production
 of elastin, 98–100
 of self-assembling proteins, 97–100
 of silks, 97–98
 Recombinant proteins, 85t–86t
 specific cleavage of, 87t
 Recombinant spidroin, 137t, 138
 Reconstruction, 67
 Regenerated cellulose, 169t
 Regenerated fibroin, 136, 137t
 Regenerated silk fibroin (RSF), 140
 Regenerated spidroin, 136, 137t
 Relaxational kinetic equations, 58
 Remineralization, 203
 Reversible polymerization, 51, 70
 Reversible scission, 57
 RGD ligands, 199
 RGD tripeptide motif, 197
 Ribbons, 14–15, 22
 electron micrographs of, 21f
 P₁₁-2, 23
 phase diagram of, 16f
 RMS. *See* Root mean squared
 RNADraw, 83
 Rod-coil conformations, 218–220

Root mean squared (RMS), 168
 RSF. *See* Regenerated silk fibroin

S

Saccharomyces cerevisiae, 90, 91
 SA-LBL. *See* Spin-assisted layer-by-layer
Salmonella, 104
 Salt, 183
 SAMs. *See* Self-assembled monolayers
 Scanning electron microscopy, 181f, 188f
 Seeding, 165–166
 Self-assembled Ising chain, 62
 Self-assembled monolayers (SAMs), 6
 fibrils, 173
 Self-assembling peptide literature, 4–7
 Self-assembling proteins, 97–100
 Self-assembly, 1
 bioinspired protein-like, 12
 external trigger responsiveness and,
 25–37
 Glu and, 25
 in nature, 80
 Orn and, 25
 P₁₁-1 and, 18f
 P₁₁-2, 22f
 P₁₁-4, 26f
 P₁₁-5, 26f
 P₁₁-9, 29f
 P₁₁-12, 32f
 polypeptide, 162–167
 surfaces in, 167–189
 Self-catalyzed nucleated assembly, 53
 Self-organization, 1, 4
 Ser, 83
 Sericin, 120, 121
 Serine, 35, 122, 130
 Shape, 4
 Shear force, 134, 135f
 Sheep Myeloid Antibacterial Peptide,
 103, 108
 β -sheets, 6, 13, 35, 66, 163
 barrel channel, 6
 fibrils, 192
 forming peptides, 111–112
 suprastructures, 217–218
 Side chains, 32
 Sigmoidal kinetics, 57, 59

- Silk, 80, 148. *See also* Fibroin; Spidroin;
 Spinning
 artificial spinning of, 133–142
 biomineralization, 144–147
 dragline, 126, 134
 electrospinning, 140–142
 man-made, 127–128
 mechanical properties of, 125–132, 129t
 natural, 125–127
 natural fabrication of, 134–136
 proteins, 120
 recombinant production of, 97–98
 silica fusion proteins, 147
 solution spinning, 136–140
 structure and properties of, 120–132
 supramolecular structure in, 131f
- Silkworms, 120–121
- Silver ions, 190
- SK-29, 105, 106
- Sodium, 136
- Solid-liquid interfaces, 167
 fibril formations in, 175
- Solid-phase peptide synthesis, 214
- Solution spinning, 136–140
- Solvents in nucleated assembly, 55
- Soybean, 92
- Spiders, 121, 134. *See also* Silk; Spidroin
- Spidroin, 120, 122t, 124f, 133, 145, 148
 morphologies of, 138f
 recombinant, 137t, 138
 regenerated, 136, 137t
- Spinal cord injuries, 199
- Spin-assisted layer-by-layer (SA-LBL), 132
- Spinning. *See also* Silk
 artificial, 133–142
 dope, 134, 136
 dry-wet, 136
 electrospinning, 140–142
 solution, 136–140
 wet, 137
- Stag-peptide, 106
- Strategene, 83
- Streptavidin-biotin interactions, 187–188
- Structure, 4
- Stupp, Sam, 5
- Subcellular locations, 95
- Substance P, 101
- Sup35 fibrils, 187f, 188
- Sup35 NM protein, 182f, 187f, 193
- Supramolecular polymers, 46–47
- Surface interactions following assembly,
 182–189
- Surface-based assembly, 168–175
- Surface-directed assembly, 175–181
- Surface-induced nucleation, 169t–172t
- Surfaces
 in assembly, 167–189
 hydrophobic, 174
 mica, 178f
 peptide self-assembly, 37–39
- Switch peptides, 35
- T**
- Tandem repeat strategy, 101
- Tape-forming peptides, 17–20
- Target-coding regions, cloning, 82f
- T-DNA, 93
- TEM, 165, 182f
 Fibrils, 33
 P₁₁-9, 30f
 P₁₁-12, 33f
- Templated assembly, 65
- TEOS. *See* Tetraethoxysilane
- Tetraethoxysilane (TEOS), 192
- Tetrahydrofuran, 219
- Tetramethylorthosilicate (TMOS), 220
- TEV. *See* Tobacco etch virus
- TFA. *See* Trifluoroacetate acid
- Thermodynamic phase transitions, 57
- Thermodynamic stability, 60
- Thioester, 203
- Thioflavin T, 165
- Thioredoxin (Trx), 104
- Thompson, D'Arcy, 4
- Threonine, 35
- TIRFM. *See* Total internal reflection
 fluorescence microscopy
- TMOS. *See* Tetramethylorthosilicate
- Tobacco, 92–93
- Tobacco etch virus (TEV), 84
- Tobacco mosaic virus, 63
 assembled state of, 70f
- Total internal reflection fluorescence
 microscopy (TIRFM), 165

Toxicology, 197
Transcription, 81–82, 95
Transgene integration, 94
Transgenic plants, 92–97
Transient expression, 93
Translation, 82–83
Trifluoroacetate acid (TFA), 138–139
Trp (W), 83
Trx. *See* Thioredoxin
Tryptophan, 20, 215
TTR1, 197, 198
TTR105-115, 192
Tubulin, 50
Tyr, 122, 130, 215
(Fmoc)-tyrosine, 34

V

V. *See* Valine
Vaccinia, 195
Valine (V), 92, 98
van der Waals forces, 3,
20, 34, 182
Vesicle-forming peptides, 110–111
Viral RNA, 61

Viruses, 46–47
detection, 195

W

W. *See* Trp
Water
P₁₁-4 in, 27f
pH in, 27f
Weight distribution, 48
Wet spinning, 137

X

X-ray diffraction, 189

Y

Yeasts, 80, 90–91
advantages of, 90
disadvantages of, 91
YIG, 201

Z

Zim-Bragg theory, 62
ZYB grade HOPG, 171t
ZYH grade HOPG, 171t