

INDEX

A

AAT, *see* α -1 Antitrypsin
 Active human lysozyme, 180–181
 Active sites, indirect mapping of
 small molecular weight sweet
 molecules, 202–205
 structural studies, 205–209
 ADHD, *see* Attention Deficit Hyperactivity
 Disorder
 Adipogenesis suppression, 147
 Advanced meat recovery, 52
 Air-injection stunning devices, 46–47
 Aitch bone, role, 49
 ALA, *see* α -Linolenic acid
 American Dairy Products Institute,
 1990, 16
 American Type Culture Center (ATCC),
 United States, 126
 Amino acids improvements, 176
 AMR, *see* Advanced meat recovery
 Ankaflavin, 129, 133, 146–147
 Annexin V protein, 46
 Anticancer agent, 167
 Anti-GFAP antibiotic, role, 53
 Anti-myelin basic protein (anti-MBP), 53
 Anti-neurofilament (anti-NF), 53
 Anti-NSE antibiotic, role, 53–54
 Antithrombin III protein, 185
 α -1 Antitrypsin, 184–185
A. oryzae, 133
 Apolipoprotein E-deficient [ApoE (–/–)]
 mice, 138
Arabidopsis thaliana, 214
 Arg¹⁴, *see* Lysozyme
 Aspartame, 201, 203, 207
 l-aspartylphenylalanine methyl
 ester, 203–204
Aspergillus niger, 127
A. terreus, lovastatin biosynthetic pathway
 in, 131
 Attention Deficit Hyperactivity
 Disorder, 172
 “Auxogluc”, 205

B

BAC, *see* Bacterial artificial chromosome
Bacillus licheniformis, 21–22
Bacillus megaterium, 147
Bacillus subtilis, 147
 Bacterial artificial chromosome, 176
 Beef carcass
 carcass splitting, 48–50
 CNS tissue, removal of,
 50–51
 contamination routes, 45
 stunning devices in carcass
 contamination, 46–48
 BELE, *see* Breed Early Lactate Early
 “Ben Cao Gang Mu”, 126, 128
 Blood, LDL levels, 166
 Bovine spongiform encephalopathy, 40
 controlled risk category, 44
 detection, 43
 testing, risk estimation and control
 measures, 45
 Bovine TAP (bTAP), 188
 Brazzein
 and loop L₂₃, 218
 receptor-binding surface in, 214
 scorpion toxin-like superfamily, 213
 Breed Early Lactate Early, 191
 BSE, *see* Bovine spongiform
 encephalopathy

C

Caco-2 cells, 147
Caenorhabditis elegans, 172, 173
 Calcium chelating agents, *see* EDTA
Candida albicans, 186
Candida pseudotropicalis, 147
Capparis masaiikai, 214
 Captive bolt stunning devices, 46
 Carcass contamination, stunning devices
 in, 46
 Carcass sampling, GFAP, 50
 Carcass splitting, 48–50

- Casein, 167
 edible, uses, 177
 health risk, 177–178
 micelles, EDTA and, 13–14
 whey ratio, yoghurt milk and, 11
 α s1/ β -Casein, 7
 α s1-Casein (α s1-CN), 176
 Cattle population, BSE risk, 43–44
 Cellular antigen stimulation test (CAST), 151
 Central nervous system, 40
 Chemical fingerprint-profiling
 method, 135
 Chinese Center for Disease Control and
 Prevention, 149
 Cholesterol
 immunochemical assays and
 quantification, 53–54
 role, CNS tissue meat products, 54
 Cholesterol-lowering effect, MRP and
 animal studies, 138–140
 clinical studies, 140
 HMG-CoA reductase inhibitor, 137–138
 Cholestin, 138, 140, 142
 Chromatin remodeling, 90
 “Cinderella of senses”, 201
 Citrate salts, in cheese industry, 15
 Citrinin, 130–131, 148–150
 CLA, *see* Conjugated linoleic acid
 CN, *see* Casein
 CNS, *see* Central nervous system
 CNS tissue, 51
 beef carcass contamination, 45
 cross-contamination, 47–49
 gas chromatography-mass
 spectrometry, 58–59
 histological staining and IHC, 52–53
 immunochemical assays and
 quantification of cholesterol, 53–58
 polymerase chain reaction, 59–60
 qualitative analysis, 56–57
 removal of, 50–51
 Colloidal calcium phosphate
 solubilization, 13
 Colorimetric ELISA, 56
 detection of GFAP in meat products, 57
 Compactin (ML-236B), 137–138
 Comprehensive Yeast Genome Database, 79
 Conjugated linoleic acid, 167
 beneficial health effects, 167–168
 content, 169–170
 Control diet (CTD), 169
 “Controlled BSE risk”, 44
 Coronavirus, 190
 Cow dietary manipulation, 166, 168–169, 172
 Cow genetic manipulation, 172–173
 Cow milk allergy, 181–182
Curculigo latifolia, 216
 Curculin, 209, 216
 Cutaneous omobranchialis, 49
- ## D
- Dairy Cooperative Research Centre (Dairy
 CRC), 176
 Dairy industry, enzymatic processes
 in, *see also* Milk
 hydrolysis, 20–22
 renneting, 18–20
 transglutamination, 22–23
 Dairy ingredients chemical modification
 processes
 chemical agents use, 23–25
 Maillard reaction, 25–27
 Dairy products, CLA content, 168–169
 Dairy proteins, 4
 DALI, 217–218
 DCN, *see* Dry casein
 Delta-9 desaturase, 170
 Designer milk, animal growth and
 health, 187–190
 DHA, *see* Docosahexaenoic acid
 Dihydroquercetin 3-acetate, 204
 Dimeric acid antioxidant
 mechanism, 146
Dioscorea batatas, 137
Dioscoreophyllum cumminsii, 210
 1,1-diphenyl-2-picrylhydrazyl (DPPH), 146
 Disease prevalence and surveillance
 program, 42
 Docosahexaenoic acid, 170
 Double dyebinding method, 84–85
 Dry casein, 167
 “Dulcigen” groups, 205
 Dynamic high-pressure processing
 technology, 28
- ## E
- EC1118 profiling transcripts, 96–97
 EDTA, 13–14
 Eicosapentaenoic acid, 170
 Electrospray ionization tandem mass
 spectrometry, 83
 ELISA, *see* Enzyme-linked immunosorbent
 assay

Energy reserve compound synthesis, 102
 Environmental stress response (ESR), 100–102
 Environment Risk Management Authority (ERMA), 186
 Enzyme-linked immunosorbent assay, 46, 211, 217
 EPA, *see* Eicosapentaenoic acid
 ePHOGSY, 212
Escherichia coli, 181, 188, 216
 ESI MS/MS, *see* Electrospray ionization tandem mass spectrometry
Eupatorium rebaudianum, 204
 European Union (EU), 40

F

Fatty acid chain length, alteration of, 166
 Fatty acid methyl ester (FAME)
 analysis, 74
 Fatty acids
 detection of CNS tissue in meat products, 58
 disease treatment by, 172
 versus product quality, 173
 Fibrinogen protein, 184
 Fluorescent ELISA (F-ELISA), 55, 57
 Food Industry Research and Development Institute, Taiwan, 126
 Food processing technologies, 27–28
 static high-pressure processing, 27
 ultrasound, 28
 Fourier transform ion cyclotron resonance MS (FTICR-MS), 88
 Functional analysis by coresponses in yeast (FANCY), 106

G

GABA production, 137
 β -galactosidase, 174–175
 G16A-MNEI, 222
 Gas chromatography-mass spectrometry (GC-MS), 52, 58
 GC-selected ion-monitoring mass spectrometry, 149
 Genetic manipulation (GM), 163
 “Genome renewal” hypothesis for *Saccharomyces*, 73
 Genomic tool chest, 75–78
 metabolome analysis, 87–89
 proteome analysis, 82–87

 systems biology, 90
 transcriptome analysis, 79–82
 Glial fibrillary acidic protein (GFAP), 47
 in meat products, 50
 restriction and detection of CNS, 55
 Globular proteins hydrolysis, 20
 “Glucophores”, 205, 211, 223
 D glucopyranosyl_D fructofuranose, 202
 Glucose-glycerol-peptone (GGP), 136
 Glycerol-3-phosphate dehydrogenase (GPDH), 147
 Glycine, 202–203
 Glycyrrhizin, *see* Natural glycoside
 Goats, feeding, 167
 Goodman’s model, 208
 G-protein-coupled receptor (GPCR), 201
 Grape juice
 composition of, 69
 environment, 67–68, 70–73
 fermentation and factors affecting, 68, 70–73
 phenolic composition of, 70
 GTC Biotherapeutics, 185
 Gustatory system, 200

H

hATT, *see* Human ATT
 Health risk estimation, 42
 Hematoxylin and eosin (HE), 52
 Hen egg white (HEW), 209, 214–215
 High-density lipoprotein cholesterol (HDL-C), 138
 High-fat diet (HF), 169
 High-oleic sunflower oil (HOSO), 167
 High-performance liquid chromatography (HPLC), 135
 High-protein milk powders, 17–18
 hLF, *see* Human milk-derived lactoferrin
 hLZ, *see* Active human lysozyme
 Homogenization effects, on dairy products
 functionality, 15–16
 Hot boning, carcasses, 49
 Human ATT, 185
 Human clinical applications, antibodies
 use, 183
 Human embryonic kidney cells (HEK293), 148
 Human milk-derived lactoferrin, 179
 and hLZ, role, 181
 Human neurological disease cause, 40–41

Human tissue plasminogen activator (htPA), 183
 Hydrogen bond acceptor (B), 205–206
 Hydrogen bond donor (AH), 205–206
 3-hydroxy-3-methylglutaryl coenzymeA (HMG-CoA), 138

I

Immunoassay, NSE detection in liver sausages, 55
 Immunochemical testing, 57–58
 Immunoglobulin antibodies (IgA), 186
 Immunohistochemistry (IHC)
 histological staining and, 52–53
 method, detection of spinal cord, 57
 Indirect mapping, of active sites
 and small molecular weight sweet molecules, 202–205
 structural studies, 205–209
 Infant health, designer milk for
 cow milk allergy, 181–182
 lactoferrin, 179–180
 lactose intolerance, 182
 lysozyme, 180–181
 Institute for Nutrition and Food Safety, China, 149
 International Society for Study of Fatty Acids and Lipids (ISSFAL), 170
Ipomoea batatas, 137
 Isovanillyl sweet compounds, 204

J

“Jiuqu” in China, 126, 137

K

κ -Casein (κ -CN), 5–6, 177
 cleavage, 18–19
 Keratin (KN), 167
 Kier’s model, 206–207

L

LA, *see* Linoleic acid
 Laboratory yeast, 71, 73, 96, 105–107
 α -Lactalbumin (α -LA), 175
 proteins, 5
 removal, 175
 Lactoferrin (LF), 179–180
 β -Lactoglobulin (β -LG), 163
 proteins, 5–7, 9–10, 24, 26

Lactose, 174, *see also* Milk sugar modification
 intolerance, 182
 reduction, preharvest methods, 175
 synthesis, 174
 Linoleic acid, 167
 α -Linolenic acid, 170
 Lipase production, 182
Listeria, 190
 Longer acting tissue plasminogen activator (LATPA), 183
 Loop L₂₃, 218
 Lovastatin, 131–132, 135, 138–140
 Low-density lipoprotein cholesterol (LDL-C), 137–140
 Low density lipoprotein (LDL), 166
 Low-fat diet (LFD), 169
 “L”-shaped model, 207–208
 Lysostaphin protein, 189
 Lysozyme (LZ), 180–181
 hydrolysis of polysaccharides
 catalyzation, 214
 level, in milk, 180
 ribbon representations, 215

M

Mabinlin, 214
 Maillard reaction
 conjugates preparation, 25–26
 solubility and heat stability, 26
 surface properties, 26–27
 viscosity and gelation, 27
 Major milk proteins, 176–178
 Malaria vaccine, 185–186
Manihot esculenta, 137
M. anka, 145–146
 Mastitis, 188–189
 Matrix-assisted laser desorption ionization
 time-of-flight mass spectrometry (MALDI-TOF MS), 83
 Matrix-assisted laser desorption ionization
 time-of-flight/time-of-flight mass spectrometry (MALDI-TOF/TOF MS), 147
 MBP, *see* Myelin basic protein
 Meat products, staining method, 53
 Metabolic gene regulation principles, 90
 Metabolome analysis, 87–89
 Metabotropic glutamate receptors (mGluR1), 200, 220, 225
M. floridanus, 126
 Microarray karyotype analysis, 75

- Microbiological cross-contamination,
carcass splitting, 49
- Micrococcus lysodeikticus*, 180
- Microfluidization treatment, 28
- Milk fat
- CLA and, 167, 169
 - modification
 - altering fatty acid chain and saturation, 165–167
 - fatty acids versus product quality, 173
 - increasing CLA levels, 167–170
 - omega fatty acids, 170–172
 - reducing fat content, 172–173
 - MUFA content, 166
 - oleic acid content, 167, 173
 - percentage, 165
- Milk functionality and processing impacts on, 3
- acidification, 9–13
 - acylation, 23–24
 - benefits and constituents, 163
 - chemical modification processes, 23–27
 - composition alteration, mineral salts and, 13
 - dehydration, 16–18
 - designing, 163–165
 - emerging food processing technologies, 27–29
 - enzymatic modification processes, 18–23
 - esterification with alcohols, 24
 - fat (*see* Milk fat)
 - foaming properties and calcium
 - complexing agents addition, 14–15
 - gelation, 10
 - heat stability and pH, 6, 14
 - heat treatment, 4–10
 - homogenization and shear, 15–16
 - human therapeutic proteins, 183–186
 - mineral-protein equilibria importance, 14
 - mineral salts addition in, 13–15
 - modification, 176–178
 - nutritional source and beneficial health effect, 174
 - physical modification processes and, 4–18
 - powder, 16–17
 - total solids, 176–177
- Milk protein concentrate (MPC), 13
- Milk sugar, modification, 174–175
- Mineral and casein equilibria, 13
- Minor milk proteins, modifying, 178
- Miraculin, 209, 215–216
- M. kaoliang* R-10847 mutant, 133
- Monacolin K
- glucose and, 131
 - Monascus* species and, 136
 - MRP production process and, 136–137
 - production, 135–137
- Monascin, 129, 133, 146–147
- Monascopyridine A and B, 150–151
- Monascorubramine, 129, 133, 151
- Monascorubrin, 129, 131, 133, 135, 147
- Monascus*
- pigments production, 133–135
 - polyketide synthesis, 129–132
- Monascus* rice products (MRPs), 140, 146, 149
- antihyperglycemic activity of, 146–147
 - antihypertensive effect of, 145
 - antioxidant effect of, 145–146
 - antiproliferative effect of, 146–147
 - clinical data in cholesterol-lowering effect, 141–145
 - health benefits
 - cholesterol-lowering effect, 134–140
 - other effects, 140, 145–148
 - macrophage-stimulating activity of, 147
 - production, traditional methods, 128–129
 - safety, 148–151
 - submerged culture system, 129, 134
 - types, in China, 127
 - use in Asia, history of, 126–128
- Monascus* sp.
- morphology, 125–126
 - taxonomy, 124–126
- Monascus* sp. ATCC 16775, 147
- Monascus* strain IBCC1, 133
- Monatin, 203–204
- Monell Chemical Senses Center, 210
- Monellin, 210–212
- Monosodium glutamate (MSG) solution, 134
- Monounsaturated fatty acids (MUFA), 165
- M. pallens*, 126
- M. paxii*, 147
- M. pilosus*, 125–126, 136–137, 146–148, 150
- M. pilosus* IFO 4520, 128, 137, 147
- M. purpureus*, 125–126, 128, 132–134, 136–139, 143, 145–151, 147
- M. purpureus* M9011, 145
- M. purpureus* M12 mutant, 133
- M. purpureus* N 301, 149
- M. purpureus* NTU 301, 137
- M. purpureus* NTU568, 138
- M. purpureus* Went CBS 109.07, 133
- M. purpureus* Went C322 pigment, 134

M. ruber, 125–126, 131, 133, 136, 145,
147–148, 150
M. ruber IFO 32318, 145
M. sanguineus, 126
Multidimensional liquid chromatography
tandem mass spectrometry
(MudPIT), 85
Multiple sclerosis disease, 186
Murine monoclonal antibody (mAB), 209
Myelin basic protein, 186

N

Nanoflow liquid chromatography-liquid
chromatography tandem mass
spectrometry [Nano LC/LC MS/MS
(MudPIT)], 85
National Institute of Technology and
Evaluation Biological Resource Center
(NBRC), Japan, 126
Native yeast strains investigation challenges
genomic tool chest, 75–90
grape juice environment, 66–73
wine yeast strain diversity, 73–75
Natural glycoside, 204
“Negligible BSE risk”, 44
Neoculin acid subunit (NAS), 216
Neoculin basic subunit (NBS), 216
Neohesperidine dihydrochalcone, 204
Neuron-specific enolase (NSE), 52
Nongel technologies, 85
Nuclear magnetic resonance
(NMR), 211–214

O

OIE, *see* World Animal Health Organization
OIE surveillance program, role, 42–43
Oleic acid content, 167, 173
Omega fatty acids, 170–172
Open reading frames (ORFs), 76
Osladin extraction, 204

P

P. brevicompactum, 138
Penicillium citrinum, 131, 138
Pentadiplandra brazzeana, 213
Perilla frutescens, 204
Perillartine, 204
Phenomics, 76
Phenylketonuria (PKU), 184
Phosphoenolpyruvate carboxykinase
(PEPCK), 146
Photodiode array (PDA) detector, 135

Pithing technique, 46
Plasma endothelin-1(ET-1), 138
Plasmin, activity, 178
Plasmodium falciparum, 185
Polyketide biosynthesis, 131–132
Polyketide pathway, in *Monascus*
sp., 129–132
Polyketide synthase (PKS) gene (*pkcCT*), 150
Polymerase chain reaction, 59
Polypodium vulgare, 204
Polyunsaturated fatty acids, 165
Pompe’s disease, 187
PPL therapeutics, 186
Preharvest methodologies, lactose
reduction, 175
Proteinase-cleavage sites, targeting, 178
Protein(s)
chemical modification
Maillard reaction, 25–27
use of chemical agents, 23–25
“chips” method, 86
emulsifying properties and hydrolysis, 21
expression, 176
foaming properties and hydrolysis, 21
hydrolysis effects, 20–22
ionization analytical methods, 83
phosphorylation, 24–25
production patterns, noise in, 90
separation and identification
by 2D SDS-PAGE electrophoresis,
83–84
limitation in, 84–87
Stoke’s radius, 83
surface properties, heat treatment and pH
impact on, 9
Proteome analysis
differential protein targeting, 87
double dyebinding method, 84
by electrophoresis, 83
nongel technologies for, 85
protein “chips” method, 86
PUFA, *see* Polyunsaturated fatty acids

Q

QSAR analyses, of dipeptide analogues, 207
Quantitative reverse transcription PCR
(QRT-PCR), 82

R

Real-time polymerase chain reaction
(RT-PCR), 48
Recombinant bovine CD14
(rb-CD14), 189–190

Recombinant human fibrinogen (rHF), 184
 Recombinant human lactoferrin (rhLF), 179–180
 Recombinant human proteins (rHP), 183
 Red rice wine, in China, 127
 R-ELISA, *see* Colorimetric ELISA
 Renneting, enzymatic process, 18–20
 Response surface methodology (RSM), 136
 Restriction fragment length polymorphisms (RFLP), 59
 Reversed phase HPLC (RP-HPLC) with PDA method, 135
 Roller drying method for chocolate powder, 17
 Rubropunctamine, 129, 133, 151
 Rubropunctatin, 129, 131, 133, 135, 147

S

Saccharomyces cerevisiae, 133
 application in genomic technologies, 67
 genome sequence, 66
 genomic deletion set of strains for, 77
Saccharomyces Genome Database, 79
Sac gene, 220
 SAGE, *see* Serial analysis of gene expression
Salmonella, 190
Salmonella typhimurium, 173
 Saturated fatty acids (SFA), 165–166
 SCOP classification, 212–213
 SDS-PAGE, *see* Sodium dodecyl sulfate polyacrylamide gel electrophoresis
 2D SDS-PAGE, *see* Two-dimensional sodium dodecyl sulfate polyacrylamide gel electrophoresis
 “Seed Koji” preparation, 128
 “Serendipity berries”, 210
 Serial analysis, of gene expression, 82
 Seven-helix transmembrane domain (7TM), 201
 Simplex[®] 100, 16
 Single-chain monellin (SCM), 211
 Sodium dodecyl sulfate polyacrylamide gel electrophoresis, 54
Solanum tuberosum, 137
 Solid-state and submerged cultivations combined process, 134
 Solid-state fermentation, 128, 134, 137
 Sorbitol, 203
 Specified risk material (SRM), 40–41
 removal, control measures, 50–51
 “Spophores”, 205
 Stanford Microarray Database, 79

Staphylococcus aureus, 188
 Static high-pressure processing technology, 27–28
 Stearoyl-CoA desaturase enzyme, role, 167
 Stevioside, *see* Sweet glycosides
Streptococcus agalactiae, 188
Streptococcus dysgalactiae, 188
Streptococcus simulans, 189
Streptococcus uberis, 188
 Streptozotocin-induced diabetic rats (STZ-diabetic rats), 146
 Stress response element (STRE), 100
 Sugar alcohols, 202
 Sweet glycosides, 204
 Sweet macromolecules and natural sweet proteins characterization
 curculin, 216
 lysozyme, 214–215
 mabinlin, 214
 miraculin, 215–216
 monellin, 210–212
 thaumatin, 212–213
 sweet proteins and receptor interaction, 217–218
 Sweet proteins and receptor interaction, 217–218
 role of, 201
 “wedge model” mechanisms for, 221–224
 Sweet taste receptor and computer-generated models, 220–221
 and molecular biology, 218–220
 multiple binding sites, 228–231
 small sweetener and receptor, interaction of, 224–228
 Synaptophysin protein, detection, 52–53
Synsepalum dulcificum, 215
 Syntaxin 1-B antibody role, 46–47
 Systems biology, 90

T

Tandem affinity purification (TAP), 77
 TEMPOL, 212
 Temussi model, 207–208
 Terpene perillaldehyde extraction, 204
 Thaumatin extraction, 212–213
Thaumatococcus danielli, 212
 “Tian Gong Kai Wu”, 126, 128
 Topological model, 207–208
 Total cholesterol (TC), 138–139
 T1R3, 219
 Tracheal antimicrobial peptide (TAP), 188

Transcriptional regulatory mechanisms, 90
 Transcriptome, 75
 Transcript profiling methods, 80–82
 Transgenic technology, lactose reduction, 182
 Transglutamination, 22–23
 Tricarboxylic acid (TCA) cycle, 131, 132
 T1R2–T1R3 receptor, 202, 220–222, 225, 229–230
 Two-dimensional sodium dodecyl sulfate polyacrylamide gel electrophoresis, 79
 Ty1 insertional mutagenesis, genetic footprinting of yeast, 78
 Type A surveillance, 42–43
 Type B surveillance, 43
 TyrA¹³-AspA¹⁶, 211, 217
 Tyr⁵⁷-Asp⁵⁹, 217

U

β-1,4-UDP-galactosyl transferase (UDP-gal), 175
 “Undetermined BSE risk”, 44–45

V

Variant Creutzfeldt–Jakob disease (vCJD), 41
 Venus fly trap domain (VFTD), 201–202, 220, 225

W

“Wedge model” mechanism, and sweet proteins, 221–224
 Whey gels formation, 8
 Whey proteins
 denaturation, 5
 heat stability of, 7
 hydrolysis and gelation, 21–22
 Wine environment, gene expression, 94–99

Wine fermentation, cyclical nature of adaptation to stress, 101
 Wine strains and stress factors, 103
 Wine strains of *S. cerevisiae*
 ATP status of, 95
 fermentation stages of, 98
 impact of change in growth environments, 94
 oligoarray transcript profiling and “flor” strains of, 92
 transcript profiles in, 93
 transcript profiling studies of, 91
 Wine yeast
 functional genomic analysis, 91–99
 genomic analysis, 66–67
 metabolomics application, 106–108
 strain diversity, 73–75
 stress responses analysis, 99–104
 World Animal Health Organization, 42

X

Xuezhikang effects, 138, 143–145

Y

Yeast
 cell growth of, 72
 fermentation of, 71–73
 gene annotation in, 78
 global analysis of protein localization in, 77
 metabolome of, 76
 mRNA profiling by transcriptome analysis, 79–82
 tool for research, 66
 Yeast Protein Map project, 79
 Yeast Proteome Database, 79
 Yeast Resource Center for analysis of protein interactions and complexes, 79