

Author index

- Al-Omer, L.S., see Barton, I.G., 293
- Alarcón, B., Lacal, J.C., Fernández-Sousa, J.M. and Carrasco, L.
Screening for new compounds with antiherpes activity, 231
- Alexandre, M.A.V., see Caner, J., 325
- Allaudeen, H., see Hantz, O., 187
- Allen, P.T., see Czarniecki, C.W., 351
- Barton, I.G., Kinghorn, G.R., Rowland, M., Jeavons, M., Al-Omer, L.S. and Potter, C.W.
Recurrences after first episodes of genital herpes in patients treated with topical acyclovir cream, 293
- Baskin, G., see Soike, K.F., 245
- Bergstrom, D.E., see De Clercq, E., 119
- Bocci, V., Pessina, G.P., Pacini, A., Paulesu, L., Muscettola, M. and Mogensen, K.E.
Pulmonary catabolism of interferons: alveolar absorption of 125 I-labeled human interferon alpha is accompanied by partial loss of biological activity, 211
- Brana, M.F., see García Gancedo, A., 201
- Brigden, D., see Fiddian, A.P., 99
- Calnek, B.W., see Schat, K.A., 259
- Caner, J., Alexandre, M.A.V. and Vicente, M.
Effect of tiazofurin on tomato plants infected with tomato spotted wilt virus, 325
- Cantrell, C., see Soike, K.F., 245
- Carrasco, L., see Alarcón, B., 231
- Centifanto-Fitzgerald, Y.M., see Kaufman, H.E., 333
- Czarniecki, C.W. and Allen, P.T.
Disparate response of encephalomyocarditis virus and MM virus to interferon in JLS-V9R cells, 351
- Darby, G., see Larder, B.A., 1
- Davies, H.W., see Phillpotts, R.J., 71
- De Clercq, E., Bergstrom, D.E., Holy, A. and Montgomery, J.A.
Broad-spectrum antiviral activity of adenosine analogues, 119
- De Clercq, E., see Hantz, O., 187
- De Clercq, E., see Maudgal, P.C., 281
- De Clercq, E., see Pavan-Langston, D., 53
- De Clercq, E., see Torrence, P.F., 339
- Fernández-Sousa, J.M., see Alarcón, B., 231
- Fiddian, A.P., Brigden, D., Yeo, J.M. and Hickmott, E.A.
Acyclovir: an update of the clinical applications of this antiherpes agent, 99
- Field, H.J. and Lay, E.
Characterization of latent infections in mice inoculated with herpes simplex virus which is clinically resistant to acyclovir, 32
- Fiers, W., see Fleischmann, W.R., Jr., 357
- Fleischmann, C.M., see Fleischmann, W.R., Jr., 221, 357
- Fleischmann, W.R., Jr. and Fleischmann, C.M.
Potentiating effect of murine interferon- γ -containing lymphokine preparations on the antiviral and antiproliferative effects of murine interferon- α/β : identification of the potentiation factor as murine interferon- γ itself, 221
- Fleischmann, W.R., Jr., Fleischmann, C.M. and Fiers, W.
Potentiation of interferon action by mixtures of recombinant DNA-derived human interferons, 357
- Foster, C.S., see Lass, J.H., 143
- Gadler, H., Larsson, A. and Solver, E.
Nucleic acid hybridization, a method to determine effects of antiviral compounds on herpes simplex virus type 1 DNA synthesis, 63
- García Gancedo, A., Gil-Fernández, C., Vilas, P., Pérez, S., Rodríguez, F., Paez, E., Brana, M.F. and Roldán, C.M.
Antiviral action of 5-amino-2-(2-dimethylaminoethyl)benzo-(de)-isoquinolin-1,3-dione, 201
- Gerone, P., see Soike, K.F., 245
- Gil-Fernández, C., see García Gancedo, A., 201
- Hantz, O., Allaudeen, H.S., Ooka, T., De Clercq, E. and Treppe, C.
Inhibition of human and woodchuck hepatitis virus DNA polymerase by the triphosphates of acyclovir, 1-(2'-deoxy-2'-fluoro- β -D-arabinofuranosyl)-5-iodocytosine and *E*-5-(2-bromovinyl)-2'-

- deoxyuridine, 187
- Hickmott, E.A., see Fiddian, A.P., 99
- Higgins, P.G., see Phillpotts, R.J., 71
- Holy, A., see De Clercq, E., 119
- Howard, C.R.
Viral haemorrhagic fevers: properties and prospects for treatment and prevention, 169
- Jeavons, M., see Barton, I.G., 293
- Kaufman, H.E., Varnell, E.D., Centifanto-Fitzgerald, Y.M. and Sanitato, J.G.
Virus chemotherapy: antiviral drugs and interferon, 333
- Kinghorn, G.R., see Barton, I.G., 293
- Lacal, J.C., see Alarcón, B., 231
- Langston, R.H.S., see Lass, J.H., 143
- Larder, B.A. and Darby, G.
Virus drug-resistance: mechanisms and consequences, 1
- Larsson, A., see Gadler, H., 63
- Lass, J.H., Langston, R.H.S., Foster, C.S. and Pavan-Langston, D.
Antiviral medications and corneal wound healing, 143
- Lay, E., see Field, H.J., 43
- Lee, J.J., see Prusoff, W.H., 303
- Lin, T.-S., see Prusoff, W.H., 303
- Machida, H. and Sakata, S.
In vitro and in vivo antiviral activity of 1- β -D-arabinofuranosyl-E-5-(2-bromovinyl)uracil (BV-araU) and related compounds, 135
- Mancini, W.R., see Prusoff, W.H., 303
- Maudgal, P.C., De Clercq, E. and Missotten, L.
Efficacy of bromovinyldeoxyuridine in the treatment of herpes simplex virus and varicella-zoster virus eye infections, 281
- Missotten, L., see Maudgal, P.C., 281
- Mogensen, K.E., see Bocci, V., 211
- Montgomery, J.A., see De Clercq, E., 119
- Muscettola, M., see Bocci, V., 211
- Ooka, T., see Hantz, O., 187
- Otto, M.J. and Prusoff, W.H.
The relationship between the antiviral activity of 5'-amino-5'-deoxythymidine and its incorporation into herpes simplex virus type 1 DNA, 271
- Otto, M.J., see Prusoff, W.H., 303
- Pacini, A., see Bocci, V., 211
- Paez, E., see García Gancedo, A., 201
- Park, N.-H., see Pavan-Langston, D., 53
- Paulesu, L., see Bocci, V., 211
- Pavan-Langston, D., Park, N.-H. and De Clercq, E.
In vitro effect of (E)-5-(2-bromovinyl)-2'-deoxyuridine, 5'-amino-5-iodo-2',5'-dideoxyuridine and 2-deoxy-D-glucose on latent ganglionic herpes simplex virus infection, 53
- Pavan-Langston, D., see Lass, J.H., 143
- Pérez, S., see García Gancedo, A., 201
- Pessina, G.P., see Bocci, V., 211
- Phillpotts, R.J., Davies, H.W., Willman, J., Tyrrell, D.A.J. and Higgins, P.G.
Pharmacokinetics of intranasally applied medication during a cold, 71
- Potter, C.W., see Barton, I.G., 293
- Prusoff, W.H., Mancini, W.R., Lin, T.-S., Lee, J.J., Siegel, S.A. and Otto, M.J.
Physical and biological consequences of incorporation of antiviral agents into virus DNA, 303
- Prusoff, W.H., see Otto, M.J., 271
- Raper, R.H., see Sim, I.S., 159
- Rodriguez, F., see García Gancedo, A., 201
- Roldán, C.M., see García Gancedo, A., 201
- Rowland, M., see Barton, I.G., 293
- Sakata, S., see Machida, H., 135
- Sanitato, J.G., see Kaufman, H.E., 333
- Schat, K.A., Schinazi, R.F. and Calnek, B.W.
Cell-specific antiviral activity of 1-(2-fluoro-2-deoxy- β -D-arabinofuranosyl)-5-iodocytosine (FIAC) against Marek's disease herpesvirus and turkey herpesvirus, 259
- Schinazi, R.F., see Schat, K.A., 259
- Sherwood, A. and Stollar, V.
Evidence that ribavirin is transported in *Aedes albopictus* cells by the nucleoside transport system, 317
- Siegel, S.A., see Prusoff, W.H., 303
- Sim, I.S. and Raper, R.H.
5-Substituted deoxyuridines – structural requirements for antiviral activity against herpes simplex virus types 1 and 2 and possible biochemical basis for relative potency, 159
- Soike, K.F., Baskin, G., Cantrell, C. and Gerone, P.
Investigation of antiviral activity of 1- β -D-arabinofuranosylthymine (ara-T) and 1- β -D-arabinofuranosyl-E-5-(2-bromovinyl)uracil (BV-ara-U) in monkeys infected with simian varicella virus, 245
- Solver, E., see Gadler, H., 63
- Stollar, V., see Sherwood, A., 317
- Torrence, P.F. and De Clercq, E.
Preparation and biological properties of a highly

active poly(G)-poly(C) inducer of interferon, 339

Trepo, C., see Hantz, O., 187

Tyrrell, D.A.J., see Philippotts, R.J., 71

Varnell, E.D., see Kaufman, H.E., 333

Vicente, M., see Caner, J., 325

Vilas, P., see García Gancedo, A., 201

Willman, J., see Philippotts, R.J., 71

Yeo, J.M., see Fiddian, A.P., 99