

Author index

- Abele, G., see Harmenberg, J., 75
Allaudeen, H.S.
 Distinctive properties of DNA polymerases induced by herpes simplex virus type-1 and Epstein-Barr virus, 1
Altman, Y., see Levin, S., 229
Ayisi, N.K., Gupta, S.V. and Babiuk, L.A.
 Combination chemotherapy: interaction of 5-methoxymethyldeoxyuridine with trifluorothymidine, phosphonoformate and acycloguanosine against herpes simplex viruses, 13
Babiuk, L.A., see Ayisi, N.K., 13
Barzilai, N., see Levin, S., 229
Bentwich, Z., see Levin, S., 229
Boraschi, D., see Soldateschi, D., 217
Bregman, V., see Levin, S., 229
Brenner, Y., see Levin, S., 229
Buck, C.C. and Loh, P.C.
 In vitro effect of acyclovir and other antiherpetic compounds on the replication of channel catfish virus, 269
Bukowski, J.F., see McIntyre, K.W., 299
Campbell, N.L., see Smee, D.F., 259
Chmielarczyk, W., Domke, I. and Kirchner, H.
 Role of interferon in the resistance of C3H/HeJ mice to infection with herpes simplex virus, 55
Ciarrocchi, G., see Spadari, S., 93
Clarke, G.F., see Thorne, H.V., 335
Collins, P. and Oliver, N.M.
 Comparison of the in vitro and in vivo antiherpes virus activities of the acyclic nucleosides, acyclovir (Zovirax) and 9-[(2-hydroxy-1-hydroxy-methylethoxy)methyl]guanine (BWB759U), 145
Corey, E.J., see Spadari, S., 93
Crane, L.R. and Milne, D.A.
 Comparative activities of combinations of acyclovir, vidarabine or its 5'-monophosphate, and cloned human interferons against herpes simplex virus type 2 in human and mouse fibroblast cultures, 325
Cullis, P.M., see Hutchinson, D.W., 67
De Clercq, E., see Freeman, D.J., 169
Dekkers-Bijma, A.M., see Weimar, W., 49
Domke, I., see Chmielarczyk, W., 55
Dumas, E., Gianinazzi, S. and Nicoud, S.
 A genetically controlled polyacrylic acid induced resistance in *Nicotiana* species, 355
Eppstein, D.A., see Fraser-Smith, E.B., 137
Fidler, I.J., see Koff, W.C., 179
Field, H.J.
 Chemotherapy of Aujeszky's disease (pseudorabies) in the mouse by means of nucleoside analogues: bromovinyldeoxyuridine, acyclovir, and dihydroxypropoxymethylguanine, 157
Focher, F., see Spadari, S., 93
Fraser-Smith, E.B., Eppstein, D.A., March, Y.V. and Matthews, T.R.
 Enhanced efficacy of the acyclic nucleoside 9-(1,3-dihydroxy-2-propoxymethyl)guanine in combination with gamma interferon against herpes simplex virus type 2 in mice, 137
Freeman, D.J., Sacks, S.L., De Clercq, E. and Spruance, S.L.
 Preclinical assessment of topical treatments of herpes simplex virus infection: 5% (*E*)-5-(2-bromovinyl)-2'-deoxyuridine cream, 169
Freestone, D.S.
 The need for new antiviral agents, 307
Galili-Wiesstub, E., see Levin, S., 229
Gianinazzi, S., see Dumas, E., 355
Gilbert, B.E. see Wray, S.K., 29, 39
Gupta, S.V., see Ayisi, N.K., 13
Gwaltney, J.M., Jr., see Hayden, G.F., 103
Gwaltney, J.M., Jr., see Hayden, F.G., 111
Hahn, T., see Levin, S., 229
Handzel, Z.T., see Levin, S., 229
Hardt, N., see Spadari, S., 93
Harmenberg, J., Abele, G. and Wahren, B.
 Nucleoside pools of acyclovir-treated herpes simplex type 1 infected cells, 75
Hayashi, Y., see Yamamoto, M., 83
Hayden, F.G., Gwaltney, J.M., Jr. and Johns, M.E.
 Prophylactic efficacy and tolerance of low-dose intranasal interferon- α_2 in natural respiratory viral infections, 111

- Hayden, G.F., Gwaltney, J.M., Jr., Thacker, D.F. and Hendley, J.O.
Rhinovirus inactivation by nasal tissues treated with virucide, 103
- Hendley, J.O., see Hayden, G.F., 103
- Hutchinson, D.W.
Metal chelators as potential antiviral agents, 193
- Hutchinson, D.W., Naylor, M. and Cullis, P.M.
Thio-analogues of inorganic pyrophosphate inhibit the replication of influenza virus A in vitro, 67
- Ikeda, S., Matsuda, Y. and Nishimura, C.
Enhancement by muramyl dipeptides of the activities of early-type inducers of interferon, 345
- Ikeda, S., Negishi, T. and Nishimura, C.
Enhancement of non-specific resistance to viral infection by muramyl dipeptide and its analogs, 207
- Jarrett, O., see Komolafe, O.O., 241
- Jeekel, J., see Weimar, W., 49
- Johns, M.E., see Hayden, F.G., 111
- Katz, M.E., see Richards, J.T., 281
- Kern, E.R., see Richards, J.T., 281
- Kirchner, H., see Chmielarczyk, W., 55
- Kirchner, H., see Storch, E., 117
- Kluge, S.
Comparison of the effects of chlorite-oxidized oxyamylose and polyacrylic acid on the multiplication of phytopathogenic viruses, 291
- Knight, V., see Wray, S.K., 29, 39
- Koff, W.C. and Fidler, I.J.
The potential use of liposome-mediated antiviral therapy, 179
- Komolafe, O.O. and Jarrett, O.
Feline calicivirus subunit vaccine - a prototype, 241
- Kramer, P., see Weimar, W., 49
- Kuenzle, C., see Spadari, S., 93
- Levin, S., Hahn, T., Handzel, Z.T., Galili-Wiebstub, E., Bregman, V., Myer, R., Tinowitz, M., Altman, Y., Barzilai, N., Brenner, Y. and Bentwich, Z.
Activated interferon system in healthy homosexual men, 229
- Loh, P.C., see Buck, C.C., 269
- March, Y.V., see Fraser-Smith, E.B., 137
- Matsuda, Y., see Ikeda, S., 345
- Matthews, T.R., see Fraser-Smith, E.B., 137
- Matthews, T.R., see Smee, D.F., 259
- McIntyre, K.W., Bukowski, J.F. and Welsh, R.M.
Exquisite specificity of adoptive immunization in arenavirus-infected mice, 299
- Milne, D.A., see Crane, L.R., 325
- Mori, R., see Yamamoto, M., 83
- Myer, R., see Levin, S., 229
- Myers, A.G., see Spadari, S., 93
- Naylor, M., see Hutchinson, D.W., 67
- Negishi, T., see Ikeda, S., 207
- Nicoud, S., see Dumas, E., 355
- Nir, E., see Ronen, D., 249
- Nishimura, C., see Ikeda, S., 207, 345
- Noall, M.W., see Wray, S.K., 29
- Oliver, N.M., see Collins, P., 145
- Pedrali-Noy, G., see Spadari, S., 93
- Rebuzzini, A., see Spadari, S., 93
- Richards, J.T., Katz, M.E. and Kern, E.R.
Topical butylated hydroxytoluene treatment of genital herpes simplex virus infections of guinea pigs, 281
- Rochette-Egly, C. and Tovey, M.G.
Cyclic GMP levels in interferon treated cells, 127
- Ronen, D., Nir, E. and Teitz, Y.
Effect of *N*-methylisatin- β -4':4'-diethylthiosemicarbazone on intracellular Moloney leukemia virus constituents, 249
- Sacks, S.L., see Freeman, D.J., 169
- Skuce, R., see Thorne, H.V., 335
- Smee, D.F., Campbell, N.L. and Matthews, T.R.
Comparative anti-herpesvirus activities of 9-(1,3-dihydroxy-2-propoxymethyl)guanine, acyclovir, and two 2'-fluoropyrimidine nucleosides, 259
- Soldateschi, D., Boraschi, D. and Tagliabue, A.
Natural antiviral activity of mouse macrophages against encephalomyocarditis virus, 217
- Spadari, S., Fochoer, F., Kuenzle, C., Corey, E.J., Myers, A.G., Hardt, N., Rebuzzini, A., Ciarracchi, G. and Pedrali-Noy, G.
In vivo distribution and activity of aphidicolin on dividing and quiescent cells, 93
- Spruance, S.L., see Freeman, D.J., 169
- Storch, E. and Kirchner, H.
Interferon inducibility in mice treated with *Corynebacterium parvum*, 117
- Tagliabue, A., see Soldateschi, D., 217
- Tang, L.-L., see Yamamoto, M., 83
- Teitz, Y., see Ronen, D., 249
- Thacker, D.F., see Hayden, G.F., 103

- Thorne, H.V., Clarke, G.F. and Skuce, R.
The inactivation of herpes simplex virus by some
Solanaceae glycoalkaloids, 335
- Tinowitz, M., see Levin, S., 229
- Tovey, M.G., see Rochette-Egly, C., 127
- Wahren, B., see Harmenberg, J., 75
- Weimar, W., Kramer, P., Dekkers-Bijma, A.M. and
Jeekel, J.
Effects of treatment with azathioprine and
cyclosporin A on interferon- γ production by
peripheral blood leukocytes of renal allograft
recipients, 49
- Welsh, R.M., see McIntyre, K.W., 299
- Wray, S.K., Gilbert, B.E., Noall, M.W. and Knight,
V.
Mode of action of ribavirin: effect of nucleotide
pool alterations on influenza virus ribonucleo-
protein synthesis, 29
- Wray, S.K., Gilbert, B.E. and Knight, V.
Effect of ribavirin triphosphate on primer genera-
tion and elongation during influenza virus trans-
cription in vitro, 39
- Yamamoto, M., Hayashi, Y., Tang, L.-L. and Mori,
R.
Effects of combined use of acyclovir and anti-
body in athymic nude mice inoculated intracuta-
neously with herpes simplex virus, 83