

ACORN-USER BRITAIN'S BIGGEST MAGAZINE FOR THE BBC MICRO-ELECTRON - ATO OCTOBER 1984



UNCOVERED! ACORN'S BUSINESS COMPUTER

DOUBLE MEASURE...



 $\mathbf{T}_{ ext{wice}}$ as much storage capacity on your present or proposed discs.

The LVL true double density printed circuit board offers an amazing 1,474,560 Bytes of on-line storage, on a twin 80 track double density drive.

Removed is the 82T1; (it is not capable of supporting double density). In it's place, a small printed circuit board with a new disc controller and support circuitry provides a much improved data retrieval. This drastically reduces read errors by using a phased locked loop data separator, which is superior to the standard window circuit.

Your BBC micro will now recognise the media density in the drive, and inform you if it is correct. You may define what density you require, 40 or 80 track, and which sides of the disc to use.

The device gives complete flexibility and comes with an Eprom containing firmware; manual, and a 40/80 track utilities disc. On a dual drive it is simplicity itself to copy existing software from single density to double density.

- checks for correct
- density
 No 8271 (Rare &
- expensive)

 Utilities provided

 Defaults to single density on power
- 40 or 80 track
 Own PCB with seperate 8Mhz clock
- Simple to fit
 User definable
- density

 Phase lock loop
- data separato circuit.



20,000K Winchester Disc for your BBC Micro

INTEC MAKES THE BBC REALLY COMPETE WITH SYSTEMS COSTING 2X AS MUCH!



- Supports BBC and Acorn DFS.
- Full file handling and diagnostic software utilities
- Data capacity from 5 Mb upwards.
- High speed accessing
- UK manufactured.

The INTEC 505 gives all these benefits PLUS the removable hard disc cartridge providing a compact, secure and usable back-up or cartridge per application approach. Why pay more for less?

For full details on the INTEC range of hard discs for the BBC Micro, complete and post the tear-off slip or phone INTEC now – 01-761 5999.

INTEC

41A-45 Knights Hill West Norwood, London SE27 01 Telex 8813271 GECOMS G

INTEC

The INTEC there does not remove the foot of the latter of



Technical editors Alex van Someren.

Publishing director Michael Potter

Editorial director Christopher Ward

Computer Marketplace Ltd, 20

Orange St. London WC2H 7ED.

Jan Potter, Subscriptions manager. Tel: Nutfield Ridge (073782) 2957.

Correspondence: Redwood Pub-

lishing, 68 Long Acre, London

October 1984

Art editor

Editorial Redwood Publishing,

Advertising

Tel: 01-930 1612

Subscriptions

WC2F 9JH

Art assistant

Production editor

Editorial assistant

68 Long Acre, London

WC2E 9JH. Tel: 01-836 2441

New Users

under the baton of Jeremy Vine

First Byte 33
Keyboard capers Start making music and other noises on your Electron.

Fly Killer Tessie Revivis's asterisk turns into a full-blown fly that runs the gauntiet of the spray can. Design and move your own screen characters with deadly accuracy

Hints & Tips

Martin Phillips explains points that perplex readers; printing with daisywheel and dot matrix connected at the same time; outmoded operating systems, a scrolling text window; offthe-shelf procedures; and the ENVELOPE statement

Letters

Tony Quinn

Keith Parish

Bruce Smith

Nigel Wingrove

Frances King

Kitty Milne

What's on readers' minds? The 6502 second processor, professional typesetting from wordprocessors, high-scoring hit men, comparative reviewing

Dear Kitty . . .

What's the difference between ROMs and EPROMs? How do I know which software to buy?

Features
Trailblazers

theory of life in space

Atomic text

Sample utilities

Toolkits

In the first in our new series focusing on the more exotic uses that the Beeb is being put to, Chandra Wickramasinghe explains how his micro helped him advance a startling Chipping in

says Richard Harris

By programming the Beeb's 8271 floppy disc controller chip you can increase your data-handling power.

All sorts 117

See how sorting techniques work and you'll soon be able to pick the right one for the job. George Hill sorts them

Self-diagnosis 123

In the interests of cost-cutting and keeping your micro on the road, Paul Beverley helps you set up tests on the Beeb to diagnose its own ailments

Education

Primary scream 133

The government claims success for its 'micros in primary schools' scheme, but is it of much help in practice? To Geoff Nairn the satisfied smiles look like smugness

Modules by Microtext 137

lan Birnbaum assesses
Acornsoft's Microtext authoring
system, which allows even
inexperienced programmers to set up
instructional guizzes and tests on the

Atom

Wordprint

Reeh

Yellow listing pages

109

112

Alex Wilson provides Atom users with a wordprocessor that makes full use

of all script facilities

Annual subscription rates: UK £15 Europe £25 Middle East £30

The Americas and Africa 230.
Rest of the World 235
Prices include play for 12 resules
Acam Oser wecomes submissions from residers.
Acam Oser wecomes submissions from the control of the c

for return. Articles are acknowledged on receipt.

Typeset and printed in Great Britain by Watmoughs Ltd, Bradford. Print production by Aquarius Print and Design. London. Distributed to the news trade by Comag. Tayistock Rd. West Drayton, Middlessex UBT 70E. Tel: (1989) 44405.

© Redwood Publishing 1984
All rights reserved. No part of this publication may be reproduced without prior written permission of the publisher. The publisher cannot accept any responsibility for claims or errors in articles, programs or advertisements published. The opinione expressed on the pages of this magazine are those of the puthors and do not necessarily represent those of the puthors.

lisher, Acorn Computers Ltd, or Acornsoft Ltd. Acorn, Acornsoft, and the Acorn symbol are the registered trademarks of Acorn Computers Ltd You'll find all the main listings of this issue in the yellow pages 97 Our fly gets its come-uppance Hints & Tips 99 Simple envelope generators 100 **Animated sprites** Move your character around 102 8271 programmer Disc copier 103 Beeb Forum Disc catalogue reader 104 Demonstrated in colour! 107 Self-diagnosis Choose a test routine

Wordprocessing on a shoestring

and Acorpsoft Ltd.

Communications

Bulletin boards

The social side of communicating by computer is represented by bulletin boards, or free public access systems. Jeff Ashurst briefs you on how they operate, the equipment you'll need to become a registered user, and which BB to join

Reviews

Toolkit trials

Bruce Smith compares a fistful of

Basic utility ROMs
Elite squad

Elite is Acornsoft's secret new space game. Tony Quinn is our test pilot . . .

Games 17

Blagger and Bugblaster from Alligata; Horse Race, Pool, Corporate Climber and Lemming Syndrome from Dynabyte; Screenplay's Chickaroo; First Byte's Star Trader; DACC's Super 7 compendium; Tranch by Virgin; One to Nine by Acornsoft; and A Maze in Space by Ops.

Hardware

Sideways ROM sockets by Viglen and NMC give convenient and cheap expansion on the Beeb. Chris Drage

Utilities

Bearsoft's Editor ROM; Watford's Buffer and Backup ROM; and Ampersand's Colour Module

190

184

Regulars

The News

compares them

Acorn's ABC – the specs, the facts; the Electron Plus 3, with 3in disc drive; instant program-entry with the MEP's bar-code reader; software on cable TV

Beeb Forum 113

Bruce Smith presents . . NFS update; security for data files; testing the RS423; and finding the file-length

Top 20 software 155
Curse you, Caveman!

Free ads 201

Small ads 207

Acorn Abuser's Diary

Curried eggs and cabbages

IN THIS ISSUE. .

Origins of Life 2

Chandra Wickramasinghe explains how he and Sir Fred Hoyle are using the humble BBC micro to help them research the origins of life on Earth and back up their theories on microbes coming from space



_ጵባጵባጵባጵባጵባጵባ

ABC Acorn business computer

Cartoon time

How to move the sprites designed last month, Look out for the free demonstration to download

demonstration to downlo on Micronet and Viewfax

EXCLUSIVE Acorn's new computers

ABC is the name for the company's new range of business machines. Read the facts, not the guesswork

Acornsoft's Microtext 137 The National Physical

The National Physical Laboratory developed this language to help people who were new to programming write training and educational software. lan Birnbaum reveals how well if succeeds



NEXT MONTH.

Bar codes come of age
We preview the MEP bar-code
reader and present listings that
can be input using this device

Buggies and Turtles Six of these robots for schools

and hobbyists are given a thorough going-over

Sideways ROMs
Joe Telford studies the popular
chips and what will work with
second processors



EUREK

A 100k BBC-drive for £99 + VAT

We've done it! We've built a mass storage system for your BBC Micro with the power and convenience of a floppy disk drive, but at a fraction the price. Get to know PHLOOPY, the remarkable new 100k drive that costs only £99 plus VAT, and a further £26 plus VAT for the interface to your BBC, operating system and connecting cables.

How PHLOOPY does it

PHLOOPY does not use disks to store data, but a 12-foot loop of professional-quality quarter-inch magnetic tape contained in a robust cartridge. The drive has only one moving part, the motor which drives the tape loop – hence the low price and high reliability. As the loop is driven round, each file of data it contains passes across the magnetic head which reads it or writes to it. Other people have produced tops loop migro drives.



PHLOOPY's special secret

The heart of the invention is a brilliantly designed "byte-wide" magnetic head, made by Phi Magnetronics who build multi-track heads for professional use. PHLOOPY's head records and reads nine tracks across the width of a quarterinch tape. That means the tape loop can be much shorter, so the typical time to access a file is reduced to a mere 3 seconds. If you're used to waiting for a cassette tape to trundle programs into your BBC, you'll be amazed at PHLOOPY's performance.

Getting it right every time

In addition, we've included a feature we know you will appreciate. PHLOOPY has full error detection and correction, so you can be certain you will get back what was originally written onto the tape.

Talking to your PHLOOPY

PHLOOPY's own software, contained in ROM, responds to standard BBC filing system and Basic commands. Most programs written to run on disk or cassette should run on PHLOOPY without problem.

And because PHLOOPY contains its own intelligent microprocessor—a second computer which does most of the hard work—PHLOOPY puts very



Installing PHLOOPY on your BBC

ed ad.

bliuc

luse.

eads

ne to

for a

into

e.

in

lv

SIC

to

n

ins

a

f

rv

You'll be amazed how simple it is to install PHLOOPY. Just plug in the interface cut two resistors (clearly marked in the instructions) and the job is done. If you should have problems our engineers are waiting to help you.

Making a PHLOOPY Library

PHLOOPY cartridges hold a full 100k of data or programs. Two of them come free with the drive and extra ones cost £3.75 each plus VAT. They are moulded of high impact polymers for protection and store easily on a bookshelf. Many programs will be available to purchase on PHLOOPY.

Phi Mag Systems Ltd. PO Box 21, Falmouth, Cornwall TR11 3TD.

Telephone: (0326) 76040.

Order Form
Please send me further details about the PHLOOPY 100k data storage system for the BBC Model B.
Please send me(qty) PHLOOPY starter pack(s for my BBC Model B microcomputer, including PHLOOPY
drive, BBC interface, leads, connections, operating system in firmware, manual, and two PHLOOPY 100k cartridges, at £147.75 each including VAT, postage and packing.
Amount £
Please send me(qty) packs of 5 PHLOOPY cartridge at £19.75 including VAT, postage and packing.
I enclose a cheque/PO for £ OR Please debit
I enclose a cheque/PO for ΣOR Please debit my Access card: Number:
Your order will be acknowledged within 10 days, giving a

delivery date. Name

Address Post code. Town: Send this coupon to:

Phi Mag Systems Ltd, PO Box 21, Falmouth, Cornwall TR11 3TD, Telephone: Falmouth (0326) 76040. 14 day money-back option.

AU 10



TEACH YOUR COMPUTER SOME NEW TRICKS

Transform your computer into a letter writer, a chess master, a design aidwith these high-quality programs from BBC Publications.

An easy-to-use text editor offering many of the facilities of a word processor-but none of the complications. It gives you a wide choice of display, editing and printing options. £9.95 Cassette/booklet For Model B or Electron

Game Core

This intriguing package shows you how to write your own computer board games. It includes three ready-made games, and a fourth one that is explained in detail as a tutorial model. £10.95 Cassette/booklet

Vivid graphical demonstrations which bring astronomical subjects to life. The programs include phases of the moon, solar eclipses, planetary own spacecraft!

£13.80 Disc/booklet \$9.20 Cassette/booklet


This friendly program can produce elaborate high resolution pictures and patterns in four colours. It enables children to create pictures, charts, maps and diagrams, and can be used as a Computer Aided Design tool. It includes a fast 'save' routine. £9.95 Cassette/booklet

White Knight Mark 11

This powerful chess program is now available for the Electron. It outdasses and outplays several well-known chess programs, and compels even experienced players to treat it with respect!

Cassette/booklet

Model B version £11.50 Electron version £9.95



CAME





Word Mover will run on your Electron. An Electron version of White Knight is now available

FROM BOOKSELLERS AND SOFTWARE DEALERS

New Acorn micro

based around a repackaged BBC micro with two 16-bit second processors available. There will be eight variants under the generic name ABC - Acorn Business Computer.

Top of the range is the ABC310 running an Intel 80286 second processor giving IBM PC and XA (Popcorn) compatibility, with ikon software and high-resolution graphics

The 16-bit operating system will be Concurrent, a development of version

3.1 from Digital Research. It is capable of performing several tasks at the same time and dividing the screen into windows

As our picture shows, a full professional keyboard with separate numeric keys links to a box containing the 6502 processor used in the Beeb, topped by a monitor.

The monitor tips forward. giving access to internal sockets where second processor and hardware cards

can be added The machines should be on view at dealers in November. with deliveries starting in the New Year. The whole range



SCOOP: first sight of Acorn's much-awaited business computer hard disc and colour monitor comes with one double

EXCLUSIVE

should be available by Easter. says Acorn. Prices have yet to

be released

Bottom of the range is the Terminal, which is exactly what its name says. It will not be expandable, and comes with terminal emulator software and Econet as standard. The monitor is a 14in monochrome with 32k RAM and no

Next up is the Personal Assistant wordprocessor. It

700k of storage. A 12in monitor comes as standard, as do View and Viewsheet. Second processors and other hardware can be added, right up to the top of the range configuration. The ABC100 includes the

density, 5.25in drive giving

Z80 second processor running CP/M and two 700k drives as standard. The three Plan software packages are included. and have been enhanced (see June's AU). The ABC110 is similar, but with one drive replaced by a 10Mb Winchester

cover office productivity, the ABC200 and 210 are loosely described as 'academic workstations'. The 32016, the 16/32bit chip is included with disc variations as above. Standard RAM is 256k. A choice of programming g languages C, Modula2 will and include Pascal. The Xenix operating

Whereas the 100 machines

system comes with the Winchester on the 210 Flagship of the series are the 'executive workstations'

with the 80286 16/24-bit chip. The 300 will carry two 700k drives and monochrome monipage 9▶

Electron Plus 3 disc interface - page 9

Using your free function key strip

THE FREE gift on this month's front cover designed as a re-usable function key strip for BBC micros and Electrons

Using a chinagraph pencil (about 30p from art shops), you can mark in key definitions for your own programs. It slots under the BBC's clear plastic strip, or can be taped onto the Electron. We hope you find it useful.

30,000 flock to Acorn User show



THIS year's Acorn User show was the first to be held at the new Olympia 2 exhibition hall. More than 30,000 people passed through the turnstiles over four days, but with the new venue there was little of overcrowding dogged last year's show.

Acorn had the largest stand running 'live' demonstrations. Said Acorn's Graham Winnard: 'For the first time we're using technical people instead of sales staff to demonstrate the products. The demonstrapage9▶





s eye view: plenty of people with space to move

Show hit

View.

tions have been very successful and attracted a lot of interest."

Three new 'add-ons' for View and Viewsheet were announced: a Printer Driver Generator at £9.95 (£11.50 disc); View Index, for producing an index of pages, at £14.95 on disc only; and Hi-View, a £59.80 version of View to use

with the 6502 second processor. Hi-View offers more free memory than the ordinary View but is only available on disc - the high price is to protect sales of the ROM-based

Torch, now part of Acorn, was showing off the Graduate, the add-on which makes the IBM PC-compatible. We're getting a lot of interest from large companies, education and small businesses. If you put an order in now you could get one in November,

promised Adam Lewis. Making a debut was a £65 robot construction kit from

Micro Robotic Systems. Using Fischertechnik parts (as used in the BBC Buggy) several different experiments can be built. With the addition of a £32 interface, the experiments can be controlled from the BBC micro. Experiments include: a plotter, a robot arm, Tower of Hanoi and a sorting system. Micro Robotic Systems is at 20 Penywern Rd. Earls Court. London SW5 9SU.

The first mouse for the BBC micro was on the AMS stand. The designer, Dave Brader, was still working on the software, but it appeared to provide a much quicker method of editing text and drawing graphics.

The device has been curiously renamed the AMX Mouse and will go on sale in October for £79.95. Dave was also promising an EPROM programmer - though it wasn't available in time for the exhibi-

Electron gets microdrives in Plus 3 box

ELECTRONS will not come down in price at Christmas says Acorn, and a big sales push will be headed by the Plus 3 add-on incorporating a

3.5in disc drive. The machine will be promoted as the basis of an expandable system which will be around for a long time, with

Plus 3 proving the point. Extra hardware can be plugged into the spare cartridge socket on the Plus 1 to add interfaces such as RS423. No firm price has been

announced for the Plus 3, but it is likely to be about £250. This includes the drive and interface in the add-on box.

Special deals will be offered on combinations of Electron and add-on boxes or software. as with the Me and My Micro pack released last month

The missing Plus 2 will supply Econet and won't be out until next year. View and Viewsheet will be released for the Electron before Christmas.

Acorn's choice of the 3.5in drive will no doubt anger the existing microdrive market for the BBC micro, which has plumped for the 3in version. However, Acorn decided the standard will be fixed by the big business companies going for the larger format.

The Plus 3 uses the newer 8272 floppy disc controller chip as in the ABC machines. The BBC micro uses the 8271, which is in short supply and cannot support double density

Micros live on BBC TV

BBC TV's new computer magazine series, Micro Live, will go out monthly from Friday, October 5. Leslie Judd, of Blue Peter

fame, and Ian McNaught Davis will be up front, with special reports on America by Freff from June's Micro Live.

Producer Patrick explained that the shows will go out live and have a topical flavour. 'It will be a fast moving magazine programme-like a printed magazine.

There will be six programmes, each lasting 30 minutes on BBC2, probably at

A bulletin board will be set up for viewers - and Patrick Titley hopes Acorn User readers will contact them with news stories

New micro

tor while the 310 will have a single drive plus Winchester and colour screen. Again 256k RAM is standard, but upgradable to 1Mb.

A mouse will be released next year for the 300 machines. along with modem card for the range.

Interfaces are as on the BBC, but with no TV socket and some of the connectors will be changed

Howard Fisher, ABC project leader, said: 'Our research shows people want computers that work, and this range has

been designed to meet needs we have identified. They match very specific requirements.

On the question of performance, he declared: 'The 80286 machines are up to five times faster than the IBM PC on benchmarks.

Tom Hohenberg, Acorn's marketing manager, added: The ABC range is a neater alternative for the BBC micro. aimed at husiness users There is no conflict with the

BBC itself. 'We've gone for a modular technique to save space and make it a doddle for the

engineers.

Bar code listings aim to cut down typing

BAR codes are set to become more than just things on cans of beans with the launch of a reader pen for the BBC micro in October costing \$50.

And Acorn User will be supporting the project by Addison Wesley, which has MEP backing, with program listings printed in bar code.

Schools will be the initial target, but a consumer pack will follow. The pen enables people to enter software without any typing and produce actual listings in the form of bar codes for distribution.

A pack consists of the reader pen, which measures 2×4×3in, cassette or disc with demonstration and driver programs, template for producing bar codes by hand and a user guide written by AU author George Hill.

The software will decode the bar system used in supermarkets and there is a music

For more details contact Addison Wesley at Finchampstead Rd, Wokingham, Berks RG112NZ.

See next month's issue!



TAXAN has released two centronics NLQ printers. Their main forle is the near letter quality print (NLQ) of the dot matrix head. The two models, the KP810 and KP910, feature 160cps bidirectional printing, a half speed "quiet" mode, riction and adjustable tractor feed pius roll paper. Both are available at £229 for the KP810 and £399 for the KP910 from Data Efficiency. Maxted Road, Hemel Hempstead, Herts.

One winner from 8000 entries

THE competition set in May's Acorm User was the most popular ever. To say we were overwhelmed at the response would be a gross understatement—more than 8000 readers entered! The more than 8000 readers entered! The incredible response, with some excellent and thought-providing solutions, has been the prime factor in the result being delayed and we thank you for your patience! Now to the competition.

You will remember that Simon Dally set the task of counting from 1 to 1,000,000 in the quickest time possible. The first task for most of you was to decide what was meant by 'counting from one to one million' – but that was all part of the competition.

Many entries were based around using the two user and two system VIA timers to 'count' in around 0.25 seconds. These entries were disqualified because they did not count to a million – they simply counted 0.250,000 each. Although the sum of the four counters is indeed 1 million, the rubric clearly stated count from one to one

The second most common entry was based on the fact that the computer performs so many operations in so many cycles. With the Beeb operating at 2MHz it would be possible to determine when a million cycles had been performed simply by creating loops of machine code that contained a set number of cycles. The quickest time would therefore be 0.5 seconds. However, entries using this technique were rentries using this technique were mould therefore be 0.5 seconds. However, entries using this technique were multiling that the country incrementing from one to one million was not involved.



'After a final four-hour deliberation the winner was chosen'

The acceptable solution was to use 24 bits anywhere within the Beeb that would be loaded with 1 and then incremented to a total of one million. The three bytes needed to do this could have been the three processor registers, three memory locations or a combination of each.

After much sorting and sifting, the 8000 entries were whittled down to a final selection that all used the three-

byte counter and all gave results of one second, or fractionally over. After a final four-hour deliberation late one Friday night the winner was chosen; John Faris from Oakham in Leicestershire. John's time was a staggering 1,004856 seconds.

Now, all you readers who had times of 1.00 or 1.004 seconds – don't write in. The level of timing accuracy varied and all times of one second, plus a fraction, were considered in the final analysis.

John used the accumulator (least significant byte). X register (middle byte) and a zero page RAM location (most significant byte) to act as his counter. The program was written in assembler and used macros to assemble sets of the appropriate incrementing instructions. Extra speed was gained by turning off the system timers to inhibit the household interrupts issued every 10msecs, giving around a 5 per cent increase in speed.

So £1200 of wordprocessing equipment wings its way to John Faris with our hearty congratulations. Two second prizes of Acorn spark-jet printers go to Chris Wedge of Folkestone and Colin Edwards in Sussex. In addition, we are giving a special prize to the slowest entry. This is not intended as a booby prize, but as a reward for entering the competition in the spirit in which it was intended.

Finally, we are unable to enter into any correspondence regarding the competition. All decisions are final.

Once again, congratulations to all prize winners and thanks to everyone for entering.



Print from Japan

Disk Drives from Cumana

Like the beautiful prints from Japan, Cumana disk drives represent the very highest standards in design and production. Also like the prints, Cumana disk drives represent the highest state of the art; and they not only look beautiful, they perform beautifully as well.

Cumana disk drives for the BBC Microcomputer are available in slimline single, dual and dual switchable versions. They have 12 months warranty, are fully assembled and tested before packaging, and are available — at unbeatable value for money prices — from W. H. Smith, The John Lewis Partnership, Greens Leisure, Laskys, Spectrum UK, area distributors (see below) and Cumana's national dealer network.

Look out for the distinctive Cumana packaging in your high street, today!

Area distributors

PICCS Associates (Genebach 10/32-42/924, Etc. (Fradford) 02/37/25912, Basic Basiness Systems (Pictingham) 06/36-85971, Walter Computer Systems (Stoudwoldye) 03/34-3/061, Mercage Distribution Portri London 07/20/5/869, J. S. Simert Computer Scatter (Stoudwolge) 03/34-3/061, Mercage Distribution Portri London 07/20/5/869, J. S. Simert Computer Scatt (London) 01/5-41/496, Genet Computer (Soudwolge) 03/4-2/061, Mercaged (Edizabate) 03/4-2/061, Mercaged (Edizabat

drives for the BBC Micro, please complete and return this coupon.	Name
Interests	Address
Home Use	
Education Dealer	
Business	Tel. No.

The Highest State of the Art



Cumana Limited, Pines Trading Estate, Broad Street, Guildford, Surrey, GU3 3BH. Telephone: Guildford (0483) 503121, Telex: 859380.



The first IBM PC compatible upgrade for the BBC model B micro.

From only £764.00 the new Torch Graduate will upgrade your BBC Model B to a powerful 16 bit business computer

Disc and hardware compatible with the IBM PC, the Graduate is the latest addition to the Torch range of BBC upgrades. It's MS™-DOS operating system is customised to IBM compatibility allowing exploration of the massive range of IBM compatible business software, programming aids, compilers and languages universally

available from most major software Introduction to MS™-DOS

The Graduate offers two levels of upgrade, the G400 and the G800, both with 128K on board user memory as standard optionally 256K). This can be increased to 1.2 Mbytes with an BM compatible expansion board. The G400, contains a single, double sided 320K formatted disc frive and provides the low cost ntroduction to MS™ -DOS for the

TECHNICAL SPECIFICATION

 8088 16-bit processor running at 5 Mhz 128K or 256K RAM

 MSTM-DOS operating system customised to IBM compatibility · Model G400 - Single, double sided,

high density disc drive (320K formatted)

 Model G800 – Twin, double sided, high density disc drives (640K formatted)

 Integral stabilised power supply · 2 IBM PC compatible hardware

expansion buses · Software compatibility allows Lotus 1-2-3 and all popular IBM PC business programs to run without modification, subject to the constraints of the BBC

keyboard and display Disc interface is not required Keyboard text and graphics supplied by BBC Model B

· THE GRADUATE ·

user who wants real 16 bit power from his Model B.

More data storage

A step up from the G400 is the G800 which offers twin, double sided 320K disc drives for extra data storage. Both the G400 and the G800 provide the possibility of further expansion for networking, modems, etc., via the IBM compatible hardware slots provided

by the Graduate models. Each model comes complete with a well written user/technical manual and connecting leads.

lust plug it in

Unlike other add-ons there is no need to open the BBC to make the connection. The compact and tidy Graduate models simply plug in to the 1MgHz bus on the Model B. Within minutes you can be up and running with an IBM PC compatible system that really means business.

The range

Add 256K RAM, 640K disc storage and IBM PC compatibility to the BBC Micro for less than £1,000.

Graduate G400 (128K)£764 inc.VAT Graduate G400 (256K) £815 inc. VAT Graduate G800 (128K)£949 inc. VAT Graduate G800 (256K)£999 inc. VAT


For further information complete the coupon today.



Lighting the way ahead.

Torch Computers Limited Abberley House, Great Shelford, Cambridge CB2 5LQ.

Cambridge CB2 5LQ	Ltd., Abberley House, Great Shelford Telephone (0223) 841000 formation on the Graduate and the dealer.
Name	
Address	
Post Code	
Telephone	
	AU10



Cable TV to transmit software for micros

A SPECIAL cable TV service aimed at home micro users is set for launch next year. Information and software will be transmitted as teletext by Thorn-EMI, one of the largest entertainment groups in the IIK

Adapters will be needed to download telesoftware, but the information pages will be accessible by anyone with a teletext television set. The service will be restricted to subscribers in major towns.

Unlike broadcasts by the BBC and IBA, where teletex information is transmitted between television frames. Thorn-EMI's service will be 'tull-field'. This means that the whole cable channel is given over to teletext.

Richard Wolfe, who heads the project, said: 'The channel will transmit 5,000 different pages every second. Each month the subscriber will be able to download between 20 and 100 different programs.

'This year we're still in an exploratory mode but we should have a commercial service running in autumn 1985.'

Thorn-EMI already transmits teletext with the Music Box cable service, but it's squeezed between the picture frames in the conventional manner. At the moment it runs to 20 pages of music-related material: the Top Ten, tour



Music Box logo

news and video reviews.

Music Box will be available

in about 40 towns by September to potentially one million homes. For 55 a month you get Music Box and three other channels. Premium services for feature films and the likecost about 57 a month extra. The full-field teletext service will be a premium channel.

Richard Wolfe explained: We waiting for full-field teletext chips to come out next year before deciding on the hardware. Obviously with the telesoftware pages we're looking for adapters for the popular home micros and certainly the BBC micro will be one of the machines we'll go for.

A full-field teletext service can ofter many more pages than the IBA's Oracle, so rather than trying to compete in the mass market the IBA is revamping Oracle to attract commercial customers. As revealed exclusively in Acorn User last month. the IBA

intends to add subscriptiononly pages of specialised information - the latest Stock Market prices for example.

As the Bill to permit this went through Parliament, John Gorst MP had suspicions that by charging for teletext pages, the IBA may now, in a back door way, be entering the interactive services of cable television.

Douglas Hurd, the Home Office Minister set him straight: The IBA is talking about a one-way service, whereas interactive services are, by definition, two-way.

When asked about whether he IBA had considered full-field teletext, Pat Hawker, a technical spokesman, commented: 'Unfortunately there are no spare channels the representation of the conventional teletext service and will add some subscription-only pages for commercial users.

'Using Oracle, you can't go much above 100 pages before the access time gets too long. Full-field teletext potentially offers 100,000 pages with similar access times to Oracle.'

The IBA was hoping to run a full-field teletext service using the now-obsolete VHF television channels. Unfortunately the proposal was turned down and the channels went to cellular radio.



Aerial links to satellites

FOLLOWING on from August's article on downloading weather satellite pictures. Weston Developments is offering a suitable aerial for 25; (plus 24 50 p&p). Called WB6/Uosat. It is specifically designed for receiving satellite signals on the 136MHz band.

You need your own cable, but a filter box is available at £9.85 to match cable to aerial. Further details from Roger Bunney, Weston Developments, 33 Cherville St, Romsey, Hants SO5 8FB.

Ultracalc boost

ULTRACALC, the BBC's spreadsheet chip, has been upgraded. All reported bugs have been fixed and it now works with any BBC screen mode. When running with a second processor, the program is automatically relocated and 45k of memory is then available in mode of

Owners of the existing version can get the new chip for a 'nominal' price when it becomes available at the end of this month. Contact BBC Publications.

BBC, 35 Marylebone High St, London W1M 4AA.

School challenge

BRITISH Gas is running a computer-based competition for secondary schools. Using a BBC micro program called Cedric, students have to conduct a survey in homes and suggest a plan for saving energy. The best school entry wins \$1000, and there are prizes for individual students.

Teachers can obtain a free copy of Cedric from Mr R Wolfe, Education Liaison, British Gas, 326 High Holborn, London WC1V 7PT. Closing date is the end of the year.

Electron board runs BBC firmware

THE Electron can now use software on a chip intended for the BBC micro. Broadway Electronics' sideways card costs £29.95 and can hold four sideways ROMs. The company claims it will

work with about 60 per cent of BBC ROM software, but not View or Wordwise.

It plugs onto the Electron's edge connector and further expansion cards can then be plugged into the ROM card. Also available are a £45.95 user port/printer interface and a £39.95 analog interface.

These use the same chips



Electron sideways ROM card from Broadwa

as the BBC micro and so have the same features. Further details from Broad-

way Electronics at Aston Road, Bedford, Beds MK42 0LJ.



Will you be the first Earthling towin a plea

Acornsoft are issuing a nationwide challenge to all Acorn Electron and BBC Micro users.

It's the challenge to join a new and exclusive group of computer games players: The Elite. With 3-dimensional graphics, Elite is a game

which is light years ahead of any other. It strictly defines the rank of each and every

player.

As your prowess improves, you move into higher ranks.

But make no mistake, to reach the top rank, your performance must become exceptional. Then, and only then, will you qualify to call

From harmless, you must become lethal. In Elite, all players start as equals.

yourself a member of The Elite.

With the initial rank of "Harmless," you will

embark upon an experience unlike any that yo have known before.

You will be a space trader who roams the band universe, making your living from buying anwill selling the cargo in your Cobra space craft.

On your travels, you will encounter aggressor2,00 who are eager to put an end to your dealings.

Only the fittest will survive.

As you establish yourself as a survivor, youperi will win the right to a higher rank.

In all, there are nine, from "Harmless" to find "Elite." And your computer will continually telside you where you stand.

<u>Trade with 2.000 planets in eight galaxies.</u> the Besides survival, your success also depende

skil

on the rewards you reap from the cargo that you carry.



apleamong the Elite?

sthe

ngs.

s" 10

ies. pends

at

that you That cargo can be anything from foodstuffs to contraband. If you decide to trade in contraband, the rewards will certainly be higher. But so ing and will the risks you take.

To ply your trade, you can dock at any of gressors 2,000 planets in eight galaxies.

However, before you dock, you must use your wits to assess the planet's political climate and the or, you perils which may be waiting for you.

Also, in any of the eight galaxies, you may find yourself being asked to perform acts of conally tell siderable heroism and selfless courage.

Although these will bring you into danger, they can bring considerable rewards too.

We're waiting to recognize your skills. Achieving higher status in Elite will tax your skills to the limit. Which is why you must down-

load your game onto cassette or disc each time you take a break from play.

When you reach the rank of "Competent" or higher, you should send us the secret code number revealed to you by your computer.

We will send you in return a special document which certifies your achievement. And you stand to win a valuable prize.

Are you ready to accept the challenge?

Elite is available on both disc and cassette for the BBC Micro and on cassette for the Acorn Electron.




With either, you will get "Elite: The Dark Wheel," a compelling novel which sets the whole mood of your adventure. You'll also get a flight training manual which will get you fit to roar into the unknown in your Cobra spacecraft.

Your Acornsoft dealer now has the entire package at £14.95 on cassette, or £17.65 on disc (for the BBC Micro) and £12.95 for the Electron. (For the address of your local stockist, call 01-200 0200.) Credit card holders can simply telephone 0933 79300 during office hours.

Alternatively, you can order by post from: Acornsoft, c/o Vector Marketing, Denington Estate, Wellingborough, Northants NN8 2RL.

You can also get a free Elite poster by ringing 0933 79300.



Geoff Nairn reports on piracy and Bill Penfold looks at the pressure on MPs

software companies have crashed this year and more could follow unless piracy can be stamped out And it's not just down to a few big-time counterfeiters; if you have ever swapped games with friends then you too are a pirate in the eyes of the

Nick Alexander, who chairs the Guild of Software Houses. claimed: 'For every legitimate tape sold, 10 or 12 copies are made'. Chris Holland of Salamander put the number nearer six but added that 'between £100m and £150m is lost in this country alone each year.

Imagine collapsed in July and '50 to 60 per cent of the problem was due to copying said Nick Alexander. He cited how Salford CID seized 10,000 counterfeit copies of Imagine games in one raid. GOSH has set up a £50 000 fund to enable its 34 members to take court action

Pirates fall into two categories: commercial counterfeiters who make copies by the thousand and pass them off as the real thing; and home users who make just a few copies to sell or swap

Quicksilva has started a civil action against one group of pirates after 30,000 copies were found in a single raid. Counterfeits had been found in legitimate retail outlets and street markets which were indistinguishable from the originals

Amateur pirates can be just as destructive. One Blackburn doctor was selling £300-worth of copied Microdeal software for just £30. The company seized all his tapes and docu-

Fighting talk on software piracy



ments through the courts, and is now seeking damages 'of several thousand pounds so as to discourage others' according to John Symes of Microdeal. He added that simiactions were pending against a user group and a school

Acorn's Chris Curry has claimed school computer classes harbour 'a den of thieves'. He told a Parliamentary committee: 'You provide the software to one person and it gets copied throughout the school' Rod Cousens of Quicksilva goes further, and thinks teachers often encourage piracy: 'If we find a teacher doing this, we are quite prepared to take him to court.

Retailers have similar feel-Matthew Hyams manager of the Lion House store in London said: schoolkid comes in and buys a

program while five friends watch. They then all go out together, presumably to make five illegal copies. Some even have the cheek to bring the original back saying faulty!

The user groups have been on the receiving end of criticism. Peter Hughes who runs the Format 40/80 group takes a clear stand: 'Our group is dead against copying. I have had to turn down many applications from people-usually kidswere obviously only interested in copying soft ware. However, he admitted his group was probably in a minority as many exist solely

to copy and swap games. The Format 40/80 group caters for disc users and will copy any genuine program to disc for members When it was suggested this be classified as piracy. Peter Hughes replied: 'If you've bought a disc drive, shouldn't you be allowed to get the benefits? Why should you have to buy a disc version of a

program you already own?" PSS, a Coventry software house, has adopted a policy of not advertising in any magazine which carries adverts for tape or disc copiers. Richard Cockayne, one of the directors, said he was 'fairly appalled' at the attitude of companies who sold copier programs

He went on: 'In the longer term they are cutting their own throat. There's no need for such devices. We will replace

any tape which doesn't load." He guoted the case of one old selling pirate 13-year copies of PSS games through the classified columns: 'Ho was using a commercial tape copier program and master tapes for 34 titles.

When it comes to solutions Nick Alexander differentiated between commercial pirates and the home user. 'For the professional criminals we're trying to get legislation for tougher penalties.

He drew an analogy with video tape pirates: 'A change in legislation and some wellpublicised raids drove them away-to computer software instead

For the small-time pirates, technical measures do ston casual copying, but the determined can usually crack protection devices. Nick Alexander hopes to 'appeal to their better nature as he feels legal remedies are inappropriate Let's hope his faith is justi-

ONE raffle in November could be worth £150 million to Britain's computer industry. 'Private the yearly Members' Ballot in the House of Commons.

The 20 names plucked out of the hat will be backbench MPs who get the chance to introduce their own private members' bill, but only the first six or eight have any real their chance of seeing measure become law. The lucky half-dozen or so will find themselves besieged to adopt various measures, one of which aims to outlaw pirates estimated to be costing software houses £150 million a

Hoping to find a friendly face amongst the MPs will be FAST - the Federation Against Software Theft.

FAST, set up last July, has already got its draft bill on the stocks. In fact the measure has even been introduced in the Commons by Tory MP Nicholas Lyell, although it never had any chance of getting any

The situation is similar to video piracy two or three years That was virtually stamped out by tough legislation. Penalties leapt from just £50 on conviction to £2,000 for each offence, plus the possibility of jail.

The software industry hopes to repeat that success with a simple amendment to the video bill which amended the 1956 Copyright Act. The software measure proposes in turn amending the 1983 Act by simply adding after references to video films, the words 'or computer programme'.

Before any Beeb owner begins panicking at what is in their own software libraries, a word of reassurance. Though no one is condoning amateur pirates who borrow and copy software that's not the target Ranald Robertson, chairthe Computing of

Services Association's legal affairs group, insists FAST is not after the schoolboy pirate. unless he's selling his copies. 'It's the commercial pirates.

the blokes who are selling stolen computer software for profit, that we're chasing,' he explained

FAST's chairman, Donald MacLean, explained that come the day of the draw the Federation will be standing in the queue ready to pounce on the six or eight MPs heading the list.

TECHNOMATIC

BBC Computer & Econet Referral Centre 01-208 1177

> File Server Level II....£216 (c) 10 Station Lead Set....£26 (c) Extra Econet cable.£1.50(m (d)

Econet User Guide £10 (d)

CERTIFIES.

ACORN COMPLITER SYSTEMS

BBC Model B Special Offer	£320 (a)
BBC Model B + Starter Pack	£348 (a)
BBC Model B + DFS	£409 (a)
BBC Model B + Econet	
BBC Model B + Econet + DFS	
BBC Dust Cover	£4 (d)

HOGRADE KITS

OF ORTION THIO							
A to B £65 (d)	Installation£2						
ACORN DES KILE95 (d)	Installation£1						
Econet Kit£42 (d)	Installation£2						
Speech Kit. £47 (d)	Installation £1						

ECONET ACCESSORIES

Terminator	(Two	regd	per	installation)
				£31 (c)
Clock with	psu			£35 (c)
Printer Serv	er Ro	m		£42 (c)
Cita Camas	Taun't	200 X 00		PRE (a)



A BBC Family System

ACORN Z8O 2nd Processor

This processor converts your BBC into a complete business micro with all the computing power a professional would need. The system is CPIM based and is supplied with a very extensive software package. The package includes three office productivity programs, (memoplan, flieplan and graphplan), Systems generator program, three programming languages plus the ACCOUNTANT business program. Software is accompanied by extensive manuals that not only get you started but also answers your whys and hows.

All for only £299 (a)

ACORN BITSTICK

The Acorn adaptation of the renowned 'Blistick' graphic CAD package — the "expensive loystick' that lets you exploit the powerful capability of the BBC micro to the full. The joystick is of a robust design which achieves remarkable precision without floddiness. Total control is available from the joystick using the onscreen menu. It can draw rehealand of follow hisse of shapps palette displayed on the screen. Any part of a drawing can be magnified, by a virtually unlimited number of times, and upto 48 drawings can be saved on a single disc. The discs use a visual interry system for easy identification. Inspite of its powerful features. The Bitstick is extremely friendly and easy to use, due \$22.80.0 (a) FXSQ dump routine for the bitstick evaluation.

TORCH UNICORN PRODUCTS

The TORCH Unicorn system has been in the field for over two years and is now a proven 280 system for the BBC. It gives you the potential to expand which no other system can currently offer. You can expand a single system with a 20Mb Hard Disc, have the processing power of a 32bil 68000 cpu with 256K ram and a UNIX operating system, or set up a network of upto 254 machines. All these capabilities are available NOW.

The TORCH UNICOMM Modem package is now available for the UNICORN range providing the benefits of the extensive TORCH communication packages. It

offentis or the extensive Totical communication packages, in offers three options, **Uniview** for viewdata services, Uniterm for terminal emulation, and **Unimali** which allows messages and Plus users. Access to files can be controlled by heirarchial passwords which determine the extent of access. 280 Card ZEPIDO with PERFECT Software Packages.

Z80 Card ZEP100 with PERFECT Software Packages	
+ Z80 Basic	.£275 (a)
Z80 Disc Pack ZDP240 with software as above	£675 (a)
20Mb Hard Disc + 1 x 400K Floppy Drive	(1,950 (a)
UNICOMM Communications Package + modem	
Unicorn 68000, Unix OS/Z80B/256K, 20MB	
Hard Dieg 100K Floory	C200E (a)

ACORN 6502 2nd Processor

This processor is designed for the serious computer user who wants to get even more out of his computer. This processor provides increased memory — allowing up to 44K for Basic programs and up to 60K for assembly language programs, regardless of screen mode in use, (ideal for VIEW). An increase in speed means that programs run up to 50% faster. The second processor/BBC combination offer computing power comparable to systems costing twice as much. £175 (a).

TORCH GRADUATE SYSTEMS

This latest addition to the range of BBC upgrades will upgrade your BBC to a powerful 16bit business computer and make it disc & hardware compatible with the IBM PC. Its MS/DOS is customised to IBM compatibility allowing access to the massive range of IBM compatible software, programming aids, compilers and languages. It uses A8088 CPU at 5MHz, 128K or 256K ram, single or dual drive, software compatibility allows LOTUS 1-2-3, Flight Simulator and other popular IBM PC business programs to run. Connection of the Graduate is simple, with just a connection to the 1Mhz Bus. The disc drives can be used in both BBC and IBM PC mode without needing an Acorn Disc Interface in the computer. The top-of-the-market GRADUATE Model G800/2 will come complete with the superb Xchange suite of programs, comprising a full feature word processor, a financial planner, a database, and a business graphics package. Although these programs are in modular form, they can be linked together to form an integrated software system that allows you to switch instantly between various tasks and to exchange information between programs. G800/2 £945 (a) Full spec & prices on application.

PRINTERS

DOT MATRIX

This month we are adding the new KAGA printers to our range of quality dot matrix printers. These printers, with their EPSON compatible control codes are available in 80 col & extra wide 156 col versions. Features include NEAR LETTER QUALITY print using a 23 x 18 matrix, Dot addressable graphics in 8, 9 & 16 pin modes. Text modes include Normal, Italic, Enlarged. Condensed, Super & Sub script, Proportional spacing. Defined characters can be placed in ROM to give personalised print. An intergral 3K buffer, both friction & adjustable tractor feeds with built in paper roll holder, etc. etc. makes these superb 'value for money' printers unique.

KP810 (80 cols) £249 (a) KP910 (156 Cols) £375 (a) (With free BBC cable). We continue to supply the ever popular, definitive EPSON range. This industry standard' range provide reliability and quality 'second to none The budget RX80FT Dot Matrix, has 100cps and all standard printing and graphic functions as well as friction and tractor feed. The deluxe FX80 has all the above, as well as a 160cps, buffer, programmable characters etc. For wider paper use — up to 16" — the RX/FX100 are ideal RX80T £225 (a): RX80FT £240 (a): FX80 £318 (a): RX100 £345 (a): FX100 £450 (a)



DAISY WHEEL

The Brother HR15 daisy wheel offers features normally found in printers costing far more. Features include: 14 cps, 3K buffer, proportional spacing. underlining, bold and shadow printing, two colour printing, super & subscript and many other features. Centronics parallel interface is fitted as

BROTHER HR15 £349 (a) (With free BBC Cable).

The JUKI 6100 daisywheel with 20cps, 2K buffer, and switchable 10, 12, 15cpi + proportional printing. A linear motor ensures optimu JUK16100 9345 (a)

GRAPHICS PLOTTER/WORK STATION

Equally at home in the artists studio, hobbyists workshop, science lab or a classroom, this system has something to offer for everyone. The 3 colour graphics plotter provides both precision and versatility. The carriage can be moved with an accuracy of 0.025cm over an A4 area - the plotter being able to accept paper and far thicker materials at sizes of up to A3. The basic plotter carries 3 colour pens each of which is software selectable. Additional accessories greatly enhance the versatility of the unit without loosing the accuracy. The servo controlled drill/router, and scriber can be used on various materials. A unique Opto Sensor (using a Hewlett Packard device) turns the plotter into a high-res scanning digitiser to read & store whole diagrams and photographs.

Workstation Complete £490(a); Basic Plotter £270(a); Software on disc £3.00; Power Supply: PS12V £42; PS24V £78; Drill/Router Attachment £79; Scriber £7; Opto Sensor £72



TECHNOMATIC

PRINTER ACCESSORIES

FPSON

Paper Roll Holder £17 (d) FX80 Tractor Attachment £37 (c). Interfaces: 8143 RS232 £35(c); 8148 RS232 + 2K £55(c); 8132 Apple II £60 A CT 8165 IFFF + Cable \$65(c) Serial & Parallel Interfaces with larger buffers available. 14"

Ribbons: RX/FX/MX80 £5.00(d): RX/FX/MX 100 £10(d); FX80 Dustcover £4.50 (d)

KAGA TAXAN: RS 232 Interface + 2K buffer £85(c); Ribbon KP810/910 £6avai JUKI: RS232 Interface £65(c): Spare Daisy Wheel £14(d): Ribbon £2.50 avail Sheet Feeder £199(a); Tractor Feed Attachment £99(a)

BROTHER HR15: Sheet Feeder £199(a): Ribbons Carbon or Nylon £3(d) 203

BBC Printer Lead: Parallel (42") £7(a): Serial £7(a) Printer Leads can be supplied to any other lengt

Plain Fanfold Paper with extra fine perforation (Clean Edge): 2000 9.5" x 11" £13(b); 200 15" x 11" £18.50(b) Labels: 2-3/4" x 1-7/16" in quantities of 1000 Single Row: £5.25/1000 (d); Triple Row: £5.00/1000 (d)

PRINTER SHARER BUFFER

A unique delux printer buffer/sharer providing a simple way to upgrade your computer system by allowing greater utilisation of existing equipment by reducing the waiting time for printing documents. Data from three computers can be loaded into the buffer which will continue accepting data until its 64K storage full. The buffer will automatically switch from one computer to the next as soon as that computer has dumped all its data. The

computer is then available for other uses. A LED bargraph indicates the memory usage, with LED indication showing from which computer the data is being fed from. There is simple push button control for PAUSE, RESET, and COPY facilities. The copy facility is ideal for continually printing copies of a document without 'tying up' the computer. Built in mains psu.

SP110 BUFFER/SHARER incl one cable set £275(b)

PRINTER SHARER

Three Computers to one printer (parallel)......£65(b) Six Computers to One Printer (parallel)... ...£129(h) Cables for Three Way Sharer, Cables for Six Way Sharer.



COMPUTER SHARER

Two Printers to one Computer...

£19(c)

£25(c)

GRAFPAD

A low cost graphic tablet offering the performance & durability required by industrial and educational users. It is compact accurate & reliable; working area 240 x 192mm + menu area Comes complete with a CAD packag. £120 (b), 'Microdraw' CAD Package £21,70 (d).

VIEW PRINTER DRIVER FOR FX80/KP810

This driver allows the use of all FX80s fonts to be used in text written using the VIEW rom. If user defined characters are held in the printer buffer they can also be used within the text. Manual includes examples. Supplied on 40 or 80 Track disc.

950

0 8

Plin

in a

mo

dis av:

01-208 1177

ox A choice of high quality RGB and Monochrome monitors are available. The British made MICROVITEC Std/Med/Hi Resolution 14° monitors offer a consistent reliable performance. Their resolution ranges from 452 pixels horizontal on the std res monitor to 895 pixels on the Hi res monitor. Std res monitors are also 66 available with RGB/PAL/Audio inputs. Dual input versions also od available.

1431 Std. Res. RGB £175 (a); 1431AP RGB/PAL/AUDIO £225 (a); 1451 Med. Res. RGB £295 (a); 1441 Hi-res RGB £420 (a).

2031 20" Std. Res. RGB £260 (a).
Plinth for Microvitec 14" Monitors £8.50 (c).

The KAGA Vision 3 12" RGB monitor offers a superb performance but in a smaller cabinet with a genuine etched anti-glare screen. £358 (d). The Japanese made SANYO and the KAGA monochrome monitors provide an ideal answer for an 80 character hi-clarity display. A futuristic swivel base plinth with integral clock is

available for the Kaga green monitor as an optional extra.



SANYO DM 8112CX Hi Res Green KAGA KX1201G 20MHz Hi Res

Green with etched screen... \$106(a) Swivel Base for Kaga Green (fitted with digital clock)... .£22.50 (c) Note: All monitors are supplied

with free BBC leads. BBC Leads: Kaga RGB £5; Microvitec £3.50; Monochrome £3.50 (d)

KX1201G with stand

VIDEO DIGITISER

user Feeding in a video signal (this can be from a camera, VCR etc) will output to the BBC a high quality picture.

aith eight different grey levels. This picture can be stored on disc, manipulated or dumped to a printer. The friendy, yet sophisticated menu driven

SANYO DRIOI DATA RECORDER

A high quality tape recorder with circuitry specifically designed for data recording. Having normal as well as data recording, as well as cue/revi and a tape counter, it makes this recorder an ideal choice for anyone wanting a reliable tape storage device. £30 (c). Cassette £3.00 (d).

ACORN ANFO3 TAPE RECORDER

The official Acorn tape recorder recommended for the BBC. Has a counter automatic record level, mains/battery and comes complete with a BBC

RH LIGHTPEN

quality lightpen, features including: adjustable sensitivity, LED output to show data transmission, microswitch tip. Full software backup. £39 (c). The 'Lightpen Colour Graphic Software' pack helps you to draw line drawings as well as more complex drawings. Colour fill, point plotting, line, square, triangle, circle XY rulers are all available with rubber banding facility. £7 cassette, gg Disc. The 'Artfun' pack provides full interaction between pen and screen. Allows your initial design to be shrunk into a high res format, and these images can be stored for subsequent use, g7 cassette. The 'Word Master' encourages the use of correct grammar and is an excellent aid. £7 on cassette. The Ed Master uses a quiz format, and up to 160 questions may be programmed by the teacher, £7 on cassette (d).

DISC DRIVES



Technomatic Disc Drives offer the best value for money. They recommands use Drives ofter the oest value for mindey, may come fitted with high quality and the common c power supplies. All 80 track TEAC drives are fitted with 40/80 Track switching at no extra charge to the user. Attractively designed steel casings are painted in hard wearing BBC matching beigant. All drives can operate in single or double density modes. Drives are supplied complete with necessary cables, manual and formatting disc and are ready to be connected to the computer.

Single Drives 100K 40T SS TEAC £100(a); 200K 80T SS 40/80T TEAC £155(a) 400K 80T DS 40/80T TEAC £185(a) 3" 100K HITACHI Drive £115(a)

TEC with psu£135(a) Mitsubishi with psu£195(a)

Dual Drives 2 × 100K 40T SS with psu: TEAC£300(a) TEC without psu£225(a) 2 × 200K 80T SS with psu 40/80T TEAC£375(a) TEC without psu£275(a) 2 × 400K 80T DS with psu 40/80T Mitsubishi without psu£325(a)

2 x 400K 80T DS with psu Mitsubishi £400(a).

Our 40/80 Track Switching Module will take care of your frustration of not being able to read or write 40 Track software on 80 Track drives. No additional cables or accessories needed. Full fitting instructions supplied. All for only £30 (c)

The FLOPPICLENE disc head cleaning kit is the ideal way to ensure the optimum performance of your drives. The use of disposable cleaning discs eliminate the risk of recontamination and abrasion of the sensitive disc heads and ensure continuously reliable data capture and transmission

Floppiclene with 20 disposable cleaning discs. £14.50 (b)

ाइइस

SCOTCH 3M DISCS

their error free performance is guaranteed for life Discs in pack of 10 (c): 40T SSDD \$12.50(c): 40T DSDD \$17(c): 60T SSDD £21(c): 80T DSDD £22(c)

DISC ACCESSORIES

Dual Disc Cable £8,50 (d) Single Disc Cable £6 (d) 10 Disc Library Case £1.90 (d) 30 Disc Case £8.00 (c Lockable Storage Boxes: 30/40 Discs £14 (c) 70/80 Discs £18 (c)

KENDA DMFS

This is an alternative to the Acorn DFS with several significant advantages. *Single/Double Density *Up to 379 Files per disc. *No user ram required i.e. PAGE = &EOO *CP/M compatible file structure *Can read DFS files *Can read most Acorn and other protected software. Simple plug-in installation — comes complete with utilities disc and manual. £120 (c)

MODEMS

We stock a modem for every requirement, whether it is for the business, or private user, whether you require access to a public database or a mainframe, whether for local or international use. We also carry suitable software - see our section on ROMS.

TORCH UNICOMM

See our section on Torch for further details.

ACORN PRESTEL

The dedicated Prestel adaptor complete with integral, BT approved, auto-dial modern and software in ROM £99(a)

BUZZ BOX

A full spec, BT approved, pocket size, direct connect modern with both originate & answer modes, full & half duplex, allowing access to many databases, bulletin-boards as well as intercomputer communications. It conforms to CCITT V21 300/300 Baud standard, Battery/mains powered, £65(c) BBC Lead £3,50 External PSU £8.

WS2000

A world standard direct connect modem switchable between 75,300/300,600,1200/75,75/1200 baud, awaiting BT approval. It is compatible with Bell 103/113/108, 202 and CCITT V21 & 23

standards and allows you to communicate with virtually any computer system in the world. This is one of the new generation modems, that will probably cover any communications standards you would ever need. This is the



modem that will cover Prestel, Micronet, Telecom Gold, Distel, Microweb, One-to-One, Bulletin Boards both in the UK and abroad, etc. etc. as well as userto-user communication. It also has a rather useful facility of 'Reverse-Prestel' mode i.e. 75/1200 so that you can communicate with other users who only have a standard 1200/75 type modem. What possibly gives this modem its biggest advantage is its option of computer controlled switching between all modes of operation. In addition, separate auto-answer and auto-dial cards are available, giving this modem possibly the greatest potential of all. Mains powered. £129(c).

Please phone/write for details of optional extras.

TELEMOD-2

A BT approved modern complying with CCITT V23 1200/75 Duplex & 1200/1200 Half-Duplex standard, that allows communication with Viewdata services e.g. Prestel, Micronet etc., as well as using 1200 Baud for communicating with other computer users. Mains powered. TELEMOD 2 £65(b) BBC Lead £3.50

ACORN IEEE INTERFACE

This interface enables a BBC computer to control any scientific and technical equipment that conforms to the IEEE488 standard. at a lower price than other systems, but without sacrificing any aspect of the standard. The interface can link up to 14 separate IEEE compatible devices. Typical applications are in experimental work in academic and industrial laboratories, with the advantage of speed, accuracy and repeatability. The interface is mains powered and comes with cables, IEEEFS ROM, and user guide. £282(a)

ACORN TELETEXT INTERFACE

This interface enables a BBC Computer to receive and store teletext information transmitted by both BBC and ITV. In addition it allows the downloading of transmitted software. The unit comes with a ROM and user guide. £195(b)

TECHNOMATIC

EPROMER II

Our current version of the highly popular Eprom programmer is no being enhanced to provide more and better facilities for easat wh programming by the user. The software will maintain its superioritwith over all currently available similar programmers. The range of ineproms handled has been widened to include the eproms witPRE lower programming voltage and eproms which can be programm using the fast algorithm. Control of all operations has been move to the keyboard. The screen display has been improved to give morCOI information. The screen editing facilities have also been modified to simplify the data entry.

Preliminary Information

Allo

- The new Eprom Programmer will now program 2516, 2532, 2564 £596 2716, 2732, 2764, 27128 and 27256 + 5v eproms, and all but th 27256 in a single pass The programmer will be supplied with integral power supply CC
 - and interfaces with the BBC via the 1MHz bus. It is fully buffered and complies with Acorn protocols. There is no power drain from mo No knobs or switches to fiddle with - total control from the of
 - keyboard. Fully software driven with easy to understand instructions ba
 - displayed on the screen. Eprom type selectable from the keyboard. Selectable programming voltage 25/21/12.5V.
- Defaults to normal programming with high speed algorithmic programming selectable, for a device with suitable capability. Continuous screen display of eprom type, option and address
- range selected. Full screen editor with HEX or ASCII input. Constant display of
 - logical eprom address Can read, blank check, program and verify at any address/addresses on the eprom.
 - ull Tape/Disc filing facility Several basic programs can be entered on a single eprom and called up with individual name.

ATPL SIDEWISE ROM EXPANSION BOARD This is a well constructed expansion board that does not require soldering in

its installation. It will give you an additional twelve sockets, with a 16K batter backed RAM option. All the busses are fully buffered £39(d).

EPROMS 8K 2764-25 £6.50(d); 16K 27128-30 £21.00(d).
RAM 8K standard power 6264-15 £35. 8K low power 6264LP-15 £41.00

SMARTMOUTH

The Original Infinite Speech' Synthesiser — Still the Best!
A ready built lotally self-contained speech synthesiser unit, attractively packaged with upon the speaker. Aux. builout socket etc. Optimum sound quality is achieved due to a tailored frequency response audio stage, it allows the creation of any English word with both ease and simplicity, while at the same time being very economical in memory both ease and simplicity, while at the same time being very economical in memory usage. You can easily add Speech to most existing programs. Due to its remarkable infilinite vocabulary, its uses spread throughout the whole spectrum of compute applications. — these include deducational, industrial, sclennifile, increational etc. — simply plugs into the User Port. No FIOMs are needed Striatmouth is supplied with demo and development programs on cassette and full instructions, \$37(a).

UV ERASERS

UVIT with built-in timer and safety switch £59(b).

'TIME-WARP' REAL-TIME CLOCK CALENDER

A low-cost compact unit that opens up the total range of Real-Time applications, and adds a new dimension to the personal computer. Though built to exacting and adds a new dimension to the personal computer. Though built to exactive professional standards, it is at a pice previously unattainable and brings it with reach of all BBC Computer owners. With its full integral batterly backup, possibilities include an Electronic Diary, continuous display of 'on-screen'

time and date information, automatic document dating, precise timing and control in scientific applications, recreational use in games etc. - its uses applications, recreational use in games etc. — its uses are endless and are simply limited by ones imagination. Simply plugs into the User Port. — no ROMs needed. Extensive applications software supplied on cassette (easily transferred to disc) and full instruction manual. Please phone for details,



01-208 1177

Please add carriage: (a) £8; (b) £2.50; (c) £1.50; (d) £1.

COMMUNICATION ROMS

IRMII This is a semi intelligent terminal emulator allowing the BBC to act as aborth terminal slave BBC papins terminal or VTS terminal. The rates as aborth terminal slave BBC papins terminal or VTS terminal. The rates at a shick data is sent or received is easily set up with rates of up to 4800 Baudium 4080 co. I sectionable. Allows tiles to be transmitted from size, or a copy of incoming data to be sent to a file or to a printer (Termi is not suitable for PRESTEL 1292ML).

COMMUNICATOR. This is a full 80 col V1100 terminal emulation program on 16 keprom. It is a more advance program than 15 km2 pr

COMINSTAR This intelligent communication facility is extremely easy to usely very versals. It is fastives a terminal mode, a fully 1700 emulation make and a special PRESTEL mode. In Terminal mode, all input may be regard into a buffer in memory over when that it control is provided Controlly says which is the provided Controlly of the provided Controlly of the provided Controlly as the provided Controlly





The Definitive Random Access, 24K ROM Based DATABASE

lisagem is the first fruly fixes/bid database for the BBC Micro that can make any system reality useful and efficient saving you money in the long run. Beystem includes a carrier board containing two Eproms, demonstration glicultions disc in both 4080T, professional documentation with quick intended card, and "Trans untility program. Features include: "almost gimmed file save max 10Mbyter" amports up to 4 critical values of the max 10Mbyter "amports up to 4 critical values of the max 10Mbyter" amports up to 4 critical values ("All professional documents") as one of the following: Search, Include. Exclude, Combine, Common or Difference: "user defined variables "generates form tetters from records."

ACORNSOFT/MIRLE Business software

The second section of the section of th

lisking them with the Other packages involved in Michael Schale S

BBC FIRMWARE

VIEW Word Processor Rom on special offer at £48(c).
This is the new version V2.1. Advantages include being able to print straight from memory, as well as editing in any mode. Complete with comprehensive manuals to Acorns usual high standard.

WORDWISE One of the most popular word processors for general use £34(d). Wordwise SpellCheck Disc.— A must for any serious word processor user. Normal price £16.50(d). If bought with Wordwise: No p&p and only£14.

ULRACALC From BBC Publications. The only spreadsheet BOM for the BBC that offers features found in the most sophisticated spreadsheet programs, like the handling of labels as well as numbers as values, and allowing a search by a meaningful name instead of just a number etc. Efficient memory usage allows large soread sheets to be constructed. Facilities and commands include, variable with column, Sum. Replicate, Pacificate and commands include, variable with column, Sum. Replicate, manufacture programs and programs of the programs of t

8.CPL a full implementation of the BCPL compiler language from Accrosoft. If consults of the BCPL language ROM and a disc containments the BCPL compiler, a Screen Editor, a 5502 Assembler, other utilities and program development aids, and some examples of BCPL code a comprehensive 450 page user guide is included. If can be used to develop games programs and commercial packages, to develop systems offinitive, to write control systems, and to produce programs which otherwise would need to be written in assembler; §6606).

BCPL CALCULATIONS PACKAGE supplied on disc, if supports floating point, fixed point and fast integer calculations. It includes the BCPL calculation files, example files and a comprehensive user guide. £17.30(b).

UTILITY ROMS

DISC DOCTOR This general oursoue ROM adds 20 commands to the DIS system. In includes a formality selection entitler, raped the K disc take routines a powerful disassembler, commands for fishing function key definitions for ending etc. This ROM will obliviate the need to go for non standard DFS systems with their inherent disadvantages) as it overcomes many of the Acom DFS's shortcomings, £2864.

GREMUN Contains a full machine code monitor including features such as a disassembler memory move and search froutness. Also feature a full expression evaluator and an assembler. Can single step through ROM. & RAM as well as any sideways ROM. Works in any mode with full status display. Up to 8 breakpoints can be used and it has a special mode for debugging gradine programs. E28tilis.

EXMON This extended machine code edutor provides 35 new commands. Features include machine code relocator, single stepping memory search and full assembler & dissassembler £20(d).

TOOLKIT This ROM adds 27 new commands to the BBC BASIC. These include a full screen editor, merge, relocating data in memory, program compactor, listing of variables and memory search, £23(d).

CARETAKER This adds 17 new commands to the BASIC which include: renumber, squash, exchange insert, single key entry of BASIC keywords etc. \$28(8).

GRAPHICS ROM This ROM includes over 28 new graphics related commands which can be used in BASIC programs. Features include sprites, LOGO Turtle graphics, fill routines, shading, large characters, rotation scaling and 30 plotting all using *** commands. £28(d).

PRINTMRSTER This ROM features the most versatile screen dump for EPSON MARRYSTERS and Kaps all Dip miners. It supports three types of dumps. The first allows any graphics on the screen to be dumped. Colours appear as shades of grey Any part of the screen can be printed at any possition on the pager in any one of lour orientations. The screen dump may MODE? screen dump with TELEFEST test at graphics. The second dump allows any test to be dumped whist the third dump will print the contents of a fle on disc whist the computer is doing other things. This is not all printed functions can be called up using the "command." DEFINE allows the user to define this own documents and store them. "GPMINT allows the user to define this own challesters and store them." GPMINT allows "WINDOW allows windows to be defined in any size and position on the screen. In short this one ROM does st all "E28(6).

SOFTWARE

TURTLE GRAPHICS

Ideal as an introductory package for teaching geometry, mathematics and graphics at an elementary level £17.30 on disk.

MICROTEXT

This authoring system was developed by the National Physical Laboratories II is a programming assism designed to simplify the production of a wide range of man-computer balogues. Using Microtext's simple commands the user can draw up any number of frames' each containing text and/or graphics. A series of frames build use into a complete module. Each program can consist of more than one module. Using Microtext, an expert in any find can continuot make one module. Using Microtext is a expert in any find can continuot make one applications include intervening systems. I seating peachage, training courses and interactive demonstrations and simulations. Available or Cassette and Disc. ESSaid Disc.; ESSaid Disc.;

S-PASCAL

Contains a subset of Pascal — one of the most popular programming languages available today. The package contains the S-Pascal compiler on disc, several example programs and a comprehensive user guide \$17,30(d).

ACORN LISP

Lisp provides more flexibility in data and control structures than traditional languages is easy to learn, and is widely used for writing substantial and sophisticated programs, with practical applications \$17.30(d) Disc. \$14.35(d) Cassette.

ACORN FORTH

Forth is a compiled language, so programs run very fast itypically five times faster than Basic) £17.30id Disc; £14.35idi Cassette

DESIGN

Design is a screen processor which allows information to be displayed in a format suitable for demonstrations, slide projections handouts or presentations. \$16.50(d) Cassette.

SUPERPLOT

Superplot is ideal for anyone interested in screen represent mathematical functions, £16.50(d) Disc; £8.50(d) Cassette.

SPELICHECK
The spelling checker available for both Wordwise and View. £16.50(d)
Disc; £8.50(d) Cassette each.

MASTERFILE

A general purpose data base that is extremely useful, allowing vast amounts of information to be stored. The disc version allows up to 17 fields per record, and the only limitation as to the number of records, is the capa

PAINTBOX

A joystick drawing program for the BBC. You can use if to doodle or to design sophisticated full colour pictures. **28.50(d) Cassette**.

YU-Type This is a powerful and versatile typing tutor developed and published in association with Pitmans II is designed to enable you to acquire or enhance typing and keyboard skills. £12(d).

Record Keeper A personalised program for storing and retrieving data for a variety of purposes. Report facility lets you choose how to generate the layout of your data and display and print it. The program also contains alternative versions for transfer to disc. £16.50(d).

TECHNOMATIC LTD

(Tel: 01-208 1177 Telex 92-2800) SHOPS AT: NW London: 15 Burnley Road, London NW10 4ED

→ (Dollis Hill 2 mins walk, ample car parking space)
West London: 305 Edgware Road, London W2. Tel: 01-723 0233
(Near Edgware Road) →

BOOKS

(No VAT p&p £1.50 per book)

Let your BBC feech U To Program	\$3.50	DIY Robots 4 Sensors
100 Programs for the BBC	£6,95	Drsc Book
30 Hour Basic	\$6,95	D-sc Systems
35 Educational Progs	26.95	Discovering BBC M: Gode
6502 Applications	£10.95	Essential Maths BBC/Electron
6502 Assembly Lang Programming	£13.95	Forth
6502 M Code for Beginners	\$85.95	Friendly Computer Book
6522 VIA Book	\$4.50	Graphics on the BBC M-cro
6809 Assembly Lang Programming	\$10.95	Brachs & Charts
Advanced Graphics with BBC	£9.95	Interfacing the 6502
Agranced M/C for the BBC	£7.95	Intro BBC Micro
Advanced Prog Tech for BBC.	EB.95	LISP
Advanced 6502	E11.75	Making Music on the BBC Compute
Advanced User Guide	£1.2.50	Micro BBC Basic Sound Graphics
Assembly Lang Programme BBC	KB.95	MOS Memory Data Boc-
Assembly Langforthe BBC	18.95	Prog the BBC Micro
Assembly Lang Prog for Electron	126.00	Programming the 6502
Assembly Lang Programming 8	mpaum	Programming the 6809
	E8.95	Programming the 8086/8088
Basic Progor the BBC Cryen	\$5.95	Programming the BBC
Basic Rom User Guide	\$7.95	Programming the Z80
Batic II Rom User Gods	\$4.00	Start Prog with Electron
BBC Basic	25:95	Step by Step Prog Book 2
BBC Basic for Beginners	\$6.95	Structured Programming
BBC Micro for Beginners	€6.95	The Electron Book
BBC Micro Disa Companiere	£7.95	10RCH 280 Olst Pack User Guide.
BBC Micro Experi Guide	\$6.95	TTL Data Book voi 1
BBC Micro Graphics & Sound	£7.95	TTL Data Book Vol 2
BBC Micro in Education	€6.50	BBC utser Guide
BBC Micro Revealed	E3.50	Using BBC Basis
BCPL User Manual	£15.00	Using Floody Disks

EDUCATIONAL PROGRAMMES

Dreating Agressure Progs Emerive Graphics

A selected range of cassette based software for all the family to enjoy and at the same time arouse curiosity and create an interest in computers. Apart from providing hours of fun they will also help teach the young ones fundamentals of English and Maths without them realising it.

Mr T's Alphabet Games Watch how quickly the children learn to identify, name 8 match the letters and also write them correctly. Amusing sound effects and animated graphics make learning fun £7(6).

Number Gulper A gripping tast moving game that helps develop arithmetic skills 19 levels of skill to cater for all ability levels. Even parents moth find upper levels embarassing £7(d).

Words Words A stimulating game to help young children with reading 8 seeling. Pictures are shown on the screen and the child has to type in the name of the object show. If correct, the object takes its place in a scene. When all objects have been correctly identified the scene comes to life. \$7(0).

Tree of Knowledge A interactive program that teaches categorisation. The computer is that exactle about a group of objects — e.g. plants or birds. The database, or time created in this way is then used in playing a questing paine. Two sample catabases are supplied on the grogram. New databases are saved, and loaded from within the programs. EVID.

Royal Quiz Pit your knowledge of Royalty against Anthony Holden, the Royal Biographer Do you know who told the queen that she didn't recognise her "without her crown on"? The quiz will lease, teach and entertain £7(d).

Science Fiction Quiz A SF quiz in the widest sense, especially adapted from the Weidenfeld Quiz book that will provide hours of editionation and amusement. \$750.

TECHNOMATIC SERVICE

Our in depth stocks allow us to offer immediate delivenes on most items and our aim in the provide the best available products at competitive and our aim in the provide the best availables products at competitive connectors, connector assembles, components including TTLs, CMOS, RAMS EPROMS and CPUIS Sparse for the BBIC comprete are normally available from stock, Orders from government departments, public variables from stock, orders from government departments, public variables from stock. Orders from government departments, public variables from stock, orders from government departments, public variables from stock, orders from government departments, public variables from stock orders from government departments, public variables from stock orders from stock orders from the stock of the stock orders from the stock orders f

01-208 1177

All prices exclude VAT. Please add 50p carriage unless indicated as follows: (a) £8: (b) £2.50: (c) £1.50: (d) £1.00.

add 15% VAT to the total order value. For fast delivery telephone your order quoting VISA or Access card or official order number. (Minimum telephone order £5).

The Definitive 24K ROM based Random Access **Database Management** System for the BBC Micro.



for the BBC Micro.

Designed for the small to medium sized business user, where speed and efficiency are vital, Gemini Integrated programs are suitable for sole traders, partnerships, or limited companies. All require a BBC B 32K microcomputer, and an 80 column printer A double disk drive with an Acorn compatible DFS is required for integrated accounting purposes. A single disk drive may be sufficient where modules are used independently, although this is not recommended for the Sales Ledger and Invoicing module. The manuals indicate the system capacities for various disk drive

Why Integrated Accounting? Because it will retrieve information

stored in one program for use by another, and store data in one program which has been generated by another.

Why Gemini? Because our business software for the BBC

combinations.

Micro is based upon the solid foundation of expenence. Not only are three of our Directors Chartered Accountants, but we have also successfully written business software for the BBC Micro since it was first launched.

> PURCHASE LEDGER

NO SECOND PROCESSOR REQUIRED!

Price £99.95 per Module VAT inclusive

NOMINAL LEDGER

143 Nominal accounts all of which are used

Print out of full Trading and Profit and Loss

Pre-Printed Stationery

Available from:

Larger branches of Boots and W.H. Smith and most good software dealers... or phone Gemini for immediate despatch quoting your Access, Visa or American Express card number. Telephone (0395) 265165/265832. Alternatively make your cheque or Postal Order payable to Gemini Marketing Ltd., and send to Gemini Marketing Ltd., 18a Littleham Road, Exmouth, Devon EX8 2QG.

Please send urgently (specify 40 or 80 track)

Prices stated in this brochure include VAT and Post and Packing (UK only). Name Address

Credit Card No. Access Visa American Express (delete)

LIFE, THE **UNIVERSE** AND MY **BEEB**

Astronomer Chandra Wickramasinghe and his micro pursue a theory of

organisms in space Figure 1. The Trifid nebula in the constellation of Sagittarius OMPUTERS are now vital to Matter exists within these clouds in a the dimming of a street light seen space science and astronomy: first collecting information from variety of forms: single atoms, ions, through a fog, caused by the water droplets scattering the beam of light. molecules and, perhaps the most baf-

space probes and satellite-borne telescopes, and then analysing and interpreting the results. Micros have also played a role, especially when linked to equipment launched in rockets

However, I have a more personal story of working with micros. My research into the origins and evolution of life in the Universe is aided and abetted by my own BBC model B with Cumana disc drive, PL digitiser, Epson FX80 printer and Tandy graph plotter. It might seem an amateurish medley of equipment, but I found it better in some ways than a university mainframe com-

My tale begins with the Lagoon and Trifid nebulae in the constellation of Sagittarius (figure 1). Here is a rich field of stars in a portion of the Milky Way, containing in addition to stars, clouds of hot glowing gas, with dark patches and striations silhouetted against a brighter background. The dark patches represent clouds of obscuring dusty material found in many galaxies and known to astronomers as "interstellar fling component of all, 'dust'. These dust particles have radii in the range 1/100 to 1/3 of a micrometer and their space density by earthly standards is exceedingly low - the average distance between them is as much as 100 metres! Despite the tenuous nature of the clouds, their size - light years across - is so vast as to produce the fog patches shown in figure 1

Light from distant stars in our galaxy is dimmed and reddened by scattering and absorption effects in interstellar dust particles. The effect is similar to

Since the 1930s, a succession of attempts have been made to determine in a quantitative way the dimming - or extinction, as it is called - of starlight due to cosmic dust. In fact, the intensity of visual starlight is reduced by a factor of about 100 for every 3000 light years travelled through interstellar space. It was also readily shown that this dimming could reasonably be attributed to tiny solid particles with average radii of about one third of a micrometer. Furthermore, the smeared-out density of dust made up one tenth of a per cent or so of

Astronomer in action

The author is an internationally renowned astronomer; a collaborator with Professor Sir Fred Hoyle, and co-author with him of books such as 'Lifecloud', 'Diseases from Space' and 'Evolution from Space'. Their latest book, entitled 'From Grains to Bacteria', is due to be published this month by the University College Cardiff Press.



ACORN USER OCTOBER 1984





PACESTATION 9LDI-19

> ZORAK THE CONQUEROR A GRAPHICAL

ADVENTURE GAME

by through the medieval lands of Ramagora in search
three places of the long lost crown of Ultimate Darkness.

dragon, suffer plagues and famine in pursuit of your ultimate goal.

This is a graphical adventure in which you play the part of Zorukk and take control of his loyal warriors.

\$7.95

ATTEN INCREMENTS
FROGRAMMERS
WE PAY EXCELLENT
ROYALTIES FOR ORIGINAL
ROYALTIES FOR ROYAL
ROYALTIES FOR ROYALTIES FOR ROYALTIES
ROY

SOFTWARE

65 HIGH STREET, GOSFORTH, TYNE & WEAR, NE3 4AA. TEL: (091) 2846966

AVAILABLE FROM ALL GOOD COMPUTER STORES, OR DIRECT FROM USI TRADE ENQUIRIES WELCOME

TRAILBLAZERS

all the stellar and non-stellar material in the immediate vicinity of the Sun.

Data on interstellar dust is being steadily added to from observations made by satellites such as the International Ultraviolet Explorer and IRAS. Much of the information has accumulated over the past two decades, and it was at the start of this period that my own work with Sir Fred Hoyle began, We set out in 1962 to find a composition of cosmic dust that could explain the available data, and we have continued in this endeavour unceasingly ever since. We first explored the possibility that the dust in space might have an icy composition, but had no success at all, Then we discussed the possibility of carbon dust grains and carbon grains overlaid with icy mantles. Here we had a limited measure of success in that observations using the latest satellites and rockets proved that at least a fraction of the dust in space was made of carbon in the form of graphite. Next we considered mineral grains and mixtures of minerals with graphite in attempts to match the full range of observational data, but woefully without luck. The precise composition of the interstellar dust stubbornly defied identification for 10 years.

Then, in 1973, we considered the possibility that cosmic dust had a pre-dominantly organic composition. This model instantly led to a better -but not perfect -agreement with observational data than for purely inorganic grains. However, we felt that at long last we were approaching the correct solution. Then in 1979 a major breakthrough occurred. Sif Fred Hoyle and I considered the seemingly outlandish proposition that the cosmic dust grains were not merely organic, but biological; live, freeze-dried bacteria in space.

Within days of arriving at this heresy, a mathematical calculation was carried out on a BBC micro to determine the way in which such particles cause the dimming of starlight. The computation involved a solution of the well-known Maxwell's equations with the boundary conditions for spheres having the properties of biological particles. The BBC's highly versatile Basic language made this calculation relatively easy, and the resulting graphs were plotted on the Tandy plotter-printer. The calculated curve of the microbial model agreed almost precisely with the astronomical data (figure 2). This agreement, coming after almost two decades of failure, gave us confidence to embark further in the direction of cosmic microbiology

Together with Mr S Al-Mufti and Dr A H Olavesen, Sir Fred Hoyle and I next set up a program of laboratory studies to look for diagnostic thumbprints of




Figure 2. The dimming of starlight by cosmic dust





Figure 3a (above). Radiation from IRS7 showing effect of absorption by cosmic bacteria Figure 3b (below). Radiation from hot bacteria in the Trapezium nebula in the constellation of Orion



biology at infra-red wavelengths. An infra-red spectrum of a dried out microorganism over the waveband 2.9-5.5micrometers was compared using the digitiser with data for the infra-red source IRS7 located near the centre of our galaxy. The result, shown in figure 3, was plotted on the Tandy, Figure 4 shows a comparison between the biological model and astronomical data over another waveband, 8-12micrometers. The correspondences seen in figures 2-4 are in our view decisive for the identification of cosmic bacteria. Bacteria resembling terrestrial bacteria, but in a freeze-dried state, seemed to be present in vast quantities on a galaxy-wide scale, giving rise to the dark fog effects.

But how, you might ask, could such a situation arise, and how does this connect with other facts from astronomy and geology as well as biology?

Louis Pasteur (1822-1895) showed that micro-organisms did not arise spontaneously, but were derived from pre-existing microbes. The question then arises as to how the first micro-organisms arose on the Earth. The usual theory is that flashes of lighting in a primitive atmosphere led first to the conversion of simple inorganic molecules into organic molecules which are the building blocks of life, and thence to the assembly of organic molecules into living structures. Laboratory studies have indicated that the first of these steps might well have occurred, but laboratory experiments on the second step have been singularly without success. An argument against the usual theory is that the first signs of microbial life in the Earth's fossil record occur far too abruptly for any chemical evolution to have preceded it. In fact, at the very first moment that life could have survived on Earth, about 3.8 billion years ago, we find evidence of microscopic fossils of bacteria and microfungi. There seems too little time for any 'primordial soup' to have brewed

There is, of course, no logical reason why life should have started de novo on Earth. Our planet was assembled from cosmic material along with the Sun and other planets some 4.6 billion years ago. The entire solar system is now surrounded by tens of millions of cometary objects in the form of a gigantic spherical halo. Although direct collisions with comets are rare, the Earth is estimated to pick up some thousands of tonnes of cometary debris each year. What this debris is made of can only be guessed at by studying the gases that escape from the comet head as seen for instance in the fan-like structures of figure 4. Sir Fred Hoyle and I have argued that comets are in fact chock-



Figure 4. The Comet Mrkos photographed on several days in 1957

a-block with cosmic micro-organisms, and that their nuclei contain warm liquid ponds which are congenial places for such micro-organisms to breed, indeed, studies have shown that places to such micro-organisms to breed, indeed, studies have shown that come material is remarkably life-like. Moreover, fossilised remains of micro-organisms have been discovered within carbonaceous meteorites, which are thought to be spent comets. So astronomical evidence now points to life starting on Earth by contamination from comet-borne micro-organisms.



Figure 5. Amplifying Cosmic Feedback loop

Cometary micro-organisms must necessarily have been derived from cosmic dust clouds. We know that stars similar to the Sun are born within such clouds, and comets would undoubtedly be associated with these stars. The cosmic life-cycle of biology is shown schematically in the feedback loop of figure 5. In the earliest days of the Galaxy there need to have been only a small number of viable micro-organisms. Cosmic microbiology would become progressively amplified with every successive generation of stars The great power of the feedback loop lies in the enormous replicative ability of biology: a single bacterial cell can double in a matter of hours.

At the present stage in the evolution of our Galaxy some 100 billion circuits in the loop of figure 5 would have taken place, one for every sun-like star. The total mass of material that has been biologically processed would measure some 10 A 33 tonnes.

At the time the Earth formed as a solid body, biological evolution in the galaxy would already have been well advanced, and this heritage of evolution would have been trapped in the comets of our solar system Cometary micro-organisms would have been raining down on the Earth essensition from the dawn of its creation. At the beginning, however, hostile physical conditions would have prevented the survival of any incident organisms, in the same way that organisms would now perish at the surface of the airless Moon.

Cosmic life took root on our planet at the very first moment when survival was possible, when the Earth had acquired its oceans and atmosphere nearly four billion years ago.

nearly foul offinite years ago.

According to the present point of view the influx of cornetary microbes with the present part of the present day, some causing enjoemic diseases in plants and animals, others generally adding to the microbial flora of our planet Furthermore, and perhaps most importantly, the evolution of living forms on our planet would seem to be primarily controlled by the entry of new genetic information from cosmic micro-organisms.

NEXT in our Trailblazers series:

Scientists are using a BBC micro to roast weeds and give cocoa plants the kid-glove treatment. Find out why in next month's issue

Introducing The New Epson Micro Printer At Only £99.95 inc.VAT

Ideal for use with the BBC Micro, and most popular home computers. Parallel and RS232 versions available.



Specifications

Print Method

Paper Feed

Paper Width

packed with superior features.

Now there is a light-weight, high performance compact printer that is suitable for portable and home computers - the Epson P-40 thermal printer

Quality and Versatility

The Epson P-40 is part of the new P range, which offers a micro printer with print quality identical to that found in the Epson range of superior printers. The P.40 is the first low cost printer that can print 480 dots per line which means it can reproduce graphs, and pictures beautifully. The P-40 can offer three kinds of column capacities: 20 columns, 40 columns and 80 columns (condensed) -no other compact printer offers such a selection

Light, Quiet and Cost Efficient.

Since the P-40 is a thermal printer, operation is particularly quiet and there's no ink ribbon to change. Maintenance is simple. In addition the P-40 portable battery-driven printer has four rechargeable NiCad batteries built into the printer which can be recharged in 6 hours. It's simple, economic and easy to use.

Top Quality Image and High Speed Printing.

The quality of printing in all Epson printers is unequalled and the P-40 is no exception. A superior Epson head design featuring nine dos together with it's ability to express small

leners ensures superior legibility. The compact P-40 also provides high speed printing with 45cps.

Self Test Function

The P-40 compact thermal printer has a useful self test function.

86;1(=)JBBB[DELBH[JK]] Ban > connectors ODO ZIMAKAT () . 1. 41/2. () ... 2384 (a) AND DEEPH IN MORE SUDDA 2 PANASAE () . () & RESTA, () & 456789: (E) 1948 (DEFSHINLMNO THE PROPERTY OF THE PROPERTY O

COMING SOON

lease rush me ___Epson P-40 Micro Printer/s for use with_

boxes of Epson thermal roll paper. 11m roll

(0442)





WATCH OUT FOR

THE NEW EPSON P-80

ORDER BY PHONE OR BY POST

The Epson P-40 thermal printer costs £99.95 (inc VAT). A box of Epson Thermal roll paper costs £9.95 (inc VAT) - 5 rolls. Please add £3.00 for postage and packing. Please allow 28 days for delivery.

Thermal Dor Matrix

45 Characters per second (For 40 and 80 column setting)

Unidirectional (Left to Right) 96 ASCI I character, (Featuring

nulish Capital Letters, English wer Case Letters, figures, sign

2.4 (H) x 1.7 (W) Normal 2.4 (H) x 85 (W) Condensed 2.4 (H) x 3.4 (W) Enlarged

Epson Thermal roll paper P-40 TRP

NiCad Butteries, Interna

You can pay for your P-40 micro printer by cheque or by credit card I enclose a cheque for £_ My coudit cord no.



To order your Epson P-40 now, just phone 0442-60155 and ask for Angela.




Actual Size:

fust 2"Hax 81/2"(wax 5"Inc

Data Efficiency Ltd :

Maxted Road, Hernel Hempstead, Herts HP2 /LE, Leb Hernel Hempstead (0442) 60155, Telesc 825554 DATEFF G



SCALING MUSICAL HEIGHTS

Jeremy Vine conducts a musical lesson on the Electron

IN THE August issue of Acorn User we published some musical listings but you may not have understood how the programs worked. This month we'll look at the SOUND command available on the Electron and BBC and show how asy it is to produce music. You may have aiready experimented and created the odd sound or two but creating music is more complicated – but not too difficult.

The SOUND command has four parts to it and we can best understand its use by looking at each part in turn. Type in the following line:

SOUND 1, - 15, 100, 20

The sound you can hear is the C above middle C and it is playing for one second. The SOUND statement is followed by four sets of numbers, each there for a specific purpose and determining the actual noise you hear. This can be more easily understood if we name each part as follows: SOUND C, A P P.

The first parameter C refers to the channel number. The Electron has four SOUND channels but unlike the BBC only one channel may be played at a time. These channels are numbered from 0 to 3, channel 0 being reserved for noise and channels 1 to 3 for tone. To hear the difference by pe in the SOUND statement above but change 1 to 0. Whether you type C as 1,2 or 3 the tone will be exactly the same. These

effect and as only one can be used at any time we will use only the number 1 from now on when we need a tone. The other two channels (2 and 3) have been included to make the Electron compatible with the BBC micro.

The next parameter, A, is responsible to the amplitude of the sound and can represent one of three different things depending on the value assigned. If a negative then the sound is on; if set to 0 it is off. However, if the number is from 1 to 16 inclusive an ENVELOPE of the same number will be selected. I won't cover the ENVELOPE command in this article but don't worry as we need not use if to the moment.

In my example I used -15 as the value. This means the sound is turned value. This means the sound is turned on. The reason for using this number is that if is the most common amplitude value used on the BBC on which you can alter the level of the sound. The sound level cannot be altered in the same way on the Elik but by using -15 we keep our programs compatible with the BBC.

The third parameter P stands for pitch and as the name suggests it controls the pitch of the sound output. This value can be in the range 0 to 255. Each step represents a change in pitch of a quarter-semitone and from this we can produce a range of pitches covering more than five octaves. Figure 1 shows these values and their corresponding pitches. Try changing the value of P to see how the pitch changes.

			Octave	number			
Note	1	2	3	4	5	6	
В	0	48	96	144	192	240	Towns or not be
C	4	*52	100	148	196	244	*middle C
Cil	8	56	104	152	200	248	
D	12	60	108	156	204	252	
Dil	16	64	112	160	208		
E	20	68	116	164	212		
F	24	72	120	168	216		
F#	28	76	124	172	220		
G	32	80	128	176	224		
Gil	36	84	132	180	228		
A	40	88	136	184	232		
All	44	92	140	188	236		

Figure 1. Table of pitch values for each semitone

The final parameter, D, determines the duration of the sound and each step is equal to 50 milliseconds. In the example D=20 this is equivalent to keeping the sound on for 1 second. To work this out multiply D by 50 and di

Now we know how the SOUND command works, and the relationship between the pitch control numbers and the pitches they create, we can start to write music on the Electron.

Type in and run program 1. The program plays a chromatic catue of the 12 semtines from middle C. If we go back on my explanation of the pitch parameter, each unitary value is equal to a quarter-semtione. Therefore four units equal a semtione and octaves will therefore occur at intervals of 48 steps, because there are 12 semtiones in an octave (le, 12 × 4). To produce a different octave use figure 1 to look up the note of your choice and change the value 52 in line 20. Changing 52 to 68, for example, will play the chromatic octave from Einstead of C.

Now you might be wondering how to

BUZZWORDS

Channel—The sound generator on a BBC micro can make up to flow sounds at once, so it has four channels. Channel O produces specific noises, while the other three produce single notes. The Electron also has four channels but in effect only one channel can produce a

sound at any one time.

Amplitude—The volume or loud-

ness of a sound.

Pitch—The frequency of a sound.

Duration—The length of time a note

Envelope—The volume (amplitude) and pitch of a sound rise and fall throughout the sound's duration, and both Beeb and Electron can use pitch and amplitude envelopes to give a sound 'shape'. These are set up with the ENVELOPE statement.

MAKE SURE YOUR HOME COMPUTER **WORKS... FOR**

Guarantee years of service from your home compute Protect your investment by joining the MICRO REPAIR CLUB. After your warranty has run out can you afford the manufacturers' repair charges which can be as high as £60 minimum?

THE MICRO REPAIR CLUB is a brand new organisation offering a unique scheme which guarantees that should your computer break down, it will be repaired at absolutely no cost.

THE MICRO REPAIR CLUB has been formed to save you money and ensure that your computer is in tip-top working condition for years to come.

A one-year membership that guarantees all repairs to your micro costs only £24.95, with an annual renewal of £14.95. A two-year membership costs £35.95, three years £46.95. For incredible value for money a four-year membership costs only £57.95.

All prices are inclusive of VAT

THE MICRO REPAIR CLUB is backed by one of the world's largest insurance groups and the actual repair work will be carried out by Computeraid Services, a division of Thorn EMI Information Technology Ltd

There can be no greater protection. So if you own a Sinclair, BBC. Acorn, Dragon, Commodore or any other home computer join the Club by ringing the HOTLINE on 01-946 7777 or clip the coupon below and send it to:

Micro Repair Club Limited, Swan Court, Mansel Road, Wimbledon,



would like to join the MICRO REPAIR CLUB for years and look present to receiving my full membership pack.	
enclose a cheque for £24.95 One year's membership' 35.95 Two years £46.94 Three years £57.95 Four year	,
fade payable to Micro Repair Club Limited 'Please tick relevant bo	0
Please debit my Fisa/Access card No:	
Card expires on Signature	
lame	
Address	
own a home computer and it is in working order.	

MUSICSO

* THE SYNTH * (0.5.1.0+)

A very Beridde and structure programs blast bugsly recommendate. 10- David Limit Likeli M. Oct 21: The synthesisor program has features which as our knowledge att on a single key, BEFFAT No med in play a printer takes, great worspan upon the structure of the program of the pr

* KEYBOARDS * (O.S.1.0+)

recently inspersionality 2. Single (vote 56), with rison times 2.5 sinustations vote 5 with Envelope control built in 4. Single finger Chord organ ranging over the whole 3 board, 2 variations for each chord. 3. Chord organ 2 with different chord configurate These are all separate programs designed for you to use as they are or in your own programs. KEYBOARDS cassette & instruction 63.75 sing P&P.

* MUSICTOOLS * (all O.S.)

tension of the command of the man of the command of ing programs.

MUSICTOOLS | cassette & instructions \$5.75 inc. P&P.

fruste fem! Recommended for Primary & Middle Schools.
of as simple as Simon! Is develops into a fun set of our cleaning and musical concentration

PLEMAN cassette & instructions £5.75 inc. P&P. ALL PROCESSES TRANSFER FASHING TO DISC

> Cheques and official orders to: MUSICSOFT, Dept N, 12 Fallowfield, Ampthill. Beds Telephone: 0525-402701 All 4 programs on 40 track disc. £26.00.

ADD 32K TO YOUR BBC MICRO ONLY £49.95.

Opus Supplies offer you Rambank a 32K sideways RAM board to really boost the capabilities of your Micro.

Unlike ROMs, each block is individually write selectable and can be write protected to ensure against accidental erasure.

If you're running short of ROM sockets. the RAM card allows you to load utilities as and when they are needed.

We'll give you software and utilities free of charge, so you can save ROM based firmware on disc.

 Uses low power 64K dynamic RAM chips. • Simple to install. • Consists of 2 x 16K blocks of sideways RAM.

2 vear guarantee.

158 Camberwell Road, London SES 0EE, 01-701 8668 or 01-703 6155.

FIRST BYTE

create a scale. So far we have played a series of semitones but a scale consists of both tones and semitones. Program 2 gets round this problem by inserting tones or semitones in the correct sequence. Line 70 holds the data for the tones (t) or semitones (s) and line 10 gives the user the choice of scale by entering the appropriate value of the

starting note. If a tone is needed an extra value of 4 is added to the variable

'note' to extend the gap to 8 and therefore a whole tone.

Let's go one step further now and play a complete tune. Using the lookup table of figure 1 we now have enough information to convert musical notes into numbers that the micro will understand. That's one half of the conversion from a musical score to numbers; the second part is to tell the computer the duration of each note. Figure 2 shows the numeric values needed for note durations. We can therefore write each note as a pair of values, the first representing the pitch, the latter the note duration.

Program 3 follows such a method and a tune has been typed into the DATA statements in the form of pitch and duration values. By changing the numbers in the DATA statements you can write in your own tunes and the tempo can be altered by changing the value in line 10.

Entering music via DATA statements is fine but for the more enterprising composer there is no substitute for having a keyboard at the fingertips. Once more this is no problem to the Electron and with a bit of thought we can simulate a keyboard instrument. When playing a musical keyboard, notes can be short or sustained, depending on how long or hard a key is pressed. However, with the Electron pressing a key doesn't have the same effect-a note can be played long after the finger has been removed because it plays for a fixed length of time. To ensure that the note is played only while a key is pressed we have to repeat a note very fast instantly to ensure that no gaps occur and that when the finger is removed the sound stops. Program 4 does this. To hear the effect type in the listing and run it.

The important parts to note are the setting of the key delays *FX11 and 'FX12, and the conversion of a note to a number. By using the INSTR function we can use the normal qwerty keyboard to represent notes. This is done by assigning all the notes to be used to a single variable 'note\$' and then using GET\$ to search for the occurrence of the pressed key within the string 'note\$'. The key to this is the INSTR function and INSTR works by searching for a match of the string input to the one Figure 2. Duration of the various notes

Note	Name	Duration	-	Crotchet	8
R	Semiquaver	2		Dotted crotchet	12
B	Dotted semiquaver	3	0	Minim	16
1	Quaver	4	0.	Dotted minim	24
1	Dotted quaver	6	0	Semibreve	32

held in memory, in this case 'note\$', If a match is found the position of the key pressed within note\$ is multiplied by four to give the numeric value for pitch (four being the starting point for the note C). For example if 'a' is pressed, the position within the string would be 1 and therefore C below middle C would be played. If the key pressed is 'f', the position returned would be 6 and 6*4= 24. If you look this up in figure 1 you'll see the note to be played is F below in his Hints & Tips column.

middle C. By these means we have reproduced a keyboard spanning two octaves, depending on whether the key is lower or upper case.

This is not, of course, all that you can achieve with the sound chip of your Electron or BBC. In a future article we will take the story further and consider the use of the ENVELOPE command. If you can't wait, though, Martin Phillips has something to say about the subject

Program 3. Pitch and duration

values combine to give a tune

```
Program 1. Chromatic octave of
the 12 semitones from middle C
```

10	FOR pitch =
	52 TO (52+48) STEP 4
20	FOR pitch = 52 TO (52+48) STEP 4 SOUND 118,pitch,5
3.0	NEYT

Program 2. Tones and semitones to make up a scale

```
10 INPUT"Enter number
   to begin is C=52".scale
20 FOR note = scale TO
  (scale+48) STEP 4
30 READ GADS
40 IF gapte"t" THEN note =
   note + 4
50 SOUND 1,-15, note.5
60 NEXT
70 DATA %.t.t.s,t.t.t.
```

10 REM Set tempo 20 tempo=.75 TO REM Pead each pair of pitch

40 REM and duration values 50 READ note, duration 60 REM If value = -1 then finish 70 IF note=-1 THEN END

80 REM Play selected note and duration 00 SOUND1.-15.note.duration#tempo

100 SOUNDI.O.note.2

120 REM Pairs of Ditch and duration 130 REM numbers 140 DATA 68.16.68.8.96.16.96.8.76.12

150 DATA 80.4.76.8.68.16 160 DATA 96.8.108.8.116.16.108.8.96.8 170 DATA 104.8.88,8.96.16 180 DATA 116.8,116,16,116,8,108,16

190 DATA 96.4.96.8.88.8.80.8.76.8 200 DATA 60.16.68.16.96.8.88.16 210 DATA 80.8.76.8.68.8.60.8.68.16

Program 4. Micro keyboard as musical keyboard

220 DATA -1.-1

These programs, around which Jeremy Vine has written his article, were devised by Joe Telford

10 ON ERROR SOTO 150 20 REM Chromatic order of keys over 10 REM 2 octaves. 40 notes="awsedftgvhujkAWSEDFTGYHUJK" 50 REM Set keyboard repeat rates 60 BFX11.1 70 #FX12.2 80 ns=1NKEY\$(0) 90 IF ns="" THEN GOTO BO 100 REM Conversion of note to number

110 pitch=INSTR(notes.ns)#4 120 SOUND &11.-15.pitch.2 130 GOTO 80 140 REM Paset key repeat rates 150 #FX11.50 150 #FX12.7

170 END

SOLIDISK SIDEWAYS RAM: 20.000 UNITS SOLD



"Exciting" (ACORN USER JAN 84), "Power to your Beeb" (PCN 61, MAY 84), "Break the RAM Barrier" (A&B)

HAS YOUR BBC COMPUTER GOT ITS SIDEWAYS RAM BOARD YET?

Not surprisingly many BBC computers have got their sideways RAM boards. Solidisk Sideways RAM can be completely integrated into the BBC computer system: with 6502 and 280 second processors, Torch disk pack, teletext, Econet and Solidisk 8— sideways ROM expansion board.

Adding Sideways RAM to the BBC computer is simple. And it will multiply the machine's power. Here is how.

1- HOW DOES IT WORK?

Occupying the same place as sideways ROMs (such as BASIC, DFS etc.) It is treated like other sideways ROMs and therefore can replace them. Sideways RAM can run any language, and filing system, wordprocessors, databases etc.

Sideways RAM can run any language, and filing system, wordprocessors, databases etc

2 - WHAT SORT OF SOFTWARE DOES IT RUN?

Better than sideways ROM, sideways RAM can be written into. This property makes it not only possible to run the same programs as their ROM counterparts but sideways RAM can be used as Virtual Memory, RAM disc, printer buffer, Basic program store, 65 C 02 assembler, zero RAM, take DFS etc, etc...

3 - WHAT OTHER SERVICES DO YOU GET WITH ALL SIDEWAYS RAMS?

Solidisk sideways RAM comes with lots and lots of free software (see list on opposite page). As a sideways RAM user, you will be able to get updated disks*, free local expert advice and free bi-monthly newsletters to keep you informed. Solidisk spend more than 1,000 man hours every month to produce free software for all sideways RAM users. More and more free software will be available every month.

4 - WHO USES SIDEWAYS RAM?

Solidisk sideways RAM is widely used in schools for ECONET, by programmers to develop new software, in small business systems for wordprocessing and database* and now at home, even for games. New applications are being found every day, such as moving screen memory to Sideways RAM (essential for increasing memory for Webward VIEWSHEET), Colour Imaging System, Teletext page logger and generator, computer typesesting etc.

Sideways RAM is such a versatile and flexible instrument that it will renew your interest continually.

5 - WHICH SIDEWAYS RAM DO YOU NEED?

Solidisk sideways RAM is available in multiples of 16k, each replacing a sideways ROM. Units are in 16k, 32k, 128k and 256k.

The first step is to evaluate your needs.

You can buy a small unit to start with, and exchange it later for a larger one. Extra costs involved with upgrading are minimal. The SWR16, 16k sideways RAM is adequate for most simple tasks (running common programs or for Econet slave stations), including fast disk copying with a single disk drive.

For wordprocessor: using VIEW or WORDWISE, a SWR32 will do. Large documents (20 page plus) will require something like SCRIBE and the 128k or 256k Solidisk**.

For database, unless very high speed is required, a SWR32 will suffice for most popular databases such as Beebase, Fileplus, Starbase, Datagern. Otherwise use the 128k or 256k Solidsk**. For the 6502 and the BITSTIK you will need the 256k Solidsk.

Remember — the more memory you instal inside the BBC computer, the more power you will get out of the machine.

All sideways RAM units come complete with 60+ page Sideways RAM User Manual, 1 utility diskette and 1 year warranty.

"Solidisk recommends SCRIBE and STARBASE because they exploit perfectly the laborent upend of RAM disc. Quite often, some usersty to solve a polyamer problem (such as increasing the size of Wordwise) by a hardware solution (byten the 1259 Solidish). But better any as to by the within Sories (or want the wolfer you not for the air of the horsess it toped with Solidish. But standor regarding distableses in much simpler as Solidish words well with most of them (from 6 tries upped increase with Beckey) Metallet by 2 tries with Soriabes!



UVIPAC EPROM ERASER



TEAC DISC DRIVES FD55 Series



- SENDING FOR FREE SOFTWARE:

Our free software is divided into volumes and is available in single density, either 40 or 80 track 5.25" diskettes. 40 track diskettes contain only 1 volume, 80 track diskettes contain 2 consecutive volumes, (1+2, 3+4, 5+6, etc.)

All sideways RAM is supplied with 1 diskette, containing either VOL. 1 (40 tracks) or VOL. 1+2 (80 tracks) as requested. Extra volumes are charged for media and postage

The following volumes are available at the present time:

VOL. 1: General Utilities: Menu, STLDISC, STLOEOO, STLRFS, Printer Buffer, STLRPS, Quicky, Fastbackup, Keyboard, Word64, help!.

VOL. 2: English Spelling Checker: Silexicon and English dictionary (15000 words).

- VOL. 3: BASIC program generator: Macro Basic. Never Bad Mode again: Virtual

- VOL. 4: Database: Solidisk Datafile. - VOL. 5: Foreign Language Dictionary Generator: Silexigen, Silexicon source code

- VOL. 6: French spelling checker (15,000 words)

 VOL. 7: German spelling checker (13,000 words).

 VOL. 8: Machine code tools: Solimon, the finest machine code monitor with Disassembler, debugger, single step etc. for both 6502 and 65-C-02 (for second processor. 65 C 02 assembler (for second processor), UVIPROM control software, SPRITES and SPRITE generator (providing 60 sprites per 16k sideways RAM).

- VOL. 9: to be released in October: Solidisk Toolkit, Rubber band, and Z80 drive C (RAM disc facilities for Acorn Z80 second processor)

- VOL. 10 to 19: Source code for use with the Technical Manual.

7 - TECHNICAL MANUAL:

THE TECHNICAL MANUAL contains extensive program listings and notes by their authors. It also covers the MACRO language programming (part of Macro Basic), MOS conventions for sideways software. Solidisk conventions for sideways RAM software, STL DFS entry points, the 65C02 programming facilities and schematic diagram

The Technical Manual package consists of the Technical Manual and 3— 80 track diskettes containing VOL. 10 to 15 and costs £10.00.

8 - LOCAL EXPERT HELP:

A list of local Solidisk experts is printed in the Sideways RAM User Manual. For the cost of a local call, they can certainly help you with installation or software advice. Potential experts are warmly invited to contact us.

SOLIDISK DUAL DENSITY DISK FILING SYSTEM

soldisk Disk Filing System (STL DFS) is based on the Western Digital WD1770 Flo Disk Controller for the BBC computer. Solidisk DFS features an AUXILIARY PORT with the possibility of having up to 8 disk drives (4 Double Sided), numbered from 0 to 7 wth 2 simple connections. Thus it is possible to connect 4×TEAC 55F (or Mitshubishi's) with the same data cable, providing 2.8MB of storage for much less than having a fixed disk (and tape streamer or more floppy disks). The total cost of such a system (DDFS+4 Msubishi) is around £650 inclusive. Quite a few users especially schools with a large number of pupils, will find that it is a much better choice and technically speaking, intallation is much simpler.

1-SINGLE OR DOUBLE DENSITY?

The difference is in the number of sectors per track you can get. With single density, STL DFS allows 10 sectors per track (Acorn format), with double density, this number is 16, in increase of 60% at no extra media cost.

2-CONTENTS:

STLDFS consists of only 4 ICs to be plugged into existing sockets on the BBC computer bard. They are labelled: IC 78, IC 79, IC 80 and the DFS ROM. Installation is quite michtforward and should not take nore than a few minutes.

HOW TO ORDER?

Address:

ou can order any item using the coupon. Post and packing is only charged once. Access and Barclay card holders can place their order by phone Educational authorities, Acorn dealers and OEMs can obtain quantity discounts

Credit Card Account:

Callers are requested to ring first for appointment

Total:

SOLIDISK'S NEW TELPHONE NUMBER SOUTHEND-ON-SEA (0702) 354674 (10 lines with automatic exchange)





Connect the control wires	
PRICE LISTS AND ORDERING (including P&P and V SIDEWAYS RAM	
SWR16	\$43.6
128K SOLIDISK	£150.9
256K SOLIDISK	. £257.9
The following are upgrade prices for existing Sideways Ram Users:	
16 — SOLIDISK 256 (teturn item) 32 — SOLIDISK	PO/
32 - SOLDISK 256 (return item)	£95.0
128 - 256 (return item)	\$195.0
	123.0
DFS AND DISK DRIVES:	
	£39.96
DDDFS Chip upgrade S DFS	£49.95
DDFS — 1MHz bus version	CEOCO
MITSUBISHI 2 x 80 (incl leads + manual)	£163.00
MITSUBISHI TWIN (incl leads+manual)	.£323.00
COMPLETE SYSTEMS. (Le. DRIVES + DDDFS):	
MITSUBISHI 2×80	F000 01
MITSUBISHI TWIN	C353 O
DISIRETTES (Datable Verbetim boxes of 10): SS-DD 40	
	£17.00
DS-DD-40 SS-DD-80	£23.00
DS/DD 80	£24.00
CPU CASE	£13.00
KEYBOARD CASE	£23.99
EPROM PROGRAMMER (use with Swr or Sobdisk)	
UVIPAC EPROM ERASER	£20.95
Special offer: Eprom Programmer + 5 2764s	651.00
The state of the s	



SOLIDISK TECHNOLOGY LIMITED 17 SWEYNE AVE SOUTHEND-ON-SEA ESSEX SS2 6JO

Watford Electronics



Dept. ACORN, CARDIFF ROAD, WATFORD, HERTS. ENGLAND [Tel: Watford (0923) 40588/37774

Telex: 8956095 WAELEC ACCESS ORDERS Tel: (0923) 50234



Sof

SPECIAL OFFER

BBC Micro (Model B)

New Low Price Only: £326

Price includes a FREE Data Recorder PLUS five software programs worth £80.

(At Watford we give you a great deal for your money) 6502 2nd PROCESSOR £175


Z80 2nd PROCESSOR	£262
TORCH 280 DISC Pack TORCH 280 2nd Processor	2695 ONLY £295
BBC Micro with ECONET ECONET Upgrade Kit File Server Level 1 File Server Level 2 Printer Server EPROM Clock Terminators (1 pair)	£37! £5! £8! £21! £4!

Dust Cover for BBC Micro

10 Station Lead Set ECONET User Guide and Cable

Protects your expensive Micro from foreign £3.50 bodies while not in use.

€25



One of the classic printers, 100 CPS, 9 x 9 dot matrix, dot graphics, condensed, double width normal and Italic, 10° carriage; bi-directional logic seek. Centronics parallel interface

ONLY £229 (£7 carr.)

EPSON RX80 F/T PRINTER As above but with friction feed capability built in.

This allows the use of plain paper sheets. £245 (£7 carr.)

PRINTER INTERFACE BUFFER

This neatly packaged, self-contained unit i supplied complete with all leads, operating manual and power supply. Computer output to the printer is stored in the buffer so that the computer can continue with other tasks while the printer works from the stored contents in the buffer, 16K holds approximately 10 pages of A4, close to the full memory of Wordwise. The 48K nodel is very useful for extremely large documents that otherwise tie the computer up hours while being printed

rice: 16K	£11
rice: 48K	£14

Epson FX80 Printer

The most popular printer in the Epson range Features include 160CPS, 11 x 9 matrix. proportional spacing, superscripts, subscripts, graphics, many character fonts, user definable character set, margins, Tractio and Friction feed built in as standard. 10° carniage width with bi-directional logic seek for maximum speed. Centronics parallel interface standard. proportional spacing, superscripts, subscripts

ONLY £316 (£7 carr.)

	The second second		
Type	Ribbons	Dust Cove	
MXBOFT	€4.75	£4.50	
MX100/FX100	£10.00	€5.25	
FX80	€4.75	£4.95	
RXBO	€4.75	£4.50	
GP80	£4.50		
GP100	£4.95	£3.95	
GP250	£5.95	£3.95-	
GP700	£18.50		
KAGA KP810	£5 95		
CANON PW 1080	£5.95		

RX & FX PRINTER INTERFACES

Epson interfaces fit inside the printer to allow connection using techniques other than RS232 - 2K Buffer £59 **IEEE 488** £65

BROTHER HR-15 DAISY-WHEEL PRINTER

This is a high-quality daisy-wheel printer, for the price of a dot matrix. Daisy-wheel quality gives a professional look to your correspondence.
Facilities include 18CPS, bi-directional print, 3K Buffer with clear facility carriage skip movement text copy switch, proportional spacing underlining, bold, shadow, super and sub-script of carbon paper. Connects directly to the BB single sheet feeder that automatically feeds up to 150 single A4 sheets and a keyboard to transform the printer into a sophisticated electronic typewriter

SPECIAL OFFER ONLY £339 (carr. £7)

£195

	KEYBOARD FEED Attachn	£135 nent £90
	Carbon £3;	Multistrike £6
DAISYWHE	ELS (various	typefaces) £18

LISTING PAPER (Plain)

1,000 Sheets 91" Fanfold Paper	€7
2 000 Sheets 9; Fanfold Paper	£13
1.000 Sheets 15' Fanfold Paper	£9
Teteprinter Roll (Econo paper)	€4

PRINTER LABELS

Single Sheet Feeder

(On continuous fanfold backing sheet)

1,000 90 x 36mm	€5.50
1,000 90 x 49mm 1,000 102 x 36mm	£7.75 £6.25
Carriage on Printer Paper or Labels	£1 50

DPW1120 DAISY WHEEL PRINTER

printer chair everyone can afford, yell there are in compromise in facilities available = 20 CPS. bi directional logic seeking, print 10, 12 & 15 pitch, proportional spacing, QUIME Protocols, QUIME Risbion. QUIME Daisywheel 96 character maximum characters per line. 180 at 1/15 pitch, popy capacity. 4 copies Centronics included the control of the con Interface Supports all Wordstar features, paper width 13" max., Optional extras RS232 C Interface, tractor feed attachment, single sheet

Amazing Introductory Offer:

£219 (£7 carr.)

KAGA KP810



What do the press say At £269 this is an unbeatable product for what it has to offer." - Educational Computing & Computing

This new Japanese printer has EPSON FX/RX compatible control codes and is functionally guivalent to an FX80 with the added advantage of its Near Letter Quality mode It is solidly built and features include: Normal Italic, Enlarged super/subscript, proportional spacing and user-defined character set. Extras over the FX80 included in the price are Near Letter Quality properadjustible tractor feed, half speed quiet mode and 3K buffer. The printer is bi-direction and logic seeking to give a speed of 140CPS for high throughput in conjunction with the standard riign immugingut in conjunction with the standar 3K buffer, BK RAM may be added to give more user-defined character sets. Centronics parallel interface - Warford's 12 month NO QUIBBLE WARRANTY.

Special Offer: ONLY £235

RS232 interface - 2K buffer to connect to other

KAGA KP910 PRINTER

Very similar to the KPB10 but with 17" carriage for really wide print. Gives 156 columns of normal print or 256 columns in condensed mode. This printer is ideal for printing out

ONLY £349

£89

spreadsheets and can also be used to correspondence in NLQ mode. PRINTER LEAD 36"

Centronics lead to connect BBC micro to EPSON KAGA, SEIKOSHA NEC STAR JUKI BROTHER, SHINWA etr: printers

STANDARD (3 foot long) EXTRA LONG (5 foot long)

£7

EPROM PROGRAMMER



The Watford Electronics EPROM programmer for the Watford Electronics EPROM programmer for the 88C micro is a high quality self-contained package. Programs all popular EPROMs from 2K to 16K: 2716, 2616, 2632, 2564, 2764 and 27128. All manufacturers specifications have been followed to program EPROMs at the correct speed - wrong timings could destroy your EPROMs. The unit has its own power supply so does not put heavy loads on the BBC power supply as do some other units. Connects directly to the 1MHz bus following all Acom dations on addressing and bus

SOFTWARE PACKAGE

the software is supplied on an EPROM which plugs into the Micro and is instantly available with a single command tho time wasting as on Casettedisc loading. It is a fully purpose designed and integrated package to simplify 80M development. The system is menu driven with many prompts to avoid any accidents.

Software facilities include: Load File - Save File - Down Load EPROM -Program EPROM - Verity - Blank Check -Editing of memory contents prior to

Also included is an automatic so Ass included is an automatic system to allow Bisic programs to be put in EPROM and accessed through the "ROM filing system. More than one program may be put in an EPROM. All these facilities and more are explained in the thing. comprehensive and clear 15 page manual

ONLY £79 (£3 carr.)



TEX EPROM ERASERS

EPROMs need careful treatment if they are to survive their expected lifetime. Over erasure of EPROMs very rapidly turns them into ROMs! The TEX erasers operate following the manufacturers specifications to give the maximum possible working life by not erasing too fast. We use se erasers for all our own erasing work

• ERASER EB - Standard version erases up to chios £28

• ERASER GT - Deluxe version erases up to 28 chips. Has automatic safety cut-off to switch of the UV lamp when opened £30 • Spare UV tubes £9

NEW DESIGN PLASTIC LIBRARY CASES



for Disc Storage 51" (holds 10) £2

DISC DRIVES

(All Drives are NEW SLIM-LINE Type) **NEW LOW PRICES**



(DRIVES Cased with Cables: connects directly to your BBC Microl

 CLS 100 Single TEC Single sided 40 trace 100K, 51° Disc Drive
 C1 £112

 CLS200 Single Drive. Double sided 40 trace 200K.51

 CLS400 Single Mitsubishi Double sided 80 track 400K 51" Disc Drive £165

CLS400S Single, Millsubishi Double sided 40/80 track Switchable 400K, 51" Disc Driv

£199 CLD200 TEC Single sided 40 track 2008

 CLD800 Mitsubishi Double sided 80 trac BOOK 51' TWIN Drives

CLD800S Mitsubishi Double sided 40.89 track switchable 800K, Drives £349

You do not require a formatting disc nor the expensive 40/80 track swirchable drives if yo use Watford's sophisticated Disc Filing System which has all these facilities in the ROM

(CUMANA) DRIVES CASED

WITH PSU & CABLES





• CS100 TEC Single sided 40 track 100K 5

• CS200 TEC Single sided 80 track 200K £175 CS400 Mitsubishi Double sided 80 track
£199

 CD200 TEC Single sined 40 track 200K TWIN Disc Drives £265 CO400 TEC Single sided 80 track 200x 5

TWIN Disc Drives £349

 CD800 Midsubishii Double sided 80 track
 800K 5 [* TWIN Drives £399 CD800S Mitsubishi Double sided 40-80 to Switchable 800K TWIN Drives
 E

. SPARE DRIVE CABLES SINGLE £6; DUAL £8

DFS Manual (comprehensive) £7.50 (No VAT)

DUST COVERS

(For our Disc Drives) Single (without PSU) £3.20 £3.85 Single (with PSU) win (with PSU) £3.90 Twin (side by side)

51" DISKETTES

Top quality 3M and XIDEX diskettes with a lifetime guarantee. These discs are quiet in operation and insert positively with their reinforced hub rings. Boxes of 10 supplied with disk labels and write protect tabs.

10 SCOTCH / 3M - labels S/S S/D 615 10 SCOTCH / 3M + labels S/S D/D 10 SCOTCH / 3M + labels D/S D/D £24 10 XIDEX + labels S/S D/D 10 XIDEX - labels D/S D/D €24

DISCALBUMS

.

Atractively finished in beige leather-look vinyl, these conveniently store up to 20 discs. Each disc can easily be seen through the clear view pockets.

£4.25

LOCKABLE DISK STORAGE UNITS



Strong plastic cases that afford real protection to your discs. The smoked top locks down. Dividers

M35 holds upto 40 discs · M85 holds upto 95 discs £13 £18

FLOPPY HEAD CLEANER KIT

The heads in a floppy disc drive are precision made and very sensitive to dirt. Drive manufacturers recommend that you clean the heads approximately once a week. Utiless your home or office is dust free one of these kits is a very sensitile precaution against losing valuable data. A dirty head can destroy many disks before you realise the trouble. Very simple to use Only £14

BBC Micro WORD-PROCESSING PACKAGE

A complete word-processing package (which can be heavily modified to your requirements, maintaining the large discount). We supply everything you need to get a BBC. Audio running as a word processor. Please call in for a

EXAMPLE PACKAGE

BBC Model B Watford Electronics DFS upgrade. Twin 200k Teac drives in beige Zenith 121 Twin 200k feac drives in beige Zenth 12* Hi-resolution monitor liferen or Amberl, Brother HR15 daisywheel printer Germin software BEEBCALC spreadsheet analysis and DATABASE software on disc. 10 x 3M discs. 500 sheets fan-fold paper. 4-way mains trailing socket manuals, all leads and BBC carrying case.

ONLY £1,189 (£15 carr.)

ACCESS HOT LINE (0923 50234)

(24 hours)

Continued -

MONITORS



We stock a range of monitors to suit all needs. Choice of a monitor is a matter of personal taste so we recommend that whenever possible, you ask for a demonstration at our shop.

MICROVITEC

RGR lead for KAGA

- 1431 Medium resolution as used on the BBC television computer programme . . £174
- 1451 High resolution, suitable for word processing in mode 0 £295
- 1441 Super High res, exceeds the capabilities of the BBC micro.

 £389

 All Microvites monitors are 14* RGB in their distinctive right applied that They come with the

distinctive right angled case. They come with the connecting lead to the BBC and a mains plug.

- Standard resolution with RGB and composite video inputs £195
 High resolution colour £259
 Kaga monitors are 12" RGB colour with antiglare
- Kaga monitors are 12" RGB colour with antigla screen and user access to screen controls. ZENITH

12" Ultra high resolution monochrome monitor, ideal for word processing as its green or amber screen is very restful to read. The high resolution makes it good for games too – you can really see the detail that has been put into the

graphics	ONLY £75	
LEADS		
BNC for Zenith	ca ca	

£5

Versatile BEEB SPEECH SYNTHESISER Unit

N.B. Carriage on Monitors £7 (securicor)



SIMPLY the best! — An unlimited speech synthesis system. Complete with easy-to-follow manual. Controlling software is in ROM so no Cassette Loading problems!

PHONEMES for word synthesis - That means unlimited vocabulary! No extra speech dictionary chips to buy! BUILT-in Library of approximately 500 words to

get you started.

ENGLISH accent – Utilises inflexion techniques to produce highly comprehensible speech.

EASY to use system – Just plug the software ROM into a socket, the Speech unit into

ROM into a socket, the Speech unit into the User Port, and away you go! No specialised 'dealer upgrade' required! COMPACT unit – The whole system is built into a small case – easily tucked behind the computer. Auxiliary output socket provided

for direct connection to an external amplifier. HOURS of fun! — Suitable for any application — Games, Educational Programs, Specialised

Packages.

We know this all seems to good to be true but DON'T BE LEFT SPEECHLESS! Order your

ersatile Speech Unit now!
Only £44

Best cost less at WATFORD

WATFORD'S LAUNCH OF THE YEAR APEX

The ultimate expansion system for the BBC microcomputer. It enables you to increase memory capacity to 2 + MEGABYTES including BATTERY BACKED-UP RAM.

including BATTERY BACKED-UP RAM.

The system consists of a mother board which fits inside the BBC and further daughter cards can be connected externally. The internal card has the following features:

- 15 ROM/RAM sockets. 11 of which can be configured as 2716, 2732, 2764, 27138 EPROMS or ROM equivalent devices or as 6264 RAMs. Any RAM is Automatically battery backed-up and it's contents preserved when the power is turned off.
- The battery is recharged every time the machine is turned on and lasts several months, depending on the number of RAMs
- There is very little extra current drain, even with a fully loaded board as only the presently active ROM is powered up. In fact the fully populated board uses only 300mA.
- The board reduces micro bus loading by up to three ROM loads, which improves reliability and performance.
- Installation is extremely simple. There is no soldering required. The board is rigidly in no soldering required. The board is rigidly of by two 40 pin sockets and five support posts. A ribbon cable can be brought outside the computer and up to 8 external cards added. This enables the user to plug-in up to 142 paged ROMs. The cards have following
- Each card can accommodate up to 16 devices each of which can be configured as 2716, 2732, 2764, 27128 ROMs or 6264 8K RAMs.
- Battery backup is provided from the internal card.
- Only the active ROM is powered up permitting many external ROMs to be added with very little current loading (100mA per card).

The system comes with controlling software in ROM. The utilities supplied are as follows:

- ★ APEX replies with the device number currently being accessed.
- ★ APEX C toggles between the colour and standard black and white messages.
- ★ AL loads from any device, regardless of the data type.
- ★ AS saves memory to any specified RAM device.
- ★ AD prints a directory of the devices present in the system, i.e. ROMs present and files stored. This also reports on the amount of free storage space.
- ★ AF asks for the free RAM devices.
- ★ LA repeats the last command to paged ROMs.

Continued

- ★ AT enters a memory testing routine. This will write a test pattern into the memory and read it back out again. If a fault is found, it is reported to the user. This test continues until Escape is pressed.
- RDISC activates APEX as a filing system which then treats all free APEX RAM in the system as a continuous RAM-DISC. All commands have similar.

format to the DFS and transfer is possible between the two systems. The complete computer system bus is available to the user, so that other cards/devices could be added such as EPROM programmers, second processors. Winchester disc drives, clocks, etc. By racking the cards you eliminate the tangled mass of cables that usually accumulates.

around the micro. A comprehensive operating manual is supplied with every APEX Board. Please write in for further details and prices.

THE ULTIMATE DFS FOR BBC MICRO

by



MICRO USER Shows. What do the independent press say?

Good value for money – Beebug Aug. 'B3' A very worthwhile package – The Micro User. You'll be buying a very powerful package –

Superior DFS: Excellent disc sector editor Computer Answers

Without a doubt, the most sophisticated DFS Software yet written for BBC Micro Computer. This proverful new DFS is fully compatible with ACORN, DFS vet has much increased power due easier in normal use. It consists of over 14K of easier in normal use. It consists of over 14K of efficiently written machine code. It is entirely selfconstained and so does not require a utilities disc to function.

Please write in for full technical specification

PRICES: DFS (Disc Filing System) ROM

Complete Disc Interface Kit including DFS ROM & Fitting instructions £99 Disc Filing System Manual. Comprehensive and

£29

£5.25

£19

€28

£5.25

early written £7.50 (no V

S. We will exchange your existing ACORN DFS or PACE (AMCOM) DFS for Watford's highly sophisticated 16K DFS ROM for £2

sophisticated 16K DFS ROM for #25
Watford's DFS is exclusively available from
Watford Electronics. We do NOT retail through an
dealers. Every ROM carries a label with our LOGO

Now available: Acorn DFS Kit £99

EPROMs & CMOS RAMS NEW LOW PRICES

2764-250nS (8K ROM)
27128-250nS (16K ROM)
6116-150nS (2K RAM Low Power)
6264-150nS (8K RAM Low Power)

BEEB PRINTER ROM



This utility ROM is designed to simplify using all the facilities of your printer. It has many

hitt and size is by Single Key operations.

From Wordwise, a single number following C will select a mode rather than a long and numprehensible string of control codes. This nakes using your printer with Wordwise mu

 When using Basic for other languages) you can have control over the formatting of the autout to the printer in the style of a wordprocessor. You can define page top, bottom

tow respond to form-feed etc. commands.

• User defined characters are printed as you see them on the screen so that non-standard

thracters are automatically printed out correctly.

• Commands select the options for the

billowing printers:
©100 STAR NCC MX/FX KAGA,
[P/VIIDMP100, DMP200,
Operates with either parallel or serial interfaces Supplied with a 50 page manual that is very comprehensive and easy to follow. Please specify the correct function key strip.

Price: £24

DUMPOUT 3

histicated screen dump ROM. This his to be the most flexible and powerful screen sone ROM yet produced for the BBC micro. amp RUM yet produced for the BBC, micro, it will put on paper anything you see on the scen, including all Mode 7 facilities etc. We have to admit that there is one facility that we amot replicate – if anyone can supply fiashing in we would like to know! The ROM also provides window setting facilities and two new OSWORD calls that allow mode 7

piphics pixels to be read and plotted using the immands are used to operate the dump *IMAGE - This provides a full graphics dump of any Mode (including Mode 8). There are

erous optional parameters but you need only socily the parameters you wish to change.

• V <scale> H <scale> These 2 byte numers are fine control over the size of the dump from inute to enormous. Unlike other dump ROMs to scale does not change with mode.

R <0-3 > — Print dump rotated by 0.90, 180.

I < min > Set gap from left edge of pap
 X < min > max > The

ancle of the screen graphics window area is tunped except when these parameters are

P - Physical colour values are used for notting, otherwise a negative scale is used

white darkesti.

I Two tone dump for maximum resolution.

M <mask > - B bit colour mask.

E - Contrast expansion to make mode 7 text

d separated graphics stand out from the

. C - All mode 7 graphics are printed as attiguous to improve the shading in graphic

Phas.
**IMAGE < indent > - Does a fast, text only. timp of the contents of the text window in any "GWINDOW and "TWINDOW - These

commands draw the graphics and text windows, respectively, on the screen and allow them to be changed with the cursor keys, N.B. GIMAGE and banged with the cursor keys. N.B. GIMAGE and GWINDOW work fully in mode 7. Designed for use with the following printers: 1790. GP80. GP100. GP250. STAR. KAGATAXAN NEC. SHINWA. GEMINI. EPSON MXRX/FX.LPVII. DMP 100/120/200/400.

Price including comprehensive manual £22 APPROYED for use with telecon extractions systems run by Brising and Communications in accordance seems be conditions in the instructions for use.

MODEM 84

For the BBC Microcompu



The Wat approved connection to Prestel, Micronet and the cost of a good tape recorder.

Prestel gives you access to an incomparable

database covering almost every subject under the sun. There is Micronet with lots of free programs that you can download and run. Details of clubs and user groups, a diary of meetings and news, weather information, electronic mail and

The basic Prestel subscription is only £5 pe quarter and at off peak times there is no charge for access time. A local phone call facility means no long distance phone calls to Prestel (approx phone cost is only 40p per hour). The Watford Prestel package consists of the B.T approved Watford MODEM 84 11200/75 baud full duplex 1200 baud half duplex direct connect) and a very sophisticated Prestel Terminal ROM.

is totally machine code software is fully compatible with not only the Mode
 84 but also with the PRISM 1000 and most

supports full Prestel colour alpha and graphic paracters including double height, flashing.

called by simple *PRESTEL (*P.) command sc and tape configurations fully supported includes a comprehensive telesoftware

wnloader for BBC and other programs with ntinuous on screen status report (an essential

has very powerful OFF LINE MAILBOX editor

auto logon sequence can be burnt into ROM desired a vital 'TAG' facility allows tagging and recall

finteresting pages, avoids that common a nnoving NOW WHERE WAS THAT PAGE includes simple page and program loadir and saving functions for both disc and tape

not one but TWO PRINTER DUMP ROUTINES are provided within the software allowing either full graphics dump (mode 7)

a user function built into the software allows interface with specialist routines, (yours as well

EPSON DUMP ROM

Kaga KP810. It is extremely simple to use as there is only one command to remember. It will accurately dump any screen mode using multiple tones as required. Mode 7 is fully supported iving teletext graphics, double height etc. For lose who like to keep life simple this EPROM is only £20

FORTH ROM for BBC

This ROM provides a complete implementation of the FIG-FORTH standard (including editor). Supplied with a large tutorial manual at only £33

TINY PASCAL for BBC Micro £59 · All the above facilities are accessed function keys. An overlay is provided to give comprehensive guidance to key functions.

A 34 page comprehensive instruction/operating manual is supplie

WATFORD'S 1200 BAUD

FULLY AUTOMATIC USER TO USER SOFTWARE the WATFORD PRE

TERMINAL which includes the 1200/75 baud MODEM 84 the addition of the WATFORD user to user ROM based software enables you to

is software enables you to use the MODEM 84 very powerfully.

Send and receive error checked programs and files (even WORDWISE files) to and from other

8k file transfer in under 2.5 minutes (appro-four times faster than with 300 baud modern

A chat mode is provided which also has this automatic switching for receive and transmit. (This mode is essential just before and after data transfer when both hand sets are replaced to

 A copy facility is provided which allows transmission of all screen output. · A continuous on screen modern status report

· The software is totally function key driven loading of programs and files (Basic, Machir code or Data). A help menu is available from within the

oftware as an aid to use.

Full instructions are supplied

PRICES PRESTEL SOFTWARE ROM ONLY (incl. Comprehensive Manual £20

WATFORD MODEM 84, SOFTWARE ROM and Comprehensive Manuals £82 (carr. £2)

USER TO USER SOFTWARE ROM £14

VIEW

We are supplying the new VIEW version 2: £49

FX80 PRINTER DRIVER Watford's own TWO Sophisticated PRINTER DRIVER for VIEW

To simplify using the full facilities of the Epson FXBO or Kaga KPB10 use this printer driver. Full facilities are provided for selecting between fonts etc. The disc includes examples of use and instructions. Available on 40 or 80 track disc (please state which required).

WATFORD ELECTRONICS VIEW PRINTER DRIVER FOR SILVER REED

We are pleased to introduce a new range of printer drivers to complement the Silver Reed approved by Silver Reed, for use with the

The View driver allows access to all of the printers (EXP 700/400/500/550). These include underlining bold, shadow, superscript, and subscript printing. Additionally, you can use proportional spacing on the EXP 700. Owners of one of the typewriters in the range EXP. one of the typowriters in the range EXP 55/44/43, using it as a printer, can also access underlining with these drivers. The features of each printer/typowriter are accessible from the two highlight codes, which

Can be redefined at any point within the text.

The printer drivers also extend the facilities in The printer driver on disk with a u at a special introductory price of £7.50
Please specify printer type when ordering

WATFORD **ELECTRONICS**

Continued -

ACORN USER OCTOBER 1984

TWO DATABASE MANAGEMENT SYSTEMS



DISCDATA

Disordata is an entirely disc based database handling system. It is extremely easy to use through its comprehensive menu system. The simplicity is such that we do not feel the need to provide explanation on use in the written guidance supplied with the program. The first-time database user will rapidly become familiar with this package designed throughout

to be simple and obvious.

Despite the ease of use this system prothe facilities needed for complex data handling problems. The length of database that can be handled is only limited by the total space on the disc. You can have up to 20 fields with page length records up to 254 bytes in length. Adding and deleting records, amend titles, field names and records. Sort on any field and search for any record or group of records in any field. The database may be re-formatted after creation, the system will re-write all your files for you automatically. You may add extra fields and sucontatically. You may add extra fields and extend the length of sixisting fields freely. Output formatting is viery powerful. You are allowed 40, 80 or 132 column output modes going to printer or screen. Selected fields can be put in any order on the screen or printer, either across the paper or down. Output can start or stop anywhere in the file. Decimal fields are automatically totalled and records output are counted. Version 2, now on sale has improved input and amendments procedures giving full record edit as well as the 3 extra features . . . String searching, Calculations on numeric fields, and the ability to create sub files from your main

On disc at

Only £17

(Please specify 40 or 80 track when ordering)

FILE-PLUS


The File-Plus package is even more powerful and flexible than Disc-Data. It is also largely menu driven but has its own command language for file searching. The 16K ROM contains all the normally required routines, with lesser used options supplied on the utilities disc. All input and output formatting is controlled through screen forms. A full screen editing system is used to define a form which allows tremendor. flexibility in the format in which your data is displayed. It is very easy to change from to form so that you can type in your data with one form, and examine it with others. You will typically design several forms before starting to access the database so that you can quickly and easily see the fields of each record that you want to appear in the layout you decide on. The form system is also used for output to your printer. File Plus has a unique file linking system that allows the entire on-line storage of your system to be used for one database. This can give around 1.5 Megabyte databases using dual

around 1.5 Megalve distances using output drives and double density. The built in FQL (File-Plus Query Language) can be used for searching the database Presented in the form of a powerful command language with looping facilities etc. this allows the most flexible access to your data possible. Full arithmetic. and compare sacreties and an accompare sacreties when keywords are supported by the language assign, compare, display, end, goto, iff lift, print, read, search, spool and update. Supplied with a very detailed 70 page manual to

explain all the facilities with ma Only £43

(Please specify 40 or 80 tracks for the utilities disc

BUFFER & BACKUP ROM



For those with sideways RAM fitted in their machines this utility ROM will make full use of this facility. By using the sideways RAM area for

- implemented 4K or 16K buffer for parallel pr
- Dumps selection of Disc files to Tape
- Makes backup copies of tapes on to tape and
- Displays contents of paged ROMs on screen. Menu display of ROM filing system contents
- * Comprehensive manual

Only £22

DATAGEM

Gemini's 24K ROM based DATABASE Management System Special Introductory Offer: £99

WONDERFUL WATFORD

PEN PAL-VERSATILE LIGHT PEN SOFTWARE

Do you have a light pen that never gets used? Then this piece of software is for you. This package offers many useful facilities that make the light pen a useful device to own. Facilities

- Pixel Line and Character definition
- Free hand drawin
- Fill, Refill and stopes User defined "Brush strokes" plus character.
- Grid, Scale and perspective aids 2 to 200 its palletable in one design with Circles and
- rubber banding"

 Move design/character to any screen position Save and Load screens. User defined characters and line drawings for video titles, own

grammes etc This program has many uses in education and at e. It is supplied with a comprehensive instruction manual.

Works with Watford, RH, Acom User, DIY and many other Light Pens.

DISC 140 or 801

DISC EXECUTOR

tor is a sophisticated disc utility for the transfer of your cassette programs to disc. If you have difficulties transferring your cassette software to your disc system then this is the answer It handles Tocked files and full length adventures (up to &&e blocks) and programs that load below &EOD. It is very simple to rate with instructions supplied. It saves you time and money

Price £10

£10

(Please specify 40 or 80 track discs)

ADE

Complete program development package in a 16K ROM. Full assembling and debugging

SPECIAL OFFER ONLY £43

ROM MANAGER



This ROM is unique in its capabilities. It allows you, the user, full control over the BBC Micro's sideways ROM paging system with simple to use commands. This ROM is essential for those with several ROMs At a simple level ROM MANAGER can be used to remove the proble MANAGER can be used to remove the problem of clashing command names and allow full use of all the facilities of your ROMs. This is coupled with facilities to completely enable or disable various ROMs in the machine including ROM.

manager itself ROM MANAGER can also be used to develop ROM MANAGER can also be used to develop-sideways ROMs using the machine is standard memory. This is achieved by sending sideways ROM calls to your code: In RAM, saving the expense of fitting sideways RAM for ROM development purposes. ROM status reports are also given by the ROM, including ROM lengths. filing system title. The ROM also provides facilities to examin

ROMs, list function keys for editing, modify Re-lusing a HEX/ASCII editor) and list ROM titles modify RAM neatly and concisely he commands given in the ROM CHECKSUM - Generates a CRC for a

pecified ROM (useful for testing suspected *DIRECT - Passes a command directly to a named ROM lovercomes command name

*EXAMINE - Allows examination of a named

EXPLAIN - Gives detailed explanation of the first 22 *FX codes.
*FILE — Passes a command directly to the

current filing system (wh. rommands after all the ROMs1

function keys in a form suitable for editing.

*INCLUDE – Allows the main memory to be used for ROM development. MODIFY - Memory editing in HEX/ASCII

NAMES - Lists the names and socket numbers *RAM - Sends command directly to the RAM

*REMOVE - Removes RAM based ROM option - Selects the default ROM. *DEFAULT - Sends commands directly to the

default ROM without having to give its name
*STOP and *START - Disable and enable and named ROM to completely evin ashes.

fitted in the machine including socket number name length whether it is enabled whother it has service or language entries etc. "VALUES — Gives ROM MANAGER status"

information, such as its socket number how many ROMs have higher priority, number of default ROM and the identity of the current filing

*VECTOR - Same as *DIRECT, just in ca *DIRECT clashes with another ROM. *Diffect clashes with another ROM.
All selection between particular ROMs is by the name of the ROM and this may be abbreviated for convenience. ROM numbers can also be used if required. This ROM is very simple and obvious to use. All the facilities are explained in the clear. and detailed manual

Price £22



Watford's own Machine code Monitor RDM written by Andrew Bray (Cambridge) co-author of the BBC Micro Advance User Guide

The most powerful and versatile machine code monitor ROM yet written for BBC Micro. It has all the normal memory editing, moving and relocating feelinies, plus all editing is writh a full scene retirul allowing scrolling up and down methory enflexing in Hex. ASCII or standard assembler memonics.

side a.s. debugging tool, you ran code under a stall emulation bastem. Everleit it desperate up to set a break point in ROM? No problem sou can even have break point in reading or withing locations in memory and on register contens. The system fully supports debugging of sideways ROMs e.g. BASIC can fully and saigh ber run from within Boehom and from their DS and other sideways ROMs can be used in total emulation.

used in total emulation mode Besthain can even run itself. In so doing you gan feet Beethmon up to a level limited only by the memory size Beethmon uses 256 tytes of lowskspace located anywhere in memory even on the 1MHz Bus Beethmon effectively uses no see page workspace so your program leg. BASICI can use any or all of the base none.

are been workshoes so visit processes and processes and so the source of the source of the Malifican see and so the source of the bear of the source of the source of the processes of the source of source sourc

£22



Discover the hidden secrets of BASIC and the OPERATING SYSTEM with this easy to use programmers tool A ROM pased machine code Disassembler for A ROM pased machine code Disassembler for

le 86 micro 1 enables machine code in administration of the machine code in a code of the machine code in a code of the code (84 or tage 10 be listed and also has a primed decity as well as HEX DECMAL ASCI and BINARY memory editing There is also a full set of labeling facilities wavable (un to 3.200 label), with the major focations and routines.

Thus DIS-ASM enables any monitor program, such as BEEBMON to be used to much greater effect as it is not necessary to disassemble themory each time the display is altered.

ONLY £18

WATFORD - Always a step ahead

COMPUTER CONCEPT'S ROMS CARETAKER Basic Utility £28

Graphics ROM £28
Disc Doctor ROM £28

Wordwise

Without doubt a very sophisticated piece of software for the BBC Micro. If has all the features of a professional word processor vet is easy to use.

SPECIAL OFFER THIS MONTH: £32

BEEBFONTROM

BEEBFONT is a remarkable and different concept in BBC software supplied on a 16K ROM. It allows you to display text on the screen in any of the following styles.

abcdeighijklndop abcdeighijklndop abcdeighijklndop

ABCDEFGHIJKLMNOP abcdefghijklmnop ABCDEFGHIJKLMNOP

ABCDEFGHIJKLMNOP abcdefghijklmnop ABCDEFGHIJKLMNOP

ABCDEFGHIJKLNNOP abcdefghijklmnop GBCDEFGHIJKLNNOP

ABODEFGY LIKENYOF

It works in modes 0.1.2 and 4 using the full colors catabilities of each mode Characters are printed in the same way as normal. Selection between the various forths of service asing acheed with Cirl.V. press the followed by a forth number and the output will continue in the new forth. Beetfort ROM is particularly useful in display work with the characters produced at

twice the normal size. You can create you wow haracter forms with You can create you wow character forms with you can create you wow haracter forms with your person of the person of th

ONLY £39

32K RAM EXPANSION BOARD

Now Watford Electronics brings you the latest state of the art memory expansion board for your BBC microcomputer. This compact board which fits inside the computer does not just give you 16K or even 20K of extra RAM but a massive 32K/III.

There are many useful facilities available with this board

- The top 20K of the expansion RAM can be useful as the screen display memory leaving all the standard BBC RAM free for programs or data storage. This allows good varieties of the standard BBC RAM free for programs or data storage. This allows good varieties of the standard standar
- The full 3ZK or the bottom 12K of the expansion RAM can be used as a buffer for the printer, social channels. RS423, keyboard or speech synthesiser. This allows ever fong tree files to be printed while you are using 27K of program and 20K of graphics!
- This braint is the infeal complement to any word processing system. There is no need to wait for slow primers as you can true in long text in 80 column display mode while priming is going on. TWO JOBS DONE SIMULTANEOUSLY III fan comwillent printer buffer would cost you £115+).
- The board is compatible with a vast range of software and bardware available for the BBC microcomputer including our ROM expansion board and double density DFS
- The board is extremely easy to fit. It is suppried complete with a comprehensive district. ROM based software with full. HELP messages.

SPECIAL INTRODUCTORY OFFER

Only: £69 (carr. £1)

GRAPH PAD With this popular British Micro's Graph part you

can add new dimension to your computer enjoyment. It helps you to create your own application programs by the simple use of the Graphoatt Irteal for Educational use. Souplied comprete with Cables Manual and a two program cassette.

Price:£115

SURGE PROTECTOR Plug

Firted in place of your normal mains plug, this device protects your equipment against mains surges. Nearby lightning strikes thermostats switching and many other sources put high voltage transient spikes on to the mains. This can lead to data corouption in memory and or disc and can result in spuniously cashing indeed and can result in spuniously cashing refreezers sit. Was Surge Current 2KAmp index Preceives sit. Was Surge Current 2KAmp index Voltage 250. Essential for serious computer users.

Protection for only £8.50

WATFORD ELECTRONICS

Continued -

ACORN USER OCTOBER 1984

already labelled

DOUBLE DENSITY DISC INTERFACE

Watford Electronics Double Density Board for the BBC micro. The DDFS supplied is a new version of the popular Watford Electronics DFS re-written to make full use of the capabilities of

new double density controller.

Storage is increased by the maximum

vsically possible, 80%. Our system will use the whole of an 80 track

Our system will use the whole of an out flack drive. Inferior systems do not allow files longer than &3FFFF bytes, but with our system files can be as long as one disc side.
Olses may be created in either single or double density format with the built in formatter

and in single density mode are fully compatible with normal Acorn format discs.

with normal accom format discs.

The density of the disc you put in is automatically sensed by the system and you are informed of the density in the catalogue display.

The double density system is of course faster

han single density. Worried about compatibility with single de Worlied about compatibility with single density diacs. Dent. The Watford Blectronics DDFS implements an extremely comprehensive 27% implements an extremely comprehensive 27% of the Comprehensive 2 machine code. We reckon it will run the vast majority of protected discs now available. majority or protected discs now available. Gain all the advantages of the WE DFS together with much increased storage and compatibility with existing protected discs. The price is the same as for the standard single density system that we continue to sell so you can choos between the two options without financial

AUNCH NEW

SIDEWAYS ZIF

External sideways **ROM** socket



with small budgets, so we've produced a ROM board which takes only one ROM! But don't stop reading – this ROM can be changed in under five seconds without taking the case apart.
The SIDEWAYS ZIF eliminates the possibility of damage to your ROMs as zero insertion or tion force is required when changing

ded in the SIDEWAYS ZIF package is a specially designed see through storage container for your ROMs which protects them from mechanical and static damage when not in use.

Very simple to install, no soldering or odifications to the BBC Micro are required. Uses a professional ZERO INSERTION FORCE DCKET (ZIF) so no force is required changing a

No further expense, ROMs are used as supplied without expensive specialised cartridges.
The storage box included stores up to 12 ROMs.

perfect safety.

in perfect safety.

Fits nearly into the existing cartridge slot on
the lefthand side of the BBC Micro keyboard.

The low profile design of the socket gives
unrestricted access to the keyboard, unlike othe

cartridge systems.

Allows easy installation and changing of Sideways ROMs, all without dismantling your BBC Micro. Once locked in position in the ZIF socket the ROM behaves as a normal sideways No more problems of running out of socket

space, simply unplug the ROM and plug a A REAL MUST FOR PROFESSIONALS

AND HOBBYISTS ALIKE

ONLY£16

BOOKS (No VAT on Books	;)
30 Programs - BBC Micro	£3.25
30 Hour BASIC (BBC Micro) 35 Education Programs for BBC	66.95
35 Education Programs for BBC	£6.95
36 Challenging Games for BBC	CE 95
36 Challenging Games for BBC	C5.95
100 Programs for BBC Micro	66.95
100 Programs for BBC Micro	10.00
6502 Application Book £	11.05
6502 Assembly Language Program £	12.05
6502 Assembly Language Program E	13.35
Cubsoutions Canguage	
Subroutines £ 6502 Machine Code for Beginners	CE 05
6502 Setware Decise	10.90
6502 Software Design	10.50
Advanced Machine Code Toolsic	1.4.50
Advanced Machine Code Technique for BBC	
Advanced User Guide for	£7.95
Advanced User Guide for	
BBC Micro Advanced Graphics with BBC Advanced 6502 Interfacing	11.95
Advanced Graphics with BBC	19.95
Advanced 6502 Interfacing £	10.95
	12.45
Assembly Language Programming on BBC Micro Advanced Programming Techniques for the BBC Micro	
BBC Micro	£7.95
Advanced Programming Techniques	
for the BBC Micro	£7.95
	£7.95
Assembly Lang. Prog. on BBC	£7.40
BBC BASIC	£5.95
BBC Basic for Beginners	£6.95
BBC DIY Robotics & Sensors	£6.95
BBC DIY Robotics & Sensors BBC Forth BBC Lisp	£7.50
BBC Liso	£7.50
BBC Micro Book BASIC Sound &	20.00
BBC Micro Book BASIC Sound & Graphics	£7.95
BBC Micro Graphics and Sound	£6.95
BBC Micro Programs in Basic	65.95
BBC Micro Programs in Basic	20.00
Explained	62.00
Explained	66.95
BBC Micro Assembly Lang. Prog	67.0E
BBC Micro Disa Companies	£7.00
PDC Micro in Education	CE EO
BBC Micro Disc Companion BBC Micro in Education Basic Programming on BBC Micro	CE DE
Best of PCW Software (BBC)	15.95
Best of PCW Software (BBC)	15.95
CP/M Users Guide f	13.95
CP/M Users Guide (Creating Adventure Programs on BBC Micros	
BBC Micros	£6.95
Creative Graphics Cassette (Acornsoft).
Has 36 graphics programs	E8.95
Creative graphics on BBC Micro	£7.50
Complete Programmer for BBC	15.95
Complete Programmer for BBC DISC FILING SYSTEM (DFS) Operating Manual for BBC Discover BBC Machine Code Discover FORTH DIY RObotics & Sensors with BBC Further Prog. for BBC Micro	
Operating Manual for BBC	£6.95
Discover BBC Machine Code	£6.95
Discover FORTH	13.95
DIY Robotics & Sensors with BBC	£6.95
Further Prog. for BBC Micro	£5.95
Functional Forth for the BBC Micro	£5.95
Functional Forth for the BBC Micro Games on your BBC Micro	£2.95
Games BBC Computer Can Play	£6.95
Graphs & Charts on BBC Micro	£7.50
Craphia Art for BBC Computer	

Graphic Art for BBC Computer

Graphs and Charts (Cassette) ... Graphics on BBC Micro

Hobbit (Book and Cassette) ... Introducing the BBC Micro ...

Let your BBC teach u to program

Programming the BBC Micro

Programming for Education on BBC Structured Prog. with BBC BASIC
The Complete FORTH
The BBC Micro Book, BASIC, SOUND

Introduction to FORTH Intro to Micro Beginners Book

Logo Programming

Mastering CP/M Micros in the Classroom

PASCAL

Mastering VISICALC

& GRAPHICS Using Floppy Discs with BBC Micro

Using BBC Basic Using 6502 Ass. Language . Wordstar & CP/M made easy £5.95

£9.90

£8.95

£11.95

B

BD £16.00

PLINTHS FOR BBC MICRO AND PRINTERS



Protect your computer from the weight and heat of your monitor. BBC micro plinths have slots for maximum ventilation. Single height version is suitable for BBC and monitor. Double height version allows the disc drives to be used in the centre section or stationary, etc. The computer slides easily in to place, allowing easy access to remove the lid.

The printer plinth is equally sturdy but withou the cooling slots. This allows the paper to be stacked under the plinth with the printer on t a very convenient way to work as it does not require the usual very deep table.

SINGLE BBC PLINTH DOUBLE BBC PLINTH PRINTER PLINTH

£11 (carr. £1.5) £20 (carr. £2.0)

4 WAY MAINS DISTRIBUTION SOCKET



Supplied wired up with mains plug ready for use Can be screwed to floor or wall if required. Very useful for tidying up all the mains leads from your peripherals. Allows the whole system to be switched on from one plug.

£9.50

ASSORTEDCONNECTING LEADS

(All ready made and tested) CASSETTE LEADS 7 pin DIN Plug to 5 pin DIN Plug + 1 Jack Plug to 3 pin DIN Plug + 1 Jack Plug to 7 pin DIN Plug 62.0 €2.00 £2.00

to 3 Jack Plugs 6 pin DIN to 6 pin DIN Plug (RGB) MONITORLEADS €2.50 colourmonitors KAGA/SANYOColourMonitorLeads

£3.00 DISC DRIVE POWER LEADS
Supply from BBC power supply to standard Disc
Drive connector. £3.00

MISCELLANEOUS CONNECTORS

	Plugs	Socke
GB (6 PIN DIN)	30p	45p
S423 (5 pin Domino)	40p	50p
assette (7 pin DIN)	25p	65p
CONET (5 pin DIN)	20p	30p
addles)15 pin 'D')	110p	215p
BC Power Plug 6 way	80p	-
isc Drive Plug 4 way	75p	-

ATTACHE CARRYING CASE for BBC Micro

The Attache carrying case is attractively finished in mottled antique brown leatherette. The case made of tough plywood, providing a very solid and safe way to carry your BBC micro. There is room provided to fit all the leads necessary behind the computer and manuals in the front. Locks supplied with two keys. Price £12 (£2 ca

VOLTMACE DELTA 14 JOYSTICK SYSTEM

ine voluntace system provides run racimities for connecting the Delta 14 handset.

Delta 14 handset — On its own makes a high cualify centre spring analogue joystick with fire buttors.

£12.50
Adaptor Module allows use of two joysticks and provides hardware to access all the keys on the sysplad the joystick.

sepad of the joyatick. £12.55 Transfer program allows use of the keypad keys and joyatick to simulate any key on the keyboard this works by creating a machine code parch that stays in memory while another program is ladded in. Allows any game to be used with jossificks. Supplied on disc or tape

Tape €5.10 Disc €7.95

STANDARD JOYSTICKS

These are standard analogue type with a tire button on each joystick. Twin joysticks go to a single moulded plug, long leads provided.

Single Player version £7.00 Two Players version £12.00

GAMES SOFTWARE

OVENTURE QUESTIL 91	£8.50
IDLOSSAL ADVENTURE (L III)	€8.65
CHESS	£6.95
DRUCKGEEGG	£7 90
CRAWLER : WESOFT:	£5.00
CROACKER	£6.95
BUNGEON ADVENTURE IL 91	€8.50
Escape from MOONBASE ALPHA	£6.95
FELIX in the FACTORY	€6.95
GALACTIC COMMANDER	€6.95
KILLER GORILLA	£6.95
MUNCHYMAN	€5.95
MBONEAIDER	£6.95
MUSIC SYNTHESISER	€8.25
PENGO (Wattert)	£5.95
SNOWBALL(E 9)	£8.50
SWOOP	£6.95
Sinn Kinny from Valley	€8.25
27 FLIGHT SIMULATOR	£7.75

CRAWLER

Jains Challenge for your reflexes from Washord Electronics. Choosing is the best yet inglementation on the BBC micro of the acceptance before the same of the same control of the before it also the washer evoluting the washering before it also you will be evolving the washering studied by the same of the same of the prosent of the same of the same of the same of the part. This game is obtained to play, published to all skill levells. The control system on part. This game is obtained to play, published to all skill levells. The control system or the same of the ADP process corror of presistion.

£5

ASUPERB GAME FOR ONLY

LEVEL 9 ADVENTURES

tave vast numbers of rooms

Level 9 have the highest reputation for their absenture range. Each one is in itself a challenge hat could take you months to crack. All feature heability to save your current position on Tape. These adventures understand many words and

colossal abventure – The classic adventure as provided on most mainframe

computers. Mas all the original puzzles with 70 estarooms. £8.65 ADVENTURE QUEST- Through forest. mountains, desert, caves, water, first important.

andswampfightanepicquestagainstiyranny

£8.50

DUNGEON ADVENTURE - Cover 100 puzzles inheDemonLord sdungeon £8.50

SNOWBALL – Science Fiction adventure set in 2002 AD. Save a colony starship full of frozen boole 7,000 flootsins must make this the biggest adventure on the BBC micro. Has robots, fashing control panels, etc. etc. Really pooffun!

68.50

SPECIALOFFER

HITACHI EPROMs for BBC

2764(8K)**£4,95**

27128(16K)£19

HITACHI RAMs for BBC

6264L (8K) £26

MK 2 13 ROM SOCKET

EXPANSION BOARD

Now all lines fully buffered – On board battery back-up facility – will now accept EPROMS 2716, 2732, 2764 & 27128 and ROMs 6115 & 6264.

Simply plugs into one of the four ROM sockets currently available in BBC Micro. There are only 5 solder connections to be made. Full

instructions are supplied. This board has been ergonomically designed to enable the user easy further expansion inside the Micro e.g. Double Density Board. Torch Board, etc. IAI Wartord, we think ahead.

Gr. MAJ. 13 ROM Sociat Board enables the User to increase the sidensian ROM capacity from the basic 4 society stofo fair 16 capacite or the basic 4 society stofo fair 16 capacite or bearing segments in surrent operation systems. If heat state 16K RAM where others weekness the best state 16K RAM where others weekness the contraction selected to any WRIT society to the Schewars 80M area. This gives the User the shells for wheth and the following and intering lower ROM software can be reventiged in the retending views ROM software can be reventigated in the retending views.

The Board gives the User plenty of freedom to explore the possibilities of the new paged ROMs due in the coming months and offers them the chance to develop their own.

All lines are fully buffered and the Board meets of exceeds all imings for operation in the BBC Microcomputer. When fully populated, the ROM Board consumes less than half the recommended maximum current limit.

Supplied ready built and tested complete with titling instructions

ONLY £32.50 (carr. £1)

THE INVESTIGATOR

A utility program provided on disc to make security backup copies of all your valuable discs

Makes full use of all 8271 facilities to discover the precise format of your protected disc so that an exact copy can be produced. Supplied with detailed instructions. Please specify 40 or 80 track disc when ordering.

Price £25

LIGHTPEN



This Light Pen for the BBC micro is packaged in a neat pen shape with built in switch. Supplied complete with our sophisticated Pen-Pal software on cassette issee elsewhere in this add.

Only £20

(For software on disc please add £2)

DATA RECORDER AND ACCESSORIES

designed specifically for use with home computers. Mains Battery operated with tape counter.

DATA CABLE to connect recorder to BBC
£2.50

DATA CASSETTES - Top grade tested C12

Data cassettes supplied in library cases 35p MISCELLANEOUS

ANTI GLARE MONITOR SAFETY SCREEN



- Simple fitting with sticky Veloro pads.
 Easily removed for cleaning.
 Tinting improves colour quality and contrast.
- Works on monochrome or colour monitors

 Curvet instead of usual flat screen reduce
- Curved instead of usual flat screen reduces edge distortion.
 Made in Britain by a long established glass.
- maker Available in 12° or 14° versions – please specify when ordering

Introductory offer price: £14,95(carr,£1).

Prices subject to change without notice and availability

MAIL ORDITA AND RETAIL SHOP TRADE AND EXPORT INQUIRES WELCOME GOVERNMENT AND DEVALUTIONS OF STREET STREET, AND THE AND



Watford Electronics

Dept. ACORN, Cardiff Road, Watford, Herts, England. Telephone: 0923 40588/37774. Telex: 8956095

NOW IT'S IN THE CAN

Your graphics program comes to life – and death – as Tessie Revivis sets up the roving fly for the kill

aST month in First Byte we used an asterisk to represent a moving fly in a simple buzzing game. Now we'll make our fly a little more realistic and put some action into the game by introducing a can of lethal fly spray.

The Electron has its own designing command, which allows the user to program a shape into a character so that it can be printed onto the screen in much the same way as our common or garden asterisk. The command is VDU23. But first we must design our fly.

To do this we use a sheet of paper marked into squares eight wide by eight deep. A suitable character planning sheet can be found on page 287 of the Electron User Guide (page 496 in the Beeb User Guide). The character Itself is designed by Illing in suitably positioned squares. Figure 1 shows my own effort at designing the fly-I hope you see some resemblance.

Once the character has been

designed it has to be converted into a form that the Electron can understand; as it's a computer that means numbers if you study figure 1 you'll see that each column is assigned a value, termed its weight, starting with 1 on the right with end oubling as you move left along the columns. To convert the character into a computer-recognisable form each 'row' is turned into a numeric value by adding the weight of each column that contains a coloured square.

This process is shown in the figures to the right of the diagram, but just to make sure it is clear in your mind let's consider the top row. If we think of a clear square as a 0 and a coloured square as a 1 the top row can be represented as 001000. The ones are often referred to as bits, so we can say that the two 'set' bits are in the 32 and 4 column. Adding these two together gives 6, thus the computer representation of

the top row of the fly is 36. Each of the remaining rows is treated in the same way, the net result being eight numbers.

Before working these eight values into the VDU23 statement we must into the VDU23 statement we must decide which of the user-definable characters we wish to use to represent the fty. The basic set of user-definable characters are the ASCII characters 224 throught 055, so we can use any of these. Let's use the first ASCII character 224. Constructing the VDU23 statement is simple enough. It must be followed by the character code and then the eight definition values starting with the top one, each being separated by a comma. So the final statement looks like this:

VDU23,224,36,24,90.189,255,60,24,36

A simple two-line program shows how the fly can be printed onto a mode 4 graphics screen:

10 MODE 4

20 PRINT TAB (10,10); CHR\$224

As the fly forms part of the ASCII character set it can be printed on the screen using the CHR\$ function, as illustrated in line 20 above

Designing a fly spray can proceed in much the same way. The can will obviously need to be much larger than the fly but, as we have seen, the VDU23 command allows only set-sized characters. This can be overcome simply by using several character defi-nitions together. For example, if we plan to start the fly spray can at character 225 and make it two characters wide



by three deep its layout might look like figure 2. The design of the spray can is done in sections and the complete picture produced by printing the correct sequence of characters using the PRINTTAR commands.

Figure 3 shows the top of the can designed across two character planning sheets. Calculating the numeric value is done as described above for each planning sheet. The complete definition need be only four VDU23 commands in length as the second and third rows can be identical, unless you cancy adding a base to the can or something extra that would make the third set of characters different.

The following short program illustrates how the can can be printed on the right-hand side of the screen.




Figure 1. The fly is drawn on an 8 × 8 grid, each column of which is given a "weight" (top row of figures). Each row is given a numeric value by adding the weights of each square (right-hand column) and a series of figures is produced that the computer can interpret




Figure 2. The fly spray can, being much bigger, cannot be represented on one 8×8 grid so it assembled from six 'characters'.

10 MODE 4

20 VDU23, 225, 3, 7, 31, 31, 7, 7, 7, 15 30 VDU23, 226, 192, 224, 224, 224, 224,

224, 224, 240 40 VDU23, 227, 31, 63, 63, 63, 63, 63,

63, 63 50 VDU23, 228, 248, 248, 248, 248, 248,

50 VDU23, 228, 248, 248, 248, 248, 248 248, 248, 248

60 PRINT TAB (30, 2); CHR\$(225); CHR\$(226)

70 PRINT TAB (30, 3); CHR\$(227);

CHR\$(228) 80 PRINT TAB (30, 4); CHR\$(227); CHR\$(228)

The second of the TAB coordinates, the Y value, is

simply incremented by one to ensure that the next pair of characters is printed below.

the program is set in

two stages: moving the fly to and fro across the screen and moving the spray can up and down the right-hand side of the screen. Moving the fly across the screen was discussed last month and indeed there are few changes from that section of the program, PROCfly, However, rather than moving the fly along a straight path an extra line (line 105) has been inserted into the procedure that will cause the fly to move up and down slightly as it proceeds across the screen. This is produced by adding a random number generating command to determine the Y tab position within a set range. The command is RND and this is followed by a value. 7 in the program, which causes

gram, which o

a random number in the range 1 to 7 to be found'. As we do not wish the fly to move too near the top of the screen 2 is added to this value, thus ensuring a random value in the range 3 to 10.

Creating movement with the fly spray can is done in much the same way except that movement is on the Y axis. Two keys are used by PROCify to see if this is required, the up arrow to move the can up, and the down arrow to move it down. Normally these two keys will not return a value when tested with the INKEY's command, however, you can force them to return ASCII values by first turning them on using a "EX4, I

command (line 505 in PROCsetup). The ASCII codes produced by these two keys are 138 and 139 and these are tested for by lines 140 and 145 in PROCfly. If either is detected the appropriate can-moving procedure is called.

To swat the fly it must be sprayed with a cloud of the killer potion. Once the can has been moved into position the space bar will press the top, the fly will freeze in fright as the spray cloud is propelled across the screen. If the fly is in the line of fire then it crashes to the floor with a thud – otherwise it lives to fight another day.


To see just how good you are a record of the number of sprays you use is kept at the bottom of the screen.

For the main listing, which is fully annotated, turn to yellow page 97. Study this and refer to your *User Guide* to find out more on the commands being used in each section. Then you might feel up to adding a couple more flies and perhaps even a mobile strip of fly paper.

If you think your fly program is better than mine send it in to Acorn User. We'll pay £20 for the best fly game we publish



The annotated 'Flies 2' program is listed on yellow pages 97/98



PRINTERS

DOT MATRIX

All printers have centronic parallel interface unless otherwise stated. All printers have hi res dot addressable graphic mode. Please send SAE for full details.

E

PSUN				
X80 160CPS 10" wide friction & pin feed	£324	+	VAT	£373
X100 160 CPS 15" wide friction & tractor feed	£499			
X80 F/T 100 CPS 10" wide friction & tractor feed	£239	+	VAT	2275
X80 F/T 100 CPS 10" wide tractor feed	£199	+	VAT	£229
X100 F/T 100 CPS friction & tractor feed	£385	+	VAT	€443
143 RS 23 Interface for FX and RX printers	£39	+	VAT	€45
148 RS 232 Interface with 2K buffer x on x off	£60	+	VAT	€69
ibbon Cartridge for RX80 FX80 & MX80	£5	٠	VAT	63
ibbon Cartridge for FX100 & MX100	£7	+	VAT	83

81 Ri

R)

8

Gemini 10X120 CPS 10" wide friction & tractor feed
Gemini 15X120 CPS 15" wide friction & tractor feed
Gemini 15X120 CPS 15" wide friction & tractor feed
Gemini 15X120 CPS 15" wide friction & tractor feed
E200 + VAT E229
E215 + VAT E33
E3 + VAT E3

SEIKOSHA

BP 420 designed for the business world, 420CPS in draft mode, 110CPS in NLO mode. £1095 + VAT £1259

SMITH

CORONA Fastext 80: 80 col, 80CPS. Friction feed standard £149 + VAT £171



ENSIGN

1650 Standard, Correspondance and Graphics Modes: friction and tractor feed: 165 CPS;

£269 + VAT £309

TAXAN KAGA

160CPS 10" wide 27CPS NLQ 24 x 16 matrix 160CPS 15" wide 27CPS NLQ 24 x 16 matrix COLOUR PRINTERS

£259 + VAT £298 £349 + VAT £401

kosha GP700A 7 colour 50CPS printer Canon PJ 1080A 7 colour 40CPS ink jot printer £347 + VAT £399 £391 + VAT £449

All our printers have 1 year warranty

DAISYWHEEL

JUKI 6100/I PRINT

20 CPS Bi-Directional Logic seeking 10 12 15 CP1 + PS spacing 2K buffer best selling Daisywheel Singer sheet feeder unit

Tractor Unit RS 232 Interface £299 VAT £344 + VAT £249 + VAT £109 + VAT £59 €95 + VAT €16



BROTHER HR-15

Tractor Unit

13 CPS Bi-directional 10, 12, 15 CP1 + PS Keyboard Unit Single Sheet Feeder Unit

£344 + VAT £395 £139 + VAT £159 £217 + VAT £249 £95 + VAT £109

QUENDATA

20 CPS Unidirectional 10 12 15 CP1

£217 + VAT £250

ACOR

BBC MICROCOMPUTER SYSTEM

WE ARE AN OFFICIAL BB0 COMPUTER DISTRIBUTOR

DEALER ENQUIRIES ARE WELCOMED

Acorn Electron £199

APPROVED ECONET SERVICE CENTRE WE STOCK A LARGE RANGE OF SOFTWARE FOR BBC MICRO INCLUDING ACORNSOFT, BBC SOFTWARE, LONGMANS SOFTWARE, PLEASE SEND LARGE STAMPED ADDRESSED ENVELOPE FOR FULL DETAILS.



100% BBC COMPATIBLE MITSUBISHI AND TEAC SLIMLINE DISK DRIVES

28/29 BURNT MILL HARLOW, ESSEX CM20 2HU U.K. Tel. HARLOW (0279) 443521 Telex: 818894 AKHTER 0



These drives are supplied ready cased with all the necessary cables formatting program and User Guide There are some very useful utilities included on formating dist

* DISASSEMBLER: This is 6502 machine code disassembler

* DUP: To copy and rename a file on disc * FORMAT: Formating progam for 40 & 80 tracks

BBC Microcomputer Model B	1,348	+ VAI	£399
BBC Mod B - disk interface	£409	+ VAT	£469
BBC Mod B - Econet interface	6883	+ VAT	€447
BBC Mod B - disk and Econet interfaces	£450	+ VAT	€517
BBC Compatible 100K disk drive	\$86	+ VAT	£99
BBC Compatible dual 800K disk drive	£312	+ VAT	€359
Acom Z80	£260	+ VAT	€299
Acorn 6502 Second Processor	£173	+ VAT	£199
Acorn Bit stick	£327	+ VAT	€375
Aporn IEE Interface	£282	+ VAT	£325
Acom Electron plus 1 interface	€52	+ VAT	660
BBC Prestel Adaptor	£115	+ VAT	£132
BBC Telext receiver (Aug)	£196	+ VAT	£225
BBC cassette recorder and lead	£35	+ VAT	€40
Disk interface kit (free fitting)	£84	+ VAT	296
Mod A to Mod B upgrade kit	£70	+ VAT	£80
Fitting charge for A to B upgrade kit	£20	+ VAT	£23
16K memory upgrade kit	£30	+ VAT	€34
Games paddles	£11	+ VAT	€12
User Guide	£10		
Advanced User Guide	£12.95		
Econet Guide	£7.50		
Econel interface (free fitting)	£60	+ VAT	269
Speech interface (free fitting)	€47	+ VAT	£54
BBC disk manual - formating disk	£30	+ VAT	£34
Parallel printer cable	£10	+ VAT	£11
BBC word processor (view)	£52	+ VAT	€59
BBC Fourth language cassette	£15	+ VAT	£17
BBC Lisp language cassette	€15	+ VAT	£17

YOUR CONTACT AT AKHTER Tel: 0279 443521 (12 lines)

ELEPHONE ORDERS CARON ANDREWS 21:	
USINESS SYSTEM NOUIRIES TONY GLOVER 20	LOVER 208

PRDERING INFORMATION

cept official orders from UK Government and Education inherefs. Carrage is \$2.56 + VAT (UK only) for normal v. If express delivery is required please add \$8.00 + VAT per We accept telephone orders on Barciay and Access card ring (0279) 445521 (10 lines), all chegues made payable to

N.B. All prices are subject to change without notice and are rounded up to the nearest pound

PENING HOURS: MON-FRI 9am-6.30pm, SAT 10am-5pm. /e welcome callers, no parking problems.

*FREE: This utility provides a disk usage analysis MDUMP: Enables you to display and modify any part of **BBC** memory

MERGE: Merge a number of text files into one file RELOCATE: Downloads a basic program to 8E00 SDUMP: Screen dump for EPSON In all graphic modes

VERIFY: Verifies every sector on a disk MENU: A flexible menu program

Single drive 100K 40 trks single sided	1AV + 083	663
Qual drive 200K 40 trks single sided	£164 + VAT	£189
Single drive 200K 40 trks double sided	£138 + VAT	£159
Dual drive 400K 40 trks double sided	£260 + VAT	£299
Single drive 400K 80 trks double sided	£152 + VAT	£175
Single drive 400K 40 80 trks		
switchable DS	£155 + VAT	£179
Dual drive 800K 80 trks double sided	£303 + VAT	£349
Dual drive 800K 40 80 trks		
witchable DS	£312 + VAT	£359

hal Drive 800K 40 80 trks + PSU built in monitor stand £373 + VAT £429

All above drives are low power slimline (0 3 A typ at + 12v and 4 at + 5v per drive) Normally extra power supply is not equired. The BBC Computer power supply is designed to live to low power drive (IT IS NOT DESIGNED TO DRIVE IN-ERNAL ROM BOARD)

£18 + VAT £20 £23 + VAT £26 £28 + VAT £32 £30 + VAT £34 OTrack SS DD disketts (10 Box) OTrack DS DD disketts (10 Box) 0 Track SS DD disketts (10 Box 0 Track DS DD disketts (10 Box) ALL ABOVE DISKETTS ARE CERTIFIED EITHER MEMOREX

COMPLETE BUSINESS PACKAGE

This system is based on 18 BI 8088 Processor 128K RAM, 22730K Floppy Dac-Drives, High Res Montion, fast (Ribora) Dis Maris, Prince, Wordstew York, processor, Calcular Spreadsheet Program, complete integrated Accounts package consisting of Sales Ledger, Purchase Ledger, Nominal Ledger, Invoic-complete turnkey system at an unbelievable price.

Delivered and Installed plus | day training

APRICOT PC

"Portable Executive Computer" 16 Bit Micro 256K RAM up to 1.44 megabytes flopy disk storage. 3) "Sony disks. Portable brief case styling. Modern with auto dialiter toptional hard disk optional. Vast software library (comof with Double Drive, Monitor and Free \$1790 * VAT \$2059

APRICOT XI APRICULAL
As above but with 10MB Winchester Drive and
Single 315K Drive plus Superwriter, Supercate
and FREE JUKI 6100 Printer
\$2995 * VAT \$3444



SANYO PROFESSIONAL COMPUTER

to Bit Micro 126k BAM expansion for the Single or Double blok drive built in full colour graphics 640 x 200 pieces in 6 colours) BM graphics 640 x 200 pieces in 6 colours) BM 126k FAM single drive and free software in cluding. Wordstar and Calcate cluding. Wordstar 1749 + VAT 1862

SANYO 550-2 As 500 but with Dual Drive 2 x 160K £849 • VAT £976

SANYO 550-360 As 550 but with 2 x 360% Drives 1999 + VAT £1149 SANYO 550-730 As 550 but with 2 x 730K Drives £1049 • VAT £1206

SANYO 555 Sanyo MBC555 128K double drive and free software including Wordstar, Calcatar, In-palastar etc. 1999 • VAT [1149]

SANYO 555-360 5 555 but with 2 x 360K Drives

SANYO 555-730 As 555 but with 2 + 730K Drives

SANYO SYSTEMS INCLUDE FREE HIGH RES GREEN

COMPLETE SYSTEMS FROM £650 + VAT

BBC 1. BBC Micro Model B. Vielw for Word-wise! Wordprocessor: Quendata 20 CPS Dassywheel Printer. High Res Groon Monitor. Cassette Recorder plus 10 cassettes and all the necessary cables. 7650 + VAT = £747.50 BBC 2: BBC Micro Model B + Disk Insorface

Disks and all the necessary cables £799 + VAT = £803.35 BBC 3: Same as System BBC2 but with 400K Drive EB7S + VAT = £1006.25

BBC 4:Same as System BBC 2 but with 400K Drive and JUKI 6100 Daisywheel Printer £975 + VAT = £1121.25.

BBC 5: 88C Model 8 • Oisk Interface, View for Wordwise) Wordprocessor 800K Dual Drisk Drive (Mitsubishs, High Res Green Monitor, JUKI 6100 Daisywheel Printer, 1 Box 110 of 80 rack DS discs and all necessary cables (1145 VAT = £1316.75.

SAN 1: Sanyo MBC 550 Series 16 Bi Microcomputer 126K Flam Duai 160K driver

MONITOR

Memoropauler 129 Flags Daul 1908 them 2 ct 1908 High Bost September 2002 200 postelle in 8 ct 1908 High Bost September 2002 200 postelle in 8 ct 1908 High Bost September 2002 200 postelle in 8 ct 1908 High September 2008 200 postelle in 8 ct 1908 200 p

Wordsfar Wordprocesheet Mailmerge, Spotistar dictionary, sheet Mailmerge, Spotistar plus all the reconservicables 11295 + VAT = 1189.55. SAN 5. Same as 1534 but with Dual 300K SAN 5. Same as 1534 but with Dual 300K SAN 5. Same as 1534 but with Dual 300K SAN 5. Same as 1534 but with Dual 300K SAN 5. Same as 1535 but with 1535 but 300K SAN 5. Same as 1535 but with 1535 but 300K SAN 5. Same as 1535 but with 1535 but 300K SAN 5. Same as 1535 but with 1535 but 300K SAN 5. Same as SAN 6: Same as SAN 4 but with Dual 730K Drives £1525 + VAT = £1763.75

If you require High Res Colour Monitor instead of High Res Green Monitor in Sanyo Systems please add \$230 + VAT = \$366 to the above prices.

128K RAM Upgrade for all above Sanyo systems (makes a total of 256K RAM) E150 + VAT = \$177.50 including filling.

PHILIPS

GM1211 8 MHZ High Res Monochrome Mondor with tilt and switel stand available in green or ambor etched artifiglier screen please specify colour 586 - VAT 599 77001 High Res Green Screen With sound injury 195 - VAT 575


SAMWOO 24MM2 High Res Monochrome eitched an-tiglare green screen IBM/BBC Compatible 1286 + VAT 1299

DM8112 12" Green screeen 18MHZ H-Res 126 - VAT 129 DM2112 12" Green screen 15MHZ 166 - VAT 175

MICROVITEC CUB

MICROVITEC FOR QL

1451 14" Medium Res Colour for Sinclair QL £239 + VAT £275



16 SOCKET ROM/RAM **EXTENSION BOARD**

Fully buffered the board offers the following features All 16 sockets may contain 8K or

16K roms Up to two pairs of sockets may be configured to accept 8K eproms to simulate a 16K eprom without the expense of a 27128.

Up to 16K of CMOS RAM type 6116LP (made up of 8 2K ram chips) may be fitted to 8 of the available sockets leaving 8 free for

or 2 8K Ram chips (6264) leaving 14 available sockets.

The advantage of sideways ram is

fold:

Programs can be assembled directly to hex 8000 and debugged before being

Programs intended for sideways roms may be stored on disc and downloaded ram. Many more programs may be kept on disc allowing the extension board to be fitted only with roms that need to be resident.

This is a high quality PTH board and plugs into the extreme right hand rom socket. 4 wires to the paging register and one lead to the R/W line have to be connected.

Separate power leads for the board

are used to eliminate possible crashes that may occur due to trying to draw up to 650mA from a sideways rom socket. Board fully assembled and tested complete with full installation and operating

Cost £34.50 + VAT, £1.00 P&P

HCR ELECTRONIC SERVICES THE INDUSTRIAL UNIT, PARKER ROAD CHELMSFORD, ESSEX CM2 6ES Tel: Chelmsford (0245) 350188

EXTERNAL RAM/ROM CARD

THE NEW EXTERNAL 28 ROM EXPANSION SYSTEM FROM HCR ELECTRONICS

This extremely powerful but versa ile machine has the capability of 32K RAM & 24 sockets available for ROM or many various combinations to your personal require-

This machine has its own separate nower supply drain on the BBC's switched mode NO SOLDERING IS REQUIRED.

The unit consists of two modules

An adaptor board to plug into the BBC sidways Rom socket 15.

The case contex complete with an influit power supply and one expension coat. This cort will held 15 Rome or a combination of Rain Allow (Rain can be 81 6 x 2016 a or 6264 3). This gives a total of 16 Rome on columning for the complete of the second board detential to the above can be fitted at a later date, giving a total capability of 28 available sockets for Rom or Rain.

The second board can be selected as an alternative to the first board, either by a

switch on the case or via software control

SOME ADVANTAGES

- No soldering required. No access into machine required after initial fitting. No overheating problems
- Noes not physically interfere with other internal expansion add-ons
- Built in power supply (does not overload BBC's supply) Computer will still function with external box powered down or unplugged (using Roms resident in machine).
 Will make available 32K Ram plus 24 Rom sockets at a
- varied combination to the customer's needs Cost unit complete with one board £70.00 + vat. Second board £29.00 + vat. Postage & Packing

£3.00





Martin Phillips answers your queries on two-up printing, a 'freezing' screen, text and title display and the envelope statement

Dot and daisy

at the same time?

IS there any way of having a dot matrix printer and a daisywheel printer connected to a micro at the same time through the parallel printer port? This question was put to me by H L Malhotra of Radlett.

Indeed it is possible, and Keyzone of Unit 4. Regeneration House. School Road, Park Royal, London NW10 (tel: 01-965 1684/1804) makes a printer-changer designed to connect two or three printers to one micro. The device costs about 575.

Mr Malhotra would also like to know if his Watford disc filling system (DFS) will work with a second processor (6502 or Z80). New ROMs are provided with both second processors. For the 6502 second processor one is a new version of Basic and the second is a combined DFS and Econet Filing System (NFS) These two ROMs are installed in the BBC's sideways ROM sockets. The existing DFS needs to be removed and be replaced by the new one, but the new Basic ROM can be added without removing the existing Basic. For the Z80 a single new ROM is provided. This is the combined DFS and Econet ROM and the existing DFS needs to be removed

Outmoded system

in operation

B J WOOL NOUGH, who lives in Jeddah, has an Acornsoft program that will not run on his BBC computer, although it runs perfectly well on another machine. On Mr Woolnough's micro the display 'freezes' after a short time and will not respond to the keyboard. It

68 Long Acre, London WC2E 9JH.

happens only with this program.

The problem, I suspect, is the operating system in his BBC. Many software houses are now producing software houses are now producing software that will run only with the 1.2 operating system (1.2 OS). Early BBC machines were sold with a 0.1 OS. which had fewer features than the current one. If the software was designed to run with the 1.2 OS, it probably won't work correctly with the older 0.1 OS fitted. My advice to anyone still using an 0.1 OS is to return it to the Acorn dealer and have it replaced by the 1.2 OS. The cost is a little over 10.

To test which operating system is fitted, type "FXD and press RETURN. A message will appear that will give the answer, A few of the first machines fitted with the disc or Econet filling systems were fitted with a 1.0 GS This is almost the same as the 1.2 QS, but not quite, and if similar problems are experienced it would be worth getting it changed.



Text scrolling

in a window

THE following problem was encountered by Mr Macdonald of Stornaway when he was writing an index file for his cassettes.

He wanted mode 7; he wanted to reserve the top four lines to display a title; he wanted to reserve the bottom four lines for instructions; and he wanted the remaining lines to be used to display information and to be able to scroll without corrupting the title or the instructions.

It is useful to receive such an explicit request, and I'm sure this is a program that many will be able to put to good use. Mr Macdonaid's requirements can be fulfilled by using a text window after printing the title and instructions. At the same time it is possible to alter the

IF YOU have a technical hitch or a programming problem let Martin Phillips give his diagnosis. We'll pay 25 if you raise a really interesting point. Please give full details of the system you're using and include a listing where appropriate, making your question as specific as possible. WRITE TO: Hints & Tips, Acorn Uses, Redwood Publishing,

background and foreground colours and incorporate other telefext codes to the left of the text window so that they will not be overwritten.

Listing 1 shows the technique. There are two procedures PROCSetup contains the title strings and the four strings of instructions PROCscreen is the procedure that performs the screen layout. Lines 80 to 220 set up the first four lines and print the title in double height. The background colour is blue (CHR\$132), and the foreground colour is stringly and the screen stringly the background colour. And CHR\$141 pieces of the background colour, and CHR\$141 pieces double-height printing. Line 200 adds extra spaces to the title to centre

Lines 230 to 250 similarly set the background colour to blue and the foreground colour to white for the middle

```
10 REM Listing 1
 20 MODE 7
 TO PROCeetup
 48 PROCscreen
 50 END
 6.53
 70 DEFPROCsetup
 88 DIM title#(1),instr#(3)
 90 title$(0)="Title line i
    titles(1)="Title line 2"
    instr#(0)="ist line of
    instructions.
120
    instr#(1)="2nd line of
instructions."
130 instr#(2)="3rd line of
instructions."
[48] instr#(3)="4th line of
instructions."
160
170 DEFPROCECTEEN
198 PRINTCHR#132 CHR#157 CHR#141
    CHESTA
200 PRINTSPC (16-LEN(t) t104 (N/2))
218 PRINTtitles (N/2)
220 NEXT N
238 FOR N=8 TO 15
240 PRINTCHR#132 CHR#157 CHR#135
260 FOR N=0 TO
270 PRINTCHR#132 CHR#157 CHR#134;
280 PRINTINSTEE (N);
298 IF N. 3 PRINT
300 NEXT N
310 VDU28,5,19,39,4,14
```

Listing 1. For the Beeb, text scrolling in a window, with title above and instructions below

128 ENDEROL

Computerama



- 18 REM Listing 2 28 MODE 1 30 PROCsetup
- 40 PROCucreen 50 END
- 78 DEFPROCsetup
- 80 DIM title#(1),instr#(3) 98 title# (8) ="Title line 1" 100 title\$(1)="Title line 2"
- 110 instr\$(0)="let line of instructions.
- 120 instr#(1)="2nd line of instructions.
- instr#(2)="3rd line of
- instructions. 148 instr\$(3)="4th line of
- instructions 150 VDU19.0.4.0.0.0: REM Blue
- background 168 VDU19,2,6,8,8,8:REM Colour
- 2 = cvan 178 ENDPROC
- 100 .
- 198 DEFPROCScreen 200 COLOUR 3
- 210 FOR T=0 TO 1
- 228 x=20-LEN(title\$(T))/2 230 PROCdouble(title\$(T),x,T+2)
- 240 NEXT
- 258 COLDUR 1
- 260 PRINTTAB (0,28); 278 FOR N=0 TO :
- 288 PRINTinstr# (N);
- 298 IF NC3 PRINT
- 300 NEXT N
- 310 VDU28,0,27,39,4,14
- 320 COLOUR 3
- 338 ENDPROC
- 358 DEFPROCdouble(A4,x,y) 360 XX=0: YX=13: AX=10: D=&D00
- 378 C\$=CHR\$ (240) +CHR\$8+CHR\$10+ CHR# (241) 388 FOR N=1 TO LEN(A\$)
- 398 B\$=MID\$ (A\$,N,1): ?D=ASC (B\$):
- 488 VDU23,248,D?1,D?1,D?2,D?2,
- D73, D73, D74, D74 VDU23,241,D75,D75,D76,D76,
- D77, D77, D78, D78 428 PRINT TAB(x+N-1,y)C\$:NEXT
- 430 ENDPROC

Listing 2. Modified version of listing 1 for **Electron owners**

lines, which will be the scrolling window. Lines 260 to 300 print out the four instruction lines at the bottom of the screen. The background colour is set to blue and the foreground colour to cyan

Line 290 is used to start a new line after each line of instructions except the last. This line appears at the bottom of the screen, and if the cursor goes to the next line the screen will scroll, losing the top title line.

Line 310 is the key to the whole program. It defines a text window in the middle of the screen four spaces in from the left to avoid the teletext characters placed down the left-hand three columns. VDU14 puts the text window into paged mode so that the screen will scroll only when the shift

run, list it to see the effect. Title and instructions will remain in place while the rest of the program scrolls.

The colours can be changed by changing the teletext colour codes. You don't have to type in the CHR\$132 etc each time. Instead if the shift key and (in this case) function key f4 is pressed, it will give the blue character control code. This feature of the function keys is present only on a BBC with the 1.2 OS and not the Electron. It will not show up on printed out listings so the CHR\$ alternative has been used for the print-OUIT

Red	CHR\$129	SHIFT/f1
Green	CHR\$130	SHIFT/f2
Yellow	CHR\$131	SHIFT/f3
Blue	CHR\$132	SHIFT/f4
Magenta	CHR\$133	SHIFT/f5
Cyan	CHR\$134	SHIFT/f6
White	CHR\$135	SHIFT/f6

When typing in this program, you must ensure that all punctuation marks are exactly as in the listing or some odd effects will appear on the screen. The display could consist of a series of black and white stripes, for instance, or the title or instructions could be lost. Readers interested in using text windows are reminded that this subject also occurred in the July Hints & Tips.

For Electron owners, a similar program (Listing 2) is included which uses mode 1 instead of mode 7 and the double-height procedure described elsewhere in this section.

Envelope

generators

SEVERAL readers have been trying to unravel the mysteries of the BBC's or Electron's sound system. The thing that most find confusing is the ENVELOPE statement. This statement is followed by 14 parameters, and trying all the page 54▶

Off-the-shelf procedures

FOR several years I've been saying to myself that I must build up a library of simple procedures that I can quickly *EXEC onto the end of an existing program to save typing time. I still have not achieved this. I've included procedures in this column that can be used in such a way but it would be nice to receive short procedures that readers find useful when programming. Perhaps we could then assemble a library of these for publication and inclusion on the monthly cassette.

One procedure I use frequently is a double-height printing routine that works in any of the BBC or Electron's graphics modes. This is shown in listing 3. Once the procedure has been typed in it should be saved by typing "DOUBLE" and pressing SPOOL RETURN. Then type list and the procedure will be transferred to tape or disc under the filename DOUBLE. To complete the process type 'SPOOL again and press RETURN. This then

closes the 'SPOOL file.

To show how the procedure can then be incorporated into a program type in the following short program:

- 10 REM Program to demonstrate double height procedure 20 MODE 1
- 30 PROCdouble ("This is DOUBLE height", 9, 5)
- 40 END 50

Then load in the procedure by typing "EXEC "DOUBLE" and pressing return. The procedure should load in line-byline and at the end will give an error message. Don't worry, that is normal. Now list the program and the procedure will be added to the end of the listing. When the program is run the message should be printed in the middle of the screen five lines down from the top in double-height lettering.

The use of this procedure is also demonstrated in listings 2 and 4.

```
10 REM listing 3
   20 REM Do'not spool these two lines!
20000 DEFPROCdouble(A$,x,y)
20010 XX=0: YX=13: AX=10: D=&D00
20020 C$=CHR$(240)+CHR$8+CHR$10+CHR$(241)
20030 FOR N=1 TO LEN(A$)
20040 B$=MID$(A$,N,1):?D=ASC(B$):CALL&FFF1
20050 VDU23,240,D?1,D?1,D?2,D?2,D?3,D?3,D?4,D?4
```

20060 VDU23,241,D?5,D?5,D?6,D?6,D?7,D?7,D?8,D?8

20070 PRINT TAB(x+N-1,y)C\$:NEXT N:ENDPROC key is pressed. Once the program has | Listing 3. Double-height printing in any of the BBC and Electron's graphic modes combinations of these parameters is a slow and laborious task. It can be greatly simplified by using an envelope generator. This is a simple program that allows the parameters to be quickly and easily changed and the sound of the new envelope heard.

Two simple envelope generators are included this month. Listing 4 is an envelope generator for the BBC and listing 5 a simpler version for use on the Electron. The Electron doesn't have the full ENVELOPE statement and so needs a different program, although the full BBC version will run on the Electron.

The program is quite straightforward to use and understand, although it is worth reading the 'sound' chapter in the User Guide Irist. When an interesting sound is heard it is worth recording the parameters and a brief description of the sound. A collection of sound effects is useful when writing programs, Again, I would be interested to hear from readers who have discovered useful envelopes. Remember that an envelope will sound right only over a limited range of the pitch parameter, and this too should be varied to hear different effects.

See page 99 for listings 4 and 5

REMinder

WHEN de-bugging programs you often have to delete lines that are causing trouble. The easiest way to do this without forgetting the contents of the line is to edit the line, put a REM statement directly after the line number and then copy the rest of the line. Now when the program is run the rest of the line will be ignored once the REM statement is encountered. If the line is to be included again, the REM statement need only be deleted.

Word-blocked

MR KELLER of Weybridge has his BBC and View wordprocessor fitted up to a Silver Reed EX44 typewriter. When he tries to print out the text that he has saved on a cassette recorder the 'Block' error appears on the screen after a few lines. Mr Keller wonders if he needs a printer driver to cure the problem.

The answer is simple – use a cassette recorder with a motor control fitted. What is happening is that the

printer is taking so long to print out the first block of text saved on tape that by the time it is ready for the next block, the cassette had played on and was at the wrong block. With a motor control fitted, the cassette stops after the lirst block and restarts when the printer is ready for the next block.

Menu amendment

IN MAY's Hints & Tips a simple disc menu program was printed. A problem can occur with this menu if it is used to 'LOAD a program that resides in a different place in memory from normal. What happens is that after loading the appropriate program the menu program will move onto the next line and load the following program too. To avoid this, insert a line after the offending line to end the program. Ex

490 CHAIN"PROG1" 500 "LOAD"PROG2"3000 505 END 510 CHAIN"PROG3"

Notice that the line number ends in a 5 so that it doesn't upset the computed GOTO in line 390

GOLF DOCTOR

Computer software to keep your score, analyse your play and calculate your handscap. for the BBC Model B Microcomputer



- * Stores a full year's play for most golfers (100 rounds on 10 courses)
- * Fairway and green strokes record-
- * Weather conditions included
- * Comprehensive selective analysis
- of play.

 * Computer rating of performance.
- * Calculates handinap to latest
- CNGU rules.
 * Capacity for any number of
- golfers
- Well written user guide.

To, MICRO INVESTOR SOFTWARE, P.O. Box 16, Heswall, Worral L61 4YT Please send me the following

Goet Doctor	Dac	11.96	
Diverselat Postage	Fresh Item	3.00	
Overskas Postage	Earth artificing rad clown	1 00	
My computer is a		Desc	ne 40 80 m
I enclose a cheque P O pay a	WITH MICHOINVESTO	OR SOF TWARE	
Name			

Name _______Address

EPROM PROGRAMMER for the BBC micro

An exceptionally versatile unit, programs EEPROMS and EPROMS from 25k to 32k. Powerful, easy to use software in a sideways ROM. Features full screen data editor, files, and

Professionally designed hardware ensures reliable and safe programming, also detects badly socketed EPROMs.

Soundly constructed in a

convenient flip-top box which protects unit when not in use. Supplied with a comprehensive manual.

95 (excl VAT, free P&P)

2 year guarantee. Detailed information on request



Control Telemetry of London Unit 11, Burmarsh, Marsden St., London NW5 3JA Tel: 01-482 2177

Low Prices



Phone your necrest dealer for the most competitive prices

Best Service



Europe's No. 1
Group of Retail Outlets

- Check our multi-national network for your nearest dealer
 - * Backed by an after-sales service second to none

The Electron

Another Winner From the Big M Stable

The Electron — A thoroughbred from the manufacturers of the BBC, who have incorporated all their experience and knowledge to conceive another winning computer. Many BBC programs are compatible. This full colour 32K ROM and RAM computer with text and graphics includes a cassette input, and a multi-way connector for the addition of expansion units containing interfaces to additional hardware. It has a 56 key full travel QWERTY keyboard, 10 user-definable and 29 pre-defined keys enabling BASIC keywords to be entered in a single keystroke. The Electron comes with free introductory cassette containing 19 programs including a number of

exciting games. £199.00



TORCH Z80 Disk Pack 800K

Dual disk drive with Z80 second processor and CPM for BBC. Gives BBC 64K of usable RAM.

48K Sinclair ZX Spectrum

Sinclair ZX Spectru 48K basic, colour and text graphics.



SERESTER SERVICE **经现在股份股份**

BBC Model B

Commodore

COMING SOON Commodore Plus-4

Commodore 16 Starter Pack

includes Cassette Unit. Introduction to Basic and 4 Software

Programs for only MONITORS RGB Colour Monitor STD/RES

RGB Colour Monitor H/RES 12" Green Monitor

12" Amber Monitor



Double Density DFS

Disk controller for the BBC Micro. Up to 2MB on line storage. Auto internal format programs for 51/4" and 3" drives. Acorn compatible runs basic, wordwise, BCPL, view forth etc. 25% faster than Acorn DFS on file access. Auto 40-80 track switching. Compatible with .1 DFS view and sideways ROM.

Computer with text graphics 80 column screen, extended Microsoft basic by assembler IMHz an interface, sideways RS 423, A/D convert

Full colour 32K RO

Double Density





Intend

COLOUR

RGB



Commodore 64

Colour sophisticated

ROM/RAM user, UHF/ Composite video, high resolution graphics.

BBC

Model B

Grays 0375 79717

London 01-274 7700

********* st Service ACORN AND BBC



Products

DATA

Executive 80 Electronic

Office Typewriter

splay

With 2 Line

Astron JP80 (as ill.) MCP40 (Colour Printer)

Epson FX-80 Printer 160cps

DISK DRIVES Disk Drive 100K Single

Disk Drive 200K Single

Disk Drive 400K Single

Disk Drive 800K Dual

PRINTERS

Epson RX-80 Printer





lovstick & Cassette

DWP 20 Wheel Printer



Joystick & Cassette Players -Many joysticks and

cassette players available from stock. Just in . . . The BBC Compatible Crack-Shot



SOFTWARE all leading chart software available



This special complete pack contains: Apple He Personal Computer, disk drive and controller. TV Modulator (colour and sound) • £25 Apple

Software rebate certificates £100 Training Voucher • £25 Apple

Monitor rebate certificate. Micronet/Prestel discount voucher £68 off • 'Windfall' Apple user magazine

Apple Sports Bag - Software Certificates -Catalogue of Hardware and Software



nal Dealer Network *************

361 3000

1112/7434

aunion 823 57526

Horsham 0403 68461

Skipton 0756 68192

The last piece to make your BBC business system complete



Now, for the first time, you can realise the full potential of your BBC computer as a powerful Business Management System.

When developing this new range of business software, our programmers had one objective foremost in their minds — to design ho nonesense software for the busy, growing business. We knew that it would have to be easy to understand, efficient, flexible and fast. And the result, a product that will be of immediate value to any small, expanding business—it dramatically reduces the time spent on administration, and presents printed documentation, to the highest standards.

The Sales and Purchase Ledger Due ensures that you are always in control of cashflow by providing a comprehensive record of ingoings and outgoings, keeping accounts up-to-date and issuing statements and reports on time.

Unique features are the automatic production of V.A.T. statistics for returns and the ability to provide year end accounts for your auditors.

The Stock Control and Invoicing Duo monitors and automatically adjusts stock levels, whilst issuing purchasing recommendations. Invoices are rapidly calculated and immaculately typed.

The unique feature is a free format invoice, which allows non-standard narrations to be used, a most important detail, and previously unavailable.

The two Systematics International Business Duo's are available at only £89.00 each, from selected Systematics International stockists or direct by using the coupon below. Order with confidence from Systematics

International, our reputation as the U.K.'s leading Software House – is your guarantee of satisfaction.

Systematics International

Systematics International Microsystems Limited, Cleves House, Hamlet Road, HAVERHILL, Suffolk CB9 8EE

Telephone: (0440) 61121 Telex: 99431 SIG

	Sales/Purchase Ledger		Stock Control/Invoicing
add £1.50	a Postal Order/Cheque* made towards carriage and insurance	e)OR	
Please ch	arge my Access/Barclaycard/A	mmex/Diner	s* card number
10			Signature_
Name:			
Address:			
		st code	Telephone number



Clearing up

queries on

second processor

Sir, I am writing in response to the letter from I Crawford in your August edition concerning his 'problems' with the 6502 second processor seems to me he has not understood what happens when using a second processor.

The 6502 is an eight-bit processor and because of this can address 64k directly. As a any languages machine code programs have to run in the second processor. hence the need to copy them across from the input/output processor (in this case the BBC micro). Some of the memory in the second processor is used to hold operatsystem software location &F800. On start-up the default language is copied across the Tube to the same memory position as it occupied in the I/O processor - but this time in the memory space of the second processor

HiBasic is a relocated version of Basic II and resides in second processor at &B800. giving location approximately 44k for Basic programs. For machine code programs, 61k is available since the memory occupied by Basic and its workspace may be used

Also with a second processor, HIMEM remains fixed at &8000 regardless of mode, since the screen is mapped into the I/O processor and not second processor Memory in the I/O processor that is not being used for display purposes can still be used-effectively by poking and peeking. This may be done using operating system calls as defined in the User Guide and Advanced User Guide. It is also possible to execute code in the I/O processor from the second processor

Now to I Crawford's guestions.

When using HiBasic the gain made is the memory below the operating system and above the default language location (ie. the location Basic occupies in an ordinary machine), this being about 14k

the machine switched on, Basic is copied across to the second processor and any programs loaded will be run here. The original memory is now used only for display purposes. Part of this memory (depending of course on mode) may be used by peeking and poking via the correct operating system calls, but cannot be reclaimed.

As far as ROMs are concerned, all Acornsoft's will work across the Tube. Wordwise will not work because it pokes directly to the screen. The same is true for any ROM which pokes the screen directly.

I hope this clears up some of the problems and that my comments will be of use to notential purchasers of a second 6502 **Gary Jones** Manchester

Reviewers need to

compare products

Sir As one who is involved with the BBC micro, both personally and professionally as a teacher, I must compliment you on the new format of your magazine, particularly the idea of compacting the listings into a separate section of the magazine. There seems, too, to be a greater variety of articles, and diversity of sec-

I find your magazine a tremendous reference point for new software that may be of interest to me at home, and for new developments in the field of education.

With particular reference to the educational software or developments in hardware I find it difficult to evaluate new material and have to rely on publications that concern themselves either with the BBC computer or with educational computing I have found your reviews objective and fair, but could they be more comparative?

I suggest this because I do not have the facilities to compare new software, making a realistic judgment more difficult. Software houses are still reluctant to supply local autheducation computer centres with software free for evaluation.

To take a case in point, this I month (July issue) reviewed Edtax. How much more relevant and useful it would have been if you had been able to take 'viewdata systems' as a theme and to compare the software available Edfax certainly has strengths, but what are the qualities of Optima's Datext or Datapen's Teletext Display Creator. My own experience would put Datext's move. copy, cycling options in a different league to those of Edfax. vet Edfax's use of function keys is clearly more friendly. At the same time, the documentation of Edfax is extensive, that of Datext restricted to

Similarly, there has been a need for a comprehensive database for schools that is menu-driven and accesses the disc rather than being an enhanced cassette version. Suddenly, they appear to be available in plenty, but again how can you evaluate them without purchasing each one?

a fold-up pamphlet!

I do not feel that I am a lone voice crying in the wilderness, there must be many 'nonexperts' like myself in primary schools up and down the country who seek opportunities for evaluation of new materials. Schools do not have the money to make errors over choice of software

David Powell Rotherham

We couldn't agree with you more, and have already begun the task you suggest. The review, with bench tests, of four monitors in June's issue was very popular and in this issue we cover Basic toolbox ROMs (page 157).

To say these reviews are strictly comparative would be wrong, but they aim to give a series of test criteria that readers can apply for themselves. Already, there are dozens of databases and wordprocessors making detailed comparison difficult However, our reviews should enable you to decide what facilities you need and to make your choice. As you point out, most have strengths and weaknesses, and the opinions of a reviewer may not tally with yours.

In the next few months we shall consider databases. wordprocessors machine code utilities, lightpens and joysticks. In November's issue, six turtles and buggles are put under scrutiny. Please let us have your comments.

Bar codes in

Acorn User

Sir, May I comment on a news item in the August issue of Acorn User, which said that Wordsmiths of Somerset were the first company to offer a professional typesetting service to Wordwise users. We have been offering this service for 12 months, having done work for, among others, Computer Concepts themselves (Disc Doctor manual) and more recently Clares Micro Systems (Beta Base manual).

We are also co-operating with John Coll and Mike Bostock of MEP in generating high-quality bar codes for their bar code reader. I believe Acorn User is to be the first magazine to publish bar code programs. We can generate typeset har codes directly from a cassette/disc program or messages from Wordwise. etc. In fact, our service extends beyond Wordwise and we believe we are able to typeset directly from most BBC wordprocessors - including Wordwise. View and Wordsworth. information honklet explaining our coding system is available

Our ability to typeset from various disc formats enables us to offer an additional data conversion service of transferring data between different types of disc, ie accept a BBC disc and transfer the data to a Tandy 80, or Epson to a Torch, or Apple to a Sharp etc. This data conversion service normally involves a basic handling charge plus 25p per thousand for the first 500,000 characters and 20p per thousand for the remaining charac-Ray Lumb

Quorum Technical Services Sandford Park Trading Estate Corpus Street Cheltenham

Gloucs GL52 6XH


parties

We don't think Acorn User will be the first magazine to publish bar code listings (Byte did it a few years ago in the US), but we are supporting the MEP with its project which will be launched in October.

Addison Wesley will be releasing the reader with softand documentation, while Acorn User will explain the ideas involved, and make software available in bar code format.

interested should keep their eyes peeled! ACORN USER OCTOBER 1984

So.



announces its complete local and wide area Viewdata communications system for the BBC micro.

The first system to unlock the full power of the BBC micro, it turns the BBC into THE Viewdata/communications machine.

Become your own 'micro-PRESTEL'.

Log on to any other Viewdata system.

Create your own Viewdata bases & telesoftware. Let others access them over the phone.

Explore the new world of electronic publishing & information services.

- By far the most comprehensive and easy to use Viewdata system for the BBC micro.
- * Track tested since Nov. 83 in the national ITeC program.
- * Subset to be bundled by Acorn with their new Winchester file server.
- * Adapts itself to Disc or Econet Level II.
- * Up to 195 frames on a disc.
- Multiple databases can be used simultaneously on a network.
 Special Education licence (Single school, multi-machine, multi-site licence).

The complete package includes SOFTWARE, MANUALS, LEADS and MODEM; Nothing further required beyond the BBC micro and the new 600 series B.T. phone socket.

THE SOFTWARE

- SYSTEM MENU simple cursor driven selection used throughout, with powerful configuration facilities. Auto-booting.
- OFFLINE EDITOR one of the best viewdata editors available for ANY machine, combining exceptional facilities with case of use, enabling complete Viewdata bases to be created on disk or network.
- * SEARCH this enables a Viewdata base to be searched locally in exactly the same way as when on-line to PRESTEL.
- * CAROUSEL for exhibition and public display, frames can be left automatically displaying in a cycle.
 * FRAME PRINTER hard copy of frames, supporting parallel, serial or network uniter, with graphics supported on Integers colour inkiet. Enson FX80 &
- work printers, with graphics supported on Integrex colour inkjet, Epson FX80 & MX100 type III, Microline 80/82, Silver Reed EX43, and text on any other ASCII printer.
- * TERMINAL can log onto any other Viewdata system, single key auto-dialling, download frames to a local database, telesoftware downloading, full on-line editing, frame-load and send.

 * HOST enables a locally created Viewdata base to be accessed by any standard
- Viewdata over the phone. Also provides an on-line editor so that callers can enter messages or complete frames, saved in a private "intray".

 * TELESOFTWARE FORMATTER any file, text or data, as well as programs.
- * TELESOFTWARE FORMATTER any file, text or data, as well as programs, can be turned into C.E.T. telesoftware frames and made available to callers via the HOST, providing machine independent secure file transfer through the C.E.T. standard.

REQUIREMENTS

BBC micro B, OS 1.0+, DFS 0.9+ &/or Econet level 2 / NFS 3.34+. Also B,T.600 series phone socket.

PRICES

FULL SYSTEM as outlined above. £325.00 + VAT + pp

LOCAL MODE OFF-LINE SYSTEM (No communications). Software: MENU, EDITOR, SEARCH, CAROUSEL, FRAME PRINTER, + full documentation, all as outlined above, working on disk or Econet level 2, 455.00 + VAT + pp.

HARDWARE

- INTELLIGENT AUTO-ANSWER / AUTO-DIAL MODEM the first of the new generation of intelligent modems, it is far in advance of anything else in the field.
- No buttons or knobs to set it sets itself and no understanding of bits and bauds needed.
- Auto-dial software driven needs no telephone handset, making phone costs controllable.
- * Auto-answer handles incoming calls unattended.
- * When calling another CommunTel system in HOST mode, unique speed switching enables frames to be spent at high speed, creating a fast electronic mail system with dramatic phone cost savings.
 - Robust, steel cased.

 BABT approved (No. S/1397/3/E/450348) legal to use on public B.T. p hone
- * All leads provided just plug in and it's ready to go.

DOCUMENTATION

- * TUTORIAL MANUAL an excellent self-teach tutorial manual is provided. This is properly type-set in large type and heavily illustrated with colour photographs. Further copies of this are available separately. This covers every part of the content of the cont
- * REFERENCE MANUAL a comprehensive reference manual covers the remaining aspects of the system.

CHOOLS

Harfield Advisory Unit for Computer Based Education have negotiated a special 'schools deal' and are selling the Local mode off-line system + the TERMINAL software + a book on Educational uses of Viewdata + sample database disk, under the extended schools licence for the same price: £45.00 + VAT, Enquiries to Hartfield AUCBE.

FURTHER INFORMATION

For further information and order form write to:

CommunITel Ltd. 189 Freston Road, London W10 6TH.

Searching for

robot projects

Sir. After seeing the BBC TV series 'Computers in Control', I am interested in the Fishertechnik models. How do I link them to my BBC micro?

Also, has anyone published any books on home-made Paul Dormer Cheshire

There is a Fishertechnik robot kit which can be made up into six variants: a telescopic arm; graphics tablet: sorting machine: crane: plotter: and solar tracker. It costs £92 and links to the BBC through the user and analogue ports. Simple software is included.

The list is available from Micro Robotic Systems, 20 Penywern Rd, London SW5 1129

There is a magazine called Practical Robotics, and Electronics and Computing Monthly often carries articles on robots. Next month's Acorn User features a review of six turtle and buggy-type robots, with more on robotics to come In the New Year.

QL chance

Sir, The announcement that Acorn has obtained a renewal of the BBC contract for four years will be generally welcomed in our schools and colleges. This continuity should provide а much-needed element of stability in a field where there is, all too often. change for the sake of change. or so it appears.

Meanwhile, the fact that Sir Clive has, not for the first time, missed not only the Bus but also the Tube could allow more time for development of the QL as a genuine competitor to the Reeb Kenneth Swinburne

St James's University Hospital Leeds

Joystick aid

Sir, I would be grateful if you could list the ADVAL commands that detect joystick movement in all directions as the 'Useless Guide', sorry. User Guide does not list them! Robin Sasson Slough

We think you're being a bit harsh on the User Guide, but here's the information.

ADVAL (1) and ADVAL (2) are used to detect movement on one joystick and ADVAL (3) and ADVAL (4) on the other. ADVAL (1) and ADVAL (3) detect left-right movement, returning a low number when the joystick is right, and a high number when the joystick is across to the left. ADVAL (2) and ADVAL (4) return a low number when the loystick is back and a high number when the joystick is forwards. The number returned is in the range 0 to 65520.

will Analogue joysticks return a value even if the joystick is not being moved, the number returned indicating the position of the joysticks

Elk insanity

Sir. I've been reading Acorn User for over a year now. It has always been an excellent publication and with the new printing format it's near perfeet

I say 'near perfect' because one thing is driving me mad! You keep on referring to Electron as an ELK (ugh!).

What idiot made that name up? It brings Acorn down to Sinclair standards It even sounds like a Sinclair add-on!

So please, please help me keep my sanity. Call the Electron an Electron.

Aviator

(Electron)

Planetoids

Snapper

Adventure

Space

Zalaga

Rocket Raid

Painter

Pengo

Jason Cann

Acornsoft

Odd character

Sir. Congratulations on the recent improvements to Acorn User. I have a frustrating problem which I wonder if you could solve. What does "! do! No error message is given and the filing system is not accessed

> Clive Maidment Middx

The " character has a special meaning to the operating system. "A' represents control A, "B' represents control B and so on. Its main use is to allow the placing of control codes in function key definition, notably :M representing a carriage return. It can be used with all the operating system commands, so a file can be saved with the name 'L' (clear screen code) resulting in the screen being cleared each time you get a directory.

The particular code you mention doesn't really do anything as it is incomplete.

Third 'first'

Sir. I am writing in response to a news item that appeared on page 22 in the May edition of Acorn User. The headline read 'Salamander first with m/c compiler', but I rather doubt that this is true. Jeremy Ruston produced a compiler that was marketed in 1983, and in Janu-

450 Mark Bradshaw

ary of this year we marketed a compiler written by Simon Parker. Our compiler comes on cassette for £17.95 or disc for £19.95, and is advertised in your magazine every two months. More than 50 BBC Basic keywords are catered

So it would appear that Salamander's compiler was in fact the third. M Towle

ACK Data 21 Salcombe Drive Nottingham NG5 8JF

Keyboard query

Sir. I have three questions on BBC Basic. First, how do you clear the keyboard buffer? Second, how do you mix user-defined colours in graphics? Finally, what is the teletext control code for separated graphics, as in the title page on Acornsoft's programs for the BBC micro? **Timothy Lennon**

Somerset

Here come the replies, in order. *FX15,0 will clear all the internal buffers, and *FX21,0 flushes the keyboard buffer. Further information on these calls can be found in chapter 42 of the BBC and Electron user guides, and in the Advanced User Guide. In the September issue.

Harry Sinclair showed how to produce full colour sprites. Also if you are printing at the graphics cursor (after VDU 5) then only points that are in the foreground colour are plotted. those pixels which are in the background colour are not so colours can be mixed by printing at the same position with different characters in different colours. Finally, the teletext code for

separated graphics is 154; it is turned off by code 153. All the teletext control codes are in the BBC User Guide on pages 486 to 489.

Unilab contact Sir, I have already written in

for details of the weather satellite project in August's magazine, but could you please let me have an address for information on the Unilab computer interface.

Jason Bryant Gwent

The address for Unilab is: Clarendon Rd, Blackburn BB1

Latest round-up of games high scores

Android Attack	Concepts	602,590	Stephen Green
Arcadians	Acornsoft	48.760	Gerard Mulholland
Battletank	Superior	16.320	Damon Futter
Chuckie Egg	A&F	1.997,800	Gerard Mulholland
Crazy Painter	Acornsoft	13,700	Derek McDowell
Cybertron Mission	Micro Power	26,460	Mark Bradshaw
Fortress	Pace	87.000	Damon Futter
Free Fall	Acornsoft	1,188	Owain Griffiths
JCB Digger	Acornsoft	52.000	Owain Griffiths
Killer Gorilla	Micro Power	63,900	Mark Bradshaw
Meteors	Acornsoft	73,220	Robert Hirskyj
Missile Command	Gemini	25,905	Mark Bradshaw
Monsters	Acomsoft	19,270	Owain Griffiths
Moonraider	Micro Power	320,000	Damon Futter
Overdrive (BBC)	Superior	102,560	Daryl McClure
Overdrive	Superior	707,010	Gerard Mulholland

ARF

Watford

Acornsoft

Acorosoft

Acornsoft

Aardvark

Virgin

Mark Bradshaw Damon Futter 488 900 Robert Hirskyi 61 560 Robert Hirskyj 168 970 Mark Bradshaw 4,640 Gareth Dykes

171,430 Daryl McClure

104.820

173,000

9TA. ACORN USER OCTOBER 1984

Breaking

the barrier

Sir, While playing around at my Beeb I discovered a way of program protection, quite by accident I typed in:

'KEY 10 A\$ = GET\$:M CLS:M

When typed in, any program already in the computer could not be tested and break would cause a "Bad program" message to appear. I found this very interesting as I had not seen such a simple procedure as this before. I would like to know why this happens.

D Wolff Llannelli

To understand why this works you must know a little about where the Beeb stores a Basic program and where it stores variables. Normally variables are stored in memory after the end of your program, the value of this location is held in the variable LOMEN.

When the Break key is pressed the old value of LOMEN is lost (OLD resets it), and it is set up with the value &1900, which is where Basic stores your program. So it before you OLD, you set up any variables they will overwrite the beginning of your prothe beginning of your prothes the second of the Break key to set up a variable, this corrupts the beginning of your program, and hence a 'Bad program' error when you try to OLD.

If you only do a CTRL-Break then a program can still be recovered by typing 'OLD'.

Fortress cure

Sir, I had the same problems as your reviewer in running Amcom's Fortress (September), namely that, after the first three lives, the machine locks up solid, switching off being the only solution.

The solution turned out to be simple. Once the program is loaded, and before the craft is crashed, hit the escape key. This works for myself every time, and was discovered thanks to Reed Photography of Chesham.

Whether this is the fault of the machine (an Issue 3 baar) or the superbly protected software could be debated until the cows come home. The moral of the story? First, don't panic; second, find someone who has played it before and watch them like a hawk!

Before I get condemned to Mad Alex's dungeon for life, dare I ask when Acorn User is going to review Skywave's Multi-Tasking Forth-83?

A Binns Amersham

Thanks for the tip, and the Skywave review is underway.

Shinwa tip

Sir, I am writing with reference to the multi-hone screen dump presented in the July issue of Acorn User, to Epson-type printers. A simple way to after the program to produce a proportional dump on a Shinwa CP80 printer (provided the occasional lost byte is not important), is to amend the following two lines:

180 VDU1,27,75,1.0,1.2 710 print_bytes 1dx #1 Great magazine!

Stephen Wilcock Bristol

Electron games

Sir, Your Electron readers might like to know about some BBC programs that will run on the Elk. Versions of Aviator, Arcadians, 3D Bomb Alley, Saloon Sally and The Mine all worked when I tested them, although the sound effects aren't as good. Also 3D Bomb Alley, Saloon Sally and The Marey Saloon Sally and The Mine are all slower, but in the salone shall all the sa

Keep producing the magazine by which all others are measured. N Wright Lincs

Flashback

Sir, What on earth has the he/she/it silver painted graffitid asymmetrical-eyebrowed creature in a government surplus naval gunner's anti-flash hat got to do with computing?

R Taylor Gwynedd

ASK a silly question, pass a fair comment, stage an angry protest – we don't mind what you write to us about (or about use). Keep 'em short, keep 'em sweet, but keep 'em coming! The address is: Letters, Acorn User, Redwood Publishing, 68 Long Acre, London WCZE 9JH.

Kitty explains

how to choose

software and

unravels ROMs

l've been very disappointed with some of the programs. I've bought. What tips can you give to stop me making the same mistakes again?

takes again? Peter Brown
Liverpool

Buying software is just

like buying any product, for example a book, and you should look at the task in the same light.

Personal recommendation is

Personal recommendation is the most reliable method, and then there are reviews As with book reviews, you will learn to trust some people and magazine and the sold of the sol

Make sure you know what machine you have (especially it it's an upgraded model A). Don't assume a program will work, and, of course, programs labelled for other types of computers will not work. Although the Beeb and Electron are similar, don't buy Electron software for the BBC and vice-versa, unless the seller can show it works on your machine.

Before you buy, ask for a demonstration in your local dealer's or shop. If they won't help, then go elsewhere. Build up a relationship with a dealer who will often be able to recommend software as he/she gets to know your tastes.

Packaging and documentation will be a good indication of quality and will be important to some people, but not others. Look out for screen shots, which many software houses are showing as standard on cassette boxes. Make sure the company prints an address for return if the program doesn't work, or that the shoe will exchange.

Some shops will stock only the best-selling software, and these are usually a safe bet. Remember though that the games market is dictated by youngsters



whose tastes may not be the same as yours - and their reflexes may be a lot better.

Finally, Acornsoft is soon to produce a catalogue of software and products from other companies it recommends. Look out for news in Acorn User.

Everyone talks about ROMs and firmware, bought Wordwise and a friend told me it was on an EPROM, and that his View was on a proper ROM. What is the difference? Helen Phillips Birmingham

ROM (read-only memory) is a chip on which information stored and cannot be easily wiped out. An EPROM is erasable/programmable ROM, on which the information can be destroyed if the chip is exposed to ultra-violet light. If you remove the label from the EPROM, you will actually be able to see the silicon chip covered by plastic inside its casing. This means an EPROM can be wiped and then re-used, whereas a ROM cannot

Acornsoft has put View on ROMs because they are cheaper-but only if they are ordered in very large numbers. Smaller companies Hen EPROMs because they can be produced in small numbers giving more flexibility and costing less in the short term. Also. EPROMs can be recalled and exchanged more easily because valuable - costing are about £8 each. ROMs just have to be thrown away.

The best example of this was Acom's original 0.1 operating system. This was sent out on EPROM as it was a temporary system, whereas the 1.2 version is in ROM as it will be produced in large numbers over several years.

The term 'firmware' just means a piece of hardware on a chip, such as the BBC's ROMs and the Electron's cartridges.

BBC Microcomputer in the NORTH

CTECH Computers Telephone:061-366-8223/7794



Computers	£ p	Acorn Equipment	f p
BBC Model B	346.95	6502 2nd Processor	173.04
BBC Model B with DFS	407.82	Z80A 2nd Processor	260.00
BBC Model B with DFS & Econet	439.00	Telextext Adaptor	199.00
BBC Model B with DFS & Wordwise	433.92	Electron Computer	173.04

AT U Ac

a Cassette Lead and Software Package. Most add-ons include free fitting and installation. DISKETTES

Air computers come with Fi	ee Casserre Lear
Monitors Philips Hi Res Microvitec Normal Res Ferguson TX-90 RGB/TV	68.69 199.00 199.00
Light Pens and Joysticks Addon Light Pen JMB Full Analogue Joystick Joystick Pairs Hi-Fi Extension Cable Asair-type joystick to BBC interface	21.70 13.00 17.35 5.17 13.00
Components and Cables We stock everything e.g.: 2764 Eproms 27128 Eproms Low 8271 Eproms Pinter Cables	6.04 POA 12.99

	-	-	_
- 1			1
- 8			200
- 8			
- 6			

Boxes of 10 diskettes BASF s/s d/d diskettes £13 00 BASF d/s d/d diskettes £22 90 XIDEX diskettes £15.22

ddons	
TPL ROM/RAM board	38.00
aht Pen	21.69
L 200 Prestel Terminal	87.39
corn Speech Synth	47.83
nip Chat Speech Synth	26.04
ce Grapevine	POA
KARCH 00 2000 00	

ROM Software 34.74 Graphics ROM 28.65 Print Master 28.65 View 2.1 Ultra-Calc 56.48 7.38 Disk Doctor 28.65 BCPL 86.09 Termi 28.65 Commstar 30.39

TEAC SHINON DISK DRIVES FROM £95.00 + VAT

DISK DIVINES FROM CENSION OVA.

DISK DIVINES FROM CENSION OVA.

Single Sided, 100K (200K Double Density) As showe but complete with Catales, Utility
Disk, Catales, Case and Manual, E1700,00 - VAT
Bare 18AC55F, Similine, 40(80 Track, Double Sided 400K (800K at Druble Density) E169,00 - VAT
As a develo but complete with Cales and Uniform Disk Catales. Case and Manual E179,00 - VAT

TEAC SHINON

TEC Disc Drives from £109.00 + VAT DUAL DRIVES FROM £199 • VAT
Dual CHINON F0510, Similine, 40 Track, Single Sided 2 × 100K (2 × 200K Double Density). Complete with Cables, Utility Disk,

DOAL UNIVESTATION (1993 - VA.)

Single Sided 2 × 100K (2 × 200K Double Density) Complete with Cabes, Utility Dak.

Cables, Clair put Marrial (1989 - VAT

Dual TEAC 55F Slimitine, 40/80 Teach, Double Sided, 2 × 400K (2 × 800K with Double Density) Complete with Cables, Utility

Dual TEAC 55F Slimitine, 40/80 Teach, Double Sided, 2 × 400K (2 × 800K with Double Density) Complete with Cables, Utility

Dual TEAC 55F Slimitine, 40/80 Teach, Double Sided, 2 × 400K (2 × 800K with Double Density) Complete with Cables, Utility

Dual TEAC 55F Slimitine, 40/80 Teach, Double Sided, 2 × 400K (2 × 800K with Double Density) Complete with Cables, Utility

Dual TEAC 55F Slimitine, 40/80 Teach, Double Sided, 2 × 400K (2 × 800K with Double Density) Complete with Cables, Utility

Dual TEAC 55F Slimitine, 40/80 Teach, Double Sided, 2 × 400K (2 × 800K with Double Density) Complete with Cables, Utility

Dual TEAC 55F Slimitine, 40/80 Teach, Double Sided, 2 × 400K (2 × 800K with Double Density) Complete with Cables, Utility

Dual TEAC 55F Slimitine, 40/80 Teach, Double Sided, 2 × 400K (2 × 800K with Double Density) Complete with Cables, Utility

Dual TEAC 55F Slimitine, 40/80 Teach, Double Sided, 2 × 400K (2 × 800K with Double Density) Complete with Cables, Utility

Dual TEAC 55F Slimitine, 40/80 Teach, Double Sided, 2 × 400K (2 × 800K with Double Density) Complete with Cables, Utility

Dual TEAC 55F Slimitine, 40/80 Teach, Double Sided, 2 × 400K (2 × 800K with Double Density)

Dual TEAC 55F Slimitine, 40/80 Teach, Dual Teach, Dua

DISK INTERFACES FROM £69.00 - VAT over a transfer in Fig. 10 and 10 and

ACORN

CANON

QUEN

CANON PW 1080A. This is the latest state of the ert in printer technology. This machine out performs the £PSOR 7580 it will do werything the £PSOR 500 does and more besides and using the same control coded What makes the PM1080A will see special is not one support as support value for money but the near £ETER QUALITY mode. We include a free screen dump and our BBC Micro Instructions as well as the excellent manual £259 + VAT.

the excellent manuer. Lazar - veri.

OUEN 5100 Daisywheel. This British assembled printer has all the features that you would expect like Auto Bold. Auto Underline Sheet Feeder option. Take Qume daisywheels and Ribbons. 20Cps Bi Directional. £299 • VAT NEC PC B023N Dot Matrix Printer
Bi-directional (120 cps), tractor and inction bed £199.00 + VAT
QUEN DATA Dot Matrix Printer—British assembled £173.04 + VAT

PRICES ...

All our prices are constantly moving, so please ring us to check the latest price.

All prices plus VAT

FREE DELIVERY TODAY (Orders over £90)

ASK ABOUT OUR INSTALLATION SERVICE

If you are in Greater Manchester, Cheshire, Lancashire, Midlands, Merseyside, West Yorkshire or South Yorkshire, if you ring us now we can send one of our highly trained staff to install your computer equipment today (Now for business software too!)



COMPUTERS



184 Market Street, Hyde, Cheshire **SK14 1EX** 061-366 7794 061-366 8223

TO PHILIP CIBBS: Examine in detail all the Editor Assemblers, all the disassemblers and all the Monitors for the BBC Micro; choose their very best features - improve upon them then; add any other features required to create the finest combined machine language programming utility on the market...

He did just that-producing the Kansas

EDITOR ASSEMBLER MONITOR AND DEBUGGER (Kmon)

The only Monitor with both the normal Single-Pass

AND a unique Two-Pass Assembler

In addition to interacting with the rest of the program, this Two-Pass Assembler stores the source code in a compressed formar, which enables much larger programs to be assembled in memory at once, with the listing all neatly tabulated (in colour) with the minimum of memory usage. Another advantage over such as 8 debug's Exmon and Watford's Beebmon is that KMON allows full disassembler labelling facilities. Neither of which have the important Iwo-Pass Assembler, as doesn't the Mollmerx Micromon, which just does not rate of which have the important Iwo-Pass Assembler, as doesn't the Mollmerx Micromon, which just does not rate.

Our normal return first class post service applies with orders despatched the same day if on credit card before 4pm.

This program also carries our full guarantee.

Remember, we are the longest established software publishers in the business...

UPGRADE to Kmon

As many people may wish to have all the facilities of Kmon we will allow £8 on your Beebmon Exmon or Micromon in part exchange

As well as the Two-Pass Assembler

and Disassembler labelling facilities there are over THIRTY Commands...

Two-pass Assemble Single-pass Assemble Disassemble E dit Memory Examine Memory Word Search Byte Search Relocate Program Move Block Compare Block

Insert to Source Code

Fill Memory Block Overwrite Line P seudo-ops Set Breakpoint Clear Breakpoint Display Breakpoint Table Set Variable

Display Variable Move User Table Display User Table Extent SPC Count JSR to Address List Source Code Hexadecimal Dump Select Printer Delete Label Kill Source Code Select Paged ROM Set Scrolling Speed Save to Disk/Tape Load from Disk/Tape

Supplied on RGM, KMDN comes complete with a most extensive User Guide, which starts with a tutorial introduction to the use of the program, with detailed examples of the commands. This is followed by a reference section giving further details, T his User Guide is extremely well written and could be easily understood by the beginner to machine language.

KMON is valuable to both beginners and the experienced machine code programmer since its use provides an excellent introduction to the use of assembly language, whilst the Two-Pass Assembler allows the experienced programmer to develop much larger machine code programs than the BBC assembler or other Monitors allow. The use of the KMON assembler also facilitates easier debugging than a separate assembler and monitor.

POWERFUL Relocator—anywhere in memory. Wide range of pseudo-ops, ORG, MEM, DFW, etc. Versatile editing facilities, can be altered by instruction RTS, LDA, etc., hex, decimal or Ascil. Source code stored in memory so available to cassette as well as disk users. Assembler will not allow you to overwrite—didot proof!

KMON contains a full Disassembler with all O.S. calls labelled, vectors between 8200 - 82FF correctly disassembled and user defined labels automatically substituted.

LABELS can be defined, erased and altered at any time. The two-P ass Assembler automatically accesses and alters user labels, actually accesses and alters user labels, actually accesses and alters user labels, actually accesses and alters user labels. Actually accesses addresses can be hex, declined or a label (or Ascil). There is a full Breakpoint handler. Ext., etc., etc., etc.,

Supplied on ROM for the BBC model B at £34 all inclusive

Kansas

Kansas City Systems, Unit 3, Sutton Springs Wood, Chesterfield, S44 5XF. Tel 0246 850357



FATMAN ON THE MOVE

Harry Sinclair shows you how to animate your character

AST month I presented a program that enables you to design multi-cloured mode 2' sprites. As promised, this month is article introduced as program which allows you to move your creations around the screen smoothly without disturbing any background, maintaining their original colours at all times. Not only that If you want you can have cartoon-style animation.

You don't have to understand exactly what is going on, but it helps you to know the general picture, especially for the animation part.

Apart from its obvious job, last month's program performs three main functions:

 It organises your data into easily usable blocks.

- It sets up a table containing the start address of the data for each of your sprites and saves it with the rest of the data.
- It saves information about the width of your sprites so that this month's Mover program automatically knows how big to draw them.

The importance of these three things is that the Mover program can quickly put your data on the screen just by knowing which character you want to display and where you want to display aren't particularly interested in the details of how the program works, all

- you need to know is:

 It should be typed in and subsequently LOADed with PAGE set at
 - You must save it before you run it.



Fatman can be moved to any position on the screen

 When you want to move a set of characters around, 'LOAD them first and then run the Mover program.

gram.
As a texplained last month, the designer program allows six sprites to be defined at a time but it regards them as being 8. Sprites 0 and 2 are the same, as are sprites 4 and 6. This means that if

you ran through them in sequence you

would get sprifes 0, 1, 0, 3, 4, 5, 4, 7.
In other words, if you want to produce
animation effects – say, of a man walking right to left – sprife 0, should be of a
man standing feet-together facing
right, Sprife 1 would be man with left
leg forward, right leg back, sprife 3,
right leg forward, left leg back. That
completes the moving right sequence, the
but with the man facing the other way,
(i'm not sure whether I understand all
that. It's a bit like describing Dolly
Parton with your hands tied behind

that. It's a bit like describing Dolly Parton with your hands tied behind your back).

Anyway, when you're designing, you don't have to worry about duplicating sprites 0 and 4—the program does it tor you. If you look at the screen shots

accompanying this article you'll see

Sprite 0 Sprite 1 Sprite 0 Sprite 3

MOVING LEFT SEQUENCE

Sprite 7 Sprite 4 Sprite 5 Sprite 4

Sprite 7 Sprite 6 Sprite 7 Sprite 6

Sprite 7 Sprite 8 Sprite 7 Sprite 8

Sprite 7 Sprite 8 Sprite 8 Sprite 8

Sprite 7 Sprite 8 Sprite 8 Sprite 8

Sprite 8 Sprite 9 Sprite 8 Sprite 8

Sprite 9 Sprite 9 Sprite 8 Sprite 9 Sprite 9

MOVING RIGHT SEQUENCE

The animation sequence for walking Fatman in both directions, left and right. It takes six sprites, two being repeated

Harry Sinclair's 'Mover' program is listed on yellow pages 100 and 101





PAWS T



Each disk holds 1000+ hours of s/w engineer developed from our artwork systems. These program fully exploit a disk-based BBC to stimulate long-term interest through exploration and experiment.

Prices inclusive. State 40tr or 80tr. £3 off total for programs; £6 off for 3. Add £5 if backup regd. Specia terms for Schools/Colleges needing 3+ copies.

' JIGSAW PICTURE & WORD PUZZLES (2 programs): £14.5 JSPP takes any mode - 2 picture, 3 pictures supplied JSWP has fun-to-use word-puzzle creator/editor Random jumbles, 12 levels: toddler to top puzzler Four sliding & teleporting cursor options Helps: Tidy/Re-jumble keys, Save/Reload

TEX and PAM (2 programs): TEX creates/modifies/animates mode-7 pictures

Output options: spool, 'save, 'save 5 pic sequence PAM runs TEX o/p as animated-film/slides/news

Timed frames, Inner loops, 13 TV-type smart wipes Shop/exhib users: please ask about pricing version

MUSIC MAESTRO (synth for non-musicians): Design pleasant/weird sound envelopes. MN autodraws Play: 4oct, 8std + ownenvs, chords, arpeggios, loops Record/edit/replay. Add rhythm after melody



Cheques/PO with order to: **Promotional ArtWork Systems** 9 Mayo Cl, Leeds 8 LS8 2PX



BBC DUAL DISC PAYROLL PROGRAM For 150 employees with 100K disc using random access

Calculates most tax codes and national insurance rates Calculates up to 24 fixed deductions per employee including employer's and employee's pension contribution and S.S.P.

Has coin and note analysis.

Has a complete end of year routine for tax returns.

operation.

Prints payslips, cheques and cheque list.

BBC B DISC MAIL MERGE PROGRAM Produces personalised versions of a standard letter by merging names and addresses held on a data disc with a standard letter produced on Wordwise or Merlinscribe

word processors. Prints letters, envelopes, two abreast labels and the com-

plete file including telephone numbers.

Comprehensive facility for selecting and printing using any user definable criteria.

BBC B DISC MAILING LIST PROGRAM

Stores up to 350 names and addresses per 40 track disc or 700 per 80 track disc.

Incorporates comprehensive search facilities for selective printing of labels, envelopes and letter headings.



MICROS MONITOR

Electron Spectrum

£199 £125 Colour/Green Novex 1414 £220

PRINTERS

Green Sanyo DM2112 RX-80 RX-80 F/T

BBC B £380 + DFS £460

DISC DRIVE

Gemini 10X £247 £390 Juki 6100 Single 40 track 100K

Single 40/80 track 100K Dual 40 track Dual 40/80 track DS

£350 £560

£299

SOFTWARE Ultra-Calc

Clares Database £26.00 Payroll

:- 40 or 80 track £49.95; Torch Z80 £74.95 Mail merge :- 40 or 80 track £39.95; Torch Z80 £69.95 Mailing list :- 40 or 80 track £19.95; Torch Z80 £29 95 Carriage 50p.

Discs from £19.95, cassettes from £0.55 and joysticks

chemist

from £17.50, leads from £2.50. Just arrived hard covers for all micros

Business systems customised to individual needs such as

£78.00

word processing, payroll, employment agencies and All prices inc VAT. Postage extra.

SEND ORDERS TO

CYB COMPUTERS 9 Crown Parade, Crown Lane, Morden,

Surrey SM4 5DA. 01 542 7662. WE ARE A FEW YARDS FROM MORDEN UNDERGROUND STATION

how Fatman is organised. He is eight pixels (four bytes) wide.

If you select the animation option, Mover runs through the sprite sequence 0-3 when the cursor right key is pressed and 4-7 when the cursor left is pressed. Up cursor and down cursor just move the currently displayed sprite in the appropriate direction. The key detect routine can tell if two keys are pressed at the same time, so you can give your sprites a headache if you're feeling evil.

That's all you need to know if you want to start typing. Incidentally, if you don't want to type it all in at once just stop when you're cheesed off and save what you've done. Then, suitably uncheesed, load the program, list it then type AUTO XXX where XXX is a number 10 higher than the last one. You can then carry on.

Right, now for the tricky bit-full

screen addressing. A mode 2 screen is composed of 32 (0-31) horizontal 'strips', each eight

bytes deep and 80 bytes wide. Type in the following short program. 10 'TV255

20 MODE 2 30 screenstart = &3000 40 FOR 1% = 0 TO 31 50 S% = screenstart + 1%*640 60 IF NOT 1% MOD 2 C% 803030303 ELSE C%

83F3F3F3F 70 FOR J% = 0 TO 639 STEP 4 80 J%!S% = C%

90 NEXT 100 NEXT

When you run this you will see the screen divided into red strips and white strips - 16 of each. Every strip represents 8 deep by 80 wide = 640 (&280) bytes. Screen memory in mode 2 starts. at &3000. If you pick a location on the screen - say third down, 20th byte across within the fourth strip, you know that its address will be

&3000 + (&280 * the number of complete strips above your chosen location - in this case 3) + (8 * 19)

If you're puzzled as to why the last part of this equation is not (8 * 20) + 3. remember that numbering starts at 0. not 1. So the third byte down in a column is in position 2, and the 20th across in position 19.

To complete the example, the final address is shown in figure 1.

If you add an extra line to the above orogram:

110 28380A = 0

this will make that particular location

So calculating screen addresses is not very difficult. The only problem is that if you're using this method to draw a character to the screen and the character is 24 bytes deep and four bytes wide, the calculation has to be done 96 times - pretty time-consuming. Another way of doing it is to calculate the address of each of the leftmost bytes.

Let's take the above address as an example - &380A. The address of the location immediately to the right of that is just eight higher - &3812 - and the one next to that is eight higher again -&381A. Add the following line to your program:

120 283812 = 8F-28381A = 830

When you run it you will have three bytes in a row in strip 4 - the first black, the second yellow and the third blue.

Calculating the left-hand address and then adding eight to it to get the next one is a bit more efficient, but not much. There are a few variations on this method but they all require a fair amount of calculation, and microprocessors, oddly enough, were not designed to perform arithmetic operations-logical operations are their forté.

Yet another way of doing it is by using a bit of lateral thinking. Say your sprite is 24 bytes deep-it doesn't matter how wide it is. This means that its depth is equal to that of three of the screen strips. If your sprite is to be drawn starting exactly at the top of one strip it will finish exactly at the bottom of the next-but-one strip beneath it. Bytes within a strip are consecutive and arranged as in figure 2.

As you can see, all we have to do is calculate the addresses of A, B and C. If the sprite is four bytes wide - 32 bytes in each strip - we can send our data to three lots of 32 consecutive addresses starting at A, B and C respectively, using the Y or X registers of the 6502 to increment the address relatively. This has the added advantage of not actually changing the base address. In

Y co-ordinate DIV 8 * 640 X co-ordinate * 8 Y co-ordinate MOD 8	2	++++	83000 8780 888 2	start of screen 3 * 8280 19 * 8	
	=		&380A		
					_

STRIP 1	A A+1 A+2 A+3 A+4 A+5 A+6 A+7	A + 12 A + 13	A + 20	
STRIP 2	B+3 B+4 B+5	B+8 B+9 B+10 B+11 B+12 B+13 B+14 B+15	B+21 B+22	etc
STRIP 3	C+3	C+8 C+9 C+10 C+11 C+12 C+13 C+14 C+15	C+16 C+17 C+18 C+19 C+20 C+21 C+22 C+23	

Figure 2. How bytes are arranged within a

fact it's even easier than that. Since each strip contains 640 bytes, address B = address A + 640 and address C = address B + 640, so we can generate

addresses B and C by simple addition. Well, that's fine for sprites that start exactly at the top of a strip, but what


about ones that start within a strip? Consider our 24-bytes deep sprite. If it starts at the top of a strip it will appear in three strips. If it starts within a strip. parts of it will appear in four strips. We need one extra address-the top of strip 4-which we get by adding another 640. All we have to do now is ensure that we write only to the bytes we want to

The exact start point of a sprite within a strip is easy to calculate. Remember that the vertical axis (Y) has 256 possible values - 0 to 255. Y MOD 8 or Y AND 7 give the remainder of Y divided by eight - the start position. If this is subtracted from eight

is the



YOUR MOVE ...



TAKE A PIECE OF OUR SOFTWARE!

SUPER GAMES

\$4.95

SUPER VALUE

ER BERT



Electron & BBC 32K
Join Erbert in his cubic domainfast and funny, Avold his unwelcome guests. Many alternative screen displays addictive!

Machine code game.

3D SPACE RANGER



BBC 32K (O.S. 1.0 or 1.2.) Excellent 3D graphics four different scenes. Battle to the death star and destroy it. PINBALL



Electron & BBC 32K The classic arcade game up to four players with bonus features. Machine code game.

REVERSI



Electron & BBC 32K
A game of strategy and skill—2
levels

MICROBYTE SOFTWARE

Games available now at many computer shops—or by fast mail order from Microbyte Software. S.A.E. for illustrated brochure, Trade enquiries welcome, Access 24 hour hot line 06373 6886. Microbyte Software (Dept. A10)

18 Hilgrove Road, Newquay, Cornwall TR7 2QZ



number of bytes in each column in strip 1 that should be written to, and the number of bytes in each column in strip 4 that should not be written to. In the program, this value is put into the X register each time a new column is to be drawn and is decremented each time a set of bytes (one to each strip) is sent. While X is positive, bytes will be written to strip 1 and not to strip 4. When X is negative the reverse is true. The value is also used to control the (negative) offset into the sprite data tables.

The only other thing you have to do is to ensure that other characters on the screen are not rubbed out as your sprite is moved about. A common way of doing this is to use what is called EOR (Exclusive OR) plotting. EOR is one of the logical operators and is very simple. If you EOR K with J to give you N, when you then EOR N with K you will get J, or if you EOR N with J you will get K. EOR works by taking two binary numbers and comparing pairs of bits. Each bit in no. 1 is compared with the corresponding bit no. 2.

If either (but not both) of the bits is set-ie = 1-the corresponding bit in the result is set. If both or neither of the pair is set, the result bit is zero - eq:

6EOR3 = 5 6 = 000001103 = 00000011Result = 00000101 = 5

6EOR5 = 3 6 = 000001105 = 00000101

Result = 00000011 = 3

3EOR5 = 6 3 = 000000115 = 00000101 Result = 00000110 = 6

is a very effective method.

So if you take the value (V) you want to write to a screen byte and EOR it with the value already there (S), you will get a new value (N) - and unfortunately a new colour unless the value already there is 0. When you want to move your sprite to a new position and replace the background you just repeat the operation. EOR V with the screen byte (now N) and you get the original screen byte S. On screens that are mainly black this

The method I have used is different. Before any screen byte has a new value written to it, its original value is stored. The original values are written back before the sprite is drawn in a new position. This way your sprite's colourings are maintained at all times and there is absolutely no disturbance of any background.

Two other parts of the program may interest you-speed control and the keypress-detect routine.

Speed control is achieved by the use of an interrupt routine. The vertical sync pulse event is enabled by the equivalent of *FX 14.4. This generates an interrupt every fiftieth of a second as the screen is about to be refreshed, and control is passed to a user routine whose address is contained in locations &220 and &221-the event vector. All this routine does is decrement location &77. When you run the program you are asked what delay factor you want to use. When the sprite is about to be written to the screen the delay routine is executed the number of times you have specified. The routine loads the contents of &77 into the accumulator and then continues to compare the accumulator with the current contents of location &77 until they are different-ie the vertical sync. pulse event has occurred.

The key detect routine, which is very fast-it should only take 12 machine cycles out of 2 million per second to discover that no key has been pressed examines locations &EC and &ED in the operating system workspace. If one key is being pressed, location &EC contains its internal key number + 128 and &ED contains 0. If two keys are being pressed location &EC will now contain the internal number of the second key pressed + 128 and &ED will contain the internal number + 128 of the first key pressed. If no keys are being pressed both locations contain zero. You may like to modify the routine for your own purposes

Internal numbers are with very few exceptions easily generated from the negative INKEY numbers. Take the negative number, reverse the sign, and add 1. For instance, if you wanted to test for 'A' being pressed, in Basic you would use INKEY (-66). The internal number would be 65, coincidentally the ASCII code for 'A'. To use my routine you would check for 193 (65 + 128). Negative INKEY numbers are given on page 275 of the User Guide. The Advanced User Guide also gives the internal key numbers.

Well, I hope this has given you some ideas and that you get a bit of fun out of the two graphics programs. Next month I will give you some modifications for the Design program that allow you to edit previously designed sprites and produce mirror images so you only have to design your animation characters facing one way. I will also give you a procedure that will take the data for a sprite, shift it all over by one pixel and store the new image. You will then be able to move your sprites very smoothly-one pixel at a time-by alternating the images.

MOVER PROGRAM DESCRIPTION

20 If you want your sprite data to autoload make this line LOAD followed by whatever you called your sprites.

80 to 120 Check to see if animation is required and set the flag (&74) accordingly. The machine code checks this location and if it is set it ensures that sprites are displayed in the sequence 0, 1, 2, 3 when moving right and 4, 5, 6, 7 moving left.

130 If animation not required and only one sprite is to be displayed, which one?

160 Gets the delay factor - see text.

170 to 210 Instructions 240 Sets screen background

250 to 270 Set control variables.

280 Calls routine to point EVENT vector to program interrupt routine.

290 Displays sprite for the first time.

300 Enters the main program.

310 Cleans up when Basic re-entered

370 to 490 Leftpressed. Decrement X axis value unless it is already zero. Check if animation required - if so it sets left flag and gets next character in the sprite sequence from 'animation'. Pass control to Mover, which operates the delay mechanism and calls the display routine.

500 to 610 Rightpressed. Increment X axis value unless it is already 80 - width of sprite (contents of &7A). Other actions as above

620 to 760 Downpressed/up-pressed. Control Y axis value in similar manner except animation not used. Where appropriate the above routines are called by the

key detect routine, 'keycheck'. page 70 ▶ 770 to 910 Animation. Test the left/right flag (&75). If right has been pressed the X axis value is ANDed with 3 to give a sprite number in the range 0-3. If left has been pressed, 4 is added to make the range 4-7. Since the X axis is increased or decreased only by 1 at a time this routine is always able to pass the next sprite number in sequence to the display routines.

920 to 1040 Mover. If no delay is required &76 will be negative so the delay routine is skipped. Delay (see accompanying text)

1050 to 1090 Nv. This is the vertical sync. pulse event routine which decrements &77 each time the event occurs.

1110 to 1490 Cv. Change contents of the event vector at &220/&221 to point to above routine. Store old contents so they can be restored when Escape is pressed to give orderly return to Basic-not strictly necessary in this case but good practice. Also enable the vertical sync. pulse event. Set variable offset into data tables. Calculate maximum allowable X axis value given the width of the sprite, and store this in &7A. This enables use of variable-width sprites from designer program. The storage area for screen background is set up by inserting addresses based on the size of the sprite into the address fields in the 'replace' routine (see below).

1500 to 1740 Start. Put addresses of control routines into table so they can be accessed quickly by the keypress detect routine

1750 to 1890 Keycheck. Executive section of program from which all other control routines are accessed. Arranged as an infinite loop which can only be exited by pressing Escape. See text.

1900 to 2180 Keyvalid. If a 'valid' key has been pressed (ie any of the cursor control keys or Escape) an appropriate value is returned in the accumulator. In the case of Escape being pressed, the return address of the routine calling keyvalid is pulled off the stack and a jump is made to the escape routine. This ends with RTS so with no other address to return to control is passed back to Basic. See text for explanation of values tested.

2190 to 2270 Getaddress. The value returned in the accumulator by 'keyvalid', if non-zero, is multiplied by 2 and transferred to the Y register, which is then used to get the address of the appropriate control routine. This address is inserted in place of the dummy operand in 'gotomover', which is then called by the main control section

2310 to 2410 Escape. Replaces original contents of the event vector, flushes the keyboard buffer and returns to Basic

2420 to 2450 Tbl. Storage area for addresses of the up/ down/right/left control routines. Those with Basic 2 can replace NOP with EQUD etc to define zero bytes, but it isn't necessary. Note that 10 bytes are needed since the first two bytes cannot be accessed by 'getaddress'

2460 to 2470 Olv. Two-byte storage area for original contents of event vector

2480 Display Loads Y register with number of bytes to be written to each strip, contained in &78.

2510 to 2640 Replace. Return the original contents of screen memory to location where last sprite has been drawn - ie delete it before drawing sprite in new position. The low bytes of the storage addresses are dummies and vary according to the width of the sprite

2650 First. When a sprite is first drawn it is unnecessary to call 'replace' since there is nothing to replace, so the drawing routine is entered here. The start addresses of the strips are calculated and the calculation is simplified a little by accessing the *640 table in the OS ROM starting at &3C75. Start addresses of the sprite data are obtained from the table at &12F0 (lines 3270 and 3440), are modified by the offset contained in &73 and inserted into their zero page locations (&88 onwards).

3520 Loads Y register with the number of bytes to be written to each strin

3530 to 3540 X register set up to control writing. 3550 Start of the main drawing routine.

3850 to 4170 Sh. This is what actually puts your sprites on the screen and also what saves the background. The low byte of all addresses shown as &C00 is a dummy which is changed by the routine 'cy' above, to accommodate sprites of different sizes. The sections that write to the separate strips are 'b2', 'b3' etc.

ZERO PAGE LOCATIONS USED

870 = Number of sprite to be displayed. 871 = X axis value - 0 to 79 872 = Yaxis value - 0 to 255 873 = Y MOD 8 at first then 8 - (Y MOD 8) + 1 to control display routine. 874 = Animation flag. 0 = no animation 1 = animation. 875 = Left/right flag if animation selected 1 = leftpressed 0 = rightpressed. 876 = Number of vertical sync. pulse interrupts to occur before sprite is drawn to the screen =

delay factor - 1, so negative (&FF) if no delay required 877 = Used to sense if vertical sync. pulse has occurred. Is decremented at each such

878 = Width of sprite in bytes * 8 = block size.

(Width of sprite * 8) - 8 = additional offset 879 = into sprite data tables. &7A = Maximum X axis value allowable (80 - width of sprite in bytes).

880/881 Start screen address for strip 1. 882/883 .. 2. .. 3 884/885 886/887 888/889 Start address of sprite data for strip 1 &8A/&8B 2 ** ** &8C/&8D 3 &8E/&8F .11

& 12EF is part of the sprite data tables and contains the number of bytes in each block = 8 * width (in bytes - not pixels).

ACORN USER OCTOBER 1984





- - No soldering, no cutting of tracks, no headaches.
 - · Based on an allophone system you can easily program any word, sentence or phrase and incorporate speech into your software games.
 - Fully tested and guaranteed. Complete with demonstration cassette and full instructions.

Cheetah, products available from pranches of

John Menzies WHSMITH and Rumbelows

eeta CHAR.

Export orders at no extra cost cienquines weicome

Marketing

Cheetah Marketing Ltd, Dept. A/U 24 Ray Street, London EC1R3DJ, Tel:018334909. Telex: 8954958.

Organised by or The Micro User

Come to our great pre-Christmas bonanza!



Everyone who is anyone in the exciting world of the BBC Micro and Electron will be at our greatest ever autumn show.

Waiting for you will be more than 150 stands, packed with hardware, software and peripherals - some of which will be on show for the first time.

And everything will be for sale much of it at really low, show prices!

Once again our team of experts will be on hand to give you free advice – an ideal opportunity to find out all the facts on the latest computing techniques.

Thursday to Sunday, October 25 to 28

Yes, we're back once more at the spacious ALEXANDRA PALACE... where there's plenty of room to move around and inspect all the latest micro goodies at your leisure!

This voucher is worth £1 per head

Reduced prices for School/College Groups

Entry only £1 per student if bookings are made in advance. Send your cheque (made payable to Database Publications) and SAE to:

Electron & BBC Micro User Show 68 Chester Road, Hazel Grove, 5tockport SK7 5NY Tet 061-456-8383 Vaid for a minimum of 10 people

SAVE MONEY with our Special Travel and Hotel Offer

Visitors to the Show can obtain cut-price rail tickets from ANY station in the United Kingdom - plus special reduced prices

at London hotels. Write to: Travel Offer, P.O. Box 1, St. Albans AL.1 4ED with SAE or Telephone: St Albans 34475 quoting: The Electron & BBC Micro User Show.



By handing in this voucher at the door you save £1 off the normal admission price of £3 (adults) and £2 (children).

10am 5pm, Thursday, October 25 10am-5pm, Friday, October 26


10am-5pm, Saturday, October 27 10am-4pm, Sunday, October 28 Alexandra Palace

Wood Green, London N22.

NEW RELEASES



PI











from the author of Overdrive comes another superb arcade-action game. You must guide Wally the Boxing Wallaby up the ladders to rescue the baby wallaby from its cage. The evil monkeys will try to stop Wally in his tracks; he can kill the monkeys by a swift upper-cut, but watch out for the apple-cores which they hurl at him without compassion, five screens of increasing difficulty with bonus fruit on each level. Yet another winner from Superior Software!

••NEW RELEASE•••



Manu of our titles are available in Boots, W.H. Smiths, John Menzies, Rumbelows, Laskus, Curus HMV, Greens at Debenhams and Spectrum Shops. Also at all major computer dealers — Eltec Computers, Micro Management, West Coast Personal Computers, Microstule, Electroneguio, 30 Computers, Computerama, GTM Computers, etc. Our software is also available through all the major distributors, and directly from us by mail-order.







An excellent and original arcade-stule game in which you take the role of a robber aiming to snatch bogs of gold from the bank. A policeman is after you

he is able to jump at you or squat down and try to hit you with his truncheon. You must also keep clear of the flying police cones and floating dustbin lids. There are 3 fascinating screens of action including play streets with bouncing balls, one-way streets, conveyor belts, traffic lights and police-boxes. A novel and amusing game (HEYBOARD OR JOYSTICKS)

...NEW RELEASE...

WE PRY UP TO 20% ROYALTIES FOR HIGH QUALITY BBC MICRO AND ELECTRON PROGRAMS



SUPERIOR SOFTWARE LTD.

Dept. AUIO, Regent House, Skinner Lane, Leeds 7 Tel: 0532 459453

All our software is available before we advertise All our software is despotched within 48 hours by first-class post. In the unlikely event that any of our software fails to load, return your cossette to us and we will immediately send a replacement.

DVANCE 86



£1437 inc. VAT.

ANYO 555

0% IBM compatible, 128K RAM, x 160K Drives. Price includes: Wordstar.

lus 12 months on site warranty

nonitor available at extra cost).

failmerge, Info-Star and Calc-Star.

imited number of SAGE Accounts still vailable.

Monitor available at extra cost)

£1148 inc. VAT.





BC-B from £399 inc. VAT. ncludes free tape recorder. Full range of oftware and Disk Drives available.

Brother Printers uki Daisywheel aisystep

pson Fx 80





Memorex, in packs of 10 SS 40tk £18.00 £23.00 DS 40tk £26.00 SS 80tk DS 80tk £29.00 Including VAT, p&p.

Diskettes

Stay tuned to Microware for further discounts

DRIVES

Epson 400K-200K-800K plus new 31/2" Epson Drives and 100K Superdrive from

£329 inc. VAT

200K

62 file names including cable and power lead. Send £215 to include VAT, p&p. 40 Track inc. formatting disk & manual Single & Double

124 file names including all necessary leads. Send £399 to include VAT, p&p. inc. formatting disk & manual.

80 Track Single & Double

800K & 800K Switchable

124 file names including cable & power lead. Send £490 to include VAT, p&p. Send £499 for 800K Switchable.

MONITORS

Sanvo/BMC £110 inc. VAT. 12 amber or green screens.

Full range Microvitec colour from £199. Call for our full price list.





Disk storage boxes. £17.00 (takes 35) Disk storage boxes £25.00 (takes 80) Prices include VAT, p&p.

ACCESSORIES

BBC Stands. £15.00 Dust covers (for BBC, Drives and Printers)



roduct	Price	Qty:	Total
III S			- 1
07.0			_ &_
			- 5
RECEIVED TO THE RECEIVED TO TH			- 7
			- 1
DOM:			- 4
			- 1
ND DETAILS ON			

(DJALSCH EXCLOSED) Cheque or credit card no.) 2. MLP PRODUCTS ARE BRAND NEW, BOXED AND OFFERED WITH FULL MAN FACTURERS WARRANTY, ALL OF ERIES WILL BE ANSWERED BY MAIL.

MICROWARE

14 Charles Street Hanley Stoke-on-Trent (0782) 269 883

44 Westow St. Upper Norwood London SE19

01-771 5123 637 Holloway Road London N19 5SS

01-272 6398 I enclose my order for the above products.

Address.

Signed

EPSON LOW PRICE SPECIALS FROM £199.00



EPSON RX 80	100 cps	2249	£199.00
EPSON RX 80 FT	100 cps	2285	£229.00
EPSON FX 80	160 cps	\$488	£324.00 PLUS
EPSON MX 100	100 cps	2478	£369.00 VAT
EPSON RX 100	100 cps	2450	£385.00
EPSON FX 100	160 cps	8569	\$499.00

JUKI 6100 - 5399 £349.00 + VAT



20 CPS. Bidirectional & Logic 10. 12. 15 & Proportional Spacing: Wordstar compatable: 2K Buffer; 13 inch Platen: nderline; backspace & lats more: Centronics Optional RS232, Tractor and Sheet Feeder

SHINWA CP80 - £299 £179.00 + VAT

Friction and tractor feed as ritcion and iractor leed as standard. 80cps. Bi-directional logic seeking 13 × 9 dot matrix giving true descenders, sub and superscripts, Italic printing and auto under-lining. Condensed, emphasised. expanded and double strike (can be mixed in a line). Parallel interface fitted as



ADMATE DP80 - 5229 £169.00 + VAT

The Admate DP-80 has a large range of features and a low price, Ideal for the first time user. 80 cps; 80 column; Bi-directional logic seeking, block and dot addressable graphics, subsuperscript, auto under line, condensed, emphasised expanded and italic print.



QUEN DATA - £299 £199.00 + VAT



daisy wheel printer at a price you can afford! Features include: 16CPS: can attord Features include: 16CPs: Bi-directional; Logic seeking; Proportional spacing; WordStar compatible: 13" pitaten - 12" print line; Autoscore; Bold and shadow printing; Sub and superscripts; QUME compatible ribbons; QUME compatible daisywheels. 4 level impression control; Prints original + 4 copies; Low noise.

APPLE TAUGHT MACINTOSH ABOUT MAN. NOW MAN WANTS MACINTOSH.

Introducing Macintosh. Macintosh's brain is the same blindingly-tast 32 bit MC68000 micro-

processor that powers the Lisa personal

computer Its heart is the same Lisa technology of windows, pull-do menus, mouse commands 32-bit power more useful by ms— Macintosh far easier to use

Now for some small talk If the problem won't come to Macintosh, you can always to Macintosh to the problem - it weighs 9 pounds less than

most popular portable computer.

Just pick Macintosh up by its built-in handle, and carry:

A micracle of miniaturisation is Machintosh's built-in 3\frac{1}{2} a Its discs store 400K - more than conventional 51" flopped

Programs. here are already plenty of remarkable programs availa keep Machintosh busy. Like MacPaint a program that, for

first time, lets a personal computer produce virtually any image that the hand can create.

CANON PW



CANON

Phone for a Quote 0730-68521

or KAGA TAXAN 810 - £329 £289.00 + VAT

NAMA IAAAN 01U — 30,27 3∠207,0U + VAI 30 cols, high speed printing, 160 cps; bidirectional logic seeing, fantantic 27 cps near letter quality, 23 x 18 matrix; very quet – less than 60 bt. 4, 5, 6, 8, 10, 12, 7 cp. ic down loading for user-optional characters; high resolution graphics; handles voitus forms; coll paper, fan lodd, single sheef and multipart copy poper. Also available — wide bodied Canon PM115A or RAS, ISAAN RP910 – New low priceali

18 cps; Bi-directional logic seeking; 10, 12,

optional RS232C serial interface; low noise; low cost;

15 cps; Wordstar compatible; 13 inch platen; 12 inch print line; auto underscore; bold and shadow printing; subscripts and superscripts; Qume compatible daisy wheel; optional tractor and sheet leeder

DAISY STEP 2000 - 5299 \$249.00 + VAI

MACINTOSH AND PRINTER DEMONSTRATIONS DAILY AT OUR SHOWROOMS ON THE HOUR

- * SUNDAY OPENING
- * 24 HOUR DELIVERY SERVICE
- COMPREHENSIVE TECHNICAL SUPPORT

THE GRAPPLER - \$448 \$102.00 + VAI Your Commodore 64 can print like a prol

The Grappier offers a complete answer to printer interfacing, with many capabilities unique in the Commodore market place. Complete signal Commodore market place. Complete signal fransmission allows many popular name brand printers to operate perfectly with the Commodore 64. Even Commodore's graphic character set can be reproduced on Epson, Star, Oki, Brother.

rowriter and other popular printers

Prints screen graphics without software Graphics screen dump routines include rotated,

inversed, enhanced, and double sized graphics. Complete emulation of the 1525 printer for printing Commodores special characters.

Text screen dump and formatting commands.

22 unique text and graphics commands

CANON PJ 1080A - £459 £399.00

Seven colour printer ideal for the BBC, Sirius, Apple, etc. Seven colours print on demand ink jet printer: 70 cps bi-directional; high resolution graphics; will print on acetate sheets for overhead projection; long life ink carridges 3.5 million characters per cartridge; eight bit parallel interface; Epson compatible; easily replaced colour cartridges; accepts single sheets; interchangable character sets.











24 hour nationwide delivery by Securicor £9.50 + VAT Bankers orders; Building Society Cheques: ikers orders; Building Society Cheques; Postal lers; same day despatch. All orders covered by the Mail Order Protection Scheme.

MANY MORE PRINTERS AVAILABLE 1,000s OF BARGAINS SEND NOW FOR THE FAMOUS SCI

(UK) CATALOGUE

SCI (UK) Unit 16, Inmans Lane, Sheet, Petersfield, Hants GU32 2AN Freepost Mail Order SCI (UK) Freepost, Petersfield, Hants GU32 2BR.

Tel. 0730 68521. Telex 88626 MYNEWS G PERSONAL CALLERS WELCOME PLEASE HUSH ME AT OUR MAGNIFICENT NEW SHOWROOMS AT

12 High Street, Petersfield, Hants GU32 2JG.

We wish to acknowledge the several well known trade marks used in this advertisement







Machintosh automatically makes room for illustrations in text. MacPaint - virtually any image the human hand can create. Microsoft's Multiplan for Macintosh

THREE NEW PROGRAMS FROM MICROTEST

DAIRYFILE FOR DAIRY FARMERS

Keep on that economic line between over and under feeding!

Save time recording milk yield and calculating feed amounts!

Quickly decide feeding policy with the Monthly Calving Group Performance Graph!

Print out a recording sheet with cows in rumerical older. Print out graphs or tables of individual cows or Monthly Groups showing serving and pregnancy details, illness record. Calving Index, weekly and running total Margin over Concentrate See at a glance cows due for serving, pregnancy diagnosis and drying off. Keep track of weekly total feed cost and milk sale price.

All this and more with DAIRYFILE

Predict cow or Monthly Group total factation yield. Compare with Standard Lactation Curves. All old data preserved - compare Monthly Groups over the years. Which is the

Find out with DAIRYFILE - for up to 200 lactating cows.

£69.00 inc. VAT (disc only) + p&p 50p

2 × 40 Track Drives Required or 1 or more 80 Track Drives. Please state which when ordering

SATAN'S CHALLENGE or (Nevil Rides Out)



A Black Magic Adventure

Dare you take up the challenge laid down by the most evil and sinister of all beings. the devil himself of the land sinister of all beings, the devil himself all you do you will find yourself alone and at the mency of the twisted fancies and whims of a cold and calculating might.

lating mind. Occult fonces are threatening the lives of those near and dear so you. Their girly, salvation rests in your hands but in accepting the challenge your own existence is put in severe peril. In taking up the challenge you have to find The

erion is purm sevino perii.

In saking up the challenge you have to find The TALISAMA and locate a pentagram which then has to be precased for the final the In the meastine being the period of the final the In the meastine as almost impossible.

Do not allow youtself to be lighted min a serior of security for it will be short lived.

Many have goon before only to swell the zanks of the

securey for it will be short rived.
Many have gone before only to swell the ranks of the damned.
This is the latest adventure from the stables of Micro test and has been written with the acclaimed features of other adventures in mind og save facility, quick re-sponge, simple but aksiensev commands, a motive of

Be warned this is an easy adventure to get into but devilishly difficult to end.

Cassette £7.95 inc. VAT Disc £9.45 inc. VAT plap 500 Disk 40 or 80 Tack

MICROTEST FONT ROM .

This exciting new ROM from Microtest will enable you to get all sorts of new characters and fonts from your 885 computer. Once you have produced your masterpiece or the screen, all you have to do is use the inbuilt screendury utility to produce a hard copy on to page.

Typing "HELP FONTS gives you a list of available and the blocks of characters which they replace

Available font
'Accents
'Block
'Data
'Greek
'Joined

Accents and miscellaneous.
Small capitals.
Like the bottoms of cheques.
It's all Greek to me too!
Standard capitals with joined or lower case.
A mix of until now unobtainable

enhance 80 column mode. Thin text (for MODEs 285) which makes modes 2 & 5 much more read-

*Maths A mix of until now unobtainable Mathematical symbols.

*Miscellaneous A few oddless which often are ven necessary.

*Thick Thick text (for MODEs 08.3) as

'Vertical 'Mode 8

able or perhaps "READABLE"
For labelling graphs in a vertical plane
10 column multi-colour, memory
miserly mode.
A Dump facility which will produce a screen dump of any mode from 0 to 8 (including a text only dump in mode.
7 to on an enemon star CPID ATREO.

The dump utility will produce negative or positive production magnify, and will also rotate the picture through 8 degrees as well as being able to position the picture any where laterably proper the popular.

The ROM uses absolutely no user memory and can be used with word processors etc. as well as with normal was

£17.50 inc. VAT

Microtest Starstick ROM & Joystick Package

Now available the Starstick ROM and Joystick. This comes in three forms:



- (A) The Starstick ROM and Quickshot I Joystick Price 17.95 + VAT = 19.84
- (B) The Starstick ROM and Quickshot II Joystick

 Price 19.25 + VAT = 22.14
 (C) The Starstick ROM and patch lead, choose
- your own Spectrum/Atari style joystick

 Price 15.25 + VAT = 17.54

 Post and Packing £1.00 inc. VAT per item

This enables you to plug the Rapid action self centring joysticks until now only available for the Spectrum/Atari/CBM machines into the user port of the BBC. Model A users please note NO ANALOGUE INTERFACE REQUIRED

Disc Users Note – pressing BREAK, SHIFT-BREAK or CONTROL BREAK does not modify or destroy the STARSTICK software so Disc Usera please feel free to Boot?

The software patch provided in the ROM is interrupt driven and adds the

ving commands to your computer

Enables you to use our joysticks even on programs that do not offer joystick capability.



STICK turn on the STARSTICK ROM
NSTICK turn of the STARSTICK ROM
STISTICKs are july julysick to users spice.
STISTICKs are july julysick to users spice two protocols
ADVAL emulate standard analogue (ovelicks
PAUSE form off ability to freeze game.
NPAUSE turn off ability to freeze game.
"NAME predefined key protrocols set up for software."

"NAME" predefined key protocols set up for software houses programs
HELP KEYS displays currently selected key protocols REPEAT enables auto-repeat fire
NREPEAT disables auto-repeat fire

DEALER ENQUIRIES and EXPORT ORDERS WELCOME MICROTEST LTD

18 Normandy Way, Bodmin, Cornwall PL31 1EX Telephone: 0208 3812 VISA



Large picture shows BBC Computer System and a Quickshort II Joystick. Small inset just a few of the joysticks that will work with the patch lead. Screenshot by kind permission of SUPERIOR SOFTWARE All microtest ROMs are fully TUBE® compatible, (TUBE® is a reg trademark of Acom Computers.)

ANNIVERSARY ANSWERS

Simon Dally separates the winners from the wallies among the entrants to our 20-question birthday quiz

featured, complete with tie-breaker, in the July issue

UR July competition celebrating the second birthday of Acorn User was the easiest ever (thanks to the generous nature of our editor). Many of the 250-odd entrants pointed this out. But, alas, only about a third of all entries proved to be correct!

The commonest mistake made was to think that the first computer to be sold for less than £100 was the ZX81 in fact. It was its predecessor, the ZX80, though not a few of the entries thought to was the ASO of the common than the common that the common than the common than the common than the common that the common than the common that the common tha

A few entries even managed to get the date of the original issue of Acorn

User wrong – despite the fact that all over the magazine were plastered the words 'second anniversary issue'! Ah well, if there's one thing queerer than tolk, it's Acorn User competition entrants...

The correct answers were:

1)b; 2)a; 3)c; 4)b; 5)b; 6)b; 7)b; 8)b; 9)c; 10)a; 11)b; 12)a; 13)b; 14)b; 15)a; 16)a; 17)c; 18)b; 19)a.

Judging tiebreakers (1 like Acorn User because ...) is never easy (sob ... now I know how washing-powder manufacturers feel) but in the end, we felt the best two were from M Fulker of Hungerford, Berks, who wrote: ... if gives a profusion of solutions to Basic confusions and programming Illusions.

..., and Charles Williams of Coventry, whose slogan was: ... because it is Authoritative, Clarifying, Outstanding, Relevant, Necessary, Useful, Sensible, Educational, Recommendable, and very good value for money. ...

A consolation prize goes to Nick Evans of Grimsby, who appended his corny pun with the message, "Well, what do you expect for a 1-shirt?". The duffer's prize goes to C M Hempsell of Hitchin, Herts, whose slogan was 'l like Acorn User because the competitions are so easy! – but he got no fewer than three of his I'd snawer's wrong...

The 20 winners of the first prizes (five packs of software) and the 10 winners of the second prizes (Acorn User sweatshirts) have all been notified.

HARD DIAMOND

This month's gem:

a palindromic puzzle

THIS month's problem is taken from the shortly-to-be-published Century/Acorn User Book of Computer Puzzles, which is the result of the competition we set you earlier this year, inviting you to send in your own puzzles. This one was submitted by J Oldroyd of Batley.

Look at the diamond of letters. The object is to find as many ways that the palindromic sentence RISE TO VOTE SIR can be read (a palindrome, just in case you don't know, is something which reads the same both backwards and forwards).


You may move in any direction to an adjacent letter and you can use the same letter twice or more.

Incidentally. J Oldroyd's program goes on to solve all palindromic puzzles of this nature.

Answers on a postcard, please, to October Competition, Acorn User, Red-

						R							
					R	I	R						
				R	1	S	I	R					
			R	I	S	E	S	I	R				
		R	1	5	E	T	E	S	Ι	R			
	R	1	S	E	T	0	T	ε	S	1	R		
R	1	S	Ε	T	0	٧	0	T	E	S	I	R	
	R	1	S	E	T	0	T	E	S	1	R		
		R	1	S	E	T	E	S	1	R			
			R	I					R				
				K	I	S	I	R					
					R	1	R						
						R							

wood Publishing, 68 Long Acre, London WCZE 9JH, to arrive not later than Friday November 2, 1984. Prizes of two Acornsoft packages (worth 520) will go to the first five correct solutions taken from the bag. Contury is offering six copies of the book to the runners-up.





Educational word processor for the BBC microcomputer



BBC INTERFACING COURSE

Introduction to the use of microcomputers as controllers of external equipment

DIGITAL ELECTRONICS TASTER COURSE

Introduction to microelectronic digital circuitry

KEYMASTER

Keyboard emulator for the BBC microcomputer

These and other educational/computing products are available from:

> Dept AU10, CLWYD TECHNICS LTD Antelope Industrial Estate, Rhydymwyn Mold, Clwyd Tel: Hendre (035283) 751

Something nev from CM



... books ...

Our highly successful Advanced Use Guide for the BBC has now been joined by the Advanced Basic ROM User Guide, which delves deep into BBC micro BASIC I and BASIC 2 ROMs. At £7.95, it's essential for th serious user. We have also introdu hard-back ring-binders for the Aco User Guide and our Advanced User Guide: available at £4.50 each.

... type 'n' talk ...

Simply connected to any micro, this is a powerful speech computer with sophisticated software: it will convert any text into speech faster than it can be spoken. This is our own product. developed and manufactured in Cambridge.



and disk drives.

The new generation of TEAC 51/11 line disk drives offer high performan at incredibly low prices.

Single drives: 100K £120; 200K £14 400K£180.

Dual drives: 2×100K £295 2×200K£325; 2×400K £450 Disk with power supply extra £30

All drives are fully cased and complete with cables and format disk-ready to

We offer a number of complete packages for wordprocessing, from £658 to £1860. Pictured here is a BBC-based system: BBC 'B' -DFS, Philips green monitor 100K disk drive. Wordwise. dot matrix printer, leadsready to use, at £875 including VAT

We stock a vast range of micros. printers, monitors, joysticks . . . phoor write for our complete price list. All prices listed include VAT. Credit terms available for orders of £500 or



Cambridge Microcompute Centre

over—ask for details. See our full stock on Prestel 377550875/76A— updated weekly.	The Peripheral Centre of East A 153-4 East Road, Cambridge CBI-100 Telephone (0223) 355404 Telex 8174
ORDER FORM	A
To: Cambridge Microcomputer Centre,	
Please supply the following items, as descri-	
	9.6
	2 ti
	3.5
Delivery charge (f	ree delivery on books) £5.00
	TOTAL E
Amex* card number	please debit my Access/Barclaycard/Dine
Name	
Address	
Signature	
*delete where napplicable.	, Al
Please allow 21 days for delivery. Prices valid in UK : rates.	only—please telephone or write for overseas

TAKE COMMAND OF THE 8271 CHIP

By programming the floppy disc controller you can out-perform the DFS. Richard Harris has the details

HE 8271 floppy disc controller (FDC) chip is a complex piece of electronics, allowing relatively easy control of up to four disc drives. This article will try to explain how to program the 8271: it will not cover the circuitry of the disc interface since there is no benefit from altering this. The circuit itself can be found in the User Guide and Advanced User Guide.

Why bother with programming the 8271, since the disc filing system (DFS) does it all for you? There are several reasons. First, simply to know more about how your computer works, especially as little information has been made available on the disc interface. Once mastered, it is possible to write your own data handling routines which for some applications are more efficient and quicker than those in the DFS. You will also discover some of the tricks to protect your discs and, possibly, to make backup copies of other discs. It is also possible to modify protected programs: at the end I'll show you how a simple change in Aviator can be made to alter the keys used

Figure 1 shows the overall structure of the 8271, and details of the control logic and registers are listed in figure 2.

The value obtained from the Result register gives the following information about the command just processed:

Bit 7,6 Not used Bit 5 Set if deleted data found (see

below)

Bit 4,3 Completion types: 0,0 = good completion

0.1 = system error, may be recoverable if retried 1,0 = 'fatal error 1.1 = 'fatal error' Bit 2,1 Completion code (see below)

Not used

TypeCode Meaning 0.0 0.0 good completion 0.0 0.1 scan result - see later

0,0 1,0 scan result 0,1 0,0 clock error

0.1 0.1 late DMA - see later

ID CRC error - see later



&FE80	Write	A PART OF
	vvrite	The various commands are entered here
&FE81	Write	Commands take up to five parameters, entered here
&FE81	Read	
&FE80	Read	
	&FE81	&FE81 Read &FE80 Read

All data transfers occur at address &FE84, both reading from the disc and writing to it

Figure 2. Details of the 8271's control logic and registers

data CRC error - see later

1.0 0.0 drive not ready

1.0 0.1 write protected disc

1.0 1.0 track zero not found write fault

1,0 1,1 1.1 0.0

track/sector not found

Incidentally, these are the values given in the Acorn DFS errors 'Disc fault at and 'Drive fault at

The Status register gives information about the 8271's internal working:

Bit 7 Command busy; set to 1 if processing command.

Bit 6 Command full; set to 1 when command written to 8271 and cleared when begins processing

Bit 5 Parameter buffer full: if set to 1 further parameters should not

be written Bit 4 Result ready; after a command is completed bit 7 goes low and this bit is set to 1. It is cleared by

reading the result register Bit 3 Interrupt request; reflects state of interrupt line. Cleared by reading result register.

Bit 2 Non-DMA data request; if DMA is not being used, set to 1 if interrupt is for data transfer rather than end of command

Game for a song ...

The LAUGHING SHARK told us that it won't be long till CHRISTMAS and it was time we did something about it so, until the end of NOVEMBER, we will be selling most of our BEST GAMES at the SPECIALLY REDUCED price of \$2.99 instead of the usual prices of £5.95 and £7.95 that's a SAVING of between nearly £3.00 and £5.00 per

These titles U		ass ea	cn –
BLECTRON	NORMAL	SAVING	Noc A Bloc Chieffain
Bugs Jungle Jive	£7.95 £7.95	£4.96	Plankwalk Microbe
BBCB	NORMAL PRICE	SAVING	Trench Bug Bomb
Brainstorm Sea Adventure	£7.95 £7.95		Landfall Space Adventure

Check Out	E7.95	84.90	Jungle Jive	£7,95 R4.1
great for a game w RECENT RELEASE* wonderful game 't smooth graphics as 'highly recomment example of what o Trench an ex- keys of your Beeb' example of what o Landfall - 'Virgin Space Adventur friends away from 't	hich needs to superbig grap owner Company of plenty of ded Person in be done to ceillent game. TV Carrier in be done to see Landfall to the Tries and the tries to the control of the ceillent game. The one to the ceillent game. The one to the ceillent game. The one to the ceillent game.	thought Models and so daily weekly solour Person the BBC. Which will mag Bornion the BBC. So a sophistic by problem I mouther Weekly was the BBC.	when Computing We und and originality in Noc. a bloc - lonal Computer Gar Cames Microbe I'm addicted Perso certainly keep your handled Perso ated flight simulate had with Source Add	combine to make a good game with clear to provide the game is a great of the game is a great computer News. Impers dancing on the moderful and is a great Computer News of Your Computer enture was prising marginal to the game of the ga

If your local RETAILER does not stock these GAMES at the SEPECIAL LOW prices, simply send a cheque or PO for £2.99 for EACH GAMES you want plus 50p postage and packing (however many GAMES you ORDER) to the "GRABIT WHILE YOU CAN" Department, Virgin Games, 2-4 Vernon Yard, Portobello Road, London W11 2DX.

Stake your surviv on Spaceman Sid

Another great challenge from English Software

Survival on Earth depends on 'Spaceman Sid'. And that means YOU! Get behind the controls of

your laser-armed combat rover - and start the battle. The Martians have

taken over our dilithium mines on the planet Tribos and re-capturing those essential mines is your tough challenge. But watch those Martians

- they're loaded with dirty tricks. And watch out for the other hazards of space travel . you won't have to wait long, we can guarantee!

There are 3 progressive levels of difficulty of play. That applies to both Acorn Electron and BBC Model B

Spaceman Sid' is available on cassette for just £7.95, so beam yourself into



your local dealer today. Tomorrow itself could be at stake!



The English Software Comp Box 43, Manchester M6030 Trade Enquiries Tel: 061-835 E

IS PAPER WORK GETTING ON TOP OF YOU

JSINESS SYSTEMS

PAYROLL

PURCHASE/SALES LEDGER 2

STOCK CONTROL

NON VAT ACCOUNTS CASHPLANNER

MAILING LIST

£29.95 £29.95

£17.95 £17.95 £12.95

CAN BE YOUR STEPPING STONE TO EFFECTIVE FINANCIAL AND

ADMINISTRATIVE CONTROL

ALL PROGRAMS AVAILABLE AS A BUSINESS STARTER

PACK FOR THE SPECIAL PRICE OF £99.50

£17.95 THE PRICES ABOVE ARE FOR THE CASSETTE VERSION OF THESE PROGRAMS, DISC VERSIONS USING RANDOM ACCESS FILES ARE AVAILABLE FROM OCTOBER 1ST 1984

ALL SOFTWARE PROVIDED BY ABACUS, IS FULLY SUPPORTED BY THE COMPANY.



21 UNION STREET RAMSBOTTOM, LANCS PHONE: 0204 52726





Bit 1,0 Not used

A reset is initiated by writing 1 and then 0 to the reset register. All drive control signals go low, commands in progress are aborted, status register flags are cleared, and an idle state occurs until the next command is entered. This mimics a hard reset via the reset pin.

The operation of the 8271 falls into three phases.

1 Command phase.

This starts with the issue of a command after checking the status register to ensure the 8271 is not busy. If parameters are needed these are then issued, checking before each one that the parameter buffer is empty. Failure to check may result in loss of a parameter.

2 Execution phase.

During this phase the computer can ignore the 8271 until the command is completed. This will be signalled by an interrupt. For this to occur a special chip is used to handle data transfer: a direct memory access device (DMA). The DMA can address, load and write to memory during part of the clock cycle not used by the central processor; the only information the DMA needs is the start address in memory for the data transfer. However a DMA is not used in the BBC micro, so any data transfers needed (each byte) are signalled by an interrupt and processed by the 6502. Because of the importance of this data transfer and the high speed at which it occurs, the highpriority non-maskable interrupt (NMI) is used, overriding any interrupts from internal timers, analogue to digital convertors, keyboard and so on which use the interrupt request (IRQ). In the BBC micro the routine to handle NMI interrupts is based at &D00 and only very urgent needs are allowed to use it. These are the disc and Econet interfaces so far.

3 Result phase.

This notifies the successful completion of the command, or an error occurring during the operation.

Fortunately, the Acorn DFS provides a routine to carry out most of the complex control of the 8271: OSWORD routine with A = 8.7F which performs 'read' write a sector' as detailed in the DFS manual. In fact it will do much more than just read or write a sector.

As with all OSWORD routines, the 5502 accumulator (or A% if called from Basic) indicates which routine, while the X and Y registers (or X% and Y%) hold the address of the parameter block (X=low byte, Y=high byte). The call address is &FFF1.

The parameter block is as follows:

Offset from

0	Drive number
1-4	Address in memory where data is to be sent
	to or from disc

to or from disc

Number of parameters
needed by the 8271 com-

6 8271 command 7 1st parameter

7 1st parameter 8 2nd parameter

9 etc
This routine handles all three phases of
the 8271 operation. On completion the
byte above the last parameter will con-

tain the value in the result register and should contain zero if successful. In Basic a simple routine would be:

10 DIM block 20, data 256

E.

1000 A% = &7F:X% = block MOD 256:Y% = block DIV 256 1010 block? 0 = drive

1020 block! 1 = data

1030 block? 5 = noofpar 1040 block? 6 = command

1050 block? 7 = param1 1060 block? 8 = param2

1060 block? 8 = param 2 1070 CALL &FFF1

1080 IF block? (7 + noofpar) < > 0 THEN PRINT "error!"

Before detailing the various 8271 commands, the layout of data storage (or 'format') on a disc must be understood.

Data is stored in concentric 'tracks' around the disc, there being 3.6 40 or 80 tracks depending on which type of \$1 in disc drive is in use. The 8271 will also support 8 in drives. Each track is subdivided into a number of 'sectors', which consist of an identification (ID) field and a data field. The number of bytes of data per sector of pends on the number of sectors per track. The first' sector on a track is identified by the 'index hole',

the small hole in the disc which allows a photocell to detect a pulse of light once per revolution of the disc. The first sector is the one that immediately follows the light pulse.

The general layout on each track is shown in figure 3 and the ID fields in figure 4.

The 'gaps' are fixed or variable numbers of bytes that prevent sectors overwriting each other if the disc revolution speed should vary slightly.

Both the ID field and the data field have additional bytes called the Cyclic Redundancy Check (CRC) bytes. The Avalue of these depends on the value of the depends on the value of the rest of the bytes in the field and allows a check on the accuracy of subsequent reading of the field. While the reading in the bytes, the CRC value is reading in the bytes, the CRC value is reading in the series of the original CRC; if these are not equal an error must have occurred and one of the error codes is openrated.

The relationship between number of sectors per track, sector size, sector length (number of bytes of data) and gap size is set out in figure 5.

Gaps I and 3 can be varied if desired, 2 and 4 are fixed, 1, 2 and 3 have six additional bytes, always present, which act to synchronise any reading or writing operations. This gives a total of 325 bytes per track, with a maximum of 2800 bytes of actual data. The format command (see below) also expects details of Gap 5; this is used only with 8 in discs and should be set to zero with 5 in discs.

It might be useful to describe some tricks that can be done with the format. With a 40-track disc one can command the drive head to be stepped to any of these, ie 0 to 39. However, one can number the track in the ID field anything from 0 to 255. One could step out to track 5 and then fool the 8271 into thinking that the current track is 78, for

Gap 2 Data, sector 1 Gap 3

dex							
ap 4	Gap 1	ID	Gap 2	Data, sector 0	Gap 3	ID	

Figure 3. Layout of a disc track

Track Drive Sector Sector length

Figure 4. The ID fields

Ga

No. of sectors	Size/length	Gap 1	Gap 2	Gap 3	Gap 4
18	0 128	16	11	11	24
10	1 256	16	11	21	30
5	2 512	16	11	74	88
2	3 1024	16	11	255	740
1	4 2048	16	11	0	1028

Figure 5. Relationship between number of sectors per track, sector size and length and gap size


Synergy Software

PROFESSIONAL SOFTWARE FOR THE BBC MICRO

EASIPLOT

EASIPLOT is a sophisticated AND user friendly graph package for the BBC Micro, placed 14th in the top 20 Educational packages by the, leading Educational Computing Magazine. EASIPLOT has also come to be regarded as an 'outstanding business package' and 'excellent value for money'.

Note:- EASIPLOT 3 comes complete with the number charting program DATA PLOTTER with graph magnification, colour and moving average facilities. SUPERB VALUE AT £22.95.



K CASSETTE
S YES
E

Auto & Manual Scaling	YES	YES
Grid & Scatter Options	YES	YES
No of simultaneous graphs	. 5	3
Overwrite memory	YES	NO
Screensave facility	YES	YES
Screendump facility	YES	YES
Fixed description per graph (char's)	up to 200	100
Full plot and axis editing	YES	YES
Save, Load & *CAT facilities	YES	YES
Single file selection	YES	NO
Operating Manual (pages)	52	52

All our programs will produce hard copy on the following printers:-EPSON (entire range), Shinwa CP80, Star DP 510, Seikosha (GP80A & GP100A). Share Analyser will produce reports on any BBC compatible printer.

PLEASE NOTE:- Our programs CANNOT BE OBTAINED FROM YOUR LOCAL DEALER so send for details NOW.

PROGRAM	PRICE	
Data Plotter (cassette) Model B & Electron	£7.00	
Data Plotter (disk) Model B	£8.00	
Easiplot 1 (cassette) Model B & Electron	£15.95	
Easiplot 2 (disk only) Model B	£19.95	
Easiplot 3 (including Data Plotter-disk only)	£22.95	
Share Analyser (cassette) Model B & Electron	£14.95	
Share Analyser (disk only) . Model B	£19.95	

Disk orders . please state 40 or 80 track (add £1 for 80 track and £1.50 for overseas orders). We will upgrade Easiplot 1 to Easiplot 2 for £7 (£10 to Easiplot 3).

Write for full details of all our programs or leave your name and address with our Answerphone service (Luton 33859). All programs are normally despatched within 24 hours.

Send cheque/P.O. etc to

Synergy Software, 7 St Andrews Close, Slip End, Luton, LUI 4DE

SHARE ANALYSER

SHARE ANALYSER is a sophisticated portfolio reporting and analysis package designed for the small investor. The disk vers a capacity of 20,000 SHARE PRICES and up to 320 buy/sel covering 20 share names. Share Analyser has facilities for flexing and multiple merging of graphs and a variety of selic indicators. SHARE ANALYSER IS A MUST FOR THE INVESTAT BARGAIN PRICE.

PROFIT STATEMENT

NAME BRITIS	SH PETROLEUM	
Bought 600	DEALINGS Av Price 338	Cost 2028
Sold 300	Av Price 426	Income 1278
Held 300	Curr Price 438	Mkt Valn 1314
	Gross Profit Income Expenses	564 257 101
	Net Profit	720

SHARE ANALYSER FACILITIES	DISK	CASSE
No of prices stored	20,000	Appxl
Max no' of Holdings	20	""
Transactions per holding	16	
Range adjuster	YES	
File Manager	YES	
Printer Manager	YES	

REPORTS PRODUCED;Portfolio Valuation YES Portfolio Profit Analysis YES Share Profit Analysis YES Share Movement Analysis YES Transaction Record Report YES

State stovement Analysis TES Transaction Record Report YES File Status Report YES GRAPHICS FACILITIES:Magnification option YES

Magnification option	YES
Grid	YES
Autoscale	YES
Screenwrite	YES
Screendump	YES

SELECTABLE GRAPHICAL INDICATORS:-

Lagged Moving Average	YES
Centred Moving Average	YES
Rise and fall indicator	YES
Weekly/Daily Low indicator	YES
Superimpose Facility	YES

instance, whereas the usual DFS commands would simply report a disc error with this format. Thus one can talk about 'physical track numbers' and 'logical track numbers' (ie, that in the ID field). Logical track numbers do not have to follow any particular sequence; they can even be in reverse order (normal is 0 outermost)

The same applies to sectors: with a 10-sector format, the physical numbers would be 0 to 9. They can be given any logical number between 0 and 255, in any order, not necessarily sequential. There are however, advantages to using sequential addresses in ascending order. The 8271 can be ordered to load into memory more than one sector at a time - for example start at sector 3 and load in four sectors. This will occur only if sectors 3, 4, 5, 6 are on the current track and it will be much quicker if they are in ascending order.

Interestingly, most efficient operation of the normal DFS occurs if physical sector 0 does not have logical number 0 on each track.

Thus if track 0 has sectors

0.1.2.3.4.5.6.7.8.9

track 1 should be

7.8.9.0.1.2.3.4.5.6

and track 2 should be

4, 5, 6, 7, 8, 9, 0, 1, 2, 3

Consider loading a program which covers more than one track on a disc without these sector offsets. The sectors on the first track will be loaded to sector 9, then the head will be stepped out to the next track - to just

miss sector 0, as stepping is not instantaneous. A complete revolution of the disc then has to occur before sector 0 reappears. The offset described above ensures that the first sector encountered after stepping is 0. The actual offset needed will depend on the disc drive characteristics.

8271 commands

The general format of the command byte is for bits 6 and 7 to select which drive is in use, and bits 0-5 to specify the command, OSWORD &7F sorts out which drive (specified as the first parameter); so bits 6,7 of the command appear irrelevant. The DFS manual suggests they are set to 1,0, ie &40. This value should be added to the command value given below (eg. 'read data' &13 becomes &53 for the OSWORD parameter block).

SPECIFY Command byte = &35 Uses four parameters This command is used to initialise the 8271 with the physical properties of the bad tracks'

drive in use. It can also be used to tell the 8271 of any 'bad tracks' (ie, ones that will not format correctly). Once notified of these, the 8271 will automatically step over them as though they did not exist. This saves a disc being unusable simply because one or two tracks

This facility is not used in the Acorn DFS, though modern discs are of very high quality and 'bad tracks' are a

rarity.

The parameters are listed in figure 6. Before expanding on the initialise parameters, a brief note about disc drive mechanisms. The disc itself is rotated at a constant speed by a motor. each rotation being detected by the index pulse. Data is read off the disc by the 'head'. This has two controls: a stepper motor that moves the head across the disc in a series of steps. these being the tracks; second, the head can be 'loaded' - that is, brought into contact with the disc, allowing reading/writing of data. There is in addition a micro-switch to detect when the head is stepped outwards as far as it can go - that is, when it is at track zero.

The speed of stepping between tracks varies with different makes of drive; parameter 2 defines this as 0 to 255ms (milliseconds) in 1ms steps. Likewise the time it takes for the head to settle after loading varies and can be set by parameter 3 (0 to 510ms in 2ms steps). Parameter 4 allows two features to be set. Bits 4 to 7 set the index count; this is the number of disc revolutions that occur after the last command before the 8271 unloads the head (0 to 14; 15 keeps head loaded). Bits 0 to 3 specify head loading time (0 to 120ms in 8 ms stens)

The Acorn DFS can set up parameters for several makes of drive using the links on the keyboard or *FX255 see DFS manual and Advanced User Guide for further details. Unless you have an unusual make of drive, little will be gained by varying these values.

READ DRIVE STATUS Command byte = &2C

No parameters

Issuing this command puts the drive status into the results register which then can be read:

DIL	Notused	- 1
Bit 6	Drive 1 ready	1
Bit 5	Write fault	1
Bit 4	Index pulse detection	-1
Bit 3	Disc write protected	-
Bit 2	Drive 0 ready	-
Bit 1	Track 0 detected	П
	Bit 5 Bit 4 Bit 3 Bit 2	Bit 6 Drive 1 ready Bit 5 Write fault Bit 4 Index pulse detection Bit 3 Disc write protected Bit 2 Drive 0 ready

Count pin (used by 8271 for stepping)

'Drive not ready' is cleared by this command and should be issued during any initialisation.

READ/WRITE SPECIAL REGISTERS Command bytes = &3D (read), &3A

Uses one parameter The parameter determines which

BitO

register is involved: &12 Drive 0 current track &1A Drive 1 current track

8.17 Mode register 823 Disc control output port 822 Disc control input port 810 Drive 0 Bad track 1 Bad track 2 811 818 Drive 1 Bad track 1

819 Bad track 2 There are also three registers involved

in scanning for data - see below. The current track registers are the means to having different physical and

logical track numbers. The mode register has the following

features: bits 6, 7 must be 1, bits 2-5 must be 0. If bit 1 is set, then the two heads on a double-sided disc move together (ie. always have some physical track number). If bit 0 is clear this means a DMA is in use, if 1 the CPU is used for data transfer.

Drive control input port is the same as reading the drive status, but does not clear 'drive not ready'

Drive control output port gives the status of various lines between 8271 and drive:

Bits 6.7 Drive select lines Bit 5 Notused

Parameters	Initialise	tialise Bad tracks	
		Drive 0	Drive 1
1	80D	&10	&18
2 3 4	Step rate Head settling time Index count/ load time	Bad track no. 1 (physical address Bad track no. 2	

Figure 6. The four parameters of the Specify command, useful in informing the 8271 of any

Bit 4 Writing to tracks near centre of disc

Bit 3 load head Bit 2 sten direction Bit 1 step write enable

BitO SEEK

Command byte = &29 Uses one parameter

The parameter is the physical track address required. The head is then stepped to the appropriate point using the current track register as the starting point. Bad tracks will be skipped. The track number is not confirmed by reading the ID field.

A 'seek track zero' is different; here the head is stepped outwards until the track zero signal from the drive microswitch is detected. If this fails after 255 stens an error occurs. A seek track zero should be performed whenever the current physical position is unknown, eg at power-up.

FORMAT

Command byte = &2C Uses five parameters

This command formats one track at a time. The parameters are:

1	Track address (physical)
2	Gap 3
3	Bits 5 to 7 = sector size (0
	to 4)
	Bits 0 to 4 = number of
	sectors
4	Gap 5
5	Gap 1

It also requires data for the ID field of each sector, ie four bytes times number of sectors. Each block of four follows the pattern previously described: track number, drive number, sector number. sector size. Thus using the OSWORD routine a block of 40 bytes (for 10 sectors/track) would be pointed to by parameters 1 to 4 of the OSWORD control block.

The track number is the logical number and need not be the same as the physical number. The drive number can be anything from 0 to 255. Sector number can again be any value (see above) but sector size should be the correct value. The first set of values in the data block will be the ID of the first physical sector and so on.

Each byte of the data in the sectors is set to a value of &E5 during formatting. Formatted tracks can be checked with the 'Verify' command (see below).

READ ID FIELDS

Command byte = & 1B Uses three parameters

This command transfers a specified number of ID fields into memory from a track, starting with the one immediately

after the index pulse (ie, physical sector 0). The parameters are:

> Track number (physical) 2 Must be set to zero 3 Number of ID fields to be

Note that a seek to the specified track

occurs, though this is not confirmed by checking with the ID field. Thus if the logical track number is different an error does not occur when reading the ID fields

Data processing commands

All the following commands seek the specified track and confirm it is the correct one by checking the ID field. If it is not correct the 8271 will try the next two tracks before causing an error ('Track not found').

128 BYTE SINGLE SECTOR Two parameters

812 Read data &16 Read data and deleted data 80A Write date Write deleted data

&1E Verify data and deleted data

The parameters are:

80E

Track number (logical) Sector number (logical)

If the logical number is not the physical number, the command must be preceded by a 'seek track' command, and then change the current track register to the logical number with the special registers command.

Verify' data reads the data and checks the CRC values, but does not transfer the data to memory.

'Deleted data' refers to sectors that have a special code and are ignored by the usual read commands, ie it is effectively wiped off the disc. However, the data is still present and can be read or restored if desired later on. It is another way of protecting discs; the usual DFS commands will see only a blank disc!

VARIABLE LENGTH/MULTI-SECTOR Uses three parameters

&13 Read data &17 Read data and deleted data 80B Write data &0F Write deleted data 81F Verify data and deleted

data 800 Scan data 804 Scan data and deleted data

The parameters are:

Track number (logical) 2 Sector number (logical;

first if more than one) 3 Bits 5 to 7 = sector size Bits 0 to 4 = number of sectors to be processed

See notes on previous command, and earlier notes on formatting regarding multi-sector processing. Processing multiple sectors is much quicker than doing them one at a time. Commands not processing deleted data will skip them and process the required number of normal sectors.

If an error occurs during multi-sector processing the sector at fault can be found by reading one of the 'scan special registers', number &06.

The scan command enables the 8271 to search for a byte pattern on a disc but is of real value only when used with a DMA

I hope this article has been some help to those wishing to know more about the disc system. I recommend reading it twice (if you can face it!), as some bits are more easily understood in conjunction with information presented later in the article.

Finally, a disc copying program (listing 1) that will make back-up copies of most discs if not all. Some copies will have to be made onto fresh, unformatted discs. This program is not written in a sophisticated way but in a manner that I hope is easy to follow in conjunction with the article. Many improvements are possible, for example to transfer all the sectors on a track at once

With some minor changes it can also be used to change protected discs. Omit the 'format' procedure, and read and write to the same disc. In between reading and writing, CALL a machine code monitor and the data can then be examined, disassembled and changed as desired before being written back to the disc. The position of the data in memory can be found by having 'PRINT data' in the first few lines

One change I've found useful is to alter the keys in Aviator. As set up it is impossible to use the joystick and the rudder keys (A and +) together effectively. In logical track number 72 (physical track 8), logical sector number 125 (physical sector 3) will be found a block of data holding the INKEY values (negative numbers) of the keys and used when flying. This includes &FF, &BE, &DD, &DA &C8, &BC, &CA and &A8 etc. If the &BE and &A8 are changed to &9E and &BD then keys Z and X will control the rudder - now one hand can operate these and fire with shift, while the other uses the joystick.

Richard Harris' disc copier is listed on yellow page 102



Choosing a printer is a lot easier than a coi

HERE are dozens of quality printers from which to choose. With quality price tags of around £250.

The Brother M-1009, however, breaks all the rules. Stays defiantly below the £200 barrier,

Though it has far more than its fair share of features, it maintains the extraordinarily low price of £199.95.

Travels at a steady fifty.

In the speed stakes, the M-1009 is certainly no slouch, being fully capable of up to 50 characters per second.

Providing bi-directional and logic seeking printing for normal characters and uni-directional printing for super and sub script and graphics.

Prints on any paper.

Being an impact printer, the M-1009 will print on virtually any paper, including letter headings, invoices and standard office stationery

It will even print two copies together with your original. A superb character recommendation.

In its price range, the M-1009 has a great deal more character than many printers.

96 no less, plus international type and graphic characters. Reliability comes as standard.

Built to the same exacting standards as Brother's elite office

printers, the Brother M-1009 already has faultless credentials for reliability.

Its 9 x 9 dot matrix head, for example, has an astonishing 20 million character service life.

One printer that doesn't block out the light.

Many home computers tend to be a little on the large side. In contrast, the compact M-1009, at only 7 cm high, keeps a discreet profile.

Well designed, reliable – and conscientious. The Brother M-1009.





The future at your fingertips.

GUIDE BRIDGE, AUDENSHAW, MANCHESTER M14 SJD.
TEL: 061-310-6531 (10 LINES) 061-330-6513 (10 LINES) 061-BROTHER INDUSTRIES LIMITED, NAGOYA, JAPAN

-AVAILABLE FROM BOOTS, W. H. SMITH, WILDINGS, SPECTRUM LLK. MAJOR DEPARTMENT STORES AND BROTHER OFFICE EQUIPMENT RETAILERS

AU 10/84

TOOLKIT ROM from BEEBUGSOFT BASIC Programmer's Aid for the BBC micro



- 27 new commands to make life easier
- Saves hours in program development and debugging
- Supports both cassette and disc systems
- No command name conflict with other Roms
- Ideal for expert and novice alike
- Fitting instructions and a 32 page manual supplied
- You'll wonder how you ever managed without it

SPECIAL FEATURES INCLUD

SCREEN EDITOR An extremely powerful editor, allowing the use of cursor keys to list a program line-byline in either direction and move to any part of a program to overtype or insert new code and corrections.

ERROR DETECTION Powerful facility to trap an error in a Basic program as it runs. It will then automatically enter the Screen Editor, display the line in error and position the cursor close to the statement at

Verify a program or data in memory with disc/cassette.

Merge a program in memory with one on disc/cassette.

Clear all variables including integers.

Display free memory and pseudo variables.

Move program to run at specified address.

Display a screenful of useful system information.

As NEW, but can be issued from within a program.

As OLD, but can be issued from within a program.

Auto error handling-enters editor at line in error.

Enter full screen editor.

Display memory contents

Cancel enhanced error handling.

Intelligently recover bad programs.

Extended error reporting facility.

Screen dump to cassette or disc.

Efficient program compactor.

Allow partial renumbering

String search and replace.

Move Basic program lines.

Display utilities menu.

"TOOLKIT is an essential utility for all Basic programmers using the BBC Micro. . . . The range is enormous. . . . an indispensable aid packed full of powerful utilities." **EDUCATIONAL COMPUTING MARCH 1984**

"... highly recommended." PCN MARCH 17 1984

"The Beebugsoft Toolkit costs £27 and in my opinion is worth every penny. Since it has been installed in my BBC it has been used extensively and I can find no fault with it. Highly recommended to lazy programmers!

COMPUTING TODAY JUNE 1984

COMMANDS

*CHECK *CLEAR

*EDIT

*FREE 'HELP INFO

*MEMORY *MERGE *MOVE

*NEW *OFF

*OLD 'ON *PACK

*RECOVER *RENUMBER

*REPORT *SCREEN

*UTIL UTIL 1 'UTIL 2

*UTIL 3 *UTIL 4

UTIL 5 *UTIL 6 UTIL 7

'UTIL 8

*UTIL 9

List values of A% to Z%. List numeric variables. List string variables.

String search.

List names of arrays. Set up range for utilities 1 and 2.

List procedures and functions.

BEEBUGSOFT, PO BOX 109, HIGH WYCOMBE, BUCKS HP10 8HQ

Please send me.....Toolkit(s) at £27.00 each

Send Cheque/Postal Order to BEEBUGSOFT, DEPT 13 , PO BOX 109, HIGH WYCOMBE, BUCKS HP10 8HQ (Distribution agents for BEEBUG Publications Ltd.)

Available from your dealer £27.00 VAT & P&P

SERIOUS SOFTWARE from BEEBUGSOFT.

Design (C.A.D. Pack)

DESIGN is a screen processor which allows information to be displayed in a format suitable for demonstrations, slide projections, handouts or presentations.


Graphs, Pie Charts and Bar Charts are quickly produced on automatically drawn and scaled

Text may be written anywhere on the screen and may be displayed normally, enlarged, underlined or sideways.

Twenty user-defined characters and four large macro characters are supplied, and may be placed anywhere on the screen or redefined as required. Additionally a set of characters for circuit diagram generation is also included.

Machine code screen dumps are included for Epson, Seikosha, Shinwa and Star printers and details on how to load dumps for other printers are also included.

Screens may also be saved and reloaded to cassette or disc.



".... A first rate screen processor.... immense value to schools and colleges ideal tool for preparing display material...."

EDUCATIONAL COMPUTING APRIL 1984

Sprite Utilities

".... Definitely recommended..."
"ELECTRONICS & COMPUTING MAY 1994
".... For my money Sprite Utilities wins
through..."

ACORN USER MAY 1994

ACORN OSER WAT 1984

SPRITE UTILITIES A game writers utility pack which allows high speed arcade games to

be written in Basic.

This is achieved by using the set of supplied machine code sprite routines to move multi-coloured characters (sprites), of your own design,

around the screen at high speed.

Control of the sprites' movements is by user written Basic program. Specific commands to the sprites are very simple.

Sprites are generated in mode 2 on a 8 x 16 grid and may include any of the available 16 colours.

Up to seven sprites may be displayed and controlled on the screen at any one time. A special super sprite facility enables clones of each sprite to be created, to provide animation.

BEEBUGSOFT, P.O. BOX 109, HIGH WYCOMBE, BUCKS. HP10 8HQ

 Please send me
 Design Disc(s) at £19,00 each
 Design Cassettes at £10,00 each

 Please send me
 Sprites Disc(s) at £12,00 each
 Sprites Cassettes at £10,00 each

ne All BEEBUGSOFT products are available from leading laders including firess before the control of Mr. State the control

Send Cheque/Postal Orders to BEEBUGSOFT DEPT. 13 P.O. BOX 109, HIGH WYCOMBE, BUCKS. HP10 8HQ (Distribution agents for BEEBUG Publications Ltd.)

Hey Prestel. A new dimension for the BBC Micro.

Add the new Prestel Adaptor to a BBC Micro and you can download all programs available on the Prestel service.

Which considering Prestel is fast becoming a major software source, is a very attractive proposition indeed.

You can, for example, connect it to the growing Micronet 800 database. This

also enables you to access Prestel information on any TV or monitor. And store the data so that it can be displayed or manipulated how and when you require it. What's more, the Prestel Adaptor

turns your BBC Micro into a terminal that can link with other dial-up computers with 1200/75 band interface.

So you can, for example, have access to the British Telecom Gold electronic mail and telex service. In fact, the enor-

mous potential of our Prestel Adaptor. coupled with a surprisingly modest

price of £99 + VAT, make it a most exciting not to mention economical way to get more from your

Micro.

To: BBC Microcomputers, c/o Vector Marketing,

The BBC Prestel Adaptor is currently only available via mail order.

You can order it on your credit card by ringing 01-200 0200 at any time, or 0933-79300 during office hours.

Alternatively, send off the coupon below.

BBC Prestel Adaptor at £113.85

Postcode.



gives you an extensive choice of educational and business programs. Other closed areas' for private company communications are also

available.

And that's in addition to games that range from simple to sophisticated. Plus electronic shopping and banking facilities, and an extremely useful personal 'mailbox' service.

But that's only the beginning. The Adaptor



Technical Specifications For use with any BBC Micro 'B' with 1.2 MOS or later issue.

Prestel Language ROM supplied. Dealer will install ROM together with MOS update if

required in the BBC Micro.

Interfaces to any BT connection attached to 1200/75 baud dial up system (eg. Prestel, Micronet, Telecom Gold). A BT socket outlet of the latest type will be required. Connection via RS423 serial port.

Height 70mm. Width 210mm. Depth 350mm. Colour: BBC Computer Cream.

Power in 240v, 50HZ, 15w. Operating Temperature 10°-35°C. Denington Estate, Wellingborough, Northants NN8 2RL Please send me_ each, inc. VAT and delivery. I enclose PO/cheque payable to Readers A/C, Acorn Computers Ltd, or charge my credit card. Card Number_ Address Signature

ACS Registered No. 140 3810 VAT No. 215 40023 The BBC Microcomputer System. Designed, produced and distributed by Acorn Computers Limited.

Prestel and the Prestel symbol are trademarks of British Telecommunications PLC.

"I COULDN'T BELIEVE THE SPEED..... YOU'RE THE BEST BY FAR"

(Paul Singleton, Cheshire)

We've played hundreds of BBC programs to try and choose the best (like the ones on this page.) Details are in our catalogue - free with your order. It's the ONLY catalogue to list the best, omit the rest and quote all the reviews. All programs for 32K BBC All programs work with keyboard control - or joysticks as shown. WE TRY TO SEND YOUR PROGRAMS THE SAME DAY WE GET

YOUR ORDER. All games in stock - and tested by us - BEFORE we advertise them. Access/Visa card holders phone 01-789 8546 24hrs, from any country where your own laws allows this. We have satisfied customers in over 40 countries. UK

prices include UK vat. Export prices are the same - this 15% surcharge on export orders enables us to get them to you fast SAVE £££s ON ROMS

FRAK "FRAK is going to be a BBC classic.... Frak is one of the biggest fully-animated computer heroes yet." (PC Games).

A platform game, with amazing graphics, from your hero - Frak - armed with yo-yo, to the fact that each screen scrolls to become many screens. Good tunes, great sound - and it's difficult enough to keep you trying. Written by Nick Orlando. "the best games nmer for the BBC" - according to PCGames! NO STIX (Aardwark) 58.90

THE FALL OF ROME Andreading sping game... you won't want to iseve it" (HomeCompWkiy). Can you

erse history as you command the Roman Empire for its last sixty years? Defeat the 11 between tribes, the two Eastern Empires as you buy legions, auxilies, cavalry. Good en-prompts lead you through helpful up-dating on hi-res map of your Empire

most impressive yet... the action is fast and the animated football moss most impressive" (PopCompWkly). "The combination of graphic m and informed decision-making distinguishes this from many other lagy games ... entertaining and absorbing" (AcornProgs). Sumply the best BBC forball simulation. 3D animated colour graphics: 4 divisions: 7 skill levels CUSTOMIZE feature: you can even be sacked as well! £7.95

SWORDS AND SORCERY A Cluster adventure where you have helpers: in this case 3 you name yourself as they are released bompoion to help you! The characters you meet have varying moods, every object has a use and there's a different scenario every time you play - each one totally logical 9 SKILL

LEVELS the easy one is a good introduction to adventuring soothing music while you play! Map Routine shows where you are - and where you've been. It is very good indeed

MYSTERY OF THE JAVA

STAR New 4-part adventure with 100K of program. 3 skill levels and a score table! You must complete each part to get to the next - but you can SAVE the first two parts to help you! Otherwise each time you play, the adventure will be different And part 4, when you have found the wreck and dived for the treasure, is a realtime search as your air runs out. HELP available from the authors if you get stuck too.

WHEEL OF FORTUNE "Outs aimply the have seen for the BBC Micro... the advances in programming that have been ade are amazing.. this has to be THE ADVENTURE OF 1984" (Micronet 800). 250 locations: EVERY ONE WITH HALF-SCREEN GRAPHICS! Commands of up to 254

duracters! Moving cast with varying mooods? Save your position to tape or disc! Very last potise NO STIX (Kpic) £9.95 BLAGGER "DEFINITELY A BEST BUY FOR THE BEEB. A

SCREEN fully anumated game that's quite a lot like M*N*C M*N*R. Each of the 20 stress is a different puzzle with a different solution. Will your burglar collect the keys to al the sales? You'll certainly make him try for weeks! NO STIX (Alligata) £7.95

ORTRESS "An absolutely magnificent piece of programming. In many respects, the feel of the ne is even better than that of "ZAXXON"." (PCGames) "The game is thrilling, disposally scrolling graphics superb and the sound effects excellent...in a as of its own." (Micro User) "Deserves a place in any self-respecting software Section." (CAVO) The classic arcade game, arguably better on your Beeb than it ever was in the arcades All the features plus Hall of Fame STIX OK (Pace) £3.95

VERDRIVE "The best race simulation I've seen on this machine, it's excellent value for money." PCM You are in a multi-stage 3D race for the World Drivers Championship/ 5 stages - day night, show, desert, reverside. To qualify for the next stage, you must finish in the first 12. On scien score, time, speed and bonus. You can actually leel how last you're going - and the graphics are great! NO STIX (Superior) £7.95

SOFTWARE SUPERMARKET VISA/ACCESS CALL 01-789 8546 (24hrs)

Computer Concepts ROMS have been widely praised - we use them all the time! And we sell them to you cheaper than anyone eise we know! As Home Comp Widy said "Installation is easy providing you have a spare sideways ROM socket or an expansion board GRAPHICS ROM "Good value for money will provide anyone interested in graphics with a

whole new field of possibilities" (Beebug: £27.50 YOU SAVE £5.85

PRINTMASTER ROM "If you have an Epson printer, there is no better choice at present then Printmaster. (Beebug) 627.50 YOU SAVE 65.85

DISK DOCTOR If you use discs or write assembler programs, then you must have this chup (HomeCompWkly) 627.50 YOU SAVE 65.85

WORDWISE 'Probably the most useful word processor on the market' (YrCromp) £36.00 YOU SAVE £10.00

SAVE £40 ON PROGS! es of Beeb best. Now you can save £2.

on each of them. Offer limited to supplies available. Please state second choice THEMNE (Program Power) CS 96 YOU SAVE £2 00 :Automatai :Squirell YOU SAVE 62 DO £5.96 Program Power. WORLD TRAVEL GAME Hessel? YOU SAVE £2.00 Program Powers (Program Fower) TRANSISTORS REVENCE

To: SOFTWA							
If you do not and quote this I own a 32K Software Supe MASTERCAR	number a BBC comp market O	acu4 ruter len	close a ch	eque/PO	made p	oayable to	un p
Signature							
Please write cl	early If we	can t read	it you w	on't get	t		
Name							
Address							

Phone if any in case of miery PROGRAM NAME Price E Add 55g-only per order POSTAGE AND EUROPE Add 55p to: each program. PACKING OUTSIDE FUROPE And Cl for each program armad OUTSIDE EUROPE ADD ET TO TOTAL TOTAL

Electronequip (Authorised BBC micro Dealer, and service centre)

物質性質	Victorion				o Bealer, and					_
	BBC Cassette Software	Exc VAT	Inc VAT		BEC Cassette Software	Exc. VAT	Inc VAT		BBC Cassette Software	
BCADFOOT	Anti-row Controll Manney	5.87	675	BCBEWDRH	RES Worthard (XREO2)	6.63	7.62	BEMSBUIC	Marsesott Quick Thinking (6)	80
BEAFERIC	A.S.F. Software Bouncer A.S.F. Software Chucket Egg	5.92 5.84	5.80 6.72	BCBSSEYD	BES World Wise (XBEO1) BBCsoft Beyond Basic Cassette (B)	6.63 8.50	7.62 9.78	BCGCMRWI	Ocean Mr Wiregy	80
BEAFEYLD	A 8-F Software Cylen Actack	5.84	6.72	BURSCANY	BBCsott Canyon (B)	7.39	8.50	BCPPADVE	Page Software Fortress Program Power Adventure (8) Program Power Alven Destroyers (Invades) Program Power Alven Swill	а
REAFFRESC	A & F Software Fragger A & F Software Horrer Castle	5.92	6.60	RCBSDRAW	88Court Drawing 88Court Dr Who The First Adventure (S)	7.40	8.50	ACPEACIN	Program Power Alien Destroyers (Invader)	а
BEAFHORR BEAFHOWS	A & F Software Howerst A & F Software Howerst	5.92 5.10	5.80	BCBSSARL BCBSSARL	BBCsoft Early Learning	7.39	8.50	BCPPALIE BCPPASTE	Program Power Atlen Swist Program Power Asteroid Storm (B)	
REAFPAIN	A& Software Painter	5.92	6.80	REBSHING	BBCsoft Fun Garnes BBCsoft Games of Strategy	7.40	8.50	BCFPASTE	Program Power Astro Navisetor	а
BEAFPHAR	A.&.F. Software Parities A.B.F. Software Pharach's Tomb A.B.F. Software Planes	5.92	6.80	BCBSGAMS		7.40	8.50	BOPPBAND	Program Power Astro Navigetor Program Power Bandits at 3 o'clock	錭
REAFPLAN	A.S. F. Software Shares	5.92	6.80 6.80	BCBSHOMF	BBCsoft Home Finance Making the most of your Micro (Inc. book) BBCsoft Metorists' Log	7.48 9.57	8.50	BCPPBARK BCPPBEIS	Program Power Barrage for IBC Program Power Beeb Tote IB) Program Power Beeb Tote IB)	80
BICAHADVE	A S F Software Stroking Professor Adventure International Adventureland	7.35	8.46	BOSSMOTO	BBCsoft Metorists Leg	7.40	8.50	BEPPRUMB	Poppram Power Bumble Bee (B)	а
BEAINFIRA BEAINFICE	Adventure International Pirate Adventure	7.35	8.46	BCBSMUSI		7.40	8.50	BEPPEAVA BEPPENIS		a
BCAIVOUD	Adventure International Secret Mission Adventure International Yopdox Castle	7.35	8.46	BCBSPRD1	BBCsoft Painting BBCsoft Programs Vol 1 BBCsoft Programs Vol 2	2.40	8.50	BEPPEREM	Program Power REC Chess (15K) Program Power Chess Program Power Chess	
SCAKCHIL	ASK Children from Space (XBE16) ASK Cranky (XBE17) ASK Facemaker (XBE10)	7.35	8.46	BCBSPR02	BSCoolt Programs Vol 7	7.40	8.50	BCPPCHES	Program Power Chess	30
BCAKCRAN BCAKFADE	ASK Cranky (XBE 17)	7.35	846	BCBSTAXE	BBCsoft Record Keeper (B) BBCsoft Taxcalc (B)	10.20	9.38	BEPPEONS BEPPEOSM		2
SCAKHIDE		7.35	8 46	BCBSTOOL		15.52	17.85	BCPPCOW8	Program Power Cosmic Combet (B) Program Power Cowbox Shoot out	83
BEAKNUME BEAKNUME	ASK Let's Count (XBE12)	7.35	8.46	BCBSWHIT BCBSWHIT	SBCsaft VU Type (Typing Tutor) (B)	11.90 8.50	13.69	BCPPCRUA BCPPCYRF		38
- ECAKNUMS	ASK Number Chaser (XBE15) ASK Number Golser (XBR13)	7.39	8.45	BCBUTWIN	SBCsoft VU Type (Typing Tutor) (B) SBCsoft White Kought Mark Eleven (B) Bug Syte Twen Kingdom Velley	7.07	8.07	REPPRANG	Program Power Cybertian Mission (B) Program Power Danger (UXB	a
BCAKNUMP	ASK Let's Chard (XBE12) ASK Number Chaser (XBE15) ASK Number Gulger (XBE13) ASK Number Puzzler (XBE14) ASK Table Adventures (XBE18)	7.36	8.46	BCCCANDR	Computer Concepts Andreid Attack Computer Concepts Asteroid belt	8.51	7.60	BOPPOEMO BOPPOIS	Program Power Demon Decenator (Painter) Program Power BBC Disassembler	倜
BCAKTABL BCAKWORD	ASK Table Adventures (XBE LB)	7.35	8.46 8.46	BCCCASTE		5.87	5.75 7.50	BOPPELDO	Program Power BBC Disastembler Program Power Eldosdo Gold (Adventunc)	Æ
SCALABM	ASK Words Words Words (XIE I S) Atligata Software ASM (Laser Command) Atligata Software Blagger	4.33	5.05	BCCCGAME	Computer Concepts Games Galare 1 Computer Concepts Hinch Hiker	8.61	7.60	WL661CLF.	Program Power Escape from M buse Alpha Program Power Felix in the Factory	æ
BCALBUGS BCALBUGS	Alliquia Software Blagger	8.61	7.60	BECCHITC	Computer Concepts Noch Hiker	4.93	5.67	8CPPFFAC BCPPFFRU	Program Power Felix in the Factory	/88
REAL CREM	Alliquita Software Bug Blaster Alliquita Software Commit Assesside	5.88	6.76	BECCESNAK	Computer Concepts Cops II	8.50 5.87	9.78	BUPPIEKU	Program Power Fein & the Fruit Monsters	-35
BEALDAMS	Alliquita Software Counic Asseroids Alliquita Software Danbonters	5.87	5.05 6.75	BCCCSPAC	Computer Concepts Snake Computer Concepts Spacehawks	5.87	6.75	ROPPICALA	Program Power Footer Program Power Salactic Commander	120
BEALFAGI BEALFRID	Artigata Software Engle Empire	5.87	6.75	BCCCSWAR	Computer Officepts Swarm	5.51 6.51	7.60	ВСРРЕНВИ	Program Power Ghools	55
SCALLUNA	Alligata Settware Fruit Machine (8006) Alligata Settware Lunar Rescue (8007)	4.39 5.87	5.05 6.75	BCDS747	DACE Super 7 (Arcade games compend.) Doctor Soft 747	5.87	6.75	BCPPHELL	Program Power Internalizatio Trader (8)	12
BEAMALGE	Amnalanti Cheshire Cat Alnetra D level	513	5.90	BCFBSPAD	Frist Byte Space Adventure One	5.87	6.75	BCPP3ETP	Program Power Hell Driver (B) Program Power Intergalactic Trader (B) Program Power Jet Power Jack	¥
BICAMCALC	Amgaisoft Cheshire Cat Arithmetic O level Amgaisoft Cheshire Cat Calculus O level	513	5.90	BCFBSTF0 BCFBSTTR	First Byte Star-Force Lander First Byte Star Trader	5.14	5.91 6.75	BCPPKILL BCPPLABC	Program Power Killer Serata Program Power Labyrinths of la Coste	8
SCAMCONS	-Americal Cheshire Car Construction TV	6.12	5.80	BEFBVAPH	First Rate Uniter of the Phasester	5.87	6.75	BEPPEASE		а
BEAMGRAP BEAMMATI	Ampaisoft Chashire Eat Graphs G level	5.13	5.98	BEGACHEL	Barland Software Chemical Equations	9.57	11.01	SCPPMART	Program Power Later Lamband Program Power Matten Attack (B) Program Power Mesterning for BBC	-31
	Ampaisoft Diesthire Cat Graphs 8 level Ampaisoft Diesthire Cat Maths 10 level Ampaisoft Diesthire Cat Maths 10 level	7 11.05	12.71	REGAENES	Garland Software Chemical Equations Garland S ware Chemistry Indigens: Ana Garland S ware Chemistry Symbol/For/Va	9.57	11.01	BCPPMASM BCPPMAZE	Program Power Mastermins for BBC	- 13
BICAMTRIG	Ampaisult Cheshire Cat Trigonometry 12 Accessed 100 Programs for BBC Micro Accessed Accade Action (SBG06) Accessed Accade Action (SBG06)	5.13	5.90 9.78	BCSAHUMA	Garland S ware Human Body Heart & Kid Garland S ware Physics Cathode Ray Disc	9.57	11.01	BCPPMINE	Program Power Maps Invaders (B) Program Power More (B) Program Power More (B) Program Power More Rarder Program Power Nemesus (B)	51
BCASTOOP FOASSACE	Accessed 100 Programs for BBC Micro	8.50	9.78	BEGAPHYE	Garland S ware Physics Cathode Ray Doc	9.57 14.75	11.01	SCPPMOON SCPPNEME	Program Power Moon Raider	15
BEASARCA	Acumsoft Arcadians (SBG14)	7.35	8.45	BESERFEP	Gemini Besticals (Spreadsheet) Gemini Bestolot (Graph Plot)	16.75	16.96	BEPPPONE	Program Power Poker Dica (B)	20
BCASAVIA	Activitists Aviator flight simulator \$8602	11.05	8.45 12.71	BUGECASE	Gemini Beetplot (Graph Plot) Gemini Cash Book Accounts	44.31	50.98	BCPPPDSI	Program Power Poker Dica (B) Program Power Positron (B)	3
BCASBUSI BCASCARG	Accessed: Accades (SOC) 40 Accessed: Accades (SOC) 40 Accessed: Bosioles Games (SOC) Accessed: Careasel (SOC) 40 Accessed: Careasel (SOC) Accessed: Careasel (SOC)	7.35	8.46	BOGEDATA	Gemini Caterpillas Gemini Datatiese	7.35	8.46	BEPPREV2 BEPPROSE	Program Power Reserva (3.7K)	19
BCASCAST	Acordsoft Capite of Rebbies (SBG17)	7.35	8.46	BESEEASI	Gemini East-Ledger	14.75	16.96	BEPPSEEK		13
BCASCHAN BCASCHES	Acumselt Chemical Analysis (SBE12) Acumselt Chers (SBG10)	10.20	11.73	BOSEFINA BOSEHOMA	Germin Final Accounts	44.31	50.96 16.96	BEPPSPAE		33
BCASCHSF		735	8.46	BCGEINVS	Gersini Home Accounts Gersini Invester (Invesces & Statements)	14.75	16.96	BCPPSTAR BCPPSW00	Program Power Stativis Program Power Swoop Program Power Timetrek (Startrek Plus)	-3
REASEMST	Aconsoft Chemical Structures (SBE14)	10.20	11.73	BCGELIBE	Gemini Liberator	7.35	8.46	BEPPTIME	Program Power Timetrek (Startrek Plus)	-9
BEASCOLL	Aconsoft Chemical Structures (SBE14) Aconsoft ICL Collectors Cat S8X05 Aconsoft Countdown to Doom (SBC19)	7.35	846	BOGEMAIL BOGEMISS	Gemini Mail List Gemini Minsile Control	14.75	16.96	SCPPWALL SCPPWHER	Program Power Wati (8) Program Power When (8)	23
BCASCRAZ			8.46	BESEPAYR	German Payrell	29.53	13.96	BEPPWHIE		- 3
BCASCREA	Acompote Ereative Graphics (SEX01)	7.35	8.46	BOGESLEI	Gemini Stephbatts Gemini Stock Control (ICS)	135	8.45 16.96	BEPPWORL	Program Power World Geography (B) Program Power Zarm (B)	5
BCASOESK BCASOEAU	Accorded Consider & Borner (B) (CBC)	7.35	8 4 6 8 4 6	BCGESTOC	German Stock Control (ICS)	14.75	16.96	BCPPZARM BCPSSALD	Program Power Zarm (8) Psion Saloon Sally	- 3
BEASEXAM	Accurated Covery (SSR01) Accurated Desk Overy (SSR01) Accurated Desk Overy (SSR01) Accurated Desk Overy (SSR01) Accurated Examiner Cassette (SBE 17) (B Accurated Favorated (SBR02)	2 35	8.46	SCGFWORD	Gemini Traditional Games (8) (E) Gemini Wood Processor	14.75	16.96	BCPSVUCA		-
SCASFORE BCASFORT	Acomount Forecast (\$8802)	8.80	10.12	BCGGFAIR BCGGGGTS	Griffin & George Farmhare Griffin & George Detaet Griffin & George Detaet Griffin & George Testiesums	7.35	8.46	BSQSBEER	Quicksilva Beeb Art (B)	-11
BEASEREE	Account free Fall (SRG2R)	7.35	14.32 8.46	RESGNUMB	Goffin & George Numbertun	7.35	8.46	BCOSGENE BCOSMUST	Durcksilva Generator (B) Durcksilva Music Processor (B)	Sil.
BEASFREN	Accomsoft Franch (Lankword) (SBX13)	11.05	12.71	BEGGTABL	Grittin & George Tablesoms	7.35	8.45	BERMGALA	RH Settwee Externe Wingout (RHS0B10)	施
BCASGERM BCASGEAD	Accompate German (Linkword) (SBX 16)	11.05	12.71	BOGGWORG BOGGWORS	Golfin & George Lableson's Enriff & George Wondgarners Golfin & George Wondgarners Gold Mouseley & Mr. 1 Appaber Gold Mouseley & Mr. 1 Meessung Games Gold Mouseley & Mr. 1 Meessung Games Gold Mouseley & Mr. 1 Monde Sane Gold Mouseley & Wr. 1 Schape Games Cond Mouseley & Wr. 1 Schape Games Enrif Mouseley & Wr. 1 Schape Games Enrif Mouseley & Wr. 1 Schape Games Could Mouseley & Wr. 1 Schape Could Mouseley & Wr	7.35	8.45 8.45	BERHSKIS BESHEBLT	RH Software Ski Stotes (RHS0021) Simon W Hessel GB Ltd Simon W Hessel Interntunce	-3
BEASGRAP	Acomont Graphics on the BBC Acomont Graphic & Chans (SBX02)	8.50 2.35	8.46	BOSHTALP	Good Houseke g Mr T's Alphabet	9.57	11.01	BESHINNE	Simon W Hassel Intentance	-2
BCASHORE BCASHOPP	A soft ICL Hooked on Numbers (SBX08) Accoms of Hopper (SBG23)	7.35	8.46	BOSHTMEA	Good Houseke g Mr T's Measuring Games	9.57	11.01	BESHTRAV	Some Wifersel Travel Game Software Invasion 3D Bonth Alley Software Invasion Attack on Alphanestus	- 4
BEASITAL		7.35 11.05	12.71	BOSHTNUM	Good Houseke a Mr. E. Number Games	9.57	11.01	BCSI3D80 BCSIATTA	Software Imparion Straw on Althoration	-12
REASJARS	Acomsoft Jans (SBE15)	8.83	10.16	BEENTSHA	Good Houseke q Mr T's Shape Game	9.57	11.01	BESIEAGE		-13
BCASJCBD BCASJISD	Azomsoft Los Dopper (\$8609)	7.35	8.45	BOSHTTEL	Good Houseke g Mr T Tells the Time	9.57 5.13	11.01 5.90	BCSIGUNS BCSISP00	Software Invasion Burningke Software Invasion Spores & Spiders (8)	-3
REASING	Aconsolt Lay Cessette (SBL02)	12.45	14.32	BCGBGBBL			8.46	BESIVORT	Software Invasion Vortes Simenseti Disassembler	15
BEASMASI BEASMEMB	Accessoft trained Leakward LSBXT 4. Accessoft Jan. (SBX 15. Accessoft Law (SBX 15. Accessoft Ling Down Prays SBX.09. Accessoft Ling Down Prays SBX.09. Accessoft Ling Comm. (SBX.04. Accessoft Ling Comm. (SBX.04.) Accessoft Mapp Content (SBX.04.) Accessoft Mapp Content (SBX.04.) Accessoft Microstree (SBX.04.) Accessoft Microstree (SBX.04.)	7.35	8.46	BOHOBEGA		12.10	12.71	BCSMOIS BCSS2002	Simenseti Doassembler Signiser Settware 2002	1
REASMITE	Acamsoft Meteors (SBG13)	7.35	8.45	BOHOBECS	Honeytold Beginners Assembly Language Honeytold Beginners Basic course	12.10	12.71	BESSAUD		i d
BEASMICE	Aconsoft Microtest (\$8104)	36.85	42.37	BCHSPENG BCHSCRIM	H. Saft Perguin	6.59		BESSRATT		3
BEASMISS BEASMISS		7.35 8.83	8.45	BCI8DATI	Money Old Beginners Bast conics in Soft Penguin Soft Penguin Nam Berg Come & Detection that (NEND) Assessment Soft Penguin Come & Detection that (NEND) Issue Berg Marian Quar (NEND) Issue Berg Marian Fellow Berg Marian Fellow (NEND) Issue Berg Marian Fellow (NEND)	9.35	10.75	BESSEENT BESSEENT	Superior Software Centifiede Superior Software Coldita Adventure	1
BEASMONS	Accordant Mesoing Signs (SBEDG) According Monators (SBEDG)	7.35	9.46	BCIBHIST	Ivan Berg History Quiz (XBXO4)	9.35	10.75	BESSCRAZ	Superior Software Colditz Adventure Superior Software Crazy Painter	- 3
BCASNUMB BCASONET	Acomsoft Number Balance (SBEGS) Acomsoft ICL Overs Note (SBEGS)	8.83 7.35	10.16	SCIBIDO SCIRMIST	Ivan Berg 1 Du (XBXD7)	9.35	10.75	BCSSCRIB BCSSCRIB	Superior Software Critibage Superior Software Fairground	1
BCASPEEK	Appropriate Feek D. Computer Pack (SRED2)	7.35	8.46	BCIBROYA	Juan Berg Brosty Quiz (XBXD5)	9.35	10.75	BCSSFROG	Superior Software Frances	1
BCASPERS BCASPHIL	Accessoft Feeko Computer Pack (SBE02) Accessoft Personal Money Minent SBB02	8.80	10.12	BORSOE	Ivan Berg Science Fiction Quir (XBXQ5)	9.35	10.75	BCSSFBut	Superior Software Fragger Superior Software Fruit Machine	-33
BCASPICT	Acomosti Philosophers Quest (SBGD1) Acomosti Picture Maker (SBXD3)	7.35	8.46 8.45	BUILDING	han Berg Theatre Goz (XBXG1)	9.35	10.75	BCSSGALA BCSSHUNC	Superior Software Galaxians Superior Software Hunthbark	3
BCASPLAN	Accessoft Planetoid (Oxfender) (\$8615)	7.35	8.46	BCUFLAG	LIK Flags for BBC (12)		3.82	BCSSINVA	Superior Software Invaders	-3
BCASSENT BCASSENT	Acomsoft Rocket Raid (SBG05) Acomsoft Sentence Sequencing (SBE07)	7.35	8,46	BCUNYPE BCUNVA	UK Hyperdrive for 88C (13) UK tovaders for 88C (9)	4.80 5.54	5.82	BCSSOVER BCSSPONT	Superior Software Overdrive Superior Software Pontops	-33
BCASSINV			10.16	BELISTRA	LBC Stratobomber to: RBC (14)	5.54	6.37	BCSSQBER	Superior Software Portoon Superior Software Office	203
BCASSLIO	Aconsoft Stiding block pozities (SBG12) Aconsoft Snapper (SBG04)	7.35	8.46	BCJOYSTI	Joystick Unlity program for BBC Kansas Galactic Finehird	5.06	5.82	RCSSRGAD	Superior Software Boad Bunner	10
BCASSNAP BCASSNOO	Aconsoft Snapper (SBG04) Aconsoft Snooker (SBG71)	7.35	8.46 8.46	BEXAGALA BEXAPINE	Kansas Galactic Firehold Kansas Pinhall Arcade	7 01	8.06	BCSSSPAF BCSUBEER	Superior Software Space Fighter Solio Software Beebeater	
BCASSPAN		11.05	12.71	BEXDPASS	Kay Dee Software Pass Go. Kasmos Software French Mestress A.	7.23	8.31	BESUBESE	Subs Software Beveget Subs Software Beveget Subs Software Grammar Tree Nouns	100
BEASSPAS BEASSPAS	Acomont & Pascal (\$8108)	12.45	14.32	BOXDEREA BOXDERER	Kesmos Software French Mistress A	7.35	8.46	BESUGRAN	Subs Software Grammar Tree Noins.	- 33
BEASSTAR	Accessoft Sphins Adventure (\$8607) Accessoft Starship Command (\$8622)	7.35	8.46 8.46	BEXOGERA	Kosmox Software French Mictress 8 Kosmox Software German Master A	7.35	8.46	BESUGRAS BESUGRAY	Suits Software Grammar Tree Sentences Suits Software Grammar Tree Verbs	
BCASTREE BCASWORK	Accompant Starship Command (SBG22) Accompant Tree of Knowledge (SBE04)		0.46	BCXOGERB	Kosmos Software German Master A Kosmos Software German Master B	7.35	9.45	BESILIUNW	Suits Software Grammar Tree Verbs Suits Software Junior Wordspits	100
BCASWORS BCASWORS	Account Ward Separation (SREDS)	8.83	10.16	BCXOSPAA BCXOSPAB	Kosmos Software Spanish Tutor A Kosmos Software Spanish Tutor B Level 9 Colossal Adventure (B)	7.35	8.45 8.45	BESUJUST	Solis Software Just a Mo)	
BEBEAVM	BES Animal Vegetable Mineral (XBE03)	6.63	7.62	BCL9COLO	Level 9 Colossal Adventure (B)	7.32	8.47	ECSUSTAW	Sulis Software Open Setame Suits Software Starter Wordspirts Sults Software Tense French	S
BCBEHAPI BCBEHAPIN	Account Nurse Hope (SBE 05) Account Ward Nort (SBE 05) Account Ward Sequenting (SBE 06) BES Account Vegetable Mineral (ABE 03) BES Happy Latters (XBE 07) BES Happy Numbers (XBE 04)	6.63 5.83	7.62 7.62 7.62	BCL9DUNG BCL9LORD	Level 9 Dungeons (B) Level 9 Lords of Time (b)	7.32	8.42	BCSUTENF BCSUTIME	Solin Software Tense French	
BCBEMAPR			7.67	BCL9SNOW	Level 9 Supahall (R)	7.32	847	BESUWDED	Suits Software Filte Fravener Suits Software Wordstwer	
BERETIM1 BERETIM2	BES Timeman One (XBEOS) BES Timeman Two (XBEOS)	6.63	7.62	BCMHH088 BCMSFIRS	Melbourne House Nobbit Manageoft First Steps with the Mr. Men	11.05	12.71	BEVISNOO BEVMDELT	Vininery Simoker	108
TWIL 3010	DES THIREMAN (WE (XB(Ob)	5.63	7.52	pru/21182	Montgroom was prepared by the Mr. Men	6.51	1,60	BUANDEL!	Voltmace Delta Driver Cassette	
		1				()			



Electronequip 36-38 West Street, Fareham, Hants

BBC

Electronequip

(Authorised BBC micro Dealer, and service centre)

* SPECIAL OFFERS Mail order only

*EPSON

X-80FT:225.25 + VAT





dump rom is available for £11.50





"SIDEWAYS" rom board for BBC Micro. No soldering required £38.00 + VAT



Electronequip is an authorised Acorn service centre and has been an Acorn dealer since the introduction of the Atom. Our demonstration facilities include 20 station Econet and Torchnet systems.

Ret	BBC Micros	Ex VAT	Inc VAT
ANB01	BBC Model B Micro Computer	348.26	399.00
ANBO2	BBC Model B with Econet Interface	389.14	446.00
ANB03	BBC Model B with Disc Interface	409.14	489.00
ANB04	BBC Model B with Disc & Econet Interface	450.01	516.00

VOLTMACE JOYSTICKS *10% off list prices



		Discounted	price
(T14	Voltmace Delta 14B Joysticks		3.46
	Voltmace 14B/1 Adaptor Box .		
IT38	Voltmace Delta 3R Twin Joystin	rks	8 09

rices subject to variation without prior notification

TRADE ENQUIRIES WELCOME Access & Barclaycard Accepted Large Stocks - 24 Hour Despatch Carriage 46p

NOW REDUCED TO £89 (incl VAT)

3" Micro Disc £129.95 (inc. VAT)

Disc Interface & Drive £185 (inc. VAT)



Micro Disc Drive for the BBC Micro

The Micro disc drive offers a method of low cost quick access to programs. The drive is essentially a small version of a 5½" disc drive and offers similar features to the larger drive. The data is stored on a 3" disc, this is enclosed in a protective hard plastic cassette which features a write protect switch. The micro drive requires the standard Acorn disc interface, but a new disc filing system rom. Acorn DFS may be exchanged for the micro DFS for £12.00. The new micro disc filing system can read and write to Acorn DFS discs.

Thus if a 52 inch and a micro floppy were connected on the same able files could be transferred between them

Capacity: 80.64 K bytes Transfer Rate: 125k bit/s.

BRANCHES

FAREHAM: 59 WEST STREET (0329) 230670 KINGS LYNN: 17 TENNYSON AVE. (0553) 3782 MAIL ORDER: 36-38 WEST STREET FAREHAM, HANTS. (0329) 230670



Electronequip 36-38 West Street, Fareham, Hants (0329) 230670 BBC

*BACK ISSUES £1.25

6. January 1983 MEP school launch, "FX commands for sound. Second BBC TV series. Machine code 3--two pass assembly. Disc drives for the Beeb. Programming forum Program protection. Micros in schools--new series. Commodore Pet printer used with Beeb. BBC programs written on an Atom. Extra Atom memory.



7. February 1 MHz bus examined (4), 3D Atom graphics (3), Atom BBC Board reviewed (3), Machine code 4memory (5), BBC Computer Literacy update (1), Atom entor handling (2), Micros (12, about 2- getting organised (6), Hints and Tips (4), Beeb Forum (3), Reviews of Wordwise (2) and the Amber Reviews of Wordwise (2) and the Amber

8. March Chess on the BBC micro (3). Sound on the Beeb (4). Printers for beginners. (4). Atom analogue converter (2). Schools, 3-(fivers and maths (6). MacRibe code 5 - indirect addressatio (3). Pri (inpune) (5). MEP's Micropriffer review (2). Atom Ross. toolkit review (1). Beeb Forum (2). Assembly, Januage and Passal book

9. April Nexanglegame listing (4). Bach nthe Beeb (4). Hints & Tips on disc drives (4). Machine code of the CALL statement (4). Interfacility to MHz box (3). School (3). Sch

10. May Review of Basic II. Graphics listings. New 'FX calls in OS1.2 Colour mixing on the Beeb. Jazz, blues and folk on the BBC. Schools 5 - language development. DIY Beeb interface box. Atom sound board. A to Z of printing: how to get going. Hints and Tips: PROCs, discs and FNs. Printer, software and bok reviews.

Annua Goden Indexes series - spring, and a control of the control

12. July Techniques - hash tables, hints and Tips: logic made easy, Recursion and graphics, Handling strings. Two lideas for passing variables. Beeb aids the blind. DIY second keybbard, Beeb Forum, Sounds on the Atom. Hardware, firmware, software and book reviews. Atom Forum. 13. August Printer graphics and dumps. Techniques—Tree structures disc copier. Colour painting. Basic II: random access flies. Screen dumps for Olivetti, Centronics: and Seikosha. Atom strings. Reviews of Tandy CGP115 printer, five educational packs, A to D converter.

14. September Techniques – ink-biots and mazes. Painting by lightpen. DFS space explored. Beeb Forum. Mega Monsters game listing. Machine code graphics dumps. Atom Forum. Atom cassette recorder check. Reviews of Atom RAM boards, Cumana disc manual, Logo for schools, Hobbit Boops tape and books.

15. October Women and computing Techniques - radiom numbers. Review of Computer Concepts Steebase. Fractal graphics. 57 tilles on 40 & 80 track discs. Vampire game listing. Beeb Forum. Assembly code controls tab key. Osfile merging. Atom tutrutype, Procyon Atom book. Epson FXXII. Teletax diapter, disc drive, software. Teletax diapter, disc drive, software. 18. Nevember Techniques—imposisble proclems. Comburg graphics. Con-

tole proteins. Connocting graphics. Connecting two Beebs together. XREFsorts & lists variable, function and procedure names. Assembler utilities in Basic II. OS. VDU, *FX, OSBYTE calls pull-out poster. Disc overlays. Adding extra Atom commands. Reviews of 7 educational packs, Atom ROM, books, garnes.



17. December Random graphics. Animated graphics in colour Techniques—graphs. Hints & Tips. Universal printer dump. 6922 connected to the Electron. Saving machine code. Beeb Forum. Graphics pull-oat poster index. July 862—July 83. Forum Extra EQUS. BBC. helps the disabled. Schools—data processing. Transfer-based processing. Transfer-based processing. Transfer-based processing.

ACORN USER

ENDER

ENDE

ring data between Beebs, Atoms ... or Pets. Atom block demolition utility. Atom disassembler program. Reviews of software, books, educational programs from Chalksoft.

18. January 1984: Games special issue Techniques – grapps part 2. Stacks and queues, Basic and languages. Hinth & games Eleptron interfacing, suprime Eleptron interfacing, games Eleptron interfacing, Foreign and participation of the properties of Forum. Life graphics routines. Foreign and participation of the properties of Foreign and the properties of When the purpose of the properties of warmingd. After Forum and adventure. Reviews of utilities, software. Beeine wordprocessor, educational packages, two ches programs.



19. February: Adventures special issue Techniques - efficient sorts. ric keypad on the Beeb keyboard. 12 graphics listings. Random access filing on disc. Locking files. & Tips. Beeb Forum. Make discs readable on 40 and 80 track drives. Screen memory organisation. Hints on adventure design. Adventure action. Adventure ideas in computer language. Text compression. Word-crunching. VIA chip on Electron to drive a parallel printer. Atom Forum. Schools - simu lation packages. Reviews: Disc Doctor. Leasalink's DFS upgrade, Hitachi's RAM board software

20. March Utility: timing routine. Fractals. Teletext and mode 7 dump. ROMs reviewed. Hints & Tips. Beeb Forum. Add sounds to your games. Learn Lisp I. Cube graphics. Printer driver for View Basic II from Basic I. Beeb's ADC chip. Atom Forum. Listing formatter for

Schools - test of Factfile. Keybox skills. Amoom DFS v Acorn DFS views: Beebpen wordprocessor. Ats expansion system, software, books 21. April Beeb graphics on TV. 684 Advanced systems. Lisp 2. Hints & Tips. Bee Forum. Choose disc tracks to con Function key editing. Teletext dump CES scrutinised. Passing variable Computer Concepts' graphics RON Schools - simulations Easter dates. Better programmin Atom Forum Atom BOM routines Co verting BBC to Atom Basic. Three printers compared. Reviews: software

22. May Bistik graphics system. He a Tips. 6562 second processor as the street of the system of the

Aries B20 RAM board. Toolkit. Mor

23. June Acorn 280 second processor Forth Graphics to brighten up you games. Soft Pottery graphics. Go task and saver memory space. Rapid searct and load routine for tapes. How the Beeth and Electron work 1. Businest reviews and how to gentily enter office computer saison. Education—adult is eracy. Dumping Acine programs on the eracy. Dumping Acine programs on the laws. Hints 8. Tips. Techniques—8 Trees. Beeth Forum. Reviews of most fores, printers, books, software, adver-



*** Sold-out copies


Four issues of Acorn User are not available — July 1982. Erbruary, March and April 1983. Photocopies of articles are available at 18p a page (minimum charge 50p, inclusive of postage). Orders should be addressed to AU Photocopies. Redwood Publishing, 68 Long Acre, London WCZE 9JH. Figure in brackets indicate the number of pages for each article.

HOW TO ORDER

Fill in the order form opposite and send with your cheque or postal order for £1.25 per issue (made payable to Redwood Publishing) to Acorn User Services, PHS Mailing Ltd, PO Box 14, Horley, Surrey.

from the next available issue	
as indicated:	Ę

ACORN USER



3:	N T A	h	B A	le l	eri	st ica ou				fric	a			3	30 30	0000		1	250 260 260 270		
Ad				ř	1	1	1	1	1	1	1	1	1	7	1	1	1	1	1	1	1
		Ĺ	I		i	1	1	4	1	1	1	1	4	1	I	1	1	1	1	1	1
			1	P	1	M	1	4	1	1	1	1	1	1	1	1	1		4	Y	T.

Please answer these questions to help us improve your magazine

- 1 Do you use your micro for?:
- 1 school 2 business 3 hobby
- 2 Do you have, or intend to buy, any of the following?: 1 ☐ monitor 2 ☐ disc drive 3 ☐ second processor
 - 4 ☐ printer 5 ☐ modem 3 How many software packages do you think you will
 - buy in the next 12 months?: 1 □ 0-5 2 □ 6 to 10 3 □ 10 or more
 - ☐ I enclose my cheque/postal order/sterling bank draft payable to Redwood Publishing for £
 - Please debit my Access/American Express/Barclaycard Account no.

Signed. Date Send this form, with your remittance, in an envelope, to Acorn User Subscriptions, Redwood Publishing, 68 Long Acre, London WC2E 9JH.

ACORN USER

SPECIAL OFFERS ON SWEAT SHIRTS

COANTITT	DESCRIPTION	PRICE	Name
RP01 RP02L	Binders Sweat shirts (large) Sweat shirts (medium)	@ £4.75 £ @ £5.00 £	Address
BACK DA	Sweat shirts (small) TED ISSUES @ £1.2	@£5.00 £	□ I enclose my cheque/PO payable to Redwood Publishing for £
AU	issue	£	Account no.
AU	issue	£	Signed
AU	issue	Total £	Send this form, with your remittance, in an envelope, to Acorn User Services, PHS Mailing Ltd, PO Box 14, Horley, Surrey. All the above prices include postage

and packing

Please allow 28 days for delivery. **ACORN USER**

Please add £1.00 each for overseas items

SOFTWARE

SERVICES

DISC EXCHANGE SERVICE

for BBC

Please send me M (3

Send in your copy with a cheque for a exchange it for a di 40 or 80 tracks).

> Tape @£3.50 each

of Trek or Sword Master 3.50 and we will sc. (Which runs on	NEW
(a) in avalance for disc	

ne: Copies of Sword	Tape £7.95	Disc £10.95	£
Master for BBC (32k series 1.0 OS)			
for Electron Copies of Trek	£7.95 £7.95	£10.95	£

(32k series 1.0 OS) for Electron £7.95 24 HOUR PHONE SERVICE (02934) 72208

> Please add £1.00 each for overseas Please allow 28 days for delivery

MONTHLY PROGRAM LISTING **CASSETTES** Please send me a cassette BBC Micro and Electron pr

(October issue) as advertis

of	all	maj	or	70000
pg	ran	n lis	tings	TAN.
ed	on	pag	ge 96	
20	37	5.6		

@£3.75£
Total £
Name
Address
☐ I enclose my cheque/PO payable to Redwood Publishing for £
☐ Please debit my Access/Barclaycard
Account no.
Signed Date Send this form, with your remittance, in an envelope, to Acorn User Softw. PHS Mailling L.Id, PO Box 14, Horley, Surrey. All the above prices include postage and packing.

ACORN USER SOFTWARE

FOR THE BBC MICRO AND ELECTRON

ON DISC AND CASSETTE

Two quality, full colour games to test your skill, nerve and cunning.

Each £7.95 per cassette or £10.95 per disc (40/80 track).

Price includes VAT and postage.

Both games need 0\$1.0, or later, and 32k.

Developed, produced and tested by Micrograf.



SWORD MASTER is one of the few two-player games around, and is designed for joystick or keyboard.

Sword Master by Ken Worrall is based on the fencing rules written in 1190 by Herman von Salza for the Deutscritter Order of Teutonic Knights. It features full-colour machine code animation of a sword duel between two knights.

**A quality game with high class graphics

one of the most enjoyable games I have played - Home Computer Weekly I an immensely entertaining game with excellent graphics and animation - Personal Computer Games Sword Master is a unique game - Personal Computer News Sickly animated and suitably medi-

eval' - Popular Computing Weekly



TREK was the first game to take advantage of voice synthesis on the BBC micro – and uses joystick or keyboard.

Trek puts you in charge of a Starship with the task of wiping out an alien fleet. It's an excellent adaptation of the classic game with 7 screen displays, 3 on-board computers and 2 weapon systems.

Versions have been written for BBC micro and Electron to use both machines to their full. The BBC tape uses voice synthesis (if the chips are fitted).

The game has been extensively developed from Tim Heaton's famous Trek III. It barely fits into 32K.

DISC UPGRADE SERVICE

Return your cassette of Trek or Swordmaster, and we will exchange it for a disc (which will run on 40 or 80-track drives) for just £3.50. Please specify Amcom, Watford or Acorn DFS.

PLUS

ARTICLE LISTINGS ON CASSETTE

Yes, at last, the tape you've been crying out for! Save the wear on your fingers by sending for one of our cassettes giving all the major listings in this issue.

Each cassette costs £3.75 (inclusive) for the Electron and BBC micro. This includes a menu and disc transfer routine to help you find your way around – and use on your own programs.

The tapes come with BBC programs on one side and Electron programs as the other, so it shouldn't be possible to mix the two.
Order form on page 95.



Save yourself the time and bother of typing in Acorn User listings

ORDER FORM ON PAGE 95

. .



e

.

```
.
    10 REM *** FLIES 2 ***
    15 REM ***(c) Acorn User Oct.84***
   20 MODE 4
                                                      Select graphics mode 4 with a blue background
    25 VDU 19,0,4;0;
    30 PROCsetup
                                                                                                         .
                                                      Initialise screen display
    35 PROCcanister
                                                                                                         .
   40 REPEAT
   45
       start=0 : finish=24 : step=1
                                                                                                         .
       PROCf1y
                                                     - Fly moves right. If dead END
        IF dead_flag=0 THEN END
   60
       start=24: finish=0 : step=-1
        PROCf1y
                                                      Fly moves left. If dead END
   70
        IF dead_flag=0 THEN END
    75 UNTIL O
   80 :
   85
        *** procedures here ***
   90 :
   95 DEF PROCFLY
  100 FOR pos=start TO finish STEP step
                                                     Move fly across screen and at random X position.
  105 xpos=RND(7)+2
                                                      *FX19 stops screen judder
  110 *FX19
  115 PRINTTAB (pos, xpos); CHR$ (224)
  120 SOUNDO,-15.2.1
                                                                                                         .
  125 key#=INKEY#(0)
                                                     - Make buzzing noise and test keyboard
  130 •FX19
                                                                                                         .
  135 IF key#=" " THEN PROCfire
  140 IF keys=CHRs(139) THEN PROCcanup
145 IF keys=CHRs(139) THEN PROCcandown
                                                     If space or ∩ or ↓ key pressed call correct procedure. *FX21 flushes keyboard buffer
                                                                                                         .
                                                                                                         .
  150 *FX21
  155 FDR delay=0 TO 50 : NEXT
  160 PRINTTAB (pos, xpos);"
                                                     - After a delay rub out fly with a space
  165 IF dead_flag=1 NEXT
                                                                                                         .
  170 ENDPROC
                                                                                                         0
  180
                                                                                                         .
  185 DEF PROCdie
  190 P=pos:pos=finish
                                                      Fly dead. Clear flag and stop buzzing noise with *FX21, 4
                                                                                                         .
  195 dead_flag=0
  200 *FX21,4
                                                                                                         .
  205 PRINTTAB(P,xpos);" ";
210 FOR down=3 TO 28
                                                     Start 'move fly down the screen' routine
                                                                                                         .
  215 SOUNDO,-15,3,1
                                                      Do dying noise
                                                                                                         .
  220 PRINT TAB(P,down); CHR$(224)
225 FOR delay=0 TO 50: NEXT
                                                      Complete 'fly moving down the screen' and turn sound
                                                                                                         .
  230 PRINT TAB(P,down);" ";
  235 NEXT
                                                                                                         .
  240 *FX21,4
                                                                                                         .
  245 SOUNDO,-15,6,10
                                                      Make a 'thud' and print dead fly
  250 PRINTCHR$ (230); "Uhg!"
                                                                                                         .
  255 ENDPROC
  260 :
  265
  270 DEF PROCcanister
  275 PRINTTAB(xcan,ycan); CHR$(225); CHR$
                                                                                                         .
(226)
  280 PRINTTAB(xcan,ycan+1); CHR$(227); CH
                                                                                                         .
                                                     - Print fly spray can on right of screen
 285 PRINTTAB(xcan,ycan+2); CHR$(227); CH
                                                                                                         .
```



Continued >

. .

-0 **⋖** Continued . . -. 290 ENDPROC 295 . . 300 305 DEF PROCeanup . 310 IF yean=2 THEN ENDPROC 315 PRINTTAB(xcan,ycan+2);" -If can at Y tab 2 do nothing, otherwise rub out bottom of 320 ycan=ycan-1 can and print it one position up 325 PROCcanister 0 330 ENDPROC . . 335 340 -0 345 DEF PROCeandown 350 IF yean=11 THEN ENDPROC . 355 PRINTTAB(xcan,ycan);" If can at Y tab 11 do nothing, otherwise rub out top of can and print it one position down . 360 ycan=ycan+1 . 365 PROCcapister . 370 ENDEDOC . . 380 . 385 DEF PROCfire • 390 ***FX21** 395 PRINTTAB(pos+1,xpos); "help!" 400 FOR shot=xcan-1 TO pos STEP -1 . . 405 PRINTTAB(shot,ycan); CHR#(229) 410 FDR wait=0 TD 10 : NEXT Move spray across the screen until at position of fly 415 PRINTTAB(shot,ycan);" 8 420 NEXT . 425 squirts=squirts+1 430 PRINTTAB(10,30); squirts - Update squirt count and erase 'Help!' 8 435 PRINTTAB(pos+1,xpos); 440 IF yean=xpos THEN PROCdie :END . 0 445 ENDPROC If spray hits fly then kill fly . 450 455 . 460 DEF PROCsetup 0 465 VDU 23,1,0;0;0;0; Turn cursor off . 470 VDU 23,224,36,24,90,189,255,60,24, - Define fly 0 . 475 VDU 23,225,3,7,31,31,7,7,7,15 480 VDU 23,226,192,224,224,224,224,224 . ,224,240 . 485 VDU 23,227,31,63,63,63,63,63,63,63 -Define fly spray can . 0 -490 VDU 23,228,248,248,248,248,248,248 ,248,248 0 0 495 VDU 23,229,160,84,170,85,168,80,16 -Define spray and dead fly . 0 500 VDU 23,230,0,0,0,0,36,24,60,126 . 505 *FX4,1 . Make cursor keys produce ASCII codes and initialise 510 xcan=32 : ycan=11 : dead flag=1 . 515 squirts=0 variables . 520 PRINTTAB(2,30); "Squirts: "; squirts 6 525 PRINTTAB(10,0); "*** Flies Two ***" -Print headings . 6 530 ENDPROC -. . . -

.



6

```
Listing 4. Envelope generator for the BBC
.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            440 COLOUR 129:COLOUR 3:PRINT
450 PRINT'ERVELDREL, "IT", "PP11", "PP12", "PF13", ",
460 PRINT'ERVEL", "PP35", ", AA", ", AD", ", AB",
AR", ", ALA", ", ALA", ", AB", "
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  .
                                           10 REM Listing 4
                                           28 ON ERROR RUN
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  .
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  .
                                           60 PROCscreen
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               480 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  .
                                           88 PROCinput
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            508 DEFPROCSOUND
518 ENVELOPE1, T, PI1, PI2, PI3, PN1, PN2, PN3, AA, AD,
                                               98 UNTIL 8
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  .
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               AS,AR,ALA,ALD
528 SOUND #11.1.P.D
                                    108 :
110 DEFPROCINITIALISE
                                    128 VDU19.0.2.0.0.0:REM Green background
138 VDU19.2.0.0.0:REM Colour 2 - black
148 VDU19.3.4.0.0:REM Colour 3 - blue
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  .
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               538 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               548 1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  .
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               568 COLOUR 1:PRINT
578 PRINT" Pre
                                    108 T=2:P11=8:P12=0:P13=8
178 PN1=0:PN2=0:PN3=0
188 AA=127:AD=-1:AS=8:AR=8
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  .
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             Press return for repeat note"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            DOMESTINE PRINT FOR PAPEAR NOTA-

SON DOCUMENT SPRINT

AND TO SERVICE STATE OF THE STATE OF THE STATE OF THE SERVICE STATE OF THE SERVI
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   588 COLOUR 31 PRINT
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              .
                                    198 ALA-126:ALD-8:P=180:D-50
208 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  0
                                    228 DEFPRODUCTION
.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              .
                             288 PFOOLOGNED & CEMPALDER DESIREMEN, 18.11
208 PRINT TESTED Hength
208 PRINT TESTED HENGTH 1 1/255 = "T
208 PRINT TESTED HENGTH 1 1/257 = "FII
208 PRINT TESTED HENGTH 1 1/25/27 = "FII
208 PRINT TESTED HENGTH 1 1/25/2 = "FINI
208 PRINT TESTED HENGTH 1 1/25/2 = "FINI
208 PRINT TESTED HENGTH 1 1/25/2 = "FINI
208 PRINT ASSAULT H
                                        248 PROCdouble ("ENVELOPE DESIGNER", 10,1)
6
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              .
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              .
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              .
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  .
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  .
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   758 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   778 DEFPROCdouble(A$,x,y)
788 XX-8:YX-13:AX-18:d=4008
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  .
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            798 C4-C488 (248) - C4814-C4814 (248) - C4444-C481 (244) - C4444-C481 
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       798 CS=CHR$ (248) +CHR$B+CHR$18+CHR$ (241)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  .
                                388 PRINT" AR-Amplitude Release
398 PRINT"ALA-Mamp, Attack Level
408 PRINT"ALD-Mamp, Decay Level
418 COLOUR 2:PRINT
428 PRINT" P=Pitch
                                                                                                                                                                                                                                                                                                                                                                                                           8/126 = "ALA
8/126 = "ALD
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  .
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  .
                                                                                                                                                                                                                                                                                                                                                                                                                      9/255 = "P
-1/255 = "D
                                    428 PRINT" P=Pitch
438 PRINT" D=Duration
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               858 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  .
e
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  .
0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  .
```

```
Listing 5. Envelope generator for the Electron
0
                              18 REM Listing 5
                                                                                                                                                                                                                                                                                                                                                                                                      380 PRINT"ENVELOPE1,":[",":PII",":PI2",":PI3",";
390 PRINT(PNI",":FN2",":PN3",";AA",";AD",";
AS",":AR",";ALA",";ALD
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          .
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          .
                              40 PROCinitialise
                                                                                                                                                                                                                                                                                                                                                                                                    488 COLOUR 132
418 ENDPROC
                              50 REPEAT
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          .
                              68 PROCecreen
                                                                                                                                                                                                                                                                                                                                                                                                    420 DEFPROCSOUND
430 DEFPROCSOUND
440 ENVELOPEL, T.PII, PIZ, PIZ, PNI, PNZ, PNS, AA,
AD, AS, AR, ALA, ALD
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          .
                              80 PROCinput
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          .
                                                                                                                                                                                                                                                                                                                                                                                                      458 SOUND $11,1,P,D
                       100 :
110 DEFFROCINITIALINE
120 VDU19,8,2,0,0,0:EEM Green background
130 VDU19,2,0,0,0,0:EEM Colour 2 - black
140 VDU19,3,4,0,0:EEM Colour 3 - blue
                                                                                                                                                                                                                                                                                                                                                                                                    460 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          .
                                                                                                                                                                                                                                                                                                                                                                                                    470 :
                                                                                                                                                                                                                                                                                                                                                                                                    480 DEFPROCIODUL
490 COLOUR 1:PRINT
500 PRINT" Fre
                       150 42:411-01F12-0:P13-0
170 PN1-0:PN2-0:PN3-0
180 AA-124:AD-0:AS-0:AR--126
190 AA-124:AD-126:P-100:D-50
200 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                      500 PRINT" Press return for repeat note"
510 COLOUR 3:PRINT
  0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          .
                                                                                                                                                                                                                                                                                                                                                                                                    518 COLORS ISPRINT
528 INFULTACION SHIP PROPERTY TO THE STATE OF THE SHIP PROPERTY OF THE SHI
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          .
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          .
                         228 DEFPROCSCreen
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          .
                         248 PROCdouble ("ENVELOPE DESIGNER", 18,1)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          0
                       628 ENDPROD
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          .
                                                                                                                                                                                                                                                                                                                                                                                                      640 DEFPROCIONE (A5,x,y)
650 XX-0;YX-13:AX-10:d-6000
660 CS-CHR$(240)+CHR$8+CHR$10+CHR$(241)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          .
                                                                                                                                                                                                                                                                                                                                                                                                      660 CONCRETE/AND CORRECTION DOES (281)

600 EMPTION TO LENNAN DE CORPT (CREEN CORPT) CALLETTE

600 EMPTION CORPT (CREEN CORPT) CALLETTE

700 EMPTION CORPT (CREEN CORPT) (CREEN CORPT) CORPT (CREEN CORPT) (CR
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          .
                         348 COLDUR 2:PRINT
358 PRINT" Peritch
368 PRINT" D=Duration
                                                                                                                                                                                                                                                                              0/255 = "P
-1/255 = "B
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          .
                         378 COLOUR 1291 COLOUR 31PRINT
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          .
  •
```

.

.

```
100
```

```
.
     Harry Sinciair's 'Design' program last month enabled you to create your own sprite cartoon characters. This program, 'Mover', lets you move them about the screen and animate them
.
                                                                                                                 .
.
                                                                                                                 6
      20REM*LD. DATANAME
      30*T.
                                                                                                                 .
      40MODE2
                                                                                                                 .
      60COLOUR138:PRINTTAB(6,1)"
                                            ":COLDURO:PRINTTAB(6,2)" MOVER ":TAB(6,3)"
        "1COLOUR128
.
  BOPRINTTAB(4,7)"Do you want: "'':COLOURB:PRINT"1.";:COLOUR6:PRINT"B frame ani
mation": ":COLOUR15:PRINT"2,";:COLOUR6:PRINT"Single character" ''TAB(2)"movemen
.
.
                                                                                                                 .
    100COLOUR3:PRINT "Please choose."::REPEAT PRINTAB(16,22)CHR#127::INPUTTAB(1
                                                                                                                 .
  4,22) " "G:UNTILG=1 DR 0=2:COLOUR6
    110*FX15
     120IF G=1 7574=1 ELSE 7574=0
.
    1301F G=2 PRINT
                          "Character number?"::REPEAT PRINTTAB(18,26)" "1:INPUTTAB(17
         "G:UNTIL G>=0 AND G<9:7570=6
.
                                                                                                                 .
     160PRINTTAB(4,12) "what delay ?": INPUTTAB(3,15) "(0 = no delay) "del%
     170cLB
180VDU23.1.0101010:
190PRINTTAB(0,18) "Cursor keys control" ""character movement."
200COLDUR2:PRINTTAB(0,15) "ESCAPE to exit."
200COLDUR2:PRINTTAB(0,15) "ESCAPE to exit."
                                                                                                                 .
.
     210COLOURS:PRINTTAB(0,22)"SPACE to continue...":COLOUR12
•
     220REPEAT UNTIL GET=32
.
                                                                                                                 .
     240F0R1%=0 TO 200:0%=RND(20000)+&3000:70%=&2A:NEXT:PRINTTAB(6,14)"MOVER!!"
0
     2501F7&74=1 7&70=0
2607&71=40:7&72=100
                                                                                                                 .
     2707&76=del%-1
                                                                                   1630INY
•
                             720BED limit
                                                      1190STA&221
                                                                                                                 .
                                                                                   1640LDA£Downpressed
     280CALL CV
.
     290CALL first
                             7405BC£4
                                                      1210LDA£14
                                                                                                                 .
                                                                                   1650STA tbl.Y
     300CALL start
                             750STA&72
                                                      1220LDX€4
.
                             760JMP draw
                                                      1230JSR &FFF4
                                                                                   1670LDA£Downpressed
     320END
                             770. animation
                                                      1240LDA&12EF
                                                                                                                 .
     330DEFPROCASS
                             780LDA&75
                                                      1250STA&78
                                                                                   1680STn tb1,Y
     340FORIX=OTO2STEP2
                             790BED right
0
                             BOOLDA%71
                                                      1270SBCC8
                                                                                                                 .
                                                                                   1700LDA£Uppressed
     560LOPTI%
                             B10ANDE3
                                                      1280STA&79
.
     370.Leftpressed
                                                      1300STA Rblock2+1
1310STA b2+3
                                                                                   1710STA tbl.Y
.
                                                                                                                 •
     390BEQ limit
                             B40STA&70
                                                                                   1730LDACUppressed
.
                             BSOBNE finished
                                                      1330ADC&78
                                                                                                                 .
     410LDA574
                             860, right
                                                       1340STA Rblock3+1
                                                                                   1740STA tbl.Y
     420BED draw
                             870LDA&71
•
                                                      1350STA b3+3
                                                                                                                 .
                                                                                   1750. keycheck
      no animation
     430LDAE1
                             890STA$70
.
                                                                                                                 .
                                                      13700DC178
                                                                                   1770BEQ checkEC
     440STAL75
                             900.finished
                                                      1380STA Rblock4+1
                                                                                   1780JSR keyvalid
.
     450JSR animation
                             910RTS
                                                      1390STA b4+3
                                                                                                                 .
                                                                                   1790BEQ checkEC
     460 draw
                             920. mover
                                                      1400LDA&78
                                                                                   1800JSR getaddress
     470JSR mover
                             930.speedcontrol
                                                      1410LSRA
                                                                                                                 •
                                                                                   1810JSR gotomover
     480.limit
                                                      1420LSR0
                                                                                   1820, checkED
0
     490RTS
                                                                                                                 •
                             950BMI fast
                                                      1430LSRA
     500.Rightpressed
                             960, delay
                                                      1440570570
                                                                                   1840BEQ keycheck
.
     510LDAN71
                                                      1450LDAC&50
                                                                                   1850JSR keyvalid
     520CLC
530CMP&7A
                             980.check
.
                                                                                   1860BEQ keycheck
                                                                                                                 .
                             990CMP&77
                                                      1470SBC&74
                                                                                   1870JSR getaddress
     540BEQ limit
                            1000BED check
                                                      14B0STAN7A
                                                                                   1880JSR gotomover
.
                                                                                                                 .
     550 INC $71
                                                                                   1890JMP keycheck
     560LDA&74
                            1020BPL delay
•
                                                      1500, start
                                                                                   1900, keyvalid
                                                                                                                 .
     570BED draw \
                            1040JMP display
      no animation
                                                      1520LDA£Leftpressed
                                                                                   1920BNE checkleft
0
                                                                                                                 .
     5BOLDAEO
                                                                                   1930PLA
                                                      1530STA tbl.Y
     590STAL75
.
                                                                                   1940PLA
                                                                                                                 .
                            1070DEC&77
     600JSR animation
                                                      1540INY
                                                                                   1950JMP escape
     610JMP draw
                                                      1550LDA£Leftpressed
                                                                                   1960.checkleft
                                                                                                                 .
     620. Downpressed
                                                                                   1970CMP£599
.
                                                      1560STA tb1,Y
                                                                                                                 .
                                                                                   1980BNE checkright
     640CMP£228
                            1110LDA&220
                                                      1570INY
                                                                                   1990L DAC1
.
                                                                                                                 .
     650BEQ limit
                            1120STA 61v
                                                      15BOLDA£Rightpressed
                            1130LDA&221
.
                                                                                   2010.checkright
                                                      1590STA tb1,Y
                                                                                                                 .
     AZDADCEA
                            1140STA 01v+1
                                                                                   2020CMP£&F9
                            1150SE1
     ABOSTAL72
                                                      1600INY
                                                                                   2030BNE checkdown
.
                                                                                                                 .
     690JMP draw
                            1160LDA Env MOD256
                                                      1610LDAERightpressed
     700. Uppressed
                            1170STA&220
.
                                                                                                                 .
     710LDA&72
                            1180LDA Env DIV256
```

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

•

.

.

.

.

-

.

.

.

0

.

.

.

.

.

.

.

e

.

.

RUNNING 'MOVER'

assembler. A prior knowledge of the latter is not necessary for entering the program - just type it in exactly as you see it. Before starting ensure that PAGE has been set to &1900, whether you have tape or disc. To do this type:

PAGE = \$1900 < return > NEW < return >

You'll find it much easier to enter the assembler listing first. For tips on doing this see yellow page X in last month's issue. Enter lines 330 to 4200 and then save what you have entered so far to tape or disc, just in case of accidents. Change line 340 to

FOR 1% = 0 TO 3 STEP 3

Now add the following two lines:

1 PROCASS 2 FND

.

.

.

.

.

.

.

e

.

.

.

.

.

. 2090LDAC3

.

.

. 2200081 0

.

.

.

.

.

.

.

.

.

.

2170LDA€0

2180RTS

2240 INY

2300RTS

2320SE I

2390LDX€0

2460.01 v

2500DEY

2540.Rblock2

2560STA(&82),Y 2570.Rblock3

2580LDA&C00, Y

Run the program and correct any syntax errors that occur, then add the following lines to your program: 1 PROCASS

3 FOR N% = &E00 TO &1084

4Z% = Z% + 7N%6 PRINT"CHECKSUM IS:"; Z% 7 END

Now re-run the program and after a short delay the result CHECKSUM IS: 73536

should be displayed. If this is not the case you have made a mistake in entering the assembler - so check again carefully if all is well re-enter line 340 as:

340 FOR 1% = 0 TO 2 STEP 2

Now delete lines 1 to 7 inclusive and enter the rest of the listing, and you're ready

CONVERTING FOR THE ELECTRON

listing. The alterations are in the assembler as follows: 1970 CMP £888

2020 CMP £8.84 2120 CMP £88D 2790 LDA &C36D.Y 2820 LDA &C36D.Y

The checksum value will be 73310. 3130LDA£880

2590STA(\$84),Y 2600, Rblock4 2080BNE checkup 2610LDA&C00, Y 2620STA(&86),Y 2A3ODEY 2110, checkup 2640BPL replace 2120CMPC&B9 2650, first 2130BNE invalidkey 2660LDA£0 2670STA&80 2680STA&82 2160, invalidkey 2690LDA£\$30 2700STA&81 2710L DAM 72 2190.getaddress 2720AND£7 2730STA&73 2220LDA tb1.Y 2760LSRA 2230STA gotomover+1 250LDA tbl.Y 2780 INY 2260STA gotomover+2 2790LDA&C375.Y 2800STA&80 2280.gotomover 2290JSR&8000 2810DEY dummy address 2840ADC&B1 2310.escape 2850STA&81 2860LD0271 2870LDX£3 2330LDA 01v 2880, LOOP 2350LDA 01v+1 2890ASLA 2360STA4221 2900R0L5B2 2910DEX 2380LDAC15 2920BNE LODP 2400JSR&FFF4 2940ST0280 2950L DA€0 2960ADC&82 2430NOP I NOP I NOP I NOP 2440NOP: NOP: NOP 2980STA&B1 2450NOP1NOP1NOP 2470NOP | NOP 3010ADC&80 2480.display 2490LDY&78 3030LDA£2 3040ADC&81 2510.replace 3060LDA£\$80 2530STA(&80),Y

3080ADC&82

3140CLC 3150ADC&84 3160STANB6 31800000485 3190STAL87 3200L DACE 3210SEC 3220SBC&73 3240L DA&70 3250ASLA 3270LDA&12F0,Y 3310STAM88,X 3320CLC 3330.loop 3340ADC&78 3350 INX 3380BCS ex 3390STA&88,X 3400BCC 100p 3410, ex 3420CLC 3440LDA&12F0, V 3450LDX£0 3460.10op2 3470STAN89, X 3480INX 34901NX 3510BCC 100p2 3530INC#73 3540LDX&73 3550.ml SSAOTVA 3570BEQ co 35BOAND£7 3590BNE mi 3600TXA 3610BPL 58 3630, hi 3640LDA&BB,X

3650CLC

3670STALBB. X 3680DEX 369ODEX 3700BPL 3710. sa 3730, mi 3740DE) 3750BNE sh 3780LDA&88,X 3790SEC 3800SBC279 SRIOSTALER, Y 3820DEX 3B3ODE) 3840BPL 10 3850. sh 3860DEY 3870LDA(&80),Y 3880STA&C00, Y 3890TXA 3900BMI b2 3910LDA(\$88),Y 3920BEQ b2 3930STA(\$80),Y 3940.b2 3950LDA(682),Y 3970LDA(\$8A),Y 3980BEQ b3 3990STA(482),Y 4010LDA(884),Y 4020STA&C00.Y 4040BEQ 54 4050STA(&84),Y 4070LDA (\$86) .Y 40BOSTALCOO, Y 4100BPL mle 4110LDA(&BE),Y 4120BEQ mle 4130STA(886),Y 4140.mle 4150JMP ml 4160.00

4190NEXT

See 'Take Command of the 8271 Chip', page 81

```
.
.
                                                                                                6
                                                                                                0
.
     Listing 1. Disc copying program by Richard Harris, It will make back-up copies of most - if not all - discs. With minor
    modification (see page 86) it can also be used to change protected discs
                                                                                                0
.
                                                                                                .
•
0
                                                                                                0
        10 DIM SIZEX(4), gap%(4), block% 30, dat
                                                   1660 CLS: PROCdisc (10)
                                                   1690 PRINT"track ";data%73%; sector ";
    a% 2200
0
                                                                                                0
        15 MODE7
                                                  dataX?(JX+2); " size ":dataX?(JX+3)
        20 PRDCsetblock:PRDCsetup
                                                                                                .
0
        25 FOR K%=0 TO 39:REM for 40 track dr
                                                   1690 NEXT
-
                                                   1700 =0
       40 PROCseek(0,K%):PROCseek(1,K%):IF F
8
     Nid(0,K%) THEN 110
                                                   1800 DEF PROCsettr (J%): REM change curre
       50 PROCsettr (?data%):PROCformat
                                                  nt track registers
0
                                                                                                .
        40 PROCyalues
       65 FOR 5%=5% TO 5%+s%-1:REM for all s
                                                  12:block%?B=J%
0
                                                                                                .
    ectors on track
.
       66 REM assumes consequetive numbered
                                                   1830 block%?7=&1A:PROCdisc(9)
                                                                                                0
                                                   1840 ENDPROC
     sectors; may need changing for some disc
0
                                                                                                8
                                                   1850
        70 DX=FN1pad(0,TX,SX):REM load from d
                                                   2000 DEF PROCformat: REM formats with sa
0
                                                                                                6
                                                  me ID fields as read in from first disc
    rive 0
       80 PROCsave(1, T%, S%, D%): REM copy onto
.
                                                                                                .
                                                  :block%?7=?data%:block%?8=qap%(size%):bl
     drive t
6
       85 NEXT
                                                  ock%?9=(size%*32)+s%:block%?10=0:block%?
       90 PROCsettr (K%)
0
       100 J%=FNid(1,K%)
                                                   2020 PROCdisc (12)
       110 NEXT
•
                                                                                                .
      980 STOP
                                                   2040
                                                    2200 DEF PROCVAlues
                                                                                                0
0
                                                   2210 T%=?data%: S%=255
      1000 DEF PROCsetblock:REM set up OSWORD
.
                                                   2220 FOR J%=2 TO (6%-1)*4*2 STEP 4
     parameters
                                                    2230 IF dataX7JX(S% S%=dataX7J%
      1010 ?block%=0:block%!1=data%
.
      1020 X%=block%MQD256: Y%=block%DIV256
                                                    2240 NEXT
                                                    2245 REM sets T% to logical track, S% t
      1030 ENDPROC
.
                                                                                                .
                                                    lowest logical sector number
      1200 DEF PROEseek (dri%,tr%)
                                                   2250 ENDPROC
.
                                                                                                .
      1210 ?block%=dri%:block%?5=1:block%?6=8
.
                                                    2400 DEF FN1 oad (F%, G%, H%)
                                                   2410 ?block%=F%:block%?5=3:block%?6=&57
0
                                                                                                0
                                                   2420 block%?7=G%:block%?8=H%:block%?9=(
      1230 PROCdisc (8)
                                                                                                .
.
                                                   2430 PRODdisc (10)
                                                   2440 IF block%710=820 =1:REM if deleted
      1400 DEF PROEdisc(J%):REM call OSWORD
-
                                                                                                0
      1410 A%=8.7F
                                                   data found
.
      1420 CALL &FFF1
                                                   2450 =0:REM if normal data
      1430 IF block%?J% PRINTTAB(10,22) "eErro
                                                   2440
.
                                                                                                0
     number ":block%?J%:PRINTTAB(10,24)";PR
                                                   2600 DEF PROCsave (F%, G%, H%, I%)
    ESS SPACE": VDU7: REPEAT UNTIL GET=3
                                                   2610 ?block%=F%:block%?5=
.
                                                   2620 block%77=G%:block%78=H%:block%79=(
     1435 REM ignore deleted data and track
.
     not found (may not be on disc): other er
    rors probably fatal
                                                    2630 IF 1% block%76=84F ELSE block%76=&
                                                                                                .
.
     1440 ENDPROC
                                                   2640 PROCdisc (10)
                                                                                                e
.
      1600 DEF FNid (dri%, tr%): REM reads one t
    hen all ID fields on track
                                                                                                .
.
     1610 block%?5=3:block%?6=&5B:block%?7=t
                                                   5000 DEF PROCESTUD
                                                   5010 FOR J%=0 TO 4
.
                                                   5020 READ SIZEX(JX) . papX(JX)
      1620 ?block%=dri%
-
                                                   5030 NEXT
     1630 PROCdisc(10): IF block%710<>0 =1:RE
     M escape if track not present
                                                   5040 DATA 18,11,10,21,5,74,2,255,1,0
.
     1640 size%=data%73;s%=SIZE%(size%)
      1650 block%79=5%
.
                                                                                                6
.
                                                                                                .
                                                                                                0
.
                                                                                                .
.
```

0

.

0

See page 114

Listing 2. Alan Crabb's program reads a disc's catalogue and prints the load/exec/length values of all the files

.

```
-
.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      .
                                          10 Rbm **************************** 590 REM Read each file, stored as
                                       18 REM ** READ FILES ** 6000 REM Length of name, name
56 REM **
40 MEM ** Copyright (O) A.M.CRADB *> 6.20 FOR file=0 TO numofiles
                                       56 REM ** 23 July 1984 **
60 REM ** For ACORN USER **
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           630 length=?point
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           640 A$m""
                                          660 A*=A*+CHR*(char?point)
                                       98 REM Resevre workspace
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           AZO NEXT
                       98 PEM Reserve workspace 679 NEXT
100 DIM cll 6, Space All, files 808
110 REM Define array for filenames 670 REM 1 more file, store in array 900 DIM cleaf 700 DIM cleaf 7
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   .
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      .
                       | 180 MSM Derine OS call addresses | 710 REM Add directory character | 150 occ.lseafFF7 | 720 As=SMSE(dir)+*. "AS | 160 occ.lseafFF5 | 740 occ.lse
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      .
                740 CRTITE=KFEDS 740 RRM Nove pointer to next files osgbpbs&FFD1 750 pointerpoint+length+1 750 pointerpoint+length+1 750 Next 750
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        740 REM Nove pointer to next file
   .
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      .
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      -
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          .
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          .
                280 REPT NOT TO 280 AND ADDRESS OF THE STREET NOT SHOW THE SHOW THE STREET NOT SHOW TH
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          .
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          .
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          .
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          .
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          .
                             | S06 AX=8 | S06 AX=9 
         .
```

See 'See How They Sort', page 117

```
.
                                                                                                                                                                      .
     Program 1. Select a sort from the menu and watch the sorting process, colour-coded to make it easy to follow
.
                                                                                                                                                                      .
          10 REM ESS ALLSORT SES
20 REM 6.B.HILL 1984
30 REM version 6
                                                                                         780 VDU26, 12:PRINTTAB(d, 2);CHR$cyan;CHR$141;d$;C
.
                                                                                              PRINTTAB(d, 3): CHR$cvan; CHR$141; d$; CHR$vellow
          40 ON ERROR GOTO 340
.
                                                                                         800 VDU28, 0, 23, 39, 4
          60 REMESS MAIN PROGRAM SES
                                                                                         810 ENDPROC
.
                                                                                                                                                                      .
                                                                                         840 PROCeection(1,max,white)
850 PRINTTABIO,19);CMR$133;"Press SPACE bar to c
          90 REPEAT
.
         100 FOR I=1 TO maxidest$(I) =source$(I):NEXT
                                                                                      ontinue.";:REPEAT:UNTIL GET=32
860 ENDPROC
         .
                                                                                                                                                                      .
.
                                                                                         880 DEFFNchoose (MS)
                                                                                         890 REPEAT
                                                                                                                                                                      .
.
.
                                                                                         910 PRINT"Type ":H$:" then (RETURN) ": 920 INPUT""n$
                                                                                                                                                                      .
                                                                                      930 In=VAL (LEFTS (MS,1))
940 IF VAL (RIGHTS (MS,3))=0 THEN rn=VAL (RIGHTS (MS,2))
ELSE rn=VAL (RIGHTS (MS,3))
•
•
                                                                                       950 ok=ASCns(SB AND VALns)=In AND VALns(=rn AND VALns=INT(VALns)
.
                                                                                       960 IF NOT ok THEN VDU7, 11, 13:FOR I=1 TO 39:VDU3
2:NEXT:VDU13
          250 REM ### DATA ###
           70 DATA BUBBLE, SHUTTLE, INSERTION, SELECTION, SHEL
      L, QUICK, TREE, END.
                                                                                         980 -VALn#
                                                                                                                                                                      .
                                                                                        1000 DEFPROCEMAP(1, J)
           90 DATA FRED, GEORGE, ALEX, JUE, BERT, BERNARD, HARRY
       ZEBIDEE, PETER
                                                                                        1010 sorted=FALSE
                                                                                                                                                                      .
0
          300 DATA JEREMY, GEORGE, PETER, JIM, SIMON, TONY, JOHN
                                                                                        1030 dest$(())rdest$(()
                                                                                        1030 dest%(j)=dest%(j)
1040 dest%(j)=spare%
1050 PRINTTAB(21,:*1);dest%(j);"
1060 PRINTTAB(21,j*1);dest%(j);"
1070 PROCmark(i,j,cyan,T)
.
         320 REM $88 PROCEDURES $88
•
         340 REM ERROR ROUTINE
350 IF ERR=17 THEN RUN
360 REPORT
                                                                                        1080 ENDEROC
0
          370 PRINT" at line ":ERL'
                                                                                         1100 DEFPROCLIST
.
                                                                                        1110 LOCAL II
1120 FOR II=1 TO max
1130 PRINTTAB(21,II+1):dest*(II):"
.
          400 DEEPROCESTUD
          410 waittime=100
420 T=TRUE:F=FALSE
                                                                                         1150 ENDPROC
      420 T=TRUE:FFFALSE
430 nothing=120:red=129:green=130:yello=131:blu
e=132:nagenta=135:cyan=134:white=135
440 DIM source$(100),dest$(100),acrt$(20)
450 WESTOME 270
0
                                                                                        1170 DEFPROCMARK(1, J. colour, pause)
1180 PRINTTAB(20, i+1); CHR$colour; TAB(20, j+1); CHR$
.
                                                                                        1190 IF pause THEN PROCpause:PROCmark(1, 1, nothing
0
                                                                                        1200 ENDPROC
          480 I=I+1
         480 I=[+1

490 READ sorts(I)

500 UNTIL sorts(I)="END."

510 num_of_sorts=I

520 RESTORE 290
.
                                                                                                                                                                      0
                                                                                               Z=INKEY(waittime)
.
                                                                                         1250 ENDPROC
0
                                                                                         1270 DEFPROCsection(i, j, colour)
          550 READ source$(I)
570 UNTIL source$(I)="###"
580 max=I-1
                                                                                         1290 PRINTTAB(18.II+1); CHR*colour; CHR*colour; CHR*
                                                                                                                                                                      .
-
                                                                                         1310 ENDPROC
.
                                                                                                                                                                      .
                                                                                         1320
1330 DEFPROCHUBBLE
          620 PROCdouble("MENU for")
630 FOR 1=1 TO num_of_morts
640 PRINTTAB(4,1+2);STR*1;" ";sort*(I)
                                                                                         1340 FOR I=1 TO
1350 sorted=TRUE
.
                                                                                                                                                                      .
                                                                                        1360 FOR J=max TO I+1 STEP -1
1370 PROCmark(J-1,J,green,T)
1380 IF deat$(J-1)>dest$(J) THEN PROCswap(J,J-1)
0
                                                                                                                                                                      .
          650 NEXT

650 VDUZZ,1,110:010110,13

670 choice=Fkchoose(*1 to "+STR$num_of_sorts)

680 if choice=num_of_sorts THEN ENDFROC

690 VDUZZ,1,010:0101
.
                                                                                         1400 IF sorted THEN I-max-1 ELSE PROCpause
1410 NEXT
0
          700 PROCdouble(sorts(choice))
710 FORI-1 TO max:PRINTTAB(8, I+1):sources(1):NEX.
                                                                                         1420 ENDPROC
                                                                                                                                                                      .
0
                                                                                         1440 DEFPROCShuttle
                                                                                                                                                                      .
0
          730 ENDPROC
                                                                                         1460 top=0:bottom=max:inc=1:sorted=TRUE
                                                                                         1470 DEPENT
                                                                                                                                                                      .
0
           750 DEFPROCdouble(d$)
          760 LOCAL d
770 d*(40-LENd$-9) DIV 2
                                                                                        1490 REPEAT
                                                                                                                                                                      .
0
0
                                                                                                                                                                      .
0
                                                                                                                                                                      .
```

104

•

.

.

.

.

.

.

.

.

.

TECHNIQUES

```
.
1500 I=1*inc
1510 PRDCmark(I,I*1,green,T)
1520 IF dest(I)>dest(I(*) THEN PROCemag(I,I*))
1530 IF I*inc+top THEN topetop*I*inc=1
1530 IF I*inc+botton Hon bottom*bottom=1*inc=-1
1550 UNIIL I*top OR I*botton
1550 UNIIL Ottom*Cetop*I OR sorted
                                                                                                                                                    2270 L=1:R=j
2280 REPEAT
                                                                                                                                                      2300 PROCeark(O.L.yellow,F):PROCeark(O,R.green,F)
                                                                                                                                                  rPROCpause
2310 IF dest*(L)from PROCeark(0,L,nothing
,F):L=L+i:PROCeark(0,L,yellow,F):PROCpause:BOTO 23
                                                                                                                                                                                                                                                                                                    .
                                                                                                                                                   2320 IF L=R THEN 2340
2330 IF dests(R)>epivots THEN PROCmark(O,R,nothin
g,F):R=R-1:PROCmark(O,R,green,F):PROCpause:IF R>L
  1580
  1590 DEFPROCINSertion
  1600 FOR I=2 TO max
                                                                                                                                                                                                                                                                                                    .
  1610 PROCpause
  1620 PRINTTAB(19,1);" ";TAB(19,1+1);"]"
1630 FOR J=I TO 2 STEP -1
1640 PROCeark(J-1,J,green,T)
                                                                                                                                                                                                                                                                                                    .
                                                                                                                                                     2360
  1650 IF dests(J-1) >dests(J) THEN PROCswap(J, J-1)
                                                                                                                                                     2370 DEFPROCtree
2380 PROCcolour_tree
2390 FOR I=2 TO max
                                                                                                                                                                                                                                                                                                    .
 1660 NEXT
1670 NEXT
                                                                                                                                                      2400 PRINTTAB(18,1); " ": TAB(18,1+1); "]": PROCpause
  1680 ENDPROC
                                                                                                                                                      2410 PROChackup (I)
                                                                                                                                                      2420 NEXT
  1700 DEFPROCselection
                                                                                                                                                      2430 PROCeolour
                                                                                                                                                      2430 PROCcolour_tree
2440 FOR I=max TO 2 STEP -1
  1710 FOR I=1 TO max-1
                                                                                                                                                      2450 PRDCnause
  1730 PRINTTAB(19,1);" ":TAB(19,1+1):")":CHR$yello
                                                                                                                                                      2460 test$=dest$(I)
                                                                                                                                                      2470 PROCesove(I)
2480 dest*(I)=" ***"
1750 PROChark(O, J. green. T)
1760 IF deut*(3) (deut*(1owindex) THEN PROChark(O, 1owindex, white.F):1owindex=J
                                                                                                                                                         500 PROCsection (I.max.white)
          O PROCeark (O, lowindex, yellow, F)
                                                                                                                                                            20 PROCoutback (1)
  1780 NEXT
1790 IF lowindex<>1 THEN PROCESSOR(I.lowindex) ELS
                                                                                                                                                        2540 ENDPROC
    PROCmark (O. I. white, F)
  1800 NEXT
1810 ENDPROC
                                                                                                                                                       2570 REPEAT
                                                                                                                                                       2590 PROCmark(J,J DIV 2.green,T)
2590 IF dest$(J))dest$(J DIV 2) THEN PROCawab(J,J
  1830 DEFPROCShell
   1840 inc=max DIV 2
   1850 REPEAT
                       inc(=0 THEN 1920
   1870 PROCpause
                                                                                                                                                       2620 ENDPROC
   1880 FOR I=inc+1 TO max
1890 PROCpair (I,I-inc)
                                                                                                                                                       2640 DEFPROCOUTBACK (J)
   1900 NEXT
   1910 inc=inc DIV 2
1920 UNTIL inc<=0
1930 ENDPROC
                                                                                                                                                       2660 swapindex=2#J
                                                                                                                                                       2600 F dest*(swapindex)=I THEN PROCSwap_test:ENDPROC
2600 IF dest*(swapindex)(dest*(swapindex+1) THEN
                                                                                                                                                    2000 IF dest*(swapindex): dest*(swapindex:1) THEN swapinder:swapindex:1) THEN swapindex:swapindex:1 2000 IF swapindex:>=1 THEN SWAPINDEX:swapindex:>=1 THEN SWAPINDEX:swapindex:>=1 THEN SWAPINDEX:swapindex:>=1 THEN SWAPINDEX:swapindex:green:71 THENCS:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:swapindex:green:green:swapindex:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:green:gr
   1950 DEFPROCPAIR (1.3)
1960 IF jc=0 THEN ENDPROC
  1970 PROCmark(i,j,green,T)
1980 IF dest$(i)(dest$(j) THEN PROCswap(i,j):PROC
     990 ENDPROC
   2010 DEFPROCquick(1.j)
                                                                                                                                                          2740 dest$(J)=test$
2750 PROCmark(0,J.cyan.F)
2760 PRINTTAB(30,I*1);CHR$cyan;
   2020 LOCAL pryotindey-partitionnoint. I
                pivotindex=FNfindpivot(1,j)
   2040 PROCsection(1, max, white)
2050 PROCsection(1,1,blue)
                                                                                                                                                            770 PRINTTAB(20.J+1):CHR*cyanidest*(J);"
780 PRINTTAB(31.I+1);" ### "
                                                                                                                                                           790 PROCpause
1900 PRINTTAB(20,J+1);CHR*nothing;
810 PRINTTAB(31,;+1);"
   2060 PRINTTAB(30,2); CHR$red; dest$(pivotindex);"
   2070 PROCpause
2080 IF pivotindex=0 THEN ENDPROC
2090 partitionpoint=FMpartition(i,j,pivotindex)
2100 PROCquick(i,partitionpoint=1)
                                                                                                                                                         2820 ENDPROC
    2100 PROCquick(partitionpoint,)
                                                                                                                                                        2850 LDCAL II
2860 FDR II=20 TD 31
2870 PRINTTAB(20,1+1);CHR*nothing;" ***";TAB(II,1
    2120 PRINTTAB(30,2);"
2130 PROCsection(1,max,white)
                                                                                                                                                     *1);CHR#nothing;test#
2880 Z=INKEY(10)
      140 ENDPROD
    2160 DEFFNfindpivot(1.j)
   2170 LOCAL I

2180 I=I

2190 IF I=J THEN =0

2200 IF dest$(1)>dest$(1+1) THEN =1

2210 IF I+1=J THEN =0

2220 IF dest$(1)<dest$(1+1) THEN =1+1
    2170 LOCAL 1
                                                                                                                                                         2900 PRINTTAB(II,1+1); CHR$white; test$
                                                                                                                                                        2930
2940 DEFPROCoclour_tree
2950 PROCsection(1,1.magenta)
2960 PROCsection(2,3.red)
2970 PROCsection(4,7.yellow)
2980 PROCsection(8,15,blue)
        250 DEFFNpartition(1.J.K)
    2260 pivots=dest*(K)
```

. .

.

See 'See How They Sort', page 117

```
.
                                                                                                 .
    Program 2. Sort procedures unadorned
.
                                                                                                 .
   HIST
                                                   630 IF dest$(i) (dest$(j) THEN PROCswap
.
                                                                                                 .
       10 DEFPROCSwap(i,j)
                                                 (i, j):PROCpair(j, j-inc)
.
       20 sorted=FALSE
                                                   640 ENDPROC
       30 spare$=dest$(i)
.
                                                   660 DEFPROCquick(i,j)
       40 dest$(i)=dest$(j)
       50 dest*(j)=spare*
                                                   670 LOCAL pivotindex, partitionpoint, I
.
                                                                                                 e
       60 ENDPROC
                                                   680 pivotindex=FNfindpivot(i,j)
                                                   690 IF pivotindex=0 THEN ENDPROC
       80 DEFPROCbubble
                                                    700 partitionpoint=FNpartition(i.j.piv
       90 FOR I=1 TO max-1
•
                                                 atindex)
      100 sorted=TRUE
                                                   710 PROCquick(i,partitionpoint-1)
.
      110 FOR J=max TO I+1 STEP -1
                                                   720 PROCquick (partitionpoint, j)
                                                                                                 .
      120 IF dest*(J-1)>dest*(J) THEN PROCSW
                                                   730 ENDPROC
.
                                                                                                 .
    ap (J.J-1)
                                                   740
      130 NEXT
                                                    750 DEFFNfindpivot(i,j)
.
                                                                                                 •
      140 IF sorted THEN I=max-1
                                                    760 LOCAL I
      150 NEXT
                                                    770 I=i
•
                                                    780 IF I=1 THEN =0
      160 ENDPROC
                                                    790 IF dest$(I)>dest$(I+1) THEN =I
.
      170
      180 DEFPROCshuttle
                                                   800 IF I+1=1 THEN =0
.
      190 I=0
                                                   810 IF dest$(I) (dest$(I+1) THEN =I+1
      200 top=0:bottom=max:inc=1
                                                   820 I=I+1:60T0 780
                                                   830
      210 REPEAT
      220 sorted=TRUE
                                                   840 DEFFNpartition(i,j,K)
.
      230 REPEAT
                                                   850 pivot$=dest$(K)
      240 I=I+inc
                                                    860 L=1:R=1
.
                                                                                                 •
      250 IF dest$(I)>dest$(I+1) THEN PROCSW
                                                   870 REPEAT
                                                   880 PROCSHAP (L.R)
.
    ap(I, I+1)
      260 UNTIL I+inc=top OR I+inc=bottom
                                                    890 IF dest$(L) (pivot$ THEN L=L+1:50TO
.
      270 IF I+inc=top THEN top=top+1:inc=1
                                                  890
      280 IF I+inc=bottom THEN bottom=bottom
                                                   900 IF L=R THEN 920
                                                   910 IF dest*(R) >=pivot* THEN R=R-1: IF
      290 UNTIL bottom(=top+1 OR sorted
                                                R>L THEN 910
920 UNTIL L>=R
.
      300 ENDPROC
                                                   930 =L
      320 DEFPROCinsertion
                                                    940
      330 FOR I=2 TO max
340 FOR J=I TO 2 STEP -1
.
                                                   950 DEFPROCtree
                                                   960 FOR I=2 TO max
.
      350 IF dest$(J-1)>dest$(J) THEN PROCSW
                                                   970 PROChackup (I)
    ap (J, J-1) ELSE J=2
                                                   980 NEXT
.
      360 NEXT
                                                    990 FOR I=max TO 2 STEP -1
      370 NEXT
                                                   1000 test$=dest$(I)
.
                                                                                                 .
      380 ENDPROC
                                                   1010 dest$(!)=""
.
      390
                                                   1020 PROCSWap (1, I)
      400 DEFPROCselection
                                                   1030 PROCoutback (1)
.
      410 FOR I=1 TO max-1
                                                   1040 NEYT
                                                                                                 .
      420 lowindex=I
                                                   1050 ENDPROC
      430 FOR J=I+1 TO max
                                                   1060
      440 IF dest$(J) (dest$(lowindex) THEN 1
                                                   1070 DEFPROCbackup (J)
    owindex=J
                                                   1080 REPEAT
      450 NEXT
                                                   1090 IF dest$(J) >dest$(J DIV 2) THEN PR
.
      460 IF lowindex<>I THEN PROCswap(I,low
                                                  OCswap (J, J DIV 2)
.
                                                   1100 J=J DIV 2
                                                                                                 .
                                                   1110 UNTIL J=1
0
                                                                                                 .
      480 ENDPROC
                                                   1120 ENDPROC
      490
                                                   1130
.
      500 DEFPROCshell
                                                   1140 DEFPROCputback(J)
      510 inc=max DIV 2
                                                   1150 LOCAL swapindex
.
      520 REPEAT
                                                   1160 swapindex=J$2
1170 IF swapindex>=I THEN dest$(J)=test
      530 IF inc(=0 THEN 580
540 FOR I=inc+1 TO max
                                                                                                 .
                                                 $: ENDPROC
      550 PROCpair (1, I-inc)
                                                   1180 IF dest$(swapindex) <dest$(swapinde
      560 NEXT
                                                  x+1) THEN swapindex=swapindex+1
•
      570 inc=inc DIV 2
                                                   1190 IF swapindex >= I THEN dest$ (J) =test
      580 UNTIL inc(=0
                                                  $: ENDPROC
.
                                                                                                 .
      590 ENDPROC
                                                   1200 IF test$)=dest$(swapindex) THEN de
      600
                                                  st$(J)=test$ ELSE PROCswap(J,swapindex):
.
                                                                                                 .
      610 DEFPROCpair (i,j)
                                                 PROCoutback (swapindex)
                                                  1210 ENDPROC
.
      620 IF J<=0 THEN ENDPROC
                                                                                                 .
.
                                                                                                 .
•
                                                                                                 .
```

106



```
.
                                                                                       .
.
                                                                                       .
0
   Paul Beverley's program for the signature analysis unit
                                                                                       .
.
                                                                                       •
   10 CLS
                                          560 REPORT
                                          570 PRINT" at "ERL
   20 PROCinitialise
                                                                                       6
   30 REPEAT
                                          580 ENDPROC
   40
        PROCmenu
                                          590
   50
        UNTIL XX=Ø
                                          600 DEF PROCinitialise
                                                                                       6
   60 END
                                          610 REM *********
                                                                                       .
   70
                                          620
   80 DEF PROCMENU
                                          630 ON ERROR PROCerr_handle: END
                                                                                       •
   90 REM ******
                                          640 7%FE6B=B : REM S.R. to input
  1 00
                                                                                       .
                                          650 7%FE62=%81 : REM PB0 % PB7 as output
  110 VDU26,12
                                          660
                                                                                       .
  120 INPUT TAB(0,2) "Test number? "X%
                                          670 FOR opt% = 0 TO 2 STEP 2
  130 VDU28,0,24,30,5
                                                P% = &C00
                                          680
                                                                                       •
  140 IF XX=0 ENDPROC
                                          690
                                                COPT opt%
                                                                                       6
  150 NX=32
                                          700
  160
                                          710
                                                .test
                                                                                       .
  170 REPEAT
                                          720
  180
        IF N%=13 OR N%=-1 N%=INKEY(5)
                                          730
                                                                                        8
  190
        IF N%=32 PROCprompt
                                          740
                                                SET
                                                                                        8
  200
        IF N%>32 UNTIL TRUE: ENDPROC
                                          750
                                                LDY #Ø
  210 *FX19
                                                                                        .
                                          760
                                                LDA #280
  220 CALL test
                                          770
                                                STA &FE60
                                                                                        .
  230 PROCprint
                                          780
                                                LDA #&B1
  240 UNTIL NX>32
                                          790
                                                STA &FE60
                                                                                        .
     ENDPROC
  250
                                          800
                                                                                        .
  240
                                          810
                                                JSR testX%
  270 DEF PROCprompt
                                          820
  280 REM *******
                                          830
                                                 .read SR
  290
                                                                                        .
                                          840
                                                 /******
  300 PRINT
                                          BSM
  310 N%=GET
                                          BAD
                                                LDX #8/01
                                                             \ Disable clock input.
  320 IF N%=13 ENDPROC
                                          870
                                                STX &FE60
                                                            \ i.e. enable CB1 clock.
                                                                                       .
  330 IF N%=47 ENDPROC
                                          880
  340
                                          890
                                                LDX &FE6A
                                                             \ Dummy read of S_R.
  350 REPEAT
                                          900
                                                                                        .
        PRINT CHR# (N%);
  TAR
                                          910
                                                LDA #8/04
                                                             \ To check S R flag.
        N%=GET
                                                                                        .
                                          920
  380
        UNTIL NX=13
                                          930
                                                .ready%
  390 N%=32
                                          940
                                                BIT &FE6D
                                                            \ Has new value
  400 ENDPROC
                                                                                        0
                                          950
                                                 BEQ ready% \ shifted in yet?
  410
                                          960
  420 DEF PROCprint
                                                                                        -
                                          970
                                                LDX &FE6A \ Read shift register.
  430 REM ******
                                                                                        .
                                          980
                                                STX &405
                                          990
  450 0%=1
                                                                                        .
                                         1000
                                                 .again%
  460 PRINT TAB(8)~(A% AND &F000)
                                                 BIT &FE6D \ Has new value
                                         1010
                                                                                        0
      DIV $1000:
                                         1020
                                                BEQ again% \ shifted in yet?
  470 PRINT~ (A% AND &F00) DIV &100:
                                                                                        .
                                         1030
  480 PRINT~(A% AND &FØ) DIV &10;
                                         1040
                                                LDX &FE6A \ Read shift register.
                                                                                        .
  490 PRINT~A% AND &F
                                         1050
                                                STX &404
  500 ENDPROC
                                                                                        .
                                         1060
  510
                                         1070
                                                LDX #881
  520 DEF PROCerr handle
                                                                                        .
                                         1080
                                                STX &FE60
  530 REM **********
                                                                                        .
.
                                         1090
  540
                                         1100
                                                CLI
                                                             \ You can interrupt now!
  550 VDU26,12
                                                                                        .
                                                                                        .
                                                                                        .
.
.
                                                                           Continued >
                                                                                        .
```

.

```
.
                                                                                      .
                                                                                      .
.

◀ Continued

.
                                                                                      .
.
.
                                                                                      .
     1110
            RTS
                                            1640
                                                    \*****
.
                                            1650
     1120
     1130
            .testX%
                                                    CPX #6
                                            1660
.
     1140
            \*****
                                                  BCS test6%
                                            1670
•
     1150
                                             1680
           CPX #2
     1160
                                             1690
                                                    .next6%
0
     1170
            BCS test2%
                                                    LDA &FE40 \ Internal VIA
                                            1700
     1180
                                             1710
                                                    LDA &FE41
0
     1190
            .test1%
                                             1720
                                                    DEY
0
     1200
            \*****
                                            1730
                                                    BNE next6%
.
     1210
                                            1740
                                                    RTS
     1220
            STA &BAAA,Y \ Low ROM
                                            1750
.
                                                                                      .
     1230
            DEY
                                             1760
                                                    . test6%
            BNE test1%
     1240
                                            1770
                                                    \*****
.
                                                                                      .
     1250
            RTS
                                             1780
.
                                                                                      0
     1260
                                             1790
                                                    CPX #7
     1270
                                                  BCS test7%
            .test2%
                                             1800
.
                                                                                      .
     1288
            ......
                                             1810
.
     1290
                                             1820
                                                    .next7%
                                                                                      .
                                                    LDA &FEBØ
                                                                 \ Disc Controller
     1300
            CPX #3
                                            1830
.
                                                                                      .
                                                    LDA &FEB1
     1310
            BCS test3%
                                            1840
.
     1320
                                            1850
                                                    LDA &FEB2
                                                                                      .
     1330
            .next2%
                                                    LDA &FE84
                                            1860
.
                                                                                      .
            LDA &CFA5,Y \ High ROM
     1340
                                                    DEY
                                            1870
.
     1350
            DEY
                                            1880
                                                    BNE next7%
     1360
            BNE next2%
                                             1890
                                                    RTS
.
                                                                                      .
     1370
            RTS
                                             1900
     1380
                                             1910
                                                     .test7%
.
                                                                                      .
     1390
            .test3%
                                             1920
                                                    \*****
.
                                                                                      .
     1400
            \*****
                                             1930
     1410
.
                                             1940
                                                    CPX #8
                                                                                      .
            CPX #4
     1420
                                             1950
                                                    BCS test8%
.
     1430
            BCS test4%
                                             1960
                                                                                      .
     1440
                                             1970
                                                     .next7%
.
                                                                                      .
                                                    LDA &FE20
                                                                  \ Video ULA
     1450
            .next3%
                                             1980
.
     1460
            LDA &COO,Y \ Low RAM
                                             1990
                                                    LDA &FE21
                                                                                      .
     1470
            DEY
                                             2000
                                                     DEY
.
     1480
            BNE next3%
                                             2010
                                                     BNE next7%
.
                                                    RTS
     1490
            RTS
                                             2020
                                                                                      .
                                             2030
     1500
.
                                                                                      .
                                                     .test8%
     1510
            .test4%
                                             2040
.
                                             2050
                                                     ......
     1520
            \*****
                                                                                      .
     1530
                                             2060
.
                                                                                      0
     1540
            CPX #5
                                             2070
                                                    LDA &FEØB \ ACIA
.
     1550
            BCS test5%
                                             2080
                                                     LDA &FEØ9
                                                                                      .
                                             2090
                                                     DEY
     1560
.
                                                                                      .
                                                     BNE test8%
     1570
            .next4%
                                             2100
            STA &7800,Y \ High RAM
.
     1580
                                                                                      0
     1590
            DEY
                                             2120
.
            BNE next4%
                                             2130
     1600
.
     1610
            RTS
                                             2140
                                                    NEXT
                                                                                      .
                                             2150 ENDPROC
     1620
.
            .test5%
                                                                                      .
     1630
.
                                                                                      0
.
                                                                                      .
.
                                                                                      .
0
                                                                                      0
.
```



.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

Alex Wilson's 'Wordprint' wordprocessing program for the Atom with Star Gemini X10 printer connected

.

.

.

.

.

.

```
10 G. z
 19 REM SAVE
 20sf.1=0 T09:1?#2984=32:N.:IN."FILENAME"$D:L=LEND
 22 I=0:DD:I?#2984=I?D:I=I+1:U.(I=L ORI=9)
 24 ?#8202=?#80;?#8203=?#81
 26 #SAVE"1234567890"8200 8202 8200
 27 S=#8202; T= '#80; F=FOUT""; WAIT; BPUTF, #AA; WAIT; PUTF, T; F. N=S TOT
 28
      BPUTF, ?N: N.
 30 R
 39 REM LOAD
 401P. "LOAD DATA TAPE PRESS CTRL WHEN NAME SHOWS""
 41 *CAT
 44 S=#8202;F=FIN"":DD:U.BGETF=#AA;F.N=S TO(GETF);?N=BGETF;N.
 46 ?#80=?#8202; ?#81=?#8203
 50 R.
 52bQ=0: IN. "O.K. "$D: IF?D=78: Q=1
53 R.
 55 REM WRITE TEXT
 56aS=#8204; P. $12"TEXT"?
 58dIN. $B: GOS. b: K=LENB: IF?B=90: IFB?1=90: G. 62
59 IFQ=0; I=0; D0; S?I=B?I; I=I+1; U. I=K; S=S+K; ?S=13
60 IFS)#9700: IN, "TEXT SPACE FULL"$D: 6.62
61 G.d
 62 R.
 71 P.$17:P.$3:6.y
    999 aNYSTREET, *aNYTOWN, *aNYCOUNTY, *aNYCODE*01 999 9999*
 73 REM REMOVE ALLSPACES AND REMS UP TO LINE 71
 B0c1=0:D0:B7I=S71:I=I+1:U.I=29
82 B?29=13; P. " "#B"; L=LENB; S=S+L; J=J+1
 86 IFS>=!#80:E=0
88 R.
 89 REM INSERT CONTROLS
 91 B7X=52:R.
 92 B?X=45: X=X+1: B?X=1:R.
 93 B?X=53;R.
 94 B7X=87; X=X+1; B7X=1; Y=2; 7#86=1; R.
123 B?X=83: X=X+1: B?X=0:R.
124 B?X=45; X=X+1; B?X=0; R.
125 B?X=83; X=X+1; B?X=1; R.
126 B?X=84;R.
127eS=#8204:U=S:REM EDIT
128nJ=0; T=S; P. $12"
129 P. " 01234567890123456789012345678"'; E=1
130 8=0; P. J; GOS. c; U=T
131 IFE=1; IFJ>9; G. 133
132 IFE=1:6.130
133 IN. "A.B.D. I.N. Z"#D:F=?D: IFF=90:R.
134 IFF(65 ORF)90;P.$11;G.133
135 IFF(>66:6.138
136 IFU>#8204: U=U-290: S=U: T=U: G.n: REM BACK
137 P. "CAN'T GO BACK" $11$11:6.133
138 IFF(>78:G.m
140 IFE=0:P. "END OF TEXT "'$11$11:6.133
141 U=T:G.r
142mIN. "WHICH LINE" &D: C=VALD: IFC(O DRC>9:P. $11:G.m
144oIN. "WHICH COLUMN" &D: A=VALD: IFA<0 ORA>28: P. $11: G. o
146 S=T+29#C+A;R=!#80
148 IFF=68:6.160
149 P. "TEXT"; REM INSERT, AMEND
150 IN. 4B; L=LENB; GOS. b; IFQ=1; G. 150
151 IFF=65:G. 154
```

Continued >

0

```
.
                                                                                                0
       ◄ Continued
.
                                                                                                .
                                                                                                -
.
       152 V=R+L; !#80=V; DO; ?V=?R; V=V-1; R=R-1; U. R=S-1
       154 I=0; D0; S?I=B?I; I=I+1; U. I=L; S=T; G.n
.
       160 IN. "DELETE HOW MANY" $D; G=VALD; IFG<0; P. $11$11; G. 160
.
       162 DO; ?S=S?G; S=S+1; U. (S+G)=R; ?S=13; !#80=S
                                                                                                .
       164 S=T: G.n
.
                                                                                                .
       189 REM SINGLE/DOUBLE STRIKE, EMPHASISED
       190u?#8D=0;?#92=0;P."OUTPUT TO PRINTER"'"1 SINGLE"'
                                                                                                .
8
       192 IN. "2 DBLE.STRIKE" '"3 EMPHASISED" D:R=VALD: IFR<1 ORR>3:0=1
                                                                                                .
       194 IFR=2: ?#8D=1
       195 IFR=3: ?#92=1
                                                                                                0
       196 R.
       199 REM PRINT STYLE
.
                                                                                                8
       200p?#85=0;?#88=0;?#8B=1;Q=0;GOS.u;IFQ;G.p
       210 IN. "1 10CPI"'"2 12 CPI"'"3 17CPI"*D:P=VALD; IFP(1 ORP)3; G. 210
.
                                                                                                6
           ?#90=P; IFP=1; ?#87=80; 6.r
.
                                                                                                e
       214 IFP=2: ?#87=96: G.r
      216 ?#87=136
.
                                                                                                •
       230r IN. "LEFT HAND MARGIN" $D: M=VALD: IFM<0 ORM>20: G.r
0
                                                                                                .
           ?#8A=M:P. "DEFAULT IS 60 LINES"
.
       242 IN. "MAX.NO. OF LINES PER PAGE" $D; L=VALD; IFL=0; L=60
       244
           ?#89=L
.
                                                                                                0
       250 P. "MAX.NO. OF LETTERS PER LINE IS" '7#87-2#M'
.
       252 IN. "NO. OF LETTERS PER LINE" #D: C=VALD: IFC=0: C=?#87-2*M
                                                                                                .
       254 IN. "DOUBLE SPACED Y/N"$D; IF?D=89; ?#8B=2
.
                                                                                                6
           2#8C=C: IN. "DATE REQUIRED Y/N" $D: IF?D=89: 2#88=1
       270 IN. "DO YOU WANT ADDRESSED HEADING Y/N"$D; IF?D=78; R.
.
                                                                                                6
       272 IF?D=13:6.270
.
                                                                                                .
       280
           ?#85=C-M:60S.f:R.
       299 REM PRINT TEXT
                                                                                                6
.
       300qL=?#89; M=?#8A; K=?#8B; C=?#8C
       302 IN. "SET UP PAPER" "PRESS RETURN TO START "$D; IF?D(>13; G. q
.
                                                                                                6
       310 P.$2;605.x;U=0
.
                                                                                                6
       314 IF?#85=0; G. 321
       316 Z=9:P. $9:U=0:S=#2B63:60S.g:U=U+4*K
                                                                                                .
.
       321 IF?#88=0;6.330
       322 S=#97E0:60S.v
.
       330 Z=0; IF?#85=0; 6.h
.
       332 S=#28A0;60S.g;P.''';U=U+3*K
350hS=#8204;T=?#80+?#81*256;C=C+1
                                                                                                0
.
                                                                                                6
       360 (IFUKL: 6. k
       364 P. $19$3; IN. "END OF PAGE" "ADJUST PAPER" $D: U=0
                                                                                                6
-
       366 P. $2$17
                                                                                                .
.
       370k1F8)=T:6.400
       380 60S.v;S=S+V+2
.
0
       400 P.$19$3$12: IN. "ANY MORE COPIES WANTED Y/N"$D
                                                                                                6
       410 IF?D=78:R.
.
                                                                                                0
       420 60S.u; 6.q
       430 60S.f
                                                                                                0
0
       434 IN. "INSERT ENVELOPE, PRESS RETURN" $D; ?#93=M; ?#92=1; K=1; M=20
.
       436 P. $2; GOS. x; S=#28A0; C=20; GOS. g; M=?#93; P. $27$70$19$3; R.
                                                                                                6
      449 REM OUTPUT STRING
.
                                                                                                6
       450VV=0; X=0; Y=1; W=0; IF?#86=1; Y=2
       452 DO:E=S?V:IFE<64:G.w
                                                                                                0
0
.
                                                                                                6
0
                                                                                                e
.
```

0

.

.

. . . .

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.

.....

```
453
       IFE>64: IFE(91:E=E:#20:G.w
       IFE>96; IFE<123; E=E:#20; 6. w
454
456
       IFE>90: IFE<95: B?X=27: X=X+1:608.E:6.i
       IFE>120; IFE<127; B?X=27; X=X+1; GOS.E; G.i
457
       IFE=96; B?X=27; X=X+1; B?X=87; X=X+1; B?X=0; Y=1; ?#86=0; G. i
       B?X=E; W=W+Y
      V=V+1; X=X+1
461i
462 U. (W>=C DR E=42 OR E=13)
463 IFE=42; X=X-1; V=V-1
464 IFW>=C:DO:V=V-1:U.V?S=32:DO:X=X-1:U.B?X=32
465 B?X=13; IFZ>0; P. 89
466 F=B: DO: A=7F:L1NK#FF10: F=F+1:U. A=13
467 U=U+K; IFK>1;P.
468 V=V-1;R.
469 REM SET UP PRINTER
470xP.$17$27$64; IF?#85>0; T=?#85; P.$27$68$(T)$0
472 IF?#8D=1;P.$27$71;REM DBLE. STRIKE
474 P.$27$77$ (M); IF?#92=1; P.$27$69; 7#90=1; REM MARGIN, EMPHASISED
476 F. I=#8E TO#91: A=?I:LINK#FF10:N.
478 P. '$27$55$0$27$61;R.;REM USA, MSB=0
479 REM ENVELOPE
4804IN. "NEW ADDRESS Y/N"*D; IF?D=78;R.
482 S=#28A0; F. "TYPE NAME AND ADDRESS"'; GOS.d; S=5+1
484 ?S=13;R.
490g60S.v; S=S+V: IF7S=13; R.
492 S=S+2; G. q
499 REM START
500zD=#2800;S=#8204;!#80=S;?#8200=13;?#8201=-1;B=#2810
505 ?16=#51;?17=#2B;P=100;!#8E=#1421B
510 F=#97E0; IN. "DATE"$F
520yP.$12"1 WRITE TEXT"'"2 EDIT TEXT"'"3 PRINT TEXT"'
522 P."4 SAVE TEXT"'"5 LOAD TEXT"'"6 REVIEW TEXT"'
523 P. "7 ENVELOPE" "8 END"
524 IN. $D:C=VALD: IFC<1 ORC>8:6.v
526 G. (530+20*C)
550 IN. "1 NEW TEXT" "2 ADDITIONAL TEXT "&D; C=VALD
552 IFC<1 ORC>2:6.550
554 6. (556+C)
557 60S.a; !#80=S; G.y
558 S=!#80:60S.d:!#80=S:G.v
570 60S.e:6.y
590 IFP=100:60S.p
592 IN. "CHANGE PRINT STYLE Y/N" D: IF?D=89:605.0
594 60S.q;6.y;
610 GOS.s: G.y
630 609.1:6.
650 S=#8204:E=1
651 J=0:P.$12
652 60S.c; IFE=1; IFJ>9; 60S.680; IFE=1; 6.651
656 IFE=1;6.652
660 GDS, 680
664 G. y
670 60S. 430: 6. v
680 IN. $D: IF?D=90:E=0:R.
682 IF?D=69;U=S:60S.n
684 R.
690 E.
```

. .

.

.

.

.

.

.

.

.

.

.

See 'Toolkits on Trial', page 157

```
Listing 1. Utility in Basic to list the values assigned to all
 Listing 2. Program compactor utility in
                                           the resident integer variables in decimal and
                                           hexadecimal
 10 REM ### SPACE REMOVER ###
 20 before=270
 30 after=%72
                                                 10 REM ## INTEGER DUMP ##
20 REM ## (c) Acorn User ##
30 FOR loop=#404 TO #468
 40 count=274
50 FOR pass=0 TO 3 STEP3
60 P%=8900
                                                 40 !1oop=RND
 70 COPT pass
80 LDA #0
                                                 50 PROCVAR_dump
                                                 70 END
90 STA after
                                                 80
100 STA before
                                                500 DEF PROCVAR_dump
110 STA count
120 STA count+1
                                                520 PRINTCHR# (131);SPC(5);"Integer Var
130 LDA &18
140 STA after+1
                                                530 PRINT" "Var
                                                                     Hex
150 STA before+1
                                                540 VDU 28.0,24,39,3
160 .outer
170 LDY #1
                                                550 ascii=ASC"A
                                                560 FOR 1000=8404 TO 8468 STEP4
180 JSR transfer
                                                570 PRINTCHR# (ascii):"% ";
190 CMP #&FF
                                                580 PRINT"!1000:"
200 BEG all_done
                                                590 PRINT'loop
210 JSR transfer
                                                600 ascii=ascii+1
610 NEXT
220 JSR transfer
    .inner
240 LDA (before), Y
                                                630 ENDPROC
250 CMP #ASC"
260 BEQ space
270 JSR transfer
280 BEQ end_of_line
290 CMP #822
300 BEG inside_quote
310 BNE inner
320 .space
330 INC before
340 BNE update
350 INC before+1
360 .update
370 INC count
380 BNE inner
390 INC count+1
400 BNE inner
410 .end_of_line
420 DEY
430 TYA
                                                           890 JSR hexout
900 BRK
                                  660 BNE inside_quote
                                 670 BEQ inner
440 PHA
450 CPY #3
                                  680 .transfer
                                                                 910 EQUW &OBOB
                                                                 920 EQUD &09090909
930 EQUS" spaces removed"
                                  690 LDA (before), Y
460 BEQ clear
470 LDY #3
                                  700 STA (after).Y
480 STA (after),Y
                                  710 INY
                                                                 940 EQUB 13
490 CLC
                                  720 CMP #13
                                                                 950 BRK
                                  730 RTS
500 ADC after
                                                                 960 RTS
510 STA after
                                  740 .all_done
                                                                 970 .hexout
520 BCC clear
                                  750 LDA after
                                                                 980 PHA
530 INC after+1
                                  760 CLC
                                                                 990 LSR A: LSR A
540 .clear
                                  770 ADC #2
                                                               1000 LSR AL LSR A
550 PLA
                                  780 STA &12
                                                                1010 JSR digit
560 CLC
                                  790 LDA after+1
                                                                 1020 PLA
570 ADC before
                               800 ADC #0
                                                                1030 .digit
580 STA before
                                  810 STA &13
                                                                 1040 AND #15
                                                          1050 CMP#10
1050 ECC over
1070 ADC #6
1080 .over
```

820 LDA #ASC"&"

830 JSR &FFEE 840 LDA count+1

1090 ADC #48 1100 JMP &FFEE

1110 3:NEXT

850 BEQ zero 860 JSR hexaut 870 -zero

880 LDA count

. .

.

.

.

.

.

. . .

590 BCC outer

650 CMP #822

600 INC before+1 610 BNE outer

620 .inside_quote

630 JSR transfer 640 BEQ end_of_line



Update on the NFS chip, better security for data files, testing the RS423 port, finding the file length – presented by Bruce Smith

The NFS chip:

more differences

SINCE writing the DNFS review (Beeb Forum, August), Robin Newman brings to our attention two further unpublished differences from the existing DFS and NFS chips. He writes...

The first concerns the use of the 'DESTROY and 'BACKUP commands. When using DFS 0.9 these have to be preceded immediately with a *ENABLE command, due to their potentially drastic effects. With DNFS this *ENABLE can be omitted, in which case the promp 'GO (Y/N) ?' follows the issuing of the command. A 'Y' sends it on its merry way, and any other key aborts the command. This is particularly useful with the *BACKUP command because the information 'copying from :0 to :2' (or whatever the relevant drives are) is printed before the prompt 'GO (Y/N) ?' is issued. This gives a chance for the command to be aborted if the source and destination drives have been typed in the wrong order.

The second difference concerns the NFS half of the chip. Recently I have written a Network version of the "BUILD fname' command contained in the DFS chip. This is useful for forming IBOOT files etc for use on the network. To extract the filename 'fname' from the end of the command line. I have used OSARGS with A=1 (see my example in Beeb Forum, May 1984, listing 1). The 'old' NFS 3.34 incorrectly returns the address of the START of the command line, ie the byte containing the B of BUILD in this case. NFS360 (contained in DNFS) correctly returns the address of the f of fname.

The problem is that one has to accommodate both protocols. Listing 1 shows how I have done this. It is not very elegant, requiring a direct peek at the NFS ROM to determine which version it is. Does anybody know a call that returns the NFS version running in the local machine;

I hope this information will be of use to DNFS users, and that the second one

10 REM excerpt from Net #BUILD command utility by R.Newman 20 osargs=%FFDA:pb%=%70

BO .start LDA#1:LDY#0:LDX#pb%:JSR osargs \ get command line pointer

90 LDA &B004:CMPW&AF:BNE not334 \ check if NFS3.34 100 LDYW0 \ NFS3.34 so search for first space after BUILD

110 .nextchar LDA(pb%), Y:CMP@13:BEQ error \ error if end of line found 120 CMP@32:BEQ nextchar2 \ branch if space found

130 INC pb%:BNE nextchar \ increment pointer and force branch back 140 .nextchar2 LDA(pb%),Y:CMP#32:BNE not334 \ now search for first

140 .nextchar2 LDA(pb%), Y:CMP#32:BNE not334 \ now search for firs non-space character; branch if found

150 INC pb%: BNE nextchar2 \ increment pointer and force branch back

160 .not334 \ rest of program follows. pb% now points to f of fname

Listing 1. Code showing how both protocols can be accommodated when it is entered a start by typing *BUILD fname

will prevent others wasting time finding a bug not of their own making. It is good that Acorn has made the new NFS and DFS versions compatible as far as this OSARGS call is concerned. It would have been even better had they let everyone know about it.

(3)

Confuse the

illicit copier

ELLIS THOMAS's ideas on cursor editing from within a running program (Beeb Forum, August) stimulated some thought. Adrian Robson of Hexham, Northumberland, writes...

The method described could be very useful for some applications but, in the case of file copying, it has a major failing in that it does not obtain the true file name. Let me explain . . .

A method of providing your programs and data files with greater security is to use non-alphanumeric ASCII codes in the file name. For example 240, which is 'p' in mode 7. To

do this you must use an OSFILE call to create the file. Anyone subsequently using LOAD or *LOAD on the file will find that the file name prints on the screen with ?* for the non-alphanumeric ASCII codes. They will be unable to save the file using SAVE or *SAVE, with the correct file name. Even if they knew the file name, they would be unable to enter it directly from the keyboard.

In operation two methods are available for providing the required security: the program could be executed by using CHAIN*, thus avoiding the non-ASCII characters in the file name. The program checks that bytes 382-8.3BD contain the expected file name and refuses to run correctly if it does not. OSBYTE &A0 can, of course, be used to access the name.

The second method, applicable to data and machine code files, is to load the file via an OSFILE call using the correct name in the control block. However, the former method is recommended as it causes greater confusion to the illicit copier.

This technique can also, of course,

Beeb Forum is a platform for ideas, lips and applications relating to the BBC micro and the Electron, intended for experienced programmers to share their thoughts, For every reader's lip published we pay 15 - or more for something special. Contributions should be typed or printed, with substantial listings on cassettis. WRITE TO Beeb Forum, Acorn User, Redwood Publishing, London WCZE SAH. be used for data or machine code files.

Now we obviously require a method of taking legitimate back-ups of our protected files and it is equally obvious that the cursor editing method will not work in this case. The only method available involves access to page three and using an OSFILE call to save the file. This has the additional advantage of simplicity compared with the cursor editing method.

The comment that cursor editing will minimise problems with new OS releases is valid. However, it is more likely that the screen format of the 'OPT 1.2 load message will change on future releases rather than the internal header block format or location. Anyway, the risk and consequences of either is so minimal that they can be only a minor consideration when deciding on the best method for arranging for automatic file backup for your own programs and data.

In conclusion, the cursor editing method is a sophisticated means of arranging file copying, but sophistication is not an end in itself, no matter how well it is justified. To coin a phrase, the cursor editing method when applied to file copying is equivalent to using a hammer to crack a nut and then missing the nut!



the serial port

ONE aspect of the Beeb not often touched on is the RS423 serial port. Perhaps this is because the pin-out diagram in the *User Guide* is incorrect,

John Gallagher of Carlow, Ireland, points out . . .

points out...
The diagram of the five-way DIN plug
on page 406 of the User Guide is incorrect in that the indentation representing the plug case earth should be at the
top of the diagram. The connections are
otherwise correct...



5-way DIN plug for computer

Diagram of the five-way DIN plug as printed in the User Guide. The indentation should be at the top

Alan Crabb's disc catalogue reader program is printed on yellow page 103

John also offers testing techniques...

A simple test of the operation of the RS423 output is the following. Connect pins A and B together and pins D and E together (Data out to Data in and CTS to RTS). Type in the following series of commands.

*FX7,1 < CR > *FX8.1 < CR >

*FX3,5 < CR > *FX2,1 < CR >

Now press any letter on the keyboard and if the serial port is operating properly the screen will print 'Syntax Error' continuously at a slow rate. The screen will also display multiple prompts. If the DIN plug is removed the screen display will halt. The test is crude but effective that the series of the screen state of the screen display will halt. The test is crude but effective that the series of the screen screen display that the series of the screen display that the series of the screen s

Finally, John provides serial connections for an Epson printer

Connect data out line to pin 3 of the printer.

 b) Connect data in line to pin 2 of the printer.
 c) Connect ground to pin 7 of the

printer.
d) Connect RTS to CTS.

The printer will now print in the serial mode in response to the printer-type command "FX5.2 and the switch-on command Control B or VDU2. Note that the baud transmission and reception rates may require setting using "FX8,n and "FX7.n if the default values do not match.

Get the measure

of your files

ALAN CRABB of Shaftesbury took up the challenge to write a program that will read a disc's catalogue and return the length of each file on it (Beeb Forum, August). Alan wins the promised £10 note. Let him explain . . .

The program (listing 2) as it stands will print all the files and their load/ exec/length values on the disc in drive 0. The program is completely Tube compatible and uses only 'legal' methods (routines can be written legally, not accessing the DFS catalogue directly).

The listing is fairly well documented but a few extra notes might help.

The OSWORD call with A=&7D returns the disc's 'cycle number' (the number of times the disc contents have been altered). X and Y point to a single

byte which contains the drive number and returns the cycle number.

The checks in line 370 for illegal directories test for "" and ". The Acorn DFS seems to interpret the "" in a funny way and the colon is used for drive selection.

The OSGBPB (get block, put block) may be new to most readers. It is documented on page 39-42 of the Advanced User Guide (I do not have an Acorn DFS The call with A = 8 is used to 'read file names from the current directory'—hence the loop through all normal directories at line 340. The parameter block pointed to by XY is set up as follows:

0 Cycle number

1-4 Pointer to block for return of

names 5-8 No. of files to be read decre-

mented by DFS 9-C Initially 0, incremented in eights by DFS

The data is returned in the format: length of filename 1 filename 1

length of filename2

filename2...
The length is always 7 and filenames end in spaces if they are shorter.

Finally, lines 800-860 print all the information using functions returning the load, exec and length of each file. The functions may be extracted but be sure to define some workspace for them.



Neat toggling

RÉADERS may be interested to see the assembler routine in the Beeb Forum suggestion for August, "Printer on, printer off", page 65, reduced from 67 to 14 bytes, writes Robin Tracy of Sutton, Surrey.

In general, Exclusive OR (EOR) does not seem to be as widely applied as it might be. EOR can be used to toggle between any two integer values. There is usually a saving in space too.

Suppose you wish to toggle between in' (ASCII 110) and 'y' (ASCII 121) then Exclusive OR does it neatly.

To discover '23' enter the line

P. 121 EOR 110.



HIGH RESOLUTION THAT COMES IGHLY RECOMMENDED

"There is no doubt that the JVC range of ECM object monitors is excellent value for money... ber is no loss in quality of picture after long griods... and remember, as more and more solution is available with new micros, the need is a better display will be that much greater."

High recommendation indeed from Personal mputer News, Meanwhile Acorn User said:

"It seems that all 'normal' and 'medium' solution monitors, including the Sanyo, are imply inadequate to deal with the Beeb's graphics at text output . . . The JVC was excellent, giving iar, legible results . . . Was the JVC better than the scrovitee?" Would I buy one? Yes to both

Our RGB high resolution colour monitor (580 × 70 pixels) sells for £229.95 (excluding VAT) – that's a sangof over £100 compared with other leading monitors (smilar specifications.

The unit has a 14" screen and is suitable for the & Micro, Electron, Sinclair QL, Lynx, Oric, Apple, IBM admost other leading micros.

DODE REFERENCE	1502-2 High Resolution
IESOLUTION	580× (20 Procis
CRT	14"
SUPPLY	\$20:240k S0:001Ez
ERT	Minimum 19 5ks Maximum 22 5ks
VIDEO BAND WIDTH	10MHz.
DORAN	80 characters by 25 lines
SOT PITCH	0 +Inim
DUT VIDEO.	R.G.B. Analogue TTL Input
NXC	Separate Sync on R.G.B. Positive or Negative
EXTERNAL CONTROLS	On off switch and brightness control

And naturally there's a year's full guarantee.

If you order your monitor by post, you'll receive it within ten days by courier service.

Simply post the coupon below to: Opus Supplies Ltc 158 Camberwell Read, London SE5 0EE. Or telephone 01-701 8668 quoting your credit card number. Or, of course, you can buy at our show room between 9,00–5,30pm.

Monday - Friday, 9.00 – 1.00pm, Saturday, *Micrositec Cub La* monitor

To: Opus Supplies Ltd., 158 Cumberwell Read, London SE5 OEE, Please send me:

High Resolution Colour Monitor(s) at £229 95 each (ex. VAT). Medium Resolution Colour Monitor(s) at

£179.95 each (ex.VAT)

Connection lead(s) at £6.00 each.

Lunderstand carriage per monitor will cost an extra £7.00.


(N.B.A. High Resolution Monitor including VAT, lead, and carriage costs £279.5. A Medium Resolution Monitor including VAT, lead and carriage costs £221.89).

Tenclose a cheque for £. Or please debit my credit card account with the amount of £. My Access Barclaycard (please tick) no. is.

Please state the make of your computer_____

Name______Address_____

We've MOVED



To Gaddesden Place, Hemel Hempstead, Herts HP2 6EX Telephone: (0442) 63933 On the 1st August 1984

Computer Concepts are still expanding and require more machine code programmers with experience of Z80/6502 processors. For further details of vacancies write to:

> The Manager Computer Concepts Gaddesden Place Hemel Hempstead HERTS HP2 6EX

SEE HOW THEY SORT

A colourful demo by George Hill shows how data is put in order

NE OF the most frequently performed tasks in computing is sorting, but there are many different methods, as the accompanying programs illustrate. This article will assess their advantages and disadvan-

tages, and compare their performance in various situations.

stated the alogrithm.

What Items are to be sorted? The example programs use lists of boys and girls names, stored in an array. The sorting algorithms, however, can be applied to virtually any data which can be put in order – integers, floating-point numbers, strings, records with a key for example.

Two words there need explaining. First, what is an algorithm? It is difficult to define precisely, but if you describe your method for doing something without recourse to any specific computer language, then you have probably

Second, what is a record? It is a collection of pieces of information, all of which 'belong' to a single item – for example, a person's name, address, telephone number, age, sex, etc. Basic does not recognise records, but they are a fundamental concept in languages that deal conveniently with data processing. Most important sort-ing methods must be able to deal with records, and some must be able to sort records from discord tage lites.

There are two programs. Program 1 allows the various sorts to be operated by selection from a menu. Sixteen assorted names will be sorted slowly, with colour coding to help you follow the sorting process as it occurs. Program 2 consists of the sorting procedures only. They are shorn of all the frills of program 1 that allow the sorts to be watched in action. It serves two purposes: first, to allow you to see how the sorting algorithms are translated into Basic; second, to allow you to copy and adapt them for your own use, should you need to sort some data in a program of your own.

Bubble sort

The first and most commonly understood and used sort is the 'bubble' sort. There are many variations of it, but the simplest and most obviously 'bubbling' algorithm is as follows:

The starting list has n items.

Compare the bottom two items (n and

If the lower one is smaller, swap them, otherwise do nothing.

Now compare the next two items (n-1 and n-2)

Swap, or don't swap as before, so that the smaller item ends up higher.

that the smaller item ends up higher. Repeat the process until the smallest item in the list reaches the top. Now start at the bottom again, and

repeat the swapping procedure until the next smallest item is in position 2. Go on until the list is in order.

The procedures required for this are PROCoubble and PROCowap(i,i) PROCswap simply swaps the array items desist(i) and desist(i) and sets the flag sorted to FALSE. This latter is a simple way of avoiding retesting already sorted items. If no swaps take place in any pass up the list, then the tems must already be in order, so we should exit from the procedure. Program I uses a number of convenience of the procedure is the swap of the state of the swap of the s

tions. Hems being compared are indicated in green. When they are swapped they are shown in cyan (pale blue), When the program is run and bubble' is selected you will see the source list of names on the left and the destination list on the right. The Items will be bubbled up from the bottom and will reach their appointed places as described above.

There are pauses generated by INKEY(wattime). These stop the program running so tast that you cannot follow it. If you still find it to fast. wait-time is set in PROCsetup. Increase it to 200 for a two-second pause, 300 for three seconds, and so on It you want to 'single-step' the program, set it to

100,000 (or higher), then you will get the next step on hitting any key.

This seems an appropriate moment

for a quick skim through program 1.

The main program is very simple. A number of variables and arrays are set up IPROCsetup), and a sorting method chosen from the menu. The sort then takes place, and you are returned to the menu after pressing any key. The last choice terminates the program. Any sort can be aborted by pressing the ESCAPE key, which returns you to the menu.

The sort names ('BUBBLE', etc) and the names to be sorted are in data statements and can be added to simply by adding items to the data statements. The number of sorts is limited to 20, and the last one must be 'END'. The number of items in the arrays is limited to 128 though this could easily be increased and the last one must be "". If you increase the number of names beyond 18 it will not be possible to use the 'before your very eyes' element of the program. An adaptation of the program. using the sorting procedures of program 2 but no display, was used with various numbers of data items to produce the timings in table 2, of which more anon.

The display is in mode 7 and the teletext colour characters are defined as variables (eg. red = 129) in PROCsetup. This makes the subsequent colouring easier to follow. The total number of items in the array is 'max', while the number of sorts is 'num.of.sorts'. The unsorted array is source(s) while dest(s) is the array that is sorted by the various procedures.

PROCmenu is straightforward.

FNchoose(M\$) is a useful generalpurpose function that allows you to pass a string of the form '1 to 20' or '1.2.3.4 or 5' to it, and to select only valid numbers in the stated range. Its limitations are that the left number must be between 0 and 9, and the right number must be between 1 and 999.

PROCdouble produces a heading and sets the text window. PROCwait clears any residual colours on the destination list, and

colours on the destination list, and waits while you check that the sort has worked. PROClist simply lists the destination

PROCsection(i,j,colour) colours a section of the array in the chosen colour.

George Hill's colour-coded sort demo and procedures are listed on pages 104-106

LINIT 14. PEERGLOW INDUSTRIAL ESTATE, OLD'S APPROACH, TOLPITS LANE, RICKMANSWORTH, HERTS. TELEPHONE: 0923 777155 T 01 950 0195

CARE ELECTRONICS presents: CPX2 "X" SWITCHER

Changing leads becomes a thing of the past!!!

- hanging leads becomes a thing of the past!!

 Sign 14.8 BIG 2. Micros driving 2 Printers at the same time.

 All outputs 8UFFERED mobiling longer leads between units.


 No strain on your BBC power supply, as the "CPX2" comes informal power supply as the "CPX2" comes informal power supply.

 Colour Finishers to martis BBC.

 Supplied with moulded marine plug.

 12 Months Guarantee.

"ONLY" £97.75 Inc VAT.





DON'T BUY A COLOUR MONITOR!!

HAVE YOUR PHILIPS 14" COLOUR TV CONVERTED TO A TV/MONITOR

"ONLY" £49.95 each inc VAT.

- * Image clarity comparable to leading monitors.
- * Includes RGB lead for connecting with BBC
- * Conversions carried out at our workshops within 2/3 days.
- * 12 Months Guarantee

"VIGLEN" ROM CARTE	IDGE SYSTEM BBC B:
Complete Set	@ 18.95 inc VA
Spare Cartridge	@ 6.75 inc VA
5 Cartridges	@ 26.75 inc VA
10 Cartridges	@ 47.25 inc VA

RS232 "T" SWITCHER : @ 55.00 inc VAT 25pin "D" 'type Connectors RS232 "X" SWITCHER : @ 65.00 inc VAT 25pin "D" type Connectors

LEADS "READY-MADE":

\$ pin ON to \$ pin ON lylug (RGB) 1 5ml
\$ pin ON to \$ pin ON lylug (RGB) 2ml
\$ pin ON to \$ pin

LEADS "READY, MADE"

RIBBON LEADS:

Disc Drive single Disc Orive dual Printler
Parallel 25-26 pm
Parallel 25-26 pm
Parallel 26-26 pm
Parallel 26-26 pm
Senial 25 pm D type plug each and
Senial 25 pm D type plug each and

CONNECTORS

BBC Power 5 way housing BBC Crimp Terminals

	VIGLEN" TEAC 55 SLIMLINE D	RIVES:	
40	INGLE DRIVES CASED: 0/80 Track 200K Switchable 0/80 Track 400K Switchable	Inc VAT @ 165.00 @ 199.95	
40	UAL DRIVES CASED: 0/80 Track 400K Switchable 0/80 Track 800K Switchable	@ 330.00 @ 399.90	
F	ITEGRAL POWER SUPPLY: Itled to any of the above drives LOPPY DISCS:	(g) 28.75	25
4 (B	Boxes of Ten) uji DrSided DrDensity 5.25"	@ 27.50	23

itted to any of the above drives	@ 28.75	25.00
LOPPY DISCS:		
Boxes of Ten)		
uji D/Sided D/Density 5.25"	@ 27.50	23.95
MICH EN!! BRINTER CTAND	@ 12.95	11 26

Full Twelve Months Guarantee



SC INTERFACE PARTS: Prom HITACH: HN482764G he power Schottky 74LS10 per power Schottky 74LS38	8	VAT 20 ma 3 48 ms
ne power Schottky F4LS38 ow power Schottky F4LS123 ow power Schottky F4LS393 Mos 4013BCP Mos 4010BCP	1000	1 21 ea 1 43 ea 2 70 ea

HOW TO ORDER:

By Post. Enclose your Cheque/P.O. made payable to: CARE Electronics. Or use your ACCESS. Allow 7 days for delivery. Please add carriage

At Disc Drives and CPX2 Switcher @ 8.00 B) All other items @ 3.00

Apologies to all our customers who have experienced problems in contacting us via the telephone This problem has now been rectified by British Telecom

10c VA1 (2) 7 95 ea (2) 3.40 ea (2) 6 85 ea (2) 7 95 ea (2) 3.40 ea (2) 4.00 ea (2) 4.50 ea (2) 3.40 ea (2) 3.40 ea (2) 2.95 ea

Inc VA inc VAT (iii 6 85 e4 (iii 10 30 ea (iii 7 99 ea (iii 1 25 ea (iii 7 65 ea (iii 9 50 ea (iii 12 95 ea (iii 12 95 ea (iii 15 25 ea PROCmark(i,j,colour,pause) marks two items in the chosen colour, and if pause is TRUE (T is TRUE, F is FALSE) a pause is generated by PROCpause for 'waittime' hundredths of a second.

PROCswap(i,j) swaps two items of the destination array, and adjusts the display.

Shuttle sort

The second sort, called 'shuttle', is a variation of the bubble sort. It pushes the biggest item down to the bottom, bubbles the smallest up to the top, then pushes down the next biggest and bubbles up the next smallest. It is attractive in concept but takes the same number of passes as the bubble sort and, due to the cumbersome coding necessary, is much slower.

Insertion sort

The third sort is an 'insertion' sort, whose algorithm is as follows:

Start with the top two items and swap them if necessary to get them in order. Now take the third item and insert it

(by bubbling it up) into its correct place among the items already sorted.

sorted.

Now take the next item, and insert it in its correct place.

Repeat till you get to the bottom item in the list.

Selection sort

The fourth sort is a selection sort. Many sorting algorithms can be adapted to be a selection sort. The principle of selection is as follows:

Do all the comparisons necessary to decide where an item goes *before* actually doing any swapping. Swap only when you know the item's destination.

This has enormous advantages in large-scale sorting operations, where the items to be sorted are complicated records and moving them is time-

consuming. Taking this principle to its extreme, we can often avoid moving the items. We could have a set of 'pointers' to the records and carry out comparisons on the 'key' field - eg the surnames. Instead of moving the records, we move the pointers. We finish with a sorted set of pointers, which in many cases is just as good as a sorted set of records. We can recall them in alphabetical order, for example, and if it is necessary to sort the records themselves, we know where they have to go before we start moving them about - an obvious advantage which lets us minimise the number of moves necessary.

The selection sort here uses the same basic method as the bubble sort. It works as follows:

Start at the top, and 'remember' item one.

Compare it in turn with each of the items below it.

If an item is smaller, then 'remember' it instead.

Go on comparing and 'remembering' until the bottom of the list is reached. The 'remembered' item is now the smallest.

Swap it with item one (unless it was already there).

Repeat this with item two, three, etc until the items are sorted.

The program marks the position for replacement in red, and the remembered item in yellow. The countdown is followed by a green marker.

The disadvantage of these methods is that Items tend to move up the list rather slowly. The bubble sort operates much faster on a partially sorted list than on a random one, and has its worst case when the items are in reverse order. (Every time a comparison is made a swap has to be carried out, and the 'sorted' getout flag never

gets set.) If only one item is out of order, then only one pass will be necessary to place it, and the 'sorted' flag is set on the next pass. The Shell sort is a brilliant method of making the items move more rapidly, and cutting down drastically on the time needed.

Shell sort

In the shell sort items are first compared which are separated by half the list.

For an array with 16 members we compare (and swap as necessary) items 1 and 9, 2 and 10 etc.

Return to the top of the list, and halve the comparison interval, ie, compare items 1 and 5, 2 and 6 etc. If an item is swapped, it must be swapped up as far as it will go at this interval. (Thus if we have to swap items 13 and 9, we must compare the new 9 with 5, and then (if swapped) 5 with 1, otherwise an item might get 'stuck' in the bottom half.)

Now compare items 1 and 3, 2 and 4, etc. Items must be 'back compared' if swapped as before.

A single pass down the list will eventually produce the sorted order.




Figure 1, Graph of sorting times for bubble, shell and quick sorts

METHOD	NUMBER OF ITEMS, timed in seconds							
OF SORTING	16	32	48	64	80	96	112	128
Bubble	0.83	4.21	9.83	17.87	26.67	38.23	52.32	69.2
Shuttle	1.08	5.8	12.63	23.36	33.69	47.13	63.69	86.01
Insertion	0.68	3.43	7.92	14.4	20.68	29.44	40.4	53.83
Selection	0.61	2.06	4.31	7.43	11.29	15.91	21.38	27.66
Shell	0.67	2.21	4.0	6.12	8.26	9.88	12.12	16.75
Quick	1.43	3.04	4.96	7.1	8.78	11.73	13.69	15.57
Tree	1.56	3.93	6.91	9.95	13.29	16.91	20.42	24 18

Table 1. Time trial results for each sort

The mathematical reasons for the efficiency of this method are not clearly understood, but it produces remarkably consistent results, and is the method I would recommend if you want to sort medium amounts of data (50 to 500 items, say).

The last two methods in this brief survey are the most difficult to understand, and are valuable if large amounts of data must be sorted (from 200 to many millions of items).

Quick sort

The guick sort algorithm is as follows:

Look at the list and choose a 'pivot' value. Don't be too fussy, but it will be better if the pivot is somewhere near the middle of the list.

Now sort the list so that a 'partition' appears, above which all items are smaller than the pivot, and below which all items are less than or equal to the pivot. (It is not implied at this point that the Items in either half are in order, nor is it implied that the pivot value is at the partition point.) Now look at the top section (above the partition) and find a pivot. Divide it around a partition as above.

Repeat this sequence until the section partitioned is in order.

Go on until each sub-section left is similarly sorted.

Horrible, isn't it?

Actually it is an ideal algorithm for recursion, which accounts for my rather awkward explanation. Recursion is hard to explain at the best of

Let's look at one bit of quick sort to get the idea. We are trying to sort the numbers 4.2,9,7,1,3. Choose a pivot. I choose 4. (At least it is not the smallest, as the next number (2) is less, so it is somewhere near the middle.)

Let's call the first item 'ieft', and the last the 'ight'. Imagine pointers (L and R respectively) pointing at each. Swap the L and R values. This ensures that dequate if you don't follow it first time. I didn't, and I wrote it Check each time

which is less than or equal to the pivot. So the order now is:

Move the left pointer along until it hits a value greater than or equal to the pivot

Now move the right pointer until it either coincides with the left, or hits a value less than the pivot (4 - remember?):

Swap the values at L and R:

Move L right until it hits a value > = pivot:

Move R left until it meets L, or a value < pivot:

The section is now partitioned. L points to the first number in the bottom half. All numbers to the left of L are < 4, all to the right are > = 4.

You now repeat the process on 3,2,1 and 7,9,4 until the section is sorted. A section is sorted when you cannot find a pivot – all values are equal – or there is only one item in the section.

When you follow it using program 1,1 erecommend a long 'waititime' i' The section being partitioned is turned blue. Cyan again marks items being swapped. The left pointer is yellow, and the right green. The pivot value appears in red to the top right of the list to remind you of its value. Don't feel in-adequate if you don't follow it first time. I didn't, and I wrote it! Check each time

that, at the end of each section, the values above the yellow or green marked value are less than the pivot, and those below are greater or equal.

Tree sort

The final sort is the tree sort or heap sort. The values are treated as a binary tree. This may become clearer if you look at the examples below. The algorithm is as follows:

Sort the tree out so that the biggest value is at the top (or root – computing trees are upside-down) of the tree, and so that all 'children' are smaller than their 'parents'. This is called a 'partially ordered tree'.

Now extract the value at the bottom of the tree (its rightmost 'leaf' – upside-down tree, remember).

Replace it by the 'root', which must have been the biggest value, and so belongs at the bottom.

Now find the right place to replace the removed leaf by swapping the larger values up towards the root, until the leaf slots in.

until the leaf slots in.
Repeat with the next leaf, and continue until sorted.

Confused? Let's watch it in action for the same six numbers as before, 4.2.9.7.1.3.

As a tree they are:

Start at the 2, and follow it up to the root 2.4. For the partially ordered tree every parent must be bigger than its children: 4 is bigger than 2, so leave them.

Move on to 9, and follow it up – 9,4 – 9 is greater. Swap them. Move on to 7 – 7,2,9. Needs changing to 2,7,9, and the tree is now

Move on to 1 and follow it up - 1,7,9. No

change needed.

Move on to 3 and follow it up – 3,4,9.

No change needed. Note that 9 is

bigger than 7 or 4, 7 is bigger than 2 and 1, 4 is bigger than 3. To sort the tree, extract the 3, and put the 9 to the bottom:

Where does the 3 go? Look for the larger child of the empty root. This is the 7. Compare it with the 3. If it is bigger, move it up to the root, and look

120

TECHNIQUES

at its children:

21 9

Look at the larger child (2). It is smaller than 3, so replace 3 where the ' is.

3 4 2 1 9

The subsequent stages in the sort are:

and the tree is now sorted!

In program I the tree's 'generations' are coloured. The root is magenta, first generation is red, second generation by yellow, third generation blue, fourth generation (one item only) magenta again. Items being compared are green, and Items being swapped are cyan. When an item reaches its correct slot it is white.

Pros and cons

What are the advantages and disadvantages of these methods? Let's ignore the shuttle sort, which seems to have no advantages. The bubble, insertion and selection sorts are all reasonably easy to code, and for small amounts of data there is little to choose between them, though the selection method is clearly faster, as I avoids unnecessary swapping – comparisons are much quicker than swaps.

The shell sort becomes more efficient in the medium range, though it takes a little more careful coding.

The quick sort and tree sort come

into their own only on larger amounts of data. Even with 128 items the guick sort has caught up and overtaken the other methods, but the tree sort is still behind shell. On larger amounts quick and tree get well ahead. The great and unreadable authority Knuth suggests that the quick sort should be used to partition down to about nine items, and then the final sort should be done with one of the simpler algorithms. The tree sort has one advantage over the other methods. It always takes the same number of comparisons to carry out the sort whatever order the data was in initially. It has no 'best' and 'worst' case, except for minor variations in the number of

swaps necessary, which could be got over by the selection method suggested above. Its disadvantage is that it has to sort the data twice.

Timings of the various methods on varying numbers of random names are summarised in table 1. This clearly illustrates the folly of trying to stick to the simpler algorithms for large numbers of data items, and the equal folly of writing complex recursive procedures to sort small numbers of data items.

Notice how the time taken by the simple algorithms is proportional to n 2.2 (If the number of data items double, the time taken is multiplied by 4). The quick sort is an O(nlogn) method, while the tree sort is an O(2nlogn) method. Their times in-crease much less rapidly as the number of data items increase from the control of the number of data items increase from the number of data items increased in the number of data items in the number of data

One more type of sort needs to be discussed. These are sorts that can be applied to large files. The problems arise when the data cannot all be held in memory at once. Two important sorts which can deal with this situation are the merge sort and the tournament sort, or a combination of the two. These will be illustrated in a later article.

TAMINDER THE DATABASE MANAGER FOR YOU

WILL USE ALL DRIVES AS A SINGLE UNIT

WILL USE ALL DRIVES AS A SINGLE UNI
Dealer inquiries welcomed port for string, numeric, integer

DATAMINDER is a powerful and flexible truely disk based database management system. It is designed to murumise the thought and effort required to set-up, maintain, organise and use large collections of data.

Three screen editors are included. The first provides to easy definition of new files or restructuring of existing files. The second functions like a workshee for the writing and recall of records. A wide variety of record displayment are available some allowing immediate editing of disk contents. A third screen editor opens-up a wide variety of possibilities for producing customated reports containing information selectively drawn from a file and mail merged letters or circulars. Reports can be structured in standard essay format with the bulk of the text sand-wiched between an introduction and conclusion.

For rapid access any or all of the fields can be indexed with a balanced B-Tree structure ensuring optimal record searching and eterieval times. These are typically 3-4 seconds to locate one record from a 1000. Search requests can be specific and include as many fields as you wish. Selection can even be made on the results of commands temporarily manipulating field data.

ADDITIONAL FEATURES INCLUDE

port for string, numeric, integer and date fields. \$\psi\$ 5 date

formats and strings of up to ISO characters long allowed. — Automatic allocation of disk space for files and extension of this as and when necessary. © Rapid switching between use of separate files. ® Batch updating and deleting of records. © Optional program monitor enabling, among other things automatic checking to warn you beforehand of duplicated record entry. © Fields can be inserted, deleted, moved or renamed, indexed or de-indexed.

Field types and entry lengths are also alterable. Due to 10 files each with any or all of the fields redefined in any of the above variety of ways can be processed in a single batch operation.

The package includes a comprehensive manual introducing you to the system and furnishing dedicated users with all detailed information they could wish for.

ONLY £ 29.50 + £ 2 p&p ex.VAT

Send now for our information leaflet, or order direct by writing to Access welcome





E PRINTED WORD

W PRICES

P SERVICE

ଅଥିଲା ଅ

out during

District

JUKI 6100

One Year Warranty 20 CPS BiDirectional & Logic Seeking 10, 12, 15 & Proportional Spacing Wordstar Compatible 2K Buffer: 13 Inch Platen Underline · Backspace + Lots more Centronics Interface Standard RS 232 Interface £54.00 + VAT Extra Tractor Feed £99 00 + VAT Extra

Single Sheet Feeder £238.00 + VAT Extra JUKI 6100 £330.43 + VAT = £380.00

BBC/ORIC or DRAGON Package JUKI 6100 + C.J.E. PRINTER PACKAGE £400.00 inc. VAT



STAR GEMINI 10X

One Year Warranty True Descenders 9 x 9 Matrix 120 CPS Bidirectional & Logic Seeking 40, 48, 68, 80, 96, 136 cpl Italics. Emphasized. Double strike. Super & Sub Scripts Downloadable Character Set Hi-Resolution & Block Graphics Friction or Tractor Feed 10 X 10" Carriage, 15 X 15" Carriage Centronics Interface Standard RS232 Int. £52.00 + VAT Extra

Gemini 10X £235.00 Inc VAT Package for BBC/DRAGON/ORIC GEMINI 10X + CJE Printer Pack £255 Inc. VAT Star Gemini 15X £380 inc. VAT

STAR DELTA 10 SPEC. AS FOR 10X PLUS:-160CPS: 8K BUFFER CENTRONICS + RS232 INT'S STD £311.30 + VAT = £358.00

CANON PW-1080A

Near letter Quality Printer NLQ Mode 23 x 18 Matrix 27 cps Draft Mode 11 x 9 Matrix : 160 cps Full range of Epson FX 80 Print Codes Friction & Tractor Feed ronics Interface Standard CANON PW-1156A (Accepts 15" Paper) Available

CANON PW-1080A £278.26 + VAT = £320.00 CANON PW-1156A £360.00 + VAT = £414.00

PACKAGE PRICE for BBC MICRO/DRAGON/ORIC CANON PW-1080A C.J.E. PRINTER PACKAGE £345.00 inc. VAT CANON PW-1156A C.J.E. PRINTER PACKAGE £439.00 inc. VAT

> Special RS 232 Printer Bargain STAR DP8408 (8" Printing) £187.00 inc. VAT Ideal for BBC/Newbrain/HX20 & Spectrum Int. 1 Phone for full specification

C.J.E. Micro's BBC Printer Packs

For Star, Canon & Julio Printers include The Printer

2. Delivery by Securico 3. Cable to the BBC 1.3 Metres

4. Screen Dump Progam (M/C Source) 5. Text Dump Program

6. Function Key set up Program. For use with WORDWISE 7. Function Key Label Printing Program. For use with above.

8. VIEW Printer Driver 9. 100 Sheets of Paper

10. Mains Plug with 3 Amp Fuse

11 Booklet giving details of using the printer with a BBC. 12. Character Defining Program for Downloadable-character-set

C.J.E. Printer Packs for other micro's include:-Printer, Cable, Paper, Mains Plug & Delivery

BBC MICRO MODEL B £399.00 Electron £199.00

BBC Micro Model B with Disc Int. £469.00

Large Range of Accessories including Disc

NEWBRAIN to 25 Way D Type 25 way D type to 25 way D type

ers. Monitors always in stock Printer Cables BBC to 36 Way Centronics Type Connector Dragon to 36 Way Gentronics Type Connector Onc to 36 Way Centronics Type Connector Torch to 36 Way Centronics Type Connector

Serial Printer Cables BBC to 25 way 0 EPSON H0000 to 25 way D turns

Blank C15/C30 Cassettes Ten for £4 50 ANY MIX Send SAE for Full Price List

VAT INCLUDED WHERE APPLICABLE PHONE/CREDIT CARD ORDERS WELCOME

Postage 50p per order or as stated 24 Hr Securicor Delivery for Printers/Disk Drives £8.00

(SHOP/WORKSHOP CLOSED MONDAYS)

C.J.E. Microcomputers T. (AUL. 78 Brighton Road, Worthing W Sussex BN11 2EN (1960); 213900

EXPORT ORDERS WELCOME

RING FOR SAMPLE PRINTOUT, FULL SPECIFICATIONS & LATEST PRICES BEST PRICES & BACKUP ON THE STAR JUKI & CANON PRINTERS

INTERNAL EXAMINATION

The Beeb can be programmed to self-diagnose its own ills. Paul

Beverley wields the stethoscope

WHAT do you do if you suspect your computer has a hardware fault? If you have a dealer near at hand and your machine is still under warranty there's no doubt as to the best course of action. But if your machine is out of warranty and if you don't have a good dealer nearby, you have a problem!

Now, assuming you have some idea about electronics—for example, you know one end of a soldering iron from the other and you are bold enough to linker with your machine—where do you start? The problem is that it's a complex piece of hardware and most of the test techniques available involve expensive pieces of equipment. Suppose you haven't even got an oscilloscope. Is there anything you can do? Well, in this article hope to show you a technique that is used in industry for fault-finding microprocessor systems.


The commercial test units are not cheap, but we can take advantage of the versatility of the BBC micro-computer and use the technique with minimal external hardware that can be made up fairly cheaply on an old bit of Veroboard.

The technique, 'signature analysis', involves actually running a program in the computer under test to check whether the computer is functioning properly. This means that it cannot be used for testing a totally dead machine, but despite this it is a useful technique with the major advantage that it can be done cheapiv.

The basic principle

While the test program is running a probe is used to pick up a data stream from one point in the circuit. The hardware compresses this data stream into a 16-bit number, which is read into the computer itself. The number produced by testion any piece point (referred to as its 'signature') doesn't have any particular significance in Itself, but it will be characteristic of the data stream that produced it. Thus, by comparing it with the expected signature for that point, you can tell whether or not that part of the computer hardware is working properly.

The test routines are tried out on a known working system and the signatures obtained at various test points, such as address and data lines, are noted. These can then be compared with the signatures obtained on a suspect system and, when false signatures appear, it becomes clear that there is a fault. It is important, however, that no interrupts are allowed to occur during the test period as these don't happen at the same time in any given test run and will thus give a different signature each time the test is tried.




If the test routine is changed in any way all the signatures will be different, so the routines, once set up, must not be changed. If you want to use the test routines they must be copied faithfully from the listing, then you can use the estignature values given in tables 1 and 2. If you want to use different routines, they need to be tried out first on a computer known to be working properly and the signatures recorded. By using different routines you can 'exercise' different parts of the circuit such as the keyboard, display and printer interface.

A number of faults occur commonly in digital systems, and many can be detected by the signature they produce. For example, if a line is permanently low the signature will be 0000, and if the line is permanently high the signature will have a particular value depending on the duration of the test. This value can be found by putting the data probe on the +5v line. If two lines come up with the same, but incorrect, signature the chances are there is a short-circuit somewhere between those two lines.

Hardware

The circuit used is shown in figure 1. and if you read last month's article, which dealt with hardware random number generators, you will probably recognise part of the circuit. The hardware of the analyser consists of a 16-bit shift register connected to form what is known as a 'ring counter' or 'chaincode generator'. This generator is used as a data-compressor to produce the signature of the incoming data. The data, as it comes in, is Exclusive ORed with the other feedback lines of the ring-counter. There is a reset line so that the counter can be made to start at zero at the beginning of each test.

This is all that is required at the heart of a signature analyser, but commercial units are self-contained in that they have their own display to indicate the



by testing any given point (referred to | Figure 1. Hardware of the self-test signature analysis system

It's a British product, it's versatile, it's powerful and it's

Cutting the cost of business software in half.



An easy to use, all-in-one software package for businesses for an incredible

£295

plus VAT

Please Note: While Microstyle will endeavour to maintain sufficient stocks of items curren or previously advertised we regret that all items are offered for sare sucyect of availability from manufacturers.

If you've delayed making the change to a business computer system on the grounds of cost or complexity THINK AGAIN...THINK EASY!

'Easy junor' is a complete, accounts management package designed for use with the top selling BBC microcomputer and TORCH 280 disk drive package* award winning. Developed wholly in the UK. The "Easy junor" system has been created to fulfil the needs of users with little or no computer experience and to grow and develop in time with your business needs.

*Also available for APRICOT Written in CIS Cobol

Easy junor' has been designed with the user in mind. Even the Easy junor' manual is the result of careful and far reaching research into the needs of individuals and businesses who will be using the sylem. Easy junor allows you to control your accounts, your stock and your involcing and to provide up to the minute management information form a choice of over 20 printed reports and screen enquiry facilities. Even those with no computer experience will guickly be able to provide a valuable and cost effective accounts management service.

'Easy junior' is not only powerful, and simple to use but is tlexible too! As your business grows you accounting facilities need to expand and 'Easy junior' is designed to grow with you. All the central programs featured in the 'Easy junior' package are the same as those featured in the 'Easy 'or 'EASY'plus' systems for larger businesses. If you outgrow 'EASY junior' all you have to do is advance to the next EASY system with almost no retraining and no loss of tixed data.

EASY junior: Truly professional business software at a truly business like price.

word complians and your singlycup.
This idea to Coulous to the Inches of American Coulous to the Inches of American

Featuring:



SALES LEDGER Add Artend and delete sales accounts Pas Invoices, Credit Notes, Payments and Adjustments, Analyse your sares by 99 stop groups and 99 customed groups accompanies accounts to second sales.

Print: Customer List

Aged Debt Analysis

Output VAT Analysis

Stales Analysis Report

Customer Analysis Report

Customer Statements

Audit Tras

Screen Engury

Familia



NOMINAL LEDGER Add amend and delete Nor

Post journals

Print: Chart of Accounts • Trail Balance •
Nominal Ledger • Audit Trail • Screen
Enourly Facility



NOMINAL

LEDGER

STOCK CONTROL

standard cost swelvage, and test cost.

Print: Stock Record: # firm Usage Report.

Recorder Report = mem Usage Report.

Recorder Report = cost of Sales by Produ

A Audit Trail = Screen Enough Facility.



PURCHASE LEDGER

INVOICING

Raise sales invoices inked to stock and Sales Ledger. Record purchase invoices price stock. Price: Invoices

PURCASE LEDGER

Add affected and delete supplier account Post invoices, credit notes, payments and adjustments. Analyse your purchase by 9 codes. Automatically record your VAT.

Print: Suppliers List • Aged Credit Analysi • Input VAT Analysis: • Purchase Analysis Report • Supplier Statements: • Audit Tris • Screen Endury • acity



MCROSTYLE FOR CHOICE, VALUE & SERVICE

Dealer Information update

dicrostyle have been appointed as an dicial, regional distributor for ASYJUNIOR business software

BUSINESS SOFTWARE AT ITS BEST' ontact us now for more information and EALER DEMONSTRATION PACKS. software available for BBC + TORCH DISK

the network is spreading.. very month more and more retailers

contrywide are discovering Microstyle alue and service. So contact us now and nd out more about what you could gain om joining the Microstyle dealer network!



DEALER HOTLINE

Trade Enquiries Only



Branches:

The Aylesbury Computer Centre 52 Friar's Sq., Aylesbury felephone: Aylesbury (0296) 5124

The Bath Computer Centre 9 Belvedere, Lansdown Road, Bath. elephone: Bath (0225) 334659

he Newbury Computer Centre Cheap Street, Newbury elephone: Newbury (0635) 41929



Figure 2. The wire link on the keyboard PCB that carries the 1MHzE signal

cut the cost down, we use the computer

itself to read and display the signature.

registers is read into the micro by using

the shift register on the 6522 VIA. To do

this, the PB7 line is used to disable the

normal clock pulses and allow the

pulses coming out of CB1 to clock the

registers as the data is read into the VIA

on CB2. PB0 is used to reset the regis-

Care should be taken to keep leads

as short as possible and adequate

decoupling should be provided as sug-

gested on the circuit diagram. The

clock signal used during the analysis is

the 1MHzE line, which is easily avail-

able on the keyboard PCB as shown in

figure 2. This line is used in preference

ters

signature obtained - usually a modified input/output, both internal and exterseven-segment display. In our case, to nal, takes place at 1MHz. Thus if a 2MHz clock is used it is difficult to obtain a stable signature. The number held in the two eight-bit

Even when the 1MHz clock is used problems are caused by the dualspeed clock that the Beeb uses (1MHz/ 2MHz). You will find there is an occasional variation in the signatures produced on the data lines, usually only of 2 or 4 in the least significant hexadecimal digit - ie, there's some variation in one of the last three bits of the data stream. This takes place as the 6502 is reading the value held by the VIA. Such variation should not, of course, be taken as an indication of a fault in the circuit.

Apart from having the test leads as short as possible, it is a good idea to screen them. If they are not screened to the 2MHz line because much of the and the lead carrying the 1MHz clock

TEST	1	2	3	4	5	6	7	8
*5V	EDC7	B752	DB66	C7A2	8593	8488	29DD	B279
AØ	515C	B4ØC	5190	B747	FD31	D453	ASDB	FØ71
A1	5329	6159	A24B	B1B2	CFDA	7A1B	9282	1287
A2	3373	30D2	3B57	4289	57DC	EBE4	SEØE	64CF
A3	7E2Ø	2072	FEFE	Ø51F	95A3	30CC	68D8	CB3C
A4	ACA5	EF96	4A33	273E	Ø2C5	5284	2E19	Ø4DB
A5	ECEB	2891	155F	BAA9	738F	135E	788C	5851
A6	BF3A	3A25	0185	E74A	4FBB	FDB4	A110	339B
A7	9463	516C	ØD83	9ØB4	ASED	8068	FØ3D	SDSB
BA	ØDF2	AC41	1 BBA	9279	ASED	3732	5EF9	75E2
A9	BSE1	9ASE	0002	0006	4F6F	B7E4	E81C	EB2C
ALD	55D6	B14F	CØ6C	EØ38	267E	838A	7724	C79B
A11	EØ35	814F	COPC	55DB	267E	838A	7724	C79B
A12	0002	8882	0002	BSES	4F6F	B7E4	E81C	EB2C
A13	2002	0002	0002	BSE5	4F6F	B7E4	EBIC	EB2C
A14	0002	9ASE	0002	BSE5	4F6F	B7E4	EBIC	EB2C
A15	BSE1	9ASE	0002	0006	4F6F	B7E4	E81C	EB2C
DØ	2AB5	2074	75DA	CFDØ	769A	B935	AD51	FC97
D1	2BAB	1EF3	5898	9214	BB14	107A	4082	9D34
D2	F41B	A219	B515	DBC2	6135	FØØ4	7B1A	E4CF
D3	EEE4	FB7F	7216	BC38	13DØ	6E42	771D	BF7E
D4	9856	Ø6CC	AZ6E	BARB	CC6F	788C	7BE7	466E
D5	3C1E	7DBB	6EØA	E417	83DØ	C230	EØEA	8006
06	131F	3A15	1FC6	8329	78E8	CAD3	C6EB	9116
D7	EABC	857D	7Ø8C	1337	B3D4	9A2C	8667	15DC
R/NW	EØ57	B12D	COOR	EØ7E	2638	B3CC	7746	C7DD
sync	8710	8846	DBAD	2798	70AB	856C	D7BE	DCD9

Table 1. Signatures on the main processor bus lines for each of the eight tests

HARDWARE

Test 5		
VIAA (IC 3)	pin 23	CAFA
Test 6		
8271 (IC78)	pin 7 pin 9 pin 24	0007
Test 7		
Video ULA (IC 6)	pin 17 pin 18 pin 19 pin 28 pin 21 pin 22 pin 23 pin 24 pin 28	9305 9702 9359 6068 2675 6279
Test B		
ACIA (IE 4)	pin 9	2807

Table 2. Signatures for various test points on specific ICs

signal is brought anywhere near the data input lead, you may find the signature becoming unstable.

Software

The operating program (yellow page 107) is written in a reasonably structured way and should be more or less

self-explanatory. The display it produces is a line of text asking for the number of the test to be carried out. This information remains on the screen, while the results are shown in a text window underneath. After selecting the test required and pressing return, you can either have that test running repeatedly, displaying the results on a scrolling screen, or do the test once at each test point. For a continuous output, press Return again.

If any other text is typed in it will be displayed on the screen and then, when you press return, the text is carried out once and the result displayed opposite the text that you entered. This enables you to type in the name of the test point and then do the test. For example, you could put the test probe on the first address line, type in AO and then Return, and the signature for the AO ine would then be displayed. You can use CTRL-0 to switch on the printer and CTRL-0 to switch on the printer and country of the AO of the CTRL-0 to switch on the printer and country of the signatures for the various test-points on each of the tests.

If you want to change to a different test, press Return followed by N (for Next) and it will go back to displaying the prompt, which asks for the test

number. If you are using a printer, switch it off before you do this. The sequence is 'CTRL-C, return, return, N'.

As it stands, the program offers eight different tests covering the lower half of the RAM, the upper and of the RAM, the upper and of the RAM, the upper and lower halfves of the ROM, the internal VIA (VIA-A, IC 3), the disc controller chip (IC 78), the video ULA (IC 6) and the ACIA (IC 4). Any Univerted rests can be added to the end of the existing tests, simply using the same format. The signatures resulting from these eight tests are given in Table 1, and some of the signatures at particular points on the ICs in Table 2.

points on the ICs in Table 2. These signatures should be the same whatever machine you are using as except that, as already mentioned, you tend to find that the signatures on the data lines are different by either 4 or 2 in the least significant hex digit. Having said that, you may find certain variations and, considering the amount of data in table 1, there's more than likely to be one mistake or more.

Ideally you should make up this unit before your computer goes wrong. You can test out the routines on your machine and make any necessary changes to the list of signatures.

Why buy two when one will do?

The INFRASCOPE COMMUNICATOR II is an electronic typewriter AND a computer printer



ALL IN ONE

- * RS 232 Compatible KSR and Parallel RO interface.
- * Approved interface for the SCM 1100 Typewriter.
- ★ Interface cables available for BBC/B. Commodore 64. Sinclair QL, Spectrum, or virtually any other micro computer with an RS232 or Centronics interface.
- * Choice of 2 or 8K character buffer.

ALL THIS FOR ONLY £458 Incl. VAT and Delivery (Interface Cable Extra) VISA/ACCESS Accepted

The new KSR COMMUNICATOR II is now available for immediate despatch. Using the popular Smith Corona EC 1100 typewriter we have created a high quality computer printer by fitting our new

But don't take out word for it, write or phone for our free comprehensive data sheet.

INFRASCOPE LIMITED

Longbeck Road, Marske, REDCAR, Cleveland. TS11 6HQ. Telephone 0642 470121

INFRASCOPE interface.

OUR DOUBLE-SIDED 3"DISC DRIVE. ATRIPLE OFFER

Opus have a triple offer of 3" disc drives for those who wish to improve their micros.

The disc drive is compatible with the BBC Micro, has a direct drive mechanism, is double-

sided and comes with a comprehensive manual And with every purchase, a 3" utilities cartridge

vill come free. Our offer also includes VAT, all necessary leads and carriage along with a two year guarantee-which is a year more than any other company can offer.

You can order by posting off the coupon below

or calling at Opus Supplies Ltd., 158, Camberwell Road, London SE5 OEE. 01-701 8668 or 01-703 6155.

We are open 9-5.30 Monday to Friday and 9.00-1.00 p.m., Saturdays,



3" DISC DRIVE

You can buy this 500K (Unformatted) double-sided disc drive for the same price that other companies sell single drives for. The drive heads read and write to and from both sides of the disc cartridge, giving you twice the on-line capacity of single 3" drives.

Normally £229.95 Now £199.95

SAVE £30



3" DISC DRIVE AND DOUBLE DENSITY INTERFACE

If you currently run your program on a cassette recorder, you'll need to upgrade your micro in order to use a disc drive. This offer not only gives you an interface, but it effectively doubles the capabilities of the drive-giving you 350K of usable capacity instead of the 200K normally achievable.

Normally £359.95 SAVE £60

Now £299.95



3" DISC DRIVE AND 5¼" DISC DRIVE

Both drives come 'daisy chained' (or linked) together. They're completely compatible and will allow you to down load all those programs you made on 51/2" floppy discs onto a robust 3" cartridge

Normally £379.95 N Now £329.90

Description nclose a cheque for A. TOTAL

release debit my credit card account with the amount of &. Mccess/Barclaycard (please delete) liv Opus Supplies Ltd.: 158 Camberwell Road, London SE5 DEF, Please rish me the following (ALL PRICES INCLUDE VAT & CARRIAGE.) Name____

Address

Telephone,

ORBIT ORBIT

ELBUG FOR THE ELECTRON

WON NIOL FORA FREE CASSETTE

Join the Electron User Group

Members receive 10 copies of the magazine ELBUG each year. ELBUG is devoted EXCLUSIVELY to the ELECTRON MICRO. It is packed with News, Reviews, Hints, Tips, Programming ideas, Major articles, plus Regular program features including games and useful utilities.

ELBUG is produced by BEEBUG Publications Ltd., publishers of BEEBUG, the magazine of the National User Group for the BBC Micro. BEEBUG now has some 20,000 members and has achieved a high reputation both in this country and abroad.

The formula which makes BEEBUG an invaluable companion for users of the BBC micro, has been applied to ELBUG.

By subscribing to ELBUG you gain all the advantages of a single-micro magazine, with no space wasted on programs and articles for other computers.

RENEFITS OF MEMBERSHIP

ELBUG MAGAZINE

Ten copies a year mailed free of charge.

DISCOUNT SCHEME

Extensive discount scheme with major retailers.

SOFTWARE LIBRARY

A growing range of software titles at budget prices for members.

SOFTWARE CLUB

Substantial discounts on software from major software houses.

LOCAL USER GROUPS

Lists of local affiliated user groups.

SPECIAL OFFER **8 FREE PROGRAMS**

- 1. SPACE CITY. Defeat the invading Aliens with your laser, and save the city
- 2. 3D NOUGHTS AND CROSSES. Pit your wits against the ELECTRON on a 4x4x4 board
- 3. RACER. Guide your racing car to victory, avoiding other cars and obstacles on the track
- 4. 3D MAZE. In this challenging game, you must escape from the maze - The screen displays a 3D view from inside the maze
- 5. PATCHWORK. A multicoloured display of continuously changing patterns
- 6. KEY SET ROUTINE. A program to set up the user function keys 7. MEMORY DISPLAY. An efficiently written utility to display the contents of memory (ROM and RAM)
- 8. CHARACTER DEFINER. Define individual graphics characters with this useful utility for use in your own programs.



SPACE CITY



RACER



3D MAZE

HOW TO JOIN

To subscribe for one year, and get your FREE CASSETTE send £9.90 (payable to Orbit) plus a strong stamped addressed envelope (for the c SUBSCRIPTIONS TO: ELBUG, DEPT 13, PO BOX 109, HIGH WYCOMBE, BUCKS

ombs frial subscription (5 issues) UK only £5 90.—FREE CASSETTE OFFER STILL STANDS, serbilo potade UK (one year only). Elie and Europe £16.00. Middle East £19.00. Americas and Africa £21.00, other countries £29.00. W Address. ORBIT, £79.100 X5.51. Xaburus. Hests.

ATTRACTIONS



+VAT = £218.44 120 cps . Bi-Directional Logic Seeking . Friction Tractor and Roll Holder Standard .

Downloadable Characters Ultra High Resolution

● 80 cols ● IBM PC version now available



14 INCH COLOUR N

GEMINI-10X **FIDELIT**

12 MHZ Video Bandwidth

RGB and Composite Video £169.95+VAT

- £195.44 Also available in TV/monitor version at £195.95 (+VAT) = £225.34

LOOK! **NEW LOWER PRICES ON EPSON STAR & BROTHER**

DAISYWHEEL PRINTERS **BROTHER HR 15** CALL FOR BEST PRICES JUKI 6100 £325 + VAT = £373.75 £225 + VAT = £258.75 **EPSON DX 100**

£369.95 + VAT = £425.44 DOT MATRIX PRINTERS **EPSON RX 80** £198.95 + VAT = £228.79 EPSON RX 80 F/T £228.95 + VAT = £263.29 **EPSON RX 100** £384.95 + VAT = £442.69 EPSON FX 80 £319.95 + VAT = £367.94 EPSON FX 100 £498.95 + VAT = £573.79 STAR GEMINI-10X £189.95 + VAT = £218.44

STAR DELTA 10 £319.95 + VAT = £367.94 STAR RADIX 10 £498.95 + VAT = £573.79 THERMAL MATRIX PRINTERS

STAR STX 80 £129.95 + VAT = £149.44 CALL FOR BEST PRICES **BROTHER HR5** CALL FOR BEST PRICES **BROTHER EP 44**

Cables - Paper - Ribbons - Sheet Feeders Tractor Feeds - Interfaces - Call for Best Prices



CREDIT CARD HOT LINE 01-482 1711

VISA

PLEASE ADD £10 + VAT FOR DELIVERY POST YOUR CHEQUES/P.O.'s TO

DATASTAR SYSTEMS UK UNICOM HOUSE, 182 ROYAL COLLEGE STREET

LONDON NW1 9NN Telex 295931 UNICOM G

TAX-FREE EXPORT & DEALER ENQUIRIES WELCOME Personal callers welcome. We are situated at the junction of Camden Road, near the railway bridge.

kevzone

SOLID STATE DESK TOP **SWITCHING DEVICES**



THE PRINTERSHARERS



26 PIN (AS BBC) 3 MICROS TO 1 PRINTER

E65-26 PIN (AS BBC) 6 MICROS TO 1 PRINTER £129-36 PIN (AMPHENOL) 2 MICROS TO 1 PRINTER £85-36 PIN (AMPHENOL) 3 MICROS TO 1 PRINTER £105

SOLID STATE SWITCHING * Solid State Switching

* Saves time * Extra cable lengths * Saves money * No plugging/unplugging * Easy to operate

* Connect in multiples * No limit to sharers * 12 months warranty

SAVES TIME & MONEY

* Simple installation

THE PRINTERCHANGERS



EX VAT £75-£95. £115-

26 PIN (AS BBC) 1 MICRO TO 3 PRINTERS 36 PIN (AMPHENOL) 1 MICRO TO 2 PRINTERS 36 PIN (AMPHENOL) 1 MICRO TO 3 PRINTERS

KEYZONE SOLID STATE "PRINTERSHARERS" AND PRINTERCHANGERS" ARE THE ONLY SWITCHING DEVICES TO INCORPORATE THE 26 PIN BBC PRINTER PORT CONNECTIONS

OPTIONAL

26-36 PIN 2 MT

MP1 - DC mains power pack for sharer/changer £6.50 LEADS - PARALLEL

26-26 PIN 2 MTS £9- Each pack of 3 £25 £10-Each 26-36 PIN 1 MT 26-36 PIN 1.5 MT £12.50

£15

Any cable can be made to order

SERIAL - RS232 EX VAT 3 way 25 pin Printersharer/Change £75-

LEADS - SERIAL EACH PACK OF 3 25 pin D type plug on each end - 2MT £34-25 pin D type plug on each end - 5MT £14-£39.50


KEYZONE LTD

U 14, Regeneration House, School Road, Park Royal, London NW10 6TD. Telephone: 01-965 1684/1804 Telex: 8813271

All products carry a full 12 months guarantee All prices are exclusive of postage & VAT P&P Switches £1.50 each, MP1 & Leads £0.50 All Keyzone products are designed and manufacturered in the UK and are supplied fully tested to the highest standards

ACORN USER OCTOBER 1984

Take the mountain to Mohammed for less than £300



TRANSPORTABLE GENERAL PURPOSE INTERFACE plus IEEE—488 FULL CONTROLLER

Memory Expansion? I/O and Peripheral Expansion? CPU Development? Instrumentation/Process Control? Industrial, Educational Commercial, Personal applications across all common microcomputers

Full range of supporting P.C.B.'s for DIN 41612 and edge connectors plus limited stocks of low cost pre-production boards and wyvern units.

WESSEX MICROCOMPUTERS

9 Hopkins Court, Bennetts Field Trading Estate, Wincanton, Somerset BA9 9DT

Telephone: 0963-33509







Accepted



SYSTEM SOFTWARE

·ROMs for the BBC microcomputer.



The complete program development package for assembly language programmers. ADE is the de tacto inoustry standard for professional software writers using the BBC microcomputer. The 16k ROM contains a full 6502 MACRO assembler, a drymamic text edition; a front panel debugging monitor and disassembler. ADE comes complete with a 160 page comprehensive reference menual and a utility/march blassy disc. ADE can also be used with face based machines.

The ASSEMBLER features macros with library facilities; nestable conditional assembly, flexible liating options | with or without macro expansions); hex, decimal, binary and ASCII data formass; downny section, full range of arthmeter and logical operators; symbol table sort and downs; file chaning and 29 powerful pseudo ops. Source and object files are kept on disc so there is no limit on program size or location.

The EDITOR is designed with the programmer in mind for writing both programs and documentation. The editor includes a very powerful command language lincluding miscrost that enables much editing to be done on a semi-automatic basis. If electures full screen editing and deferred edit modes; no limit to document size, edit with backup facilities and a versatile text formatter.

The DEBUGGER is instantly accessible for inspecting, modifying and disassembling mathine code programs. Features include full 64 byte display in his., ASCII and disassembled format, registers, stack, single step, breakpoints; memory search and much more.

Price £60 inc vat. Please specify 40 or 80T utility disc.



ASM provides all the superb features of the ADE macro assembler on its own ROM.

The program source file may be written using any editor [even Wordwise or View!]. Complete with reference manual and utility/macro library disc. Use the assembler that professional software writters use.

Price £35 inc vat. Please specify 40 or 801 ublity disc

SPY2 is a front panel debugging monitor, disassembler and disc utility ROM. SPY2 is instantly accessible to the programment for inspecting, modifying, debugging and disassembling machine code programs. SPY2 also features a relocator and program trace facilities. SPY2 will access any ROM enter in the sidmays ROM sockets or on an extension board. ROM memory may be displayed, singles-stepped through or disassemblery.

SPY2 includes a set of powerful disc recovery commands for interrogating, editing and retrieving data stored on a floppy disc. SPY2 also includes a disc formatter as well as a non-destructive single track reformatter.

In all SPY2 has a comprehensive set of 23 utility commands. These are supported by an excellent



SPT2 features a versarie disassemble with hex dum, full and intelligent disassembly. This dinnifies data mean the program these being displayed as hex ASEI dums. Querting system calls are labelled creating very readable code. The powerful trace facilities enable program instructions and register contents to be traced to printer whilst the program is unning. Indispensable for graphics programs as they can be stepped through whilst observing the effects on the screen.

SPV2 features a discussion willout displaying the contents of a whole section disc search facilities for finding byte patterns of strings and free date. Space. Files may be receivered by creating distinctory entry with all the data concerning the deleted file. Directory entries can be assigned under the "AMRND command that "Command that "Command that data discs with any number of tracks. A verity command checked discs. The "RE"ORN command that data with visually the received of the "AMRND command that "Command that "Command that discs with any number of tracks. A verity command checked discs. The "RE"ORN command is discovered by a verification of the "RE"ORN command is discovered by a verification of the "Command that the

The most comprehensive of all debugging/disc utility ROMs

Price £30 inc vat.



Dept. A 12 Collegiate Crescent, Sheffield S10 2BA



For little Acorns **Mighty SHARDS Grow**



















If you want well written and presented software for your Acorn computer then take a look at Shards. Shards can offer you entertainment and educational software that really is a cut above the rest.

Take a look at Shards.

Adventure and Strategy Games Pettigrews Diary - A massive 90K graphic/text adventure with a difference. Can you solve it? (BBC & Electron) "Complete original and highly intriguing ... (it will give your grey matter a thorough workout)". Your Computer £7.95 Empire — A superb graphic strategy game against the computer. 8 levels of difficulty. Played on a world map. Win at level 7 or 8 and you deserve a pat on the back!

€6.95 "I thoroughly enjoyed this game ... graphics are excellent (100% rating)". Home Computing Weekly Mystery of the Java Star - A graphic adventure for all the family. Utilises 100K of mer "Exceptional value for money ... well done Shards (100% rating). Home Computing Weekly (BBC & Electron) 27.95

Fun to Learn, the definitive educational series - written by teachers and used in schools nationwide. All programs are menu based and

make superb use of graphics. 100% user friendly and error trapped. "This is how educational software should be written... Fun to Learn - A comprehensive program for 6-12 year olds. (BBC)

"This is how educational software should be written". Home Computing Weekly 66.95 (RRC) Monster Maths - Helps develop basic maths and logical skills for 6-14 year olds

"A sound program that will maintain children's attention, for £6.95 it's cheap too", Education 26.95 Laser Letters - Educational word games for 6 year olds to teenagers. Three separate 500 word vocabul-(BBC) "You get a lot for your money ..." Educational Compute £6.95 Frac Attack - Fun with fractions for 8-14 year olds (BBC)

"A real winner ... lots of colourful screen action". Popular Computing Workly Science 1 - Science education for 11-16 year olds. Covers the use of lenses, meter

(BBC & Electron) Super graphies. "For fundamentals of balances, meters or lenses, this program is a must". Popular Computing Weekly 26.95

Selected titles available at larger branches of Boots and W. H. Smith and all good stockists or by sending a cheque/P.O. direct to us att- Suite G, Roycraft House, Linton Road, Barking, Essex. Tel:- 01-591 7666 (4 lines)

Please send me a copy of:- (please tick) Pettigrews Diary Fun to Learn Monster Maths Empire Laser Letters Mystery of Java Star Frac Attack Science 1

Please indicate which version required:-

BBC B	1	ACOIT	Flect	ion	_
o (Name)					
(Address)					

Please debit my Access/Visa account.

I enclose a cheque/P.O. remittance for £

All cheques/P.O. to be made payable to Shards Software

All orders despatched within 24 hours of receil

COULD DO BETTER

Despite the government's micros scheme progress is

patchy in primary schools, argues Geoff Nairn

N A BLAZE of publicity Prime Minister Margaret Thatcher announced the Micros in Primary Schools Scheme in July 1982. By the end of this year every primary school in the country should have a microcomputer, which should be making a valuable contribution to all areas of the primary curriculum. Well, that's the theory. With just three months to go, it's worth examining how successful the scheme has been to date and whether the Government is on target.

Under the scheme, a school can buy a single micro for half price, with the Department of Trade and Industry footing the rest of the bill. The machine has to be British, hence the choice of a Sinciair Spectrum, a Research Machines 480Z or the BBC model B. To date 20,000 of the 27,000 primary schools in England and Wales have taken up the offer, and 80 per cent of these have plumped for the Beeb. The Electron arrived too late for the scheme

As a comparison, the earlier Micros in Schools scheme for secondary schools boasted a take-up figure of 100 per cent when it closed in 1983. In fact their pound-for-pound subsidy has been extended so secondary schools an upgrade their Beeb with a diosi and Econet interface, and buy both a Wallers dol-matrix printer and a Microvitec monitor – all British makes again. For the more ambitious schools, a BBC Buggy and a Vela instrumentation kit can also be bount for half for such schools.

For the primary school the situation is rather different. Once you've bought your Beeb, apart from a monitor and cassette recorder, that's your lot. No follow up scheme is planned – in the words of Kenneth Baker, the Minister



Kenneth Baker: 'DTI yet to decide on



One computer per school is unlikely to make much impact but it is all government funding allows. For extra machines, school must rely on their LEA or on parents

for Information Technology: The DTI is yet to decide whether further schemes of support are necessary. If no further support is forthcoming, then it is difficult not to see the primary scheme as anything more than political propaganda.

That may seem a rather harsh view.

but one solitary micro in a school of 350 children is unlikely to make much impact, especially if precious time has to be wasted loading programs in on cassette. Just from talking to teachers around the country, the one thing they really want is a disc drive. And although some local education authorities (LEAs) have set up their own disc drive subsidy schemes - Nottinghamshire and Walsall for example - there is clearly a case for a nationwide initiative. The one argument that there are no British drives available no longer applies, for a company, Dual Track Technology, now make such a thing.

The Department of Education and Science (DES) oversees the primary-scheme through the Microelectronics Education Programme (MEP). The MEP, to quote the blurb, 'aims to help) eschools to prepare children for a life in society where computers are commonplace. But the MEP has less than two vyaers to finish the job; the group is due to be wound up in March 1886. Of

course, the MEP sees itself very much in a 'pump-priming' role, the idea being to provide the initial hardware, software and training, and after that the LEAs should take over. The trouble with that argument is that different LEAs have different priorities: the much-publicised 'league table' of LEA spending shows that on something as mundane as textbooks the 'top' authority spends six times as much per pupil as the one at the 'bottom', It is difficult to make a case for more computers if the schools in your county do not have enough money for textbooks. With the current financial restraints facing all LEAs, what may seem like pump-priming to Sir Keith Joseph to others can seem like an abdication of responsibility.

In fact, this theme of self-reliance and hoping that LEAs take up the challenge seems to permeate the whole lenge seems to permeate the whole primary scheme. With training, for example, the DES makes it a requirement of the subsidy scheme that two teachers go on a two-day course on using their micro. In two days, as teacher who has never used a computer before can just about get the hang of operating the Beeb – plugging it in, using the cassette recorder etc. To expect that teacher to then start using the computer in a challenging way, or

THE OLYMPIA RANGE OF DAISYWHEEL PRINTERS

A RANGE OF DAISYWHEEL PRINTERS DESIGNED BY OFFICE EQUIPMENT LEADERS

OLYMPIA INTERNATIONAL



OLYMPIA 3000 SERIES

Method of printing: Dypewheel interchangeable 100 characters.

Print speed: 50 cps maximum. (40 cps Shannon) Form width: 17' Width of printline: 15'.

Tabulation: Variable, 60 positions/inch (optional 120) bidirectional, horizontal tabulation direct to column address.

halfspace forward. Pitch: 10, 12, 15 characters per inch and proportional spacing Line length: 150 characters with 10 pitch. 180 characters with 12

pitch. 225 characters with 15 pitch Method of printing: Automatic bi-directional printing with

shortest path seeking logic. Automatically skips over blank fields. Paper feed: Variable, 96 positions inch. bi-directional Buffer: 4 K Buffer. Keyboard option Qume/Diablo. Code option Function control led; ON/OFF-Line Paper out. Ribbon out.

Cover open. Error Printing mode: Bold printing (1/120°) Expanded printing. Double

Interface: RS232 IEEE, Centronics.

OLYMPIA 103 SERIES

Method of printing: Dypewheel, exchangeable,

96 characters Print speed: 17 characters per

second, Bidirectional Form width: 17' (431 8mm) Width of printline: 14.2" (360.6mm)

Tabulation: Variable, 60 positions/inch, Bidirectional Pitch: 10, 12, 15 characters inch proportional spacing

Line length: 141 characters with 10 pitch 169 characters with 12 pitch 212 characters with 15 pitch

Paper feed: Variable, 96 positions/inch, Bidirectional, indexing one half space updown

Printing: Automatic bold. (1print Automatic budirectional printing with shortest path seeking

blank fields Buffer: 4 k byte

control code. Option for Wordston Function controls led: IncON OFF-Line, Error 103 ON OFF-Line Error

Expand print. Double print Interfaces: RS232



OLYMPIA COMPACT SERIES

Method of Printing: Dassywheel 100 characters. Interchangeable.

Print Speed: 14 cps From Width: 14.3" Width of Printing: 11.5"

Pitch: 10, 12, 15 characters per inch Line length: 10 pitch - 115 char. 12 pitch - 138 char. 15 pitch - 172

Instruction code: Diablo compatable (compact R0)

Built in Tractorfeed - Compact Ril

Built in Keyboard - Compact 2

RS232 or Centronics Interface (Compact 2)

Both interfaces as standard (Compact Ru)



ACCESSORIES

Olympia Single Bin Sheet Feed £398. Double Bin Sheetfeed £598. Olympia Tractor Feed £150. (All Prices exclude VAT) A full range of Daisywheels and ribbon types are available.

Intelligent 43B Wood Street, Stratford upon Avon, Warwickshire CV37. Distributor: Interfaces Tel. 0789 296879 London 01-311 7981 TL. 312242

even to pass on precious knowledge to other teachers, is a mite ambitious. Many education authorities do go beyond this minimum level and set up excellent in-service training courses — Walsall, for example, runs 25 different computing courses for teachers. But many do not.

One criticism levelled at the MEP by the NUT (the teachers' union) especially is that they have tended to concentrate on developing software rather than training courses. There is little point in producing educational software if there aren't the teachers who know how to use it, says the NUT. To meet such criticism, the MEP set up a small primary project team in September 1983, to assess the needs of primary schools in both teacher training and resources. They still don't actually train teachers though, rather they train computing advisors who then go out into the regions and train the teachers.

On the question of training, you would naturally imagine that the colleges of education, who after all are responsible for training tomorrow's teachers, would be at the forefront in this area. Again, a few colleges do run courses in educational computing for all their potential teachers, but sad to say they are the exception rather than the rule. Two primary school teachers I talked to, who had both graduated within the last two years, emphasised this point. One said that computers had not figured on the syllabus of her college at all, while for the other his computing experience was confined to one afternoon's demonstration of arcadetype games.

And so we come to the all-important

software. In 1982, when the scheme first started, BBC micros were a bit thin on the ground, as was educational software to run on them. The MEP helped to spawn several software groups such as Netherall, Five Ways, the Chelsea Science Project and ITMA who did and still do - come up with some sound educational software, although most of it is for secondary school subjects. Since that time a variety of software houses have started producing Beeb software for primary schools. Now, the problem is not one of a lack of software. but rather how does a teacher find out what's available and whether it's any good? Still worse, where does the money come from to buy software educational software invariably costs more than the average 'arcade' game.

Talking of software, the MEP is the body responsible for the Microprimer pack, which comes with every Beeb bought under the DTI subsidy scheme. It aims to be an introductory 'self study' course for teachers, so that they can at least get started using the Beeb in their



There's plenty of educational software available now but most is for secondary schools. Educational programs cost more than 'arcade' games and there's no government money to buy software

classroom. Unfortunately it is often the only software a school has – apart from the Beeb's Welcome tape that is. As the MEP is the first to admit, the Microprimer pack was developed in a hurry and to meet a specific need. It would be a shame if teachers judged all primary software on the basis of one package.

Is the primary scheme a success? Well, I do not doubt that by the end of this year pretty well every primary school will have its very own micro—and most of them will be Beebs. Quite a few will be locked away in store cupboards because no one in the school knows how to use them. On the other hand others will be in use every day, with children of all ages and abilities.

feverishly tapping away. And a good few more will be wheeled out on Friday afternoons for the 'computer lesson', which consists of teacher typing and children watching.

And so, what for the future? Number one priority every leacher should at least know how to use their Beeb. A disc drive would be nice as well. Oh, and a few more Beebs wouldn't go amiss. A tall order? Not if the Government is serious in preparing children for the future. As a spokesperson for the DES said, it's very easy to criticise the scheme, but no other country has done anything similar: "It's also very easy to be complacent and make political capital.

Computers

More Hard Disk Developments for BBC Micro



Hard Disk Drives

Range from 5 – 232 MBytes 5 MBytes removable cartridge drives

Tape Streamer

Efficient backup of Winchester units (standard tape backup of 45 MBytes in 9 mins.).

WFS

Comprehensive Winchesler filing system Rom – stand alone use.

Networking

Amcom's E-Net provides a simple to use, yet flexible system for linking up to 255 BBC microstoa Winchester file server.

- *Large Capacity Winchester Drives
- *Removable Cartridge
- *TapeStreamer Backup



GSL Hard Disk Systems have been well proven in educational, factory and office environments, for stand alone or networking applications.

Other GSL products include:-

Printer Buffer LCD Display Floppy Disk Drives Monitors Printers

(We are also an Acorn dealer).

For further information on any of our products contact:-Lea Wyatt at GSCL



Geophysical Systems Computers Limited

West Portway, Andover, Hampshire SP10 3SG. Tel: (0264) 59633 Telex: 47166 GSLG.



FRAMING THE ? ? RIGHT QUESTIONS ?

lan Birnbaum reviews Acornsoft's Microtext system, a powerful aid in programming instructional modules

ICROTEXT is an authoring system. It was designed by the National Physical Laboratory, implemented on the BBC micro by Ariadne Software, and is published by Acornsoft in cassette and disc form. My comments are based on the disc version.

An authoring language aims to allow the programmer to implement training and instructional programs easily and efficiently by providing special facilities for dealing with common situations. For example, scanning a student's answer for one or more keywords and then branching if they are present is compilicated in Basic, but easy in an authoring language, Indeed, Microtext claims to be so easy to use that, for some cases at least, the designer and encoder of the module need only have a cursory knowledge of programming.

Microtext has its origins in a computer system called Mickle, a medical interviewing computer, developed in the 1970s. It used a language called Questext which allowed doctors to set up modules without extensive programming knowledge. Questext was extended to cater for more varied training on (non-micro) computers, and became Edutext. However, Edutext in Basic was slow and bulky, so it was rewritten in assembly language and implemented on micros; this is Microimplemented on micros; this is Micro-

Advantages

The easiest way to describe Microtext is by considering the advantages it offers over Basic. This gives the correct context because the system stands or falls on its ease of use for the purpose ofcreating instructional programs.

There are many advantages to the system in this respect. First, Microtext is frame-oriented, le the essential unit is a screenful of information, a frame. In this sense it is very like viewdata systems. However, it is more sophisticated in that control information is part of the frame itself. It therefore combines the ease of use of viewdata with the flexibility of a programming language.

In Basic, the relationship between a screenful of information and the instructions required to produce that frame and to branch to another is exceedingly opaque. The programmer has to project from language to screen to provide the link: Basic offers no real assistance in itself. As a consequence. debugging by frame - the natural approach - is not easy. In Microtext, it is simple because the programmer creates one frame at a time by placing characters on the screen in the position they are to appear when the program is executed. In the frame, control information is included that instructs the computer which frames to branch to next and on what criteria.

Microtext allows simple debugging as it is simple to switch from running or testing to editing a module. If the frame layout is not correct, or an unexpected branch is made, pressing the escape key followed by \$ (for Stop) switches to a full-screen editor. The system offers single-stepping through the frames if required.

When most instructional programs are run — in Basic or any other language — errors that occur are usually observed at the frame level or at the link between frames. In Basic, this does not assist debugging, but in Microtext the link is absolutely clear, so errors are easily remedied.

Microtext offers exceptional facilities for accepting user responses. The programmer can specify whether spaces are to be ignored between words: whether an exact match is required or whether a response should contain, begin with, or end with a set of characters. The programmer can combine separate critieria using 'or', 'not' and 'and' (ordered or unordered) to produce complex branching decisions. Both textual and non-textual data are supported, and with the latter numeric-range tests are available (eg, less than and oreater than).

There is no need to compare these

facilities with Basic; there is no contest!

A programmer can design a form on the screen with headings, and when the frame is run the cursor will move from heading to heading as the user responds. In this way complicated forms can be set up with minimum trouble.

Microtext allows a complete summary of the user's responses to be created. In instructional programs, it is very useful to store these for later analysis. This might be used to give the student or teacher a record of achievement, or to record in variables information required for future modules (a module is a collection of frames, all loaded into memory at one time, which constitute the file being run). Microtext implements both these approaches, the first simply, although the latter is rather more complicated.

In Basic none of these facilities is provided, and the programmer must save the relevant information, and generate appropriate screen displays.

If the user types Help (or even just ?) in Microtest when responding to a prompt, the system automatically branches to a help routine, if one exists. Typically, the first help frame will be a menu with a variety of choices (e.g. start again; get help on this topic or on this question). Each frame can contain a different destination frame if required; this is achieved by putting HELP followed by the frame required.

In Basic, it is possible to create a similar system by using a common input routine which always branches when Help is entered. However, this is by no means a trivial task.

There are two sorts of variables in Microtext: system variables and user-defined variables, ie reserved words which hold specific information. These

The Microlext system (including manual) costs £49.85 for the cassette version and £59.80 for the disc, available from Vector Marketing, Dennington Industrial Estate, Wellingborough, Northants NN8 2RL. Tel: 993 78300. (Acornsoft is on 0223-316039).



MICROMAN Computers

ACORN SPECIALIST COMPUTER CENTRE

Viewsheet ROM

BCPL ROM

ACORN PRICES	
Acorn Electron	199.0
Electron Plus 1 Interface	59.9
BBC Model B	399.0
BBC Model B + DFS	469.0
BBC Model B + Econet	446.0
BBC Model B + DFS + Econet	516.0
Acorn Teletext Receiver	225.0
Acorn Prestel	113.8
Acorn 6502 2nd Processor	199.0
Acorn Z80 2nd Processor	299.0
Acorn IEEE Interface	325.0
Bitstick	375.0
	P.O.
A-B Upgrades	95.0
DFS Upgrade	96.0
Econet Upgrade	70.0
Speech Synthesizer	55.0
View ROM	59.8
Vinueheat POM	RO S

6502 SECOND PROCESSOR

The 6502 second processor will allow the BBC to run faster with greatly increased memory especially in high resolution graphics modes giving users more power when writing their own programs and access to a range of exciting new programs such as the programs that drive the Bitstick.

PRICE £199.00

This superb menu driven graphics package allows high quality CAD at a very modest price allowing the user to create shapes on the screen and produce outstanding graphics, architects drawings etc.

PRICE £375.00

IEEE INTERFACE A full implementation of the IEEE standard, providing computer con trol compatible scientific and techni-

cal equipment. PRICE £325.00

ACORN APPROVED SERVICE CENTRE Our workshop offers a comprehensive service including

55.00

59.80

59.80

99 65

Repairs and Upgrades by our own engineers

EDUCATIONAL & INDUSTRIAL ENQUIRIES WELCOME All prices include VAT, Post & Packing £9 (Large items)

£1 (Small items ROM's etc) RAINFORD INDUSTRIAL ESTATE, MILL LANE, RAINFORD. ST HELENS, MERSEYSIDE

PHONE 074488 5242

Graphics. PRICE £299.00 TELETEXT RECEIVER Converts your BBC into a Teletext Terminal giving normal reception of Teletext pages and enabling you to download a large range

Z80 SECOND PROCESSOR

With the addition of the Z80 second

processor the BBC becomes a business machine fully compatible

with CP/M software. The Z80 comes complete with word processing, database, spreadsheet, graph plan

and accounts programs as well as CIS COBOL, Nucleus System Generator, 280 Professional Basic and GSX

Datapen

BBC Lightpen Programs,



PRICE £11.95 Introductory Offer £9.95



TELETEXT DISPLAY CREATOR EDITOR

ted. PRICE £9.95 Introductory Offer £7.95



Datapen

BRITAIN
The first in a series of educational Geography
Geology programs. Britain comes complete with the set of lests, and these may be very easily change adding DATA statements in the Basic program instructions and and map supplied. of DATA sidements in the basic program offens and grid map supplied PRICE \$6.95 Introductory Offer \$5.95

The Datapen Lightpen itself comes complete with handbook, software on tape including two drawing programs and a printed listing

SUPERIOR PERFORMANCE

- Insensitive to ambient
- Responds to different colours Program accessible LED lamp readout
- Switch for program control

SUPERIOR PROGRAMS

Tape storage of your work

 Good documentation User routines provided on tape and Datapen on printout

drawing programs and showing useful routines.

PRICE £25.00

Two drawing programs, SKETCH and SHAPE-CREATE are included with the lightpen and the programs shown above may be ordered additionally, or separately as required

All prices above include VAT, postage and Please send your cheque P O to:-

Dept. AU3, Datapen Microtechnology Ltd. Kingsclere Road, Overton, Hants. RG25 3JB

are ANS (holds the last answer given). TIME (contains the elapsed time since last initiated) and RANDOM (generates and holds a random number). Userdefined variables are similar to Basic's, but it is not necessary to differentiate between string and numeric variables. The contents of a variable may be displayed by use of angled brackets; for example, if NAME contains the user's name, then:

Are you ready, < NAME > ?

will give a personalised question. Moreover, a list of variables can be created using something like = PLAYER < NUMBER >, where NUM-BER is a variable incremented elsewhere, giving separate variables PLAYER 1, PLAYER 2 etc. This powerful feature is not available in Basic.

All * commands in the BBC's operating systems (and so all *FX commands)

```
Relia, Jos

Monte de Company - The Company of the

Monte de Company - The Company of the

Monte de Company - The Company of th
```

Figure 1. Student's view of first frame in example module testing knowledge of plug wiring

```
POSICO CONTO
```

Figure 2. The whole of the first frame showing the hidden commands and branching to turther frames

and some VDU commands (including sound and graphics) are available directly within Microtext. (Although not documented, the cursor can be turned off and on with \$CH1.0.0.0.0.0.0,0 and \$CH1.1.0.0.0.0,0.0,0 respectively.)

Microtext offers easy control of input/ output at the user port. The programmer can set a specific line high or low, or wait for the line to go high or low: particularly useful for slide and video control.

Microtext modules (eg, a self-contained lesson) are portable both between packages on the BBC micro and between machines. In the former case, a wordprocessor could be used to set up a frame: each frame is stored in ASCII (although text compression is used). In the latter case, it is important only to use graphics commands which exist in all systems (eg for Commodore systems there is no point using teletext colour and graphics).

Microtext contains error checks to ensure material is not overwritten. Thus, if you edit a module and then attempt to load another without saving the first, a message appears. A simple safeguard, but important.

Disadvantages

No system is perfect, and there are some disadvantages to Microtext when compared to Basic, but they by no means overshadow the advantages. Let us consider them briefly.

Microtext supports only integer arithmetic. This clearly presents some restrictions, which is a pity with, for example, maths.

Microtext is not structured. All control in a program is achieved via conditional or unconditional branches (ie the equivalent in Basic of GOTO, or IF...THEN statements. I don't regard this as a handicap because, as a frameorientated system, the structure is already incorporated.

Memory is rather short with cassette and disc versions: about 14k and 11k left for mode 7 programs respectively. This leaves room, just, for a 30-frame module in the disc version and 40 frame with cassette (lots of variables will cut these down). On a disc version this is not problematic, since one module can call another.

The memory problem can be solved by a second processor or the ROM. These options are essential in a graphics mode: mode 4, for example, allows just six frames. Modes 0, 1 and 3 are impossible without the second processor or the ROM (modes 2 and 5 are never supported).

At present, the Microtext package is needed for run any module. However, a delivery system (without the editing facility) will be available which sits securely with the module and is loaded with it. This is produced by a publishing system, and will be very valuable for, say, education authorities that wish to produce packages in a resource centre for schools. Questions of copyright have yet to be fully resolved.

There is no simple access to the contents of the analogue port from Microtext, except by using "FX128 and getting the values of the X and Y registers. Nor is there access to a printer from within a module (le no VDU2 or VDU3). The only access is at command level to

print copies of frames, or to dump the summary (these may be activated at RUN time by preceding them by \$). However, I'm sure someone will find a solution.

The COPY key is not available for normal use in edit mode; instead it



Figure 3. Pressing 'N' at figure 1 takes us to this, frame number 51. NB This is NOT the correct way to wire up a plug



Figure 4. This next frame is where the problems begin with free range of response. NB This is NOT the correct way to wire up a plug

pushes a space into a line and moves the rest of the text to the right by one character without wrap-around. This is a pity, especially when one considers the eighth disadvantage-there is no teletext graphics editor. This makes creation of double-height characters tricky, and mode 7 graphics laborious. All teletext control codes need two function key presses to make them active (in other modes these produce foreign characters eg é): this is also tedious. However, inclusion of a full teletext graphics editor would have left less space for modules. There are two solutions: use a graphics editor on a chip which can be used via a * command, or a separate package to create a frame and then load it in ASCII into Microtext. However, to do this it will be necessary to incorporate it within the existing module in some way, because Microtext does not allow subsets of modules to be loaded. Again, someone is bound to find a way round this.

Microtext in use

Microtext comes with a 120-page manual, a reference card and a demonstration package. The manual is comprehensive, though not that easy for beginners. I think Microtext is accessible to newcomers, but I suspect a

New available now!



Z80 second processor for BBC Microcomputer with SAGE integrated accounts program

£375

Frader and social authority uniqueers were re





66 High Street, Sawston, Cambridge CB2 4BG Telephone: Cambridge (0223) 835330/834641 course may be necessary to help them.

As an example of Microtext in use, let us look at the PLU.STA module supplied which tests the student's know-ledge of 13 amp plug wiring. It is an interesting attempt to allow a very free range of response, and I think it almost succeeds.

The module is loaded from Microtext by typing RUN PLU.STA. After the title, the student's name is asked, and he/ she is then asked to rate their knowledge of plugs (figure 1). Let us see what set of program instructions produce this page. We press Escape and then S (for Stop) - we get figure 2. The ! indicates that only a single key press (with no carriage return) is allowed. On pressing N, the program will continue from frame 51, and the statement 'Novice user' will be saved to the summary; similarly for A or E. If any other letter is pressed, the statement 'Not understood - try again' is displayed in red. We could generate our own response on another frame (say on frame 55) by putting →55 at the end. Notice finally the use of < NAME > to display the contents of the variable NAME (in this case (AN).

Frame 51 sets up appropriate text, initialises a variable which limits the number of wrong answers allowed, and then, after a few prompts, directs the student to a picture of the plug with a question (figure 3). Typing 'earth wrong' produces the response 'I would like a more specific answer. Precisely what is wrong?' If, on the other hand I type 'Wires crossed' I get 'Yes, two of the wires have been crossed but I would like to know which ones. Which wires have been crossed?'. If, now, I type 'Earth and neutral' I am judged correct. This is a nice sequence, and easily implemented.

We continue now to plug B (figure 4). I ype "3 amp too small" and get the response "It seems that you don't know what is wrong with the plug..." If inatead 1 type "Fuse too small" I get "What is wrong with the fuse". But if I had put "Fuse wrong" as my answer, it would have marked it correct and said "Well done". Clearly there is something wrong! Let's edit the program.

The relevantframe for our purpose is 20 (figure 5). This says that any combination of the word fuse and one or more of blown, low or wrong are accepted as correct. the word fuse with any other words goes to a prompt at frame 270; otherwise we are told we are not correct and allowed to try again. (Incidentally, the system does not differentate between upper and lower case.)

We shall change the first line to:

(<FUSE>) & BLOWN/LOW/SMALL/ 13 AMP > 280 and the second to

<FUSE> > 270

At *210 we define the variable FUSE by (FUSE = "FUSE/3 AMP").

This solves our problems, and also allows 'Fuse should be 13 amp' and similar answers. Moreover, it treats 'Fuse is wrong' as only partly right and responds with 'What is wrong with the fuse?'. Notice, finally, that Microtext will treat both 3 amp and 3amp as the same.

We see from this how easy it is to edit, but we haven't perfected the program. We need to edit other frames to be consistent with the changes we've made, and more crucially, we still



Figure 5. Looking behind the scenes shows responses that are allowed, and the prompts given

haven't caught all the right answers. The moral from this is that even the simplest module that uses free format responses will need considerable testing and editing.

Microtext makes editing easy, but there is no substitute for careful educational design and thorough testing: indeed, the powerful facilities of Microtext make this even more important.

In this example, we have been examining the program in RUN mode. When editing, we momentarily entered COMMAND mode and directed the system into EDIT mode. Then back through COMMAND mode to RUN mode again. This process is adequate for testing and debugging, but Microtext provides one further mode precisely for testing: TEST mode. Without too much detail the essential differences are that it is more difficult in TEST to delete or overwrite an edited module without saving it, also the Escape key always fully interrupts a program

Most of the other facilities are available in RUN or COMMAND modes, though some are slightly more convenient to use in TEST mode. It may seem then that TEST adds virtually nothing new, but his is not so. Most programs will consist of a whole series of modules and it will often happen that one module will call another. When

testing a system, we don't want to lose our edited module in this way - hence the need for TEST.

On balance, the introductory package of modules is well-thought-out and reasonably varied. The average user will gain much from working through the modules, examining how they were programmed and—most importantly—altering the modules as we have done here.

Educational implications

Used with the right application, Microtaxt is very valuable. Believe it is possible to teach relative beginners how to program with the system, thus opening the way to program designers implementing their own code. However, more advanced uses (eg. creative uses of variables) and the implementation of complex teletext screens will require a more professional approach. There is no doubt, though, that the use of Microtaxt will make the professional programmer tar more efficient, given the right application.

The great danger with Microtext, however, is that its very ease of use will encourage teachers and LEAs to program with it, and thus restrict the types of program available. Microtext can only be used to implement programs which are susceptible to frame-byframe analysis. This is a wider range, certainly, than straightforward instructional and training packages - for example, adventure games are possible, although there would be severe memory constraints - but it is a distinct subset of educational software. Packages that use animation will not be viable, as far as I can tell; and, of course, no more than four colours will be available; moreover, as we have seen, only integer arithmetic is possible. And, more generally, not all educational design intentions can be accommodated by a frame-oriented language.

However, this said, Microtext clearly points the way, and with Microtext Plus on the horizon, which should allow floating point arithmetic, a full interactive graphics editor and some expert system techniques incorporating generative rules, I think we will see the decline of Basic as a language for computer-assisted material in education and training.

Microtext is a superb technical achievement for a 32k machine, and I look forward to seeing what creative educators can do with it. I regard it as a tremendously important development, and quite possibly the shape of things to come in the construction of instructional and training packages, especially in conjunction with video disc technology.

HIGH QUALITY COMPUTER DESKS AT HIGHLY COMPETITIVE PRICES.

THE ORGANISER DESK.

- Top shelf for monitor/printer.
 - Large desk top area.
 - Lower shelf for paper/book storage.
 - Teak finish On castors. Self assembly:
 - - Ample room in front of the shelf for you to sit comfortably.
 - Assembled Dimensions: H.31" W.4014" D.26"



Only \$59.95.

THE APOLLO RANGE OF BUSINESS DESKS.

- 10 models available to suit leading computer systems. • Immediate delivery.
- Sturdy steel underframes.
- Scratch resistant surfaces.
- Lockable castors
 Prices from £100.

All are on display in our showroom and are available from us or dealers throughout the U.K. All prices include VAT and delivery.

For further details contact us at:

158 Camberwell Road, London SE5 0EE, Telephone: 01-701 8668

Draw with the BBC micro

and show the true potential of your machine Fill shapes in one of 23 colours (Mode I)

Draw points, lines, rectangles ellipses and circles Smooth curves Wire frame diagrams

Hidden line removal Draw in perspective

Measure scaled distances Ekta sketch lines, Half tone facility Mirror images

Repeat images, SS, enlarged, reduced, stretched

Actual colour displayed Store up to 10 ellipses or circles in memory Redraw any one of these at cursor position

Change any actual colour for one of 8 others Clear screen, load screen, save screen Print characters or numbers at any pixel point

Error messages for incorrect input Fully comprehensive manual



This programme has been purpose designed by professional Graphic Designers for simplicity and ease of use, and is undoubtedly the most versatile drawing programme on the market at this time. There is no need to input any numerical data, as all judgements are made visually. The BBC Micro is the finest drawing machine in its price range. Find out what it can do.

The A. B. Designs drawing programme costs only £36 for over 70 functions (model B). New AB2 Program, available on disc (price £61) and cassettle (price £31). When ordering send ChequiePD and VAT at 15%. Please include phone no. with all correspondence. For further information send 5AE and phone no. to A. B. Designs, 81 Sution Common Road, Sutons, Sutrey, 0.164-663 (closed all log Thursday).

ATOMIC TEXT

Alex Wilson cures writer's cramp with 'Wordprint'

ELDOM is the inexperienced owner of a printer offered help in the manual that comes with the peripheral. It's no longer a matter of attaching a cable and off you go there's a lot more to a printer than an electric typewriter. For a start, different type-styles are available at the press of a few keys. Yet working from the manual produced the following comment from one newcomer to printing: 'I eventually worked out how to use the printer in text mode from the single example of how to enter control codes given in the

Epson booklet. Try the Star Gemini 10X booklet (reputed to be better written than previous ones)! It doesn't even have one example. Many users are therefore unlikely to get value from the

machines they buy.

My program will., hope, tender a guiding hand to frustrated beginners. Wordprint is a wordprocessor program written for domestic use on a 12k RAM written for domestic use on a 12k RAM Atom driving a Gemini 10X printer, and it should cause little trouble with a Beeb (the cable is the same as on an Atom) or an Epson (if George Hill is right about the control codes). It is differed for those who do not have the money to spend on a commercial wordprocessor.

So how do you get at all those extras you've paid for stallors, variable characters per inch, underlining, subscripts and so on'f Forget about screen dumps and downloading characters —time enough for them when you find out how to include the others in your programs.) Master the control codes first then it must be easier. These are shown as CHR\${27} CHR\${10} in, or

ESC n... but how do you get them into your program? You can't stop and press Escape-this or that, so it's as well to understand what is required. Those



who already know can skip over the next few paragraphs

The printer expects items in binary form from the computer. Some in ASCII will be numbers and some letters. Then there will be control codes, which will not be printed. The escape code is the most frequently needed and on receipt of a byte containing 27 the printer interprets this as a change of instruction.

The difficult codes are \$2 and \$3 or CHR\$(2) and CHR\$(3), as these enable and disable the printer, in particular \$27\$66\$2 and \$27\$66\$3, which set 12 characters per inch and 17 CPI. Try entering

Try ente

PRINT \$2; PRINT \$27\$66\$1; PRINT "HELLO" ;

Your printer should print HELLO as you expected it. Now change it to read expected it. Now change it to read the print strategies and then \$2756633. In theory these ought to change the print to 12 and 17 characters per inch respectively. Instead it is probable that HELLO was printed out exactly as before and then nothing at all for the instruction with \$3 in it. These can be dealt with successfully by putting the value into A then applying LINK #FF10, for this enters the printer driver after the switch.

controls can be sent directly with say, PRINT \$27\$61, which sets bit eight to 0, or as part of a string. For example, if a string is ABCDEF, sent to the printer as /27/ 53/A/B/C/27/52/D/E/ 27/87/1/F, then the first control sets standard ASCII, and would be printed in normal print the second control sets italics and DE would be italics. The further control sets enlarged mode so will be enlarged italics Note /N/ is to indicate that we are talking about single byte number. not to be confused with 27 which would

normally be sent and printed as 2 followed by 7, i.e. ASCII 50 and 55

If you are unsure of this try

B = 2800, ?B = 27; B?1 = 66; B?2 = 3;
I = 0; DO; A = B?1; LINK#FF10; I = I + 1;

UNTIL I = 3; PRINT" HELLO".

This should get HELLO printed at 17

CPI. Alternatively, start a new program at =2900 with

10 REM31221;

This will list just as you typed it. Now type 10 REM and three spaces and return Poke 0 into each of the spaces (=2906=2908) and LIST. This will appear to be 10 REM and little else. Follow this with

?=2906 = 3, ?=2907 = 12;

These are Atom control codes. Listing will switch off output to the printer and will clear the screen. You have just done PRINT \$3 \$12. After the last 0 with 7-2908 = 21: then you have the equivalent of PRINT \$3\$12\$21 which also

age 146

The 'Wordprint' program is listed in the yellow pages section on pages 109–111





◆ page 143

switches off the screen. Compare this with the results from the first REM, and you have the difference between print-

ing a number and a control code. To show this in a working program is the best way to make the point. Written in Basic. Wordprint is slow in parts but more understandable than assembler. It is a restricted wordprocessor that uses #2800 as working storage and #2900 for the program. It stores the text from #8200, in the graphic space. It is not excessively user-triendly so an explanation of the program as well as the controls is needed to make it accessible. A sheet of instruction was orginally written as an aide-memoire for the program and this is included below. With the exception of lines 27, 28 and 44, which were taken from Atomic Theory and Practice, the program is

original material. Starting with the printer controls, these are in lines 91-126, 456-458, 470-478 and odd lines between 300 and 440. Several control characters can be embedded in the text and these are searched for in lines 456-458. Lines 91-126 are combined with these to insert the controls into the string B(\$B), using X as the index. \$B has the code 27 entered in the first lines and has the rest dealt with in 91-126. (These line numbers are taken from the ASCII values of the embedded control characters.) After this B is free for further text input. The codes are to set up italics, underline, enlarged, super and subscript and to cancel them.

The routine at line 470 is entered every time a print request is made so that it is immaterial if the printer is switched off in the meantime. A routine such as this is needed in any program that requires printed output, to initialise the printer and to set some print style. It starts by putting the printer 'on line' with PRINT \$17, and follows by initialising it, PRINT \$27\$64. If a headed address is wanted. T takes a value near the right-hand side and inserts it in the tab instruction PRINT \$27\$68\$(T)\$0 as the only tab. The default is that tabs are set at 10, 20 and so on up to 60.

Line 472 sets double-strike printing,

if required.

Line 474 uses M to set the left-hand margin at the Mth position. M = 10 causes a tab to 10 and then a margin of 10, thus line 232 to avoid this. The righthand margin is not used, though there is an instruction for it.

Line 476 reads the values from locations #8E to #91. These are put there in line 505 and #8E holds 27, #8F has 66, and #90 has 1. Lines 200-220 can alter the value of #90 to give 12 characters per inch or 17 CPI instead of 10 CPI



Line 478 ensures that the eighth bit (most significant bit) is 0. The printer sets this randomly which can be frus-

trating PRINT #27\$55\$0 is to obtain the US set so that the hexadecimal sign is shown as #. This can be altered to give foreign language types. The lines between 300 and 440 have PRINT statements: PRINT \$2 and \$3 are Atom commands. PRINT \$17 and \$19 are Star commands. These enable and disable the printer driver and put it 'on line' and 'off line'. (Both sets are included to show the order of use.) PRINT statements do not have to be separate: PRINT \$2\$27\$66\$1\$27\$61 is acceptable to the Atom and the printer instead of PRINT \$2, PRINT \$27\$66\$1, PRINT \$27\$61.

Now for the operating instructions. The screen shows DATE. Type date or return. Anything input here will be kept as date

The screen shows Options 1-8:

1 WRITE TEXT subdivides into 1-New

01234567890123456789012345678 O tHIS IS AN EXAMPLE OF HOW THE TEXT EDIT ROUTINE LOOKS ON TH E atom SCREEN, typing is DONE IN REVERSE, WITH LOWER CASE 9 4 EING USED AS CAPITALS AND REV 5 ERSING THEM IN LINES 453 AND 6 454 BY EXCLUSIVE OR-ING WITH this STOPS THE BCREEN F 8 ROM BECOMING WHITE AND GLARIN A. B. D. I.N. Z?

How the Text Edit routine appears on the screen

Text and 2-Additional Text. New Text will start again and all previous text will be lost. Additional Text adds text at the end of current text. ZZ will return to option point. Text can only be added in the middle using EDIT.

2 EDIT displays text in lines 0-9; in columns 0-28. Available options are A, B. D. I. N. Z.

A - Amend , change letters one for

B - Back, moves back to previous screen

D - Delete, deletes a stated number of letters starting from a given

I - Insert, inserts a piece of text and moves up the remainder

N - Next, displays the next screen Z - end of edit

Edit errors 'CAN'T GO BACK' - BACK requested but screen showing start of text.

'END OF TEXT' - NEXT requested at end of text Print control characters

Left square bracket (ASCII 91) -Italies

Backslash (92) - Underline Right square bracket (93) - Cancel

italics Up arrow (94) - Enlarged print

Shifted (SH) At (96) - Cancel enlarged SH left square bracket (123) -

Superscript SH backslash (124) - Cancel under-

SH right square bracket (125) - Sub-

script SH up-arrow (126) - Cancel super/ subscript

Star (42) - Linefeed

Place PCC immediately before the first letter to be changed. Cancel PCC just after the last letter-ie, before the blank, include a space after commas and stops. The program automatically left-justifies and looks for the final space in the line.

3 PRINT TEXT (sub-option CHANGE PRINT STYLE). Three print styles can be selected: 10 CPI, 12 CPI and 17 CPI, Left-hand margin, lines per page, letters per line, and letter-heading are included in print style routine.

4 SAVE TEXT A name up to ten letters is asked for, two Record Tape messages are printed and there's a 10-second delay before the second.

5 LOAD TEXT Start tape before the recording. Each file name will be displayed. Press CTRL when the correct one shows.

6 REVIEW TEXT shows text as in the edit mode but without line and column numbers

7 ENVELOPE to address envelope. 8 END of run.

At the end of each text input 'O.K.' is printed. If 'N' is typed in, the line is not accepted. The screen editing facility is still available in the usual way.

An asterisk during text input will be translated as a new-line indicator. Starspace-star will linefeed twice.

If it is necessary to end the run or ESC or BREAK is used, restart with G.y. Unless this method is used, there may be a loss of data. page 148 ▶

UNBEATABLE VALUE! CANON 200K DOUBLE SIDED

Model No. MDD210 40k track 200k DOUBLE SIDED

(unlike full height drives)

All disc drives come complete with Professional Case -Ribbon cable to connect to BBC Micro - Power cable to connect to BBC Micro -Comprehensive Manual -Formatting and utilities disc



VIGLEN COMPUTER SUPPLIES, UNIT 7 TRUMPERS WAY, HANWELL, LONDON W7 28A. Telephone 01-843 9903. Personal Callers Welcome

Post to VIGLEN COMPUTER SUPPLIES, UNIT 7. TRUMPERS WAY, HANWELL, LONDON W7.2QA

Please sendine Light I CANON MOD210 DRIVES at £115 each + £8 camage Tenclose Cheque PO for £ VIGLEN COMPUTER SUPPLIES or debit my ACCESS/BARCLAYCARD No.

Name

Address



£12.95

Carriage & Packing £3.00

A PRINTER STAND



- · Raises printer high enough to put continuous stationery underneath
- Beautifully finished in clear perspex
 Viglen quality every time
 - Will accept paper up to 12½" wide Non slip rubber pads

Dimensions: 15" (380 mm) wide 121/2" (320 mm) deep 4" (90 mm) high

COME TO VIGLEN FOR A FAST, FRIENDLY, PERSONAL SERVICE

DEALER ENQUIRIES WELCOME

Post to: VIGLEN COMPUTER SUPPLIES, UNIT 7, TRUMPERS WAY, HANWELL, LONDON W7 2QA

(gtv) PRINTER STANDS at £15.95 each. | enclose Cheque/P.O. for £ _

VIGLEN COMPUTER SUPPLIES or debit my ACCESS/BARCLAYCARD No.

Address

ACORN USER OCTOBER 1984

Text input uses the normal Atom input so that strings are restricted to 64 characters. The request for a headed address in line 270 uses the WRITE TEXT routine and must also be ended with the string "ZZ". All text input is in upper case. The output to the printer reverses this with: #20 (Exclusive OR \$20). This arrangement has been found to be better than locking into lower case and shifting for upper case. because it avoids filling the screen with white-background letters.

Edit falls into two parts: the edit options and the print control characters (PCC). Having edited the English, it is possible to operate on the PCCs using the same options. Each PCC can be entered immediately before or after any other, giving say, italics, enlarged and underlined until each is cancelled. If none is entered then printing is done in standard print. There are about 40 options for the Gemini, some duplicated, but these were selected as being the most useful. If some machine code is introduced to speed up the program then twice as many PCCs can be used by recording the first occurrence as 'on' and the second as 'off', instead of using different signs for each.



The program up to line 71 should be typed without the leading space or REMs. Line 71 is then at #2B57 as required in line 505, which sets the error-handler. The text in line 72 should be re-written to show your address. One leading space is required here, for line 316 needs this to start at #2B69. In line 28 the address of the first character.

after the quotation mark has to be #298A to make lines 20 and 22 work correctly.

Within each main option, all variables are local. To list all the variables would take too much space. The print options set in lines 200–282 are held in locations #85-#8D. They are unpacked when required in line 300.

S and T are used throughout as string pointers for text. B is the text string and D is used as a general-purpose string.

#8200 holds 13 and #8201 has -1, for use in the dummy file in the Save routine. The text starts at #8204 and each file carries its end address in #8202_#8203.

The strings can be dimensioned if you prefer and BBC converters can carry the print options forward in suitably named variables. They may also find the articles on Beeb to Atom conversion (Acorn User, from April 1984) a help. The hardest parts to recognise are the abbreviated statements F. N., IN, G., GOS., U., R. These stand for FOR, NEXT, INPUT, GOTO, GOSUB, UNTIL, RETURN. It would be nice to see this program followed up shortly with a BBC version. Meanwhile, try your luck with the Wordprintedlior.

HACKERS!



HERE, NOW, AN ADVANCED MODEM ESPECIALLY DESIGNED FOR YOU AND THE BBC MICROCOMPUTER.
ONLY THE LOCO SYSTEMS SCM-100 OFFERS ALL THESE ADVANCED FEATURES:

- MULTI STANDARD V21, V23; BELL 103,202 gives access to Bulletin boards home and abroad and Prestel
 FULL SOFTWARE CONTROL of all modes plus: orig/ans; line seize; carrier
- detect etc., using BBC micro user port

 AUTO ANSWER/AUTO DIAL software monitoring facilities give
- AUTO ANSWER/AUTO DIAL software monitoring facilities giv automatic mode selection on answer
- OPERATING SOFTWARE in ROM gives 12 new O.S. commands for easy control
 COMPATIBLE WITH standard comms software including TERMI etc.
- EXPANSION PORT in modern allows for future developments. These include telephone answering capability using BBC speech synthesiser and tone dialler
- POWERED FROM BBC MICRO splitter available for use with discs if required
 B.T. APPROVED ISOLATION COMPONENTS BABT approval applied for
- INCLUDES ALL CONNECTING LEADS

THERE IS ONLY ONE CHOICE

LOCO SYSTEMS

As this modern represents the latest in technology, BABT approval is still awaited.



LOCO SYSTEMS, PO BOX 9, TWICKENHAM Please send me SCM-100 software con £149.95 each Disc power adaptor @	trolled modems (ii
l enclose a cheque/PO order for £	_ made
Please send me further details (enclose S.A.E)	- 1

Name		
Address		

please allow 28 days for delivery

Buy from the specialists.

VIGLEN offer of TEC drives (As used by beats all comers

Replacing cassettes with disc drives means programme loaded and data accessed in

seconds not minutes. Our guaranteed disc drives are supplied with

a comprehensive fact-filled 53 page manual. exclusive to Viglen, which shows loading from cassette to disc and other information for the BBC Model B.



Single Drives	Incl VAT	Excl VAT	Dual Drives	Incl	Excl
40 Track 100K	****	VALL	40 Track 200K	£238.00	£206.96
51/4"	£119.00	£103.48	40/80 Track	2000.00	200.00
Single sided 40/80			Switchable 400K	£278.00	£241.74
track 200K switchable			40/80 Track		
51/4"	£139.00	£120.87	Switchable 800K	£358.00	£311.30
Double sided 40/80			Integral Power supply		
track 400K			for dual drive	£45.00	£39.13
switchable 51/4"	£179.00	£155.65	ACORN Disc Filing		
Integral Power supply			System	£105.00	£91.30
for single drive	£25.00	£21.74			

Please Ring 1-843 9903 or LATEST PRICES

Unit 7 Trumpers Way Hanwell W7 20A Telephone: (01) 843 9903 All prices correct at time of going to press and all offers subject to availability.

All disk drives are supplied complete with

connect to BBC Micro - Comprehen-sive Manual - Formatting and utilities disc, which includes 13 useful utilities including * formatting * verifying *

screen dump * dis assembler # gener ating 62 files, etc.

od from Educational Establishments and Government Departments



Full Twelve Months Guarantee How to order By post To purchase any of the items simply fall in the coupon with your requirements. Enclose your Cheque P O or use your Access/ Barclaycard Please make cheques payable to VIGLEN COMPUTER SUPPLIES and post to

above address Allow seven days for delivery and add £8 00 carnage, packaand insurance on all items By telephone: Ring (01) 843 9903

Credit Card holders (Access) Barclaycard only) can purchase telephone. Please give Card

da pres de la berta la Professional Screened Case - Ribbon Cable to connect to BBC Micro - Power Cable to

What the compet n't been wai

Latest version of Forth for the BBC (Is not rehashed Forth 79 Code)-

Unique Stack Display Utility-



16k Eprom type 27128

Multi-tasking operating system for Real-Time use.

Here's the Forth Eprom for the BBC Micro that makes all others

It's Multi-Forth 83 from David Husband who has built his reputation for Quality Forth products with his ZX81-Forth ROM Spectrum Forth-I/O Cartndge and now New Multi-Forth 83 for the BBC Micro. This is not rehashed Forth 79 Code, but a completely new version of the Forth 83 Standard. It's unique in that it Multi-tasks, and therefore the user can have a number of Forth programs executing simultaneously and transparently of each other

Multi-Forth 83 sits in the sideways ROM area of the BBC along with any other ROMs in use. It is compatible with the MOS, and specially vectored to enable a system to be reconfigured. It contains a Standard 6502 Assembler, a Standard Screen Editor, and a Unique

capabilities never before realised. And being 16K rather than 8K is twice the size of other versions. Multi-Forth 83 is supplied with an

extensive Manual (170 pages plus) and at £45 + VAT it is superb value Order it using the coupon adding £2.30 p&p (£5 for Europe, £10 outside) or if you want more information, tick that box instead. Either way, it will put you one step ahead of the competition

Pease send me Multi-Front 81 to 38C Mcro, C45 + VAT Chegues to Skywane Softmare Readers 4C (or enter Visa Name	
Poyl code SUBSCTTO AVAILABILITY FOR CO 5 DRAVARDS Send to Symane for flower 71 Cu on Road, Bournermouth, BH14PW Donet, England Tel (02021)02385	SIGNWAVE SOFTWARE

SIR BUSINESS & COMMUNICATIONS We announce our appointment as TORCH UNICORN Dealers, at a time when Acorn & TORCH are joining

THE TORCH UNICORN RANGE

CP/M compatible extensions to the BBC CP/M compatible extensions to the BBC Microcompute System: ZEP 100 : 280 2nd processor card; 64K RAM, FREE SOFTWARE (see billow): E299 * VAT ZDP 240 : 280 Disc Pack comprising ZEP 100; 2 * 400K floppy disc drive; FREE SOFTWARE (see below): E799 including VAT HDP 240. As ZDP 240 but with one 400K drive replaced a 20MB Winchester Hard Disc unit .. around £1,995 +

MULTI-FORTH 83 FOR THE BBC MICRO

forces.



'ROM/RAM EXPANSION BOARD



THE ULTIMATE ROM/RAM **EXPANSION SYSTEM FOR** THE BBC MICRO

- * 12 extra ROM sockets complement those already provided by the micro to allow up to 256K ROM space
- * Four of these sockets can support either ROM or Static RAM (up to 16K maximum RAM)

 The Model 2 board allows switching
- ples of 2K, 4K, 8K or 6K ROM/RAM
- Compatible with most other add-ons including TORCH, 2nd processors.
- * Additional features include the ability to transfer paged firmware to disc. and then load back into sideways RAM for future use - giving you no limit to the number of effective ROMs accessible!

All our prices are inclusive of VAT unless specified otherwise All our prices are inclusive of VAT unless specified otherwise Alexand Packing: Please add C1 for small interns (RoburtAAM Boar (12.5b) for medium interns (disc drives, BBC Computers).

C10 for larger atems (monotrop, springer, etc.)

(Postal rates apply within U.K. only. Please telephone for exportance and access.) Bandalogued Talleghone index swetcome.

NO soldering, plug-in design
 Fits easily inside BBC case
 Plugs into CPU socket via short

Improved plug design allows the Model 2 board to connect securely to any type of BBC CPU socket with no

micro or board * Board is held in place by sturdy

* Full instructions provided.

MONITORS Sanyo B/G Microvitec RGB £85 00 £219.00 SOFTWARE We have a range of BBC and Electron titles currently in stor including ROM based program DISC DRIVES such as VIEW (£59.80), New 2.1 version Computer Concepts' GRAPHICS ROM (£32.20). WORDWISE (£39.95) and DISC DOCTOR (£29.95). Please telephone for full details £389 00 ACORN BBC SECOND PROCESSORS cessor... £199.00 ZB0 2nd Processor

HDP 68K. As HDP 240 but with twn (2808 and 68000) "second" processors, provide an exast 26k RAM! "around £2,485 * VAT around £2,485 * VAT but the second for the stage." The TOREN UNICORN comprises HDP 688 plus FULL UNIX III Operating System , around £2,885 * VAT TORCH £-500 Comprises self-condensed unit (NO BBC TORCH £-500 Comprises self-condensed unit (NO BBC the second for the second for the second for the second processor for the second for the second respective to the second for the second PREE SOFTWARE BBC £ASIC £280 (self-comprised "Preferc" £Clk £200 (self-comprised "Self-comprised "Preferc" £Clk £200 (self-comprised "Self-comprised "Self-compr


HDP 68K: As HDP 240 but with twin (Z808 and 68000)

SIR COMPUTERS LTD, 91 Whitchurch Road, Cardiff CF4 3JP. Telephone: Cardiff (0222) 621813

IGLE

ives you the best value in monitors, printers

& BBC Micros



Please Rine



Dot Matrix Printers

Epson RX 80/FT Brand leader, A reliable well established printer with friction and tractor feeds, 80 cps &275 (inc VAT)

Epson FX 80 The upmarket printer from the Epson range. 160 cps. All other facilities you would expect

Competitively priced at &379 (inc VAT) Canon PW 1080 A - KAGA - TAXAN. New printer recently reviewed shows near letter quality printing from dot matrix printer. Friction and tractor

£289 (inc VAT Shinwa CP80 £119 (inc VAT)

feeds. 160 cps. Highly recommended.

Juki 6100 £375 (inc VAT) SAN PLE 2000 £229 (inc VAT)

Daisywheel Printers

Please add £8 for 14 mm printer lead for the BBC Micro

Please add \$8.00 for carriage.

We also stock other computer peripherals, accessories and complete work processor systems at unbelievable prices Please call for our latest offers. You may also purchase these items direct by calling at

our factory/showroom in Hanwell, London Prices correct at time of going to press and offers subject to availability.

Microvitec standard 1431 £189 (inc

Microvitec medium 1451 £305 (inc.

Microvitec high 1441 &442 (inc VAT) Philips 14" TV/monitor &235 (inc VAT) (RGB Input)

Monochrome Monitors

WAT) Self Hotel Band of the Best of

151

A J SOFTWARE for BBC



'The Record Changer' 32K £19.95 Cass, £24.95 Disc.

for indexing, membership lists, directories, inventories, budgeting, etc, etc.

don't buy a database in the dark - check the spec!

'The Wordsmith' 32K for Centronics 737/739 AND NOW FOR EPSON FX80:

£19.95 Cass. £24.95 Disc. Options Timetable 32K

£14.95 Cass. £19.95 Disc. Simple Word Processor 32K

£9.95 Cass. £14.95 Disc.

Picture Maths £9.95 Cass. £12.95 Disc.

An arithmetic practice program for primary schools.

Character Definer £9.95 Cass.

Enlarge, reduce, etc, etc.

Tape Catalogue £5.95 Cass.
Catalogue all your tapes using this program and never lose one again

Copy Disc £9.95

Copy disc to tape, tape to disc, M/C, Data or Basic.

ROM Read

£8.95 Cass. £11.95 Disc.

A machine code program to read the contents of any ROM socket and copy to RAM, tape or disc. Not to be used for illegal copying.

Machine code Disassembler £5.95 Cass. £7.95 Disc.

Open Evening Timetable 32K

£14.95 Cass. £19.95 Disc. Utility Eprom £19.95

for basic programmers

Mitsubishi Disc Drives Dual 80 Track 800K £380 + VAT

Single Track Drives Dual Sided 200K £199 + VAT

Double Density Disc Interface £85 + VAT The best there is.

Epson Printers

FX80 £370 + VAT RX80 £270 + VAT BBC Epson Cable £15 + VAT

Normende

Not only the cheapest, but the best Switchable 14" RGB Monitor/Colour TV £250 inc, VAT and cable, £8.00 carr.

Royalties for quality software

All prices VAT inclusive except where shown

AJ Vision Service Ltd, 61 Jeddo Road London W12 9ED

152

SCOTLAND

ACORN ELECTRON £199.00
BBC MODEL B + DISK INTERFACE £499.00
EXAMPLE B + DISK INTERFACE £499.00
CUMANA DISK DRIVES FROM £160.00
EPSON FX80 PRINTER £420.00
EPSON RX80 F/T PRINTER £295.00

ALSO WIDE RANGE OF SOFTWARE AND ADD-ONS FOR BBC AND ACORN ELECTRON.

All prices Include VAT. CARRIAGE £8.00 per unit.

WEST COAST PEASONAL COMPUTERS

47 Kyle Street, Ayr KA7 1RS Telephone (0292) 285082

BBC MICRO REPAIRS by MICROFIX

ACORN AUTHORISED SERVICE CENTRE

"Cumana Disc Drive and Acorn DFS upplied and fitted at low prices"
We will repair your faulty BBC micro, disc drive or monitor quickly and at a reasonable charge. Most repairs cost between £10 and £20.

We can also offer extended warranties on all your equipment. Send S.A.E. for full price list.

> Phone 01-968 9214 or call in at

191 Freston Road, (Latimer Road Tube) London W10

and ask for Mark Duffill or Derek Mullings.



ding features of the game eague tables • Four Divisions tatch • As many seasons as you like till levels • Save game facility

Prices: BBC Model B Commodore 64 Spectrum 48K ZX81 16K

3. 3D GRAPHICS ARE NOT LUDED IN THE ZX81 VERSION) erseas orders add £1.50 Strategy Game of the Year, 1983

Golden Joystick Awards

To order by mail (p&p free) send cheques or postal order to:



7A RICHMOND HILL, BOURNEMOUTH BH2 6HE

THE SIR COMPUTERS'



ELECTRON ROM/RAM EXPANSION UNIT PRICE £59.95

Provides 12 extra sockets which support a variety of ROM and RAM configurations up to a max, of 192K for ROM and 16K for RAM ROM and RAM is normally paged in 16K blocks but is easily switchable to 2K, 4K or 8K blocks

Easy to install - just plugs in Professional styled casing bolts to rear of computer.

Fully buffered design. Permits use of most BBC ROM-based software including utility ROMs, wordprocessors & languages.

THE SIR ELECTRON ADC/PRINTER UNIT PRICE £64.95

NOT JUST ANOTHER JOYSTICK PORT - FULL ANALOGUE-TO-DIGITAL CONVERTER provides fully proportional control, essential for use with graphics packages, digitizers, etc. ideal for scientific & educational applications: usable with a wide variety of BBC Micro-compatible analogue and switched Joysticks/Paddles. No

CENTRONICS PRINTER INTERFACE – allows use of a wide variety of paralle printers including entire Epson range; complete firmware support included. HIGH-QUALITY MOULDED CASE – attractively styled plastic unit bolts securely to the back of the computer.

EASY TO FIT – no soldering, simply plugs straight into computer's rear edge-connector and is held in place by twin bolts; edge-connector on back of unit provides for further modular expansion if necessary.

to be copied to any Epson-compatible printer JOYSTICK FFATURES

ADVANCED SPECIFICATIONS

PRINTER FEATURES

Built-in command (*SCREENDUMP) allows colour graphics Provides connections for two Atari-type joysticks, allowing

with any Centronics-type printer

Uses BBC Microcomputer operating commands - VDU 2

the use of two-player games.
Compatible with 99% of Electron software.
Built-in command ("DEFINEXEYS) allows joysticks to be used even with programs not normally providing joysticks

ADDITIONAL FEATURES

Only Acorn-approved memory addresses are used, ensuring compatibility with all current and future expansion devices All operating software is held internally in a 'sideways' ROM There is no need to load any additional software from cassette, unlike inferior interfaces. Housed in a slimline plastic case

COMBINE SPECIAL PRICE £99.00

BOTH THE ABOVE UNITS (ROM/RAM Expansion Board and Printer/ADC Interface) IN ONE CASEI A complete and comprehensive Electron expansion - ideal for word-processing applications among many other uses.

-ALL PRICES THIS PAGE INCLUDE VAT-PLEASE ADD £1 P&P PER ITEM ORDERED

SIR COMPUTERS LTD 91 WHITCHURCH ROAD, CARDIFF CF4 3JP Tel: Cardiff (0222) 621813



SOFTWARE

		TITLE	PUBLISHER	PRICE	MICRO	REVIEWED
1	1 1	Frak!	Aardvark	£7.50	В	
					1000	September '84
2	(2)	Fortress	Amcom	£8.95	В	September '84
3	(3)	Blagger	Alligata	₹7.95	B/E	October '84
4	(5)	Twin-Kingdom Valley	Bug-Byte	£9.50	В	
5	(9) Football Manager		Addictive	£7.95	В	
6	6 (13) Chukkie Egg		A&F	£7.95	B/E	September '84
7	()	Micro Olympics	Database	£6.95	В	
8	(1)	Aviator	Acornsoft	£14.95 (£17.95)	В	May '84
9	(17)	The Hobbit	Melbourne House	£14.95	В	
10	(8)	737 Flight Simulator	Salamander	£9.95	B/E	December '83
11	(10)	Overdrive	Superior	27.95	В	September '84
12	()	Spitfire	Alligata	£7.95	В	
13	(—)	Felix and the Fruit Monsters	Micro Power	£7.95	В	
14	()	Hopper	Acornsoft	£9.95	B/E	August '84
15	(4)	Battletank	Superior	£7.95	В	September '84
16	(20)	Ghouls	Micro Power	£7.95	B/E	June '84
17	(15)	Hunchback	Superior	£7.95 (£11.95)	В	September '84
18	()	Countdown to Doom	Acornsoft	£9.95	B/E	
19	()	Snowball	Level 9	£9.90	В	
20	(7)	Mr Wimpey	Ocean	£6.90	В	
B = 6	BBC E=	Electron Prices in brackets are for disc v	ersion			

BUBBLING UNDER

Quick Thinking (Mirrorsoft) Brainstorm (Virgin) Java Star (Shards) Sea Adventure (Virgin) Compiled by RAW/Computer Jet-power Jack (Micro Power) Lords of Time (Level 9) System 15000 (Ferranti) Nifty Lifty (Visions) Cosmic Cruiser (Beau Jolly) Hulk (Adventure International) Eagle Empire (Alligata)

FRAKI has done it. Straight into pole position. Visitors to the AU Exhibition will have seen why it's up there, and what happens when you get to the later stapes. Our Editor (who's appalling at games) barely managed to scroll past the first screen, but the real plotters can get to the end of the trail when the screen is repeated, upside-down!

Aviator has stalled after its No 1 entry last month, but Acornsoft's fortunes will no doubt be revived by the newcomer Elite, reviewed in this issue.

Other releases to look out for are Micro

Power's Dune and a Grand Prix racing game from Software Invasion (complete with bends) to rival Atari's Pole Position and Superior's Overdrive. Quicksilva also has a racing game under way produced with Atari's blossing.

Football Manager's progress can expect to be given a helpful boot upwards by the start of the new season, probably from Everton fans hoping to repeat their team's success over awe-inspiring Liverpool in the Charity Shield. Micro Olympics will no doubt continue going for gold but will have a job

overhauling the yo-yoing Frak! No doubt the Olympic game will be boycotted by our Eastern-bloc readers because of its commercialism in featuring advertising on back.

ground hoardings.

Adventure fans are making their presence telt with four placings, two of them, TKV and The Hobbit, showing a lot of staying power in the chart.

Our tip for next month's top match? Still Frak! But watch out for Eitle jumping in and a major campaign from Software Invasion with its 3D Grand Prix.

micro FAST LATEST BARGAIN PRICES

colour MONITORS



£239.13

Microvitec 1451

inc VAT Amstrad CTM640 £169 Microvitec 1431 £195 1431 (RGB/PAL/AUDIO) Taxan Vision EX JVC 1302-1 (QL/BBC) £195 Microvitec 1451/QL £255 Microvitec 1451 1451 (RGB/PAL/AUDIO) £340 Taxan Vision II £270 JVC 1302-2 (QL/BBC) £253 Microvitec 1441 £499 Taxan Vision III £370

DISK DRIVES



£86.09 100K 40T

inc VAT Single 100K ALPS 40T 599 100K Chinon 40T £145 200K Sankyo 3" 40T £185 400K Mitsubishi 40/80T 9913 400K Cumana 80T

inc VAT Double 400K Sankyo 3" 40T £369° 800K Cumana 80T £419 800K Mitsubishi 40/80T £439 800K Cumana 40/80T £499

Phone for quotation on

bespoke Accounting

Software Invoicing/

mono MONITORS



ISL₁₈ inc VAT 269

Amstrad GT64 Sanyo DM2112 (15 MHz) £75 Sanyo DM8112CX (18 MHz) £103 ISL 18 (18 MHz) 662 ISL 20 (Swivel 80 col) £73 £105 Teco with Zoom

VARIOUS

Torch Ext. Processor inc VAT £299 + Software Torch Ext. Processor + software + twin drives £749 Computer Concepts ROMs from £32 £24

Acorn Business Software Acorn Data Recorder £32 Computer Work Station £57 Holds Micro *, Monitor, Printer with Storage Space. Printer Stands Desk Stacking Unit £23

(Lockable version available)

DOT MATRIX



£2217

inc VI

124

135

EZ

£5

Enson RX80 F/T

Star Gemini 10 Star Delta 10 KDC FT-5001 Epson RX80 Epson RX80 F/T Epson FX80 Epson FX100 Mannesman

DAISYWHEE



Juki 6100

£3261

inc VA

JUKI 6100 Daisy Step 2000 JUKI Sheet Feeder JUKI Tractor Feed Serial Interface Conversions 8143-Epson 8148-Epson (2k buffer

XON/XOFF protocol) JUKI Plus cables from

BUSINESS SYSTEMS

A.C.T. Apricot Processors and **Business Systems** assembled to your specification. Price dependent on equipment supplied. Call us to discuss your requirement.

PROCESSORS



£320.87 **BBC Model B**

inc VAT BBC 'B' + Recorder & s/ware £369' BBC"B' with DFS €459 Acorn Z80 Ext. Processor £299 Torch Unicorn Package P.O.A Amstrad CPC464 £160 6v power + UHF £28 ISL 8083 (IBM Comp) £1350 DEC 11/23 + 40 MB DEC 11/73 + 170 MB 67000 F1200 LVL DD/DOS £119

Ledgers/Payroll







Kenda Mighty Oak 101 Kenda Professional (double density £130 Opus Double Density £130 Acorn DFS Kit £97

MODEMS

Selection of Acoustic Couplers and Mini Modems in stock Minor Miracle WS2000 £145 inc VAT

ALL PRICES INCLUDE VAT

Prices shown are for cash & carry sales and are correct at time of going to press in August. Export price list available Mail order and credit cards accepted OPEN 9-6 Monday to Saturday

57 Hoxton Square, London N1 Tel: 01-729 1778

THE EXPERTS

TOOLKITS ON TRIAL

Bruce Smith finds firm favourites among five utility ROMs

HE ability of the BBC micro to accept a variety of extra ROMbased software that can be used concurrently with Basio or even replace Basic has always been an important aspect of its design, and it goes some way to compensating for the small amount of user memory available, especially in the high-resolution graphics modes. (With extra hardware, of course, the Electron has similar potential.)

Independent suppliers have been quick to jump onto the bandwagen of ROM-based software (normally termed firmware), producing a variety of programming goodles. As many of you are ware, the choice is confusing. What exactly does the firmware do? Is it as good as the others? If not, which one is the best? And so on. In an effort to help you through this

in an enors to nep you shough this firmware jungle a comparative review of groups of firmware will be appearing in sture is sues of Acorn User. This month I start the ball rolling with a look at ROMs containing Basic programming aids or utilities. Future issues will sous on machine-code monitors, databases and wordprocessors.

The Jargon

Rom-based software for the Beeb is often called a 'utility'. This word really means an aid to programming, a program that will allow you to perform a certain task with minimum fuss. Consider what would happen if you had a longish program in which you wanted to replace all occurrences of one variable name with another. No problem if the variable has been used only a few times. You simply edit it in using the cursor control and Copy keys. But what if there were ten, 20 or even 30 occurrences of the variable? To edit each one by hand would be laborious. The best answer is a utility program that would do the whole job for you. Enter the name to be replaced, the new name and the utility does the rest! Because of the usefulness of these types of commands a collection of them is generally termed a 'toolbox' or 'toolkit', as they are thought of as supplying a collection of tools for the programmer.

A usable utility

The most obvious way to write a utility program is in Basic, and listing 1 provides an example that lists the values

assigned to all the resident integer variables in decimal and hexadecimal. Trouble is, writing a utility in this way has many drawbacks. First, where do you put it? The most obvious way is to incorporate it in the main program as a procedure, as demonstrated in the program. A library of utility procedures could be stored on tape or disc as ASCII files and simply spooled in as required. However, this eats up memory and means that the final program will need editing to remove the utility when it is complete—shades of Catch 22!

An alternative method would be to

place the utility in a different part of

SUPPLIERS

ADDCOMM

Vine Micros, Marshborough, Sandwich, Kent. Tel: (0304) 812276

CARETAKER

Computer Concepts, Gadderden Place, Hemel Hemsptead, Herts HP3 6EX. Tel: (0442) 63933

TOOLKIT

Beebugsoft, PO Box 109, High Wycombe, Bucks HP10 8HQ.

TOOLSTA

Pace Software Supplies, 92 New Cross Street, Bradford BD5 8BS. Tel: (0274) 729306

U-TOOLS

Intersoft, 26 Netherfield Road, Sandiacre, Nottingham NG 10 5LN. Tel: (0602) 399974

memory by adjusting the value of PAGE. The program still uses up memory, assuming there's enough to put it there in the first place. To run the program you have to alter PAGE and change it back to its original setting to get back to the main program. Another approach is to write the util-

Another approach is to write the uniity in machine code. The main disadvantage here is that you need a knowledge of assembler to do this yourself,
unless the software is being bought.
Machine code is more vertatile than
Basic and usually much less demanding of memory and so can be placed out
of the way in a backwater of memory.
The user-defined character space from
&CO0 to &CFF is a favourite location.

Executing machine code doesn't involve the complicated rigmarole of changing PAGE etc.—a simple CALL to the start address will suffice. Machine code also operates much faster than an interpretative language such as Basic.

Listing 2 provides a simple program compactor. Type it in, run it, and save the machine code to tape or disc using:

*SAVE "SPACE" C00 + FF C00

Using the program simply involves "RUNing it or, if already present, CALL &COO. The effect of the program is to remove all spaces, except those within quotes, from the program at PAGE so that it requires less memory space. This utility needs to be used with care. For example, the line;

500 DEFPROCdemo BYTE% = 0

is legitimate, but after deleting the space the line will be:

500 DEFPROCdemoBYTE% = 0

which will cause an error at run time. The way around this is to place a colon between the procedural name and the variable, thus:

500 DEFPROCdemo : BYTE% = 0

Similar care should be exercised when using the assembler to differentiate, between a label name and the opcode to prevent them from turning into one long label name!

Using machine code in this way has its disadvantages - it still uses up memory. This may not be a problem if only one utility is required, but finding space for two or more useful utilities well out of the way is not easy. Also, once a machine code program has been assembled into a particular area of memory it can normally only be loaded back and used correctly in that same area, unless some fancy coding techniques have been employed to make it relocatable. Thus a program assembled to run in the soft character buffer is not much good if your program makes use of the definable character facility! A way round this would be to assemble code into several areas and load the required one in, but this is

Bruce Smith's example utilities in Basic and machine code (listings 1 and 2) are on yellow page 112

Bad mode? no room?

Solve your problems in 5 minutes with the...

RAVEN-20

Features include...

- PROVIDES 20K OF USABLE RAM
- ALLOWS THE RUNNING OF PROGRAMS
 UP TO 28K LONG IN ANY SCREEN MODE
- RAVEN 20 IS COMPATABLE WITH ALL CORRECTLY WRITTEN SOFTWARE
- SIMPLE PLUG IN AND GO DESIGN
- SIMPLE PLUG IN AND GO DESIGN
 SPECIAL COMMANDS FOR

SOFTWARE WRITERS

- COMPLETELY TRANSPARENT TO BBC OPERATING SYSTEM
- NO SOLDERING OR CUTTING OF TRACKS.
- USES ONLY DOCUMENTED MOS CALLS
- LOW POWER DYNAMIC RAM DESIGN + MANUAL
- SELF TEST FACILITY
- COMPLETE WITH ROM BASED SOFTWARE
- CAN BE FITTED TO BBC MODEL B FITTED WITH OS 1.2

THE ULTIMATE IN DESIGN & PRICE

669.95

RAVEN MICRO PRODUCTS

1 SAVILLE ROAD · WESTWOOD · PETERBOROUGH PE3 7PR · TEL 0733 260930

fiddly and time-consuming, especially for tape users.

Inside track

Home-brewed utilities therefore have their disadvantages - they have to be written, they use up precious memory and they are not always easy to use. The best compromise is to use machine code stored within EPROMs using the sideways ROM facility of the Beeb. The advantages are many. The utilities are always on hand because they form part of the micro itself, and that also makes them 'portable'; you are not dependent on disc drives or cassette recorders to get at them. Virtually all the commands implemented as commands because the ROM itself contains an interpreter that recognises them. Thus our compacting program, if found in a toolbox, might be executed just by typing 'PACK or 'CRUNCH Because ROMs occupy the same area as Basic they are transparent to the user, thanks to some clever electronics, and do not normally require any user memory.

There are disadvantages, of course, For a start, outlay – most items of firmware normally cost at least £22 and they need to be fitted into the machine. A dealer will often do this if you buy from him, but the mail order buyer is on his own.

What's around

Toolbox The only serious item of tapebased utility software I have encountered is BBCSoft's Toolbox. This is a neatly packaged book with accompanying cassette of programs. It obviously suffers from all the aforementioned problems and at £21 is not cheap. However, for anyone wishing to learn about the techniques involved in utility programming it is a useful introduction. Twenty-five utilities are provided, 13 of which are written in Basic and 12 in assembler. A good range of programs are provided and these include sorting routines, a variable dump, a REM stripper and program formatter. Each program is discussed in the accompanying text.

It has to be said, however, that EPROM-based software is really a must for the serious utility user.

Addcomm The Addcomm from Vine Micros is probably the best value for money out of the tookits. Although it addes not come out on top in table 2, the need to worrall command content is undoubted the state of the took of the state of the stat

A simple implementation of Logo graphics is also included providing turtle graphics commands such as PEN, LMOVE, ROTATE, ANGLE and so

The commands are implemented not as operating system commands, prefixed by asterisk) but instead they are entered directly as they are. This is because the Addocum interpreter traps the errors that Basic would normally throw up and then tries to interpret the command that caused the error as an Addocum command. This is good in theory but it can lead to confusion as it sometimes interprets Basic errors as Addocum errors and displays the wrong error message.

Finally, Addcomm offers 40 commands to the user, though 1 consider only 37 of these usable. The other three callow the user to jump out of loops — naughty! They should be ignored by the user as they are not good programming practice. My plea to Vine Micros would be to delete these computer nasties from the instruction set and replace them with better error-handlier error-handlier.

Caretaker I'm a little disappointed with Caretaker. Over the past couple of years Computer Concepts has produced some of the best lirmware for the BBC micro, but Caretaker falls some way short of the company's high standards. Of its 18 commands, i consider three to be space-fillers, although they are useful sometimes. CURSOR allows the cursor to be turned on and off, while TABSTOPS and NOTAB allow the user to determine the new position of the cursor on the screen.

cursor on the screen. What disappoints is that it is rather run-of-the-mill, and shows none of the originality we've come to expect from CC. Useful enhancements, however, are those of slingle key command entry, are those of slingle key command entry, so the same specified sections of program such as important procedures. Caretaker also scores on its EXCHANGE facility, which allows a good degree of control in selecting global or selective search and replace.

Toolkit Boebugsoft's Toolkit scores well in the five standard ratings section of table 2. The variable dump commands are extensive and include listing of procedure names and arrays in addition to integer and real variables. The enhanced line editor is useful, allowing program scrolling in any direction and listing of any erroneous line, highlighting the error at run time.

A couple of commands seem somewhat dubious, however. The ability to be able to perform OLD within a program would be needed on very few occasions, and I can think of no occasion when it has been necessary to perform NEW from within a program.

Toolstar This is not essentially a Basic toolkit but a general utilities aid, as it includes machine code and disc utili-

ITEM	ADDCOMM	CARETAKER	TOOLKIT	TOOLSTAR	U-TOOLS
PRICE	£28	£33.35	£27.00	£34.00	€26.95
No. Basic commands	31	18	26	8	26
Total No. commands	40	18	26	22	26
Bad program cure	•	•			
Compact	•	•			
Error-handling					
Find	•				
FKeys lister	•				
Format listings					
Global search/Replace		•			•
Graphics Enhancement					
Help page					
Insert program lines		•			
PACK					
Program status	•	•			
Renumber		•			
ROM command identity	•				
Save/Load function keys		•			
Save part program		•			
Screen dump					
Single key commands		•			
Shift program					
Turn off ROM					
Variable dumps					
Verify					

Table 1, Facilities at your command

ties. As table 1 shows, only eight of its 22 commands are Basic-orientated and this should be borne in mind when it comes to your decision. In essence, Toolstar is suited to the advanced programmer who dabbles in machine code and Basic and uses discs.

The global search and replace facility is a good implementation and the tookit's built-in software allows you to add your own RAM-based commands. A very interesting feature.

The Toolstar manual is excellent - by far the best I have seen produced for an item of commercial software; indeed it is much better than many computer user guides. Its 156 spiral bound pages are colour-coded, and copious use of examples makes it a joy to read.

U-Tools The U-Tools box offers a good, steady variety of utilities. One of the more interesting features is a command that will not only save a program but also lock it so that it can 'RUN, though it is a shame that it can be used efficiently only with machine code programs. A variety of program-crunching commands are on offer, plus an errortrapping wedge that lists an erroneous line before printing the error message.

	ADDCOMM	CARETAKER	TOOLKIT	TOOLSTAR	U-TOOLS
Ease of use	8	7	7	7	7
Range of utilities	8	7	6	5	7
Documentation	8	5	5	10	5
Error messages	5	6	9	6	6
Five standard utilities ratings					
Bad program core	7	7	8	8	7
FIND string	8	N/A*(5)	9	7	8
Global search & replace	8	9	8	9	7
Program compactor	9	9	7	N/A	9
Variable dumps	7	8	10	N/A	8
TOTAL	68	63	69	52	64

N/A = Not available

*FIND not directly available but can be implemented using global search and replace facility and specifying same search and replace strings.

Table 2. How they score on a scale of 1 to 10


U-Tools is the only toolbox to provide an intelligent screen dump of any of the graphics modes to an Epson or Epsoncompatible printer such as Star. The dump provided is large - 23 × 16.5cm and it is produced down the paper.

Which one?

Before choosing which Basic toolbox you want to buy it is worth making out a list of items that you feel it should contain-in other words, the commands that would be most useful to you.

My own preference is the Addcomm. followed by Toolkit, finances allowing. From table 1 it would seem that the best combination would be Addcomm and Caretaker, as they cover the entire range of utilities. However, these two ROMs seem to be incompatible as some Addcomm commands will not function with Caretaker present.

At the end of the day, however, it should be a personal choice.



ADD 40 COMMANDS TO BBC BASIC WITH ONE ROM

<u>COALE</u> is a powerful and totally flexible statement that allows the user to take control of the scaling of the screen. Integers, real numbers and variables can be used. <u>NUTATE</u> is used to 'rotate' the axes about a point and by an angle both defined by the RDTATE statement on a scaled

screen.

[IRT] and [IRT] allow a multitude of shapes to be drawn using a single statement, includingle any regular polygon, circles, area, sold sectors, triangles, sparses, etc.

[IRT] and [IRT] a

Plus: SMOVE, SDRAW, SPLOT and UNSCALE.

IN

1

List can be programed, unlike List, and under the User's control, motiple statement lines can be split up into their control, motiple statement times can be split up into their Colombia scalar to the COTO statement but never powerful in that it enables the user to jump to 'labelled lines' allowing for neater and more resubble programmes.

SEET allows the user to sort all or part of a string array lifes algobatical order using a single statement. 'Emalumble This algobatical order using a single statement.' Emalumble This algobatical order using a single statement.

limto alphabeticai order using a single statement. Invalual for data processing.

For data processing.

Invaluation of the processing of t

Plus: OPT. POPFOR, POPGOS, POPREP and ADDOOM

Compatible with: Acorn DFS, Amcom(Pace) DFS, Watford DFS, Wordwise, Disc Doctor. Model B, BASIC 1 or 2, OS 1.20



Plus: *MELP displays the full syntax of <u>all</u> commands, Price includes a detailed ring-bound User Guide.

DOM: is used to position the LOCO cursor, usually used prior to further LOCO statements. The further LOCO statements of the LOCO cursor, the support of the LOCO cursor. The support being described in degrees.

ADMACE is used to move the cursor in the direction as set. The cursor is the direction of the local cursor in the direction by turning it a certain number of degrees and to-lockwise from its previous direction. The laternal plut codes.

LIEBLE and LELIDED are the LOCO equivalents of the similar current LOCO cursor position, and above centre being current LOCO cursor position, and the cursor code cursor from a Social cursor the position of the LOCO cursor from a Social cursor the position of the LOCO cursor from a Social cursor. 0 G

Ö

These commands are unlike those on any other ROM, since they are used in exactly the same way as th standard RASIC commands = i.e. any numeric/string expression, sulti-lime statements, access to any variable, and, of course no stars!

£28

ELECTRON WITH HOM BOARD

COME is a simplified consequent section predicts when you can appear that the combine the use to questly some or construct or alter graphic and preside-ellphanmentic characters. They propries the intelligently appeared to the propries of the propries to intelligently appeared prices to proprie to find any companion of the control of the propries to find any companion of the control of the propries to find any companion of the control of

Plus: HEM, GOODPROG, KILLREN and PKEYS.

VINE MICROS, MARSHBOROUGH, SANDWICH, KENT. CT13 OPG. (Or send stamp for Brochure)



Take A Look At Tandy, Today!

See Our Extensive Range of Microcomputer Accessories At Any One of the 350 Tandy Stores Nationwide!

Survigithe last sur months at the Tandy Store, Tanemary Tower, Sheet Warsalt West Mickands, WS1 1LA

Model 100 Interface Cable.

26-1409

Chers Subject to available

26-1268

CROTEK COMPUTER SERVICES

Authorised

acorn



B.B.C. B & acorn electron

CUMANA disk drives
DECCACOLOUR & MICROVITEC monitors
SEIKOSHA. EPSON & DAISYSTEP printers
ACORNSOFT/MERLE business software
ACORNSOFT full range

NEXUS HOUSE 2 CRAY ROAD SIDCUP, KENT 01 300 3075/6 ACCESS/BARCLAYCARD WELCOME "O brother."



ABACUS

PRINTER/TYPEWRITER FROM ONLY

£299.95 + VAT

SPECIAL OFFER TO 'BBC B' USERS ONLY
The pedigree of the Brother typewriters & printers needs no

help from us but now for the first time we have designed & built an interface that we are offering FREE of charge when you purchase one of the machines listed below.

There are no hidden extras such as cables leads or plugs these are all provided. All you require is a BBC B computer with a spare ROM socket.

FEATURES AS TYPEWRITERS

PENTONES AS ITPEWRITERS

Brother CE 51, one touch interchangeable daisy wheel
*Cassette ribbon * All keys repeat * Super & sub script
Express return * Auto relocate * Decimal tabulation
*Impression control * Line indentation * International symbol
selecter * Auto one line correction * Built in carrying handle
* Hard cover * Paper width 13.5" * Typing line 11" * Typing
pitches 10, 12.8 15 * 46 keys * 96 characters * Line space 1,
1; 2 * Choice of ribbons & type styles.

Brother CE 60, as per 51, PLUS * Auto carrier return * Auto paper feed * Auto underscore * Ind up & Ind down * Back tabulation * Centering * Bight margin flush * Paper support * Glare Proof Acoustic shield.

Brother CE 70, as per 51 & 60, PLUS, *15 character display * 8K text memory * Previous two line correction * 5top codes * Step keys * Centering petween tabs * Auto column layouts * 72 hour battery memory back-up * Proprotional spacing * Line space 1, 11, 2 & 3 * Bidirectional printing in justification from memory.

Typewriters used as printers: All of the above features are available PLUS when using your computer the CE 51 has auto underscore facility.

Special offer starter pack containing 3 fabric ribbons and an Ascil daisy wheel ONLY £25 inc VAT. If you have a Brother CE 51,60 or 70 and wish to purchase the interface only see below.

ABACUS BUSINESS MACHINES LTD. 961 Christchurch Road, Bournemouth, Dorset. Phone (0202) 423204.

Pten	se send me:		
qty	Brother CE 51 typewr	ters (it	£344.94 inc VA
qty	Brother CE 60 typewr	iters (it	£431.25 inc VA
qty	Brother CE 70 typewr	iters (c	£672.75 inc VA
gty	Starter packs @		£25.00 inc VA
qty	BBC B interfaces (only	y) (i),	£75.00 inc VA
Post	& packing per typewrite	er G	£5 00 inc VA
Post	& packing: S/pack or in	terface (ii.	£1 50 inc VA
	ostal charge for interfa hase.	ce or S/pack when	combined with a typewrit
Debi	tmy ACCESS BARCLA	Y Acc No	

Please allow twenty eight days for delivery

Address

P. code ..

TRADE ENQUIRIES WELCOME

MAKE THE MOST OF YOUR COMPUTER.

INTERFACE



Acclaimed books from the experts...

☐ Dynamic Games for your Electron Neal Cavaher-Smith.	£4.95
☐ 36 Challenging Games for the BBC Micro Chris Callender and Tim Rogers.	£5.95
☐ Let Your BBC Micro Teach You to Program Tim Hartnell.	£6.45
□ Putting Your BBC Micro to Work (includes a full word-processing program, plus 14 others) Chris Callender.	£4.95
☐ Creating Adventure Programs on your Computer Andrew Nelson.	£4.95
☐ The Easy Way to Program Your New Computer Tim Hartnell	£3.95
□ Practical Applications for the Microcomputer in the Home. David Hole.	£4.98
☐ The Art of Structured Programming	

These books are available from most book and computer stores. In case of difficulty, order directly from us.

Interface Publications, Dept. QAU, 9-11 Kensington High Street, London W8 SNP.

Please send me the indicated books. I enclose £

Name. Address

INTERFACE PUBLICATIONS

We're the Experts.

(TRADE ONLY: Interface Publications are distributed exclusively in the UK and _________

EXPANDABLE CONSOLE FOR BBC MICRO

As supplied to Universities, Colleges, Schools, business & home users

A professional console to house disc drives/2nd processor/Torch dual drives/teletext, etc. All untidy wiring out of sight in the strong aluminium console in a matching textured colour. AVAILABLE NOW a bolt on extra module for extra expansions

Also available a matching printer stand, yes stack your paper under the printer.

ALSO VOU STANDS AVAILABLE





Only

arrangement

ELECTRON CONSOLES

The console houses the electron and will safely support the expansion interfaces which plug into the rear of the micro, supports the VDU and tidies up all wiring, allows expansion to disc at a later date

Special Torch Version £46.99 + £4 p/p BBC Console £44.99 + £4 p/p Bolt on expansion £14.99 + £2 p/p VDU/Printer Stand £14.99 +

Electron Console £34.99 + £4 p/p Please add VAT @ 15% to all prices

For further information enclose sae or send cheque to. Mail Order

Viewing by

01-801 3014 27 Wycombe Rd 24 hour ansaphone

Please allow 28 days for delivery

The Original "NEWARK"

TV/RGB Monitor (ATMOS)

It's £249.94 Incl. VAT package! (ELECTRON) it resolves 80 characters!! The package:

£249.94 for a remote control 14" TV with a computer lead - delivered to your door including VAT (we even fit a mains plug!) and carriage.

We have a Large range of Grundig models from 14" to 26" with or without Teletext.

Contact Elaine for an up to date leaflet package.

NEWARK VIDEO CENTRE LTD.

108 London Road, Balderton, Newark, Notts. 0636 71475 to order by Access or Visa Mon-Sat/9 am-6pm



TOP QUALITY SOFTWARE FOR THE ACORN ELECTRON







populated by the deadly Snobees. His only hope of survival is to squash them by harling ice cubes at them. Unfortunately, whenever it



From the author of Perty Penguin, Mr Wizis a fast-action multi-scene game. Guide Mr. Wizis a fost-action multi-scene game. Guide Mr. Wizi around the garden to eat the chemies whilst avoiding the evil gremlins. The gremlins con goined by eating the magic mushroom, but bewore, this is the home of the gremlins and makes them permonently furrious! Sound effects and tunes, hi score, rankings. Superb





Features include: spiders, shoils, flies, & skill levels, hi-score, rankings, and increasing



The objective of the game is to shoot the oliens out of their boxes before the 'boxes' fill up. Once full, the aliens fly down relentizestly exploding as they hit the ground the game features include: 6 stall levels, rankings hi-score, increasing difficulty.



colour graphics. You are stranded on astronge planet, and your mission is to return to civilisation and home. Many of the locations civilisation and frome. Many of the locations one shown graphically, induling the spaceship, the dilfs, the mountains, and (if you succeed) your home. You must corefully explore your environment secretaring for hidden closes to help you in your guest.



country is pinpointed on an accurate hi-resolution screen map of the world, and the user is asked the capital and or population. At the end of the test, the percentage of correct answers is given, so that the student can

ALSO AVAILABLE:

INVADERS **FRUIT MACHINE** CONSTELLATION

£7.95 DISASSEMBLER £7.95 DRAUGHTS £7.95 REVERSI

£7.95 £6.95 £6.95 DEALERS - Our software is now available at all good dealers including: selected branches of W. H. Smith and Boots; all major computer dealers

Microstule, Electronequip, 3D Computers, Computerama, GTM Computers, etc.; and our software is also available through all the major distributors, and directly from us.

WE PRY UP TO 20% ROYALTIES FOR HIGH QUALITY BBC MICRO AND ELECTRON PROGRAMS.



SUPERIOR SOFTWARE LTD.

Dept. AUIO, Regent House, Skinner Lane, Leeds 7 Tel: 0532 459453

All our softwore is available before we advertise

All our software is despatched within 48 hours by first-class post. In the unlikely event that any of our software fails to load, return your cossette to us and we will immediately send a replacement.

IF YOU'RE AN ACORN USER, YOU NEED TO BUY THE BEST!













- A thorough grounding in BASIC.
- * Structured programming techniques.
 - * Packed with lots of examples.
- Develop your graphic skills to the full All you need to know to produce:
- * Graphs * diagrams * pictures * 'three-dimensional' displays # plus many other designs.
- Crammed with practical and challenging exercises.
- Backed by thought-provoking examples.

MAKE THE MOST OF YOUR MICRO



CORGI/ADDISON-WESLEY

TOGETHER THE NEW FORCE IN COMPUTER BOOK PUBLISHING



ı	All these books are available at your bookshop, though should you
	find any difficulty in obtaining them, they can be ordered
	direct from the publisher. Simply fill in the form below

Please send me

- 99105 1 Better Basic for Your Electron at £4.95 (192 pages)
 99102 5 Graphics Programming for Your Electron at £4.95 (176 pages)
 99104 X Graphics Programming for Your BBC Micro at £4.95 (192 pages)
- Please allow cost of book(s) plus 30p for one book plus 15p for each additional book for postage and packing.

(IN BLOCK CAPITALS PLEASE)

Now send to CORGE/ADDISON-WESLEY BOOKS 61-63 Uxbridge Road, London W5 5SA



STAR STATUS

Tony Quinn goes boldly to Cambridge on an Elite mission

'Elite', Acornsoft, BBC B, £14.95 (disc £17.95), Electron, £14.95

PACE is the final frontier as far as Acornsoft is concerned, and the company reckons to have cracked it with the new release. Elite. This game has been the

subject of the biggest security operation the company has ever mounted, to ensure no details leaked out before the launch this month. It is still so secret that even I don't have a copy! Acornsoft spirited half a

dozen journalists up to Cambridge and locked them in a room to review the game. So, this is not a full review, but my impressions after bashing away for a couple of hours. However, having written my escape clause. I must say Elite

looks superb.
Imagine a subtle blending of Aviator

and Starship Command, a sprinkling of the Star Wars films, shaken with a trading adventure, served up with some secret ingredients and you have Eitle.

It sounds ambitious but it's all there, wrapped in a short science fiction novel that sets the scene, a substantial training manual, a poster identifying the foes and friends you are likely to foes and friends you are likely to the competitions that Acornsoftplans to the competitions that Acornsoftplans or to base around the game. Not bad for the some special bits and pieces, You'll have to play to find out what they are—I've no idea!

The idea of the game is to start off with a simple space ship and build it and your reputation up to 'Elite' status. Budding Han Solo's start the game

bouding half solos start for game with a sparsely equipped space ship and a small supply of money. The ship is docked in a station orbiting a planet. Pressing various function keys giving information on the planet and enables the raw pilot to buy various goods from food and drink of urgus. Having stocked up, the ship is launched into space and the course set for another planet.

Once a destination has been fixed, the ship goes into hyperspace and after a few seconds emerges near the



chosen planet. Then it's a dash to reach the orbiting space station before the pirates pounce. The ship has then to be docked by plotting a flightpath along a line leading from the centre of the planet into the station. The entrance is a slit, and the station is rotating, so the ship has to match rotation, otherwise it just won't fit!

Your wares can then be traded, preferably for a profit. Any credits earned can be used to fund the next flight and buy better equipment for the ship.

As you trade and equip the ship until its bristling with weapony and every-thing money can buy. If becomes temphing to play naughty, Illicit cargoes such as slaves and drugs can be bought. You could be in trouble with the law but it's a good way of making a fast buck. Then you can attack space stations for the fun of it, and even try trading with one of the deadlier planets. The risks are high, but so are the profits.

That's the theory, now for the action. The colour screen shot shows a typical view of space, except there are a lot of nasties around. (This shot was specially set up and you are unlikely to meet so many different types of enemy at once.) Views to the front, rear and both side of the ship can be called up.

Instruments at the bottom of the screen give compass, a three-

dimensional map of space and other ships within range, and the status of energy banks and weaponry.

Controlling the ship takes some getting used to, as it's difficult to know where you are and which way to go especially when someone's shooting at you. The keys are a bit awkward: there are a lot of them, and some are in strange places.


Elite apparently uses up just about every spare byte there is in the Beeb's memory (and some it shouldn't). The graphics impressed even the Cambridge gurus when Elite's two student authors showed them off. Circles and elipses are drawn in full in real time with hidden line removal. The 30 effects are astounding, and the suns have to be used to state the state of the

seen to be believed. Screen graphics modes 4 and 5 are used at the same time to give accurate plotting and colour for the display. Screen width is reduced to speed up plotting and save memory. The reason for the strange keys? Simply because they are next to each other in the operating system's look-up table.

How much work the BBC is doing when plotting the suns and planets is shown as you fly towards them. If you look straight ahead, the game is slowed down! To get there quicker look to the side or behind.

So how do we sum this one up? Well, it's the best game of its type and all Metoors/Starship. Command/Defender/Aviator freaks will love it. Players who like adventuring might well be hooked by the trading aspects. And then on the disc version there are these things called 'missions' where a task is set. Finally, there's the unknown. no-one has yet reached the ultimate Ellie status, and there's even a ship out there that no-one has yet one across. Apparently it eats spaceships, so watch out.

'The 3D effects are astounding'



Price £4

for the BBC micro 32K



Available from all good BBC Computer Dealers.

Available by Mail Order from Computer Concepts, Gaddesden Place, Hemel Hempstead,
Hempstead, Hem



SPREAD THE MESSAGE

Bulletin boards offer real person-to-person contact, says Jeff

Ashurst. Why not join?



Under the umbrella of AFPAS, BB operators have adopted as their standard the V21 transmission protocol of the CCITT (Consultative Committee for International Telegraph and Telephone), which specifies receive and send rates of 300 bits/second, or 300 baud.

Let's assume you're sitting comfortably with your micro, telephone, a V21 modem and some suitable software. You are free to make whatever use you choose of the bulletin boards, from electronic pen pals to serious information exchange. But where are these boards? And which are the best?

Well, the table on page 169 should answer most of your questions it lists bulletin board systems with their telephone numbers and operating hour and brief comments regarding special interest groups (SIGs) catered for and other points of note. You will notice a few boards with the comment 'implications' to access these, call the



number, allow the telephone to ring once (ie one double ring), replace the receiver and call again. On the recall, the modern will respond with its high-pitched tone. Then, as with the others, switch your modern to 'on line' or 'data' and replace the handset fairly quick.

As to what makes a 'good' bulletin board, the answer must be subjective to a degree, but I suggest the following criteria:

- BBC-related information and software.
- Other special interest material.
- On line 24 hours daily.
- Within local call range of your phone.

The last condition cannot always be fulilled, but should become more and more possible as BBs proliferate. The systems listed are sprinkled from Cumbria to Southampton. I've never heard of any in Scotland, Ireland or Wales, but it's difficult to believe there are none. I've also included a Swedish board specialising in BBC matters. Systems are coming on line all the

Systems are coming on line all the time. If anyone knows of, or operates, a board that does not appear in the table, please let me know, either via Acorn User or by leaving a message on Liverpool Mailbox.

Roughly half the boards are on line 24 hours per day. The others operate in specific time bands on particular days, which can be restrictive. It is, however, understandable that system operators (and their families) need their telephone line for other uses. Clearly the best solution for BBs is to install a second, dedicated phone line. Even with 24-hour access, however, the better boards are more often than not

engaged, with some SYSOPs reporting around 50 calls on a typical day. You must expect a sore dialling finger!

After logging on with your name and home town, you will find that builetin boards operate invariably on a 'layered menu' principle. The main menu will allow you to read or enter messages of general interest. but it will also offer access to SIGs, software for downloading and often features such as news, prices of peripherals, electronic mai and information about the system. Electronic mail consists of messages addressed to individuals by name, and is readable only by the recipient (although you can't prevent the SYSOP from having a look).

Software

Communication — questions and answers, information, mutual help can be achieved using so-called 'dumb terminal' software, that is to say a program which simply outputs characters from your keyboard and displays incoming characters on the screen. Such a routine, by Paul Beverley, was published in Acorn User of November 1982: I have also used 'VDUPROG' from Mike James' book The BBC Micro—An Expert Guide.

able, however, you will require a smar'l program. The best of these awailable as communications ROMs, and are advertised regularly. A government of example is Pace's Commandar. Using sophisticated firmware of this type it is possible to select the receive and send rates, the word length and parity (see July's issue), and to both upload and download files reliably. A suitable modem enables access to bulletin



AID at last!

Assembler Interactive Debug for the BBC Micro with DUALSCREEN

STOP PRESS . . . AID receives superb review . . . see below

AID has now established itself as the finest machine code monitor ROM for the BEEB. With its unique DUALSCREEN operation so far in advance of the competition, AID puts unprecedented debugging power into your hands. No other monitor can begin to tackle machine code graphics - something AID takes effortlessly in its stride! Beginner or expert, you cannot afford to be without DUALSCREEN AID.



Read what "The Micro User" thinks .

66My immediate impression of AID was that it was a very professional product . . . AID offers additional features far in advance of other monitors . . . I found it easy to use, particularly as the user guide is very thorough and accurate . . I wish I had something like this when I first started dabbling in machine code . . . The last facet I explored was the DUALSCREEN facility, which is perhaps the pearl of the system . . . In conclusion, AID seems a must for the serious machine code programmer and a very useful learning aid for the novice. It is a highly professional product in every way and could prove to be the standard by which others are compared. \$5 The Micro User' January 1884

The most advanced machine code AID for the BBC Micro p&p add

Microsystems

P.O. Box 74 Bradford, W.Yorks, BD6 3RN



plus manual (OS 1.2 required)

UK £1.50 Europe £3.00 Outside Europe

ncrease your fire powe

More than just a joystick - a system


- Nylon encased Steel shafted joystick with ball and socket joint.
- Fast sprung return to centre.
- Graphite wiper linear potentiometers.
- 12 Months Guarantee.
- 7 day Money back Guarantee (on Hardware).

DELTA 146 HANDSET (14.95 DELTA 14b/1 A/D/USER PORT INTERFACE £14.85 DELTA DRIVER CASSETTE £5.95 or DISC £9.95 Prices include VAT and P&P. SAE for more detailed information.

VOLTMACE LTD PARK DRIVE BALDOCK HERTS SG7 6F7 Tel: (0462) 894410

Numerous stockists nationwide or direct

Callers welcome at the factory - Monday to Friday.



of either one. Plus the software to integrate it into the computer's system.

One handset will work on it's own in the A/D port as a joystick and two fire buttons. Joystick is immediately compatible with ACORNSOFT and similar software. The interface joins together the analogue and the user ports to use the full keypads giving a total of 24 user definable keys. The interface can also be used as a splitter for the A/D port to take two items at the same time, e.g. joystick and lightpen.


DELTA DAIVER on cassesse or disc. Two programs on each cassesse or disc. One convers, machine code programs from the keyboard to the joystick or keypad, with adjustable sent-privary on the joystick all will it wan as yo ZS. The second program (needs CS. 3 log taker and an interface) displaces any keyboard keys on the keypads, in the operating systems on that is can become a numeric keypad or will kee on the factorious keys.

*l*oitmace*delta 1*4*b*

COMMUNICATIONS

INTERESTING BULLETIN BOARDS FOR BBC USERS

NAME	NUMBER	HOURS	COMMENTS
BASUG	(0742) 667983	24 hours daily	Apple user group BB. Ring-back system
BUG	010 468 463 528		Swedish-based English language board fo BBC users. (Watch the bills on this one!)
CABB	01-631 3076	24 hours daily	Acorn, Commodore and Sinclair SIGs
CBBS Cumbria	(06992) 314	Daily 1800-2200	Ring-back system. Multi-standard: V21, V2: and Bell 103. Downloading and CP/M SIG
CBBS London	01-399 2136	Sun 1700-2200	
CBBS Surrey	(04862) 25174	24 hours daily	Temporarily off line after lightning strike
CBBS SW	(0626) 890014	24 hours daily	User friendly CBBS board. Popular - usually engaged
Centbull	01-606 4194	24 hours daily	Wednesday 1200/75 protocol. Sirius and Tandy SIGs
Distel	01-679 1888	24 hours daily	Display Electronics board. Very use friendly. News and Product information including BBC interest section
Estelle	(0279) 443511	Office hours only	STC Electronic Services BB. Also other pro tocols: ring (0279) 441188 for V22 (1200/1200 or (0279) 441222 for V23 (1200/75)
Forum 80 Hull	(0482) 859169	Mon-Fri 1900-2230; Sat/Sun 1300-2230. Daily 0000-0700	US Bell 103 standard. The first British BB
Forum 80 London	01-902 2546	Evenings and weekends	Telephone and ask for Forum 80
HAM-NET	(0482) 497150		New Hull-based BB specialising in information exchange for radio amateurs
Liverpool Mailbox	051-428 8924	24 hours daily	BBC SIG and download section. Other SIG: include Microwave for radio amateurs Britain's first 24-hour BB
Mailbox 80 W Midlands	(0384) 635336	1730-0830 Also all day Sun	BBC SIG: Download planned on receipt of sufficient software
Manchester BB	061-427 3711	Sun-Thurs 2230- 0000; Fri 2330-0200; Sat 2230-0200	BB under development running on BBC
Maptel	(0702) 552941	Out of office hours	Maplin Electronics board: product information
Microweb	061-456 4157	24 hours daily	BB dedicated to Acorn/BBC matters
NBBBS	(0827) 288810	24 hours daily	N Birmingham. Ring-back system
Rewtel	(0277) 232628		Run by Radio and Electronics World maga zine
Southern BBS	(0243) 511077	Daily 2000-0200	Helpful general interest board
Stoke ITEC	(0782) 265078		CP/M BB, ie when logged on, CP/M commands can be entered directly
TBBS Blandford	(0258) 54494	24 hours daily	BB SIG. Hopes to have full menu of BBC related items at future date
TBBS London	01-348 9400	24 hours daily	BBC SIG and download section
	(0602) 289783	See comments	To start in near future, with V21 (300/300) and V23 (1200/75) protocols and Prestel-type
TBBS Nottingham			graphics



boards. Prestel or even allows your micro to emulate a specific mainframe terminal. Smart software also allows you to compose messages in advance, diat the BB number, upload to the board, download any messages and log off. Messages can then be studied at leisure, or saved to tape or disc, without running up a phone bill.

Once you've logged on, selecting 'SIG' from the main menu will produce a sub-menu of special interest groups, such as BBC, Commodore, Tandy, etc. This is where you will find questions. answers and information on the specific topic selected. BBC owners seem to be quite widely catered for, but remember, the success of a SIG, and of the board in general, depends upon the input. So write. Ask a question, Leave message. Questions produce answers which, in turn, generate further comments. The more you put in, the more you get out.

Hardware

Looking at modems, several manufacturers are now marketing products built around the AM7910 chip, which offer the facility of switching between not only CCITT V21 (300/300) and V23 (1200/75) standards but also the US Belf 103 standard. The Bell standard specifies 300 bits/second transmission but at different frequencies to V21. These

switchable modems are really superior to single standard devices, and obviate the need to place oneself in one camp or the other, bulletin boards or Prestel, when buying. As yet there is a price premium, but I expect costs to fall.

The future

To date, most of the successful software packages to run bulletin board systems, including TBBS, CBBS and Forum 80, have been written for Tandy machines. Historically, this is because the BB idea was imported from the US, and the Tandy micros have proved to be popular American workhorses.

Now, however, people are developing BB programs to run on the Beeb, and some of these should find their way to the market place, either as software offerings or software/hardware packages. Torch is already moving in this direction with a modem and software combination giving access to Prestel (August issue).

The last hurdies are now falling, and the field should soon be wide open, in terms of choice, to individuals and organisations who want to operate a BBC-based host system. Incidentally, further information on AFPAS can be obtained from Fred Brown at 421 Endike Lane, Hull HUS 8AG – but please don't forget a see.

Under the auspices of the govern-

ment's Micro-electronics Education Programme (MEP), consideration is being given to a BB system for schools – Joe Telfford, in July's issue, mentioned CECCTEL, the experimental service for schools in Cleveland. This system is hosted by a BBC micro.

The concept of a board with a specific aim gives, I think, a pointer to the way the bulletin board phenomenon will develop, ie with an increasing amount of specialisation. At present we have two dozen boards in the UK, all broadly aimed at the serious hobbyist. Given many times that number, I expect to see some systems carrying information relating to specific interest groups. Probably the first example of this is the new HAM-NET board in Hull (see table). In the US, with several thousand systems, there is even a bulletin board details and telephone numbers of bulletin boards!

In conclusion, I must say to new and prospective modem owners that I hope you find as much satisfaction in communications as I do. Old hands will know what I'm talking about already. Bulletin boards occupy a special place in this expanding dimension of microcomputing. Yes, we need viewdata for share prices, flight times, weather fore-casts and the rest, but to exchange information with real people is a much more rewarding idea.

FOUR AFFORDABLE CHRISTMAS PRESENTS

If you want a really outstanding deal on a graphics printer, get along to your local DRG dealer or contact us direct today.

Because right now our dealers can show you four Seikosha dot-matrix, centronics parallel printers whose speed, features, ruggedness and affordability are quite exceptional.

They include the amazing GP700A: the first full-colour matrix printer ever offered at under £350.

They're compatible with most makes of micro - including the BBC and the Spectrum.

And with 34 dealers nationwide, you shouldn't have to go too far to find them.

If you're not near a dealer you can order direct from us - just contact Pat Kelly on

0934 416392. SEIKOSHA GP500A

Takes pin-fed paper up to 10" wide. 50 cps £175.00

SEIKOSHADEALERS:

ENGLAND BEDFORDSHIRE Bedford: Bedford Computers. (0234) 215015

BUCKINGHAMSHIRE High Wycombe-Kingsley Computers. (0494) 449749. CHESHIRE Frodsham: Northern

Computers, (0928) 35110. CUMBRIA Carlisle: The Computer Shop.

(Carlisle) Ltd. (0228) 27710. DEVON Exeter: Devon Computers Ltd.

(0392) 215401. DORSET Poole: Densham Computers

Ltd. (0202) 737493.



Darlington Computer Shop. (0325) 457478. ESSEX Harlow: Akhter Instruments. 0279 443521

GLOUCESTERSHIRE Cheltenham:

The Screen Scene, [0242] 528979. HAMPSHIRE Portsmouth: Advanced

Digital Services, (0705) \$23\$25. HERTFORDSHIRE Watford: Computer Plus. (0923) 33927

HUMBERSIDE Hall: The Computer Centre. (Humberside) Ltd. (0482) 26297.

LANCASHIRE Burdey: IMO Computer

Centre, (0282) 57411/54299, Lancaster: Castle Computers, (0524) 61133.



LONDON W. 1: Specialist Computer Centre Ltd. 01-935 4150.

Eltham: The Advanced Technology Centre. 01-859 7696. LINCOLNSHIRE Grantham: Oakleaf

Computers, (0476) 76994. MANCHESTER Sumlock Electronics

Services Ltd. 061-534 4233. MERSEYSIDE Liverpool: Specialist Computer Centre Ltd. 051-236 3499.

NORFOLK Norwich: Sumlock Bondain. (0603) 617083 NOTTINGHAMSHIRE Nottingham:

Computer Market. (0602) 586454 SALOP Telford: Computer Village, (0952) 506771

STAFFORDSHIRE Stoke-on-Trent: Computer Cabin, (0782) 636911. SURREY Croydon: Visionstore Ltd.

01-651 7539.

Kingston-upon-Thames: Visionstore Ltd. 01-546 8974.

SEIKOSHA GP550A

Multi-mode printing including correspondence-quality) at up to 50 cps. Takes pin-fed or friction £229.95 fed paper up to 10" wide.



SEIKOSHA GP50A

Takes paper up to 5" wide. 40 cps print speed. A separate version, the CP508 £99.95 is available for the Spectrum.

SUSSEX Worthing: Worthing Computer Centre, (0903) 210861.

TYNE AND WEAR Gateshead: H.C.C.S.

Associates Ltd. (0632) 821924. WEST MIDLANDS Born ialist Computer Centre Ltd. 021-643 4743.

Coventry: Coventry Micros. [0203] 58942. WEST YORKSHIRE Bradford: Eltec

Computers, (0274) 722512. Leeds: Microcell, (0532) +49722. WILTSHIRE Troubridge: Troubridge

Computer Shack. (02214) 57299. SCOTLAND

GLASGOW Exchange Computers Ltd. 041-424 4242 WALES

CLWYD Abergele: Abergele Computer Centre, (0745) 826234.



SEIKOSHA GP700A

Gives excellent colour printout in 7 colours and 30 shades in one pass, on pin or friction fed paper up to 10" wide. Prints text at up to 50 cps. £349.95

-- --Please send me more information and an

order form for: CP50A □ 50S □ 500A □ 550A □ 700A □

Address

Postcode

ALS

We've been producing educational software for the BBC micro ever since it was launched, and our programs are in use in schools and colleges all over the country. Now, some of these programs have been specially adapted for you to use at home

With our Understanding Science programs you can get to grips with subjects in Biology, Physics or Chemistry that you didn't understand, or supplement your practical work by doing simulated experiments on the computer. These programs are suitable for age 13+ and are ideal if you are studying for those all-important exams. The emphasis is on understanding the subject and the programs come with a detailed explanatory booklet. The first programs are ready now

with many more to follow.

Chemistry - Symbols, Formulae and Valency

Chemistry — Chemical Equations Chemistry — Inorganic Analysis and Identification of Gases

Physics - The Oscilloscope and


The Human Body — Heart and Kidney

Each package costs £12.95 (cassette) or £13.50 (disc).



For younger pupils age 9+, our Learning Maths programs use simple games and animations to illustrate important principles of elementary Maths. There are nine titles each containing three or more programs covering a particular concept. The programs are great fun to use - as well as providing real educational value.

Nine cassettes are available*



JM1 Angles

JM2 Directed Numbers

JM3 Fractions

JM4 Co-ordinates and Lines

JM5 Symmetry

JM6 Motion Geometry

JM7 Sets

JM8 Elementary Statistics

JM9 Ratio

Each cassette costs £7.00. Disc collections

also available (JM1-6, £30.00; JM7-9 £18.00) Electron versions of programs JM1-9 and Dragon versi

Available by direct mail order, or from selected software dealers Prices include VAT and P&P (in UK).

Please send for our full catalogue of over Fifty Educational Programs

frame.

scarce, just short beeps when balls collide and two low beeps for a foul shot. It would have been nice to have an effect for potting, and perhaps a tune playing

The graphics are reasonable. There



cue ball, one black, three red and three outlined red balls, which move very smoothly.

You are offered the options of sound on or off and the number of frames to be played. It would have been an advan-

tage to have a joystick option as well. The control of Pool is easy and responsive. Each player has four direction keys and a shoot key. The length of

the cue determines the strength of the shot Would it be asking too much to have a topspin and backspin option as well as the ordinary shot included?

Overall, Pool is a good game, with acceptable graphics and good sound effects (apart from during play), and it is supplied with excellent instructions. A nice feature is that it displays what you did wrong, eg, 'White ball down', A drawback is that for people using TVs the red outlined balls and the cue don't show up on the green table. Ian Brettell

ROUTE OF

ALL EVIL

'Blagger', Alligata Software, 178 West Street, Sheffield S1 4ET, £7.95

FOR too long the air at computer clubs has been filled with the insane rantings of the owners of certain other (48k) micros about the Beeb's incapacity to play M---c M---r and J-t S-t W---y. Well, now we have at least a first layer of defence in the form of Blagger.

The scene is set with a red-haired robber, a 'blagger', working his way through a number of different shops, collecting five keys in each (left in increasingly awkward corners) and taking them to open a safe. At the end of 20 screens - if he ever gets that far - he finally escapes.

The game uses the top half of a mode



2 screen to show the shop interiors, which contain an assortment of platforms, walls, conveyors, and disappearing ledges. Each screen is a complex arrangement of these features and a good deal of thought is required to work out a successful route. At each level, a number of well-animated sprites parade up and down or to and fro. These are fatal to the touch, as are the bushes which are dotted around the place. The bottom half of the screen shows your score, level, number of men etc.

The sound effects are fairly basic and can't be turned off, but they didn't prove too grating during play

A rather more annoying oversight is the lack of an option to start the game at any level. I suppose this should mean that the game will last longer before being solved, but it is aggravating to have to complete the easy levels on each attempt before getting to the one you're working on. A practice mode would be very useful.

Nevertheless, Blagger is an entertaining game with smoothly animated graphics and plenty of variety. I confess to not having proceeded very far, but

FOR POSITION

'Horse Race', Dynabyte Software, BBC B (32k) and Electron, £6.95

YOU are given £1,000 which you must bet on up to six horses to try to bust the bookies. The computer gives you named horses and their odds, and you may put up to £999 on each one. You then see the six horses raced across the screen

The graphics in Horse Race are superb-the animals are drawn in detail and their movement depicted correctly. You can see their tails move, and all the detail on the lockeys. Two stands are displayed and a commentary board shows which horses have been bet on and which one is in the lead. The game displays people near the ropes waving, flags flapping on the stands, and a very detailed camera car driving alongside the runners.

The sound too is superb. It plays a different tune while loading, before betting, and before and after each race. You can even hear the hooves of the horses and the thud of jockeys falling

off You select a game for between one and six players, and the number of races to be run. There's no sound on or off option, but surely nobody would

want to turn off such good sound effects. Horse Race is user-friendly and supplied with excellent instructions.

It's repetitive in that it's the same thing every race, only the names and odds change, and it's also boring playing by yourself because there's no skill to it: you place your bet, sit back and the

computer does the rest. When playing with many people, though, it can become quite exciting. Ian Brettell



the family and I've been trying to go straight, honest guv! Simon Williams **JOCKEYING**

then there's no history of blagging in

THE KEYBOARD

'Pool', Dynabyte Software, BBC B (32k) and Electron, £7.95

THIS version follows the same rules as

The sound is good on the Beeb. As well as the 'loading' tune, the computer plays The Entertainer at the start of the game and at the completion of each

During play, however, sound is in the background.

are eight large balls on the table: one



Nightingale is by far the most versatile modem available, at the price, for either home or business use. It offers Prestel/Viewdata baud rates (1200/75 & 75/1200) alongside 300/300 baud full duplex for communication between the BBC and other computers, Marinavi including bulletin boards.

Nightingale will operate at both European and Bell frequencies for compatibility with CCITT and American systems.

The state-of-the-art modem chip technology employed in Nightingale requires minimal support circuitry resulting in low power consumption, low cost, high quality and extreme reliability.

Nightingale being 'hard wired' is not subject to the noise interference errors common to outdated acoustically coupled devices. In addition Nightingale features a simple self test facility for easy installation.

Nightingale utilises a fully buffered RS 423/232 serial interface and is supplied complete with a lead suitable for connection to the BBC micro, other leads are available on request.

However, in order to use such a versatile modem to its fullest potential, you will require equally sophisticated software. This is where Pace can offer you a total solution — Commistar, unquestionably the most comprehensive communications software available for the BBC.

Supplied on Eprom, Commstar is instantly accessible, supplied on Eprom, commissar is instantly accessible, simple to use and extremely flexible. Just look at the possibilities:— access Prestel, Micronet, Viewfax, Homelink and Telecom Gold, rummage through bulletin boards and chat to literally thousands of other computer users, but there's more. Commstar can be used to emulate specific terminal types such as VT 100 by means of a configuration disc, thus providing the opportunity to use the BBC as an inexpensive work. station for a main frame or mini-computer.

The complete Nightingale/Commstar package for the BBC micro including the modern, cabling and the Commstar Enrom and manual is just 139 plus V.A.T. Nightingale is available separately for the BBC and other computers at £119 plus V.A.T. and Commstar is 223.57 plus V.A.T. Further details are available, please telephone or write for comprehensive fact sheets.



PACE SOFTWARE LTD. 92 NEW CROSS STREET, BRADFORD BD5 8BS. Tel. (0274) 729306 Telex 51564

SOFTWARE REVIEWS

LAYING THE

FOUNDATIONS

'Chickaroo' by John Cassar, Screenplay, BBC B. £7.95

THIS is an educational game for up to four players, designed to improve a child's word recognition.

A word is displayed at the top of the screen with one letter missing. A chicken then hops along the screen laying six eggs, which begin to move about. The child must shoot an egg, which reveals a letter. If the child thinks the letter fits into the gap in the incomplete word he presses return. Otherwise he continues shooting.

If the child gets the letter correct, a small bird flies up and takes the letter down

Chickaroo comes with two files, each



containing 50 words, and a parent or teacher may enter up to 50 of his/her own words, which may be saved.

The graphics are reasonable and do their job (they don't need to be too elaborate) and are smooth, though for some reason the small bird is flickery.

Some kind of sound effect is to be heard all the time except during the instruction session at the beginning; when the eggs are moving, on reaching 200 points, firing, successfully shooting an egg, little bird flying, Chickaroo nopping, and getting an answer right and wrone.

Up to four players can play, and you are allowed to load and save files. The game is controlled from three keys and I found they were occasionally slow to respond. A joystick option would have helped the younger child, who might well get the keys mixed up.

Chickaroo is a good educational program. It's a bit like space invaders, making the learning process fun. Good graphics and sound add to its quality.

Ian Brettell

FIVE-STAR

TRADING POST

'Star Trader', First Byte Software, BBC (32k), £7.95

THE object of Star Trader is for you, as commander of an expedition starship, to explore the five star systems and their planets, trade with the inhabitants, and mine the area. If any planet is inhabited, you must persuade the population to join the Empire.

You must seek out the Ultimate Com-

puter, as your planet needs its resources.

A corner of the screen displays the five 'single character' star systems. You must move your 'block' or space ship over the system, then press 'V' for visit. The screen flashes, and you then have the system's many planets to orbit, explore, mine, and do trade with. These are just different-sized dots.

The rest of the screen is divided into three sections. One of these shows your status, fuel, time, tood, water and air, another is your inventory, showing your trade; and the third displays details of the planet you're currently orbiting, its temperature, atmosphere, population type, attitude, water, food,

Star Trader



FIRST BYTE SOFTWARE fuel and minerals.

Sound is scarce. Beeps accompany the movement of your ship, and there's an effect for visiting and leaving planets.

StarTrader seems similar to Startrek and Galaxy. It's slow and boring with hardly any variation—the process is the same for each planet.

You may load and save games, and you are given very clear instructions, demonstrating each part of the display.

Jan Brettell

FLUSHED

WITH SUCCESS

'Corporate Climber', Dynabyte Software, BBC and Electron, £7.95

IN THIS game you're an office tea boy whose aim in life is to rise through power and become company president, having a key to the washroom. On your way you have to watch out for taxmen in the lifts, and make sure the strain and stress doesn't raise your blood pressure too high, resulting in a heart attack.

Various objects are scattered about on your way.

You are represented as a little man with a cap, and it looks as though he is carrying a tray. You can see the office building, marked off in stages, with a toilet at the top, marked vacant.

There are lifts going up and down, with taxmen aboard – and they kill you! Bonus objects include telephones, cups of lea, acorns, keys. chairs and suitcases, all shown in good detail, with colour well-used. The lifts move very quickly and can sometimes be a bit flickery.

A pleasant tune plays all through the game, and the only other sound effect is a ping, for when you rise up a level, and for collecting objects. There's an option for sound on or off, three levels of difficulty, but no joystick option.

Corporate Climber's a good, original game, with good sound and visuals, and it comes with adequate instructions.

I reviewed an Electron version on a BBC and found it last and a little too hard. The speed probably accounts for the flickering graphics. On an Electron the game is much slower and I cleared the first screen first time, whereas I've never managed this on a BBC.

Ian Brettell

More games reviews on pages 179 and 182

CHASE DATA

PRICES SENSATION

Canon 110: Case/Cables all INCL £99

Canon 220: 400K (40/80 switching)

Case/Cables all INCL £169

N.B. These are state of the Art Disc Drives; Direct Drive 40 track 6mms Access/80 track 3ms Access.

DFS Kits available ex stock all inclusive price £109

SLIM CANON DISC DRIVE

DEL: SPECIFICATION OF EACH DRIV S/SIDED 40 TRACK 100K D/SIDED 40 TRACK 200K D/SIDED 80 TRACK 400K (40/80 TRACK SWITCHING)

All CANON 40/80 switchable disc drives feature an on-board dual-colour LED on the front panel to show track mode selected. This is coupled with our own unique two-stage illumination, to give a clear operating status, as follows:

40 TRACK MODE: _____ LED GREEN

80 TRACK MODE: _____ LED RED

POWER ON: HALF-ILLUMINATION (GREEN OR RED)
DRIVE SELECTED FULL-ILLUMINATION (GREEN OR RED)

Super-slim CANON drives, models 211 and 221 and the SANYO model 596D, are available with their own custom-built secondary switching power supply. This is safe, low in heat generation and excellent value for money.

The **SANYO** disc drive is our latest acquisition in quality Japanese products. This is a "half-height" unit of standard dimensions.

...

LTD DISC DRIVES



SLIM SANYO DISC DRIVES:

SUPER-SLIM CANON DISC DRIVES

(40/80 TRACK SWITCHING

All inclusive price list:

This means: disc drive + case + all power & data cables + U.K. carriage + utilities disc & manual + V.A.T.

CANION

	CANON					SANYO	
MODEL:	110	210	220	211	221	596D	
Formatted Capacity per drive on BBC Micro:	100k	200k	400k	200k	400k	400K	
Single Drive & Case:	£99	£139	£169	£179	£236	£182	
Single Drive & Case/P. Supply:	£124	£164	£194	£209	£266	£212	
Dual Drive & Case:	£204	£274	£314	£329	£437	£368	
Dual Drive & Case/P. Supply:	£229	£299	£339	£359	£467	8983	

Support:

Warranty: All disc drives sold by Chase Data Ltd. come with a full one-year warranty on parts & labour.

Non-warranty service: As THE experts in our field we can offer service on most makes of floppy disc drive. Recalibration & Alignment ... £25 per unit inc. VAT. (parts extra). Phone for details: (Tel: 0784 38487)

Payment By Post: Send your remittance (cheques only please) with your order to:

P.O. Box 6, Woking, Surrey, GU21 4PB. By Phone: (Tel: 0784 38487).

Home Computers can Cater for Cooks

NEW " COMP-u-CATER "

-takes the calculating out of cooking

SIX ITEM MENU SELECTIONS plus QUANTITIES FOR REQUIRED SERVINGS

QUANTITIES FOR REQUIRED SERVINGS 400 INGREDIENT DATABASE plus

COMPREHENSIVE USER MANUAL
COLLATED SHOPPING LIST plus

AMENDMENT BEFORE PRINTING
RECIPE MODIFICATION plus

EASY ENTRY OF YOUR OWN
PRINTED TABLE MENUS plus
PRINTED SCALED RECIPES

OVER 200 RECIPES plus INGREDIENT QUANTITIES
RANDOM ACCESS FILES

"COMP-u-CATER" full menu planner 40T disc £24.95"
"WHAT'S TO £AT?" simple menu planner cass. £9.95"
"WHAT'S TO £AT?" teaching pack 40T disc £17.45"

also NEW I

"PRINTER DRIVER" JUKI 6100 with view

'ADD 50p p. & p. (overseas deduct 15% VAT add £1 p. & p.)

SHUMWARI ASSOCIATES

(Dept. B)

12 Marlin Court, Marlow, Bucks. SL7 2AJ

DUCKWORTH HOME COMPUTING

EXPLORING ADVENTURES ON THE BBC MODEL B

by Peter Gerrard £6.95

This is a complete look at the fabulous world of Adventure Games for the BBC Computer. Starting with an introduction to adventures, and their early history, it takes you gently through the basic programming necessary on the BBC before you can start writing your own games.

Injuring information, noom mapping, movement, vocabulary - everything required to write an adventure geam or experiend in detail. There follow a number of adventure sometimes, just to get you started, and finally three complete listings writen specially for the BCC, which will send you off into wonderful worlds where almost anything can happen. The three games listed in this book set a evaluable on one cassette.

EXPLORING ADVENTURES ON THE ELECTRON As above but for the Electron. £6.95

BBC PROGRAMS 1 Edited by Nick Hampshire

This book provides you with a range of useful and exciting programs for the BIG Meno. Cames, utilities, graphor and functional programs are overeed. The games unclosed an executive version of Star Tive, a full length adventure game, Space livaders, Battleshps, Space Bister, Brick Bastler, and many others. Among the functional programs is a personal disregation extraorders. Among the functional programs is a personal disregation extraorders. Among the resulting and the space of the

Written by Carl Graham and edited by Nick Hampshire, publisher of Commodore Computing International. 16:95 Write in for a catalogue.



The Old Piano Factory, 43 Gloucester Crescent, London NW1 7DY Tel: 01-485 3484

Programmers make learning entertaining

We at Acornsoft have developed a wide range of educational programs for the BBC Microcomputer and the softwarecompatible Acorn Electron.

This opportunity, in our home education team, demands excellent, proven experience using BBC BASIC and machine code over a wide range of applications. A background in education or a talent with graphics would be especially relevant as initial projects to be tackled include adventure games, animated graphics/text work.

If you would like to join one of the leaders in microcomputer technology, where flexibility and novel techniques ensure total involvement and real job satisfaction, write today giving brief personal and career details to:

Peter Charlton Personnel Officer Acorn Computers Limited Fulbourn Road Cherry Hinton Cambridge CB1 4JN

ACORNS#FT

SEVENTH


HEAVEN

'SUPER-7' compendium, DACC, BBC, £8.95

SEVEN games on one tape? They can't be any good!

That was my initial reaction. But they can be good. None of them is of the standard of the real bestsellers, but they are good value if you want a change, and two of them seem pretty original.

I had never seen anything quite like Fire Chief, in which you rescue people from tall buildings, and put out fires. The aim is to deal with as many fires as you can without running out of fuel or water. A really good game requiring



speed of thought and reaction, and forward planning.

Creatures of the Deephas you sitting in a boat ifsining. Simple controls allow you only to raise and lower your line. The aim as to catch lish by reeling them into the boat. You must avoid the various monsters, or if you catch them by mistake you must remove them from your line by the appropriate method. You fish against the clock, and your catch is given in kilograms.

The other games are less original but still attractive, all with good graphics. They are:

Space Rescue—a two-screen game, with an easy first screen, and then a second screen in which you have to pick up men from the planet surface and return them to the spacecraft. Bouncer—a bat "n" ball game with a

twist which rendered me totally incapable of hitting the ball!

Chopper Chase - a nice little anti-tank warfare game.

Space Pilot Test-a Defender-type game but without a corridor. All the action takes place on a single screen. Guns of Navarone-a gunnery simulation game, needing judgment of elevation and power to hit the attacking.

helicopters and destroyers.

The picture is of Creatures of the Deep in action. The tape transferred to disc with little trouble, as none of the games has voracious memory requirements. I ran them all successfully at PAGE = 8.1200, needing no shifting.

George Hill

INSECT

INFESTATION 'Bugblaster', Alligata Software, BBC

and Electron, £7.95

A CENTIPEDE comes down from the top of the screen, and you play the title role in Bugblaster—you must shoot it. There are mushrooms scattered around, which get in the way of both of you and the centipede. There are bonuses for shooting Brian, the mushroom-poisoning scorpion, and spiders. You are a small base at the bottom of the screen that moves left, right and about five lines up and down.

Bugblaster uses four direction keys and a shoot key, and includes a hall of tame.

The objects and characters are well drawn, showing good detail, and colour is well used. All mobile objects move smoothly and without flicker.

There are sound effects for the centipede's movement, firing, spiders and snalls appearing, and for a bonus man every 10,000 points, but a tune before



and during play might have brightened things up.

Sadly, there are no options in Bugblaster. It is the sort of game that would be nice to play with a joystick, and Alligata could have added a difficulty level and a sound on or off option.

Good sound and graphics make Bugblaster a fair game, though it seems to be a plushed-up version of Space Invaders set in different surroundings. It becomes boring, as the action is the same on each screenonly the colours change and the speed increases. More variation in screens and attention to detail in game options would have made it very good.

Ian Brettell

BOUNCING

TO SAFETY 'Lemming Syndrome', Dynabyte Software, BBC (32k) and Electron, £7.95

MAD Marco is on the rampage and has blown up the bridge to the mainland. The people are panicking, jumping into the shark-infested waters rather than facing him. You are lifeboat Lennie, and using your raft, must bounce the people to the other side, avoiding sharks and Mad Marco with his dynamite.

The scenery in Lemming Syndrome



is well drawn, though motionless, and includes a blown-up bridge over a river, and hills. The movable objects - your lifeboat, people, sharks, and dynamite - travel smoothly.

You can alter the speed of the game and thus degree of difficulty, have sound on or off, and you can choose to control your raft in proportional or absolute mode. In proportional mode the raft moves left or right a pixel at a time; in absolute there are three set positions to which the raft may move—left, middle and right. Using the absolute method is much easier. The only option Lemming Syndrome lacks is a joystick.

Lemming Syndrome has excellent graphics, good sound, is very flexible with its many options, and is supplied with good instructions. Underneath the lancy graphics and a well thought out background around Mad Marco blowing up the bridge. Lemming Syndrome is just a variation on the Breakout theme. It is the same all the way through and, though quite a testing game, it becomes boring lam Fettell lecomes boring lam excellent.

Introducing BEEBUGSOFT

Until recently a very special range of applications and utility packages for the BBC micro has been unavailable to the general public.

This software has been produced by the BBC user group BEEBUG for its members. BEEBUG members tend to be a demanding and discerning group of

individuals; and the range of software produced has been kept to a consistently high standard through

their constant vigilance.

As a result, BEEBUG software is highly acclaimed amongst BEEBUG's 25,000 members. Independent reviews from the major computing magazines seem to take a similar view of the software, as you can see from their comments.



SPELLCHECK from BEEBLO



Eprom £27.00



A game writers utility pack enabling high speed arcade

through"

PAINTBOX

Probably the ultimate joystick drawing package on the BBC Micro, great fun and highly educational

easy to use ... (one of the most feature laden picture ... tremendous potential*
EDUCATIONAL COMPUTING Jon 1984 versatile utility

ELECTRONICS AND COMPUTING

May 1984









Projected Revenue 1985

EXMON

machine code monitor on cassette or eprom, offering 35 new commands for debugging machine-code

would be hard to improve upon "
YOUR COMPUTER August 1983

Cassette £10.00 Disc £19.00

If you would like to know more about BEEBUGSOFT products, see the advertisers' index of

this magazine, or telephone us for a full software brochure.

A Computer Aided Design package to allow screens to be quickly created for display, demonstration, handouts etc.

BEEBUGSOFT products may now be obtained from major dealers including selected

branches of W.H. Smith.

DESIGN From BEEBUGSOFT

MASTERFILE
A flexible general purpose
database on cassette or disc
the disc version using randor

Cassette £10,00 Disc £19.00

Alternatively all products are available from us on mail order from our despatch department in High Wycombe.

BEEBUGSOFT dept 13 PO BOX 109 HIGH WYCOMBE BUCKS HP10 8HQ

TEL: ST. ALBANS (0727) 60263



TRENCH

WARFARE

'Trench', Virgin Games, BBC B, £7.95

YOU have been chosen to destroy the invincible Termination Planet, which threatens the universe Only one weak spot has been found, an exhaust vent, and you are given only one chance. You must steer your X-winged fighter along the trench, avoiding the alien ships and lasers. When you get close to the vent, your attack computer is engaged, and you must position the sights over the small hole, fire, and retreat.

The graphics are nothing special in French (writer by Phill Wilkes), though they do the job sufficiently. You can see the eponymous trench – which scrolls quite nicely–your X-winged fighter, alien ships and fring lasers. At the bottom of the screen is a message centre which tells you how many miles to go and, after the game, what happened, e.g. 'Hat by laser'.

You can hear an engine noise all the time, the pitch of which varies with your altitude. There are other sound effects for when alien ships close in, lasers fire, for being killed, and for the run-up to the end of the trench before missile-release.

There's a joystick option, Clares or BBC but once you've selected key-board or joystick you can't change, so if you enter Clares joystick when you have BBC you have to reload the game. There are nine levels of play, increasing the difficulty level, makes the trench longer. There's no sound on or off option, or game pause.

The first few times I played Trench I found it much too hard, being hit by lasers all the Ilme. I stuck with it, though, and now I can place a missile, though I usually get blown up along with the Termination Planet. Success

seems to be random, depending on whether a laser hits you or not.

Trench is nothing special, with standard graphics, though quite good sound, and I feel it is too difficult.

lan Brettell



SHAPING UP

FOR THE COUNT

'One to Nine', Acornsoft, 4a Market Hill, Cambridge CB2 3NJ, £9.95

THE number of computer-assisted learning programs for the pre-school child is not large. ICL, under the guide of Acornsoft, has tried to do something about this one with *One to Nine*, a program designed to foster appreciation of simple numbers.

A different shape is used for each of the nine numbers, so the child will see ducks, teddy bears, Irains, houses and a number of other familiar shapes, depending on the figure being illustrated. A stencil is supplied with the pack so that the shapes depicted on the screen can be drawn on paper to strengthen the connection between the two media Instructions to this effect are displayed on the screen. The numeral associated with the number of


objects is also shown, and a stencil shape is again supplied.

The child is asked to press the red lunction keys the same number of times as the number given. Different red keys give different shapes, in an attempt to remove any association that may be built up between the number and a specific shape. If the right number of keys is pressed before RETURN. a reward is provided in the shape of a yellow frain, funding across the screen with the appropriate number of trucks. Options are offered to change the level of sound effects and to start with any of the numbers.

While the idea is sound and the images chosen are easily recognised and of a good size, the program is heavily over-priced. If it was included in a combined package or offered at about half the cost it would give reasonable value. As it is, a good beginner's book on basic numbers might be of more use.

Idon't like the instructions on screen, which are neither clear nor of value to the child. This kind of instruction should have been included in the packaging. Also, the numerals are rather small, only about twice the height of a normal mode 5 character. The whole package suggests that its inspiration came from a programmer and not a teacher.

Simon Williams



SCROLLING INTO OTHER-WORLDLY DANGER

'A Maze in Space', Opus Software, BBC (32k), £9.95

HERE's yet another version of Scrambie, though with a few changes and extra facilities. You must first fly up to the planet, avoiding its moons, meteors and defences. You then go down to the planet and seek and destroy your target, the alien command space station, shooting daleks, fuel dumps, rockets, and planet defence. A Maze in Space goes a step turther with vertical scrolling, so you can go up and down into caverns.

You are told which state your target

is in, but that can be quite a large area. You have only one life, as the game uses shields, which decrease if you bump into an object, and once they are at zero you're finished. Sometimes you get caught in a space warp, which returns you to your starting point.

Before loading the game itself, the game objects and full instructions are presented.

The graphics are fair, the objects being quite detailed and good use made of colour, though the planet's moons are only in block graphics and the maze drawing is flickery, especially going upwards. At the top of the display

is your score, present stage, and state of shields, and during play the computer warns of failures to your guns, low shields, and lack of fuel.

A nice tune plays while the instructions are displayed and other effects during the game are similar to those of Rocket Raid. You can select sound on or off, joysticks, fast or slow game, fixed or random start position, and there's a freeze-game option.

A Maze in Space is a good attempt to improve on Scramble and if the flicker from the scrolling could be reduced it would much improve the quality of the program.

A little bit of magic from **MERLIN COMPUTER PRODUCTS**

AN UNBEATABLE COMBINATION! A WORD PROCESSOR AND DATABASE WHICH CAN BE INTEGRATED.

MERLIN SCRIBE

The first professional word processor for the BBC disc system.

SCRIBE Scribe is a screen-oriented, integrated word processing system specifically designed for non-technical personnel. Text and command functions are fully

The program comes in a chip with five minute fitting Instructions, a 5 |" floppy disc containing the printer driver and a comprehensive instruction manual.

Among the many features available are:

- Create up to 255 pages in a single document.
- Screen user selectable 40 or 80 column with choice of background and text colours.
- Insert text at any page on the document whether currently in memory or not.
- Powerful editing commands:
- Move, copy and delete with affected text displayed in reverse video. Will move or copy within a page or to any other page in the document.
- Word search and replace item by item or globally
- throughout the document. "Go to page" - next and previous using up and down
- cursor keys or go directly to page numbers On screen underlining
- Format line controls document width and allows setting of right and left margins
- Tabs set on format line as required. Automatic centre and decimal tab.
- Text reformatting.
- Split page and dynamic page break display.
- Word count and display of cursor position by column & line
- Will use disc surfaces 0 to 3 as allowed by the BBC system.
- All disc filing operations menu driven, eg. re-name, copy, delete document, compact and catalogue disc, etc. No knowledge of the disc system required.
- Exec document allows conversion of BASIC programs for editing by word processor and then re-conversion back to either text or program files.
- File merge one or more documents or other text files may be merged in sequence from any disc drive between 0 and 3.
- Automatic page numbering with page number insertion at any point on the page.
- Headers and footers.
- Total facility print module including selection of serial or parallel output, global printer control codes, page numbering offset, print from page to page, repeat print, etc.
 - Selection of up to nine user definable keys for insertion of printer control codes into text, with up to five codes allocated to each key.
 - Control number of page display lines for scroll speed

The program comes attractively packaged in a simulated leather grain wallet which contains the manual, disc, chip & function key legend strip.

MERLIN DATABASI

Merlin Database is a database system designed exclusively for the BBC disc based computer. It provides DATABAS

- for the structural input of text and numerical data which is stored permanently as a record on the computer. A group of records constitutes a database. Any number of databases may be
- created using Merlin Database. Once created there are sophisticated facilities available for searching, selecting and drawing off Information from the database by means of defining
- the search characteristics. This information can then be formatted for producing printed reports, lists etc.

Performance Maximum records per database 4000 • Maximum

- record size 1800 characters . Maximum no. of fields 32
- Maximum no. of characters for any single field 900 Find any record in 2 seconds via key field access
- Search every character in a 100 kb database in 29 secs

Field Types

- Numeric up to 9 digits . Date
- Sub fields for economic disc usage i.e. specify average & maximum field size

- Search results directory held with database on disc Data can be passed to mall merge and report writer
- 16 level conditional search
- Search conditions include 'not', >, <, =,
- Database automatically sorted by key field
- Databasse can be set to re-sort to any alternative set of key fields

Report Writing


- Database will integrate with Merlin Scribe word
- Format printer output with simple forms editor High powered forms layout & editing using Scribe (alls. rt.
- justify) Arithmetic calculations & accumulators
- Conditional report writing
- Semi programming facility for forms & report generation Other Facilities


. Mail merge using Scribe. Conditional mail merge

· Automatic reformating of lines · Capable of conditional transfer of information between databases.

Database comes in chip with manual, simple fitting instructions & systems disc. Also planned is the production of Database integrated with the Merlin Scribe word processor in a single chip although the database is designed to integrate easily with Scribe in a separate chip.

MERLIN DATABASE £49.00 MERLIN SCRIBE £59.95





100

Credit card orders accepted. Special discounts for educational establishments and dealers

MERLIN COMPUTER PRODUCTS (BUCON LTD) 35/36 SINGLETON STREET, SWANSEA SA1 3QN Tel: (0792) 467980 (3 lines)

ACORN USER OCTOBER 1984

Adventure into

by Miles ELLIS

Computing Services University of Sheffield

David ELLIS

A book with a difference! This is far more than a conventional teach yourself programming book. By using a sophisticated and exciting adventure game Miles Ellis, with the aid of his twelve-year old son, has designed a program which will be enjoyable from the outset as well as teaching the beginner the basic principles of good programming style, the use of sound effects, colour, graphics, program editing, and the storage and reloading of tapes.

With its innovative approach this book is outstanding because it has dared to turn the basic concept of teach yourself books on its head. In this way it captures and retains the interest and overcomes the frustration of so many would-be programmers.

An accompanying cassette tape and disc of the Adventure Game are also available for the BBC Microcomputer Model B.

CONTENTS .

● What's it all about? ● Some basic principles ● Sounding off . Using the right procedures . Seeing is believing ● Variety is the spice of life ● Communication is the name of the game . Adding it all up . Some characters to play with . A bit more flexibility . Improve your graphics . Get animated . Another way of expressing yourself . Dealing with sets of data . Saving your results . More advanced sound . Some other useful features of BBC Basic . Appendices Index

0471 90171 7	Book 336 pages	(paper) £6.95
0471 90531 3	Book and Cassette	£12.95
0471 90530 5	Book and Disc	£14.95

ORDER FORM to: Annabella Duckit, John Wiley & Sons Ltd., FREEPOST, Baffins Lane, CHICHESTER, West Sussex PO19 1YP

Tel: Chichester (0243) 784531 Telex: 86290 (Reg. No. 641132 England) Please send me: Adventure into BBC BASIC 0471 90171 7 0471 90531 3 Book and Cassette £12.95

Book and Disc 0471 90530 5 ... made payable to John Wiley & Sons Ltd Please charge my AMERICAN EXPRESS/DINERS CLUB/

BARCLAYCARD/VISA/ACCESS Card No. Date of Expiry

Telephone your credit card order -

dial 100 and ask for FREEFONE 3477 (UK only)



ROMS ON THE SIDE

Chris Drage compares ROM socket systems from NMC and Viglen that provide plug-in Beeb expansion on a budget

NE OF the most important peripherals to follow in the wake of the BBC micro is the sideways ROM socket board. A number of multisocket boards have been available for a while now: ATPL, Sir Computers and Watford Electronics have all produced 12-socket boards. A problem associated with some of them is power drain on the host micro, for the Beeb wasn't designed to house such equipment. Another problem is that the physical limit to the number of ROMs available is 16. 'Sideways RAM' has been one answer to the problem, but this means an outlay of up to £45.

For those on a budget there's now another alternative. Both National Micro Centres and Viglen Computer Supplies have stepped in to provide a single exterior sideways socket into which FOME/EPPOMS are simply and quickly inserted. The former has opted for a zero insertion (ZIF) socket, while the latter has taken a more novel

approach.

The Viglen socket is really a cartridge ROM edge-connector that is connected via a ribbon cable to an internal ROM socket. Each ROM/EPROM is housed within its own cartridge and simply slotted in when required.

I wanted to see how each system stood up in general use, so I put each in a primary school computer for a fortnight and allowed the children to use Edword, Disc Doctor and Printmaster for various tasks.

The ROM extension socket from National Micro Centres comprises an extension cable with sockets, a 21F socket, two pieces of double-sided stickly tape and an "ashtray" aperture cover (figure 1). The system is designed for ROMs/EPROMS to be effortlessly inserted without damage to their legs or to the socket connections. The system is a little more trickly to install but, following the simple yet adequate instruction sheet, it took only 10 minutes.

At the Beeb end a 28-pin socket fits into 1C 52, where Basic usually resides. The socket uses round pins, which are both strong and safe for the main board socket. I was very pleased to note that NMC had not opted for the large, square-pinned plugs that do so



Figure 1. National Micro Centres' ROM extension socket system, consisting of extension cable with socket, ZIF socket, 'ashtray' aperture cover and sticky tape



Figure 2. The NMC sideways socket installed. The board is attached to the underside of the keyboard cover with the sticky tape



Figure 3. The Viglen cartridge ROI system, showing extension cable will socket and cartridge

much damage (remember the old OS 1.00 EPROM board!) To this a double ribbon cable is soldered and passes over the recessed area beside the power supply to the "ashtray". At this end a small board contains another 28-pin socket into which the ZIF socket will plug. Here the whole operation became rather amateurish.

The board is attached to the underside of the keyboard cover by double-

sided sticky tape. It worked, but I found that after a while it became weak either due to rough treatment or the warm working environment. With the keyboard cover replaced the ZIF socket is plugged in and all is ready (figure 2).

Unlike the Viglen cartridge, the ZIF socket is not clearly marked as to which way the ROMs are to be inserted. The rule is implicit keep the ROM's notch away from you. However, one teacher got it wrong and one 2764 EPROM was ruined. A clearly labelled socket would have avoided this.

In use the system did not always function with all firmware. It appeared to work with some EPROMs and not others. Unfortunately, the Edword ROM would not function at all, even after calling it with 'FX 142,12, which should initialise any firmware in this socket. This problem is probably due to the fact that no additional circuitry is included to provide for data loss over the length of cable. Unfortunately, the computer must be switched off before a chip can be inserted/removed. Apart from the inconvenience it is yet another easily forgotten operation that could lead to the loss of an EPROM/ROM.

My overall impression of this system is not one of confidence. I was disappointed with quality of the ZIF socket and the presentation of the system.

The Viglen sideways ROM cartridge system comes solidly packed in a plastic case and comprises a ROM extension cable and socket, an empty cartridge, a cartridge storage tray and various covers for the socket, edge connector and the Beeb's 'ashtray' (figure 3). Following the simple instruction sheet Viglen provides, installation was easy and non-traumatic. The computer end of the ribbon cable is provided with a specially tooled 28-pin plug that is simplicity itself to insert, thanks to the excellent cable connection and its strong rounded pins. The ribbon cable proved long enough to run just under the keyboard edge and emerge by the loudspeaker and it didn't foul any components. The edge connector is provided with two flanges, each of which engages within the 'ashtray' slot to the left of the keyboard (figure 4). This results in a surprisingly strong and neat socket. Five minutes



THE DATABASE SOFTWARE FOR THE BBC THAT GROWS WITH YOUR NEED

Filebase II

- Operates on any format DISC or CASSETTE
 Unique TURBOFILE and MAXIFILE options
- . HIGH CAPACITY files (up to a full disc with the MAXIFILE option)
- · Files created to USER DEFINED format
- up to 20 items per record - each record up to 255 characters · VIEW file by easy use of cursor keys
- · PRINT files (optional report layouts)
- Print LABELS
- · Powerful SEARCH features
- · SELECT records to view, print, count, total, change or write a file
- SORT file on any item
- . Convert TURBOFILE to MAXIFILE (on disc)

Requires BBC 32K (OS 1.0 or later). Optional disc/ printer. Supplied on cassette - loads to any format

Can be supplied on 40 track disc (please add £3) Overseas orders please add £2.50 to cover postage.

Cheques or P.O to Diamondsoft Ltd., FREEPOST, Cheadle Hulme, Cheshire SK8 5YB. Tel: 061-485 8705 (24 hrs).

THE BBC MICRO SOUND SYSTEM MICROVOC

As supplied to Schools & Colleges

SYSTEM INCLUDES:

Speakers, Volume control, jack sockets and all connections (assembled). Buzzgo to eliminate the infernal B.B.C. Buzz additional £3.00 inclusive Special offer

Easily fitting with no drilling, soldering

cabinet modifications £15.00 inc VAT and 080

MICROVOC WITHOUT SPEAKERS £10 inclusive

Microvoc's external socket also allows you to connect directly to your hi-fi system - now you can rattle the windows with Planetoid etc...

MICROVOC IS IDEAL FOR SPEECH SYNTHESIS OR COMPUTER PRODUCED MUSIC

MICRO-ADVENT

Ashlyn House, 113 Writtle Road, Chelmsford, Essex Tel: 0245 59708

BBC/ELECTRON PROFESSIONAL SOFTWARE Our educational software is used in thousands of schools and homes

throughout Great Britain.

EDUCATIONAL 1

RRC/415C1RON Hours of fun and learning for children aged five to nine years. Animated graphics will encourage children to enjoy countries, maths, spelling and telling the time. The tope includes six programs MATH 1, MATH 2, CUBECOUNT, SHAPES, SPELL and CLOCK.

"An excellation sixture of games." Personal Software - Autumn 1983

EDUCATIONAL 2 BBC/ELECTRON Tape ER 00 Disc (10 00 Although similar to Educational 1 this tape is more advanced and aimed at seven to to olds. The tape includes MATH 1. MATH 2, AREA, MEMORY, CUBECOUNT and SPELL

FUN WITH NUMBERS RRC/ELECTRON Tage £8 00 Disc £10 00

These programs will teach and test basic counting, address and subtraction skills for four to severy year olds. The tage includes COUNTING, ADDING, SUBTRACTION and an arcade type game called ROCKET MATINS which will exercise addition and subtraction. With sound and visual effects.

BBC/ELECTRON Tane FR 00 Dier F10 00

JIGSAW AND

SLIDING PUZZLES by P. Warter BBC/ELECTRON VILLULIARY TUCLLED by P. Warnes BECHEFRON Tape II 25 Disc (3.9. There are two ignars and four sliding puzzles on a 3 - 3 and 4 - 4 grid. Each program status off at an east level to ensure mital success but gradually becomes harder. It helps children to develop special imagination and on solving problems. The tape includes: OBLONG, JIGSAM, HOUSE, NUMBERS, COUNT And ICETTERS.

KON-TIKI by J. Amos Tage [12 95 Disc [14 95 mulation program based on Thor Heverdahl's KON-TIXI expedition. Enjoy a journey on the KON TIKI recording on a map the raft's position and entering notes in the logbook on creatures found unusual events atc. Inclusive of booklet, background information, maps and fully supportive illustrated data sheets.

> **SPECIAL DFFER** Buy three titles and deduct £4.00 Add 50p p8p per order Please state 88C or ELECTRON or 40 or 80 track for discs

Golem Ltd. Dent A. 77 Qualitas. Bracknell. Berks RG12 ADC. Tel- 0344 50720

ATOMIC ACHINE CODE

A book containing 23 fully explained machine code programmes for the Atom.

DATA SORTS @ MODE 4 CHARACTERS @ GAMES . POOLS PREDICTION . TOOL KIT.

Over 50K of programmes in 1 book for £5.75 inc. Book and Cassette (source code) £15.50

Book and Cassette (ready to run) £15.50. Cassette only £11.50.



TOOLKIT

20 useful programmes for the BBC on one cassette.

BAD PROGRAMME LIST . BAD PROGRAMME FIX . FIND PROCS. FIND DEFPROCS BIGLETTERS . FIND BYTE . FIND VARIABLE . AND MANY OTHERS.

£395inc

ECCE Productions, 3/73 Station Road, Sidcup, Kent. DA15 7DR. Tel: 01-302 1667. (Mail order only)

HARDWARE REVIEWS

and the job was complete.

Each ROM is now ready to be installed in its 60 × 20 × 30mm cartridge (figure 5). This is achieved by removing two screws from the cartridge top and pushing the ROM into a 28-pin socket mounted on a small printed circuit board. Correct orientation is aided by the suitable markings on the base-plate. Each cartridge includes additional components to allow for any losses across the data cable. This adds to the production costs but Viglen has made a wise decision to include this feature. As a result, the three cartridges used by my class of ten-year-olds performed faultlessly over the two-week period, passing the standard 10-year-old 'dropping', 'standing-on' and 'handling' tests

Two features of the system I particularly like are the fact that it takes no additional power from the BBC micro in its operation and that cartridges may be inserted or removed with the micro

switched on and working.

In case the owner wants to remove the socket from the computer, Viglen provides a blank plate to cover the aperture. This clips into the 'ashtray' and is unobtrusive. As the user's cartridges grow in number, each may be stacked in the storage tray.

Overall, this is a very successful system that met with the complete approval of children and staff.

Both the NMC and Viglen extension sockets provide a cost-effective alternative to multi-socket boards, if you don't mind swapping firmware in and out of the computer as required.

A problem of using a sideways socket system in a school environment is that cartridges/ROMs can get misplaced, and the possibility of theft must also be taken into account when using these systems in a 'public' environment. These problems however, must be weighed against the advantage of having expensive firmware quickly and easily available to swap among any number of suitably fitted computers.

Having used both systems over the month, I can recommend only the Viglen ROM cartridge system for

FEATURE	VIGLEN CARTRIDGE ROM SYSTEM	NATIONAL MICRO CENTRE ZIF SOCKET
Design & construction	4	3
Installation	4	3
Performance & reliability	5	2-3
Insertion & removal of ROMs	5	3
Documentation	4	4
Application	- education - home user - laboratory - small business	- home user - laboratory
Other peripherals	- cartridge storage systems - switchable 4 × cartridge (board planned)	
Value for money	4	3

4...Good 3...Satisfactory

REVIEW SUMMARY CHART



KEY: 5 ... Excellent

Viglen socket



school use. Each element is well designed, strongly built, and functions faultlessly. The risk of handling ROMs/ EPROMs is too great to be a viable proposition: the extra expense of each cartridge must be measured against this. Also, as the ZIF socket cannot be relied on to work with all ROMs/EPROMs, its application must be limited.

2...Poor

1... Very bad

For the home user, each of these ROM sockets appears to be a useful answer to the problems posed by the plethora of ROM-based software now available. Obviously, the NMC ZIF socket means that ROMs/EPROMs may be quickly and conveniently inserted and removed. However, the onus is on the user to provide safe handling and storage for his/her firmware. The problem is not so acute with the Viglen system as each ROM is well and truly protected. Whether the cartridge system is worth the extra cost is up to the user to decide.

DATASHEET

Product Manufacturer Socket type **EPROMs** supported Cable length Special requirements

Price

Review copy from

Sideways ROM cartridge socket Viglen Computer Supplies Edge connector 2764 and 27128 EPROMs 470mm ROM cartridges Socket: £19.95 inc. VAT

Cartridges: £6.95 inc. VAT £4.95 each for 10 cartridges

Viglen Computer Supplies, Unit 4. Trumpers Way, Hanwell W7 2QA.

Product Manufacturer Socket type

EPROMs supported Cable length Special requirements Price Review copy from

Sideways ROM socket National Micro Centres Zero insertion force (ZIF) socket 2764 and 27128 EPROMs 420mm None Socket: £19.95 inc. VAT

National Micro Centres, 36 St Peters Gate, Stockport SK1 1HL

Rebalance this sh

The BBC Micro can now give an astonishing new account of itself.

Because with Acornsoft's new I6K ViewSheet ROM, it develops a head for figures which can save you a vast amount of arduous brainwork.

Imagine, for instance, that you had to make several adjustments to a balance sheet.

If you made those adjustments on ViewSheet, it would revise the balance automatically in a split second.

Or imagine that you had to add 15% VAT to every figure on a price list containing 500 items.

ViewSheet can add the tax to each and every one of those items simultaneously. And once again, in virtually a second.

As simple as pencil and paper.

ViewSheet is a computer-based spreadsheet, the figure processing version of a word processor.

With 255 columns in width and 255 rows in depth, it's also one of the largest spreadsheets on the market.

Originating the sheet is as easy as originating an ordinary worksheet with pencil and paper.

Because ViewSheet comes with an easy-to-follow reference card.

It enables even the most inexperienced users to feed all the data they need to use and store on disc or cassette, into the BBC Micro.

You can nominate headings and subheadings. And you can create barcharts to display figures graphically.

Ten windows for perfect vision.

The sheer size of ViewSheet makes it impossible for the whole sheet to be visible on the monitor at once.

That's why ViewSheet has ten window enabling you to see up to ten different sections of the sheet at any one time.

You can summon the windows onto



eet in one second.

the screen at the press of a key.

e. You can cross-reference sections, or C even reposition them on the sheet, whenever you need to.

And you can print them out individto ually, as well as all together.

The possibilities are virtually endless.

By creating special disc files from

ViewSheet, you can link two or more
spreadsheets together. This means you can
build models much bigger than the

ViewSheet is also compatible with Acornsoft's View word-processing package. This enables you to produce reports and documents which combine text and figures.

In addition, you can use ViewSheet in any screen mode, making the most of the BBC Micro's potential. And if you use it with the 6502 second processor, you'll have no less than 30K of workspace in any mode.

For only £59.80.

you too can have figures like this.

The ViewSheet ROM can be fitted by your BBC Micro dealer in less than three minutes. And with its straightforward

user guide, function

key card and reference card, it'll soon have you juggling figures at lightning speed.

Indeed, at only £59.80, it's an invaluable asset for anyone involved in professional or personal finance,

forecasts, formulae and analysis.





ViewSheet's operations and functions in brief.

The operations supported by ViewSheet are: addition, subtraction, multiplication, division, exponentation and bracketed operations.

And the functions supported are: ABS, ACS, ASN, SIN, SCN, RAD, ATN, COS, DEG, EXP, INT, LN, LOG, PL SQR, TAN, MIN, AVERAGE, MAX, CHOOSE, LOOKUP, COL, JE READ, ROW and WRITE.

ACORNS FT
to Vector Marketing, Denington Estate, Wellinghorough
Northways, NNR 2PL, Tel-0933, 79300.

WRITER'S WP

FOR THE ATOM

'Editor' ROM Bearsoft (Bear Hardware, 68 Harmondsworth Lane, Harmondsworth, Middlesex UB7 0AA, tel: 01-897 3059), £35 plus VAT

NEW FOR the Atom is the Editor ROM from Bearsoft. A 4k PEROM, addressing at #A000, it is a refinement of, and replacement for, Acornsoft's Wordpack ROM. It comes with a full instruction manual, very well written, and a new keytop to replace the backslash key.

The Editor is a wordprocessing utility and stores text in a file from #3000 onwards, displaying it in upper and lower case on a mode 4 screen. By dispensing with several duplicate commands in the old Wordpack and omitting the TEXT function, a number of new facilities have been enabled. The most obvious thing is the new keytop. This is in white plastic and engraved with the symbols C/P. As in Wordpack, control codes can be put at the start of any line to serve various functions. These are now preceded by an inverse C, plus an

inverse P if they are to be sent to the printer. This makes them very easy to see in the text display.

Many of the old functions have been retained. New commands are:

(K)ILL - deletes text from cursor to end of file
(Q)UIT - run a basic file at the specified

address
(L)EN – address of first free byte
(W)ORD – displays word count, followe

(W)ORD - displays word count, followed by I.

(I)NFO - does a dummy print run then displays format information (page number, number of lines left; word count; first fixe byte).

Pressing COPY (to store text) displays the address of the first free byte.

The new commands might not seem much, but the difference they make is remarkable. They turn the Editor into a real writer's wordprocessor. Doing a dummy print run can save an awful lot of draft copies and the ability to be abasic to add extra functions is a real treat. In my work, the ability to write very large files in sections then call and print them sequentially from discusing the Basic program given in the manual is a real time-saver, set it going and leave it for run itself.

The Bearsoft Editor is well thought out and lifts the old Wordpack to new heights.

Barry Pickles

AMPERSAND ADDS

COLOUR BOARD

Ampersand Colour Module, Atom, £13.75 (kit). Ampersand Computers, 86 Neal Road, West Kingsdown, Kent TN45 6DQ.

OBSERVANT readers may have noticed in the small ads section two gentlemen, Messrs White and Worrall, offering construction details for a cheap colour module for the Atom. It can now be revealed that these gentlemen are known collectively as Ampersand Computers (another Acorn User scoopl) and their board has now been put through its paces.

It is offered in four packages, to suit every level of competence. The one tested was a ready-built board, but we also built one ourselves, using the Construction notes provided. is reasonably straightforward for anyone with any experience and the parts used are all standard components, readily available from any decent supplier ours cost £8 to build, excluding the Veroboard. (The ready-assembled unit costs £21.50). A PCB foil pattern and overlay is provided and the notes are well written.

The board takes the signals from the 6847 VDG and converts these, using a series of TTL components to the correct signals necessary for PAL receivers (the 6847 was designed for the American NTSC standard). All the necessary signals are present on PL4 (now you know what it's for) and the board plugs into this, allowing it to be mounted inside or outside the case. Anyone who has ever tried to remove the Acorn colour card will know what a blessing this is! One capacitor is removed from the Atom PCB and a single wire inserted - this is the input to the Astec modulator. After that, it's a matter of setting up and adjusting a trimmer, until the colour is satisfactory - this is a five-minute job.

The construction notes come with demonstration listings. There is a superb pattern generator, a lovely (and extremely fast) flag drawing program and an absolutely awful 'fruit machine' game.

What about the colour? Well, it was found to vary, according to the make of TV used. However, the colour register was as good as the Acorn board, if set properly, but with none of the problems associated with that board.

All in all, a nice design and one to be recommended. Even if you buy the ready-built version, it is still excellent value.

Barry Pickles

BUFFER MAKES ROM VALUE FOR MONEY

Buffer and Backup ROM, Watford Electronics, £18 plus VAT.

THIS ROM is one of the latest to be offered from Watford, and comes with an eight-page manual explaining its functions. The ROM can be IBOOTed using SHIFT LOCK-SHIFT and BREAK. A menu is displayed on the screen that offers three alternatives. ROMLOOK', 'D-TAPE' and 'TCOPY'.

ROMLOOK allows the user to examine the contents of any other ROM. It will list the contents of any ROM in a similar format to the disc. "DUMP command, but unfortunately where the ASCII code is a single digit, the program does not compensate by inserting a space or a 0, so the printout is very rapped."

D-TAPE allows programs to be selectively transferred from a disc (or a series of discs) onto a tape. It will, if required, put a menu at the start of the tape for easier program selection. This mean program was very basic and would have benefited from attention to layout. The user is able to select the files to be listed on the menu. This means that data files need not appear on the menu.

TCOPY is a program to transfer tape files to tape, disc or Hobbit. I could not get this to work at all. It simply came up with the 'Header?' message and would not load tape files that I know will easily load from tape. I suspect the problem is connected with the sideways ROM board slowing down the timing.

The ROM contains two more utilities, 'VAR and 'BUFFER. 'VAR will list all the variables and their values. Array variables are listed, but only the number of elements and dimensions are shown.

*BUFFER for me is what makes this ROM value for money. It makes use of any RAM on the sideways ROM board as a printer buffer, if required. When the computer is switched on a message appears at the top of the screen displaying the free memory in RAM, if RAM is present on the ROM board. The printer buffer is activated using *FX5,3 when all data destined for the parallel printer port (it does not work with the serial port) is first routed through this memory space. Once all the data has been accommodated on the RAM, control of the computer returns to the user. while the data is sent out bit by bit from the RAM to the printer.

To make use of this facility one needs not only the RGM chip, but either one or two 8k RAM chips (at 140 each) as well as a ROM board. This is still cheaper than buying an 8k or 16k printer buffer, and one then also has use of the extra RAM for other purposes. Some ROM boards will accept RAM only as two 8k chips, whereas others will accept 18 KAM.

Martin Phillips

RAM.

Martin Phillips

GRIFFIN Computers

SOFTWARE

17.95
16.95
Please ring.
£36 00
127.50
£27.50
£27 50
£27 50

HARDWARE

BBC B Please ring for latest offers.

Acorn electron 1195,00 Disk drives 100K 199,00

A full range of peripherals is available, prices on application. Printers—£172.00. Monitors—£199.00. Discs from only £12.00.

All the above prices include V.A.T. @ 15% (C)—Cassette (D)— Disk (R)—ROM

8. RAINSFORD ROAD, STANSTFAI ESSEX CM24 8DU Tel. 0279 812295



Harold Rules..OK?

When you call please don't disturb Harold—he broke 1000 on Snapper last week and hopes to crack 2000 soon. Mind you, there are other machines in the store that you can use to try out the software from our extensive range. Printers, disc drives and monitors too.

6 Chatterton Road, Bromley, Kent. 460 8991

Data /tore

Electronic News

Programming the Electron

A must for Acorn Electron users – a book to teach you how to make the most of the sophisticated features of this microcomputer.

After a short introduction to the machine and how to get it started, some general points on programming techniques are presented followed by more specific features of Electron BASIC including graphics facilities, string handling, mathematical functions, random numbers and sound. Subsequent chapters introduce bits and bytes, hexadecimal numbers and assembly language programming, interfacing teatures and file handling. Appendices cover technical specification, error messages, ASCII codes and the 6502 instruction set.

Softener

170 15 2010

£6.95 approx

Order now from your Bookseller or direct from

ewnes Technical Books
Borough Green, Sevenoaks, Kent TN15 8PH



BBC MICRO - USER SUPPORT -



- 10 ISSUES OF BEEBUG MAGAZINE MAILED FREE TO MEMBERS
- 30 EXCITING GAMES AND VISUAL PROGRAMS
- 43 SOFTWARE REVIEWS
- 33 HARDWARE REVIEWS
- 16 BOOK REVIEWS
- 150 HINTS AND TIPS
- 25 APPLICATION PROGRAMS
- SERIES OF ARTICLES FOR BEGINNERS
- MANY ADVANCED TECHNICAL ARTICLES
- NEWS AND PRODUCT INFORMATION
- PLUS SPECIAL OFFERS
- BIG DISCOUNTS ON A WIDE RANGE OF PRODUCTS
 - EVENTS
- BRAIN TEASERS
- LOCAL CLUBS
- FULL MAGAZINE INDEX

A YEARS SUBSCRIPTION WOULD HAVE BOUGHT YOU ALL THIS

Figures based on the 10 issues of BEEBUG Volume 2.

BUT IT'S NOT TOO LATE TO JOIN FOR VOLUME THREE

BEEBUG PUBLICATIONS LTD. PO BOX 109, HIGH WYCOMBE, BUCKS

PLEASE ENROL ME FOR VOLUME 3 OF BEEBUG AT £11.90 (10 ISSUES)

NAME

ADDRESS

AMOUNT ENCLOSED
PLEASE MAKE CHEQUES PAYABLE TO
BEEBUG PUBLICATIONS LTD.
AND SEND TO - DEPT 13 PO BOX 109
HIGH WYCOME, BUCKS.
(DISTRIBUTION AGENTS FOR BEEBUG)

BEEBUG HAS BEEN
ESTABLISHED FOR TWO
YEARS AND NOW HAS
OVER 25,000 MEMBERS. IT
OFFERS TOTAL USER
SUPPORT TO ALL BBC
MICRO USERS.





See what the experts have to say...

We proudly present our

widely regarded as the best available for the BBC Micro

This game is a classic puzzle adventure with all the features you'd expect from EPIC

- HALF SCREEN FULL-COLOUR GRAPHICS FOR EACH OF THE 250 LOCATIONS
- INTELLIGENT MOVING CHARACTERS ACTING IN REAL TIME
- MULTI STATEMENT LANGUAGE AND SPEECH INTERPRETERS

"At last we have an adventure worthy of the BBC Micro... This game must now become a yardstick by which future adventures should be measured." MICRO ADVENTURER

This has to be the adventure of 1984. It really is superb. MICRONET 800

"Technically, this game surpasses any I have seen for the BBC Micro.

"The definitive adventure. Highly recommended."

ELECTRON USER

î	TO: EPIC SOFTWARE, DEPT. A, 10 GLADSTO LEICESTER LE8 OHL Please Rush Me-			
-		CASSETTE		
8	qty_THE WHEEL OF FORTUNE	£9.95	£11.95	BBC/
-	qty CASTLE FRANKENSTEIN	£7.95	£9.95	(Delete)
П	gty THE QUEST FOR THE HOLY GRAIL	£7.95	£9.95	(Delete)
	qty THE KINGDOM OF KLEIN	£7.95	£9.95	1
ı	POSTAGE & PACKING FREE FOR 2 OR MORE, AL	DD 50p FOR Of	Æ.	
ı	LENCLOSE CHEQUE/P.O. TO THE VALUE OF			
ı	NAME			
ı	ADDRESS			
ī	P	OST CODE _		
	All programs available for immediate describe Dea	das assendalas nos	lcome Hel	n Senice

ACORN USER OCTOBER 1984

193

B-BASE: £25-8 Great Features

WHAT IS A DATABASE?

It is a FILE which contains RECORDS. Records consist of a number of FIELDS containing the information—an analogy can be drawn with a card index in which a box of cards is the file. Each card is a record and each line on the card is a field.

SPECIFICATION

1) Random Access-disc based, single or dual drives

2) File Size-99K (40 track), 199K (80 track) -65,000 + records 3) Record Size-up to 2048 characters and 200 fields

4) Field Size-up to 254 characters with complete line scanning 5) Access any record using Primary Key in

2 seconds 6) Holds—1200 NAMES AND ADDRESS records on 100K disk

7) Search—500 records on 5 fields in 60 seconds 8) Sort-500 records on 8 fields in 60 seconds

SYSTEM FEATURES

SEARCH PARAMETERS =, <, >, >= .<= .<>, INSTR

CALCULATE - Global or local totals and functions using any valid BBC expression POWERFUL PRINTOUT OPTION-Eliminates need for separate mailing program, Parallel/Serial Printout allows setting of printer control codes, line spacing, tabulation, Headings etc, plus label printing with horizontal and vertical tab control. REDEFINE-Titles, field widths, number of

TRANSFER-Records from one file to another SEARCH LISTS—Allow creation of sub-

Databases within main Database but without having to save data again. DATE FORMATS—6 formats for printout

All timings and sizes are relative to ACORN Compatible with ACORN DES WATFORD 1.3 and latest AMCOM DFS

All Disc Software now available on 3" discadd £3 to printed prices Send S.A.E. for detailed data sheet REPLICA II: £12.00

The original REPLICA set a very high standard so the specification we set our chief programmer included some impossible features. In fact ACORN state that some of the things that we have done are impossible. it just took us longer that's all. REPLICA II transfers most cassette based programs to disk, even more than REPLICA. When you buy disk drives you do not have to thro away expensive cassette based programs.

REPLICA II transfers 'LOCKED' programs, programs loading as files, programs that load below &EOO, those with up to 6 sections and those up to &6E in length eg adventure programs. No waiting for 6 minutes whilst adventure programs load.

REPLICA II is very easy to use. The user enters a name, how many sections and whether CHAIN, RUN or LOAD to load the first section. Press play and let the program do the rest, even a menu. Think how much it will cost you to buy just 1

disk version of your favourite program-REPLICA II which will hold up to 16 programs, limited only by the disc capacity

OFTWARE!

BEEBSYNTH: disk £11.00 cassette £8.00

A very powerful, easy to use sound generating program for expert and novice. Up to 16 envelopes can be defined and saved. The envelope definer is easy to use, control is through the cursor keys and the effects of changes can be heard immediately. When you have defined your envelopes press 'K' for Keyboard and the keyboard is transformed into a musical instrument, but you control which instrument. Plays chords, not just single notes, change pitch and duration etc. A superb program that you can use immediately. Unlimited sounds at your disposal. Recommended by MICRO USER, PCN. HCW etc.

GRAFKEY/GRAFDISK: disk £12.95 cassette £9.00

The 'GRAF' series of programs are, to our knowledge, the cheapest entry to the CAD (Computer Aided Design) field on the BBC micro. Input is either joystick or keyboard All graphics modes can be used and altered whilst running, the functions provided are: Line, rectangle, triangle, circle, text (upper and lower case), paint and colour pallet (8 colours and flashing). Drawing aids include:

Alignment grid, circle copy, delete, free memory, purge memory, variable cursor speed, clear screen and redraw. Save drawings to tape in about 20 seconds or to disk in about 2 seconds. Rubber Band is a very flexible line drawing facility. Pictures can be saved and included your own programs, very easily, GRAFDISK also provides a screen save

facility, Recommended by BBC MICRO USER, PCN, ELECTRONICS & COMPUTING. LASERBUG etc, used by universities, colleges and business, as well as the enthusiast

SINGLE KEY: (requires 1.2 0.S) £5.00

SINGLE KEY ENTRY provides the user with single key entry of all 66 keywords on the BBC micro. Speeds up your program input, it's just like having 66 function keys and it occupies 256 bytes. Compatible with BASIC 1 & Basic 2

VIEWpoint: £12.00

VIEW PRINTER DRIVER FOR EPSON FX80 Multi-page drive with print menu allowing the setting of global (document wide) printer functions at printer initialisation.

1) Multiple choice of highlight options including underline, italics, bold, enlarged, proportional condensed superscript. subscript.

 Choice of any one of the nine language character sets held in the printer ROM.
 Choice of PICA or ELITE type face. 4) Print intensity: normal or dark. 5) Single sheet or continuous printing. 6) Slow (accurate line feed) or fast print speed

Choice of "PAD character. Selection of " as the PAD character switches off the backslash trap to allow full implementation of the foreign language character sets.

User Defined Character Definition The print menu program also contains a sophisticated character generator which allows the construction of 95 user defined characters which are then accessible from VIEW via a highlight option The characters are displayed in an 8x 11 grid and can be printed (singly or as a set), stored,

Supplied on disc with comprehensive user

examined or changed at will.



NO EXTRAS!

We're not short Dent Allto 98 Middlewich Rd.,

Northwich, Cheshire CW97DA Tel: 0606 48511 MICRO SUPPLIES Open 9-5 pm Monday-Friday



HIGH QUALITY DRIVES AT EVEN LOWER PRICES.

Opus disc drives are the best buys on the market.

We have reduced our prices, but the quality still remains as high as ever.

All our 51/4" drives have been tested to their limits, running for 8,000 hours that's a year of constant use.

And when you look at our prices. you'll find that VAT, all necessary leads and carriage are included along with a two year guarantee - a year more than any other company can offer.

You can order by posting the coupon below or calling at our showroom.

3" MICRODRIVE.

- · Twice the capacity on line of other available drives
- 200K Single Density -
- 400K Double Density. Easy to connect to the BBC Micro.
 3ms. Access time.
- Low power consumption—direct drive.
- Manual and free disc cartridge provided.

Double sided 40 Track Drive Single drive £199.95 Dual drive_ £399.95

51/4" SINGLE DISC DRIVES.

- All 1/2 height. · Low power
- consumption.
- Comprehensive manual.
 Free utilities disc.
- Direct drive mechanism.
 Fast access time. 5401 100K Single sided 40 Track £149.95 5402 200K Double sided 40 Track_ £169.95

5802 400K Double sided hardware switchable 80 40 Track £199.95

51/4" DUAL DISC DRIVES.

- · Metal cased and all necessary leads.
- · Separate power suppl-
- Utilities disc and manual 5401D 200K/400K on line S/sided 40 Track_ £349.95 5402D 400K/800K on line D/sided 40 Track £399.95

5802D 800K/1.6 Megabyte on line D/sided £499.95

hardware switchable 80:40 Track

FLOPPY DISCS.

3" cartridge &5.75 each or &25.95 for 5.

51/4" Discs - with full 5 year warranty and free library case. S/SS/D £17.95 for 10 S/SD/D £19.95 for 10. D/SD/D £21.95 for 10.

S/S 80 Track £25.95 for 10. D/S 80 Track £27.95 for 10.

DOUBLE DENSITY DISC INTERFACE.

The ultimate double density disc interface for your BBC Micro. compatible with 6502 2nd Processor.



 Utilities on ROM including: Format and verify, tape to disc transfer, automatic 40/80 Track selection, automatic density selection, unique mass copy routine, powerful machine code operating system giving up to 248 files, 80% faster than single density. Easy to install. Free user manual supplied._

GENEROUS EDUCATION AND DEALER DISCOUNTS GIVEN, ALL ITEMS ARE GUARANTEED FOR TWO YEARS AND ARE SUITABLE FOR USE WITH THE BBC MICRO.

OPUS SUPPLIES LTD.

158 Camberwell Road, London SE5 0EE.

Opening hours: 9.00-5.30 Monday-Friday, 9.00-1.00pm Saturday.



OPUS PRODUCTS ARE AVAILABLE FROM BOOTS, W.H. SMITHS, SPECTRUM, JOHN MENZIES, ALLDERS AND OTHER GOOD COMPUTER STORES NATIONWIDE.

Quantity	Price	
Tenclose a chequi Or please debit m the amount of &	for A TOTAL greedit card account with	
	reanl (please tick) No. is	
Name		A

USER GROUPS

This indicates clubs that have responded to our circular asking for confirmation of details and continued existence Would those clubs who have not responded please do so, otherwise they will be deleted from our list.

The Secretary Wakefield BBC Micro User Group 116 Pinderfields Road Wakefield West Yorkshire WF 1 3PL

Colin Price Keighley Computer Club Red Holt Hainsworth Wood Keighley W. Yorks Tel: Keighley 603133

■ Jennifer Woeller Sutton Library Computer Club Sutton Central Library St Nicholas Way Sutton, Surrey Tel: 01-661 5031

Mr C. Rutter Medway Atom Users Club St John Fisher School Ordnance Street Chatham

Mr J. Ashurst Acorn Computer Users Group Abraham Moss Centre Crescent Road Manchester 8

BBC Adventure Club Weardale House Woodberry Down London N4 1QN

John Wood Atom Users' Group of Canada 812 Cabot Trail Milly Ontario L9T 3M8 Canada

Austin Vaughan Irish Amateur Computer Club 35 Monastery Drive Dublin 22

Tel: (01) 593112 (evenings) Miss J. Lines South East Essex BBC User Group (SEEBUG) 97 Oakhurst Drive Wickford

Essex SS12 0NW Tel: 03744 63396 D. Donaldson, Secreta Bracknell Primary Schools Computer Users' Group Wildridings County Junior School Netherton Bracknell

Berks RG12 4DX Stuart Mallin Huddersfield BBC Micro User Group

34 Ryefields oles Huddersfield West Yorks HD7 1XF J. Smith, Secre

Brighton, Hove & District Computer Club 30 Leicester Villas Sussex BN3 5SQ

Mr Ric Keyworth Micro Users Group

4b Kilburn High Road London NW6 SUL Tel: 01-734 9235 (7am-3pm Mon-Fri)

West Midlands Computer Group 12 Apsley Road Oldbury West Midlands B68 0QZ Mr J. Price Bedford House 27-28 St George's Road Brighton

Mr P. Beverley Norwich Area Acorn Use Group Room 12a Norwich City College

Ipswich Road Norwich NR2 2LJ M Keith Mitchell

Edinburgh ZX Computer Club 19 Meadowplace Road

Edinburgh Tel: 031-334 8483 Robin Bradbee Association of London

Computer Clubs Polytechnic of North London Molloway London N7 8DB Andy Purkiss

North & Mid-Essex User Group (NAMEBUG) 12 Palm Close Witham, Essex Prestel: 376515609

M. A. Cowley, President PO Box 262 South Australia 5062

Mr D. L. Evans 23 Hitchin Road Henlow Camp Bedfordshire

R Welch Harpenden

Microcomputer Group Tylers Harpende Herts ALS SRT

Mr P. Frost Atom Users Group 3 Leyland Road Bulkington Warks CV12 9LW

Ray Mitcha Southport BBC Micro Group 5 Easedale Avenue

Southport Tel: 79936 Radio Amateur Micro User Group (G4KCS) c/o R. A. Webb 39 Aldworth Road

Stratford London E15 4DN Malbeeb BBC Users Club

'Micar' St Monica Street Guardamangia Malta

John Hannon Tasbeeb (BBC Users' Group) Box 25 PO North Hobart 7002 Tasmania Australia Tel: (002) 342704

A. F. Powell The Daventry and District Computer Club c/o The Daventry

Ex-Serviceman Market Square cemans Club Northants BBC INFO

rten Ingeniorhogskole Skippergt. 6 3190 Horten Norway

E. R. Piper Bognor Computer Group (BUG) 2 Ely Gardens

Aldwick Park Bognor Regis Sussex PO21 3RV Andrew Pike

Peterborough Personal Computer Club 920 Bourges Boulevard Peterborough PE1 2AN Tel: 0733 44342 (after 5pm)

John Farris Mid-Cheshire Computer Club 75 Swanlow Lane Minsford Cheshire CW7 1JD Winsford 53339

Liverpool BBC Microgroup c/o Fred Shaw 14 Albany Avenue Eccleston Park

rescot

Merseyside L34 2QW John Harris ottisham Acorn User Group 1 Rowan Close Bottisham

Cambridge CB5 9BN Tel: (0223) 811487 Brian Pain BEEBACC 40a High Street Stony Stratford

Milton Keynes Tel (0908) 564271 Duncan Coulter
Preston BBC User Group
8 Briar Grove

eston PR2 3UR Acorn Users Group of

c/o Janne Soderberg Frihetsvagen 32 S-175 33 Jarfalla

Anders Wickman BBC User Group (BUG) Folkungagatan 58 116 22 Stockholm

Peter Wilson Universal Micro Club 26 North Cape Walk Northants NN18 9DQ Tel: Great Oakley 742622

John Haigh Iver Computer Society (IC's) 11 Colliston Walk Fords Farm Calcot, Reading Berks RG3 5ZJ Tel: 0734-417534

Kinder Peak Computer Club 36 Parkway New Mills Tel: New Mills 43870

Wandsworth Computer Club Earlsfield Library Magdalen Road London SW18

Mr J. Craig National BBC User Group 40 Mount Pleasant Avenue Somerset BA5 2JQ

Mr R. Luff Kingbee 54 Arlington Close Kingswinford st Midlands

Caterham Leisure Centre Godstone Road Caterham Surrey CR3 6RE Tel: Caterham 48304/43316

■ Ted Ryan Eastwood Town rocomputer Club 5 Queens Square lottingham NG 16 3BJ

Mr T. A. Kayan SOBAT Computer Club (East London) 12 Calderon Road London E 11 4EU Tel: 01-556 5423

Mr M. G. Forster Potbug BBC Users Group 8 St George's Avenue High Lane Stoke-on-Trent Tel: 818499

Steve MacLeoc BBC Users Group _. Canberra 5 Hatfield St Evatt A. C. T. 2617 Tel: (062) 587719

A. H. Fowler Tonbridge School Computer Society 44 Birling Road Tunbridge Wells Kent TN2 5LY

J. Assies, Secretary Big Ben Club
PO Box 177
4670 AD Zevenbergen The Netherlands

H W H Fish Sunningdale BBC User Group 82 Cedar Dive Sunningdale Berks SL5 0UB el: Ascot 25030

Peter Hughes Format 40/80 Club BBC Disc User C 5 Marsh Street Bristol BS1 4AA

■ Dave Davies 229 Manley Road Choriton-cum-Hardy Manchester M21 1RB Tel: 061-881 0382 Tony Latham Computer Users Club 69 Hadlow Road

Welling, Kent DA16 1AX Tony Pickard

Newcastle & Washington BBC User Group (NEWBUG) c/o Washington Town Centre Library The Galleries Washington, Tyne & Wear Tel: Houghton (927) 849342 atter for

John Fryer, Treasurer 17 Edgedale Roa Sheffield S7 2BQ

Stratford Computer Club 15 Kipling Road Stratford-on-Avon Tel: 0789 68080

Tel: Gourock 39967

Robert Watt Inverciyde BBC Micro Users' 9 St John's Road Gourock Renfrewshire PA19 1PL

Antony Hurden West Suffolk BBC Micro Users' Club 14 Plovers Way Bury St Edmund Suffolk IP33 2NJ

Forum 80 421 Endike Lane Hull HU6 BAG

Simon Ward Porchester & Fareham Computer Club 9a East Cams Close arehan Hants PO16 8RP

Central Scotland BBC User Group 1 Roxburgh Place

Larbert Stirlingshire FK5 4UE Linda Yeomans

Beeb Users Group (Bug Club) 13 Regent Street Church Gresley Burton-on-Trent Staffs DE 11 9PL

Arjen Raateland Hopeatie 10A21 00440 Helsinki 44 Finland Tel: 90-5625027

Sqn Ldr J. A. Upham RAF Personal Computer Association

Man S (ADP) HQ RAFSC RAF Bramptor Huntingdon PE 18 8QL Bazyle Butcher Harrow Computer Group 16 St. Peter's Close

Bushey Heath Watford WD2 3LG Tel: 01-950 7068 MUSE (for teachers)

PO Box 43 231/2 Friary Chambers Whitefriargate Hull HU1 2HD Tel: 0482 20268

Nik Kelly Mersey BBC User Group 56 Queen's Drive Liverpool L4 6SH R. V. Souter, Secretary TRS-80/Beeb Users Group

4 Risby Garth Skidby Cottingham, Hull HU16 5UE Tel: 0482 845326 BBC Micro Club Tenerife

PO Box 1297 Santa Cruz de Tenerife Canary Islands (Spain) Tel: (922) 216546 Rupert Steele

ssociation of Computer Clubs 17 Lawrie Park Crescent London SE26 6HH

Andy Leeder
Amateur Computer Club
Church Farm Stratton St. Michael Norwich NR15 2QB

Bob Hindl outh Yorks Personal Computer Group (SYPCG) 139 Penrhyn Road Sheffield S11 8UP

J. G. Dowling Acorn Atom Users Group 27 Oribi Avenue Van Riebeeck Park Kempton Park 1620 South Africa



Computer Concepts

General:

All common printer facilities are made available with easy-to-use commands including:

- # UNDERLINE
- # ITALICS
- * STYLE
- *LINESPACE
- *PAGELEN

Other Facilities:

- Character definition utility.
- Send files to printer at the same time as running BASIC programs etc.
- Interactive window setup, for choosing area of screen to be dumped.
- Save/load character font.
- Large character printing.
- Commands can be included in wordwise text (version 1.2 onward)

Print master

the printer utility ROM for the BBC mic





Gaddesden Place Hemel Hempstead Herts HP2 6 E X (0442) 63933 Now available: PRINTMASTER (EPSON) PRINTMASTER (STAR) price £33.35 incl.

Speech Sunthesizer

FOR BBC MODEL B

Close Approximation of Text to Speech Immediate Verbal Acknowledgement on "power up"

Unlimited Vocabulary

Word Representation to Sound

User Programmes Easily Modified by using a Simple *S Command

FITS INTO ONE OF THE BBC ROM SOCKETS

Price £41.00 inc. P & P complete including Simple Fitting Instructions and User Guide

Please make all Cheques and Postal Orders to:

D. E. SYSTEMS 44 Cross Street, Widnes, Cheshire WA8 6LT THE MIDDLESEX CENTRE FOR BBC Everything for the Acorn/BBC Owner under one roo

ACORN ELECTRON - £199 BBC + ACORN DFS £469

BBC MODEL 'B' - \$399

Disk Drives by: TEAC, BBC, MITSUBISHI, AMS, CUMANA, KORMANDI, TORCH and others from £149.00

Monitors by: NOVEX, PHILIPS, MICROVITEC, FIDELITY from

Printers from EPSON STAR SHINWAY, BROTHER JUKI, UCHIDA, CANAN, TAXAN etc. etc

Accessories: Lightpens, Dust Covers, Joysticks, Monitor Stand Cases, Leads, Floppy Discs and much much more

SOFTWARE: GAMES, BUSINESS & EDUCATIONAL plus PROGRAMMING AIDS on Cassette, Disk or Rom.

SECOND PROCESSORS, Z80's PACKS, UPGRADES, ROM FITTING, REPAIRS, TESTING etc. etc.



and Programming starter Kits offered to meet your requirements at good savings.

SCREENS MICROCOMPUTERS

6 MAIN AVENUE, MOOR PARK, NORTHWOOD, MIDDLESEX, ENGLAN Tel: NORTHWOOD (09274) 20664 Telex 923574 ALACOL G

* Open 6 days per week. Easy Parking. * Worldwide fast, reliable mail order.

* Official Orders/Enquiries welcome. Visa . Access . Amex . Diners Club . Instant Credit

NEW OCIAL SCIENCE SOFTWARE

A NEW RANGE OF COMPUTER PROGRAMMES DEVELOPED AND TESTED IN AN EDUCATIONAL ENVIRONMENT AND DESIGNED AS TEACHING AIDS FOR SOCIAL SCIENCES TAPE OR DISC

SUITABLE FOR ANY B.B.C. MICRO B. 40/80 TRACK

THE ELECTION PROGRAMME - SOPHISTICATED AND VERSATILE ANALYSIS OF ELECTION RESULTS
NOW WITH SCREEN MAPS OF LONGON/ PRIGLAND & NUMELAND, LINKED TO DATA (DISC ONLY: DATA DISC & PROGRAMME DISCS EXFOR A VARIETY OF LOCAL / REGIONAL, ANALYSIS A, Direct years of Principan, Universities, Polystochies,
DATA/PROGRAMME/MAP DISCS EXTO A VARIETY OF LOCAL / REGIONAL, ANALYSIS A, DIRECT AND A VARIETY OF LOCAL / REGIONAL ANALYSIS A. DIRECT AND A VARIETY OF LOCAL / REGIONAL ANALYSIS OF LINES AND A VARIETY OF LOCAL / REGIONAL ANALYSIS OF LINES ANALYSIS OF LINES AND A VARIETY OF LOCAL / REGIONAL ANALYSIS OF LINES ANALYSIS OF LINES AND A VARIETY OF LOCAL / REGIONAL ANALYSIS OF LINES ANALYSIS OF LINES AND A VARIETY OF LINES AND A VARIETY OF LINES ANALYSIS OF LINES AND A VARIETY OF LINE Schools and Colleges

#THE ENERGY CRISIS - A SIMULATION OF INVESTMENT AND PRODUCTION OF ENERGY. "A well-designed simulation" "It has a particular relevance to "A" Le "will - stretch the brightest students". John Simkin, 'The Teacher' ics and 6th Form General Studies"..... ___ (TAPE-E15; DISC-E17.50) B DISCOUNTED CASH FLOW - DEMONSTRATES THE USE OF D.C.F. IN COST-BENEFIT ANALYSIS AND INVESTMENT APPRAISAL ______ (TAPE-17: DISC-19-50)

■ B/TEC RECORD KEEPER - FOR STORING, UP-DATING AND PRINTING STUDENT REPORTS AND RESULTS _ _ (TAPE - £15; DISC £17.50) MULTIPLE CHOICE TEST DESIGNER - ALLOWS YOU TO DESIGN/EDIT/RUN MULTIPLE CHOICE TESTS USING A VARIETY OF FACILITIES (TAPE - C6.50) DISC-E11)

ALL PROGRAMMES INCLUDE A COMPREHENSIVE MANUAL DISCOUNTS: ORDERS OVER 650, 10%, REDUCTION

ALL ORDERS POST FREE FURTHER INFORMATION SUPPLIED ON REQUEST: ORDERS (WITH REMITTANCE OR YOUR OFFICIAL ORDER FORM, SPECIFYING TAPE OR 40/80 TRACK DISC) AVAILABLE FROM: RICHARD S. BALL, FREEPOST, DEPT. BI. BIRKENHEAD, MERSEYSIDE L42 2AB. DEALER ENQUIRIES WELCOM

FROM OLD KENT ROAD TO MAYFAIR ALSO "THE FAMOUS BOARD GAME FOR THE B.B.C. MICRO"

- FEATURES INCLUDE
- UP TO 5 PLAYERS <u>PLUS</u> THE COMPUTER THE COMPUTER CONSIDERS DEALS AND OFFERS EXCHANGES
 SHORT AND STANDARD VERSIONS GAME SAVE FACILITY

THE COMPUTER IS AN ACTIVE AND INTELLIGENT PLAYER IN THIS COMPUTERISED VERSION OF THE WORLD FAMOUS BOARD GAME. AND IS HARD TO BEAT. AN IDEAL CHRISTMAS GIFT. TAPE £8.00 DISC (SPECIFY 40 or 80 TRACK) £10.50 POST FREE AVAILABLE FROM THE ABOVE FREEPOST ADDRESS

PUBLISHED BY SOCIAL SCIENCE SOFTWARE



DEALER ENQUIRIES WELCOME



WITH MORE BRANCHES THAN ANY OTHER ACORN DEALER WE OFFER

ONE-STOP SHOPPING

FOR YOUR

BBC MICRO

AND

ELECTRON

SPECIAL ELECTRON PACKAGE INCLUDES **ELECTRON WITH PLUS 1** £229

> SEE US AT THE SHOW ON STAND 61

SOFTWARE

PROGRAM POWER BUG-BYTE SUPERIOR SOFTWARE ABF

SIMON HESSEL MOLIMERX ALLIGATA **ACORNSOFT**

PERIPHERALS

DISCS SINGLE/DUAL TORCH Z80 DISCS MIDWICH DISCS PRINTERS **JOYSTICKS** MONITORS B & W/COLOUR LIGHT PENS **BBC BUGGY**

large range of books, diskettes, cassettes & printer paper always in stock

Easy parking at all branches

TOLWORTH

230 Tolworth Rise South, Tolworth, Surbiton, Surrey KT5 9NB Tel: 01-337 4317

SUTTON

30 Station Road, Belmont, Sutton, Surrey SM2 6BS Tel: 01-642 2534

EALING

114 Gunnersbury Avenue. Ealing, London W5 4HB. Tel: 01 992 5855

NEWBURY

26, Stanley Road, Berks RG14 7PB Tel: (0635) 30047

RICKMANSWORTH

Grey Stone Works, The Green, Croxley Green, Rickmansworth Herts WO3 3AJ Tel: 0923 779250

LUTON

1 Manor Road, Caddington, Luton, Beds LU1 4EE Tel: (0582) 458575



UNBELIEVABLE

** COMPUTERS **			
	APRICOT APRICOT APRICOT APRICOT APRICOT APRICOT APRICOT APRICOT CIFER APRICOT COMMODORE COMMODOR	F1 - Imperior Point Torm Point Torm Point Torm Point Torm Point Torm Point Torm Torm Torm Torm Torm Torm Torm Torm	E32.00 E1795.00 E945.00 E1995.00 E1295.00 E1658.00 E3315.00 POA E795.00 E2850.00 E2095.00 E1545.00 E1222.00
	** 5	OFTWARE **	

SOFIWARE

ALL MAJOR SOFTWARE PRO LOW COS	
WORDSTAR OPEN ACCESS LOTUS 123 SYMPHONY MULTIMATE D BASE II DMS DELTA FRIDAY FRAMEWORK	£195.00 £295.00 £295.00 £490.00 £280.00 £395.00 £135.00 £345.00
Not only do we offer top quali prices. We also support and d the assistance of our long est	evelop Software with

ANADEX	DP-6500500cps	£2019.00
ANADEX	WP-6000	£1808.00
BROTHER	EP44	E199.00
BROTHER	HR5	£129.00
CANON	PW1080A 160cps (NLQ)	£279.00
CANON	PW1156A 160cps (NLQ)	£339.00
EPSON	RX 80T 100cps	€195.00
EPSON	RX 80F/T 100cps	€220.00
EPSON	FX.80 160cps	€324.00
EPSON	FX 100F/T 160cps	€430.00
EPSON	LQ 1500 200 cps (NLQ)	€895.00
HONEYWELL	From	\$375.00
MANNESMANN	MT8080cps	\$199.00
MANNESMAN	MT180 160cps (NLQ)	£590.00
NEC	PINWRITER P2(P)	£535.00
NEWBURY	DRE 8850 300 lpm	£2095.00
NEWBURY	DRE 8925 240cps	£1385.00
OKI:	B2A 120cps	£255.00
OKI	84A 200cps	2630.00
OKI	OKI92P 160cps	£379.00
QKI	OKI 2410P 350cps	£1535.00
SEIKOSHA	GP100A	£165.00
SHINWA	CP80 Model II FT	£175.00
STAR	DELTA 10 160cps	£319.00
STAR	DELTA 15 160cps	£435.00
STAR	GEMINI 10X 120cps	£189.00
STAR	GEMINI 15X 120cp5	£285.00
STAR	RADIX 10 200cps (NLQ)	£449.00
STAR	RADIX 15 200cps (NLQ)	£549.00
TEC	1550 120cps	£465.00
TOSHIBA	TH2100H 192cps	£1275.00
TREND	930 200cps NLQ 80cps	£1350.00

MAYFAIR

BLENHEIM HOUSE, PODMORE ROAD LONDON SW18 1AJ

TEL: 01-870 3255

We accept official orders from UK Government and Educational Establishments Mail Order and Export Enquiries welcome. Calters by appointment.

** DAISYWHEEL **

** PRINTERS ** FXVAT HR15 HR15 Keyboard HR15 Sheetfeeder HR15 Tractor Feed HR25 2000 20cps



** VDU's & TERMINALS **

CIFER HAZELTINE QUME TELEVIDEO

£760.00 £395.00 £695.00 £489.00 ** PLOTTERS **

MANNESMANN PIXY PLOT

We've been absolutely inundated with Free ads — something like four times as many as we can carry. This has led to long delays in publication and disappointment for readers. The free ads are carried in the magazine as space permits, so please allow up to four months for yours to appear.

ACORN ATOM for sale. 12K RAM, 16K ROM, A&F Utilikit, games, programs and notes. One key damaged. Sell for £100 ono. Tel: (061) 491 2669.

ACORN ATOM fully expanded 12k + 12k + psu and manuals also VIA interface and printer and bus interface plus 2 EPROMs. It's jampacked! Any offers? Or swop for any BBC micro equipment. Tel. (0632) 737654.

ATARI CX-2600 with four joysticks and two cartridge plus adjustable adaptor. Will accept C30. Ring (021) 503 0101 on Monday or Tuesday between 10 am and 2 pm. Ask for David.

ACORN DFS kit, unused, in original packaging, cost £95. For sale at £70. Acorn twin joysticks in box. Cost £13, for sale at £8. Telephone Bristol (0272) 653827.

ATARI 800 48k & tape recorder, software includes cartridges and tapes, good condition, Worth £400, will sell for £220, Tel: 031 336 3390, evenings. Edinburgh.

ATARI 400 with Basic cartridge, Atari 410 programme recorder, self teaching guide and reference manual, two games, pair of joystick controllers, excellent condition, All for £220 ono, Tel: Abingdon (0235) 31866 atter 6 pm.

ATOM Acorn Wordpack in original case with manual £16 ono. Tel; 051 652 9376 after 6 pm.

ATOM disc interface pob with sockets, 64 way connector, Crystal, (No IC's) complete psu in lower half of case. All Acorn parts. Ideal for DIY drive at £15. Phone Andy, 01-646 1607 evenings (London).

ATOM progs wanted, money for best, starting users club. Martin, 11 Courtfield Road, Ashford, Middx. Membership t6. Free tape, bug free, magazines, tested software. Please send long progs on tape, else listing.

ATOM software; 180+ titles for straight swop. Also wanted; 40 column VDU 8k RAM card; AtomTel ROM; books: information and/or chat. Steve Allen, 54 Warwick Av. Plymouth PL5 4BE. Tel: 0752 776082.

ATOM software wanted. Also books, Eurocards, etc. Will pay up to \$5 for anything except Eurocards (up to £10). Anything for the Atom! Send list and prices to Kevin Ferguson. 19 Lamplough Rd. Exmouth EX8 3BT.

ATOM software. 180 titles for straight swop. Also wanted: Word-pack 3000; 40 column VDU; 8k RAM card; books; ROMs; Information and/or chat. Steve Allen, 54 Warwick Ave, Plymouth PL5 48E. Phone 726062

ATOM WANTS: 40 column VDU; RAM card; 8271; Wordpack 3000; Atomtel; Super Basic ROMs, 39 tested programs; 8502 machine code (beginners) practical programs – BBC, Atom; or just information on above. Steve 0752 776082. AP100A printer £150 ono Watford ROM socket board, unused, £25. Bognor Regis (0243) 552176 or 551117.

APPLE Europlus 48k, 2 drives, 80 columns Z80 CP/M printer card, 12-inch monitor, numerous office programs and games, £850 for a quick sale, Please ring 01-992 3768.

BASIC2 and 8271P disc controller wanted for BBC computer, Gregory, 75 Station Rd South, Belton, Gt. Yarmouth, Norfolk, NR31 9LZ. Tel: 0493 781035

BBC compatible Seikosha GP100 dot matrix printer with centronics, serial, 8-bit and 7-bit outputs, plus paper £100. Tel: Nottingham 0602 733676.

BBC 32k 1:20S, printer port, Wordwise, Graphics, Printmaster ROM's, Database, Spreadsheet, Draw and other software. Tape recorder, Prestel modem, Acorn User and Beebig magazines, €350, Phone Leeds 0532 755100.

BBC B computer, complete with data recorder, leads, joystick and interface. Also 50 cassettes. All in excellent condition, only nine months old. This is a bargain at 1660. Tel: 061 231 1695.

BBC 8 + disc drive, tape recorder, monitor stand, dustcovers, toolkit ROM, and £450 of top quality software all in mint condition. Cost £1350 6 months ago, yours for £870. Phone Lincoln 730421 ext 338 8 till 5 pm. Ask for Mr Long.

BBC 8 I-2OS plus 12" green screen hi-res monitor and stand, all in excellent condition, monitor still under warranty, also software, books and magazines. All for only 5395 onc. Tel: 0920-66972 after 6 pm. BBC B OS1-2 boxed with all leads, manual and software. Three Acornsoft games and one utility plus some mags £325 the lot. Tel Medway 668397 after 6 pm.

BBC B (1:20S), disc interface, Z80 disc pack (Torch). Shinwa CP80 printer, Hantarex colour high res. monitor and £500 worth software. Total cost £2500, selling for £1800. Tel: 01-452 0343 eve.

BBC B 1:20S, disc interface, 400k drive, green monitor, joysticks, view, most software, relevant books, magazines, Beebug, Acorn User et al. 4 discs, covers, stand – £700 or closest offer. Phone (0252) 872253.

BBC B 1:20S + ROM board + RX80F/T + printer ROM * Disc Doctor + Graphics ROM + Wordwise + disc interface + speech synthesis + disc drive + games cassettes + discs + more. The lot for £950. Tel: 01-226 0590 before 6 pm.

BBC B 12OS, Acorn DFS, Wordwise, software worth £700, 400K double sided switchable disc drive, 34 floppies, green screen monitor. Worth £1600, the lot for £1055 ono. Telephone 047 283 378 after 7pm. Kevin Bramhill.

BBC B computer, OS 1-2, light pen, pair of joysticks, two cassette recorders, Graphics Extension and Toolkit ROMs, printer lead plus loads of software. 2399 ono. Phone Byfleet 43931 after 6 pm.

BBC model B, 1:200S, as new, plus joysticks, leads, books (including Advanced User Guide), and £100 worth of software (games), Bargain at £340 (ono). Tel: Bradford (0274) 634035, after 6:30 pm. Acorn User has been alerted to the abuse of the free ad service and, regrettably, can no longer accept entries selling or swapping software.

BBC model B, 40T Cumana drive, Epson FX80, 8 ROMs on board (Forth, View, etc.), software, literature, £990 (cost £1600 +), Will partly separate. David Loach, Abingdon (0235) 20005 evenings.

BBC model B, DFS, £375 onc. ATPL, ROM board £30. Wordwise original, manual £25. Acorn Teletext adaptor £175 onc. Disc Doctor, manual £20. Graphics Extension, manual £20. Disc interface upgrade £80. Phone evenings: 0227 750600.

BBC B wanted. £250 paid. 6502 second processor wanted, £150 paid or exchange for 48K Spectrum with hardware/software. BBC teletext adaptor also wanted, £150 paid. Phone (05827) 69152.

BBC disc interface kit, E80. Intel 8271 disc controller, 250. Wordwise ROM, + manual, original, boxed, 230. ATPL sidewise board, as new 235. 1-0 operating system on carrier 220. Ring Canterbury (0227) 750600. BBC model A 32K with Graphics

ROM and Basic 2 with two joysticks. About 70 programs. Good cassette recorder, cover and manual for computer and Graphics ROM. Offers? Ring 0924 404507 after 7 pm. BBC model B with joysticks, and over £150 of software. All top

over £150 of software. All top games, £150 or swop with CBM 64 and cash. Tel: Northampton 410859. BBC model B with disc interface,

1:20S and Basic II plus lots of software: £390. Also 80 track double sided drive (uncassed) with 40/80 switch. Offers? Phone Martin on Malmesbury 4285. BBC model B, DFS & sidewise, £425

ono. Teletext adaptor, as new. £175 ono. Curmana dual 100k drives (}height) with PSU £295 ono. Original ROMs; Disc Doctor and Graphics ROM, £20 each, Wordwise. £25. Electron £165 ono. Canterbury 750600.

ı	FREE PERSONAL	AD SERVICE
ı	Sell your old hardware or pass on information	. Fill in the form below to a max

Sell your old hardware or pass on information. Fill in the form below to a maximum of 32 words (one in each box) and send it to Acorn User Free Ads, 68 Long Acre, London WC2E 9JH. Use capital letters, and remember your name, address or telephone number. This is a service to readers—no companies please. One entry per form only, and we cannot guarantee any issue.

91		

QUIXLEARN

The System That's An Education In Itself

COMPUTER BASED AUTHORING

If you are involved in teaching, whether in school or industry whatever your subject then QUIXLEARN will interest you. No need to search for ready-made educational software. QUIXLEARN now enables you the teacher to design and write teaching material.

You need have no programming experience. QUIXLEARN is easy to master but with powerful facilities.

Construct lessons containing text and pictures in colour using TELETEXT characters or your own set of 128 graphics characters. Include questions for the student to answer you decide how the lesson proceeds. Link a lesson to cassette tape for simultaneous audio instruction. Set up your own libraries of text and pictures for use in different lessons. Ideal for preparing lectures, training courses, advertising material and demonstrations. Designed to be used with the

BBC Model 'B' (OSI.O) and disks. (51/4")

QUIXLEARN is supplied on disk, with audio cassette, and instructional material included. The disk and cassette contain a lesson which will teach you how to use the system. Price £75 (incl. VAT + P&P)

State 40 or 80-track DISK DRIVE

Payment with order to: QUIXTOR LIMITED, 7 HASLEMERE AVENUE, HALE BARNS, WA15 OAU.

QUIXLEARN was developed as part of an Open Tech project.

Disc Drive Multiplexer

- No switches
- No software
- No extra cables or connectors

This is a very simple low cost alternative to buying a disc drive for every BBC machine. This unit allows up to 4 BBC computers to access the same single or dual disc drive using the standard DFS commands. The unit operates by electronically switching the disc interface signals. The multiplexer copes with simultaneous access and will run with one or more BBCs disconnected or turned off. The unit is ideal for use in schools and offices and saves having to purchase several drives for up to £500 each.

The unit is complete with 5ft, cables as standard but cables up to 10ft. can be supplied. The multiplexer has it's own power supply.

£75.00 for a dual unit with 2 x 5ft. cables

£135.00 for a quad unit with 4 x 5ft. cables Plus 15% V.A.T

Postage & packaging £1.50

Extra cable at 60 pence per foot.

VIA Board

This extension board gives the user 3 extra VIAs (equivalent to 6 user ports). The connection is made to the IMHtz Bus and the VIAs can be decoded to appear in pages & FC & FD. Up to 4 boards can be daisy chained to give 12 VIAs.

The board can be powered from +5v, +12v DC or 9v AC. £60.00 each plus 15% V.A.T

All products will be supplied on a Sale or Return basis to Schools,

Colleges and Government Departments For further details contact:

BENWICK ELECTRONICS 5 Church Street, Wimblington, Nr., March, Cambs.

PF15 0OS

Tel: March (0354) 740508

kro Resources Limi

Southfield House, 11 Liverpool Gardens, Worthing, Sussex BN11 1RY Telephone: Worthing (0903) 213174

BBC Model B £399.00 BBC Model B Disc Interface £469 00 **BBC Model B Econet** £446.00 **BBC Model B Econet & Disc** £516.00

Acorn Electron £199.00

Acorn 6502 2nd Processor £199.00 This allows the BBC Model B to run faster with greatly incinory especially in high resolution graphics modes, the package includes Tube software, the latest version of the DFS & NFS called DNFS, a Rom containing Hi-Basic and a comprehensive User Guide

Acorn Z80 2nd Processor £299.00

If you have wondered how to make the best use of your BBC for Business, then the Z80 2nd Processor and CP/M must be the answer. This package comes with a suite of business program ncluding Memoplan, Fileplan, Graphplan, Accountant, BBC Basic (Z80 Version), Cobal, Neculeus (Programming Aid), Professi Basic. This software alone is worth hundreds of pounds and with CP/M you can buy any of the programs written for this operating system.

Dual 800K Disc Drive Superb British made disc drive unit ideal for use with the 280 2nd

processor.

printed from all 4 channels.

Acorn Teletext Adaptor £225.00 Allows the downloading, storing and running of programs via Ceefax, transmitted free of charge, pages can also be saved and

Acorn Bitsik

£375.00

This superb menu driven graphics package allows high quality CAD at a modest price. Needs 6502 2nd Processor and dual 80 track dics drives, a must for all design teams. Acorn IEEE 488 Interface £325.00

Provides computer control of compatible scientific and technical equipment. Useful in experimental work in industry and education.

Acorn Word Processor View This Rom based word processor has many advanced features

including macros, still one of the best available on the market. Acorn Spreadsheet Viewsheet

A new spreadsheet from Acornsoft comes in a 16K Rom with comprehensive manual, it is compatible with view and the 6502

2nd processor. Mass Marco Assembler

A superb machine code assemble in Rom, includes comprehensive manual where the user is introduced to Mass and given step-bystep guide to writing source code and assembling it using Mass. Also includes a ulitity disc with many useful routines

All prices include VAT and delivery

PROGRAMMER'S REVENGE

The Programmer used to play the adventure games found on mainframe computers. He thought he could do better. He tried. His friends urged him to publish.

Not for thugs whose idea of intellectual recreation is to go around beating up hapless trolls. Revenge is a puzzle adventure game set in a strange but beautiful landscape closer to home than you think. Some problems require hard lateral thinking, some are merely whimsical: all are deeply satisfying to solve.

Text compression is used to fit a novelette-length game into your micro. The program understands commands of up to four words, with a large vocabulary. Over 300 locations, save and restore facility. Characters you will meet on your travels include the Programmer himself.

A superior quality adult adventure game. Spend your winter evenings exploring!

Order form:

COLISOFT, PO Box 195, 53 Carlton Road, Oxford OX2 7SQ

Enclose cheque/PO for £8 incl., made payable to COLISOFT, plus your name and address.

FOR THE BBC 32K ONLY - CASSETTE (Further enquiries to C. Jack, 53 Carlton Road, Oxford OX2 7SB)

BBC VOLUME CONTROL

At last turn your sound UP/DOWN or OFF with this variable volume control. Fitted discreetly to the back of your Beeb. Easy to fit. Some soldering necessary.

Kit of parts and step by step instructions. Only £2.80 inc.

RACEY DESIGNS 47 TWYCROSS RD, BURBAGE **LEICS LE10 2SF**

BBC POOLS

PREDICTOR WITH 11,000 MATCH DATABASE

ow in its 3rd successful season. Mayday Software's Pools Predictor has been made even more powerful with a new and unique 11,000 match database. Seven separate for casting techniques have been combined to give you the best forecasts yet. And, just as easy to use, is our new Racing Analyser, This

uses the racecard from your daily paper to analyse any horse race—and it's yours for no --- Also available for the Spectrum----

MAYDAY 181, PORTLAND CRESCENT STANMORE, MIDDX HA7 1LR SOFTWARE

FREE RACING ANALYSER

BOTH PROGRAMS FOR ONLY

£8.99

BBC model B 1-2OS, 9 months old. plus cassette and software. All as new £300 ono. Tel: St. Albans 63981

BBC model B 1-20S, Basic II plus joysticks, cassette recorder, leads. Lots of software, magazines and books. Hardly used. All for £340. Write to D Francis, 12 Exeter House, Halifield Estate, London W2

BBC model B, 1-20S, DFS, Wordwise, Disc Doctor ROMs, software including Spellcheck, Acorn Graphs Gemini Database, 100k Cumana C\$50A disc drive. VGC £500 one. Owner emigrating to Canada. Berkhamsted 5518

BBC model B, Acorn DFS and speech chips, brand new Software, books and joystick included. Only £475 ono. Phone Taunton 490901 evenings

BBC model B OS1-2 Basic III recorder, joysticks, books, mags and software. Cost £530 new. Bar-tain at £370. Telephone Mansfield

BBC model B with 1-2 operating system. Absolutely unused and in perfect condition. £330. Write to Mr D Leach. 104 St. George's Square, Pimlico, London SW1 for immediate response.

BBC micro books, all in mint o dition, for sale or exchange for BBC graphics and assembly books. Telephone Mathew on Lisburn 79066 -

BYTE back issues wanted: Dec 1980; Jan, May to Dec 1982; Jan to Dec 1983. Plenty of American magazines available to exchange. Smith, 84 Edenfield Gardens, Worcester Park, Surrey KT4 7DY

£400 cash paid for BBC B with disc. I/F + drive + OS 1-2 + Basic II. £325 for above without d/drive, £250 paid for Beeb only. Prices open to negotiation Tel: (0522) 694961 after

CASIO FX602 wanted by degree student. Phone 01-330-1554.

CANON 2 × 100K disc drives with Tandy interface, parallel pri interface, integral psu, special BBC cable LDOS 5-1-4, £325. TRS-80 model 1/L2 48K, no reasonable offer refused. New Kaga monitor £75. Tel: 0438 811082 Hertfordshire

CANON PJ1080A ink-jet colour printer for sale. Absolutely as new. £450. No offers. Deliver around south Essex for price of petrol. Phone Chris 01-836 8651, working

COMMODORE 64, C2N cassette recorder, joystick, Introduction to Basic parts 1 and 2, Maths 1, 7 games. New value £330, will sell for £210. Will sell software at £50 seperately. Phone Meifod 224.

CONTACTS, Jonathon Reynolds, c/o Australian Embassy Rome, 215 Via Alessandria, 00198 Rome, Italy would like BBC users to swap info, pass on tips, etc. Please write.

CUMANA disc drive for sale, 400k double sided, double density, 80 track, own power supply and lead. Including manual and formatting disc. £250 one. Also for sale: Wordwise, £22. Tel: (0222) 758897

CUMANA 40trk drive for quick sale, with cable for BBC B, perfect work ing condition, £100, Ring 831 7411 Ex 282, day.

CUMANA 100k disc drive, used four times only. Could deliver around Bristol Tel: 0272 565149.

DAISYBAND printer. Plugs into serial interface socket. Upper and lower case. Works perfectly with BBC computer £85 ono. Ruislip 30344

400K disc drive for sale. Microware ZL242 dual double sided 40 track disc system, with leads utilities. mains powered. £299 ono. Tel: 0202 885166 evenings.

100K disc drive, Cumana, with PSU, 6 months old, boxed, with cables and 10 disks - £90. Tel: Winchester (0962) 883965

DISC drive £50. Acorn/Olivetti 40 track SS uncased. In working order but needs mechanical adjustment. Workshop manual available. North Herts. Area. Aries, tel: 058-283-3937

DISC drives. Dual 800k Mitsubishi's Own PSU and metal case: £400. Grafpad with full CAD software, as new: £100. Morphy Encore Chess computer including Ni-cad battery pack: £80. Tel: 01-743-1579 (even ings).

DISC drives and interface: dual d/s 40 track drives with Kenda double density interface. As new, cased with cables, utilities. Capacity 800k. £390 or offers. Phone Tunbridge Wells (Kent) 0892-33434 anytime.

8271 disc interface chip wanted for cash, Telephone Broadstone (0202) 602660 after 7 pm.

DRAGON 32, joysticks. software worth £320+. Swap for printer, monitor, or teletext adaptor for BBC B. D Barker, 38 St. Aidans Ave, Grangetown, Sunderland SR2 Ave, Grangetown, S 9SF, Tyne and Wear,

DISC interface, complete with AMCOM DFS, utilities disc and manual; allows Page to be set to &1500 and 63 files per disc. £60 ono. Tel: 090 567488, evenings

DRAGON 32, joysticks, cassette and software worth £320 + . Offers? 38 St Aidans Ave, Grangetown, Sunder-land SR2 9SF, Tyne and Wear, D.

DRAGON micro plus Delta DOS, joysticks, cover and all cables. VGC Also disc and cassette software (business and games). £200. May consider split. Tel: (0254) 396033.

DUAL single sided 40 track disc drive with Acorn disc upgrade, £300 one. Also Torch 280 card £150, 0252 710566, Farnham, Surrey.

EARLY copies of computer magazines for sale in perfect condition. Some bound. Sae for list. Burton, 37 Green Road, Southsea, Hants. Tel: (0705) 811760

ELECTRON joystick interface made by Signpoint. Brand new and with instructions. £15 ono. Tel: 856 8790.

EPSON RX80 F/T, few months old, hardly used. No longer needed. In original packaging, as new Quick sale, hence £250. Phone Luton (0582) 20691.

ARIADNE SOFTWARE LTD

COMPUTER SOFTWARE CONSULTANTS 275 Kensal Road, London W10. Tet 01-969 6488



Ariadne Software Ltd

have vacancies for

ASSEMBLER CODE **PROGRAMMERS**

to work on BBC BITSTIK. Microtext, Compunet

Pleasant informal work environment. considerable responsibility, and the opportunity to work on advanced systems software. Salary negotiable depending on experience.

For further information write to Personnel.

Ariadne Software Ltd. 275 Kensal Road, London W10, or phone 01-969 6488

*AIRBRUSH *

A Graphics tool for the BBC micro B

Check these features:-

- * Amazing Airbrush effect on Screen.
- * Operates in Modes 0 and 1.
- * Screen LOAD and SAVE options.
- * Variable 'spray' area. * Example Mode 0 picture on

(The Orion Nebula)

40-Track Disc Only. Send cheque or p.o. for £7.95 to:-

P. Sharpe.

Llwydfan, Minffordd Road, Penrhyndeudraeth, Gwynedd LL48 6AU.

TM Harrier

BBC/ELECTRON* Compatible Joystick

95 Include VAT and P&P



joystick games 6. Rugged construction for durability

Available from all good BBC Computer Dealers and Chain Or Mail Order only

TRADELINK U.K.

Dept. AU, 21 Broughton St., Edinburgh EH1 3JU Tel, 031-557 4138 Distributor/Dealer enquiries welcome

HIGHLIGHT SOFTWARE

B.B.C.+ELECTRON

READ - RIGHT-AWAY

Reading Pack 1. SPLASHDOWN

Mac 3-5 FIREFIGHT

Building 3 letter words Reading Fack 2. Age 6-9

PYRAMIDS

requires

joystick

to use invstick

interface

SPLOOSH

Reading Pack 3. Aug 7-10

MAGIC E BREAK-IN

Reading Puck 4. Age 8-11 SORTOUT

LETTERBUGS

Alphabetical sorting.

PRICE PER READING PACK

All prices include V.A.T.



THE JUST 5.25" DISC

ANNOUNCEMENT

Northern Computers announce 6 new models of Micropulse 5.25" disc drive, manufactured and assembled in the North West, for the BBC

These drives are exactly compatible with the two Acorn/BBC disc formats. They are based on the highest quality Teac mechanisms with built-in power supply, as previously supplied by Gurnana Ltd.

- * Prices from £119.95 + V.A.T.
- Also: High Quality 3" Compact Disc Drives
- * Prices from £129.95 + V.A.T
- Each Micropulse disc drive is supplied with a BBC cable, formatter utility disc and comprehensive 55page disc filing system manual for the BBC
- For further details send large S.A.E. to



Northern Computers Churchfield Road, FRODSHAM Cheshire WA6 6RD Tel: 0928 35110

HE PULSE

EXTERNAL ROM BOARDS



- BRITISH MANUFACTURE
 ALLOWS 8 ROMS ON LINE
 HARDWARE BASED ROM SELECTION AVOIDS SOFTWARE
 INTERACTION BETWEEN UTILITY ROMS
- SWITCH TO REQUIRED ROM USING MANUAL SWITCH
- ٥
- OUTSIDE THE UNIT
 RED LIGHTS INDICATE THE SELECTED ROM
 HIT "BREAK" TO ACCESS ROM, NO NEED TO USE
 SOFTWARE COMMAND
- 0 INCLUDES ZIF SOCKET, FOR INSTANT CHANGING OF A INCLUDES SIMPLE FITTING INSTRUCTIONS,

please contact: Gareth Latter
Mark Howard or
Judith Allen at
PULSE

Division

northern computers Churchfield Road, FRODSHAM Cheshure WA6 6RI Tel: 0928 35110

Diamondsoft DRG Business Systems AB Designs Abacus Business Mach Abacus Soft 34/115/127/142/196 Akhter Ariadne Soft BBC Publications BBC Publications Beebugsoft Beebugsoft Benwick Electronics Brother Industries HCR Electronics C-Tech Cambridge Micro Care Electronics ChaseData Skywave Soft Social Science Software Software Supermarket Stares Swyd Tecnics Collsoft LVI. Mayday Maydair Micros Merlin Micheals Business Micro Managemen Micro Repair-Club Micro Test Micro-Advent Misso-Advent 116/166/19 163 CYB Design 143/145/147/149/151

ACORN USER ADVERTISEMENT PAGES - OCTOBER ISSUE

BEAM DESIGN

- Analysis of simply supported beam with any combination of multiple point loads, u.d. loads and triangular loads.
- Steel beam design to BS.449 with selection of suitable single and double sections from standard range of RSJs, Channels, UBs and UCs.
 - Timber design to CP.112 permits choice of species/grade and single, double or triple built-up members.
- Wessex Micro-Computers West Coast Personal Allows user to instantly switch between steel and timber modes and
- browse through the entire range of suitable sections.

OBC/32/71/205

- Output to printer for L.A. checking includes all loading data, reactions, max. bending moment, deflection and full details of chosen section(s). Separate graphics version displays BM and SF diagrams (but not steel
- or timber sections).
- Available for BBC model B. Cassette £40, disc £45 Send large SAE for specification showing printout.

BEAMSCAN, 20 Vaughan Avenue, Hendon, London NW4 4HU

- Advanced User Guide binders. Stiff plastic backed, titled, open flatring binders, £3.50 inc. p8p. Hepworth & Co., Waulkmill Farm, Ingersley Vale, Bollington, Cheshire SK10 58P.
- Backup valuable discs including dual format 40/80 types. Disk Duplicator II, personal use only, requires Acorn DFS, 40/80 track disc, 08.95. H. Spurr. 13 The Avenue, Trimley St Mary, Ipswich IP10 0TT.
- Beeb cheat sheet for only £1. You can cheat on 10 of your favourite games. Cheque/PO and SAE to L Dawson, 3 The Meadows, Rainhill, Merseyside.
- BBC Morse code trainer. 5-20 wpm. Exercise tapes available. Heliography, Learn to read flashing light at 5 wpm. £4.50 each. Mr Cassell, 96 Oakdale Close, Ovenden, Hallfax, W, Yorks.
- BBC/Electron. Image ultimate tape back-up copier. Coppes with locks, any length, files, 300 + 1200 baud. Ts in filename, false addresses. Locks/unlocks programs. 100% M/C. £3.80. P. Donn, 33 Little Gaynes Lane, Upminster, Essex RM14 2JR.
- Compact BBC disk drives. Group purchasing dual D/D 5½* 40/80, guarantee VAT, carriage included. Unboxed: s/s £262.50, d/s £320.00. Boxed: s/s £286.65, d/s £351.05 including utility disk, manual (+ power £30). Baldock 895405.
- Copier, Back-up copier for BBC B OS1-2/Electron. 100% m/c. Copies almost anything, £3.50. Cannibal Software, 145 Woodville Road, Cathays, Cardiff.
- Copycat copies most protected discs. Supplied with manual. Please specify 40 or 80 track disc. 88.95 from Integral Software, 11 Grove Park, Bangor, Co. Down, N. Ireland BT20 50G.
- Dictionary for View: check your spellings with this fast menu-driven program. Single/dual disc system, fully expandable from the 8000 words supplied. £10. Polarsoft, 9 Grayshot Drive, Blackwater, Surrey (1117 DFW)
- Discounts on computers and peripherals, most makes, large and small, hardware only. Some used equipment bought and sold, Tel: Ascot 26875 or Crawley 883853.
- Disc drive. Cumana CD800S dual double sided 40/80 track, switchable, with manual and formatting disc. As new. Cost £465, selling for only £300. Tel: Maidenhead 73769.
- EPROMers utilities. ROM writer writes initialisation code, "help, 'command routines for you. R.F.S. program formatter. ROM copier. £6.50. D. Lister. 37 Powicke Drive, Romiley SK6 SEG.
- EPROM programming service. Send your programs on tape/disk and create your sideways ROMs. 8k – £15, 16k – £28. Ms C. Gouyon, 51 Codenham Straight. Kingswood, Basildon, Essex SS16 50J.
- Epson RX80F/T and Teac SS 80trk disc drive. Together £350 ono, will sell separately. Ring 555-9586 after

- Floppy disks (5); with five year warranty), SSD 40 track €1.19, SSD 04 track €1.49, SSD 80 track £2.49, SSD 80 track £2.49,
- Games. Frogger arcade game (cross the river + road). One-armed bandit with hold, nudge + gamble. Both in mode 2, full sound + colour graphics. Both for £3.99. Cheque/PO to S. Houghton, Greenbank, Broseley Lane, Kenyon, Nr Warrington, Lancashire, Tel. 1092-576. 3522.
- Geography UK. Draws full map, three magnifications, blow up any section, full on-screen editing, save, load, screen dump, £5. SAE for examples and manual, BHL Software, 310 Darley Avenue, Chorlton, Manchester M21 2HS.
- Hijacker II Ultimate disc back-up utility. £5 inc. Also "Cypher", gives password protection to discs. £4 inc. SAE for details, other programs. Aggressive Software, 14 Elmore Road, Sheffield \$10.
- Home Accounts BBC B. Extensive and user friendly. Up to 300 transactions. Automatic standing orders. £3.95 inc. R. Brookes, 6 ThirImere Avenue, Elland, Hallfax, West Yorkshire.
- "How-To" move software from tape to disc, Utilities + extensive text, hints, tools. Recommended to frustrated disk-owners. £5. R-Soft. 22 Marriotts Close, Fellmersham MK43 7HD, Beds. 0234-781730.
- Journal index system for BBC 19 just disc-drive. Create them Search your journal article database. Holds jurnal name, monthlyses, authorized them of the search by author, journal and/or user-defined keyword dictionary of 250 words. A truly probasional program afteredy used institutions. 40 track disk-state single/double sided. Single/double did. Single/double did. Single/double drive. 250 including manual, from K. Bathord, and San Avon. Park. Bat
- Joysticks top quality at amazing low price. Only £10.95 a pair. Easier to handle and faster than others costing twice as much. Cheque/PO to Peritron, 21 Woodhouse Road, London N12 9EN.

- Metal BBC micro car badges (owl design), 2 colour. Also Spectrum car badges, 6 colour. £4.25 each including p&p from: Hawthorn, 90 Victoria Street, Hyde, Cheshire.
- Money, Money, Money, Proven programs for all horse racing or football pools forecasting. Send £12 to The Butronics Co., Penjerrick House, Budock, Falmouth, Cornwall.
- Music teachers/students. Three big programs, full graphics, CSE & O level dictation, exam format, many levels. TDK46 cassette £7.90, disc (40/80) (state) £5.90. Tried & Tested. R & I Music, 14 Chaloners Hill. Steeple Claydon, Buckingham MK18 2PF
- *Nutcrackers*: Tape 2 Tape + Tape 2 Disc + Disc 2 Disc + Disc 2 Tape: £5. Rompull + Tapedump: £5. Super disc menu: £5. ROM-filing system generator: £5. R-Soft, 22 Marriotts Close, Felmersham MK43 7HD, Beds. 0294-781730.
- Pools BBC 32k. Enter the Pools with the most successful program available. £7.50 complete with manual and up-to-date database. E Crosby. 10 Lodge Avenue, Manchester M31 1LL.
- Printwise adds power to Wordwise/Epson. Simple commands replace messy control codes. Also Greek (FX only), macros, autonumbering! \$12.50 (disc) or SAE details. Astrosoft, 39 Latimer Way. North Pickenham PE37 8JY.
- Programs wanted for new software company. Good rates paid for your own original material. Cottage Software, 3 Conrad Drive, Worcester Park, Surrey 01-330 1554.
- ROMboards??? Fit a ROM Extension Socket to your BBC keyboard instead. Use any number of ROMs. Rapid change over. Easily fitted. £17.95 inclusive. Steelappeal, 3 Hambleton Close. Blandford, Dorset. (0258) 53742.
- Search complete Acorn User index for that valuable hint/program/article/let in only 5 seconds. Create/edit your own index of mags/ photos/record set. 40 frk disc with Tracer program and AU. index. €10. Woodsoft, 12 Copsewood Ave. Numeaton CV11 4TQ.

- Single-sheet printing on a tractorard only printer (eg Epson RX807)? Use Letter-Trac, the unique carrieria wallet. Up to A4 size, £2.30 or £3.95 for two (incl.). Cheques: Letter-Trac, D Box 8.272, Compton Martin, Bristol BS18.997, Tel. (10761) £2445.
 - Small company? Good product?
 Need professional marketing? Hardware, software, non-technical, anything for microcomputer marketing.
 Considered. David Winrow Marketing, PO Box 9, Northwich, Cheshire
 CW9 7TP.

 Sprites in mode 2 for BBC, Large
 - 16 × 24 sprites fully compatible with discs. Generator program and manual supplied for only 15.99 + 70 p. Ap. 1. Cornes, 3 Knowstey Park Lane, Pressot, Merseyside L34 3NA. Tel: 426 1202.

 Stripper II. New version, ultimate
 - a stripper it. New Version, utilimate tape back-up utility. Many new features. For BBC, Electron Only £4 inc. Sae for details, other programs. Aggressive Software, 14 Elmore Road, Sheffield S10.
 - Timetabling: 40/80 disk-based formatting and analysis. Friendly, sophisticated, avoids errors, £25. Yorke House Software, 33 West Street, Oundle, Peterborough PE8 4EJ, Tel: 0832/72362.
 - Yorch Z80 disc pack plus software, BBC B plus disc interface, BBC green monitor. Total value 1400.5 months young Selling price 1990. H. Heuschmidt, London 730 1931 after 7 pm.
 - Torch Z80 card plus BBC Basic spreadsheet. Wordpro Filer. Unwanted gift. £275 - unused: original ROM software also unwanted gifts. Ofters? Telephone West Drayton 441582, evenings only.
 - Unwanted prize must spend £1800 on personal computer. Will buy to your required specification and sell to you unused for £1600. 0734 474985 evenings.
 - Wordprocessing (View, Wordwise), printing, listings: dot-matrix/ daily wheel (various styles). Cheap, accurate and fast. Collect/deliver in London area. Phone Mr Davies on 01-833 4040.

			s or phone number	
plus forn	n to Acorn User Sn	nall Ads, 68 Long	Acre, London Wo	C2E 9JH.
			31 - 11 48	UE NEW Y

TRAYU

H1f1: icons, radiowave interface? three-speed disc drive

000000

200

Astounding action by Amstrad

IT IS unusual for Acorn Abuser to benchtest machines from other manufacturers, but this month we make an exception for the Amstrad H1f1. This machine is so different from conventional micros that Hermann Hauser was heard to comment 'Was ist es?

Imagine a machine with no monitor or gwerty keyboard but physical icons, in-built interface and radiowave three-speed disc drive and you'll realise why Kai Gooney will describe it as 'the shape of things to come' next year.

The principle behind the machine is distributed computing. Whereas current home micros have a central microprocessor driving the memory chips and peripherals, the H1f1 has peripherals which drive themselves. The central board merely focuses the current input device to the current output device. Amstrad calls this central board the 'amplifier', a term soon to become a household word

The input devices are a three-speed disc drive cassette recorder and switches and dials on the amplifier. Of these the disc is the most notable. It is an internal Amstrad design and the company has made a surprising choice.

According to a spokesman the 'turntable' (Amstrad name for disc drive) will take either 7in or 11in discs at any of three speeds - 33, 45 and 78rpm. With most makers going for 3in or 3.5in drives, this may seem

is hedging its bets, as the spokesman mentioned the possibility of a 'compact' disc. presumably 3.5in

Even more amazing is that the discs are read-only serial access, surely the biggest quantum backwards leap since Sinclair microdrives. The large surface area does however give a massive storage capacity and, 78rpm, performance should be better than the aforementioned microdrives.

Rather than going for boring colour monitors as output devices, the H1f1 has a pair of 50-watt loudspeakers with This optional earphones. results in astounding sound effects for a new range of arcade games. although experts believe colour graphics could be difficult. Amstrad do sell colour monitors, but these only receive BBC programmes, so there is obviously an Acorn link-up here

Software authors will have to learn new skills, as the H1f1 has a non-standard Basic We'll describe it later on when we have worked out how to use it.

Amstrad makes it clear that most conventional programming languages are no good because they have no structure comparable to the basic of the H1f1. Whilst it is incredibly simple to program the H1f1 to produce sounds identical to the human voice or musical instruments, it will take time to

generate any numbers.

The system software design is brilliant. Amstrad has reassuringly continued the policy of releasing products when they are finished. Consequently the operating system is not 0.1; it doesn't hang off the back of the machine, in fact it doesn't exist at all. A look inside the amplifier proved there are no standard microprocessors. ROMs, or RAMs, but cheaper, less sophisticated circuits

After detailed Acorn Abuser found that the work of a processor and the obligatory 64k of RAM was all being done by a single transis-

tor. Damn clever. Amstrad has recognised the

need for machines that will communicate with each other and has provided an ingenious solution. Rather than opting for network interfaces which are slow and localised. H1f1 has a radio interface called a 'tuner' (something of a misnomer because it can do nothing with tunes). Software is input via the tuner and processed directly without the need for storage on cassette. However, software can be

saved onto cassette and Amstrad claims this could cut costs by 90%, so software houses should rush to support the H1f1. Hmmmm. The tuner shares the same irritating limitation as the disc drive in being read-only, but we are sure an enterprising company will produce a cheap writable tuner.

MALL these hueinage machine rumours! According to the rags it's an Advanced Business Machine, it's an Acorn Business Machine, it's a Personal Workstation Range. it's based on the 6502, it hasn't got a Z80, it has got a Z80, the big one's a 68020, it's a 16032. it's an 80286. Of course, prediction is a little difficult when Acorn are so secretive. But if you read Acorn User, it's as easy as ABC.

DOES Oric Muser know something we don't? We're just hearing reports from the Palace that as well as Prince Andrew being an Aviator addict. Prince Charles is dating a girl called Diana. . .

MARKETING man Tom Hairbrush has received an apology from Computer Weekly over an article they published naming him 'Tom Hamburg'. Uncle Tom, as he's known to his friends, described the article as 'the pits of journa-

■SPEAKING of pits, it's a trifle embarassing for Auntie Acorn when the Acorn-sponsored car crashes on Acorn race days. R&D are said to be releasing the 1.0 engine within a month'. (That's just longer than 28 days)

■MESSAGE to an Acorn director. Our Editor wants his £5 loan back - or he'll spill the beans about his quitar playing.

■ANOTHER Acorn director in trouble is Peter Winalot for blowing the engine on a Ford Caterham racing car on a practice circuit at Silverstone.

■HAD anyone heard of MSX before Chris Curry started being paranoid about it?

■IT WAS so nice to receive a postcard from Barry Woodentop on his holidays. He goes to Silicon Valley each year 'to get away from it all'. Oh Barry, if you're reading, there are two r's in 'squirrel

■WHY does Acornsoft's new marketing manager Jeremy Piston-Engine wear such outlandish bow-ties? Is he one of the elite?

■ASTOUNDING fact 1001: Computer Concepts hose Chas Moir is a carrot fanatic.

■TRIED typing the command 'daytona' in on View?

Envelope of the month

Ms. Cherry Hinton Acorn Computers, Ltd. Fulbourn Road Cambridge, CB1 4JN ENGLAND

surprising. However, Amstrad | Envelope as addressed to Acorn from Microscape-84, Texas

TWO SENSATIONAL NEW RELEASES FROM SUPERIOR SOFTWARE















STAR STRIKER (32K)

A multi-stage crocke-style game in which you take control of 3-stage rocket equipped with 4 side losers and a central loser connon. Not only must you defend the rocket against

laser cannon. Not only must you defend the rocket against the 6 types of circling allen, and avoid the asteroids and fireballs, but you must also attempt to dook the separate stages of the rodest tagether. Stunning graphics, sound effects, introductory tunes, hi-score and rankings. Another excellent program from Superior Software. (KCHBORID or JOYSTICKS)

OUR PROGRAMS ARE NOW

AVAILABLE FROM OVER 1000 OUTLETS THROUGHOUT THE UK AND OVERSEAS.

SEE YOUR LOCAL DEALER!







IZ (32H)

From the author of Feray Penguin, Mr. Wil is a fast-action multi-scene game. Guide Mr. Wiz around the garden to each the chemies whilst avoiding the evil gremlins. The gremlins can be killed by dropping apples on them or by throwing the arystal ball. Estra points can be gained by eating the magic mushroom, but beware ... this is the home of the gremlins and makes them permanently furious! Sound effects and tunes, hi-score, rankings. Superb arcade-style action. (KEYBOARDS or JOYSTICKS).

WE PAY UP TO 20% ROYALTIES FOR HIGH QUALITY BBC MICRO AND ELECTRON PROGRAMS



SUPERIOR SOFTWARE LTD.

Dept.AU10, Regent House, Skinner Lane, Leeds 7 Tel: 0532 459453

OUR GURRANTE

All our software is available before we advertise

(2) All our software is despotched within 48 hours by first-class post.
(3) In the unlikely event that any of our software fails to load, return your cassette to us and we will immediately send a replacement.

