

JANUARY 1980

\$3.00

BME

BROADCAST MANAGEMENT ENGINEERING



CRISIS

**RESPONSE PLANNING
ENG/EJ: WHEN TV AND RADIO ARE THE LIFELINE.**

Announcing new AM/FM Stereo Consoles from ADM

THEY DO EVERYTHING BUT THE HELICOPTER REPORT



ADM® is proud to announce the ST Series, newest addition to our line of quality professional broadcast consoles. Compact as they are, they're big on capability and flexibility. They feature the same performance excellence, operational simplicity and reliability you'll find in any product from ADM.

The new ST consoles offer a series of modular frames that we will equip to your particular needs. A variety of input, output and signal processing modules are also available to satisfy your present requirements as well as future expansion. Each ST frame offers up to three separate stereo and one monaural output. All modules are front panel plug-ins. Electrical specifications set a new level of excellence for the industry.


So confident is ADM of the excellence of the ST Series, that they're backed with an exclusive 5-year warranty.

To find out more about how the new ST Series can make Audio Broadcasting easier for you, write or call us today. Audio Designs and Manufacturing, Inc., 16005 Sturgeon, Roseville, MI 48066. Phone 313/778-8400. TLX 23-1114.

ADM®

The Audio Company

Ratings, Listeners, Loudness Increase With Harris MW-10 10,000 Watt AM Transmitter



The new Harris MW-10 with Pulse Duration Modulation (PDM) offers far reaching benefits to both you and your listeners. PDM, a DC coupled circuit that faithfully reproduces complex audio, provides an increased loudness that can expand your coverage area while maintaining a high quality sound.

The advanced solid state design of the MW-10 offers you the following features as standard: automatic AC restart, audio processing, status and overload indicators, single control adjustment for any power level from 1 to 10 kW, and instantaneous power cutback with no interruptions.

Ease of operation, maintenance, and tuning are money saving features that the MW-10

provides as part of its basic design. In addition, the lower initial tube cost and extended tube life of the MW-10 mean significant cost savings over the life of the transmitter.

Learn more about increasing listener coverage and maximizing station profit with the new Harris MW-10. Write: Harris Corporation, Broadcast Products Division, P. O. Box 4290, Quincy, IL 62301.



HARRIS
COMMUNICATION AND
INFORMATION PROCESSING

Circle 101 on Reader Service Card

MICROCAM[®]...




because life is a contact sport.



Cover it close. Right where it lives. In the political arena or on the fifty yard line. In the heart of the city, or miles from nowhere. On location, or in studio A, Microcam covers it all.

Microcam, developed by Thomson-CSF Laboratories. The first shoulder-mount color TV camera to offer the combined benefits of studio-quality broadcasting with lightweight portability. In fact, Microcam weighs just 12.4 pounds for a total of 22 pounds, complete with motorized lens and a 5 pound silver cell battery which operates the camera for 6 hours on a single charge. Microcam provides all the essential features for superior pictures from the field or in the studio.



- Automatic beam optimizer prevents comet-tailing
- Low power consumption of 20 watts
- High index \mp 1.4 prism assembly
- Three position gain switch 0, +9, +18 dB
- Automatic color balance, automatic iris, and black level
- Built-in masking, split-field color bar generator and 2-line enhancer
- Color genlock included as standard
- Superior light sensitivity to allow clear, sharp pictures with only two footcandles of available light
- Variable H & V Blanking to meet the latest production requirements
- Available with optional 4½" Viewfinder and Remote Control System for EFP or studio operation.



Plus complete VTR Control, including start-stop, VTR stand-by and return video. And a complete set of operating indicators, including VTR status, located in the viewfinder.

Only Thomson-CSF gives you a choice between the monoblock MC-601 Model and the two-piece MC-602. Both cameras bring broadcast quality and ease of operation to Electronic News Gathering, field production, as well as studio applications.

Microcam. For close-up coverage. Because life is a contact sport.

For more information about the remarkable Microcams, call or write.



THOMSON-CSF

Thomson - CSF Broadcast, Inc.
37 Brownhouse Road
Stamford, CT 06902
Tel. (203) 327-7700
TWX (710) 474-3346

Circle 102 on Reader Service Card

BM/E

BROADCAST MANAGEMENT/ENGINEERING

JANUARY 1980/VOLUME 16/NUMBER 1



RESPONSE PLANNING
ENGINEER: WHEN TV AND RADIO ARE THE LIFELINE.

With the explosion in ENG equipment and technology over the recent past, broadcasters have never been better able to serve their communities when crisis is imminent. But the technology is never better than the people who use it or the planning that goes into its application

8 Broadcast Industry News
Shiben redesigns Broadcast Bureau; FCC releases network inquiry reports; Citizens groups attack deregulation

19 Radio Programming & Production For Profit
Variety unlimited: short takes for radio

20 BM/E's Program Marketplace
Kershaw-West's The Music of Your Life

25 Television Programming & Production For Profit
WDVM series and special unshackle black voters

30 Three Mile Island: Lessons Learned
The "accident that couldn't happen" left broadcasters with some important lessons

39 ENG/EJ: Rushing In Where Others Fear To Tread
Emergency response plans enable some television stations to spread vital information in emergencies

52 Radio Plans For Order When Chaos Strikes
Careful planning is the single most important part of success in handling disaster stories

67 The March Of ENG Microwave
A look at where we've been, where we are, and where we are headed

75 New Digital Recorders and Audio Processors Lead Upgrade Parade At New York AES Show
There was excitement on the floor at the society's 64th convention

94 FCC Rules & Regulations
FCC redefines control standard

99 Speak Out
"You have to understand the medium to use it effectively," says Tony Russomanno of KSF0

102 Great Idea Contest
Win a calculator—enter the Great Idea Contest

108 Broadcast Equipment
BM/E's survey of new products

Publisher
Charles C. Lenz, Jr.
Editorial Director
James A. Lippke

Editor
David Hawthorne
Senior Editor
Robin Lanier
Senior Editor
Robert Rivlin
News Editor
Eva J. Blinder
Departments Editor
W. Vince Walisko

Assistant Publisher
Djuna Van Vort
Creative Director
Gus Sauter
Marketing Services Manager
Christine Bunish
Production Manager
David Rose
Advertising Production
Deborah Foley

Comptroller
Joseph W. Kutner

FCC Counsel
**Lovett Ford and
Hennessey, P.C.**




BROADBAND INFORMATION SERVICES, INC.
295 Madison Ave., New York, N.Y. 10017, 212-685-5320, Telex: 644-001
Publishers of: **BM/E—Broadcast Management/Engineering**
BM/E's World Broadcast News

★ABP mcc

VBPA BME BROADCAST MANAGEMENT ENGINEERING (USPS 059290) is published monthly by Broadband Information Services Inc. All notices pertaining to undeliverable mail or subscriptions should be addressed to 295 Madison Ave., New York, NY 10017. BME is circulated without charge to those responsible for station operation and for specifying and authorizing the purchase of equipment used in broadcast facilities in the U.S. and Canada. These facilities include AM, FM and TV broadcast stations, CATV systems, ETV stations, networks and studios, audio and video recording studios consultants, etc. Subscription prices to others \$24.00 one year, \$36.00 two years, Foreign \$30.00 one year, \$48.00 two years. Air Mail rates on request. Copyright 1979 by Broadband Information Services, Inc., New York City. Controlled circulation postage paid at East Stroudsburg, PA.

GRASS VALLEY GROUP 

400 SERIES ROUTING SYSTEM



...solves your signal routing problems with world-famous Grass Valley Group quality, and at a remarkably reasonable price!

And the 400 Routing System specifications are unexcelled! For example, the audio section produces +24 dBm into 600 ohms *without* using transformers. And the design of the 400 System is *totally modular*: you

may add to your basic system as needs arise, even adding as little as *one output at a time!* The cost is low, and the quality the highest; Grass Valley Group quality in the new 400 Routing System.

THE GRASS VALLEY GROUP, INC.[®]

A TEKTRONIK COMPANY

Grass Valley Group Field Offices: WEST: 21243 Ventura Blvd Ste 206, Woodland Hills, CA 91364 (213) 999-2303 • SOUTHEAST: 1644 Tullie Cir NE, Atlanta, GA 33029 (404) 321-4318 • NORTH CENTRAL: 810 W Bristol St, Elkhart, IN 46514 (219) 264-0931 • NEW ENGLAND & MID ATLANTIC: Station Plaza East, Great Neck, NY 11021 (516) 487-1311 • SOUTHWEST: 2639 Walnut Hill Ln Ste 143, Dallas, TX 75229 (214) 358-4229 • MIDWEST: 3585 N Lexington Ave Ste 374, Arden Hills, MN 55112 (612) 483-2594

Circle 103 on Reader Service Card

www.americanradiohistory.com

BROADCAST INDUSTRY NEWS

Shiben Redesigns Broadcast Bureau

The FCC has approved a major reorganization of its Broadcast Bureau, authored by bureau chief Richard J. Shiben. The plan calls for the creation of several new branches and the streamlining of existing branches.

Established in the restructuring were a Program Planning and Evaluation staff within the office of the bureau chief, a Technical and International Branch in the Policy and Rules Division, and an Equal Employment Opportunity Branch within the Renewal and Transfer Division. The Office of Network Study was abolished and its functions reassigned to the Legal Branch of the Policy and Rules Division.

According to Shiben, the new Program Planning and Evaluation staff will assist the bureau in keeping up with technological advances in communications, evaluating the impact of new technologies and recommending appropriate policies and procedures.

Major restructuring will take place in the Broadcast Facilities Division. The Aural New and Changed Facilities Branch and the Aural Existing Facilities Branch will have their functions combined; separate AM and FM branches will be established. The Television Applications Branch will be renamed the Television Branch; all personnel not involved with television matters will be transferred into a separate Auxiliary Services Branch, which will handle all translator and auxiliary services applications. The Technical

and Allocations Branch will be abolished and its functions reassigned to the Policy and Rules Division's new Technical and International Branch. Also abolished was the Educational Broadcast Branch; taking over its duties is the Policy and Rules Division's Policy Analysis Branch.

Shiben stated that the reorganization was done in the interests of better management and increased service to the industry and public. "This reorganization is especially important now," he continued, "because it gives the bureau increased capability for planning and developing policies in light of new and advancing technologies."

FCC Releases Network Inquiry Reports

The FCC's Network Inquiry Special Staff has released the first six preliminary reports of what the Commission described as "the first full-scale examination of commercial practices in the television industry in the past 20 years." The six reports, issued for public comment in October, cover network-affiliate relationships, FCC jurisdiction over the nets, FCC rules governing networking, the history of the prime time access rule, the structure and business activities of the nets' parent corporations, and the history of the nets' origin.


A major finding of the inquiry staff was that the Commission does have legal authority to directly regulate net practices, as opposed to only regulating O&O stations. The staff also concluded that FCC regulation of the network-affiliate relationship is unlikely to affect the way the industry responds to viewers. Attempts at such regulation to date, the staff noted, have had little effect on clearance of prime-time network programs, and further regulation will probably be no more successful.

The final report in the inquiry is not due until next fall. The FCC first issued a notice of inquiry on the networks in January, 1977, and formed the Network Inquiry Staff in March, 1978. Copies of the preliminary reports are available from the Commission's Office of Public Affairs.

Citizens' Groups Attack Deregulation

A coalition of public interest groups has petitioned the FCC to drop its recent sweeping radio deregulation proposals (see *BM/E*, November, 1979, p. 100).

Satcom III Takes Off



Oops Dept.: Have you seen this satellite? Information on its whereabouts would be greatly appreciated, we hear. Last seen in the vicinity of Cape Canaveral, Fla.

The third satellite in RCA Americom's Satcom series was catapulted into orbit on December 6. The 24 channels of Satcom III are earmarked strictly for cable TV service; over 1600 CATV stations will receive programming from the bird. With the transfer of much cable traffic to Satcom III, more transponder space will be available for broadcasters on Satcom I.

RCA's SMARTS syndicated program service, slated to begin this year, will be on Satcom I, according to plan. Radio and newswire services, including UPI and ABC Radio, are expected to use transponders on Satcom I also, and RCA will probably seek more "occasional video" business on that bird.

Users of Satcom III will include HBO and Warner Amex, with five transponders each, and Showtime, with three;

all plan to expand existing services and/or add new services in their pay-TV lineups. Also expected to go on Satcom III are several new basic cable services, including a new network for women, Turner's Cable News Network, and the Cineamerica network, aimed at the over-50 audience.

Late Bulletin: As *BME* went to press, radio contact with Satcom III had been lost and no trace of the satellite had been found by RCA, the North American Air Defense Command, or NASA. Chances of locating the \$20 million satellite appeared slim; possible explanations for the disappearance included malfunctioning of the data-transmission antenna, overshooting of a rocket stage, or, most serious, the explosion of the satellite during rocket firing.

ADM

Control the complete audio spectrum



Your video and our ADM 2400 console: a perfect pair

One of the features you'll quickly appreciate about your ADM® audio console is that it performs in perfect harmony with your video equipment.

ADM's 2400 Series consoles are modular, multi-input broadcast production units designed to handle the most sophisticated and demanding audio requirements. They are 24 input, 4 submaster, 2 output, fully modular consoles. The 2400 housing comes completely wired, permitting ease of expansion if the full complement of modules is not initially required.

Our proven design and manufacturing capabilities, and the use of highest quality components, assure you of unquestioned professional integrity and maximum reliability — backed by an exclusive 5-year warranty, the most comprehensive in the industry.

Make sure you control the entire audio spectrum. Contact Audio Designs and Manufacturing, Inc. — *The Audio Company* — 16005 Sturgeon, Roseville, Michigan 48066. Phone (313) 778-8400. TLX 23-1114.

News

Included in the coalition are such groups as the American Civil Liberties Union, the National Organization for Women, the National Citizens Committee for Broadcasting, Black Citizens for Fair Media, and the Consumer Federation of America.

The petition calls on the Commission to rescind its notice of proposed rulemaking and to disclose supporting data for all parts of the notice. Specifi-

cally requested were the results of the small-market ascertainment study. The petitioners also want the FCC to hold nationwide public hearings on radio deregulation.

Behind the petition is the coalition's contention that the Commission has not adequately shown that news and public affairs programming would continue if radio were deregulated.

Another vocal attack on deregulation came from an "odd couple": the United Church of Christ and the NOW Media Reform Committee jointly

placed an ad in *Variety* warning radio employees that deregulation could endanger their jobs. The ad predicts the firing of those involved in news and public affairs programs, which will supposedly disappear under deregulation. Further loss of jobs due to station automation was also foreseen.

On the other side of the fence, major broadcasters' associations have applauded the Commission's moves toward radio deregulation. Both the NAB and the NRBA adopted resolutions calling the FCC rulemaking proposal an important first step, but both indicated that Congress must act to assure deregulation.

There was one sign that Congress is thinking along the same lines as the Senate minority introduced a revised version of S-622, proposed as an amendment to the 1934 Communications Act. The new bill authorizes the FCC to prohibit pay-TV operators from siphoning sports from commercial TV; bars regulation of radio advertising; eliminates the Fairness Doctrine; and prohibits sports blackouts if all seats are sold 48 hours before the game.

WARC Wraps Up In Geneva; Most U.S. Positions Upheld

Although it overshot its deadline by a week, the first World Administrative Radio Conference (WARC) in 20 years managed to wade through some 15,000 proposals before adjourning last month in Geneva. The outcome of the conference, attended by nearly 2000 delegates from 142 member countries of the International Telecommunications Union (ITU), the United Nations agency that sponsored WARC, was considered generally favorable to U.S. interests.

The 60-member U.S. delegation, headed by Ambassador Glen O. Robinson, had done its homework for this conference. Delegation members conceded that if they had not spent the last five years preparing for this WARC, the U.S. would not have come out as well as it has.

Upon the December 6 conclusion of the 11-week meeting, U.S. officials figured that acceptance of primary proposals and fall-back positions backed by the U.S. delegation ran better than 90 percent. "Overall," the State Department's Gordon Huffcut pointed out, "we came out of this one fairly well."

But there are some areas where the U.S. did not come out so well. The U.S. delegation registered a "reservation" — which means the U.S. will not be bound by a final decision — over the addition of 3.5 GHz to the fixed satellite service. The U.S. views this addition as a threat to its AWACS military radar system, which operates on the band.

Is the Talent That Fills This Chair Worth 26 Cents an Hour?

You know it is, and you know that finding a refill for that chair could be expensive and disruptive.

So why not protect your talent and yourself from the embarrassment of broadcasting a word or phrase that your audience could find offensive.

All it takes is a Wang Time Tunnel™ audio delay that gives you time to chop or bleep anything offensive, between the time it is spoken and the time it is broadcast.

Protection can cost you as little as 26 cents an hour. To get the details just call collect

E. Boiger (603) 889-8564.

This could be the last time you have to worry about your station broadcasting a blooper.

The logo for Wang Voice Communications, Inc. consists of the word "WANG" in a bold, sans-serif font, enclosed within a rounded rectangular border.

WANG VOICE COMMUNICATIONS, INC.
HUDSON, NEW HAMPSHIRE 03051, PHONE: (603) 889-8564

Best In The Field

HITACHI SK-90

Outside the studio, the remarkable Hitachi SK-90 does it all. For EFP, it sports a studio style 5" viewfinder. All key functions can be controlled with your choice of Remote Operating Unit (ROU) or Digital Command Unit (DCU). For ENG, slip off the SK-90's studio viewfinder, slip on the 1.5" viewfinder and shoulder mount. Your SK-90 is now a compact, lightweight self-contained portable!

ENG with EFP image quality. And EFP with total remote control. SK-90 has the field covered!

**Hitachi...
Tomorrow's
technology
today.**

7 Regional Centers for 24-Hour
Parts and Field Service

- New York (516) 921-7200
- Chicago (312) 344-4020
- Los Angeles (213) 328-2110
- Atlanta (404) 451-9453
- Dallas (214) 233-7623
- Denver (303) 344-3156
- Seattle (206) 575-1680

 **HITACHI**
Hitachi Denshi America, Ltd.
175 Crossways Park West
Woodbury, New York 11797



Hitachi SK-90: portable ENG mode



Digital Command Unit (with coax/triax option)



Remote Operating Unit (features RGB out)

Circle 105 on Reader Service Card

www.americanradiohistory.com

News

Another area of contention is high frequency allocation. The U.S. lost out on its proposals to limit maximum power output of new HF transmitters to 250 kW and to limit simultaneous broadcasting of a specific program in any one reception area to one frequency per band. The U.S. felt that such limitation would reduce congestion on the HF bands. But developing countries, which banded together on HF proposals

in the one-nation, one-vote conference, saw the U.S. proposals as a threat to their own international shortwave broadcasting, and defeated the proposals.

The U.S. had called for an expansion of medium frequency broadcast allocations in Region II (the western hemisphere) in the 1605 to 1860 kHz band, in hopes of gaining new space for a rapidly increasing number of AM radio broadcasts. Although the entire band was not allocated to AM broadcasting, the U.S. did win the 1605 and 1705

bands, which will be reserved in 1987 and 1990, respectively. Allocation details will be worked out during upcoming regional conferences.

Allocation of bands on satellite services will be made at a Space WARC in the mid-'80s, which came as a disappointment to the U.S. delegation. This country had hoped that a flexible approach would be taken toward satellite communications. Developing nations, however, again called for both orbital and frequency assignments to be allotted on a national basis. Therefore, the Space WARC, which will convene in 1984 or 1985, will have to deal with the problems of space allocations. Nevertheless, this WARC approved a 400 MHz slot for broadcast satellites in the 12.3-12.7 GHz band.

Although no timetable has been set, WARC delegates in Geneva proposed three more world conferences and at least six regional conferences over the next decade. The first regional conference is slated for next March, when Region II delegates will gather in Buenos Aires, Argentina.

FCC Proposes ENG Subcarrier Use

The FCC has proposed allowing TV stations to use subcarriers on their aural transmitters for cuing and coordinating ENG crews in the field. The idea was originally suggested by Boston Broadcasters, Inc., licensee of WCVB-TV, in 1977. At that time, BBI said that the increased use of ENG made such a cuing and coordinating method necessary and that use of subcarriers would be more efficient than use of auxiliary broadcast facilities, which take up spectrum space.

The Commission issued a notice of inquiry in 1977 asking for comments on this and other uses for aural subcarriers. Other proposed uses included TV stereo, bilingual sound channels, and augmented audio for the visually impaired.

In its recent action, the Commission proposed rules covering only cuing and coordinating uses for subcarriers, noting technical developments since comments had been filed in the original inquiry. Subcarriers would be limited to the 20 to 75 kHz band. The FCC is especially looking for comments on how the rule changes would affect CATV systems. Comments are due January 7 and replies by January 28.

Kidvid Blasted By Task Force

Television broadcasters have not complied with the children's programming policies mandated by the FCC in 1974, according to a five-volume report by the Commission's Children's Televi-

Quality

THE SCULLY 250 RECORDER REPRODUCER SERIES

No assignment is too tough for the Scully 250. Moderately priced... you can use this compact unit for direct news and sports feeds, as well as professional field recordings. Options include full or half track mono; two or quarter track stereo. Built with the famous Scully reliability, dependability, and uncompromising quality. Engineered for long trouble-free performance.


AMPRO Scully

Professional Equipment for Broadcasting Professionals
826 NEWTOWN-YARDLEY RD., NEWTOWN, PA 18940
(215) 968-9000 • TWX: 5106672299 • CABLE: AMPROSCUL NTOW

it's a
matter
of record
with
Scully



Send for our FREE
information
on 250 Series



Circle 106 on Reader Service Card



*Simulated pictures?

They're real.

But, if the printing press made as good an impression as Conrac monitors make, you probably couldn't tell.

Conrac's clarity and color consistency are the result of years of experience and technological depth. We were designing and manufacturing monochrome broadcast monitors before the first late-night host delivered a monologue.

And ever since color television began, Conrac's Colormatch™ has been the industry standard. Monitor to monitor, nobody's better at matching screen phosphors for identical color.

What's more, nobody offers a larger selection of broadcast monitors. Only Conrac covers the entire spectrum.

And since we're committed to the professional side of television, your needs get our full attention. Engineering conveniences like front-pull drawers for access to critical controls are standard on all Conrac color monitors. Modular construction assures



fast servicing, too.

Be sure to call or write for a Conrac Broadcast and Teleproduction Catalog. It features all our monitors, including the incredible Model 6100 with beam current feedback, independent convergence control and optional comb filter.

See why we still outsell everybody else six to one.

Conrac Division, Conrac Corporation, 600 North Rimsdale Ave., Covina, CA 91722, Tel. (213) 966-3511, Telex: 67-0437.




CONRAC

We're more than meets the eye.

Circle 107 on Reader Service Card

The World's 2nd Best Precision Demod



at
\$6,950

You would have to pay an extra \$3,000-\$5,000 to get a better precision demod, and even then we are not so sure it's better than our 3710. Compare features and performance for yourself—send for our free data sheet.

Telemet

185 Dixon Avenue
Amityville, N.Y. 11701
(516) 842-2300
A Geotel Company

Circle 108 on Reader Service Card

News

sion Task Force. The report has sparked intense controversy in Washington and around the country by recommending the establishment of minimum program requirements for kidvid.

The basis for its proposal of programming minimums was the task force's contention that without governmental action, commercial television was not likely to voluntarily increase the amount of educational children's programming it broadcasts. Economic incentives for children's programming are weaker than for adults, since children have less direct buying power; in addition, the two-to-12 population is on the decrease.

More effective than mandatory rules in the long run, the report said, would be increased outlets for advertiser-supported programming and the increase of CATV and STV. Until such changes in the industry begin to affect the amount of educational children's programming, the task force claimed, interim requirements would be necessary to insure adequate amounts of such material.

Specifically, the task force recommended that the FCC require broadcasters to air two and a half hours of educational/instructional shows for school-age children and five hours for preschoolers each weekday.

KRON Goes Live By Bird From D.C. Bureau

San Francisco's KRON-TV became the first TV station in the country to provide regular, live Washington coverage via satellite with its establishment of a news bureau in the nation's capitol in late October.

The station's live news broadcasts will reach the NBC affiliate's Bay Area audience on the Westar II bird. The action was announced by KRON's news director, Jean Harper. Heading the new bureau is George Osterkamp, former news director for KQED, San Francisco's PBS station. Also on the *NewsCenter 4* Washington team are reporters Gail Christian, former news director at KCET, Los Angeles, and Jeff Hodes, former Washington correspondent for the Independent Television News Association. Rounding out the team are two full camera crews.

The bureau is being equipped with full editing and ENG facilities, according to KRON chief engineer Larry Possi.

Fourth Channel

The Independent Broadcasting Authority (IBA) of the United Kingdom has announced plans for its fourth UHF channel, scheduled to be launched

simultaneously in all IBA-served regions in November, 1982. At that time, 30 high-power transmitters supplied by British manufacturers Marconi and Pye will go into service; 18 more will follow at monthly intervals during 1983 and 1984. The £16 million transmitter package is the most expensive ever signed by IBA.

Over 80 percent of the U.K.'s viewing population — more than 40 million people — will be able to receive the signal initially. Special consideration is being given to Wales, which will be served by six main transmitter stations and 80 local relay stations. Ultimately, IBA hopes to achieve 99 percent coverage by the fourth channel.

According to IBA, the new channel will be the first based entirely on the latest generation of high-efficiency klystron amplifiers, which Marconi and Pye are receiving from Mullard Ltd. The klystrons feature a typical conversion efficiency of about 45 percent; they are expected to reduce operating costs, conserve energy, and reduce the size of the transmitter installations.

In addition to its work on the fourth channel, IBA is continuing its present program of expanding its existing UHF network and extending its radio services.

Jerrold Announces 52-Channel CATV System

A 400 MHz cable television system with 52-channel capability has been introduced by General Instrument's Jerrold Division. Known as System 400, the system is an expansion on the previous 300 MHz radio frequency limit, which provides 35 channels.

Hardware for System 400 is expected to be available early this year and was exhibited in December at the Western Cable Television Association trade show in Anaheim, Calif. The extra channel capacity could be used by cable operators for a variety of uses, including special-interest channels, premium programming, tiered services, and nonentertainment services.

Errata

In "TV Commercials: The Leading Edge of Special Effects" (*BM/E*, November, 1979), please note the following corrections:

The Rutt/Etra video synthesizer was developed by Steve Rutt and Bill Etra some three years after the development of the Scanimate system by Lee Harrison III, founder of Computer Image Corp.

The three-dimensional metallic graphics pictured in the story were actually developed by Computer Image director Kirk Paulson, then executed by Scanimate operator David Small.

YOU SHOULDN'T HAVE TO WAIT SIX MONTHS TO GO ONE INCH.



After spending six months researching the purchase of a 1" VTR, you shouldn't have to wait another six to get it.

Introducing the 3M TT-7000 1" VTR. The technology of today that's available today.

The TT-7000 is sold and serviced by 3M. One of the largest suppliers to the broadcast industry. And it's built by one of the most respected manufacturers of video equipment, Nippon Electric Company.

Which means you get all the standard features

found in other 1" VTRs. Plus a few important extras. Like full audio/video confidence heads, built-in FM calibrate oscillator/marker, and a sync channel.


For complete details and technical specs on the TT-7000, call (512) 733-7914. Or write: 3M, Mincom Division—Video Products, 3M Center/223-5E, St. Paul, MN 55101.

If you don't take too much time making your decision, you can get the TT-7000 in practically no time at all.

3M

New Standard for Portables...

LDK-14



In the great tradition of Philips portables:

1968...PCP-70 The industry's first portable. The one that started it all.

1969...PCP-90 Step two. World famous Minicam.

1975...LDK-15 First generation of triax field production cameras.

1976...LDK-11 A smaller, lighter, lower cost field and studio camera.

1977...Video 80 An innovation in lightweight camera and production system...LDK-15L Latest version of the LDK-15.

Evolving from this long history of portable equipment leadership, Philips' engineers have created a new concept in portable and field equipment. **The LDK-14 broadcast systems camera.**



A futurized camera offering three advanced configurations for field and studio use...all achieved *without equipment repackaging*:

1. **ENG**—studio quality portable; self-contained, one piece; film camera handling; weighing less than 15.5 lbs. (7 Kg) lens included; less than 12 lbs. (5.5 Kg) without lens.

2. **EFP**—studio quality portable, with remote control; timing and phase adjustable gen lock; instant convertibility to studio camera use by simple change of viewfinders.

3. **Studio**—compact, maneuverable; full broadcast quality; 5" viewfinder.



The LDK-14 combines innovative design and unique capabilities in a state-of-the-art 2/3 inch camera that is *much lighter* and *uses significantly less power* than the competitive ENG only camera. Plus the LDK-14 gives you additional advantages in size, picture quality, stability, maintainability and cost.

Among its many other unique features for portable and studio use are:

- Only 27 watts power consumption (almost 1/3 less than the ENG-only competitive portable) gives longer continuous operation with choice of battery belt or small battery pack affixed to camera. A standby switch further conserves battery power between takes.



- Viewfinder displays include: contour enhanced camera picture or external video signal; status monitors for video level, color balance, bars on, battery discharge, VTR functioning, intercom call and camera tally.
- Automatics include: color balance; white and black level; centering; noise reduction when operating with extra gain; auto iris with set and hold facility.
- Externally switchable black stretch and contrast expansion.
- Dynamic Beam Control (DBC), regulates beam current to suppress comet tailing and blooming.
- Circuitry designed to maximize advanced capabilities of the latest rear-loading Plumbicons.

- Optional remote control facilities.
- Easy access for set-up and maintenance. Rear casing flips up for access to five main plug-in circuit boards.
- The rugged magnesium housing and titanium quick-release lens mounting holds all optical and electrical components in absolute registration. (Lens mount is strong enough for the heaviest extended range zoom lenses.)
- Rain, splash and RFI proofed.
- Other features include electronic raster rotation for better registration; linear matrix for optimal and Philips compatible colorimetry; and 360-degree hue-selectable chroma key.
- Other competitive cameras may have some of these LDK-14 features—no one has them all.

Camera-Recorder Systems

With this unmatched combination of performance and portability, the LDK-14 is *also the ideal camera for field recording of ENG and EFP.*



And just as Philips has always offered the widest selection of portable and studio cameras to meet your specific needs, the same policy now applies to your choice of 1" VTR's and TBC's. Offering 'C' format and 'B' format VTR's in both portable and studio configuration, Philips can provide the greatest objectivity and cost-effectiveness in packaging systems to match your requirements.

Philips, the company that started it all, now introduces the latest portable breakthrough, the LDK-14 broadcast systems camera. It will be the industry standard for years to come. And for a camera-recorder package to match your requirements, your choice of 1" VTR formats. Only from Philips.

For all the facts on this innovative new camera or camera-recorder system (please specify) write: Philips Broadcast Equipment Corp., 91 McKee Drive, Mahwah, N.J. 07430 (Canada: Philips Broadcast Equipment, 601 Milner Ave., Scarborough, Ontario M1B 1M8)

Innovative Leader in World Television

PHILIPS

TM/NV Philips





"Scotch" is a registered trademark of 3M Company.

IN A TEST OF ONE-INCH VIDEO TAPES, WE ACED OUT THE COMPETITION.

When we tested the top four brands under strict lab conditions, the overwhelming performance leader was Scotch 479 Master Broadcast Video Tape. In fact, we came out on top in all ten performance categories.

If that isn't reason enough to make us your choice, maybe this is. We're the only one-inch supplier that winds your tape onto a special cushioned flange reel to protect against shipping and handling damage. And we pack and ship our tape in a flame-retardant case to give you even more protection.

We're the people who pioneered the development of video tape 25 years ago. And according to the pros who know video tape best, we're still the best video tape. Give or take an inch.



3M

RADIO

PROGRAMMING & PRODUCTION FOR PROFIT

Variety Unlimited: Short Takes For Radio

THERE IS NO reason for any radio management to run out of short items of high interest today. The variety of material offered to radio stations is stupendous, and a lot of it, including some of the best, costs little or nothing at all, in cash outlay at least. Bartering is the way of life in this area.

Here are several sources of short-item programming that should appeal to some radio managements. Scores of others have been described in earlier issues of this magazine.

The whole intellectual range, free from Cornell

At Cornell University in Ithaca, N.Y., the University Relations Department operates a full-fledged radio production studio. Part of what the university produces there is *Cornell Forum*, a series of programs issued weekly, designed for radio stations. Each program is either seven or 14 minutes long (the station's choice).

The general plan is to attack some interesting or essential topic in the arts or sciences, with experts from the Cornell faculty (1500 strong, including an outstanding expert in just about any field that comes up). Many topics are in reaction to current news stories or in response to pervading issues that cause anxiety for many people.

The station gets the programs on reel-to-reel tape, free, agreeing only to pay the postage on the return of the tapes to Cornell. Each week the program can be used as often as the radio management likes — and many are repeated.

Through use on various radio nets, *Cornell Forum* is currently aired by well over 1000 stations on a more or less regular basis. Joseph Leeming, the

usual interviewer for this program and its assistant director, told *BM/E* the objective is to produce 52 programs a year, without fail, for the cumulative effect of consistent repetition.

"Exposure" for Cornell, one of the obvious objectives of the series, is very low key, with the university's name used briefly in the introduction and at the end. Many of the expert commentators, of course, are introduced as from the faculty of Cornell. That is about it.

A list of the topics for 1979 shows the extraordinary range and importance of the material. Ten topics chosen from those for 1979 give some idea of this range and interest: "Improving US-Japanese Communications"; "Decline in Federal Research Support"; "Never Again! Inquiry into the Assassinations of J. F. Kennedy and Martin Luther King"; "Senate Reactions to the Salt Treaty"; "Recent Changes in the American Family"; "Is Sleepiness a Disease?"; "The Einstein Legacy"; "Infrared Astronomy Comes of Age"; "New Developments in Fast Food Technology"; and "Finding a Cure for High Medical Costs."


Leeming points out that the station can use a part of a program, pulling out the interviewee's words as an actuality, for example. The range of these programs is so wide that some part will almost surely seem important to most radio stations. Radio managements with any interest should write Leeming at 122 Day Hall, Cornell University, Ithaca, N.Y. 14853, or phone (607) 256-4655.

Sheridan opens series on consumer issues

In consonance with the times, Sheridan Broadcasting, known as Mutual

Some things are easily broken...

...not the CO90!



The CO90 miniature condenser microphone was designed by engineers who understand the "real world" requirements of a studio microphone. They've included things like cable assemblies that can be easily and inexpensively replaced in the field. But the CO90 has one feature that no other manufacturer can offer — the Electro-Voice warranty.

Electro-Voice backs up the CO90 with the only two-year unconditional warranty in the business. That means Electro-Voice will repair or replace your CO90 when returned to Electro-Voice — no matter what caused the damage.

Electro-Voice can offer that type of warranty because the CO90 was designed to withstand the rigors of professional use. If your application demands a miniature condenser microphone that can take less-than-gentle treatment, the CO90 is the one you should buy.

EV **Electro-Voice**
a gulton company

600 Cecil Street, Buchanan, Michigan 49007

Circle 109 on Reader Service Card

Radio Programming

Black Network when it was owned by Mutual, has begun production of an ambitious series of special programs on consumer issues. The first one, "The End of the Horn of Plenty," a 20-minute discussion of the soaring cost of food that is such a large factor in inflation, was aired by the network on November 20, 1979. The programs are being produced in the first instance for affiliates of the network, but will be available for a fee to other stations that want them.

In the works, Harriet Bennett of Sheridan told *BM/E*, are a number of additional programs on urgent consumer issues. The network will announce some of them shortly after the first of the year. Station managements that want to keep in touch should write Sheridan Broadcasting at 1745 South Jefferson Davis Highway, Arlington, Va. 22202, (703) 685-2152.

Get the right word!

"Sense and Nonsense with Words" is a college course aimed at improving

communications among people, taught at Lindenwood College in St. Louis by Alfred Fleishman, one of the best-known teachers and writers on the subject. *Sense and Nonsense with Words* is also a home-study course available on cassettes, and a regular radio program on KMOX-FM in St. Louis.

The program is now available to other radio stations as a weekly 15-minute program through Gert Bunchez Associates, program syndicator with offices in many cities (headquarters are at 7730 Carondelet Street, St. Louis, Mo. 63105).

Bunchez has a substantial list of other spot programs, with lengths from one to 60 minutes. There are programs on gardening, on many aspects of business and personal finance, on politics, on domestic and foreign affairs as seen from Washington, on food, on house repair, and on many other topics. In the near future Bunchez will release some hour-long music specials, devoted at first to rock and country music. Any radio management wanting the complete list should write Bunchez at the address above, or telephone (314) 862-5250. **BM/E**

register their likes and dislikes in the programming, to take part in social and community service events, and to contribute to a newsletter.

The program, and the fan club, have stirred industry attention with outstanding performance at the first two stations to sign up: WHLI in Hempstead, Long Island, and WMAS in Springfield, Mass. Both are AM stations that were well down in the heap before *The Music of Your Life* came in; WHLI was a rocker. Both stations promptly increased their audience shares by spectacular amounts — WHLI by more than 800 percent in June/July ratings, WMAS by nearly 700 percent in the same sweep. The WHLI fan club had reached a 10,000 total by early December, when this was written.

Kershaw-West supplies a basic library that will fill a station's total programming needs. This will be updated on a flexible basis, using the responses of fan club members as guides to the direction the program should take in that market. In other words, the subscribers are going to be individually programmed to some extent.

The fan clubs have another important function. Members can be polled on their product likes, dislikes, and plans. This information can give potential advertisers a firm grip on the buying propensities of each station's listeners. This is a great aid to the station in selling many of the national advertisers.

Jim West gave *BM/E* an example of a fan club's effectiveness. WHLI organized a dance with a "big band" playing music from the programming. Six hundred and twenty people signed up in a hurry, a capacity crowd. The station had to keep telling listeners who had heard the original announcement that there were no more tickets: requests kept coming in by the hundreds. Disco worshippers, move over.

West noted the flexibility and resourcefulness of the idea. The local club may decide, for example, to donate the proceeds from a dance to a local charity: this appeals strongly to many people in the age bracket. Meanwhile, the club activity, whatever it may be, builds loyalty to the program.

Another idea in the works, according to West, is discount buying for the club members. This becomes attractive to sellers when the numbers of people reach into the thousands.

Also supplied along with the programs, in addition to the club material, is general promotional material for the program, including background material on the artists. Altogether, *The Music of Your Life* may well be a lifeline for several types of stations, including those fighting against too many other rockers. It appears to be one of the best organized and promoted syndications now on tap. **BM/E**

BM/E's Program Marketplace

Syndicators For Radio

Kershaw-West Productions, Inc.
7540 LBJ Freeway, Suite 528
Dallas, Texas 75251
Tel.: (214) 387-0532

READER, IF YOU are more than 30 years old, take heart. The advertising world during the past 10 months or so has decided you are worthy of utmost attention. You have been lifted up beside, or maybe even above, the teen-to-25 group, who were the kings for so long. The marketers have discovered that people from 35 to 65 have plenty of money to spend. And there is a lot of evidence that these middle-aged people are spending their money on themselves, rather than piling it up to leave to their children. It's a shift in attitudes that is basic for sellers of many products.

A new syndicated radio program that confirms and takes advantage of this shift is called *The Music of Your Life*. It is made up of "non-rock" hits of the 40s, 50s, 60s and 70s, right down to the present. The music is chosen for a strong "foreground" emotional impact, and is carefully assembled to produce a "matched flow" effect, through

attention to the sequence of timing, etc., that has worked so well with some Beautiful Music formats. Matching this foreground, hit-style music naturally differs from matching Beautiful Music, but the principle is the same: the program has a continuity of effect that holds on to the listener.

The Music of Your Life is put together by Al Ham, a long-time veteran of many areas of entertainment music — he has composed and arranged movie scores, put together many radio programs, made a lot of music for television, and made music for a number of national advertisements. In addition, he has won awards for many of his creations. The program is being marketed by Kershaw-West, with Jim West in charge. Jim has been a principal in leading syndication operations for many years. His last previous post was as an executive at TM Productions, a seven-year assignment starting in 1970.

Ham and West have come up not only with a program idea of apparently high potential, but also with a marketing approach that looks exciting. Along with the programming come all the instructions and promotional material for setting up a *Music of Your Life* fan club. Listeners are invited to join the club to

EIMAC takes the work out of 25 kW FM transmitter design.


New cavity amplifier and tetrode combo.

The new EIMAC CV-2200 power amplifier cavity assembly and companion 8990 tetrode is ready for use in next generation FM transmitters in the 88–108 MHz band.

EIMAC engineered interface provides capability between tube and cavity design and the result is an amplifier of classic simplicity that combines a useful power output of 25 kW with a stage gain of approximately 20 dB. These numbers make a one tube, high power FM transmitter a reality today.

Cost effective modern design.

EIMAC's cost-effectiveness and modern design are yours in the new cavity and tube combo. Anticipate reduced transmitter down-time and higher revenues with this new amplifier concept. Make sure your new transmitter is EIMAC equipped.



1935, EIMAC was present at the birth of FM broadcasting. Major Armstrong's early transmitter used four EIMAC 150T tubes in the amplifier stages. And EIMAC still retains its commanding position in continuing high power vacuum tube technology.

For full information on the CV-2200, the 8990 (25 kW) and the 8989 (15 kW) write EIMAC, Division of Varian, 301 Industrial Way, San Carlos, California 94070. Telephone (415) 592-1221. Or contact any of the more than 30 Varian Electron Device Group sales offices throughout the world.



Circle 110 on Reader Service Card

The 3-tube Saticon* camera you wanted...

A/V executive "I want a camera that makes my department's tapes look good at a price that makes me look good. One that can adapt to our needs as we expand."

Purchasing agent "I'm naturally looking for maximum value in a video camera. One that delivers a lot of features for the money...from a manufacturer I can trust."

Field cameraman "A nice compact, lightweight, well-balanced camera. One that delivers clear shots even in near darkness. That's what I need."

Top management "Higher productivity, more effective training and selling, better communications... if a video camera can help deliver that, I'm for it."

Studio cameraman "We're ready for the high performance of a sophisticated Saticon camera. And I can certainly do without having to have a separate genlock unit."



*Registered trademark of Hitachi

You got!

"We can turn out needle-sharp pictures with the KY-2000U. And with options like JVC's remote control unit, it's adaptable to just about any field or studio situation."

"The KY-2000U meets all my criteria for performance and price. And I know I can trust JVC, with their reputation for quality."

"This neat little KY-2000U is less than 12 lbs. with 1.5" viewfinder. Handles nice and easy. And with 52 dB S/N and sensitivity doubling to 12dB, what more could I ask?"

"I can see how the KY-2000U can help me get more out of my people wherever communications is involved."

"What a relief! No more separate genlock. And the Saticon tubes really deliver high sensitivity and resolution, and low lag."



JVC's new KY-2000U 3-tube Saticon camera is a real rarity today: an engineering breakthrough that makes economic sense, too. It has all those features mentioned above. Plus horizontal and vertical contour correction, both standard. Built-in variable blanking circuit and VTR trigger mode select. Broadcast-standard Y.I.Q. encoder. C-mount lens versatility.

And something else just as important: JVC's reputation for superb quality.

For the name of your nearest dealer, call one of these numbers collect:
 East, 212-475-8300;
 Midwest, 312-364-9300;
 South, 713-741-3741;
 West, 213-537-6020.



JVC[®]
 PROFESSIONAL VIDEO DIVISION
 US JVC CORP.

Circle 111 on Reader Service Card

Mail to US JVC Corp., **BME - 1/80**
 58-75 Queens Midtown Expressway,
 Maspeth, NY 11378.
 Send me more facts about your new
 KY-2000U video camera.

Name _____

Title _____

Company _____

Address _____

City, State, ZIP _____

Phone _____

Type of operation _____

OUR EFFECTS ARE SPECIAL



This wipe to a masked title key, over a chroma key, over a quad split may be simply and quickly performed on a single 558 mix amplifier.

American Data 558 Series Video Production Systems feature the Four Channel Serial Video Processor in single or double mix/effects configurations. Numerous options are available which allow systems to be tailored according to users' exact demands.

OPERATIONAL FLEXIBILITY AT SURPRISINGLY MODERATE PRICES.
Contact any one of our worldwide representatives for specifications and pricing information.



401 Wynn Dr • Research Park
Huntsville, Alabama 35805
Telephone (205) 837-5180
TWX 810 726-2125

A North American Philips Company

AUSTRIA: Electro-Diesel
AUSTRALIA: Magna-Techtronics
BRAZIL: Centelec
DENMARK: JAI (Jorgen Andersen)
ENGLAND: Crow of Reading
ITALY: TV Research S.R.L.
KOREA: Saetong Trading Co
MEXICO: TeknoMerica, S.A.
VENEZUELA: ESDMA Corporation
W. GERMANY: BFE

ADC NORTHEAST
P.O. Box 452
New Hartford, CT 06057
(203) 379-7840

ADC MID-ATLANTIC
Box 364
Washington Grove, MD 20880
(301) 258-7676

ADC WEST
3760 Cahuenga Blvd.
North Hollywood CA 91604
(213) 760-3221

ADC SOUTHEAST
2219 Dakawana Rd., N.E.
Atlanta, GA 30345
(404) 633-2100

ADC MIDWEST
P.O. Box 27324
Indianapolis, IN 46227
(317) 784-3000

ADC N CENTRAL
1121 Riverwood Drive
Burnsville, MN 55337
(612) 890-8920

Circle 112 on Reader Service Card

TELEVISION

PROGRAMMING & PRODUCTION FOR PROFIT

WDVM Series And Special Unshackle Black Voters

EYEWITNESS NEWS reporter Bruce Johnson at WDVM-TV, Washington, D.C., had a vision: if black Americans were to participate in the democratic process and vote, then they could reap some of the rewards of participation. "The bottom line," according to Johnson, "is that in areas where blacks vote, the streets are paved and the houses are all connected to the sewer system, whereas in areas where they don't vote

the streets aren't paved and the houses aren't connected. Why, then, don't blacks vote?"

Johnson proposed to his news director, and was given the go-ahead for, a five-part series to air during the newscast and a one-hour documentary to air after the series had run. *Voter Apathy: The Last Major Shackle* was to be Johnson's investigation as to why blacks don't vote — a look behind the some-

times astonishing statistics.

Johnson and his crew — associate producer/researcher Lois Dyer, photographer Bill Thompson, and recordist/soundman Julius Brown — visited nine cities during the three months of weekends they devoted to the production. The cities included Houston, Texas; Selma and Montgomery, Ala.; Cleveland, Ohio; Columbus and Atlanta, Ga.; Boston; and Chicago. "We didn't just pick cities and go there at random," explains Johnson. "We worked very closely with the Joint Center for Political Studies, a Washington-based minority 'think tank.' They would suggest places for us to go and people we ought to speak with. The whole production was designed to look like we had spent a month or two at each location, whereas careful research allowed us to do it in a day or two."

What Johnson found, and presented to viewers, was an often frightening look at the plight of American blacks. At the same time that he interviewed leaders of the National Urban League and the Congressional Black Caucus, and others who will play key roles in the 1980 presidential election, Johnson also went to the streets and into homes to find out what blacks actually thought. In Cambridge, Md., for instance, he interviewed a 70-year-old woman who lives in what used to be a chicken coop. From her and others he learned that even if every black in Ward II voted, local political zoning would prevent them from electing more than a single black council member. Yet blacks form over 40 percent of Cambridge's population. From a black dentist in Cleveland he elicited the surprising attitude that the dentist supported housing restrictions concentrating the city's blacks into informal ghettos and limiting whatever political power they might have. And from the Ku Klux Klan, as he confronted them in Selma, Ala., he was able to get statements in which Klan members expressed fears that advances by black voters were cutting into the whites' economic base.

Lightweight, portable production equipment and a closely knit crew were clearly essential in these kinds of situations. If kids in a housing project playground weren't pestering Johnson to take their pictures and clowning in front of the camera, then subjects he wanted to interview became tense with all the equipment around.

A large measure of credit for the success in these difficult interview situations goes to photographer Thompson. "We were trying to be sensitive to the different situations," he explains. "Sometimes we would just sit down with people we were going to interview and help them relax. We wanted to show them that we were part of their



WDVM reporter Bruce Johnson conducts interview for *Voter Apathy* story with Bill Thompson shooting with the Ikegami HL-77



Johnson conducts another interview in Selma, Alabama

You can take this memory and STUFF IT.



When you and your character generator have a lot to say... long credit rolls... sports stats... lectures... titling for the hearing-impaired... the Knox KD128 disc memory system can hold 350 pages of it.

And it's programmable. With a single keyboard, you can create your copy and write a program — onto the same disc — that will completely cue the playback.



Roll or crawl non-sequential pages.

Have random pages recalled and displayed for a preset amount of time. All day, if you want.

Build a few pauses into the program if you need to get into it in real time.

You should see what you can do with it.

Call your Knox rep and you can.



A DIVISION OF COMPUTER OPERATIONS, INC.
9700-B George Palmer Highway, Lanham, MD 20801
301-459-2106

Circle 113 on Reader Service Card

TV Programming

experience — that we belonged there."

Thompson also developed two camera techniques that he was able to use while handholding the Ikegami HL-77 (which he did for almost 75 percent of the shooting). He had the HL-77 modified so that a small switch beneath the viewfinder could be used to defeat the tally light on top of the camera. "We would start talking with a subject," he explains, "and let the tally light show. People would get used to the idea that when the light was on we were rolling and when the light was off they could relax and be candid. After a while, I would just hit the button to turn the tally off, and they would relax and tell us what was really on their minds while we were still rolling. We got some of our best material that way."

Another technique used by Thompson was to pop off the eyepiece of the viewfinder, allowing him to see the screen without squinting into the camera. Provided that he remembered which way to pan the camera (the screen is inverted without the eyepiece), he found it much easier for subjects to relate to him by looking him in the eye.

The choice of lens was important, too, since often the camera was set at some distance from the subjects to avoid intrusion. Thompson used a Canon 10 to 100 mm zoom lens, to the front of which he could add a wide-angle adapter. Thompson used the wide-angle attachment several times, finding it particularly useful when working in the cramped quarters of some of the homes they visited. He also used the attachment while shooting in Houston for a wide up-angle on the tall buildings as he was driven along in a car.

Lighting a major problem

Thompson's background in production, which has seen him on numerous commercial shoots, led to his being particularly conscious of the value of good lighting. While relying on available light whenever he could, particularly since it was a documentary, Thompson used a lot more lighting than would normally be associated with an ENG-style shoot.

A key feature in the lighting plan was the combination of a small sun gun mounted on a bracket on the camera with the signal boosting capability of the HL-77. Thompson's plan was to use the sun gun with several pieces of diffusion material or screens — just enough light to fill in the faces. He would also sometimes use a Lowel Tota Lite or two on a stand, bounced off a ceiling or a wall to fill in the background. With this much light he was able to use either the

6 or the 12 dB boost in the HL-77 to give good images with better depth of field. "You can't use the 12 dB gain when you don't have any light at all," says Thompson, "or there's just too much noise. But with a little light — just enough to give some definition but not enough to be obtrusive or wash out natural light sources like candles or small lamps — you can use the gain quite effectively."

To power the sun gun, Thompson used the new, lightweight Frezzolini battery pack. Its abilities to hold a charge well and to be fast-charged extremely rapidly were both important to him, as well as its light weight. Thompson considered it impractical to make the recordist Brown wear a lighting battery belt since Brown had to check video level, audio level, point a shotgun mic, check the tape supply to be sure the tape was not near the end of the spool and stretching or bunching up, and log the shots. Thompson therefore carried the battery himself.

Brown, as mentioned, handled the audio, relying on manual gain setting rather than AGC on the BVU 100 to cut down on noise. The general technique was to use two microphones recorded on the BVU's two audio tracks. Johnson was lavaliered with an ECM-50, his level set at a point where he would not be overmodulating even if his volume went up slightly. Brown could then concentrate on riding gain on the second channel, directing a Sennheiser 815 shotgun mic in the best angle. From time to time it was necessary to swing the mic back and forth from speaker to speaker, but this was not a favored technique since it inevitably resulted in missing some important comment. When using the shotgun, especially when it was placed at any distance from the sound source, Brown employed an external low-cut filter to help eliminate the low rumbling which is characteristic of the mic's response.

Another helpful audio tool was a small 9 V portable external amplifier connected to the BVU. "It's impossible to find a set of headphones that provide enough volume and isolation through the 2000 ohm BVU output," says Thompson. With the external amplifier, however, Brown could use extended range headphones. In addition, the amp contained a small speaker; with it, and by using return video to the camera viewfinder, Johnson was able to check takes on his stand-up intros and commentaries.

To check video, the crew also brought along a battery-operated Sony color monitor. Set up in a hotel room at night, it provided Johnson and Thompson with an opportunity to review the day's material. Thompson also relied on it to check tests shot in difficult lighting conditions, giving him the opportunity to try a different light-

ing or filter pattern if the color balance was severely off. The monitor was even once used in a car on the way to the airport to spot-check tapes; in this case, the color converter was run off the BVU's own power supply. "We didn't check tapes as much as we should have," says Thompson, "but we tried as hard as we could. When you only get one visit to a city, you have to be certain you have something before you leave."

Post-production during the wee hours

All together, some 65 20-minute cassettes were shot. Not all tapes were complete, however, since Thompson tried to make the job of editor Jerry Gordon easier by changing to a new roll whenever a new subject was introduced. The tapes were viewed first by a production assistant who made a shot log with approximate timings. Gordon then viewed all the tapes again on his BVE/BVU editing system, making precise notes with the time code readout. The post-production, which took about 40 hours, was all done in the evenings since both Gordon and Johnson had regular assignments during the day.

It is interesting to note that time code was not recorded in the field. A primary consideration was that, since both audio channels were being used, they did not want to run the risk of time code bleeding through. Another more aesthetic consideration was Johnson's desire to let Gordon have a full creative input. "When you edit by numbers," explains Johnson, "and you give the editor a precise shot chart so that all he has to do is roll up to the section and choose the in and out points, I think you lose something. An editor can give a fresh new eye to material. He can look at the tapes and see what's really there. The reporter and the photographer were at the scene and involved with the shooting. They may remember there being a mood, but it may not have been captured on the tape. So rather than dictating the edit, we let Jerry [Gordon] see it for himself."

Gordon apparently saw things right. The five segments for the news show aired at 6:00 p.m. September 17 through 21, and the one-hour documentary on September 21 at 11:30 p.m. The station's response was terrific, and the documentary aired again after a Washington Redskins' football game — again to good response.

As a result, WDVM is looking into the possibility of syndicating the show to a national market, particularly in those cities with large black populations and in the cities Johns on and his crew visited. "We want blacks to get out and vote," concludes Johnson. "Airing this right before the elections might be a really valuable tool." **BM/E**

THE NETWORKS' CHOICE. (AND EVERYONE ELSE'S.)

At Camera Mart, we've been a leading equipment supplier to broadcasters and producers for years. We're no strangers to the 'instant' needs, unexpected calls, tough standards and difficult operating conditions that are often S.O.P. in this rough-and-tumble business. But you probably know that...at least, when it comes to film.

What you may *not* know is, for the past few years, we've been quietly doing the same in *video!* Testing and selecting the leading equipment for performance and reliability. And offering a wide selection of production and post-production components and packages—on rental, lease and purchase plans with our customary flexibility.

But don't take our word for it: talk to our customers. You'll see why so many people the industry depends on, depend on us.



Camera Mart

THE CAMERA MART, INC.

456 West 55th Street, New York 10019
(212) 757-6977/Telex: 1-2078

Sales • Service • Rental



Circle 114 on Reader Service Card

BME JANUARY, 1980 27



Lawrence Communications, Jacksonville, Florida



The Videography Company, West Hollywood, CA



"Bi-media", Fairfax, Virginia



NJP-TV, Trenton, New Jersey



WCCO-TV, Minneapolis, Minnesota




KMTV, Omaha, Nebraska



WJRT-TV, Flint, Michigan



Univ. of District of Columbia, Washington, D.C.



WVIT-TV, West Hartford, Connecticut




WCVB-TV, Boston, Massachusetts




Independent TV, Edmonton, Alberta



WBRE-TV, Wilkes-Barre, Pennsylvania




WRGB-TV, Schenectady, New York



KOA-TV, Denver, Colorado




General Electric, Lynn, Massachusetts



WCMH-TV, Columbus, Ohio



WVUE-TV, New Orleans, Louisiana




WITI-TV, Milwaukee, Wisconsin



WFLA-TV, Tampa, Florida



KYW-TV, Philadelphia, Pennsylvania




WMT-TV, Cedar Rapids, Iowa

YOU TOO CAN HAVE THE VERSATILITY OF THE 15x SYSTEM AT YOUR FINGERTIPS

CALL OR WRITE

angénieux corporation of america

1500 OCEAN AVE., BOHEMIA, NEW YORK 11716 • (516) 567-1800
13381 BEACH AVE., VENICE, CALIFORNIA 90291 • (213) 821-5080
4 HAVEN HILL SQ., AGINCOURT, ONT. M1V1M4 • (416) 291-2363



WLUK-TV, Green Bay, Wisconsin

Circle 115 on Reader Service Card

www.americanradiohistory.com



THREE MILE ISLAND: LESSONS LEARNED

Three Mile Island was a “class 9” accident that couldn’t happen. A presidential task force severely criticized utilities and government agencies for their lack of preparation for such an accident. Were broadcasters better prepared?

“If there’s anything that’s clear, it was that we didn’t expect this accident. And if I have to put my money in a basket, I’d put my money in a basket that says that most of our people, if you woke them up in the middle of the night on Tuesday night [March 27] and said to them ‘What do you think?’ and you list the seven or eight major causes of the accident that have been identified so far, they would say, ‘Hell, that can’t happen.’ There would be a few who would be smart enough to say, ‘Well, our studies haven’t really addressed themselves to that. It’s probably unlikely but I couldn’t say for sure.’ But most of them, I think, would say, ‘That can’t happen.’”

Those are the words of Karl Abraham, Public Affairs Officer for the NRC’s Region One office in King of Prussia, Penn. The words were part of his testimony before the President’s Commission on the Accident at Three Mile Island. In a sense, the Nuclear Regulatory Commission (NRC), the utility, and officials of other



government agencies concluded that there was little reason to prepare a response plan for an accident that would never occur. They believed their own propaganda—but to some extent, so did broadcasters.

Associate professor David Rubin of New York University’s Journalism and Mass Communications Department headed the task force that reported on the “Public’s Right To Information,” in connection with the presidential commission’s study of TMI. Said Rubin, “It is one thing not to be prepared when the consequences of your lack of preparation are relatively limited. It is another thing not to be prepared when the consequences are potentially catastrophic.” Though Rubin’s remark was directed at government and utility officials, there is a message in it for broadcasters, too.

“I think,” said Rubin, “the value of Three Mile Island is that it appears that the public health consequences were minimal, but the accident was serious enough—economically, politically, and from a public relations standpoint—that now the industry can see that a serious accident can happen and now the motivation to do something about it is there so that planning that hadn’t been done, will be.” Whether Rubin’s optimism will be borne out is a question of some concern to everyone. News directors will assign, and reporters will do, stories on “the lessons of TMI” for some time to come. While the press will, it is hoped, keep the light on the issue of nuclear safety, broadcasters will have to turn the light on themselves.

According to the task force report, “Local radio was the single most important source of information about the accident at Three Mile Island for the people of Dauphin, Lancaster, and York counties.” Two surveys conducted



in the area at the time of the accident showed that 56 percent of those responding got their first news of the accident through local radio and that about the same percentage of local residents relied on radio "as a major source of information about the accident." Finally, 62 percent of local residents cited radio as their "most frequent source of news during the accident." This compared to a 1976 Roper report that found only 19 percent citing radio as their most frequent source of news.

For local radio, this is an awesome responsibility. But the task force report goes on to say, "If local radio was the news medium that most people turned to for information during the accident at Three Mile Island, it was also the news medium least able to cover the story." The task force report cites the absence of an all-news radio station in the area and the small news staffs of the area stations, which offer a variety of music formats. Mike Pintek, news director of WKBO, the first station to break the TMI story, was quoted in the report: "There is no way you can run a 24-hour news operation with only five people." The largest news staff in the area belongs to WSBA-AM in York, with seven full-time and two part-time news staffers.


But manpower is only one small part of preparedness. The size of a news staff is largely a matter of practical considerations for radio management, and one does not keep on hand a staff of forty in the expectation that someday there will be a major nuclear accident in the area. As reports from radio and television stations around the country presented elsewhere in this issue show, many stations take careful stock of their resources, technical and human, in order to be certain of their ability to handle emergencies. In most cases, the best prepared stations are

those that expect to deal with natural disasters indigenous to their areas—such as hurricanes, tornados, forest fires, or snow storms. In such cases, the stations can expect this type of disaster a couple of times a year, and have already gone through the rigors of such crises time and again. They have honed their operations to a fine edge and benefit from an ever higher level of experience.

But the nuclear accidents, industrial disasters, and a host of other technologically based catastrophies are new horrors to contend with. They can happen anywhere at any time. Because they result from human institutions, the public expects them to be more fully explained. As KYW/KDKA, Harrisburg, Penn., correspondent Sandy Starobin put it, among the people in the area, "there was a sense of mortality, a sense of betrayal . . . the utility company was trusted." It was as if a trusted member of the community suddenly turned on his neighbors murderously.

Charles Wright, a sociologist of mass communications at the University of Pennsylvania, lists four primary functions of media: surveillance, interpretation and prescription, transmission of culture, and entertainment. In times of crisis, it is the first two of these functions that become the most important. Surveillance, says Wright, is the responsibility to identify hazards and to warn the public of them; interpretation and prescription is the responsibility to transmit understanding of the hazard and to tell the public what to do about it. Psychologist Charles Osgood has suggested that from earliest times these functions have been carried out through what he calls the three central elements of meaning: evaluation, potency, and activity. Even primitive man could describe an event as "friendly or unfriendly" or "big or small," and tell

When does a portable color camera become an affordable studio camera?



When it's a Panasonic ENG/EFP camera.

Now you can stop admiring ENG/EFP color cameras, and start owning one! The surprisingly affordable Panasonic AK-750. Thanks to its impressive list of options, our three-tube Plumbicon® portable camera doubles as a studio camera.

In the field it's a fully self-contained portable camera that weighs only 20 lbs. (with our optional 12:1 zoom lens shown), so it's easy to handle. It's just as easy on the power, using only 23 watts. You can interface the AK-750 with any EFP system, because it can be externally synchronized with a single cable. Timing and phase adjustments are built right into the camera head. Or connect it to any studio system, simply by adding the optional Remote Control Unit and studio viewfinder.

Indoors or out, you can look forward to impressive performance: With an S/N ratio of 49 dB, and horizontal resolution of 500 lines center at the recommended illumination of 200 footcandles at f/4. There's even a +6 dB gain for a minimum illumination of just 15 footcandles at f/1.8.

Some impressive circuitry was built into the camera: Like a Y/I/Q encoder, an RS-170A sync generator with genlock for studio or EFP use, and a color bar generator.

It also features an optical black, and automatic white balance. And there's electronic color conversion, as well as a filter wheel behind the lens.

Horizontal and vertical blanking are both adjustable to meet a variety of recording or playback requirements. And your picture is always crisp and clear thanks to horizontal aperture correction and 1-line vertical aperture correction built right into the camera head.

Not only do you get a long list of standard features with the AK-750, there's also a long list of camera options available. Such as 2-line vertical aperture correction, a chroma key unit, and more.

So if you're pricing both studio cameras and portable cameras, price one camera that can do both. The Panasonic AK-750.

Plumbicon is a registered trademark of N.V. Philips of Holland for TV camera tubes.

For more information, write: Panasonic Company, Video Systems Division, One Panasonic Way, Secaucus, N.J. 07094. In Canada, Panasonic Video Systems Department, Mississauga, Ontario.

Panasonic

just slightly ahead of our time.

Circle 116 on Reader Service Card

Three Mile Island: Lessons Learned

“how fast it is moving.”

The media at Three Mile Island did a good job of carrying on the traditions of Osgood's primitive man, but it seems the media came up short in meeting Wright's four functions. That the surveillance, interpretation, and prescription functions seemed to be the weak points might be due to the fact that the utility was “trusted” and thought of as “friendly.” That may not happen again, but there are other “trusted community members”—chemical plants, hazardous materials storage depots, pharmaceutical laboratories, oil refineries, and the like. The biggest problems facing radio and television stations at TMI were probably not that different from the problems that broadcasters would face in any instance where modern industrial technology had gone wrong: a lack of knowledge regarding who is in charge; a lack of understanding of the technology involved; an obtuse barrier of jargon from specialists, scientists, and engineers; a maze of agencies with overlapping authority and jurisdiction; and a sudden invasion by an army of media.



Fortunately for broadcasters, the last item seemed to have been the least troublesome. Though telephone lines quickly became overloaded by a crush of telephone traffic into and out of the area by concerned citizens, the media—especially broadcasters—had ample equipment. Two-way radio, microwave, CBs, wire services, and ham radio all played a role. Though there were only three video-grade lines out of Harrisburg, which the networks quickly took over, the networks frequently let their affiliates piggyback reports. WPVI, Philadelphia, was able to go live from the scene on a regular basis by piggybacking its report on the ABC line from Harrisburg to New York, and then to Philadelphia. Locally, WHP provided a common feed to area stations. At the earliest stages of the emergency, according to Richard Hill, an engineer with WCMB/WSFM, Harrisburg, more information was available through non-broadcast means, CB and ham radio, than through traditional channels. Another engineer at a Harrisburg station pointed out that there is a longstanding tradition of cooperation among broadcast engineers: “There’s a lot more borrowing, lending, and trading going on among engineers at competing stations than most managements acknowledge.”

There were elements of confusion and mayhem on the technical end of things, but as Hill said, “Working in emergency communications for three years, I was surprised that everything went off as well as it did.” There were logistical problems. WCMB's chief engineer was down with the flu as the emergency began and WCMB had to fly in its former CE, George Werl, from sister station KQRS in Minneapolis. Expecting a need for additional RPU gear, Werl brought along an additional two units. Bob Feldman, assistant news director at WPVI, said that though they sent up two full ENG crews on Friday, March 28, they soon realized that was not enough.

Additional crews were sent later with editing equipment and field producers to sustain the operation in the field. Said Feldman, “Next time I’ll know to send editing equipment more quickly.” WPVI is also adding a helicopter with microwave repeater capability, though not as a direct result of TMI. With it, WPVI could have made the 80-mile hop without having to piggyback on ABC's lines.

With the state of affairs that existed during TMI, the technical preparedness of the stations was somewhat akin to being all dressed up with no place to go; except that the problem wasn't a lack of places to go, but rather a serious doubt about the value of going to various places.

The scene at TMI

As Rubin said, “. . . you can't understand any of this unless you understand what the scene was.” And what the scene was, was deceptively calm. Dave Edwards, an assistant engineer and traffic reporter for WKBO, was making his routine rounds in his news cruiser radioing in traffic conditions to his station. As he neared the Three Mile Island reactor site he noticed that the usual steam plume was not present. Edwards had heard from a friend of his that the Colonial Park Fire Department had been put on alert. Why, he didn't know, but he thought there might be a connection, so he called in over his remote pickup unit to Mike Pintek, WKBO's news director.

Pintek called Metropolitan Edison's Reactor Control Room at TMI and was told that no one could talk to him at the moment: “. . . we've got a problem,” they said. He then called Met Ed manager of communications services Blaine Fabian, and was told that he was in a meeting. Pintek told them “to get him the hell out of the damn meeting,” and when Fabian got on the line he explained that a “general emergency” had been declared but that this was a “red tape” type of thing required by the NRC when certain conditions exist. Pintek asked what the conditions were and was told that there was a problem with a “feedwater pump. The plant is shut down. We're working on it. There's no danger off-site. No danger to the general public.” At 8:25 a.m., Pintek went on the air with the story.

Shortly after, the AP picked up the story and put it out over the wire. Within hours TMI became a national and international story. According to the task force report, a press corps numbering 300 to 500 at any one time descended on the area. In their ranks were wire service reporters, newspaper reporters, magazine reporters, network reporters and technicians, local radio and television reporters and technicians from distant cities, and an international contingent from Japan, France, Sweden, West Germany, Italy, Spain, and Great Britain.

According to the task force report: “. . . the accident did demonstrate to the NRC, the utility, and the press what ‘hurt the most.’ The effort to inform the public of events at the reactor site was handicapped from the start by a complete lack of planning for an accident that would last for a period of days. . . . The lack of planning was so profound that spokesmen began issuing statements from at least a half-dozen locations.” These locations ranged from the Information and Observation Center at TMI to a motel in Hershey, an American Legion Hall in Middletown, Metropolitan Edison's offices in Reading, the Commonwealth's capitol in Harrisburg, NRC headquarters in Bethesda, Md., and the White House. Communication among these centers was confused, at best. Conflicting

Three Mile Island: Lessons Learned

statements were issued regularly from any and all of the locations.

It was under these conditions that conflict and controversy over the media's role began to emerge. At this time the dispute remains intramural, but just under the surface of the passing grade that the media has received lies a smoldering question that needs to be addressed. Could the media have done better, and will they do better?

The problems the media face are numerous. While the term "media" may be collective, there is probably no word in the English language with as tenuous a hold on its many parts. The local media at TMI perceived their mission one way, the national media perceived its role in yet another way. Television took a different approach from radio, and print took yet a different approach. Not only is the family of media filled with sibling rivalry, but it is also incestuous.

Local radio stations, with their small news staffs and scant resources, quickly found themselves relying on the wire services and national networks for information about a story occurring in their own backyard. The task force report claims that local radio termed the performance of the wire services everything from "very good" to "criminal." An out-of-town TV reporter said of local radio, "We don't think that they did very well. They put on anything and everything without talking to people. When we needed to know what was going on, we tuned in KYW (all-news radio, Philadelphia) on our car radios." An area reporter spoke with a sense of outrage at what he called "silly" reporting by television networks. "The networks" he said, "were completely derelict. The networks proved that you don't have to be intelligent to be successful." These criticisms have been quoted without attribution in order to protect the careers of the speakers. While *BM/E* normally refuses to use unattributed quotes an exception was made in this case so that the reader can get a sense of the situation at TMI. Local radio felt that its major responsibility to its audience, the residents of the immediate area, was to reassure them and prevent panic. National media, by and large, took the view that this was a major and dramatic story, a precursor of what could happen elsewhere. The need to reassure and calm was not as keenly felt by the national reporter. Stations from the region just outside the critical Three Mile Island area had yet another job. If there was to be an evacuation, they had to prepare their areas for an enormous influx of evacuees. Yet, with the network/affiliate, wire service/subscriber relationship in use, the local audience had access to all of these reports. For them, the national news caused new concerns.



What happened locally

As the crisis at TMI developed, local radio soon discovered that it was no longer "business as usual." Most stations increased their regular news coverage an average

of 400 percent during the week of March 28 to April 3. WHP provided a live feed of Governor Thornburg's press conferences from Harrisburg and the NRC's briefings in Middletown to a mini-network of five local stations without charge. WCMB ran five hours of call-in programs on Sunday and Monday evenings to try to answer questions from the public. In addition to the call-in programs, WCMB tried to establish a rumor control line to check on rumors called in by the public.

Many stations found themselves with extra air time as local merchants cancelled spots for sales that would not take place, but these were often replaced with announcements of school closings and the like.

Most station personnel were put on overtime and many were forced into performing duties that normally were performed by others. At WCMB, announcers and salesmen were used as reporters, and at WKBO, Pintek put every spare hand on the telephones. At WHP the personnel problem was less severe as the news staffs of its sister TV and FM radio stations were called on to cooperate.

Network-affiliated stations benefited to some degree by the presence of national media. At WHP, for example, the CBS news team allowed the local staffers access to their material and some of their experts. According to Dave Edwards of WKBO, "There was a lot of listening 'over the shoulder' of the network people."

The most difficult problems for local radio were cross-checking information and getting news out of various places, given the shortage of field personnel. Probably the biggest problem was handling the crush of questions from residents. Added to calls from their own areas, local stations were also besieged by telephone calls from reporters from all over the world wanting to confirm the most dire rumors or trying to get information on "what's really going on there?" Eventually, some stations told the task force that they just began hanging up on such calls. The best they could do for their own listeners, however, was to tell them to stay tuned to their radios.

Local television stations did their share too, though they faced somewhat more stringent scheduling problems than radio. WITF-TV, the public broadcasting station, played an important role in providing a local base for the *MacNeil-Lehrer Report*. Without microwave equipment, according to producer John Baer, the station concentrated on a documentary approach. Rather than interrupting programming with fast-breaking news, they attempted instead to provide a perspective. At 11:00 p.m. on March 30, WITF went live nationally on the PBS network with a studio discussion by Gov. Thornburg and anti-nuclear scientist Chauncey Kepford. "We've never been geared for live [EFP] production, so we started off the show with three preproduced pieces." The *MacNeil-Lehrer Report* showed up at WITF on Wednesday and devoted its Friday evening program to TMI. Locally, WITF also presented talk programs by science writers and other authorities who sought to provide background on what was happening.

How it could have been done better

David Rubin thinks that there is some merit to the idea of local emergency mini-networks. Given that the economics of local radio don't often permit large news staffs, it might be possible to pool resources. This type of emergency plan, however, would have to be worked out among stations far in advance. Under what auspices such mini-networks might be formed is a genuine concern. In a real crisis stations will still wish to send their manpower

Three Mile Island: Lessons Learned

and equipment to essentially the same places. WHP came close to operating as a clearing house of information, but with more planning such a system could be vastly improved.

Mike Pintek believes that a station should have an emergency plan to staff a newsroom around the clock. Such a plan, said Pintek, would involve changing the station's programming format, and that might mean a formal plan for the news director to take over programming decisions.

"I have a file on what to do in case of floods," said Pintek. "Tips on how to stay dry, how to keep warm, stuff like that. Maybe it would be possible to get together with some local colleges or other authorities—anybody who has brains—and get some of this stuff down. . . ." on matters relating to nuclear accidents. Pintek also heard of another idea that he thinks might have merit: "Get tape cuts of local officials with general types of information relating to emergency procedures." These could be played at times when there is no real hard news.

Richard Hill, who came in to help out at WCMB after his normal shift at WSFM, encourages some sort of tie line between stations outside the normal telephone system. "Often the only way we could find out what another station knew was to try and get through to their GM, and either he was too busy or the phones themselves were busy."

Then there are the general recommendations that everyone made in one way or another. Stations should have an organized telephone alert system for getting personnel on the job. There should be a continuously updated list of civil defense officials and how to reach them. A close study should be made of the responsibilities of various state agencies during different types of emergencies. A constant question that loomed at TMI was, "Who's in charge here?"

By far the most difficult deficiency to solve is the education of the media in modern technology. Sandy Starobin points out, "We have over-concentrated in sociological and political sciences—no one concentrates on the physical sciences." This is, of course, less true of print, where there are frequently knowledgeable science reporters on staff, but during TMI all but a few of these reporters had difficulty grasping the intricacies of nuclear reactors.

Before the accident, Met Ed supplied regular press releases and handouts on routine happenings at the plant. Often, these press releases were written originally by engineers and then massaged by PI people. Even so, they were often obtuse. Many stations, and networks especially, called in experts in nuclear matters, but in the early days of the accident even these experts were playing catch-up ball with events. Bob Feldman, assistant news director for WPVI, feels better now that he has made contact with nuclear medicine experts at the University of Pennsylvania and other experts in various fields at other area institutions. Making such contacts is important, but unless the crisis involves nuclear energy, an entirely different set of experts may be needed. This education of journalists may be the toughest nut to crack.

From the task force come several suggestions that are worthy. Commissioner Ann Trunk, a Harrisburg housewife appointed to the president's study group, suggests

that radio stations provide routine radiation reports during incidents at nuclear plants. Such reports should be given like temperature and humidity index reports, stating what normal background radiation is and putting into perspective any abnormal radiation levels. This would not only warn the public during an actual emergency but also familiarize citizens with radiation terminology.

The thoughts of David Rubin coincide pretty much with the thoughts of the many journalists at TMI. "The public has a right to know everything," said Rubin. "If you begin to whittle away at that, there is no point at which you can logically stop. So, we assume that the public has a right to know everything, but the operative question is not what the public has a right to know, but what does the public have a need to know?" There is clearly information that the public has a right to know during an emergency, but there is other information for which the public has an urgent need. The problem is to be able to identify the difference between these types of information and to report that which is needed immediately, while reporting the other information later.

According to Rubin, the public had a right to know what was going on in the control room at TMI minute by minute, but they probably wouldn't have been able to make head or tail of it. On the other hand, the public had both a right and a need to know if there were "any radiation releases? If so, how hot are they, where are they moving? Do we stay or do we go?"



The task force conclusions can be interpreted for the benefit of the media. Rubin feels that radio could be particularly useful as a two-way medium, answering questions from the public, and applauds WCMB's efforts though he feels they could have been better executed. Chief improvement to the call-in approach would be possible by having experts in the studio or in telephone contact. Such experts should include nuclear medicine specialists, insurance specialists, civil defense officials, and the like. Of the questions that were asked on the WCMB call-in shows, Rubin says they were all good questions—"the station just didn't have the answers." One of the recommendations the task force will make to President Carter is that people from the utility and the government agencies be designated to go to radio stations to answer such questions. "Such an approach," said Rubin, "could help to stop rumors right off the bat."

Of course, the bulk of the task force recommendations deal with the public information functions of the utility, the NRC, and state and federal agencies. The recommendations are for a "structured information release" process. Located near the site of the emergency, says the task force, should be a press center that meets the common definition of the term: a place where journalists can confront sources directly, with technical facilities provided for the press and backup material such as schematics and fundamental descriptions of the plant and its works available. While the utility should be responsible for certain information, as the emergency progresses other agencies should be brought in. The task force does not recommend

CHIEF ENGINEER-

"Thank God, it works. We've tried everything and we're really pleased."

DIRECTOR-

"It's a wonderful sense of security for a director to have access to the people he works with."

TALENT-

"Without the Comrex, I would have been lost."

Are you entirely satisfied with your ENG communications?


We've just finished talking with every Comrex Cue System user and, after talking with them, what we can't understand is why every station who does ENG, EFP, sports, or live studio programming hasn't at least considered our Cue System.

The Comrex Cue System is an RF system that goes in a van, helicopter, press box, studio control room, etc., and sends both program and instructions to small, rugged, pocket receivers.

Give us a call. We're happy to tell you more or to send it out on a free ten day trial.

COMREX

P.O. Box 269 60 Union Avenue
Sudbury, Massachusetts 01776
TEL: 617-443-8811 TWX: 710 347-1049



Circle 117 on Reader Service Card

Three Mile Island: Lessons Learned

a "single source" type of approach, but rather a structured progressive approach where new sources are brought on-line as the situation develops.

Further, the federal agencies should, according to the report, centralize their information and be on site before issuing statements. It seemed to the task force that the state is the right place for evacuation information to be handled; and the report discouraged other agencies from going public with recommendations.

Because of the difficulty of covering such "technical" issues, the task force also recommends that various agencies hire or train disaster communications specialists to help interpret for the press what all the jargon means. These people should be dispatched to the site of an accident immediately. According to Rubin, it seems fair to presume that all of these information systems should be operating within 12 hours of the declaration of a general emergency.

Throughout the task force recommendations, the clear aim seems to be to provide the media, and hence the public, with a series of clear directions to go in during an emergency.

The Task Force on the Public's Right to Information concentrated largely on the failure of the utility and government agencies to supply timely and accurate information because, as Rubin said, "... it came to us early on that for us that's where the action was. It was much more important to know what information was being made available to the public rather than what the press did with it." Another reason for this focus was that the task force also had the responsibility to make recommendations to the President that he could implement. While the government can force licensed utilities to draw emergency plans, reorganize and/or reform the NRC, and fund programs to improve the ability of such entities to respond to emergencies, the First Amendment and the traditional adversary role of the press in this country would make Presidential recommendations on press performance ineffective.

Nevertheless, the task force report devotes more than 100 pages to the performance of the press and while no direct recommendations are made to the press, the inferences are there. As recommendations to the utility and government agencies are made and new regulations drawn, the hope is that the capability to handle such incidents in the future will be improved. Whether these improvements are effective or not will largely depend on whether or not the press has improved its ability to test and to challenge the new systems. The media has learned a great deal about politics, crime, weather, international relations, trade, and a host of other topics over the years as the society has become more complex. Radio and television acquire, daily, ever more sophisticated tools for gathering and reporting the news. The challenge now is to acquire the knowledge to confront the "technology beat." Robert Bernero, assistant director for material safety standards of the NRC, arrived at the TMI site on Monday, April 2. He was surprised that six days after the accident began, reporters still needed his basic briefing on how the reactor worked. Roger Mattson, director of the NRC's Division of Systems Safety, said of the incident: "I guess one thing TMI taught me is that the media in this country have little or no capability to report or handle technological information." Thus, the gauntlet has been dropped.

BM/E

How many manufacturers go NEC under cover?

NEC, as the world's third largest manufacturer of semi-conductors, provides LSI and hybrid circuits for most manufacturers. Our Broadcast Equipment, which reflects the professional standards you expect from NEC, employs chips developed exclusively for our own use. Below are but a few accomplishments that reflect our dedication to tomorrow's techniques:

LEFT—NEC's complete color encoder as used in the MNC series of ENG/EFP cameras for long term stability and negligible power consumption.

CENTER—NEC's 8-input/1-output video switcher with switching logic and wideband characteristics permitting 4-channels of digital audio multiplexed with video. The heart of the NEC TKA-105 Routing Switcher.

RIGHT—NEC's 16K mosfet ram for high-speed applications in NEC's FS-15 Frame Synchronizer and DVE® Systems.

the
logical
choice

NEC

Nippon Electric Co., Ltd.

NEC America, Inc.

Broadcast Equipment Division

130 Martin Lane
Elk Grove Village, Illinois 60007

Call Toll Free 800-323-6656

In Illinois call 312-640-3792. 24 hours a day.



Circle 118 on Reader Service Card

www.americanradiohistory.com



NEVER MISS ANOTHER PARADE

Our go-anywhere Disc Rod™ transmitting antenna has nearly the same gain as a three-foot dish at 2 GHz but is specially designed for difficult-access remote locations. It can even be operated partially dismantled. Just right for covering those really tough ENG happenings.

And our new tower-mounted Disc Array™ receiving antenna with continuously variable polarization and low wind loading has already established a new survival record during an incredibly intense electrical storm. It remained operational after all other

equipment had succumbed to Mother Nature's onslaught.

This operational flexibility and survivability is built into all our high performance ENG equipment. So, don't miss any more parades. Call or write for information. Microwave Associates Communications Company, Broadcast Division, 63 Third Avenue, Burlington, MA 01803 USA (617) 272-3000.



**MICROWAVE ASSOCIATES
COMMUNICATIONS COMPANY**
A **MA**COM COMPANY

Sales offices in Atlanta, GA; Englewood, CO; Minneapolis, MN; Richardson, TX; Sudbury, MA; Sunnyvale, CA; Dunstable, England; Mississauga, Ontario, Canada.

Circle 119 on Reader Service Card
www.americanradiohistory.com

ENG/EJ: RUSHING IN WHERE OTHERS FEAR TO TREAD



In crisis and emergency situations, viewers increasingly look towards television for accurate, informative, up-to-the-minute reports. To meet these needs, some stations have developed emergency response plans to enable maximum efficiency in disseminating vital information during times of crisis. Is your station prepared?

RESPONDING TO emergency and crisis situations may be among a television station's most important public service activities. What if there were a hurricane bearing down on your city right now . . . or a huge passenger plane crashed at your local airport . . . or you were buried under six feet of wind-driven snow . . . or a river flooded, forcing evacuation of thousands of local residents? These are real situations that happen all too frequently.

Telling the story accurately and completely, as well as providing continuing coverage during ongoing situations such as severe storms, is obviously critical in life-threatening situations. Is the public, in fact, in danger? How long is the danger likely to last? How can they protect themselves? Is it necessary to evacuate? If so, where should they go and what should they take with them? These are all questions that are likely to come up in any emergency, and your station is going to be asked to provide the information — if not over the air, then certainly over a probably already overburdened telephone switchboard. In times of crisis, the public turns to its most accessible source of information — the media. Being there for them in times of crisis may help spread the message that you are there at other times, too.

To deal with emergencies, many stations have estab-

lished prearranged crisis response plans. In some cases the plan is little more than an up-to-date list of key station and local authority phone numbers, distributed to reporters, photographers, and others at the station who must act when the situation arises. In other instances, particularly in those areas with chronic severe weather conditions, the crisis plan may be so highly evolved that even low-grade engineers and operations people can keep the station on the air. One thing is clear: having a response plan tailored to your station's market and your engineering and operations capabilities can make a vital difference when covering situations in which your program material can help save lives.

At the outset it should be noted that crisis response plans often address two rather separate needs at a station. First, the station must be able to keep itself on the air during the crisis (obviously, if it is knocked out, it will be useless). Second, it must have the means at its disposal to go out and gather information (or, at least, be able to keep in touch with it) during even the most adverse conditions.


On the first objective, most stations are already fairly well equipped with emergency generators to supply full or partial power to the transmitters. This is often coupled with backup systems for STLs — for instance, a backup telco line out to the transmitter in case of STL failure.

Along with emergency generators or alternate mains supply at the transmitter, stations are also increasingly providing themselves with emergency generators at the studio. Careful planning (chances are that extensive air conditioning will not be needed during a major storm) can insure that emergency power is distributed to key areas such as news, a studio for emergency broadcasts, and master control, permitting operation with far less power than normally required. Checking the generator's fuel supply frequently is an obvious precaution against failure.

Where they are available, network affiliates can also be a valuable backup. In Chicago, for instance, WMAQ can activate a system by which the network program being aired by an ABC affiliate in Indiana can be carried via an intercity link and rebroadcast from WMAQ's facilities at the Hancock Tower. In addition to maintaining an emergency generator there, WMAQ could theoretically move key personnel, equipped with battery-operated equipment, to the tower so that local programming could be originated in addition to the network retransmission.

WPTV — calm at the center of a blustering storm

In a sense, then, the transmitter becomes like the king in a chess game: it must be protected at all costs. At the same time, however, there must be programming to put on the air. It was for this reason that WPTV, the Scripps-Howard Broadcasting Co. station in West Palm Beach, Fla., actually moved part of its studio operation out to its transmitter building when Hurricane David rolled through last Sep-



Ikegami's third microprocessor-controlled camera reduces registration set-up time and cost

The ideal camera for field broadcast television assignments must meet three major criteria. It must be air-ready moments after arrival at the camera site. It must deliver pictures of studio-quality color, crispness, and clarity. And it must be consistently reliable.

The Ikegami HK-357A meets those criteria in the field and is equally suitable as a studio camera. And it allows the camera crew to concentrate on creative aspects of their assignment instead of on time-consuming set-up and readjustment tasks.

Once on-site, the HK-357A requires hook-up to only three cables and power source. Then, a push of the microprocessor activate button automatically cycles it

through a check and recheck of all set-up and registration adjustments. This takes approximately 45 seconds per camera (up to six cameras can be handled). No external registration and chip charts are necessary because a test pattern projector (diascope) is built into the lens. Camera distance from the compact base station can be nearly a mile with triax, or 2,000 feet with TV-81 multi-core cable.

Because the HK-357A optimizes the capabilities of the newly developed Diode Gun Plumbicon™, the picture outputs is of very high resolution, low lag, low noise and wide dynamic range. Dynamic Beam Stretch to reduce comet tailing; Geometric Correction for near-perfect registration; auto iris and auto white balance — all contribute to the superior color picture program output of this camera.

The HK-357A is notably versatile too. It offers selectable contrast compression levels; built-in chroma keyer; gen-lock to Sync and SC or VBS/BBS; and several other features, including an unusually compact CCU, optional RCU, tiltable and rotatable 7-inch high-resolution electronic viewfinder.

The performance record of Ikegami cameras at the major networks in the United States and around the world attests to their consistent reliability and long, trouble-free service life.

If you are upgrading, a demonstration may well reveal that the other cameras you've considered may already be obsolete when compared against the HK-357A.

Ikegami HK-357A

Broadcast Products Division, Ikegami Electronics (USA) Inc., 37 Brook Avenue, Maywood, N.J. 07607; (201) 368-9171. West Coast: 19164 Van Ness Ave., Torrance, CA 90501; (213) 328-2814; Southwest: 330 North Belt East, Suite 228, Houston, TX 77060; (713) 445-0100; Southeast: 522 So. Lee Street, Americus, GA 31709; (912) 924-0061.

Circle 120 on Reader Service Card

ENG/EJ: Rushing In

tember.

WPTV's coverage of David, under the aegis of news director Bob Howick, had actually begun almost a month earlier as the first of the season's tropical storms began brewing in the Caribbean area. With frequent reference to charts and maps and with National Weather Service radar pictures, WPTV's news and weather staff tracked the storms on a daily basis. At the same time they began a series of public education programs, in cooperation with local civil defense authorities, to tell people about boarding up windows, stocking emergency supplies, equipping themselves with fresh batteries for portable radio and TV sets, filling bathtubs with water in case of water supply interruptions, and so forth. This material was presented by both the station's own reporters and by frequent interviews with government, county, and civil defense officials and weather bureau people at the local civil defense headquarters.

When it became clear that Hurricane David was actually on a collision course with West Palm Beach, however, Howick and chief engineer Ed Roos activated the station's own emergency plan.

A large measure of WPTV's problem lay in the location of its studio building right on the Intercoastal Waterway — an area WPTV staffers knew would almost certainly flood if the hurricane hit hard. There was no way, even with the studio's auxiliary 250 kW generator, that the station could operate under three feet of water. The solution was to set up a miniature studio at the transmitter building itself, capable of going on the air directly through the transmitter.

"We set ourselves up planning for the absolute worst," says Roos, "assuming that everything would be out except the transmitter. We established a very limited but very complete studio." The equipment came from WPTV's EFP van, which had been engineered so that equipment could be rolled into a remote location for commercial work: two RCA TK-76 cameras, an ISI 904 production switcher, a Shure audio mixer, a Tektronix signal generator, and a Sony BVU editing setup that could be used by stranded reporters or originate playback through a TBC. Also on hand was a vast array of communications and monitoring equipment for getting the latest updates from civil defense and the weather bureau. Howick and the station's chief weatherman set themselves

up in front of a small flat and were ready to deliver a full two-camera show. As it turned out, the main studio managed to remain on the air throughout the entire three-day ordeal; with the staff on 24-hour-a-day call, however, and with normal programming suspended, the studio at the transmitter was used to produce roughly half of the programming, giving those at the main studio a chance to grab some sleep.

WPTV never signed off during those three days, "which felt like a week and a half" to Howick. "But we felt an obligation to stay on the air as much as possible." Coverage of the storm included reports from those areas it had already passed through — Puerto Rico and the Dominican Republic — showing the damage it had created. More important, however, was the coverage from the civil defense headquarters. According to Howick, "we'd done a number of stories on storms and floods in the past, and everything had been centered around the civil defense bunker. So it seemed like the natural place to be for this one." With its ENG van parked outside and a TK-76 inside cabled to the truck, WPTV was able to provide a constant update on the situation, with a reporter on hand at all times of night and day. The van microwaved the signal back to the central receive point on a 2 GHz Microwave Associates system, and then relayed it to the main studio on a 13 GHz link.

Both Howick and Roos stress the importance of maintaining a close liaison with civil defense authorities. Says Howick, "they were extremely cooperative. And even if they hadn't been, they certainly would be now. I think that if there were any reservations before, they were completely wiped out by what we did on the air. Not a single life was lost. The response we got was tremendous."

WVUE learns from the past

1979, it seems, was the Year of the Hurricane, with both David and Frederick causing major damage to the southern U.S. It is a great tribute to broadcasting in general that no one was taken by surprise. Specifically, the credit goes to stations like WPTV and WVUE, the Gaylord Broadcasting Company station in New Orleans, which was able to predict the locations in its coverage area — extending from east Texas through Alabama and the panhandle of Florida — where Hurricane Frederick was likely to create the most havoc.

WVUE senior news producer Paul Amos explains that the station's coverage of the two to three tropical storms and hurricanes that annually pass through the area begins



Shot from KOOL's microwave-equipped helicopter during extensive flooding in Phoenix area

KOOL's on-the-spot report from the Salt River Bridge which was threatening to wash away

ENG/EJ: Rushing In

as soon as the storms are named. "People around here have a high awareness of weather," says Amos. "When a storm appears in the Gulf, everybody's attention is turned to it." The station's coverage of the storm increases with its proximity to the Gulf coast, not only with information about the storm's progress but with word on what to do in an emergency. This helps the station build up its image as *the* place to turn to learn about what to do.

It is when the storm is actually predicted to impact the WVUE viewing area, however, that the emergency response plan is activated. Relying on patterns of past heavy storm damage and population displacement, crews are dispatched to locations where there will almost certainly be major problems — areas with older, decaying buildings, for instance. The eight two-person (cameraperson/reporter) crews, equipped with Cinema Products CP-16 film cameras, are therefore already on hand well in advance of the storm. This gives Amos the relative luxury of being able to cover each area in as complete a fashion as possible — everything from the preparations for the storm's impact to the actual storm to the storm's aftermath. During the coverage, crews maintain contact with the news department via two-way radio and are able to drop exposed film off at prearranged locations where a desk assistant or other nonessential person can pick it up and return it to the station for rapid processing.

Though "strongly committed to film," WVUE also maintains two ENG microwave-equipped vehicles for late-breaking stories and live coverage. One is a full-fledged van with on-board generator, a Philips LDK cam-

era, and Sony BVU recorder; the other is a smaller unit with a TK-76 camera and battery-powered microwave transmitter. Both have Microwave Associates 13 GHz window microwave units.

During the storm coverage, Amos tried to keep both vans as mobile and flexible as possible, particularly the smaller unit, which was dispatched to stories where tape was a must because of proximity to air time. The mobile van, on the other hand, was often devoted to production of the news show rather than coverage. During the storm's worst moments, the truck was parked down by the lake-front where the strong winds almost guaranteed Amos shots of the ocean lapping over the sea wall — again predictable from past experiences. There, with the co-anchor delivering the newscast, viewers saw spectacular evidence of the storm's presence.

Another key feature of the WVUE response plan is a list of important telephone numbers updated and distributed to all reporters and crew people before each hurricane season. As well as the obvious numbers — sheriff's departments in its own and all surrounding counties, local civil defense contacts in its own and surrounding areas, local police departments, the Red Cross, local levee boards responsible for hurricane and flood protection, and so forth — the piece of paper also contains space for writing in the telephone numbers and locations of evacuation centers once they have been established during a particular emergency. Amos points out that now, with the Nuclear Regulatory Commission's insistence that communities maintain an evacuation procedure in case of an accident, stations should get in touch with their local civil defense people, find out where the shelters are, and post them conspicuously in the newsroom.

"WE'RE MORE THAN A COMPUTER COMPANY!"

Larry Pfister
VP Marketing

"Any computer company can sell computers.


"But, Station Business Systems is not like any computer company. We specialize in systems for the broadcasting industry. Our people are former broadcasters so our systems speak your language. That's one of the reasons we are the leading supplier of computer business systems to the broadcasting industry.

"We offer a variety of complete BAT® Systems to meet all your broadcast Billing, Accounting and Traffic needs. In addition to options that add music playlist, film library, program pack-

ages inventory and automation capabilities, there is NEWSCOM® — the one tool that will revolutionize broadcast journalism. And we have CATV Systems too!

"Call or write me for information on how our BAT Systems can help your management information needs."

STATION BUSINESS SYSTEMS

 a division of
CONTROL DATA CORPORATION

600 West Putnam Avenue
Greenwich, CT 06830
800-243-5300
In Connecticut (203) 622-2400

Having a crisis response plan has helped WVUE deal with other emergencies, too. Three years ago when the Continental grain elevator exploded in suburban New Orleans, Amos knew exactly how to respond: "Because of our experience covering storms, we knew we had to get as many people out there as possible to cover the different aspects of the thing. There was the explosion and fire itself — a spectacular scene that ended up on network. Then we had to have a crew to cover those who were injured and killed. And another to cover the relatives of those who were still missing. And others to go to the hospitals to check on the progress of the survivors. We drew on our experience of covering hurricanes to immediately zip to the different locations we knew we had to get to."

In another instance, the collision of a passenger ferry with a tugboat on the Mississippi several years ago, WVUE again drew on its emergency response plan. The news director rushed to the accident to coordinate the coverage of the crews on the scene, while those at the station coordinated the coverage at local hospitals and the Red Cross and interviews with relatives. Without a prearranged plan, the news director could not have left the other half of the coverage to studio personnel.

Amos warns, however, that even the most efficient of response plans may not be enough for certain situations — such as the New Orleans Police Department strike during Mardi Gras last year. "At first," says Amos, "we tried to respond as we would in any emergency situation. But events in which the central characters are people change much more rapidly than when the characters are storms or explosions or the like. During the first few days of the strike, we got caught with our pants down several times. We would send a crew to set up for a story at the negotiat-

ing session, knowing that that's where we could predict the action would take place. But the mayor would suddenly call a press conference a few minutes before air time. We were racing equipment around everywhere — it got to be a battle among the stations with the winner being the one who had the most gear available."

In emergency situations like these, Amos concedes that a response plan must be flexible enough to adapt to the circumstances. During the strike, he found himself far more reliant on his reporters in the field, who were able to evaluate the information and help make predictions about what would break when. Amos, constantly reevaluating his information throughout the day, was therefore able to mobilize his crews at least one step ahead of the events.

KOOL takes to the air to cover floods

It is thought that the number of microwave-equipped helicopters being used by TV stations in the U.S. will eventually reach 200; some 37 are in use today. Certainly they are not all being used to cover crises and disasters. With one, however, a station gains a powerful news-gathering tool during crises. A helicopter may turn out to be the only way to get crews out into the field when roads wash out and can also provide breathtaking aerial views of the damage to help put an emergency situation into its proper perspective. These, at any rate, were the experiences of Phoenix station KOOL during extensive flooding in the area last year.

KOOL's news division manager Bill Miller explains that torrential downpours had proved too great a burden for the Phoenix reservoir system, forcing engineers to release a torrent of water down a usually dry stream bed. The water collapsed most of the bridges, leaving the three

The 2525 Video Signal Synchronizer time base stabilizes VTRs of all formats and synchronizes Network, Microwave, Satellite, and Studio feeds, correcting virtually any signal from any source.

The 2100 Video Image Processor sharpens the softness and substantially reduces the noise in pictures from VTRs, particularly the 3/4" format.

Microtime's 2525/2100 combination. Outstanding performance at an unbeatable price, **\$28,900**. Limited time offer. Individually priced at \$24,995 and \$7,295 respectively. . . . Your best choice is MICROTIME.

 **MICROTIME**

1280 Blue Hills Avenue
Bloomfield, Conn. 06002
(203) 242-0761 TWX 710-425-1165

ENG/EJ: Rushing In



WPTV's fleet of microwave-equipped vehicles used during coverage of Hurricane David last September. Truck at left provided production for mini studio set up at transmitter building



Sony BVE editing controller taken to transmitter building for use by reporters in case they became stranded by the storm



WPTV's studios in West Palm Beach lie directly on the Intercoastal Waterway — a prime area for flooding



An RCA TK-76 camera, part of WPTV's ENG production capability

that remained as the only links between the northern and southern parts of the city and creating monumental traffic jams. In addition, several rivers rose to flood proportions, washing away many homes and causing hundreds of others to be evacuated. "There was only one thing to do," says Miller. "We just took all our people and put them on 24 hour-a-day call. We let them sleep from time to time, of course, but they were always on duty. It's tremendously expensive to do something like that. But it's worth it in the end — to the community and to us. We come out as better reporters or photographers or engineers than when we went into it. It really brought us together as a team."

KOOL's multi-faceted response plan included everything from having experts on hand to forecast the weather and potential flood spots to an emergency microwave link in case the studio failed. "We stationed a guy here," explains Miller, "who had some real knowledge about the river and what it might do. He really understood the jargon used by the Salt River Project people, who were coordinating the water release and flood control." The expert sat by the communications receiver listening in on the Salt River communications. From them he was able to determine where the problems were — in much the same way as those working in Salt River's own control room — and inform Miller. Miller could send reporters to the scene of a potential flood sometimes days before it happened.

The emergency microwave system consisted of a plan to have one of the station's two ENG vans act as a mobile studio, relaying directly to the transmitter. VP of engineering Al Hillstrom had borrowed two diesel generators and had rewired the entire studio to operate off them should the main power lines go down. There was the possibility, however, that even this emergency system would not be enough and that the studio would be completely flooded out. A plan could be instantly activated, therefore, in which an ENG van, equipped with a Microwave Associates 2 GHz transmitter fed by an Ikegami HL-77 camera for live (or Sony BVU 50/VO 3800 for tape) capability could go on the air with a newscast. The microwave signal, normally relayed from a mountaintop receive site co-located with the transmitter STL, could be switched directly into the transmitter. The truck even carried a supply of program tapes that could be aired while live talent was preparing to go on-air. Fortunately, the system never had to be activated.

Also integral to KOOL's emergency response plan is its excellent liaison with the local civil defense authorities, operating out of their emergency center. One of the ENG trucks was out there during most of the week-long emergency, providing frequent live telecasts through a window microwave unit on the camera inside. "We tried to keep people informed at all times," says Miller, "about what kind of danger they were in, or were *not* in — which often proved to be the case. In that kind of situation there are a lot of rumors, most of which turn out not to be true. Dispelling false rumors was an important part of what we did, and we were right at the source of the information."

When there was a life-threatening situation, KOOL was there, too. By keeping reporters and crews assigned to particular beats where they could establish good working relations with the particular authorities involved, Miller was able to keep one step ahead in his coverage plans. He would have his reporters ascertain what the authorities would do in response to a large number of possible situations — no matter how small the chances were they would

THE NEW TK-76C. MORE CAMERA PER POUND. FEWER POUNDS PER CAMERA. JUST WHAT YOU NEED IN AN ENG CAMERA.

We've built all the features you need in an ENG camera into our new TK-76C. The results: lighter weight, even better performance, and extra value.

A new mainframe makes the TK-76C three pounds lighter than its predecessor, yet it's rugged. Built to take L and a retrofit kit permits easy conversion of earlier TK-76 cameras (over 1500 in use around the world) to this new lighter version. That's RCA cost-effectiveness in action.

New comet tail suppression, new remote control options.

New capability for electronic field production, too, with automatic comet tail suppression for enhanced

performance and improved picture quality. It's a production feature that does the job without special tubes and without degrading present tubes. A real cost-effective extra.

Two new belt-pack remote control systems. Choose either a multi-core cable system with automatic equalization and timing for operation up to 3000 feet, or a new multiplex system for wireless or Triax operation up to 5000 feet. Either way, you get new flexibility and convenience.

RCA: one source for all TV broadcast products

Every item from RCA—camera, VTR, film chain, antenna or transmitter—is designed to start ahead, built to

stay ahead. Count on RCA to save you money over the long haul, where it really counts.


RCA TechAlert protects your investment 24 hours a day.

If your TV gear isn't on the job, it can't be cost-effective. So we back our outstanding products with service to match: TechAlert. The far-reaching advantages of its non-stop availability are as near as your telephone.

That's how close you are to your RCA representative, too. Why not call him for all the facts on the improved TK-76C, or any other item in our cost-effective broadcast equipment lineup. Or write RCA Broadcast Systems, Building 2-2, Front & Cooper Streets, Camden, NJ 08102.



**Cost-effective
broadcasting: we make
what it takes.**



ENG/EJ: Rushing In

happen. He would then use the station's TeleMation Compositor to create and store the information so that it was already formatted and ready to be aired immediately if the authorities decided to close a road or evacuate an area. The same was true for live coverage in badly affected areas. Knowing where the floods were likely to hit next, Miller would station one of the ENG vans there ready to cover the evacuation. In one instance, the crew stayed behind to provide a picture of what the floods were doing to a neighborhood whose residents were probably watching the telecast at an evacuation center. "I think a lot of people will remember our reporter saying, 'We've got to go now or we're going to get caught,' with the water lapping around his feet," muses Miller.

By far the most different and visible elements in KOOL's coverage, however, were shots of the overflowing river and collapsed bridges supplied by KOOL's microwave-equipped helicopter — the first time a live telecast was made from a helicopter in the Phoenix area. The Bell chopper, equipped with a Microwave Associates window unit on a frequency common to both vans, was able to fly up and down the river providing spectacular aeriels to whichever van was closer. In turn the vans, equipped with small switchers, were able to cut from their own ground cameras (with, for instance, a reporter interviewing a civil defense official about a bridge threatening to collapse) to the overhead shot actually showing the situation. The helicopter could then fly downstream and, within a matter of minutes, transmit to the second truck for another report. The system worked extremely well, according to both Miller and Hillstrom.

At KOOL, the experiences with the floods have led to the development of an actual written emergency plan. It tells, basically, what to do when certain things happen — whom to call, how to get people in, what to put on the air, what the priorities are — and clearly establishes a chain of command. On the engineering side, the plan details how to set up the ENG vans for direct microwaving to the transmitter to provide live coverage, then patching the VCR playback into the microwave system for preprogrammed material. All engineers at the station are familiar with the procedure.

Coverage of the floods has led to other engineering changes, too. For one thing, backup communications systems are a must. The ENG trucks are now outfitted with communications systems that operate on the same frequency as the 450 MHz Motorola walkie-talkies used in the field; a single switch will change program audio over to the 450 MHz system from the microwave link in case there is interference. At the same time, an "enormous" quantity of extra batteries for the mobile units are kept fully charged since no battery can hold up after 18 and more hours of constant use. Station personnel are also given the exact frequency of the field radio system so that it can be programmed into the scanner systems on their car radios, providing for at least one-way communication if all else fails. Another communication backup system consists of the pagers worn by Miller, Hillstrom, and other key people, who can be contacted by telephone if the radio systems fail.

There is yet another engineering change brought about from the experience of covering the floods; Miller has the station and mobile vans equipped with a generous supply of heavy-duty plastic garbage bags. "They're the *only*

decent protection against the rain we have," claims Miller.

Neither rain nor snow nor gloom of night stay WMAQ and WTHR . . .

The best crisis response plans, as we have seen, are those that are both reflections of a station's basic capabilities and are responsive to the demands of the environment — be it chemical or meteorological. It is interesting to note, therefore, that two stations — WMAQ in Chicago and WTHR in Indianapolis — have turned to the same equipment to help them deal with emergencies. In both cases the emergent weather condition is snow — which reached its climax during the severe blizzards last winter. And in both cases, a helicopter was linked with four-wheel-drive mobile units to provide coverage.

WMAQ's William Marshall was one of the first to get in on the move to use flexible, mobile, microwave-equipped vehicles for ENG. He purchased, from the floor of the 1978 NAB show, E-N-G Manufacturing's Ford LTD with its single frequency 2 GHz system. The LTD is still in daily use and proving a real workhorse. "We wanted something, however," says Marshall, "that would be a little more reliable in off-road situations — a vehicle with four-wheel drive whose body was up a little higher and which would enable us to get to places a car might not be able to." Marshall again turned to Jack Harris at E-N-G Manufacturing, who was able to supply two GMC Suburbans specially modified for ENG use. Both had dual 2 GHz/7GHz capability, and both were fitted with four alternate power systems (an on-board generator, mains tie-in capability, the Suburban's own battery, plus an additional dynamo and battery system to provide up to 20 minutes of emergency power). The Suburbans got their first real test when the DC-10 crashed at O'Hare Airport last May; they enabled WMAQ reporters and crews to get in on terrain that might otherwise have been impassable. They got their second workout last winter when they were often the only way to get about in the snow. Marshall has just received two more.

WMAQ's helicopter is a Bell JetRanger III outfitted with a hybridized microwave system made up of components Marshall already had on hand — a Microwave Associates 2GHz 14 W transmitter and an MA omnidirectional antenna. Marshall explains that this is by no means the final configuration of the system; he is awaiting new developments in airborne microwave before deciding which system to go with. The station presently maintains two sets of receiving antennas; the main site, at the Hancock Tower, has dual Nurad Superquads for 2 GHz and 7 GHz operation, the auxiliary site at the Sears Building has two sets of Nurad quad horns, again for dual operation. Marshall estimates that by fine-tuning the directivity, he could achieve a helicopter range of 90 to 100 miles. Then, by installing a dual frequency system in the helicopter (using a 7 GHz link from the Suburbans to the helicopter and a 2 GHz link back to the receivers), the range could be considerably extended beyond the present 30-mile limit.

WTHR's manager of engineering Ron Arendall faced a similar problem. During the two or three bad snowstorms Indianapolis gets each winter, he not only has to be able to get his staff into the station, but must also be able to get them out on assignment. Part of the station's emergency plan is to assign its seven video cameras (Ikegami HL-77s and 79s and Thomson-CSF Microcams) and four film cameras to its cameramen. News director Bob Schaeffer

NO OTHER 1" VTR SYSTEM GIVES YOU ALL YOU GET WITH THIS RCA SYSTEM.


You won't find a 1" helical-scan VTR system anywhere that beats ours for performance, convenience and versatility. And none that comes with the total service backup you get only from RCA.

An advanced studio recorder.

The TH-200 studio VTR offers incomparable editing with ease and flexibility. Transparent picture quality. Built-in previewable editing. Shuttle and jog bi-directional search control for fast, accurate edit decisions. Optional Dynamic Tracking provides broadcast quality slo-mo, fast-mo and freeze-frame playback, incrementally from 1/5 reverse speed to two times normal speed. And there's a record confidence head.

An optional Digital Time Base Corrector.

The TBC-200 Time Base Corrector utilizes advanced digital processing techniques. It extends the VTR's capability and provides exceptional video performance. It enables the TH-200 to retain a fully-locked color picture at up to ten times normal speed, with recognizable monochrome pictures at more than 60 times speed. Equipped with a built-in drop-out compensator, velocity error corrector and a standard correction range of 12 horizontal lines.



A great portable VTR.

The TH-50 is a compact, light-weight recorder with up to 90 minutes of battery operation. Includes an auto-backspace editor and a built-in time code generator. All basic specifications are identical to those of the studio VTR, so you can record in the field, then edit directly on 1" tape without converting to another format.



In the studio or in the field, for programming or production, no other system has as much going for it. And for you. Ask your RCA Representative to prove it. Or write RCA Broadcast Systems, Building 2-2, Front & Cooper Streets, Camden, NJ 08102.

Total support from RCA.


RCA protects your equipment better than anyone else. With 24-hour parts replacement service. And our famous TechAlert, for help as close as your phone, any time of the day or night. Plus emergency service. And service manuals and training seminars.



Cost-effective broadcasting: we make what it takes.



Tektronix 650HR Series



No softy.

The 650HR is a real stickler for detail. Tektronix engineered it to meet your most exacting needs in a color picture monitor.

The improved picture tube is a new, high resolution version of the Trinitron® providing sharp, accurate pictures. With the 650HR, you know the picture is honest.

This precision color monitor is designed to mirror reality. And it's stable. A row of monitors, adjusted and matched, stays matched.

Trinitron® is a registered trade mark of Sony Corporation.

The 650HR incorporates all the features of our 650A Series. Selectable AFC speed. Variable aperture correction. Extended bandwidth luminance channel. The unique Blue Only mode—a fast, highly sensitive means for checking video tape recorder noise. This monitor is available in all major tv standards, including RGB versions.

Our high resolution monitor is no softy. You demand performance; the 650HR delivers it. And Tektronix backs every instrument with proven, worldwide support and service.

For additional information, call your nearest Tektronix Field Office. Or write Tektronix, Inc., P.O. Box 1700, Beaverton, OR 97075. In Europe, write Tektronix International, Inc., European Marketing Centre, Post Box 827, 1180 AV Amstelveen, The Netherlands.

Tektronix®
COMMITTED TO EXCELLENCE


Circle 123 on Reader Service Card

www.americanradiohistory.com

ENG/EJ: Rushing In



E-N-G Manufacturing's GMC Suburban, modified for ENG live capabilities, as used by WMAQ in Chicago. Dual telescoping masts provide 2 GHz and 7 GHz capabilities



Interior view of van showing production control center with audio mixing and video switching and monitoring



The Suburban out in the middle of the snow following last winter's blizzards (left)

High ground clearance in the Suburban permits off-road use (right)

maintains a list of where the cameramen live and is able to assign them to cover areas close to their homes.

Schaeffer has also established a good liaison with a hotel right across the street from the station, where staffers who make it in can catch some sleep without hassles.

For real coverage, however, four-wheel-drive vehicles are a must. The station maintains two Chevy Blazers, each equipped with a camera and recorder, used for general transportation to get crews around. For live capability, there is an E-N-G Suburban, outfitted with a 2 GHz Nurad Goldenrod telescoping mast, Thomson-CSF Microcam, and BVU 100 recorder. The Suburban also carries a 13 GHz window microwave unit for its camera. Arendall is impressed with the Suburban's ease of operation, particularly in emergencies. "It used to be that the vans were much too complex. But with the Suburban you go out knowing you're going to use only one camera and that you're definitely going to get a signal back. It really can be a one-man operation."

The only problem with the microwave vehicles proved to be their limited transmission range within the 20-mile radius metropolitan area WTHR covers. The answer proved once again to be a helicopter — a Bell JetRanger III outfitted with a Tayburn microwave system. With an on-board ENG camera and BVU recorder, the chopper is capable of providing a picture from at least as far out as the limits of the Grade B contour — about 60 or 70 miles. The helicopter can also act as a relay for one of the ground cameras equipped with a window microwave unit. Together, the helicopter and four-wheel-drive vehicles provide coverage during crisis situations that would otherwise be impossible.


More and more stations are developing crisis response strategies like the examples we have just examined. Innovative ideas abound — ranging from basic plans of

having on-air microwave systems ready to relieve a threatened studio, to WTHR's simple but effective device of preceding a Vidifont crawl message advising adverse conditions with a beep tone to make viewers conscious. New technology is at the forefront of many of the plans — ranging from fully-equipped mobile vans capable of acting as mobile command posts to microwave-equipped helicopters to provide overviews. The ideas and the technology are only a backdrop, however, to the willingness of station personnel to respond in a crisis as if human life really did depend on it.

Only one note of caution remains, however. At KXAS in Ft. Worth, Texas, Harold Taft has been forecasting tornados for over 30 years, during which time he was also a commander with the Air Force Weather Service. Taft has personally trained some 150 "weather watchers" who regularly call him at the station on a special number to give temperature and rainfall readings and who act as storm spotters. In addition, whenever a major storm moves into the area, local civil defense sets up a sub-command post right in Taft's office, maintaining two-way radio contact with some 200 mobile civil defense storm spotters. When Taft sees the threat of a tornado touching down, he rushes into master control, tells them to put up a "Special Bulletin" slide, and delivers the warning over a live radar picture. "When they hear me hollering," says Taft, "they know I'm for real!" The problem is that not all viewers will always agree. "We don't break in on a commercial," explains Taft. "But if there's a life-threatening situation there's no time to crawl a message — we have to go live. And if it interrupts someone's favorite soap opera, we'll hear about it, no matter what the danger or how much advance warning we're giving people." For the station committed to serving the community, the choice is obvious.

BM/E

Introducing the Ramko a new cart machine, but



Finally you can get your hands on a cart system with reel-to-reel performance.

A cart system that eliminates phase shift error once and for all. That sets new standards for low wow-and-flutter. That provides signal-to-noise, distortion and frequency response that are better than anything else

in the industry.

Finally, the PhaseMaster.

PhaseMaster: the cart machine, redefined.

The new Ramko PhaseMaster has all the features you want, and some that never existed before.

It's built to take the

pounding you're going to give it, hit after hit, commercial after commercial, day after day.

The deck is a 5/8" casting for stability, with a stainless steel cover plate for wear resistance. The crystal-controlled dc servo motor ensures greater speed accuracy and lower heat

PhaseMaster™ not just a whole new concept.

generation (15 ips, 7½ ips, 3¾ ips motor speeds field-selectable). The machined head stack is rock-stable, and we've included internal illumination for your periodic head inspections and cleaning. There are no micro-switches to break or jam — and never any start-up wow — because the motor is started by an optical sensor as you begin to insert the cart. And the cart hold-down presses on the edges for greater stability and exacting alignment, pressing with roller contact for velvet smooth insertion and withdrawal.


lower track. On playback, the left channel signals from both tracks are compared, and any phase shift difference is corrected automatically by a continuously tracking electronic time delay.

Simple.

And it works — no more holes in your sound, and no more side-to-side spectrum shift.

The ultimate cart system, mono and stereo

The Ramko PhaseMaster System, in mono and stereo, is available as a playback



tronic control center; two A and B cart decks; and a cassette deck.


To record, you switch-select any of three inputs to record on any or all of the decks. When you play back, the control center determines whether your tape is mono or stereo, coded or uncoded, and automatically reproduces the correct outputs.

To dupe, you simply load tape (cart or cassette) and one or two blanks, then hit Record/Play and the control center puts the signal where it's supposed to be.

Call collect for the full-featured brochure

Get the brochure. It covers the PhaseMaster System's convenience and ease of operation; the left, right and phase meters; the 4-digit timer; the three cue tones; the integral testing facilities; and everything that you were hoping would be in it.

Write Ramko Research, 11355 Folsom Blvd., Rancho Cordova, CA 95670. Or if you can't wait for the mail, contact your nearest rep or call (916) 635-3600 collect and arrange for a 2 week free trial.



And no more stereo phase shift error

Phase shift doesn't much matter in mono, so when you're recording stereo, the PhaseMaster encodes a mono L + R signal on the upper track, L - R on the

unit or a record/playback deck.

It also comes as a complete reproduction center which duplicates — as well as plays and records — your mono and stereo carts and cassettes. This consists of four modules: an elec-

RADIO PLANS FOR ORDER WHEN CHAOS STRIKES



Emergencies always have unforeseeable factors, but careful advance planning is still the single most important part of success in handling disasters. The disaster case histories set forth here show this vividly, along with other essential lessons drawn from the emergency experiences of radio in large markets and small.

THERE IS ONE WAY a radio management can position the station to earn the highest respect in its community—indeed, to be an essential, life-saving agency in many cases. The role played will discharge the station's most basic responsibility, and give the staff special satisfaction not available from their regular duties.

The rule for this is: be ready, as completely as you can, to handle emergencies that hit the community! This issue of *BM/E* tells how broadcasting has handled emergency situations of many kinds in recent years. The record, as every reader will see, is spectacular, even though hindsight in some cases has shown the way to improvement of radio's calamity performance. That is normal, and valuable: one main purpose of this special issue of *BM/E* is to gather in one place a substantial body of lessons from the front-line experience of many stations. And broadcasting has been absolutely on the front line, from Three Mile Island (see "Three Mile Island: Lessons Learned," on p.30) to the furious destruction of Hurricane David, from wild flooding on the Mississippi to the railroad fire-explosion disaster near Toronto.

Radio, particularly in smaller communities, has emerged as an essential information lifeline, one that the community would have been in desperate straits without. Small-market radio is uniquely positioned for this. But satisfactory performance in that position follows if, and only if, the management has made every reasonable preparation for the unforeseeable.

The seven stories that follow tell how seven radio stations, in small, medium, and large markets, actually performed in serious, life-threatening calamities that struck their respective communities. These stations are not at all unique. Many others have written similarly splendid stories of performance in the face of disaster. The stories told here are representative of the main kinds of emergencies radio stations are likely to face, and the responses of the seven stations, taken together, constitute a rich manual of calamity performance in which every

broadcaster is likely to find some guidance.

CJMR: kingpin in Toronto evacuation

Just before midnight on Saturday, November 10, cars in a freight train of the Canadian Pacific went off the track between the towns of Wolfedale and Mavis, a few miles from the Toronto suburb of Mississauga. Tank cars carrying propane and chlorine gas exploded, sending up a spectacular pillar of fire that was visible for miles.

Michael Caine, vice president and general manager of stations CHWO and CJMR—the latter has studios in downtown Mississauga—was driving home and saw the huge fire. He went toward it and was the first media person on hand, ahead of most of the police and fire trucks. By that time the general nature and location of the accident were known to the police. The news crew at CJMR, alerted by Caine, was able to get from the police a brief preliminary statement, which went on the air at midnight, eight minutes after the accident.

A CJMR news crew, two men of the six-man news staff in a car with two-way radio, also saw the fire from a distance and rushed toward it, although they were off duty at the time. That crew, plus nearby telephones, put CJMR right on the line at the scene, well ahead of other news media.

Working closely with officials of the fire and police departments who were well known to them, the CJMR crew reported on-air at 12:45, accurately according to the information officially known at that time, that CP tank cars with propane and another gas had exploded, that people within a half-mile of the site were being evacuated, and the exact location of the accident.

This was followed throughout the night by almost continuous reports from the scene, including the first live actuality, a description of the scene and interviews with officials there.

Roger Snowdon, the CJMR news director, and Bob Connolly, morning news editor, came on the scene to help in directing the news effort. CJMR became a main line of information between the authorities and the people in the area. This worked smoothly and effectively because CJMR personnel knew the relevant authorities well, and vice versa.


Important in the station's communications with the police are three telephone lines with unlisted numbers. The police, who have the numbers, can get through to the station even when the regular lines are jammed with listener calls.

A second wave of evacuees was sent to Square One, a nearby shopping center. More and more CJMR personnel

fact:
some veteran products
do their job so well,
for so long, for so little money
it's a pleasure to reintroduce them.

Through the years, Shure microphone mixers have gained the reputation of being the practical, efficient, economical way to increase the flexibility of public address, sound reinforcement, and paging systems, as well as tape recorders using multiple sound sources. In fact, they are used in almost twice as many studios as the next most popular brand... with good reason.


For Example:



The Utterly Simple M68 Microphone Mixer...

The original high-performance, low-cost mixer for professional and semiprofessional applications. Excellent for most sound system and tape recording requirements. Portable (less than 4 lbs), ultra-simple in operation and gratifyingly modest in

price. Four high- or low-impedance microphone inputs plus an additional auxiliary high level input, with a master volume control and individual controls. A wide range of accessories lets you customize the M68 for almost any special installation.



The Thoroughly Professional M67 Mixer...

Specifically designed for professional recording, TV and radio studios, "remotes," sound reinforcement and audio-visual installations. Four low-impedance transformer-coupled mic inputs, one convertible to line input. Ideal as a self-contained compact console or as an "add-on" for

existing facilities. VU meter; built-in tone oscillator for sending level test signal. Extremely low noise and RF susceptibility; two-level headphone monitor jack... ac or battery operation with optional battery pack—even switches automatically if ac line fails.

Microphone Mixers by



Shure Brothers Inc., 222 Hartrey Ave., Evanston, IL 60204, In Canada: A. C. Simmonds & Sons Limited
 Outside the U.S. or Canada, write to Shure Brothers Inc., Attn: Dept. J6 for information on your local Shure distributor
 Manufacturers of high fidelity components, microphones, sound systems and related circuitry.

Circle 125 on Reader Service Card

The Thinking Cap.



Now you can check, sort and measure capacitance in less time, with more accuracy.

Forget what you know about cap meters. CSC's new Model 3001 Digital Capacitance Meter offers advantages worth thinking about.

It's more accurate. More rugged. With more features, more accessories. All in the first cap meter specifically designed for professional lab, test and production benches. All for just \$250.*

As usual, we started where everyone else left off. Behind our 3½-digit LED display, you'll find a unique *Dual Threshold* circuit that boasts 0.1% accuracy** (that's 0.1% of the *reading* — not of full scale). Nine overlapping ranges, up to .1999 Farad, with down to 1 pF resolution. Auto over- and under-

range indications. And the 3001 isn't fooled by dielectric absorption.

Our back panel is more intelligent, too. With an easy interface for remote display, sorting and control accessories. And a clever way of eliminating battery problems—an AC cord.

We've put a lot of thought into our accessories, of course. With a production test fixture, a Tri-Mode Comparator, and a variety of test cables. Plus one of the best manuals in the business.

We can't tell you the whole story here. Call or write for details. Or better yet, order your Thinking Cap today.

Smarter tools for testing and design.

CONTINENTAL SPECIALTIES CORPORATION

70 Fulton Terr. New Haven CT 06509 (203) 624-3103 TWX 710-465-1227
OTHER OFFICES: San Francisco (415) 421-8872 TWX 910-372-7992
Europe: CSC UK LTD. Phone Saffron Walden 0799-21682 TLX 817477
Canada: Len Finkler Ltd. Ontario



Call toll-free for details
1-800-243-6077
8:30AM-5PM Eastern Time

* Suggested U.S. resale. Available at selected local distributors. Prices, specifications subject to change without notice. © Copyright 1979 Continental Specialties Corporation
** 0.5% in two highest ranges

Circle 126 on Reader Service Card

Radio Plans For Order

came on, some at the crash scene, others at the studio. Before the morning was over, some 20 persons were on the job.

CJMR's close relationship with local authorities and policy of checking every report with them became most important: a number of times the police asked CJMR to correct erroneous reports on the air from Toronto stations. This was a matter of the utmost importance because the area of evacuation was widened in rapid stages until by Monday morning nearly 226,000 people were affected. It was in this urgent situation that CJMR performed a kingpin role, aiding the evacuation in every possible way. The station acted as a message center for separated families and broadcast information on how to act in evacuation centers, what to do with the family pet, and other questions. Another vital function was to warn sight-seers away from the scene. At first curiosity seekers had jammed all the approach roads, seriously impeding police operations. And, of course, a main function was to confirm to listeners exactly where each group was to go.

Incidentally, many of the CJMR personnel were themselves evacuated and spent the period at the station, sleeping on the floor and bolting down coffee and "fast food." They would have come on duty in any case. This pitch-in spirit, and the skill of the news staff who directed the operation—in addition to the news staff's total familiarity with and to the local fire, police, and civil defense authorities—were the absolutely essential foundations for the operation.

At the height of the danger, the CJMR studios in Mississauga had to be evacuated, and all operations were moved to CJMR's sister station in Oakville, CHWO, which shares the same transmitter towers (CJMR/CHWO won an award in *BM/E's* December, 1975 Best Station Contest). But the possibility that Oakville, too, would have to be evacuated had to be considered, and general manager Caine had a truck loaded with emergency studio gear to go on the air from Milton, 15 miles north. Bell of Canada had quickly put in the necessary telephone lines. CJMR could have been on the air from Milton in less than half an hour.

Caine gave *BM/E* some reflections on the Toronto tank-car accident, potentially one of the most dangerous events of recent years in a highly populated area. He pointed out that the very large quantity of chlorine gas that escaped into the air could have descended as "mustard gas," fatal in 15 minutes or so if breathed in. "We at the scene were *really* on the front line, although we didn't know the full extent of the danger at first."

He strongly emphasized that in such an operation a "scoop," beating other stations to the air with hot information, is *wrong* unless its accuracy has been double-checked. He said that a radio station cannot perform its emergency function unless there is a *plan of personnel assignment known to all in advance*. The staff leaders, those with long experience in directing news operations, must be right on hand; the operation should not be directed by new or inexperienced news personnel.

Caine noted that one vital factor is assignment by the police and civil defense authorities of liaison officers to deal continuously with the media, officers who have the authority and knowledge to give out official information promptly. This has the double value of keeping the media out of the way of urgent police operations, and of improv-



Attorney-General Roy McMurtry explains the scope of the emergency to the press

ing the accuracy and speed with which information reaches the media.

He concluded that if all these conditions are met, a local radio station can be of inestimable value to the authorities; they leaned heavily on CJMR at the Toronto site in the huge evacuation. The dependence is mutual: the station needs constant, close communication *from* the authorities in order to serve its listeners and play out what are likely to be some of its finest hours.

WHHR faces down Hurricane David

Hilton Head, S.C., is a resort island 40 miles off the Atlantic coast with a permanent population of about 11,000 and a summer resort population of about 40,000. The very peak of the season, the Labor Day weekend, was the time chosen by Hurricane David to move up the coast with its winds of more than 100 miles an hour.

WHHR-FM is the only radio station on the island, normally putting out 3 kW of RF power, more than enough to cover the island's ten-mile radius. Well ahead of the hurricane came the news that all commercial power would be shut off to minimize the danger of fire.

Station manager Al Rogers and chief engineer Jack Valinski knew WHHR would be sorely needed on the air to provide fast emergency and evacuation information to the island's people during the hurricane. There is no municipal government, but an Island Emergency Council, made up of civilians, supplies central guidance and information. The council set up a command post and prepared check lists of advice on handling all anticipated events during the hurricane. WHHR aired this advice repeatedly during the time before commercial power was turned off, six hours ahead of the hurricane.

Rogers and Valinski decided that their best hope lay in their 3300 watt generator. Their transmitter alone takes 8500 watts, but they thought the generator just might get them by *if they used their exciter as the transmitter*.

Valinski notes that "... some fast advance planning and more than a little luck kept WHHR on the air almost continuously during Hurricane David and through a 24-hour period with no commercial electric power. The way it all worked out is a good example of what can be done when something has to be done. . ."

The first trial, run by turning the transmitter off but leaving the exciter on, was a failure: the signal from the antenna was effective only for about a quarter-mile. Valinski decided to rewire the exciter so it fed directly into the harmonic filter at the head of the transmission line, about a half-hour's work in the transmitter cabinet. This was done

Anybody...

can use the same 2/3" lens in the field and studio...

if it's Fujinon's A17x 9mm wide angle f1.7 lens.

Here's why




COMPARISON OF 2/3", 1" AND 1 1/4" LENS FOCAL LENGTHS FOR SAME HORIZONTAL FIELD OF VIEW

2/3"	1"	1 1/4"	HORIZ. FIELD OF VIEW
7 mm	10.5 mm	13.5 mm	65°
9	13.5	17.5	52°
18	27	35	28°
29	43	56	17.5°
75	111	144	7.0°
150	222	288	3.5°
300	444	576	1.7°
500	740	960	1.0°

12.5mm	18.5mm	24 mm	39°
275	407	528	1.9°

A22x 12.5 LENS



The A17x 9mm f1.7 lens is designed for any field and studio assignment... commercials, news, production and ENG/EFP.

- Wide angle and close-in shots at 7mm or 9mm focal lengths.
- f1.7 constant aperture over a wide zoom range and with wide angle and telephoto adapters.
- Zoom with 7mm wide angle adapter.
- Built-in 2X extender for up to 490mm focal length.
- Full range of accessories adapts lens to any studio operation.
- Lightweight and rugged... 2.5kg including servo iris and servo zoom.
- EBC* (Electron Beam Coating) lenses virtually eliminate flare and ghosts, and assures the best color fidelity and sharpest pictures.

For Complete details about Fujinon's A17x9 and the A12x, A14x and A22x 2/3" lenses call or write:

Fujinon Optical Inc., 672 White Plains Road
 Scarsdale, NY 10583, (914) 472-9800 Telex: 131-642
West Coast Distributor: F.P. Optical, Inc.
 118 Savarona Way, Carson, CA 90746, (213) 532-2861

* EBC is an exclusive lens coating process invented by Fujinon



FUJINON
 First in Optical Systems

Radio Plans For Order

immediately when commercial power went off, at 10:20 a.m. on September 4. When it was done 20 minutes later and the power from the generator fed in, the wattmeter showed 22 watts going down the transmission line for an ERP of 25 watts.

That was enough: WHHR did cover the island, and got reports from as far as 40 miles inland. For one four-hour period at the height of the hurricane, WHHR had the only signal on the band between Brunswick, Ga. and Charleston, S.C. The only breaks were for refueling the generator, a three-minute chore about every two and a half hours. The generator even ran the cart and open-reel tape machines with no speed problems.

For incoming information on the progress of the storm, WHHR was able to depend on its telco line to the Weather Bureau. But a breakage here too was naturally a possibility; and for that, WHHR had in place a mobile ham radio rig that ran on its own power and could bring in information directly from mainland ham nets. In most parts of the country, the ham radio organizations work extremely well in emergency situations. Their potential value is being recognized by current efforts by the NAB to get the FCC to authorize permanent ham radio receivers at broadcast plants.

Valinski summarized for *BM/E* what the station learned. The generator, he said, will be made a permanent part of the station's plant, in a weather-proof shelter. A larger fuel tank will be installed. There will be permanent switching to transfer generator power to the station, and RF switching in the transmission line to make the exciter the final, a 10-second changeover.

Valinski is also making a complete power inventory of the plant to determine what each item of equipment needs, so they know just what they can run if it ever happens again.

The WHHR management echoes that of CJMR on two very important points. WHHR president Stewart Corbett says that technical ingenuity was vital, but would have been pointless "... without staff members who volunteered to sit out the storm on the mics and telephones." And Rogers told *BM/E* that the relevant authorities (in this case the Emergency Council) should in the future assign a liaison officer to work continuously with the media as a way of making information transfer accurate and fast. Luckily, Hurricane David did not spread injury and damage widely at Hilton Head. But it was absolutely necessary that the people of the island know what was happening and what to do at every juncture. WHHR played its full part in that.

WRVA bridges flood-divided Richmond

The historic James River, running through the middle of Richmond, Va., is usually a sober and stately stream. After Hurricane Agnes of 1972 dumped its oceans of rain on the eastern United States, however, the James turned into a torrent that invaded all the lower-lying sections of the city, washed out all but one of the bridges, and ran into thousands of businesses and homes.

Radio WRVA, a veteran in Richmond, has a five-person news staff. When the flood came, that staff went on permanent duty and was joined by nearly all the other station personnel, prepared to stay until the emergency was over; in effect, the management declared a "general quarters," and the whole staff responded.



Broadcasters kept the public informed as the emergency progressed. Evacuation of the Mississauga Hospital was accomplished smoothly



Essential in many emergency situations is two-way radio in mobile trucks or vans; they can keep the station on top of developments and put the event on the air "live"

Accurate information to citizens in the path of the flood was essential. WRVA put a staffer permanently as liaison with the city's Flood Command Center; he had a line directly to the station's studio and could get information there in short order. By charting flood progress on a map of the city, WRVA's news staff could anticipate the moves ordered by the city and was ready with detailed information when any order became official.

The station operates a helicopter with two-way radio, which proved to be immensely valuable in charting the flood. The helicopter also brought in some staff personnel who were on the wrong side of the river when the bridges went out. That unit, plus a complement of cars with two-way radio, allowed the station to maintain an up-to-the-minute map of the city indicating flood conditions in every sector.

Aiding in this operation was the station's "beat" system. Reporters are assigned to certain sections of the city, with which they are familiar, so they could accurately evaluate what was going on in their reports to the station. Also, the newsroom always had a news editor on duty to coordinate all incoming material. This kind of organization adds efficiency on ordinary days, but becomes essential in emergencies.

WRVA's detailed reports, based on careful map analysis and front-line information, helped greatly to keep the people of the city on top of the flood. The station also ran a message center to help families separated by the river with information on various members' whereabouts.

John Harding, news director, emphasized to *BM/E* that

Radio Plans For Order



One of the most valuable pieces of gear for disaster coverage is the "brick," or hand-held transceiver, which can reach the studio from several miles away

staff "esprit" was one of the biggest plus factors in the emergency. "In a sense, they thrive on disaster," he said. "Everybody is there, and knows what to do. We became a close-knit team that could have done anything."

WCEM: undaunted despite flooded studio

In the Eastern Shore town of Cambridge, Md., water is a pleasant way of life: the mile-wide Choptank River laps the ends of the streets, and dozens of tidal creeks run to the river and to the nearby Chesapeake Bay through the rich farmland. But Hurricane David turned the river into a menace. The water came up into many parts of the town, including the studios of WCEM/WESP-FM, the only radio station.

As manager Samuel Cannon explained to *BM/E*, the studios are quite near river level and a super-high tide may get into the ground floor of the two-story building. All the cabling runs just under the roof; the operation can be moved quickly to the second floor in an emergency.

The Hurricane David wind and flood were among the worst ever known in Cambridge. The river was several feet above normal high tide. Roads were washed out, bridges destroyed throughout the surrounding county. There were hundreds of emergency situations—power out, buildings damaged, trees across the road. WCEM became a crucially important information lifeline.

So Cannon and his staff went on emergency duty just before 3:00 a.m. on September 6. Power was gone, but the station stayed on the air from emergency control equipment on the second floor, using a gasoline generator supplied to the station some time before by the civil defense organization with just such a situation in mind.

The local police turned to WCEM for many kinds of help, a habit of long standing. Cannon has a private telephone number, known to the police, who can get through if the regular phones to the station are loaded, as they often were in this case.

Civil defense and other local organizations also are in the habit of turning to the station for help. And scores of individuals throughout surrounding Dorchester County asked for help when they could not get to a hospital, or needed emergency shelter, or wanted to get information through that was vital to them or to others.

Even though WCEM is not a primary station in the local

EBS net, Cannon pushed the EBS encoder button when the emergency period began. He did this not to tie other stations into the net but to alert listeners, who have learned from the weekly tests what the two tones mean. Hearing them used in an actual emergency naturally made their function stand out sharply.

During the emergency operation, WCEM stayed on its daytime power of 1000 watts, a suspension of the rules that is authorized by the FCC just for such situations. The regular nighttime authorization is 250 watts. The whole performance shows the special rewards of radio operation in a small community. Everyone accepts the radio station as a "good citizen," one they can hardly do without.

KFWB passes tough test in L.A. brush fire

As an all-news station in a megalopolitan area, Westinghouse's KFWB in Los Angeles must have a large organization of people and machines well trained and put together to do the job. Day-to-day news broadcasting is a highly competitive operation in the very large cities. But the same planning and skill that keep a radio station on top of the large-city news game can be redirected for outstanding performance in emergencies. The redirection takes knowledge at the top and a sense of 100 percent dedication throughout the staff.

These facts were emphatically confirmed when brush fires roared into the Los Angeles suburbs in Sept., 1979. News director Carol Breaschers explained to *BM/E* that KFWB has six cars equipped with two-way radio. Each two-person team in a car can be directed from minute to minute by the news assignment chief in the studios. The car teams can be called at home with "beepers"—and they were in this case. In turn, the roving cars keep the central news staff informed at all times of the location and progress of a news event of importance.


During the days when the brush fires were at their height, this arrangement allowed KFWB to maintain an "instant news" stance on the state of the fires, their direction, and the dangers as evaluated by authorities on the job. Communication with the police and the directors of the firefighting effort was maintained with an experienced staffer assigned to liaison at all times. Six reporters were on the scene night and day; their stints ranged up to 24 hours, with only minimum breaks.

In the studios, an editor was always on duty and in charge, 24 hours around the clock. He or she directed the flow of information into the on-air material, making such decisions as when to use actualities or when to break into regular programming.

Any of the radio cars can go on the air directly, and during the worst of the fire emergency that was done a number of times to bring listeners descriptions of the event directly from the site, along with the crackling of the fire, shouts of firefighters, and interviews with authorities at the scene and with citizens whose homes were hurt or threatened. The event could always be brought directly into the studio this way: when the signal path became difficult, KFWB could call into play a relay station in a jeep, able to move quickly to an advantageous spot for reaching the studios.

Breaschers emphasized, as did those at other stations, the paramount importance of clear lines of communication to and from the police, the fire department, and civil defense. The reporters at the fire knew who the relevant authorities were on the front line; the editor and writers in the studio could check stories instantly by phone, through long-standing contacts at the official agencies.

BUILT TO MAKE IT!



AND MAINTAIN IT!! Measures frequency response on TVs, VTRs and other video equipment.

The Asaca Video Sweep Generator 205 contains a built-in standard color sync signal generator. The color burst can be switched on and off so the 205 is ideal for oscillator comparisons to measure frequency response of color equipment.

There is a selection of output signals: video sweep (0.1 - 10 MHz), chroma sweep (sub carrier ± 2 MHz), CW and multi-burst.

Also, the 205 features facilities for composite sync signal outputs and trigger pulse outputs (H. D/V. D. Selectable) and so it can be used for oscilloscope triggering. Digital read out for CW frequency and variable marking.


Contact your Asaca distributor for details or demonstration. Or write to:

ASACA®

ASACA CORPORATION OF AMERICA
1289 Rand Road, Des Plaines, Ill. 60016
(312) 298-4380

In the far east, contact ShibaSoku, Ltd.
19-13 Chome, Fukuzawa, Setagaya-ku
Tokyo, Japan Phone: 703-5151

MEASURES GROUP DELAY IN TRANSMISSION SYSTEMS & LINES



At last! The Envelope Delay Measuring Set You've Always Wanted—But Which Technology Couldn't Develop Until now! Compare Performance With Equipment Selling For \$14,000.00. Our Price—Only \$6,900.00!

Our envelope Delay Measuring Instruments* feature large CRT screens, built-in sweep generators and allow spot frequency delay measurements from 200 KHz to 10 MHz. Check out Models 763 NA and the new 201-1. Both are NTSC or PAL compatible. The 201-1 adds a built-in sync generator and blanking mixer.

Don't you delay in getting full information. Write.

We create change

ASACA®

ASACA CORPORATION OF AMERICA
1289 Rand Road, Des Plaines, Ill. 60016
Phone (312) 298-4380

155-B San Lazaro Ave.
Sunnyvale, Calif. 94086
(408) 735-7350

*Product of SHIBASOKU—
sister company of ASACA

Circle 128 on Reader Service Card


www.americanradiohistory.com

Ready to go...

CHYRON RGU-1 and you can take it with you!

The brand-new portable graphics & titling system to go. Use it in the field as well as for in-house operation. Ingenious. Incorporating many features of the matchless **CHYRON IV**. Exactly what you'd expect from CHYRON — the electronic graphics people.

CHYRON TELESYSTEMS
DIVISION OF CHYRON CORPORATION
265 Bethpage-Spagnoli Road, Melville, New York 11747
Telephone: (516) 249-3296 ■ Telex: 144522 CHYRON MELV



Circle 129 on Reader Service Card

Winsted



EDITING CONSOLE

Holds
all sizes of
**ENG/
VTR**
equipment!

MODEL 900A

This totally modular console has every feature for editing efficiency — shelves that adjust on 1" increments, sliding pullouts for added working space and easy maintenance, total access to VTR's, editors, monitors and equipment. Rolls easily on large casters — even into a van to create a mobile unit! *For full-line catalog of video consoles, tape and film trucks, film / videotape storage systems, call or write*

THE WINSTED CORPORATION 8127 Pleasant Ave. So., Minneapolis, MN 55420
(612) 888-1957 Toll Free Number: 800 328-2962

Winsted

Circle 130 on Reader Service Card

Radio Plans For Order

By making maximum use of its highly skilled news organization, KFWB was able to keep those who listened—a large fraction of the city's citizens—on top of the fire situation at all times. The on-site interviews with authorities and victims made the meaning of the fires vivid. Advice to those in the path of the fire helped them cope with the terrible danger. Unremitting effort for accuracy made the KFWB reports immensely valuable. As in the other case histories told here, skill, plus a determination throughout the staff to go all-out for the community, allowed the station to handle a disaster well.

Veteran KODY: prepared for emergencies

To flourish for 50 years in a medium-sized city in an area that gets many blizzards in the winter and tornadoes in the summer implies skill in handling emergencies. KODY, in North Platte, Neb., AM-er on 1240 kHz, operating with 1000 watts in the day and 250 watts at night, has that skill to a high degree.

KODY is the EBS control station for the area. Emergency power is assured by a generator supplied by the civil defense organization; it is kept fueled at all times and starts automatically if commercial power is gone for more than three minutes.

The generator is in a shelter at the transmitter site, two miles outside the town. Also in the shelter at the transmitter is emergency operating equipment: a console, turntables, tape machine, and cart machine. There is even a supply of packaged food and enough water to sustain a couple of operators for several days. KODY has gone on the air from the transmitter site several times in the years it has been there, most of them for blizzards that knocked out power and made roads impassable. Travel to the transmitter site has been accomplished by snow vehicle.

Thus, the station has a strong mechanical backup for emergencies. Mrs. Jerry Wing, general manager, told *BM/E* about the staff organizational backup. Of the total of 16 people on the staff, two are regularly assigned to news gathering. But the station has a complete staff plan that goes into effect when an emergency is declared: every one of the 16 has a well-understood, thoroughly rehearsed part to play. Wing says no one has to be told what to do when the emergency hits. All move immediately into their assigned roles.

The station has a receiver constantly tuned to the NOAA weather radio in North Platte, thereby receiving official weather forecasts as soon as they are made. There is also a direct line to the local civil defense headquarters. And as the control station for the local EBS net, KODY gets a special call from the NOAA authorities whenever they believe a weather emergency is on the way.

This applies especially to tornadoes in the summer. For example, last July 31 the station got a call from Harry Spahn, chief at the NOAA weather station, who reported a tornado a few miles away, southwest of Imperial, Kans., and moving southeasterly. KODY carried out its EBS function, pushing the encoder button to alert other stations in the net, for wide coverage of the area. Then KODY went on the air with taped NOAA data detailing the location of the tornado and its apparent direction; listeners in the path were advised to get ready to go into shelters. Brief tornado survival advice was broadcast. All commercial broadcasts were suspended while the emergency was on. During this period, too, the station went on its daytime

Convergence editing power for \$3990.



Prices slightly higher outside continental U.S.

Convergence Corporation, the proven leader in video tape editing technology, brings you the speed, simplicity and convenience of joystick editing at a very affordable price.

Whether you're in industrial, educational, broadcast or post-production television, you can benefit from the versatility and low cost of this powerful new system. Advanced features include...

- Fully variable joystick control of tape speeds
- Preview, perform and replay of edits
- Interchangeable VTR formats
- Independent control of audio and video channels
- Programmable high-speed search
- Mark-in/out on the fly
- CRT display of edit data
- Programmable pre- and post-rolls
- Full VTR remote control
- Auto tag
- Control track or optional SMPTE time code

Here's an editor you can start with and stay with. And it protects your hardware investment by easy

installation with your present VTR's. New direct plug-in interface connects to industrial 1/2 inch cassette and 3/4 inch U-matic format recorders with absolutely no modifications.

Discover the new low price of high-quality editing. Circle the reader service number or contact your nearby Convergence Corporation dealer for a hands-on demonstration. We'll bring the ECS-90, plug it in to your VTR's, and show you power you can't match for the price. **Convergence Corporation, 1641 McGaw, Irvine, CA 92714 (714) 549-3146**

Convergence... simply the best.

**CONVERGENCE
CORPORATION**

For information circle 131 on Reader Service Card
For demonstration circle 177 on Reader Service Card
www.americanradiohistory.com

Radio Plans For Order

power of 1000 watts.

During the blizzards that afflict the area in the winter KODY becomes, among other things, an essential information center. Listeners are told which roads are impassable and which have been opened. Persons stranded away from home can let families know where they are. People who need emergency transportation to hospitals can be picked up by helicopter, if the whirlybird can get through. The close lines of communication to the police and the civil defense allow KODY to function as the communication agent in many kinds of urgent situations.

Wing made the point (as did other radio executives interviewed for this report) that ham radio can be very effective in getting information into the station from isolated areas. She has close relations with the local ham radio nets and operators in the nets have responded to the utmost whenever the community needed them. She also noted that many of the ranch operators in the surrounding area have their own two-way radio systems, which allow them to get information through to the station. KODY becomes the coordinator of many sources of vital information when the snow hits or a tornado threatens.

Towers down, power gone, but WABB hangs in

A couple of other stations in this survey—WHHR in Hilton Head, S.C., and WCEM in Cambridge, Md.—got hit by the fringes of Hurricane David.

Mobile, Ala., was right in the storm's path, and the city suffered a monumental disaster. Thousands of roofs blew

off in the 130 mph winds; the whole wing of a hospital blew down; power was out for two weeks and more; nearly 500,000 people left their homes for safer shelter. Wind-blown objects made the streets extremely dangerous. The wind plus torrential rain flooded low-lying areas.

WABB-AM, in Mobile since 1948, puts out 5 kW straight in the daytime and goes directional at night; the FM ERP is 100 kW. Thanks to the management's attitudes and careful advance planning, the station was especially suited to play a central information role in the David disaster. It is the EBS control station in its local net, and has direct lines to the police and the civil defense organization.

In fact, WABB operates a pool studio right at civil defense headquarters so that broadcasts can originate there and be easily available to all radio stations in the area. The civil defense studio is linked to the main WABB studio not only by telco line, but by the station's Marti UHF radio remote equipment. A receiver is permanently tuned to the local NOAA weather station, which maintains a radar system for tracking storms; there is also a direct phone line from the station to NOAA. The station has emergency generators that can keep the plant on the air; these generators ran for nearly two weeks straight after the storm.

Led by president/general manager Bernard Dittman, WABB started to prepare listeners for the storm on the evening of the day before. The location of the storm as determined by NOAA was given periodically. Advice on how to maximize safety during the storm went out from time to time. Both music and commercials were cut back sharply to make room for this emergency coverage, and



Show Your True Colors.

HITACHI CM-182

Show your true colors. And spend less green in the bargain. Hitachi has developed a way to monitor the quality of your camera performance for far less than comparable equipment. It's the remarkable CM-182...and it makes *broadcast quality* monitoring more affordable for industry, education, and broadcasters alike. All the essentials are there... unparalleled color tracking, extraordinary stability and reliability, and high resolution. The CM-182. It's more monitor. And less money.

Hitachi...Wherever video makes an impact.

7 Regional Centers for Parts & Field Service

- New York (516) 921-7200
- Chicago (312) 344-4020
- Los Angeles (213) 328-2110
- Atlanta (404) 451-9453
- Dallas (214) 233-7623
- Denver (303) 344-3156
- Seattle (206) 575-1680



HITACHI
Hitachi Denshi America, Ltd.
175 Crossways Park West
Woodbury, New York 11797

Circle 132 on Reader Service Card

Dittman told *BM/E* that some advertisers were annoyed, accusing him of unwarranted alarmism. What happened the next night, of course, wiped out any such annoyance in the face of gratitude for the station's performance.

Mobile is necessarily hurricane-conscious. One form this takes is the free distribution of maps of the area and of the adjoining Gulf, with geographical coordinates to allow pinpointing storm locations and directions. WABB supplies the maps free to citizens, as do many commercial establishments in the city. During the storm, WABB gave listeners location and direction regularly with the aid of the coordinates on the map.

Dittman has a complete personnel assignment plan for emergencies, with reporters carrying two-way radio equipment. All were in place by 9:00 a.m. of the morning of the storm, covering every section of the city. In order to give its warnings maximum value, WABB makes a careful weather analysis with the help and guidance of NOAA, and this analysis proved to be highly significant in the case of David.

Citizens of Mobile hear many hurricane warnings during the course of the season, but in the majority of cases hurricanes coming across the Gulf to Mobile go right or left, and largely miss the city. The reason for this is a pressure area over the city that diverts the hurricane. The result is that the seriousness of hurricane warnings tends to be down-rated by Mobil's citizenry.

WABB's analysis indicated that David would be different and much more serious because there was no pressure area to divert it. Consequently, the station warned listeners that David was likely to be severe, and advised full preparation for such a storm. Just how severe it would be

the WABB forecasters, of course, did not know: they could not foresee winds of 130 miles per hour and a hurricane that moved more than 50 miles inland before losing force.

The storm struck at about 7:00 p.m. and reached a peak around 11:00 p.m. Power was lost early in the period; WABB's emergency generators took over. Three of WABB's four antenna towers were buckled over. The WABB engineering staff managed to retune so that the half-destroyed towers still loaded the AM transmitter well enough to put out a signal over the city. The FM transmitter was off the air.

WABB's largest service was to help in moving nearly 500,000 people out of their homes and into safer buildings designated by the police and civil defense, just ahead of the storm. The movement was completely orderly, and undoubtedly saved many lives.

During the four days of the emergency, WABB warned its listeners of many dangers. For example, fast-talking types were peddling emergency generators at inflated prices to homes all over the city: WABB warned listeners that such generators are illegal in homes. A lot of fires started because people put lighted candles near windows, where the wind could blow them to the floor. How to handle candles, as well as other aspects of hurricane survival, made up a manual of safety that was broadcast repeatedly.

WABB stayed on the air throughout the storm, the only broadcast station in the city to do so. It was a tower of strength, mostly because the management had the foresight, and the motivation, to get ready for the worst that might happen to Mobile. **BM/E**

**BETTER THAN EVER
FOR PLAYBACK
OF AUDIO CARTRIDGES!**





Hundreds of Go-Carts are dependably managing cartridge formats — music and/or commercials. To stay at the very edge of advancing technology, we've redesigned the electronics.

LOOK AT THESE SIGNIFICANT ADVANCES*

- Major Electronics on one Swing-Out Board
- Pin-to-Pin Compatibility with Existing Go-Cart
- Positive Tray Indexing • New Power Supply
- Transformerless Audio Output • High Speed Cue

**GO-CART II — Playback of 42 or 78 audio cartridges.
The Best There Is for Low Per-Cart Cost.**



IGM
A DIVISION OF N.T.I.

4041 HOME ROAD, BELLINGHAM, WA 98225 [206] 733-4567

Circle 133 on Reader Service Card

For quality performance,
outstanding service,
and ease of ownership...

Freelance cameramen choose MNC-71CP!

For enterprising freelance TV-news/documentary cameramen who prefer the advantages of owning their equipment, going ENG involves a crucial hardware decision. With little margin for error.

The ideal choice, of course, is our reliable and versatile MNC-71CP. Delivering outstanding broadcast-quality performance at a very reasonable price. And with Cinema Products' reputation for responsive after-sales backup and meticulous service, freelancers couldn't do better!


We offer complete camera/lens and accessories package deals — including Steadicam — to meet your every requirement. And our exciting "state-of-the-art" lease/upgrade program is tailor-

made to ease the financial strain, allowing you all the benefits and tax write-offs of equipment ownership, with payments substantially lower than the prevailing monthly rental rates. With built-in



Special Steadicam/MNC-71CP Offer

For a limited time only, we are offering a special package deal consisting of our Oscar-winning Steadicam videofilm camera stabilizing system and MNC-71CP ENG/EFP video camera plus co-ax control. For further information and prices, contact Don Dunbar, Director of National Marketing.



protection against obsolescence to boot!

All this plus the entire Cinema Products video service department at your beck and call... 24 hours a day, seven days a week.


Plus a full one-year warranty, with no service charge ever for warranty work.

Plus a national network of MNC-71CP dealers with "stand by" loaner/rental cameras, so you need never worry about missing out on an assignment!

With 1980 already shaping up as a hectic TV-news year — what with the presidential primaries and national elections generating extra coverage all over the country —

make sure you are ready with all the video equipment you need to secure your share of freelance TV-news/documentary assignments.

Buy or lease your MNC-71CP now, and start reaping the benefits of ownership immediately!



For full details, call toll-free: 800-421-7486.

cinema E products
CORPORATION

Technology In The Service Of Creativity

2037 Granville Avenue, Los Angeles, California 90025
Telephone: (213) 478-0711 • (213) 477-1971 • Telex: 69-1339

BME editors have collected some of the best ideas we uncovered while researching the preceding stories, and present them here in short form. **Nearly all of the ideas are equally applicable to radio and television stations.** Executing some of these ideas can be relatively expensive and executing some of the others, practically free. All of the ideas are invaluable.

Whether some of the suggestions made here are to be added to your existing emergency operating plans or whether they help you start one, some general observations are applicable across the board. Every aspect of an emergency plan should be known to each employee. The plan should

be posted prominently and files relating to emergency procedures should be duplicated and accessible to more than one person. Whatever key telephone numbers are gathered should be posted prominently.

In smaller markets where individual resources may be limited, an emergency mini-network should be considered. The pooling of resources during times of crisis may be a very worthwhile endeavor. Few broadcasters seem to see a long-term advantage in short-term competition when their communities are endangered.

Gathering Information

- In addition to natural disasters that may be common to your area, identify industrial, commercial, and government facilities that may pose a threat. Contact the operators of such facilities and establish communications with their public information operation. Ask for background on the type of activity the facility is engaged in. Find out whom to call during an emergency and gather any information available on emergency procedures the facilities may have planned.
- Identify all local, county, state, and federal agencies that have a role to play in handling various types of disasters. Get telephone numbers of the chief public information officer for each of these agencies and understand the scope of the agencies' responsibilities. Concentrate on Civil Defense and get copies of evacuation plans that pertain to areas your station serves. Assign someone at the station to serve as the CD liaison.
- Satisfy yourself that should telephone traffic become too heavy during an emergency, you have alternate means of communicating with key agencies. Backup telco lines to certain agencies are helpful. UHF two-way radio may be available, and many agencies have special emergency frequencies through which they can communicate.
- Most states have an Office of Emergency Preparedness, or similar. Learn as much about this operation and its personnel as you can.
- Prepare an intelligence file on each type of emergency you may encounter. Collect useful information on how citizens can protect themselves from the effects of the different types of disasters you identify.
- Identify people at colleges and hospitals with specialized knowledge in the areas of concern. Ask them to be available to check and interpret information relevant to their specialties.
- Know and understand your local EBS role. Brief all personnel on the operation of EBS and your station's function in the EBS network.

Technical Preparation

- Your transmitter is your ultimate link to the public. Make sure the backup transmitter is in good working order and that emergency power is available at the transmitter site.
- Emergency power is basic. The Civil Defense authorities may supply an emergency generator to your station — free — if they believe your station is vital to their local emergency plans. There are reports of long waits for such generators, so if you can afford your own, get it.
- Emergency power at the studio is also important. Identify those electrical systems you could do without in an emergency and plan to shut them down to minimize the draw on your emergency power supply.
- Provide a backup to your STL. Check out the possibility of using one of your ENG microwave links as an alternative STL.
- For a small investment, provide a minimal studio and production facility at your transmitter site. If you have to retreat there, you'll still be able to do your job.
- Ham radio is an important communications system. Know who in your organization is a ham operator and have ham radio equipment available if practical. Know your local ham radio network.
- Equip the private automobiles of key station personnel with two-way radio.
- Keep an ample supply of charged batteries for equipment. Have a supply of heavy-duty plastic garbage bags on hand to protect equipment in bad weather.

Staff Organization

- Clearly establish who is in charge during emergencies. The news director or other top management individual with experience in making news judgments is your best bet. A telephone alert system should be organized by this individual to get personnel on to their assignments quickly.
- The chief engineer should also organize an emergency telephone alert system to get technical people into the station as quickly as possible.
- Be prepared to man the telephones. People assigned to answering questions from the public should have access to the file of agencies, their telephone numbers, and their areas of responsibility.
- Be prepared to set up a call-in program if practical. Have experts and authorities available on the program to answer questions. Don't guess, don't speculate. Call-ins can be good since questions on a few people's minds are often on many people's minds.
- Consider setting up some sort of rumor control panel to check information as it comes in.
- Have an arrangement with a local hotel or motel to provide rooms for staffers. If local accommodations are not available, stock blankets and air mattresses or mats.
- Warn other on-air people not directly engaged in the reporting of news to refrain from speculating about news items and the meaning of bulletins. Audiences often confuse casual remarks with hard news.
- Have an emergency staff assignment plan so that all staff members know where they are to go and what they are to do. New employees should be briefed on the station's emergency operating plan as part of their initial indoctrination.

We won't run out on you when your warranty does.



At Farinon Video, we do a lot more than make some of the best video and ENG transmission equipment around. We realize that our service after the sale is just as important as the quality of our hardware.

This service philosophy stems from Farinon's 20-plus years as a leading manufacturer of microwave radio transmission systems for the broadcast, telephone, public utilities, and pipeline industries. For if we didn't provide these industries with both quality service and quality equipment, we wouldn't be here today.

So the next time you're considering a portable video transmission system, STL microwave radio, inter-city

transmission system, ENG central receivers, or related video transmission equipment, consider Farinon Video. And, later, if a problem arises—either directly or indirectly related to Farinon Video equipment—our engineers and service personnel are available to help you out any way they can.

At Farinon Video, we'll still be available when your warranty runs out. That's why our customers world-wide keep coming back to us for more quality video transmission systems—and quality service.

For a copy of our warranty or information about Farinon Video products, write or call us today.



A Farinon Company

Main Office: 1680 Bayport Ave.,
San Carlos, CA 94070; Telex: 34-8491
Domestic Phone: (415) 595-3500
Export Phone: (415) 592-4120

Canada: 657 Orly Ave., Dorval, PQ H9P 1G1
Phone: (514) 636-0974; Telex: 05-82-1893.
TWX: 610-422-4122

Circle 134 on Reader Service Card

THE MARCH OF ENG MICROWAVE

By E.J. Forbes



“Going live” from distant locations has become a routine practice at most television stations in the country. From humble beginnings, the art of microwave ENG/EJ has begun to soar. In all fast-paced technologies, it helps to look at where we’ve been, where we are, and where we are headed.

THE PRESENT-DAY television news department at most stations covers one or more items live almost daily using an ENG/EJ system. Less than a decade ago we saw a transition of the news crew operation from film to tape, using reduced weight cameras and portable VTRs. Recent years have witnessed a further progression, making possible the prompt live presentation of newsworthy events through the medium of microwave transmission.

An ordinary two-person news crew is now armed with a lightweight camera, a van equipped with color generators, lighting equipment, a miniature 13 GHz transmitter to feed back video and audio from the camera/news personality to a van receiver, and relay via a 2 or 7 GHz system with antennas on a pneumatic mast to the directional antenna at the studio for processing and airing.

ENG’s evolution is now expanding in the direction of airborne systems opening up wholly new dimensions to news coverage. We find both helicopters and fixed-wing aircraft employed as camera platforms and intermediate repeaters providing extension of the market 100 to 200 miles beyond the metropolitan street. These types of services place certain technical demands on the various constituents of the system, relating to transmission performance, immunity to a variety of impairments, and the system gain factor. Discussions of these parameters are available elsewhere. Let’s look at some tools of the

E.J. Forbes is a staff technical consultant with Microwave Associates Communications, Burlington, Mass.

microwave ENG/EJ trade that several prominent manufacturers have developed to bring about this evolution.

Antenna systems

The earliest microwave equipment used for broadcast remotes employed linearly polarized parabolic antennas with tripod transmitter installations, with similar receive antennas fitted to remote-controlled pan/tilt positioners mounted high on the plant transmitting tower. The parabola’s bulk and instability in a moderate breeze has given way to new concepts in transmitting radiators. We find modern van systems equipped with pneumatic telescoping masts reaching 20 to 30 feet above the ground to clear the usual traffic and low vegetation obstructions, but with a limited wind load capacity for the antenna. Meeting that need, the industry has provided helical designs, like the Golden Rod™ marketed by Nurad (Figure 1) or the Disc Rod™ driven radiator, available from Microwave Associates Communications Co. (MAC), shown in Figure 2. These have nearly the same gain as a three-foot dish at 2 GHz but obvious negligible wind aperture.

The receiving antenna system has likewise drastically changed to meet the users’ competitive desire. Antennas with Cosecant² patterns evolved from Nurad (20 SQ series) and Tayburn to provide a smoothly filled down-looking pattern for almost constant system gain. Very compact directional positionable array antennas with beaver tail patterns come from MAC (DA-620 series); both have gains almost equivalent to four-foot dishes. Of course, to solve the problem of the building cosmetics, suppliers naturally offer sectoral horns with substantially lower gain but generally adequate metropolitan coverage.

The advent of the helicopter plus broadcasters’ desire to avoid dedication of personnel to a specialized facility have brought forth a further dimension to the antenna system — the tracker. A fully automatic tracking antenna (azimuth only) with a CSC² (Figure 3) uplooking capability has been marketed by Tayburn to meet that need. This type of airborne system obviously requires antennas on the airframe with radiation patterns tailored to the operation, i.e., omni or controlled-directional. The manufacturers mentioned thus far have covered those needs with thoroughness, for a variety of pattern shapes and gains.

The complex electrical and mechanical characteristics of the various fixed and rotating antennas are far beyond the scope of this article. Readers can satisfy their interests by obtaining the desired detail and pattern information directly from the manufacturer.

The radio

Early microwave ENG systems were hardly more than repackaged STL fixed link or remote pickup portable equipments. When the broadcaster was the only show in town and “live news” was the innovation of the day, such equipment and its characteristics was a pretty safe bet.

The March of ENG Microwave



Fig. 1. The Golden Rod™ from Nurad and (Fig. 2, right) the Disc Rod™ from MAC were designed to provide high gain and low wind loading




Fig. 3. Tayburn has developed the automatic tracking antenna especially for helicopter systems




Fig. 4. MAC developed this Flight Pack for quick installation in helicopter or van




Fig. 5. D.A.T.E. is a harbinger of systems that will employ digital audio

Time and competition, however, have produced an exponential expansion of the users in most metropolitan markets. The result has been an overflow situation from the crowded 2 GHz BAS (Broadcast Auxiliary Service) band upwards to the 7 and 13 GHz spectrum. Equipment manufacturers have, in the most recent years, developed receivers with specialized characteristics to provide the selectivity and dynamic range necessary to meet the demands brought on by the very close channel spacing and widely varying relative signal strengths. It's not uncommon now (for instance, in the 2 GHz BAS band) to find systems satisfactorily working with the adjacent, potentially interfering channel running 30 dB hotter or sequential shots differing by over 60 dB and still having an airable product!

Principal marketers of these instruments are Farinon with its FV2CR and MAC with its MA-2GU. These

products, and some others that are emerging, boast a full-frequency agility, among other features. With rapid switching and the remote control systems generally implemented for the positionable antenna, a station can now operate economically with several vehicles and crews on differing assignments as well as "take a look at the other guy."

Originating microwave radios for the vehicle, terrestrial or airborne, have undergone great improvement. Complete solid state transmitters or receivers are now well under a cubic foot, with self-contained power supplies suitable for a cigarette lighter socket or ac mains; they generally weigh in at about 20 pounds. The majority of these boast one or more high quality analog audio channels and radio channel frequency agility, some featuring a simple front selector switch for seven (with \pm offsets) or 10 channels safely in the hands of the camera operator.

Command Performance!

United Media's new line of SMPTE/EBU video editing equipment offers the superior quality, outstanding performance and the prestige that is commanded by today's sophisticated user.

Our streamlined COMMANDER I & COMMANDER II computer-controlled electronic video editors offer a variety of standard features which inspire confidence in their quality of edits and associated functions by providing continuous reliability and ease of operation.

COMMANDER Series were designed with the creative operator in mind providing:

- Uncomplicated keyboards and display
- A real-time control system for video or audio tape recorder
- Micro-processor controlled with an electronic memory for keeping track of edits.
- Totally complete with features that may only be offered as options by other manufacturers.
- Less technical skill required to set-up, operate and edit with UMI products.

Accessories such as Time Code Readers, Generators and Character Generators were also designed with the user in mind, providing features such as user-bits, 24, 25, and 30 frame rate selection, drop frame and non-drop frame selection and much more.



COMMANDER I

COMMANDER II

You Control the Performance with the COMMANDERS.

UNITED MEDIA, Inc.

4C75 Leaverton Court • Anaheim, CA 92807 • 714/631-8020

Circle 135 on Reader Service Card

SQUEEZOOM

is...

now with
CHROMAZOOM

FRAME SYNCHRONIZER

Locks all remote signals to house sync. Network, ENG, Remote pick-ups, and satellite signals will mix with local signals with no disturbance.

Sampling video at 4 times sub-carrier for superior technical standard and picture quality.

CHROMAZOOM

New built-in composite CHROMAKEY gives halo-free pictures with full control of size, positioning and Squeezoom manipulation.

FRAME FREEZER

Will act like having another camera in the studio for still shots. Will freeze any full frame picture. Will retain last frame of interrupted incoming signal automatically until picture is restored.

VIDEO COMPRESSOR

No matter how a slide or scene comes in, you can compress and/or change its aspect ratio as you wish, down to one picture element, and position it anywhere on the screen.

Ask for demo tape for convincing force of Squeezoom. Available in NTSC, PAL and SECAM.



**One Channel
or up to
4 Channels in One**



Simultaneous Live Telecast

ELECTRONIC ZOOM

See or read information not possible without zoom.

In sports, determine if ball is good, simply freeze and enlarge. Call foul plays more accurately. Zoom capability on a remote or recorded scene. Zoom while chroma key tracking.

VERY SPECIAL EFFECTS

With 2 channels or more, open new unlimited vistas of movie-type effects.

Avoid FCC violations. TV blanking standards automatically restored with squeezoom.

Record 4 pictures on one recorder and play back any one full screen with no perceptible degradation.

Display two or more ENG feeds simultaneously. Decided advantage in news, special events, sports.

Conceived, designed, and manufactured in Florida by **Vital Industries, Inc.**-makers of the VIX-114 Series Switching Systems.

Patented

MORRELL BEAVERS Midwest
2644 North Seventh St.
Terre Haute, Indiana 47804
Phone 812/466-3212

ERIC KING Southeast
Fox Hill Road
Lynchburg, Va. 24503
Phone 804/384-7001

ROBERT McALL or BARRY ENDERS Northeast
34 Autumn Lane, Hicksville, N. Y. 11801
Phone 516/735-0055

GORDON PETERS Southwest
P. O. Box 912
Arlington, Texas 76010
Phone 817/467-0051

BARRY HOLLAND West Coast
7960 West Beverly Blvd.
Los Angeles, California 90048
Phone 714/497-4516

HI TECHNOLOGY PRODUCT INNOVATORS



VITAL INDUSTRIES, INC.

MAIN OFFICE: 3700 N.E. 53rd Ave., Gainesville, Fla. 32601 U.S.A.
Tel.: Area 904-378-1581 • TWX 810-825-2370

Circle 136 on Reader Service Card

www.americanradiohistory.com

The March of ENG Microwave

Notable suppliers in this market are Farinon (FV-MP series) MAC (MA-2CP, MA-2P, MA-7EP, and others), RF Technology (WTR-2 transmitter and receiver), and Tayburn. Competition has led to the development of gear with such remarkable RF/primary power efficiency that the manufacturers offer moderate cost rechargeable battery packs to permit completely isolated operation for three or four continuous hours.

Since system gain is frequently a major limitation in the operation, every effort is made to trim the transmission line losses, look for higher power, and maximize receiver sensitivity. It is commonplace to find mast-mounted RF power post amplifiers to minimize the losses in the flex cable up the pneumatic mast and low noise preamplifiers with noise figures of 3 dB or less to mop up receiving down line losses (which could be rather large considering that the ENG/EJ receiving antenna may be 1000 to 2000 feet up a tower).

With the wide variety of ENG/EJ applications, some highly specialized equipment has appeared. In the helicopter/fixed wing system are radio packages developed by ENG Helicopter Satellites, Ltd., MAC (Figure 4 shows a MAC-developed seat-oriented Flight-Pack), and Tayburn. With the exception of the last, these airborne radio packages are "demountable" so that they may be quickly relocated for terrestrial use, a virtue in justification of the capital outlay. The features differ widely and the reader is urged to seek details directly from the supplier.

While not directly available in the ENG/EJ products of today, we have had a glimpse of the benefits of a new digital audio transmission system called D.A.T.E. (Digital Audio for Television; see Figure 5) at some recent professional meetings. D.A.T.E. was jointly developed by the Public Broadcasting Service (PBS) and Digital Communications Company (DCC), one of the M/A-Com companies. This system has the same general philosophy and compatibility of the traditional diplexing of video and audio, in that the FSK subcarrier is spectrally located above the video band. Typical of any digital voice information transmission, D.A.T.E. offers essentially constant and impressively good signal-to-noise ratio down to carrier-to-noise ratios where the video performance is no longer useable. Additionally, it offers complete immunity to that ENG/EJ built-in impairer, multipath, which wreaks havoc with the video and the fashionable analog audio. This maybe, is an audio transmission vehicle of the future.


What next?

ENG/EJ systems, as we can see, have made enormous strides over the last decade. Considerable crowding in the lower BAS band, due simply to popularity and competition, is forcing users higher in the spectrum. Above 13 GHz, where will the broadcaster go? Recent regulatory changes, plus those to be promulgated at the WARC conference in Geneva, will have a decided impact on spectrum utility and the next step.

Natural improvements in products will take place with competitive pressures to be more efficient, smaller, lighter, and less expensive. Differing modulation techniques consistent with regulatory issues may be seen for further transmission benefits. In any case, the 80s look exciting for both the user and the manufacturer. **BM/E**

SMPTE EDIT-CODE

READER AND CHARACTER-GENERATOR



THE NEW STANDARD OF THE INDUSTRY

FEATURES: The McFadin Window™ wide range digital decoder, highly legible and unique FONT, 1-3/4" rack mounting, vertical interval display, all front panel controls, drop frame indicator, choice of Time-Code or User-Bits, regenerated Time-Code output (DUB). MODEL DR-107A



GRAY ENGINEERING LABORATORIES

504 W. Chapman Ave.
Orange, Ca. 92663 714-997-4151

Circle 137 on Reader Service Card

SHIP RACK-MOUNT INSTRUMENTS SAFELY...



... with Thermodyne's new RACK-PACK™ shipping case for rack-mount instruments. Keeps delicate instruments isolated from shock and vibration. Waterproof. Stackable. Nine sizes (EIA-RETMA). Two removable covers (front & back). Four handles. All hardware recessed.



THERMODYNE INTERNATIONAL LTD

12600 Yukon Ave, Hawthorne, Calif. 90250 (213) 679-0411

Circle 138 on Reader Service Card

Helicopters And Microwave: A Natural Combination


At the last RTNDA it was reported that there are now some 37 helicopters in use at television stations around the country for ENG coverage; the number is predicted to rise to over 200.

The benefits of a microwave-equipped helicopter during crisis response are obvious: while providing often spectacular coverage of the affected area and an overview not possible from the ground, they offer a station the capability of getting a crew out to the scene of a disaster or affected area in a hurry. Once there, the crew can be dropped off and the signal relayed back to the station using the helicopter as a repeater station.


A number of major manufacturers offer microwave systems for use in helicopters, among them Microwave Associates and

Tayburn. The following chart is designed, however, to offer a quick comparison of the helicopters themselves. The three jet-powered models (the Bell JetRanger and LongRanger and the Hughes 500D) plainly offer greater range, speed, and even comfort than the standard-engine-powered Enstrom models. Their prices, of course, are also considerably higher.

Those planning to purchase a helicopter should compare carefully the various parameters, such as passenger and weight loading, range, duration, speed, and price. It is also suggested that you contact the helicopter and microwave system manufacturers to see which standard and optional features are desirable for ENG use.



Bell LongRanger II 206-L



Hughes 500D



Enstrom 280C "Shark"

Manufacturer and Model

Specifications	Bell Helicopter		Hughes Helicopter	Enstrom Helicopter	
	JetRanger III (206B)	LongRanger II (206L-1)	500D	F-28C-2 "Shark"	280C
Overall length (inc. rotors)	39.1 ft.	42.7 ft.	30.5 ft.	29.3 ft.	27.6 ft.
Overall height	11.7 ft.	10.3 ft.	8.9 ft.	9.2 ft.	9.2 ft.
Cabin width at seats	3.9 ft.	3.9 ft.	4.6 ft.	5.1 ft.	4.9 ft.
Number of places	5	7	5	3	3
Fuel tank capacity	76 gal.	98 gal.	64 gal.	40 gal.	40 gal.
Normal gross weight	3200 lbs.	4050 lbs.	3000 lbs.	2350 lbs.	2350 lbs.
Empty weight (std. configuration)	1580 lbs.	2156 lbs.	1360 lbs.	1500 lbs.	1500 lbs.
Useful load	1620 lbs.	1894 lbs.	1640 lbs.	850 lbs.	850 lbs.
Performance (standard day, sea level, @ normal gross weight)	@ 3200 lbs.	@ 4050 lbs.	@ 3000 lbs.	@ 2350 lbs.	@ 2350 lbs.
Maximum permitted speed	140 mph	150 mph	175 mph	112 mph	117 mph
Maximum cruising speed	133 mph	130 mph	160 mph	112 mph	117 mph
Maximum rate of climb	1260 fpm	1440 fpm	1900 fpm	1150 fpm	1150 fpm
Hover performance					
In ground effect	12,800 ft.	13,200 ft.	8500 ft.	8800 ft.	8800 ft.
Out of ground effect	8800 ft.	8100 ft.	7500 ft.	4100 ft.	4100 ft.
Service ceiling	13,500 ft.	19,500 ft.	15,000 ft.	12,000 ft.	12,000 ft.
Maximum range (in statute miles)	341 miles	342 miles	300 miles	253 miles	266 miles
Maximum endurance	2.92 hrs.	3.1 hrs.	2.8 hrs.	3.7 hrs.	3.7 hrs.
Price (for standard configuration model)	\$245,000	\$390,000 VFR	\$250,000	\$103,000	\$108,000

IN THIS BUSINESS IT PAYS TO BE SENSITIVE.

The new Canon J13x9B is the ideal lens system for every situation.

For example, when you're covering an impromptu interview in a poorly lit hallway. Or a nighttime fire. Or a crime scene. Or when the weather itself is so bad that it's news. These and hundreds of low-light situations call for a sensitive lens. That's why the zoom on the business end of your ENG camera should be a Canon J13x9B. At f/1.6, it's the most sensitive in its class. And the rest of its specs are impressive, too. Like its 13-time zoom ratio from a wide 9mm

to 115mm. Its built-in fluorite element for more accurate color correction. And its minimum object distance as short as 0.6m (21.5"). The lightweight J13x9B is available with a money-saving modular accessory package, giving you all the flexibility you need in the studio or field—now and in the future.


Specify the Canon J13x9B when you order your new ENG camera.

It's the perfect lens system for all types of field production, including news, documentaries, sports or any portable application. Because we're always sensitive to your needs.

Canon


Canon U.S.A., Head Office: 100 N. Face Drive, Lake Success, N.Y. 11042-5161 488-6700 • 140 Industrial Drive, Elmhurst, IL 60120 (312) 330-3070
123 Paulerino Avenue East, Costa Mesa, CA 92626 (714) 979-3000
Canon Optics & Business Machines, Canada, Ltd., 3215 American Drive, Mississauga, Ontario L4V 1B8, Canada
Canon A.T.S. B.V., Industriële Productie Divisie De Boeleaan 8, Amsterdam, Netherlands

NOW
WITH BUILT-IN
2X EXTENDER!



CINE 60 POWERBELTS

NewsHawk



Millions of hours of TV news and documentaries, shot by thousands of news teams, worldwide. That's the proven performance record of Cine 60 Powerbelts... the veteran "NewsHawk" in the tough, hard-nosed business of news gathering. What's more, you benefit from the unmatched experience of 18 years in portable power that only Cine 60 provides. So, tell us the make and model of your equipment. We'll send you complete data and information to cover your specific system. Cine 60 — the "NewsHawk" Powerbelt and Powerpak Battery Systems. 160 models, 4 to 14 Amp-hours.

CINE 60

I N C O R P O R A T E D
630 Ninth Ave. 6430 Sunset Blvd.
New York, N.Y. 10036 Hollywood, C.A. 90028
(212) 586-8782 (213) 461-3046

See Us At Booths 544-5, SMPTE

Circle 140 on Reader Service Card

New Digital Recorders And Audio Processors Lead Upgrade Parade At New York AES Show

BROADCASTERS LOOKING for equipment to aid them in the refinement of audio could choose from a number of new devices and systems shown at the 64th Convention of the Audio Engineering Society, held at New York's Waldorf-Astoria Hotel November 2 through 5. The convention, with more than 6000 in attendance and about 170 exhibitors, set new highs for the AES and showed the great intensity and scope of audio advance in many countries.

Digital recording of audio, as expected, furnished most of the excitement on the exhibit floor. 3M and Sony, the two firms now actually selling digital recorders, both added units to their lines. 3M brought a 16-track version of its 32-track recorder, introduced earlier. The 16-track machine has a price of about \$73,000.

3M also had the final version of the electronic editor for its system, previously shown in prototype; price is \$7500.

Sony had the PCM-1600 and PCM-1, which are, respectively, 16-bit and 13-bit converters for putting PCM audio onto videotape recorders. Like the 3M machines, the Sony PCM-1600 is being extensively used for the original tapes in commercial recording. Announced was the new PCM-100, a unit with the same function, intermediate to the other two with 14-bit coding, and intermediate in price.

Another Sony digital unit announced at the show was the DAE-1100, an improved electronic editor for the PCM-on-videotape system with remote control capability. Location of edit points is similar to rocking reels on analog recorders; both punch-in and assembly

edits can be previewed and do not require any cutting or physical contact with the tape. Sony's demonstration of the system's operation was lucid and convincing.

Sony also announced a digital quantization processor, DQP-6040, which converts 16-bit PCM recordings to 14-bit and is compatible with any audio system using the standard EIAJ format; the PCM-3324, a 24-rack fixed-head digital recorder using half-inch tape at 30 ips; and the PCM-2204, a portable four-track digital recorder using quarter-inch tape at 15 ips.

Prototypes of converter systems for putting PCM audio onto videotape were shown by Mitsubishi and JVC. Advanced models of multitrack fixed-head digital machines came from Matsushita and Mitsubishi. Although not on the exhibit floor, a two-track digital recorder with fixed head was announced just before the show as a collaborative effort of MCI of Fort Lauderdale and EMI, the English music and electronics conglomerate.

So the industry is full-out to bring digital audio into use. Even with only three systems in actual use (Soundstream, 3M, and Sony), all the major record companies now are releasing digitally mastered recordings on a fairly regular basis. By the time this magazine is distributed, there are likely to be well over a hundred such recordings on the market.



Crowded exhibit floor at Waldorf-Astoria Hotel, New York, for 64th AES Convention



One of many large consoles on floor was English-made Cadac, demonstrated by Irv Joffe Associates




Sony showed improved editor for PCM-audio-on-videotape system

Music synthesizers draw strong attention in new versions using digital technology



OTARI BROADCAST RECORDERS



MX-5050-B

A complete line of professional tape machines (from one to eight tracks) built to meet the current and future needs of the broadcaster (including AM stereo) for long term reliability, high performance, full production capability, and backed by a new expanded program of parts and technical support.


MX-5050-B Compact Broadcast Recorder.

Newest version of this field-proven two-channel machine, widely used in broadcasting worldwide. Three speeds, 24 dBm headroom, dc capstan servo, and modular construction.



Mark II

Mark II Broadcast Recorder. Separate transport and electronics for mounting convenience, plug-in card electronics, complete alignment accessibility. Two-channel 1/4-inch or four-channel 1/2-inch models.



ARS-1000

ARS-1000 Automated Radio Station

Reproducer. Two-speed two-channel stereo reproducer specifically for automation systems. Ruggedly constructed for long term reliability and continuous operation.

Call Ruth Pruett at 415/ 592-8311 for your nearest Otari broadcast dealer.

PREFERRED BY PROFESSIONALS

OTARI®

WORLDWIDE

Otari Corporation, 1559 Industrial Road
San Carlos, California 94070
415/ 592-8311 TWX 910-376-4890
Circle 141 on Reader Service Card

NEWS FEATURE

In the technical sessions, there were reports on digital system development from a number of firms around the world. Some of them: Mitsubishi described a two-channel fixed-head machine. Matsushita gave details on its PCM system for VTRs, as did Mitsubishi. Sony, in several papers, explored various coding and error correction schemes and gave rules for bit reduction to save bandwidth. Teldec outlined a digital audio disc system. Philips revealed the error correction scheme used in the Compact Disc.

A full complement of analog tape machines was also on the exhibit floor, with all the established makers on hand. Ampex announced the ATR-124, a 24-track version of the ATR-100 introduced in 1978. Otari announced the MTR-90, a new 24-track machine. Eumig brought the FL-1000, a microprocessor-controlled cassette recorder with eight-bit computer interface, designed for programmable operation.

Consoles were present in their usual abundance. Irv Joel Associates had the JL-412 unit with all controls and electronics in a bridge and a work surface below, introduced this past October at the National Radio Broadcasters Association meeting in Washington (see *BM/E*, December, 1979). Harrison, Neve, and MCI all had improvements on their console automation systems. Other console makers from the United States and abroad showed models both for recording studios and broadcast use.

Also significant for broadcasters were the many audio processors shown. MICMIX introduced a new moderate-priced reverb unit, the XL-305, a compact unit claiming performance as an acoustic synthesizer to match the performance of a live chamber. Orban had a new equalizer that combined characteristics of both the graphic and the parametric designs. DBX showed a new compressor/limiter, Model 164, with feed forward gain reduction and "over easy" compression. Marshall Electronics and Eventide Clockworks had improved versions of their delay-line special effects units. Ursa Major displayed its digital reverb system. Orange County Electronics offered a new version of its VS-1 limiter-compressor, which includes a full parametric equalizer.

Allison Research showed a new version of its program expander, Kepex II, with expansion range 0 to 80 dB and S/N stated as more than 90 dB; distortion is under 0.05 percent. It can be used for noise reduction and for control of reverberation and leakage. Audio and Design Recording introduced the Ex-press Limiter, a compressor/limiter/expander with digital control of

functions. LED indicators show mode settings; a memory retains last-use settings when the unit is switched off.

In practically every case, the audio processing systems noted above and the others shown come up to state-of-the-art standards on distortion and noise, showing that nearly all firms making this class of equipment have joined the movement of the last few years toward a much more refined processing performance.

Test equipment for audio functions has also moved upward on a broad scale to a substantially higher level of refinement. For example, Sound Technology, well established with their line of high-performance audio distortion analyzers, brought a new unit — the 1500A tape recorder test system. With microprocessor control, it shows digitally and graphically the level, azimuth, frequency response, distortion, flutter, separation, speed, and noise of a tape machine.

Barclay Analytical had new refinements on the Badap, a microcomputer-controlled audio spectrum analyzer, which shows up to 32 tracks with peak and average readings simultaneously and includes two memories for holding maximum or minimum readings for later comparison with others. The maker described a very long list of test functions for the Badap, including a dozen or more such specialties as the "fatigue factor" in radio signals, in addition to all the usual amplitude and frequency readings.

Amber Electro Design introduced a miniature distortion analyzer that is stated to read down to 0.002 percent residual. Called Model 3500, it is a portable with battery power, built-in oscillator, and automatic operation.

Eventide Clockworks extended its product range with a new line of low-cost real-time spectrum analyzers intended primarily to fit into popular home computers. Broadcasters may want to examine these units for possible use in some monitoring functions.

Microphones were on hand in plenty, with AKG, Beyer, Electro-Voice, Shure, and Neumann (through Gotham Audio) showing their lines. New to the AES were the Neumann U89, a condenser mic with five selectable patterns, and the Shure SM81, another new condenser mic.

Among the 70-odd technical papers, in addition to the dozen on digital technology, those that may interest broadcasters included several on testing for TIM distortion and one on a system for automatically tuning FM tuners to the minimum distortion point. Broadcast engineers who did not get to the show may want to write the AES at 60 East 42 Street, New York, N.Y. 10017, for the complete list of papers available in preprint form. **BM/E**



WTMJ wanted digital effects during the fact not after.

"We bought the real-time practicality of NEC's DVE[®]."

Ray Hernday, Chief Engineer, WTMJ.

NEC's Digital Video Processing DVE is capable of simultaneous synchronization and special effects for real-time applications from chroma-key tracking on up—as opposed to other units which are post-production oriented.

"There's a lot of equipment out there that might do the job," said Ray Hernday. "But NEC had, by far, the most features at the best price."

Jim Wuliman, WTMJ's Director of Engineering, went even further. "Size and expansion capability were very important. We needed everything


from basic synchronization to Digital Video Processing to multi-freeze. We got everything we wanted along with NEC's great reputation for quality and superior service."

Find out how NEC's DVE is for real and for you. Call now for our DVE demo tape.

Call Toll-Free 800-323-6656.

In Illinois call 312-640-3792.

DVE[®]



NEC

Nippon Electric Co., Ltd.

NEC America, Inc.

Broadcast Equipment Division
130 Martin Lane
Elk Grove Village, IL 60007

Circle 142 on Reader Service Card

www.americanradiohistory.com

Eliminate The Problem At It's Source

your video source identified in seconds



- A source I. D. that's field programmable
- Standard 64 character ASCII code set
- Color bars, 1000 Hz tone, microphone input

CB-8000 is a fully integrated color bar, tone and alphanumeric system in a single rack mount unit for remote and studio signal identification.

CB-8000 Video Source I.D.

your video AND AUDIO sources identified in seconds

All the features of the CB-8000 PLUS microprocessor audio "voice".

- "Spoken" characters on audio channel match the alphanumeric video characters
- Field programming of up to eight alphanumeric audio and video characters
- 64 character ASCII code set

AVID eliminates the problem of tracking down your program source. It is a completely integrated, industry compatible system in a single rack mount chassis.



AVID-8000 Audio Video Source I.D.

QSi systems, inc.

For more information on the CB-8000 and AVID-8000, or on QSi Systems' full line of broadcast equipment, call or write: QSi Systems, Inc., 993 Watertown St., West Newton, MA 02165 (617) 969-7118.

Circle 143 on Reader Service Card

SMPTE Conference Reflects Betrothal Of Film And Tape



More equipment and more visitors marked this SMPTE conference as a "mini-NAB"

IN LOS ANGELES, filmmaking capitol of the world, engineers, producers, and sundry aficionados revealed the first positive steps in a trend that will lead to the marriage of film and videotape.

Unlike the Montagues and Capulets of Shakespearean tragedy, the warring houses of videotape and film appear to be coming closer to a satisfactory marriage of their offspring. The application of electronic technology to film is making it possible for a formidable new alliance to be established in which the best of both families will unite to further the goals of worldwide communication.

During five days (October 21 through 26) of technical papers and equipment exhibitions it became clear that the computerization and digitalization of film handling and imaging were closing the chasm that has kept video and film technology apart. New telecines, new approaches to computerized post-production, an insistent clamor for a common time and control system, computerized color correction, digital storage of film images, a sprocketed film-like videotape system for audio post-production, new multi audio/video recorder controllers, and an impressive advance in tape-to-film transfer quality are all evidence that a combination of film and videotape technology can do much more than either technology separately.

Nevertheless, advances in both fields were reported that suggest both media will continue to develop on their own regardless of any ultimate union.

Generally, the 121st Technical Conference and Equipment Exhibit convened at the Century Plaza Hotel in Los Angeles with the air of what was commonly called a "mini-NAB." More exhibitors than ever before (167) occupied 331 booths. According to Jeff Friedman of SMPTE, the 9000 delegates represented a 25 percent increase in registration over the previous year. Registrations for the technical sessions, however, were at about the same level as last year.

Unlike previous meetings of the SMPTE in Los Angeles, this year's conference included nearly equal television and film industry representation. The marked growth in television representation may be another indication of the narrowing gap between the two technologies.

The exhibit portion of the show, which experienced a nearly 50 percent growth over last year, did not expand painlessly. Numerous exhibitors complained that they had only Sunday to prepare for the noon Monday opening of the exhibit floor. This short setup time was further complicated by the hotel's failure to provide electrical service to some exhibitors until after 2:00 p.m. on Sunday. As the exhibits offi-

cially opened at noon, visitors encountered large numbers of booths still being set up. By late afternoon, however, setup was completed and exhibits settled into routine operation for the balance of the conference.

Technical sessions

Though the technical papers presented at the conference were grouped into topics such as "Laboratory Practices," "Television Production," "Television Post-Production," "Motion Picture Sound Technology," "Television Sound Technology," and other headings, a common theme emerged. The general vision of the 80s evoked at the 121st Technical Conference — SMPTE's last conference of this decade — was of a changing picture of demand. The new programming opportunities that exist in the pay-TV market, the home video market, and the international market, in addition to a booming and competitive broadcast market, present a challenge to the industry to innovate and improve its efficiency. The first targets for improvement and innovation appear to be a streamlined post-production system, improved ability to work in a variety of media, and the development of additional services such as stereo audio for television and teletext systems.

Along these lines, a number of developments became clear. The roles of the frame synchronizer and digital special effects seem assured, and the attention now seems riveted to improving the efficiency of post-production systems. Joseph Flaherty, vice president of engineering for the CBS Television Network, described an off-line editing system developed by CBS that utilizes six Sony Betamax VCRs for its primary recording and playback machines.

The specially modified VCRs in this system are still less expensive than larger format recorders and use the less expensive half-inch videotape cassettes. Associated with the half-inch VCR, however, is an elaborate computer control system with CMX-compatible software.

The object in designing this system, said Flaherty, was to remove "the last remaining barrier to the conversion of single-camera film production to videotape . . ." To accomplish this, the system would have to be low-cost, easy to use, "optimized for successive reediting," and compatible with the CMX decision list.

The description of the system that followed met just about everyone's definitions of the criteria established, with the possible exception of "low-cost." Though the specially modified Sony Betamax VCRs should be less costly than larger format recorders, and though the half-inch videocassettes

NEWS FEATURE

used by these machines should reduce tape costs, the enormously elaborate computer control, editing software, and light-pen based operator interface would seem to push the system's cost beyond what a lot of producers would call low. Since the system is developmental, however, there is no fair way of gauging what its ultimate cost might be should it become a regularly manufactured system.

Operationally, the system seems superb. The use of the six VCRs was designed to emulate the single-camera film editing technique as closely as possible. Therefore, three of the VCRs are used as recorders. The first cut is recorded on VCR 1, the second cut on VCR 2, and the third cut on VCR 3. The fourth cut is then recorded on VCR 1, again with the distance between cut 1 and cut 2 filled with black, much as black leader is used in film during editing. In playback, this multi-machine use is transparent — playing back the video in a single stream with the com-

puter controller providing switching between cuts. By keeping the cuts on three different VCRs and letting the computer controller and software handle the switching, it becomes possible to alter almost any cut without requiring the adjustment of abutting segments.

The operator uses a light pen to select modes and functions from the system's CRT, which displays various menus. A wide range of special effects at variable rates is available. The output of the system is a "work print" and a CMX-compatible edit list for conforming the original.

The pressure for development of such a system derives mainly from the reluctance to give up the 80-year heritage of visual grammar built up during the film years and the superior economics of tape. Few would dispute the aesthetic maturity of film, though some would dispute the economics of tape, but networks look at a larger balance sheet than a smaller volume production company and therefore find videotape more economical in the long run.

Bruce Raynor of The Grass Valley Group outlined a plan for interfacing a sophisticated intelligent switcher to a computer-assisted editing controller. One of the design objectives for the development of GVG's Series 300 production system was to provide a fully integrated post-production switcher. Not only are the numerous wipe patterns, multiple reentry chroma keys, and digital special effects of the modern production switcher difficult to fully exploit during production, but the complexity of event sequences are even difficult to master during post-production.

The first step toward controlling complex switcher setups was the development of microprocessor control systems such as Vital's PSAS, CDL's CAPS, and GVG's E-MEM. In the GVG case, E-MEM (Effects Memory) "learns" the switcher setup executed by the operator and then stores it in one of several registers along with selected transition rates, if applicable. Since modern switchers keep adding effects to their repertory, editing controllers have to keep pace with these effects in order to use them. As writing additional software becomes impractical, it would simplify things if the edit controller could access the switcher's memory rather than needing to describe the event itself. Toward this end, GVG has developed an interface for E-MEM that will allow almost any edit controller to pass control of a specific editing sequence to the E-MEM unit and automatically return control to the editor when the event(s) is completed. While the Series 300 switcher is specifically designed for use in this type of post-production situation, other GVG switchers with E-MEM can also be used. ABC, New York, will be the first

3D

SERIES



Proven.

Over 5,000 ITC 3D's in use—15,000 decks—Stereo and Mono.

Economical.

Three premium line reproducers cost little more than two SP Series single decks.

Compact.

Three deck convenience in the space of two SP single decks.

Recorder.

Add a WRA Recording Amplifier and the bottom deck becomes a Master Recorder/Reproducer.

Broadcasters' No. 1 Choice

To place a no-risk order (30 day guarantee of satisfaction)

Call Toll-Free: 800-447-0414.

In Alaska, Hawaii or Illinois Call Collect: 309-828-1381

INTERNATIONAL TAPETRONICS CORPORATION

2425 South Main Street, Bloomington, Illinois 61701

Marketed exclusively in Canada by McCurdy Radio Industries, Ltd. Toronto

Circle 144 on Reader Service Card



Production control panel of the DPE 5000.

SOME PEOPLE GIVE YOU DIGITAL EFFECTS. WE GIVE YOU DIGITAL EFFECTS WITH OPTICAL QUALITY.

There's good reason why the Quantel DPE 5000 is the world's most widely used system for digital effects: optical quality.

The DPE 5000 produces effects that are smooth, realistic, virtually indistinguishable from optical effects. Good enough to be used live on the air. With confidence.

A full-fledged minicomputer and several microprocessors handle millions of digital manipulations that make Quantel effects more camera-like.

And our unique production control panel, shown above, gives the operator "extra hands" to smoothly control operation and bring into play the marvelous range of DPE 5000 effects. Automatic functions, programmed routines, and fail-safe limits simplify control

and eliminate constant planning and anticipation.

With the DPE 5000, you can actually expand the power of your switcher. (It can be easily interfaced to *any* switcher.) You can preselect effects — shapes, sizes, positions, even transition rates from one effect to the next.


Using optional NO-BLANK noise reduction/blanking correction feature, you can salvage tapes that don't meet FCC blanking requirements.

The net effect of Quantel digital effects is a better, more exciting picture on the air — and a better, more rewarding bottom line.

For more details, call your nearest MCI/Quantel representative. Or get in touch with us directly:

Micro Consultants, Inc.,
P.O. Box 10057, Palo Alto,
California 94303, 415/321-0832

MCI/QUANTEL



The digital video people

Circle 45 on Reader Service Card

NEWS FEATURE

installation of such a system, where CMX will interface with the GVG E-MEM.

SMPT E Time and Control Code

Several papers were presented concerning SMPT E Time and Control Code. As indicated in last month's *BM/E*, time and control code still presents the industry with a series of challenges. While the scores of SMPT E

time code readers/generators do a creditable job of providing the basic frame reference for synchronizing several sources (both audio and video), the 32 user bits provided for remain virtually untapped. Moreover, since the serial time code is recorded on an audio cue track, stop motion and slow motion search techniques become impractical. To compensate for this, practice has been to insert the time code in the video for off-line editing. This leads to an awkward and sometimes inaccurate process of noting edit points by hand for entry into the editing system. John B.

Gray of Gray Engineering described a time code reader developed by Gray that solves this problem. The new reader digitizes the video picture with time code and performs character recognition to recover the time code and enter it directly in the editing system via a computer interface and a six-line serial output. The system currently recognizes character fonts of Gray's DR-107 character generator or equivalent, but work is continuing to accommodate other fonts.

L.P. Reitz, Jr., also of Gray, outlined a number of ways his company is attempting to exploit the user bit portion of SMPT E Time and Control Code. User bits have already been used to encode film edge numbers when the object is to produce an edit decision list for conforming on film. Calendar dates, take and scene numbers, and other types of identification have also been encoded as user bits. Still, the potential of user bits seems relatively untapped. Reitz's paper implied that one way of getting more useful information encoded through user bits would be by using a separate user bit generator capable of multiplexing data in the user bit portions of the code. Such equipment for encoding and decoding multiplexed data already exists, says Reitz, but the real hope may lie in using ASCII-2 code to form a running commentary. By reserving the first two groups of user bits for this purpose, up to 250 words of commentary per minute could be encoded and 10 fixed messages of six digits each could be retained.

The limitations of the user bit concept, however, were outlined in a paper presented by Dale M. McNulty of Datatron, Inc. McNulty pointed out that there are basically two types of user bit commentary: edit-related information such as film edge numbers, and non-edit-related information such as take and scene numbers. Since there is difficulty in recovering time code and user bit data at very fast and very slow speeds, use of the bits for edit-related data can be risky. For non-edit-related information, the space provided for user bit data is restrictive. Though a large amount of numerical data could be accommodated, non-numerical data would require considerably more room to generate useful comments. Unique comments made frame by frame would present serious error checking and correction problems. "These limitations," said McNulty, "have slowed the industry's innovation and acceptance of user bits." Without a clear indication from the industry as to how it would like to apply user bits, few people have been willing to suggest innovations. As a result, said McNulty, data formats and edit list considerations go unresolved and the limitations of user bits are compounded.


Broadcast media teams must be ready at a moment's notice. With Christie's integrated system; the REFLEX® 20 Charger and semipermanent ni-cad battery packs, there is virtually no wait. Recharge? The fastest in the industry. 12 to 20 minutes and you're completely charged.

Because of the revolutionary "burping" system the batteries remain cool, their cycle life is extended up to 10 times that of conventional ni-cads and 50 times that of other rechargeable batteries.

The Christie System . . . reliable, effective and 90-97% efficient.



50 years experience plus REFLEX® 20 makes you: CHRISTIE-READY.



1929-
1979

YEARS
THE SOURCE

SINCE 1929
CHRISTIE
ELECTRIC CORP.

3410 WEST 67TH STREET, DEPT. V
LOS ANGELES, CALIFORNIA 90043
(213) 750-1151 TWX 910-321-3867
Write for valuable new information
or call to free (800) 421-2058

Circle 146 on Reader Service Card

Eight good reasons to be a Beyer Buyer.

one The first reason is Beyer. We have fifty years experience making the world's finest microphones and headphones. And an unmatched reputation for quality, reliability and innovation. The choice of professionals everywhere.

two M 160. One of the world's best-loved and most versatile microphones. Warm, soft sound favored by vocalists and musicians alike. Dual ribbon design for high strength and fast transient response.



three Beyer headphones. A full range of high quality professional models for critical monitoring and reliable communication. DT 109 combines stereo headphones and boom-mounted microphone, ideal for on-air use and disco deejays. DT 444S wireless headphone receives sound from an infra-red LED transmitter up to




300 feet away. Full 20-20,000Hz frequency response. Six hour stereo operation on rechargeable NiCad batteries.

four The new M 400. A great performer's mic. Supercardioid pick-up pattern to minimize feedback. Rugged design for long life. Tapered frequency response with rising high end and rolled off lows, plus midrange presence boost. Built-in humbucking coil and pop filter. Dynamic design is unaffected by heat and humidity.

We're looking for a few more great dealers to handle the Beyer line. Contact Norm Wieland at Burns Audiotechnics.



five Beyer microphone stands and booms. A full range of mic mounts for floor and desk use, with fixed and folding bases. Available with collapsible tubes for easy packing. Also heavy-duty stands for speaker cabinets. **six** Beyer microphone accessories. Wind screens impedance matching transformers, in-line switches, power supplies, wireless transmitters, stereo ams, goosenecks, clamps, thread adapters, anti-shock suspensions, and even a mic stand ashtray! The whole works. If you can use it with a mic, we make it.



seven M 713.

One of our unsurpassed studio condenser mics. Modular system; accepts different transducer capsules and power supplies. Gold-vapored mylar diaphragm for high transient response. Mu-metal shield. Temperature and humidity stable.



eight See your dealer or write for information on our product line. You'll have many more reasons to be a Beyer buyer.

Beyer
Dynamic

BURNS AUDIOTECHNICS, INC.

5-05 Burns Avenue, Hicksville, NY 11801 • (516) 935-8000
In Canada, H. Roy Gray, Ltd.

Circle 147 on Reader Service Card

NEWS FEATURE

Audio post-production

Despite the misgivings apparent over user bits, SMPTE Time and Control Code remains a valuable asset — particularly in post-production of audio. In no area other than audio is the desire to retain "film-technique" as clear and SMPTE Time Code has played a large role in making this possible. Two papers presented on the topic of audio post-production gave certain proof of

this.

C. Robert Paulson of AVP Communications read a paper coauthored by J. Wilson of Philips Broadcast Equipment Corp. and H. Adams of Adams/Smith that explained how the new Adams/Smith 605 television audio post-production synchronizer permits the application of "film-style" audio post-production to the television medium. In audio, "film-style" simply means the ability to remove the sound track from the original and build a multi-track, sweetened audio composite independent of the picture, which

will be laid back onto the final edited version of the picture material.

To accomplish this, the 605 controls any two slave audio tape recorders and any single master audio tape recorder. In its simplest form a single two-channel ATR would be used in conjunction with a four-channel master (or mix) recorder. In its most complex form, 32-track ATRs would be used with a computer-controlled audio board.

Control of the audio post-production process is provided by time code associated with the pictures on a videotape work print. The code need not be sequential, nor should it be if the edited synchronous sound track is to be one of the sources. Sources other than the edited videotape, however, must be recorded into the system in relationship to a single continuous track of time code.

All sound sources are then recorded onto the source tape. The sound locations are adjusted in relationship to one another on the mix tape, with sweetening accomplished at this point. By manipulating the relationship of the two recorders and their individual tracks, the system can emulate any configuration of equipment used in film-style audio post-production.

Another approach to bringing film-style audio post-production to TV was discussed by Bob Fine of Magna-Tech Electronic Co., Inc. His system, called VIDI-MAG™, is not designed to emulate a film-style post-production audio setup but to use one. Magna-Tech has designed a system whereby the video and audio are recorded on the VIDI-MAG system, which utilizes a 16 mm sprocketed videotape.

Once video and audio are transferred to the VIDI-MAG system, the content can be used in any standard film-type setup for looping, track building and synchronizing, sound mixing, or other purpose. Since the signals are recorded with SMPTE/EBU Time Code and the system includes a time code regenerator, layback from either a multi-track audio master or single audio master is simple. 3M has developed the 16 mm sprocketed videotape for use with the system.

While the demand for better audio post-production has led to these types of developments, the vast improvements in telecine design and operation have resulted from a continued enthusiasm for the film look and the continuing role of film as the only generally practicable medium for international distribution. While digital standards conversion of the video signal has greatly improved, it is still a costly process.

The application of microprocessor control to telecine operation and the adoption of digital frame storage to image processing within the modern telecine have created a hybrid in which

Who cares how old
your transmitter is?
**INSTALL QEI's
TYPE 675 FM Exciter
and only you will know!**

Why replace an expensive transmitter when all that's needed to make your station sound better than the competition is QEI's Type 675 solid-state FM Exciter. With specs that meet and/or exceed those of any available exciter plus a price less than most, there's little reason to look elsewhere. Phaselocked and frequency synthesized, this off-the-shelf unit can be at your station and in operation within 48 hours of ordering!

Keep your ratings and listeners excited... order QEI's Type 675 today.

QEI
Quality-Excellence-Integrity


CORPORATION
Route 73 Kresson, NJ 08053
(609) 767-8052

Over 500 QEI built exciters in U.S. and Canadian operation

Circle 148 on Reader Service Card

the new CD-480-4

another smart switcher from CDL



compact, competitive and powerful
The power of the CD-480-4 plus its compact size and price make it the professional choice for medium size studios, post production suites and mobile vans.

Powerful: includes the unique CD-480 SFX amplifier that permits you to control 4 video signals, in any combination, with one fader handle, plus a wide range of powerful CD-480 modular options.

Compact: 24" wide panel and 21" of rack electronics.

Price: Also compact and competitive... ask us.

The CD-480 gives you the competitive advantage.

Central Dynamics, 10 W. Main St., Elmsford, NY 10523, 914-592-5440
Chicago: 312-991-4720, Los Angeles: 213-789-0574, Atlanta: 404-491-9037
Dallas: 214-741-3332, Denver: 303-623-7603, CANADA-Montreal: 514-697-0810

CENTRAL DYNAMICS



NEWS FEATURE

the resulting image is neither film nor videotape in the strictest sense. In fact, some people claim that the new telecines have managed to achieve the best of both worlds. The application of the digital frame store to Rank Cintel's Mark III flying spot scanner has allowed that company to claim a "live look" for its telecine.

Two papers from Bosch-Fernseh provided insight to that firm's radically new approach to telecine technology. The new machine, not yet available on the American market, uses both a new electronic design based on CCD-line sensors and a new mechanical design aimed at providing VTR-like transport operation.

Mechanically, the film is moved by means of a capstan wrap independent of the film's sprocket holes. A specially developed coating on the capstan provides the traction for moving the film. Since the push and pull of the reels is developed by individual drive motors, very little traction is needed to move the film through the transport path. Moreover, the gate consists of two conical rollers that position the film in the focal plane without the use of a mechanical gate. The only role that the spro-

kets play is the driving of a tacho disc that provides framing and shrinkage information.

As a result of the low inertial factors, a rapid start of less than one-tenth of a second is provided. Because the winding devices are driven by dc motors, slow motion and high shuttle speeds can be obtained. Intelligible pictures are provided by means of a built-in store at shuttle speeds. Ten times nominal speed (for 35 mm film) and 25 times nominal speed (for 16 mm film) can be achieved.

The digital store has the capacity to store up to three TV fields which correspond to the CCD-line sensors' component encoding approach. By varying the read-in and read-out address rates, the various shuttle speeds can be accommodated.

The prospect of a telecine as facile as the Bosch-Fernseh FDL 60 CCD machine leads inevitably to speculation about the possibilities of an improved mixed media post-production system. Central to any post-production system, of course, is machine control, and in this area the power of the microprocessor rolls on. Several papers presented gave glowing reports of continued triumph for the μP , but in the "good news-bad news" style that characterized many of the reports, Carl Lindke of GVG cautioned that the \$40

chip could easily cost \$40,000 to program. Nevertheless, as Fred Hodges of 3M pointed out in his paper, rapid advances are being made routinely in software-based microprocessor systems due to improved programming techniques and improved software development systems.

Distributed processing techniques (see *BM/E*, July, 1979) and innovative software design are shortening the product development cycle remarkably. Recent advances such as self-tailoring software have led to systems that can learn, in a sense, so that the system can fine-tune itself without the need for additional software. In fact, the nature of software-based systems has enabled some designers to conceive of a single hardware design that would be appropriate to any number of operations. Ray Unrath of System Concepts, Inc., outlined what he called "the maximized microcomputer for television." His vision encompasses a single hardware design that looks like a character generator but could function as a teletext system, machine control center, special programming system for election returns and audience polling, as well as a graphics and character generator. In a sense, the adage that you can't tell a book by looking at its cover is becoming just as appropriate for some types of television hardware. As

add interlocked multi-track sound

to your programming with a BTX 4500 SMPTE Synchronizer. BTX lets you sweeten, re-record, overdub, edit, recombine and simulcast sound tracks that dramatically enhance audience appeal. The BTX Corporation, 438 Boston Post Road, Weston, Massachusetts 02193 (617) 891-1239; 6255 Sunset Boulevard, Hollywood, California 90028 (213) 462-1506.



The BTX Corporation



you have to read the book's text in order to know its content, you have to look at the equipment's software before you can determine its function.

What you can and cannot expect

A number of papers dealt with progress toward "future systems" such as high definition television, stereo or multiplexed audio for TV, the digital VTR, and teletext.

The future of high definition television was reviewed in a progress report read by Donald Fink, a member of the SMPTE Study Group on High Definition Television. The full report, said Fink, would run for some 32 pages and be presented in its entirety in the *SMPTE Journal*. The highlights of the report consist largely of a number of agreed-upon concepts. First, it was adopted that the quality of high definition television would be compared to the performance of current and prospective 35 mm film release prints as projected on a wide screen. Several other criteria were set forth upon which an HDTV system would be judged.

Conclusions of the study group included defining an acceptable HDTV system as one that would have approximately 1100 lines of resolution per frame, with 1500 lines per frame a future objective; a frame rate of 30 fps, interlaced two-to-one except for the

purpose of producing a release print, where the frame rate should be 24 fps without interlacing (progressive scanning); and a luminance bandwidth of 25 MHz.

The committee looked at three areas of application for HDTV: in-home use, theatrical projection, and production of motion-picture release prints. It is unlikely that an HDTV system will find application in standard broadcasting, though the committee did recommend that it be down-convertible to the principal color recording systems.

The full report will be the largest single paper ever presented in the *SMPTE Journal* and its objectives and conclusions should keep R&D people busy for some time to come.

Several systems for stereoscopic television, or 3D, were examined in a paper delivered by James Butterfield of Stereo-Video Laboratories. While technically feasible, market demand for this innovation seems vague. Nevertheless, a number of proposed systems and criteria for them were discussed, and it is clear that progress is being made toward the development of 3D TV.

An area where market demand seems more clarified and the technology more certain is stereo audio for television. The progress report of the Multi-Channel Sound Subcommittee of the Broadcast Television System Commit-



The People's Republic of China presented its first paper to the SMPTE. Fred Remay (second from right) read the paper. The PRC was represented by Chun-rong Zhou, Shao-chu Chen, and their interpreter, Anne Ling

tee (EIA) was delivered by Tom Keller, Jr., of WGBH Educational Foundation.

The committee has under consideration a number of proposed systems including the system in use in Japan by NHK, a system proposed by Quasar, the Telesonic system, and a system proposed by Zenith, which, according to Keller, "looks pretty good." A subcommittee has been appointed to study the technical issues, including how these systems will affect coverage. The BTS committee of the EIA is likely to have a clear set of recommendations ready for presentation to the FCC by the fall of 1980.

William A. Halstead, a telecommunications consultant from Woodland

It's tough to compare something in a class by itself.

Why? Because Broadcast Transmitter

The Sintronic SI-F-25 transmitter is designed for long-term, reliable performance in the 88-108 MHz FM Broadcast band.

It provides the broadcaster with a high specification, easily maintained, reliable transmitter with a long operating lifetime. Proven circuitry is combined with the latest technological advances to meet these design goals. All the specifications are verifiable and represent conservative statements which all transmitters will meet at a *minimum*. They are not engineering estimates of performance. Considerable care has also been taken in the mechanical design to ensure technician accessibility, ease of testing, and component replacement.

The same concern for detail and reliability are found in Sintronic 1.5, 3.5, 5.5, 17.5, and 55 kW FM transmitters. We wouldn't build them any other way.


The Sound Source **Sintronic**
CORPORATION

212 Welsh Pool Road, Lionville, PA 19353 (215) 363-0444



NEWS FEATURE

Hills, Calif., presented a paper describing stereo and multiplex audio systems for TV that he and his associate worked on in Japan and Uganda. Basically, the paper outlined the problems that were encountered in the development of these systems and suggested some ways to minimize these problems. None of them seemed insurmountable for either the transmission or reception of stereo audio, and the authors expressed strong enthusiasm for stereo audio in television, citing a number of market factors that point to an early adoption of some



Hitachi introduced the FP-60S, a new prism optics color TV studio camera, and a new ENG model

system within the next few years.

Teletext and Viewdata systems continue to play a big role in discussions of the near future in television. Tests (see *BM/E*, November) indicate that the systems developed in France and Britain can work in the NTSC domain. Nevertheless, uncertainty remains regarding the success of teletext systems in this country, though CATV system operators show a definite predilection for some such system. Teletext's use in broadcasting, however, will be largely dependent on the ability to commercially exploit it in a competitive market and FCC decisions regarding requirements that TV receiver manufacturers accommodate teletext in future designs. The EIA committee studying the various systems should be prepared to recommend standards to the FCC sometime next year.


Charles Anderson, Ampex Corp., threw some clear, cold water on the fevered brows of digital VTR fanatics. Some of the more difficult problems yet to be resolved before a practical DVR is manufactured were outlined in his paper. While stating that the three major manufacturers who have shown experimental DVRs (Ampex, Sony, and Bosch-Fernseh) have proven that a digital television signal can be successfully recorded and recalled on videotape, Anderson also pointed out

that many more demands will be placed on designers than simple record and playback.

What the experimental DVRs have not proven is that any of the current designs are appropriate to the ultimate DVR. The ultimate DVR must meet or exceed the operational features of the current one-inch Type C and Type B recorders. To do this, the DVR must be able to provide variable speed playback at least equal to that of current technology. While providing a creditable still frame should be no problem for digital, providing intelligible pictures at variable shuttle speeds does present problems.

Each of the existing tape formats — field-per-scan, segmented, and transverse segmented — have serious design limitations for providing these "one-inch" features, though Anderson held out the most hope for the field-per-scan approach. Anderson also indicated that a tracking head such as that used in Ampex's AST system had definite advantages for a digital design. The provision of slow motion to twice normal speed for the transverse approach is probably impossible, said Anderson, though any system other than transverse will suffer from variable clock speed problems. In addition to these problems, audio and editing will also prove to be sticky issues.

CHECK CONTINENTAL'S 317C-2 50 KW AM TRANSMITTER It's the "best" 50 KW package you can buy!



Continental's 317C, the world's most popular and most thoroughly field-proven 50 KW AM transmitter, sets a new standard of performance with the introduction of the 317C-2.

Loud Sound

Automatic Program Peak Controller enables you to achieve maximum loudness without overmodulation.

Completely Transparent

The 317C-2 faithfully reproduces the most sophisticated audio processing: what you program in is what you get out.

AM Stereo Compatibility

Cost Efficient

Continental's proven, patented circuitry gives you extraordinary tube life and high overall efficiency.

Reliability

All components, output networks and power supplies are conservatively rated, so you enjoy extra operating margins with extended life and performance. 317C "on-air" performance has been proven over years of operation.

Let us show you how the 317C-2 50 KW AM transmitter gives you quality sound and superior performance. For information, write or call Continental Electronics Mfg. Co.; Box 270879 Dallas, Texas 75227. (214) 381-7161.

Continental Electronics



None of the problems of developing a digital VTR are insurmountable, according to Anderson, but without input from the users regarding standardization and the features needed, achieving a DVR will be an expensive, time-consuming, and cumbersome process.

So, for the foreseeable future, this push to enhance the interchangeability of film and tape seems well-reasoned. Market demand for visual media is increasing, and existing technologies can meet it if resources are combined.

With portable one-inch helical VTRs weighing 50 pounds and hand-held TV cameras about 20 pounds, film has a decided weight edge over video. Developments such as one-inch SMPTE Type C video recorders and lightweight field cameras, however, have made it possible to do "single-camera film techniques" via electronic cinematography.

Electronic cinematography does, of course, offer a director major offsetting advantages — the ability to view the scene as framed at the same time as the cameraperson and then to play back the recorded signal instantly to verify that the captured scene is safely in the can.

Indeed, one of the features that comes along with the SMPTE Type C standard tape format is the ability to add a confidence head so that you don't have to wait for a replay to see what you

are laying down. Video confidence heads were introduced by Ampex on the early VPR-1 and are now a standard option on VPR-2s and Sony BVH-1100s.

An audio confidence head was an exclusive feature claimed by Hitachi for its new SMPTE Type C recorder until 3M revealed at the SMPTE exhibition that the new 3M/NEC Model TT-7000 "C" format Formal Helical Video Tape Recorder also has an audio confidence head. This is a new feature introduced since the first showing of the NEC TT-7000 unit unveiled at NAB Dallas.

The 121st SMPTE was a good place to see SMPTE Type C machines with interchange compatibility in operation. Ampex and Sony had large exhibits featuring Type C recorders, and both 3M/NEC and Hitachi demonstrated units that will soon reach customers. Under its exclusive marketing arrangement with NEC for the U.S. and Canada, 3M said the first 3M/NEC TT-7000 units will be delivered this month. Hitachi units will be delivered in January. Both of these systems claim features not heretofore available.

A 3M/NEC sales feature, in addition to the audio confidence head, was the ease of accessibility of the TT-7000 for easy maintenance. The TT-7000 has an easy-to-operate front panel that offers a

¼ to 2x shuttle with jog. Although an automatic track follow (ATF) model was not shown at SMPTE, this feature will be available shortly, 3M said. ATF can be added to any TT-7000 model at any time, according to the company.

A new time base corrector is necessary for ATF, and 3M said a 10-bit 16-line correction window TBC, model NTC-10, would be introduced shortly. The TT-7000 fits in a 19-inch rack and weighs in at 177 pounds — heavier than Ampex's 120 pounds but 100 pounds less than the BVH-1100.

Hitachi's HR-200, on display at the SMPTE meet, reflected a few changes recommended by engineers who first saw the model at the Dallas NAB. An audio spot erase feature and new editing capability have been added.

The Hitachi transport design is significantly different from that of the other three manufacturers in that it uses forced air blowing from the rotary drum to lift the tape from the heads during standby, fast forward, and rewind. Hitachi is sure this feature will lengthen head life considerably. Because of the non-contact, a reel can be rewound or fast-shuttled forward in 80 seconds — 50 times normal speed. During record and play, only the heads contact the tape, which leads Hitachi to boast of "minimum dropouts."


A standard feature of the HR-200 is a

SCAMP

TOTAL SIGNAL PROCESSING IN A MODULAR SYSTEM!

Another original from **audio & design recording**

Create your SCAMP system from these interchangeable modules.



- Compressor-Limiter
- Microphone Preamp (transformer-less)
- Sweep Equalizer
- Parametric Equalizer
- Dynamic Noise Filter/Gate (high-pass)
- Dynamic Noise Filter/Gate (low-pass)
- Octave Equalizer
- Distribution Amplifier
- L.E.D. Quad Display Column
- Pan Effects Module (automatic panning)
- Time Shape Module (ADT/Flanger)
- Expander/Gate
- Dual Noise Gate

Equally at home on the road or in the studio!
SCAMP may be purchased piece by piece as budget allows.

audio & design recording

Providing the international audio industry with clean, quiet, dependable Signal Processing for more than 15 years. Excellent specs. Exemplary sound. Definitive practicality.

Nigel Branwell, ADR, P.O. Box 786, Bremerton, WA 98310 (206) 275-5009 TELEX 15-2426

NEWS FEATURE



Convergence demonstrated the animation capability of its ECS editing system

built-in microprocessor for fast, simple operation including remote control. Since the introduction of the HR-200 in Dallas, Hitachi has modified the microprocessor to include a built-in editor. Another Hitachi feature is a Hall-effect pickup head, located on the third audio track, that reads out accurate time code signals regardless of speed. Hitachi will be incorporating automatic tracking (HST) in the future.

A portable 40-pound field recorder shown by Hitachi will operate for one hour from one battery charge. This unit will also be available this month.

Neither Ampex nor Sony feels at all threatened by the entry of new manufacturers. Sony announced the sale of its 1000th BVH unit at Montreux in June of this year and Ampex declared at SMPTE that it had delivered its 1000th VPR-2 (SMPTE C) as of October 20 (purchased by WBBM-TV, Chicago). Both companies are backlogged with orders. Indeed, a customer may buy a 3M/NEC or Hitachi recorder not on the basis of more desirable specs but simply on availability.

Donald D. Kleffman, VP-general manager of Ampex's Audio-Video Systems Division, said, "The VPR-2 is the most successful product Ampex ever introduced. . . . Acceptance of the system continues to grow 17 months after its introduction." The VPR-2 has replaced the AVR-2 as an all-time best seller. Ampex's exhibit featured a slow motion controller, the SMC-60, and a time code reader/generator accessory for the VPR-2 series.

Sony showed a new DTR-1100 Dynamic Motion Controller capable of a variety of variable play speeds. The controller can be used with all Sony BVH units equipped with Dynamic Tracking. Playback can be varied in speed from two times normal through still and 1/5 reverse at full broadcast quality. The controller is expected to be particularly helpful in both sports and post-production work. The DTR-1100

includes three separate timing displays for versatility, plus four cue markers with automatic searching.

To get a chroma stabilized heterodyne video signal out of the BVH-500 portable Type C videotape recorder for verification and monitoring, Sony introduced at SMPTE the HT-500 Chroma Stabilizer. The HT-500 stacks with other BVH-500 accessories.

Sony was the source of another new development in the VTR field. This was the introduction of a completely new self-contained portable 3/4-inch U-Matic videocassette recorder. The BVU-110 incorporates full color playback, a time code generator card as a plug-in option, and a Ni-cad battery that will operate the recorder for five hours on one charge, all in one unit. A high-speed picture search function allows a viewable playback picture in either the fast forward or reverse mode. A monitor has been modified to lock up to this high speed. Other features of the BVU-110 are a flying confidence head and automatic backspace editing.

Eigen Video introduced a memory control unit that converts its analog disc recorder into a random access 600 slide system. Any one of 64 locations keyed into the memory provides instant access to a series of adjacent slides, operating forward or in reverse. Switching is in the vertical interval. News directors can interrupt the memory to insert new material manually. A complete system, consisting of the controller, disc drum, and digital TBC/DOC, sells for a modest \$25,000.

IVC showed its IVC1-11 high band color VTR in the U.S. for the first time. This new recorder is a one-inch helical VTR with a direct color recording system that provides a bandwidth of 4.2 MHz NTSC and 5.5 MHz 50/625 PAL/SECAM, free of moire. Also included in the unit is a Dolby video noise reducer system that produces a signal-to-noise ratio of 50 dB NTSC and 48 dB PAL/SECAM. DOC, time base correction, and velcomp are available as plug-in options.

The unit is not a Type B or Type C format, so tapes recorded in those formats are not interchangeable with the I-11. The superior multigeneration performance of the I-11, however, is viewed by the manufacturer as the key to its use in editing and one-inch mastering. The color recording electronics are derived directly from those used in IVC's 9000 two-inch mastering recorder. Priced at about \$30,000, the new VTR is aimed at the high end industrial market as well as at mastering and editing applications.

More new cameras

Several new cameras that made their first appearance at Video Expo in New York earlier in the month were dis-

played in Los Angeles. Setting a new benchmark in performance for a low dollar was new Hitachi FP-60 studio camera. This is a professional studio camera, with prism optics using one-inch Saticons, priced at only \$25,000 sans lens. The newly developed prism optics system and new Saticon tubes yield a signal-to-noise ratio of 52 dB and a resolution of 600 TV lines.

The camera has a full array of built-in features — automatic beam optimization (for extended dynamic range and reduced comet tailing), built-in bias light for reduced lag, built-in test signals, built-in iris servo control and shading compensation. It also has auto white balance and an automatic wobbling circuit (to make beam alignment easy). The camera also offers a dual method of color temperature correction and a tiltable viewfinder. R,G, and B outputs are another feature.

Another new Hitachi camera was the FP-40S self-contained portable featuring 3/8-inch Saticons and prism optics (f 1.6). The camera has many built-in features and is priced at \$23,000.

JVC introduced a new self-contained camera with quite remarkable performance specs for under \$10,000 — half that of comparable units, said JVC. Three 3/8-inch Saticons are used and a signal-to-noise ratio of 52 dB is claimed. The camera includes a new parallel optical system with a high quality dichroic mirror. Pictures are "needle sharp" with high contrast and a minimum of flaring.

The camera was designed to be physically tough. JVC says broadcast performance, economy, and reliability are the watchwords for the new unit.

Ikegami introduced a new low-cost three-tube, prism optics, color convertible camera, the ITC-350, priced at about \$15,000. The new camera boasts a 53 dB signal-to-noise ratio with 500 lines resolution, bias lighting to reduce image lag, gamma correction to match with other cameras, and selectable private/common intercom; genlock operation in any mode is optional.

For studio operation, the ITC-350 features an optional CCU operating on power supplied from the camera head and an optional ac adapter. As an ENG unit, the camera weighs 11 pounds without the lens and consumes just 15 watts of power.

A "smart" auto white balance compensates for color balance and remembers setup levels for three days after shutdown. A host of other automatic circuits are featured along with a variety of options.

Video recording improvements

Philips displayed a working LDM 3000 digital noise reducer that was the subject of a paper discussed earlier. The new unit, which is fully automatic and fully adaptive, will be available in

"NEWSCOM. ANOTHER REASON WHY WE'RE MORE THAN A COMPUTER COMPANY."

"A broadcasting newsroom is a chaotic place — deadlines, production, editing all combine to put pressure on news management and keep it there.


"That's why Station Business Systems put its vast experience and resources as the leading supplier of broadcasting computer systems into the development of NEWSCOM®, the Newsroom Computer System.

"NEWSCOM puts a video terminal at each desk instead of a typewriter. Terminals can 'talk' to one another, can recall stories from electronic archives, allow easy editing, and can print the copy or put it right up on a prompter screen error-free. Story updates can be made right now!


"I can tell you that in all my years as a news director and broadcast journalist, NEWSCOM is the one tool that will change broadcasting journalism. Call us at 800-243-5300 or collect (203) 622-2400 for details. Or write to Station Business Systems, 600 West Putnam Avenue, Greenwich, CT 06830."

*Vic Burton
Project Manager, NEWSCOM
Station Business Systems*

STATION BUSINESS SYSTEMS

 a division of
CONTROL DATA CORPORATION

MORE THAN A COMPUTER COMPANY



Circle 154 on Reader Service Card

www.americanradiohistory.com

NEWS FEATURE

NTSC for the U.S. market sometime this year. When it is introduced it will probably be more expensive than the current digital noise reducers, but the manufacturer feels its superior automatics and fully adaptive filtering will justify the price differential.

The LDM 3001 (NTSC) uses a recursive low pass filter in which the output signal is recirculated: by means of an auxiliary side chain movement detector circuit, the operation of this filter is bypassed, thus preserving picture detail. The movement detector is fully adaptive and monitors the incoming noise level, adjusting automatically the threshold of operation. Complete diagnostics are supplied with the system.

Dolby, who supplied the analog video noise reduction system for the IVC 1-11, mentioned earlier, announced the availability of an analog audio noise reducer for Ampex's VPR-2. This unit, which was discussed at NAB in Dallas, should be in production by the second quarter of 1980.

The Dolby noise reducer (Cat. No. 255) provides Dolby Type A noise reduction independently to both audio tracks of the VPR-2. Like other Dolby Type A systems, 10 dB of noise reduction is provided from 20 Hz upwards, increasing to 15 dB at 9 kHz and above.

At the Dallas NAB, Yves Faroudja, Inc. (YFI), showed a Comb Filter Separator and a Record Booster. At SMPTE, these devices were exhibited in new configurations. The YFI Comb Filter Separator is now available as a plug-in module that will fit into Conrac or Barco professional monitors. The YFI Record Booster, which provides preenhancement to the camera signal input of VTRs, has been packaged in a portable outboard model that attaches to U-type portable recorders. The portable unit is priced at \$1950.

No new editors were introduced at the show, but some enhancements and marketing shifts were noted. The Z6 system from Videomedia, for instance, has now added the Z6-E. This latest edition of the Z-80 microprocessor-controlled editor is capable of A, B, and C rolls and extended effects capabilities. To rehearse edits involving such multi-machine external rolls, the software controls the switching of the inputs so that the editor sees the entire sequence as it would appear. Modifying these events is accomplished through a function-oriented panel that reduces operator/controller dialog. Infrequently used routines can be recalled from the system's memory by asking for an editing menu display, thus eliminating the need for a looseleaf editor's manual. The edit decision list is stored right on the edited master tape at



Hitachi showed its one-inch Type C VTR incorporating several new features since its introduction at NAB

a rate of six events per video frame, thereby bypassing the punched-paper tape method.

Other changes that affected some of the editing machines at SMPTE included the first display of the EPIC editing system under its new corporate ownership, Harris Video Systems (formerly CVS), and the first exhibition of the Mach One system as a product of TeleMation, soon to become a product of the new Fernseh, Inc. (see Broadcast Industry News, December, 1979).

The Convergence system, ECS, was demonstrating its animation capability. Using an animation stand, camera, and the ECS edit controller, a very creditable video type single-cell animation performance was put on.

Digital special effects units on display offered one more step forward by demonstrating that virtually any switcher can be used in conjunction with them. Both NEC and MCI/Quantel showed their systems interfaced to low-cost 3M switchers. Grass Valley and Vital, however, continued to show their digital effects packages in conjunction with their own switching systems.

There was also an impressive downsizing of a sophisticated switcher with the display of CDL's CD-480-4. This \$25,000 switcher is just 24 $\frac{1}{2}$ inches wide by 16 inches high. The rack electronics are 21 inches high and the 24-input panel is 29 $\frac{1}{8}$ inches wide. The switcher offers a complete package of 480 SFX processing and options.

An innovation in routing switchers was displayed by Di-Tech, with the demonstration of its new Pace 1000 computerized real-time controller. This system utilizes the 8030 single-board computer and a CRT terminal. A full week's routing assignments can be scheduled and controlled from the CRT with a real-time event display to keep the operator informed. Editing and changes in the assignments can be quickly accomplished through the keyboard. The controller and software to control up to 100 sources and 100 destinations are available for approximately \$11,000.



NEC (above) and MCI/Quantel demonstrated the simplicity of their interfaces by using 3M switchers

Other innovations

There was a time when major new product introductions could be expected to coincide with the NAB, and one of the things that had people referring to this fall's SMPTE exhibits as a "mini-NAB" was the number of new products offered. Lenco, for instance, introduced a line of new professional color monitors -- the PCM-500 Series. The new monitors use a black matrix shadow mask precision in-line (PIL) gun cathode ray tube. Resolution of the tube is 625 lines or better and a comb filter or regular notch filter are switch-selectable. Inputs to the monitor may be either NTSC or RGB, an unusual feature for studio monitors. All controls are front-panel mounted and remotely controllable, with the exception of the underscan switch. The remote control panel is dc powered and can be placed up to 1000 feet from the monitor.

With significant advances in packaging and sealing material designs, lead acid batteries are on their way back. Lead acid batteries have always offered some advantages in terms of electrical performance and recharging, but poor material design has restricted their practical application from rough television and film assignments. Now, according to a paper presented on the topic, advances in these types of materials have rejuvenated interest in lead acid. One new company, G&M Power Products of Los Angeles, Calif., displayed a line of lead acid batteries in power-pack and belt configurations. These batteries are able to be charged and recharged between 200 and 2000 times without some of the "memory effects" or over-charging problems associated with other types of batteries.

There were numerous products seen for the first time at SMPTE in lighting, film editing, film cameras, and related areas. Many of these products will be featured in upcoming editions of *BM/E's* Broadcast Equipment column. Suffice it to say that the SMPTE's ability to bring out such a showing at its technical conference is testimony to the growing importance and sophistication of the Society. **BM/E**

WELCOME TO THE DIGITAL DECADE.

Digital is definitely where it will be happening in television in the 80s. No company understands that better than Digital Video Systems. After all, we were one of the first to see the incredible potential of this new technology.

Today the industry stands on the threshold of tremendous growth and

make no mistake: we're ready. We've added scores of people. The right people. In the right positions.

We're set for the Digital Decade in all areas: production, sales, service and marketing. We have made substantial new financial commitments in research and development. And this area will continue to get

larger and larger in the next few years.

We are especially pleased that the focus of the 14th Annual SMPTE Television Conference will be Digital. It's where we're all going, and the things we'll be seeing and subjects we'll be discussing will make this conference the most significant of its kind ever.

That the conference will be held in Canada is again pleasing to us. It's a recognition of the international nature of the digital phenomenon. And it's a chance to see a great city. Join us in Toronto - and learn. Digital has come a long way in a very short time. Here's a chance to see just how far we can go in the future.

 **DIGITAL**
Digital Video Systems

Head Office: 716 Gordon Baker Road, Willowdale, Toronto, Canada M2H 3B4, Telephone: (416) 499-4826
Chicago San Francisco New York

Circle 154 on Reader Service Card

INTERPRETING THE **FCC** RULES & REGULATIONS

FCC Redefines Control Standard

By Frederick W. Ford and Lee G. Lovett; Lovett Ford and Hennessey, P.C., Washington, D.C.

THE UNIVERSITY OF PENNSYLVANIA, the prestigious Ivy League university, is a licensee of the Federal Communications Commission again, but just barely. The university has operated WXPB-FM in Philadelphia since 1957. The FCC revoked WXPB's license in 1978, however, on the grounds that the licensee, the trustees of the university, had forsaken supervision of the station. Although WXPB is a noncommercial educational station, the decision has ramifications for all Commission licensees of broadcast stations. We will attempt to explain some of the issues in the series of cases which culminated in the eventual reinstatement of the license for WXPB.

The case against WXPB

The problems at WXPB date back several years. In January, 1976, the Commission designated the renewal application of the station for hearing.¹ The Commission designated two issues: (1) to determine whether or not the applicant, the trustees of UPenn, had exercised adequate supervision of the station in a manner consistent with the responsibilities of a licensee and (2) to determine whether, in the light of the evidence found as a result of investigations of the previous issue, UPenn possessed the requisite qualifications to remain a licensee.

According to the developed record, during the 1972-75 license period, WXPB repeatedly received notifications from the FCC of violations of various technical standards. In some instances the station apparently disregarded complaints altogether.

A notice to the trustees accompanying the designation order also indicated the licensee was liable for forfeiture of the license as a result of broadcasting obscene material. In the opinion of the Commission, program segments noted by the Commission "appear to appeal to the prurient interest, describe sexual conduct in a patently offensive way, and lack serious literary, artistic, political, or scientific value." This was in line with the three-fold test of obscenity set up by the landmark Supreme Court case, *Miller v. California*.²

As a result, the WXPB case became somewhat of a *cause célèbre* on the obscenity issue. However, the Commission evaded the question of obscenity. Both the initial decision by an administrative law judge³ (ALJ) and the decision by the Commission⁴ denied the renewal application and considered the most serious issue to be the loss of control over station operations by the licensee. The licensee, the trustees of UPenn, apparently had no idea of what was going on at the station. In addition, after the trustees were informed of the irregular lines of organization, more than two years passed before they took corrective action to improve the structure of control.

In fact, as early as the designation order, station control

would appear to have been the major issue for the Commission. Although he thought the university should have been given a short-term renewal rather than a hearing designation, then-commissioner Benjamin Hooks noted the "management gap" in existence at some noncommercial educational stations. Also, Hooks criticized the "regulatory 'base-on-balls' we have given educational stations in general" and complained that "responsibility for actual station operations is lost in a jungle of contemplative committees."⁵

In his initial decision, the ALJ determined that the trustees of UPenn failed to exercise proper control and supervision over WXPB and that renewal was not in the public interest. The full Commission concurred that the holder of the license had not met the Commission's standards of a licensee during the previous license term (1972-1975) and that its conduct was "incompatible with the obligations of a public trustee." It added:

"Throughout the 1972-75 license period, serious complaints were lodged against WXPB-FM. Yet the problems at the station were not effectively addressed until the Commission initiated its own investigation some 27 months after the initial complaints. If our licensing policy is to have meaning, the licensee must exercise control and supervision over the operations of its station."⁶

The trustees had delegated control and supervisory powers over the station's operations to the president of UPenn, who in turn delegated to the dean of students, who in turn subdelegated to the director of student activities. Student government groups also had input into station affairs. The FCC determined that the licensee in this case had delegated authority to such an extent that there was *no meaningful standard of supervision and control over the station*. If the FCC had excused this, it would have been in contravention of a longstanding Commission practice. This practice was underscored by the *Eleven-Ten* case:

"Only by holding a licensee responsible for the operation and management of a station, and only by insistence that the reins be held by the licensee, can there be any reasonable assurance of responsible station operation and management."⁷

The same imperative was strengthened in the *Continental Broadcasting* case:

"Retention of effective control by a licensee of the station's management and operation is a fundamental obligation

¹ *Trustees of University of Pennsylvania*, 57 FCC2d 793 (1976).

² *In re Notice to the Trustees of the University of Pennsylvania*, 57 FCC2d 782, at 790 (1976). See also *Miller v. California*, 413 U.S. 15 (1973).

³ FCC 77-D15.


⁴ 69 FCC2d 1394 [44 RR2d 747] (1978).

⁵ 57 FCC2d at 795 (1976).

⁶ 44 RR2d at 753 (1976).

⁷ *Eleven-Ten Broadcasting Corp. (KRLA)* 32 FCC 706 [22 RR 699] (1962), recon. denied 33 FCC 92. Affirmed sub. nom. *Immaculate Conception Church of Los Angeles v. FCC*, 320 F2d 795 (D.C. Cir.), cert. denied, 375 U.S. 904 (1963), cited in *Trustees of the University of Pennsylvania*, supra., (1978).

IF YOU ARE CONFUSED by the proliferation of video editors now on the market - before making your "edit decision", consider these facts:



- FACT:** datatron has been designing and building videotape editors since 1971.
- FACT:** There are over 600 installations around the world of datatron's model 5000; 5050-100, 200, 300; Tempo 76 and 2000 Videotape editors.
- FACT:** datatron has editing interfaces for more VTRs and ATRs, and more combinations than anyone: Sony MV-10000, BVH-1100; IVC-870, 960, 9000; Ampex VPR-1, VPR-2, AVR-1, AVR-2, MM-1000; RCA TR-22, TR-70, TR-1200, TR-600 . . . and many more. AND The Rank Cintel MK3 Flying Spot Scanner.
- FACT:** datatron has an established service and support reputation with its customers, unmatched in the industry.
- FACT:** datatron editing systems are designed with the editor in mind: Operation is straightforward and simple. You spend less time dwelling on the mechanics of editing, giving you more time to exercise your creativity.
- FACT:** datatron editing systems are reliable; they perform the way they were designed to . . . day in and day out, year after year.
- FACT:** datatron Video Systems is a part of a multi-division corporation with a stable earnings history and years of experience. You can count on continued support for your editing investment.
- FACT:** WHEN YOUR REQUIREMENTS CALL FOR HIGH QUALITY EDITING SYSTEMS AND RELATED SMPTE TIME CODE EQUIPMENT, datatron IS THE ONLY NAME YOU NEED TO REMEMBER.

datatron, inc. VIDEO SYSTEMS DIVISION

1562 Reynolds Ave., Irvine, California 92714 (714) 540-9330 TWX 910-595 1589
Mailing Address: P.O. Box 11427, Santa Ana, California 92711

Circle 155 on Reader Service Card

FCC Rules And Regulations

tion of the licensee, and a licensee's lack of familiarity with station operation and management may reflect on indifference tantamount to lack of control."⁸

The Commission would not absolve the trustees of UPenn of blame because they were unaware of the severity of the problem. In its decision, the Commission recalled the case of the Alabama public television network: "[A] licensee cannot escape responsibility for the actions of those to whom it delegates programming responsibilities simply because it was unaware of such actions . . ."⁹ The Commission granted, however, that a licensee could not be held accountable for each and every action of station employees but felt that UPenn could have limited such problems by diligent supervision.

Resolution of the case

As matters stood in January, 1979, UPenn had been ordered to take WXPn off the air. When UPenn filed an application for a construction permit in June, 1979, however, the Commission waived §73.3519 of the rules, which would have otherwise prohibited the station from reapplying for deleted facilities within one year. In October, 1979, the Commission granted the application for a construction permit.¹⁰

The Commission agreed to an arrangement that a five-person professional staff and manager, supplemented by student volunteers, would operate the station for the licensee, the trustees. The Commission noted:

"[It] appears that the lack of supervision and control which led directly to the loss of license has been remedied

and since the applicant is otherwise fully qualified, we find that a grant would serve the public interest."¹¹

Conclusion

The case of the University of Pennsylvania's WXPn-FM could have bearing on the situation of all broadcasters who have separate ownership and management. In the case discussed above, the Commission acknowledged that of course, by definition, noncommercial service differed from commercial service. However, the Commission emphasized it would be mistaken to regard the noncommercial service as outside of the Communications Act and the Commission's rules. The duty of exercising proper control over broadcast station operations and personnel applies equally to *all* licensees, commercial and non-commercial.

In light of this decision, broadcasters should take note of any official Commission notices about possible rule violations. Public and staff complaints should be acted upon expeditiously. Licensees who maintain separate ownership and management should especially take care to see that the station continues to be operated as represented in the original or renewal application for the entire license term. Any questions should be referred to their communications counsel.

The case of WXPn might indicate the Commission really means business on this matter of station supervision.

BM/E

⁸ *Continental Broadcasting Company*, 15 FCC2d 120, at 126 (1968), cited in *Trustees of University of Pennsylvania*, supra.

⁹ *Alabama Educational Television Commission*, 50 FCC2d 461, at 495 (1974), cited in *Trustees of University of Pennsylvania*, supra.

¹⁰ *Trustees of the University of Pennsylvania*, 46 RR2d 565 (1979).

¹¹ *Ibid.*


THE LOWER YOUR POWER, THE MORE YOU NEED IT.

Sometimes it seems like the cards are always stacked against the Class A's. Low power . . . low antenna height . . . poor terrain . . . they make it tough to reach the audience you deserve. The OPTIMOD-FM Compressor/Limiter/Stereo Generator can change the odds. Its cleaner, brighter, louder signal penetrates farther—and stands out even in strong-signal areas. Many of the over 2000 OPTIMOD-FM stations now using it report dramatic improvement in coverage and in signal quality.

At \$3495,* OPTIMOD-FM is the most cost-effective way we know to optimize your signal. Available through selected dealers.

orban

Orban Associates Inc., 645 Bryant Street, San Francisco, CA 94107
Call Toll Free, (800) 227-4498, In California, (415) 957-1067
Telex: 17-1480, Cable: ORBANAUDIO



*Suggested List Price

Circle 156 on Reader Service Card

Now! For heterodyne VTRs



a broadcast quality, digital TBC

It's the CVS 516, first digital TBC made and priced to give users of non-segmented, heterodyne VTRs all the proven advantages of modern digital video processing.

The CVS 516 is ideal for ENG, teleproduction, studio VTR backup and much more because it has features that, before, you'd find only in TBCs costing up to twice as much.

Correction of chroma/luminance delay problems, a chroma noise reduction of 3 dB, velocity compensation and color dropout compensation are all standard. So are a broadcast stable, gen-lock sync generator and a built-in, completely adjustable processing amplifier.

The 516 also includes circuitry to closely control FCC blanking problems. For example, it combines exclusive CVS Gyrocomp memory organization with a 2 line (or optional 16 line) memory, automatic VTR advanced sync and available H and V blanking adjustments. The result is complete control of output blanking.

Simple operation is another plus. Front panel con-

trols give you total mastery of your video signal. Each control also has a preset unity position to give you a consistent starting point for all your tapes.

If all that's not enough, add our optional, moderately priced Image Enhancer/Noise Reducer. This plug-in card substantially reduces luminance and chroma noise, and significantly improves subjective resolution.

The CVS 516 weighs only 35 pounds, stands just 3½ inches high and uses only 175 watts—major advantages with today's increased emphasis on ENG and field production.

So, to give your heterodyne productions the quality they deserve, get the one digital TBC made and priced to do the job—the CVS 516.

For full details and/or a demonstration, contact your Authorized CVS Distributor, or CVS, today. Also, be sure to ask for our popular booklet about the basics of digital time base correction, and a reprint of the article "TBCs, Blanking and the FCC."



COMMUNICATION AND
INFORMATION PROCESSING

Harris Video Systems P.O. Box 523 1255 E. Arques Avenue Sunnyvale, California 94086 (408) 737-2100 Telex 35 2028

Circle 157 on Reader Service Card

www.americanradiohistory.com

TELEX®



AUDIOCOM™


THE INTERCOM SYSTEM

A closed circuit headset intercom system for small, large, portable or fixed installations. AUDIOCOM, for concerts, stage productions, film or TV studios, sports stadium and race track, industrial, military or public safety applications.

AUDIOCOM, for short or long distance (over five miles), requires only simple wiring and readily interfaces with other sound systems including telephone circuits. Options include tone or light signaling, paging, program feed and rechargeable battery packs in case of power failure.



AUDIOCOM SWITCHBOARD, portable or rack mount, segregates six external intercom lines into three separate non-interfacing circuits; or stage, lighting and sound crews can communicate independently, jointly, or may be mixed. Contains 24 Vdc power supply with optional, rechargeable battery pack. Smaller power supplies also available.



AUDIOCOM INTERCOM STATIONS, belt pack or wall mount, can be "daisy-chained" by the dozens without degradation in signal quality or strength. Listening control and mike switch included. Unused inputs mute automatically to prevent system noise.



AUDIOCOM PAGING SPEAKERS, portable or wall mount, feature volume level switch. Also serves as a paging station.

AUDIOCOM ACCESSORIES. Noise cancelling boom mike headsets or hand mike, even for high noise environments. Interface unit adapts to 2, 3 or 4 wire systems with balanced or unbalanced circuitry.

Cables, extension cords and "T" connectors for convenient, virtually limitless system layout.



TELEX

TELEX COMMUNICATIONS, INC.
9600 ALDRICH AVE. SO. MINNEAPOLIS, MN 55420 U.S.A.
EUROPE: 22, rue de la Legion-d'Honneur 93200 St. Denis, France.

Circle 158 on Reader Service Card

www.americanradiohistory.com

SPEAK OUT

Speak Out: "You Have To Understand The Medium To Use It Effectively," Says Tony Russomanno, KSFO

Editor's note: This Speak Out was derived from a conversation with Tony Russomanno. While the thoughts are his, the telling of his story has been reconstructed by BM/E editors for presentation in this column.

IT'S NOT JUST your thoughts that are important. You have to be able to communicate those thoughts and you do that through the technology of broadcasting. If you don't know how to effectively use the technology, that's just as bad as not knowing how to effectively translate your thoughts into words.

In the past year, I and my station, KSFO, San Francisco, have received a number of awards for my reporting of the events surrounding the People's Temple in Jonestown, Guyana. Though the awards recognized journalistic enterprise, that enterprise was made possible through the use of technology and an understanding of its importance. I am, I think, a better reporter because of my background in electronics. It enables me to be better prepared to work on my own and to meet goals as a reporter. Technology is not an end in itself. It is a tool to that end, and you have to know your tools.

A knowledge of the tools of my trade, a level of preparedness, and a certain resourcefulness were all central to the situation I confronted in the Guyana story. As soon as word was received that Congressman Ryan and members of his party had been shot, news director Jeff Skov recognized that it was a story with incredible local interest. The People's Temple and its leader, Jim Jones, had been subjects for local news over a period of time, but because those people in Jonestown were mostly from the San Francisco area, with friends and relatives here, the story was, in essence, local.

Jeff Skov told me he was thinking of sending a reporter to Guyana and asked if I was ready to go; did I have a passport? Since I had no passport I, of course, answered, "Yes." Skov explained that there was a flight for Guyana that evening. I knew there were several things I had to do. First, set a

world record for getting a passport, and at the same time collect my thoughts and my gear.

My gear was the least of my worries. I needed to think about what I would be doing in Guyana. Would I be doing a lot of moving — a lot of travelling? I knew whatever I took would have to be rugged and lightweight. As a Sony technology "freak," I settled on taking my TC150 and my TC142. With this gear I knew I not only had backup equipment, but I would also have fairly good editing capability. I also took what I consider to be a very important piece of equipment — a simple Y connector. For a microphone, I used the EV-635 (Electro-Voice), a rugged mic that will take a lot of punishment.

In addition to this basic package, I keep a neat assembly of "anything-to-anything" connectors. This has been a routine of mine that makes it possible to



Tony Russomanno, KSFO, San Francisco.

His reports from Guyana and his documentary in the aftermath of the People's Temple tragedy have won for him the RTNDA International Award, the San Francisco State University Broadcast Media Award for Best Documentary, and his station took the 1979 Armstrong Award for best News Programming

just grab one simple package and be off. If I underestimated any of my technical needs, it was for cassettes. Though I took 24 hours' worth, I could have used 48.

My next greatest concern was getting my stories back to KSFO. Without a network to support me, I knew I'd be depending on the telephone system. In Guyana, the telephone system leaves a lot to be desired. The telephones are basically ancient devices left over from the English colonial period. Moreover, you don't step into a phone booth in Guyana. You deal directly with the telephone company. You go to the telephone office, step up to the counter, pay in advance, and then the people direct you to a booth. You must pay in Guyanese currency and without it, you don't make calls. When your time runs out, you are not advised to deposit anything; you are simply cut off.

Given this rather primitive telephone system and my experience with transoceanic cable, I established a second communications line. KSFO and the other Golden West stations are UPI affiliates. I used my UPI contacts to try and set up some sort of deal for piggybacking my reports on their high fidelity satellite feed. As it turned out, I struck up some deals with my UPI contact in New York and the UPI reporters on the scene that made this system my most reliable link.

My third communications link stemmed from my background in radio. I have my FCC First Phone, and I've been a long-time ham radio operator. Ham radio is probably one of the best and yet most underutilized communications systems around. It is a worldwide fraternity and a reliable one.

I checked around the station and found one of our engineers who is a ham operator, and then we located a ham who agreed to monitor a certain frequency at a specified time each evening. I was certain I could locate another ham operator in Guyana. I never had to resort to this third system, but it was reassuring to know that it was there.

By this time, I was confident of my home base, but I was still a long way from Guyana. As a number of airline deals fell through, getting a ticket became a great problem. Finally, I went to our sales department and asked one of our salesmen if there was anything he could do by working out a deal with Pan Am — a station client. The salesman made a few calls to New York, and soon I was on my way.

The first flight took me to New York, where I used the layover to complete my arrangements with UPI. Then I boarded the Pan Am flight, which was the first commercial flight into Guyana since the news of the attack on Ryan's party. The plane was loaded with press.

Speak Out

The *New York Times* had a big crew aboard. There were AP and UPI reporters, television people, and even a correspondent from *Der Spiegel*, the German newsmagazine. Mixed among the passengers were people whose relatives were in Jonestown. Virtually no one sat down during the flight. We just walked up and down in the aisles talking about what was going on in Guyana and what we thought was going on.

Then began a series of events I'll never forget. As we approached Georgetown, Guyana, my name was called out over the public address system. An attendant told me that the pilot had been informed by radio from Guyana that upon arrival, I was to be escorted from the plane before the other passengers. I asked why, but the attendant had no other information. I asked that Georgetown be contacted for an explanation, but was told the tower could not be raised.

I had heard a story about a San Francisco *Chronicle* reporter who had been detained by Guyanese authorities a couple of days earlier. An NBC field producer stayed with this reporter until the problem was cleared up. I had no idea what was going on, so I began giving my name and affiliation to UPI

and all the other people I met on the flight and asked them to start looking for me if they didn't hear from me in a couple of hours.

When the plane landed and came to a halt, I turned on my tape recorder. Whatever was going to happen, I wanted it on tape.

As the door of the plane opened, I found myself staring into a bright searchlight sitting on the tarmac. Silhouetted against the light were two men, one with what appeared to be a rifle held at parade rest and the other with a clipboard. When I approached them, the one with the clipboard looked up at me, then down at his clipboard, and then back at me. "Are you Mr. Russomanno?" he asked. "Yes," I replied.

At this, he extended his hand and said, "I'm Alan Ross of Pan Am; I'm here to make sure your stay is an enjoyable one. Is there anything we can do for you?"

For this, I was unprepared. It seems that our salesman who had arranged the flight through contacts at Pan Am was owed a favor by somebody, so when the arrangements were made, "VIP" was added after my name.

This demonstrates another thing about the Guyana story. It was clearly an American story. For the Guyanese, it was pretty much business as usual—

you still greet people at the airport.

Successful reporting from a foreign country depends largely on resourcefulness. It was clear to me that my story was a local story with an angle that the networks would not provide. To the networks and wire services there was a "body count" side to the story, but for the San Francisco audience these were the bodies of San Franciscans, some neighbors, some relatives. I felt I had an obligation to try and explain what went wrong.

For a reporter working alone, cooperation becomes the most important thing. In Georgetown, you just couldn't be everywhere at once. There were survivors of Jonestown showing up on the streets of Georgetown, there were press conferences, there was a problem of trying to find out what was going on in the jungle 150 miles away. The people who cooperated did o.k., and the folks who didn't? Well, there was the wire service reporter who reported that 800 survivors had walked out of the jungle. There was a network correspondent who took the attitude that he didn't need to talk with anyone else, so no one told him that he needed Guyanese currency to make a telephone call and his story waited over the weekend for the banks to open.

Cooperation took many forms. Sometimes we traded tapes. I met an


Model 537 The Extra Quiet Equalizer with Equality (of course!)

UREI's new Extra Quiet Equalizer with Equality (of course!) features:

- Signal to Noise — better than 110 dB at maximum output
- 12 dB boost or cut at each of 27 ISO 1/3-octave frequencies, 40 Hz to 16 kHz
- Dynamic range to +24 dBm

EQ quietly slip out and see it at your UREI dealer today!

UREI
QUALITY
OF COURSE



UREI

8460 San Fernando Road, Sun Valley, California 91352 (213) 767-1000

Worldwide: Gotham Export Corporation, New York; Canada: E. S. Gould Marketing, Montreal

Circle 159 on Reader Service Card

NBC radio correspondent who was rushing off to cover one story while I was headed in another direction on another story. In a moment a deal was cut. We traded tapes. I dubbed a tape of his to send back to New York while he went off to cover another story. Unfortunately, NBC, New York, would not accept the call, but when I filed my own story over UPI's satellite link, I piggy-backed the NBC report and UPI forwarded it to them. As part of my deal with UPI, they got my stuff as soon as KSFO received the material.

On Thanksgiving morning when the bodies were first found at Jonestown, there was a mad rush to get there. I asked myself what story I could tell if I were to go to Jonestown. Not much more than a flyover. For me the story was still in Georgetown. UPI sent a reporter out there who had to go through an almost incredible system to make the 150-mile flight. The Guyanese government authorized only one pilot and plane to make the flight, so he was going to the highest bidder. It took the UPI reporter three days to get the necessary clearances and then to negotiate with the pilot. After learning what he could, he tried to return, but the plane left without him. Finally, the reporter filed his story by phone. I got the call, taped it, and we got permission to use his report for KSFO. It worked

nicely because I was able to get the Georgetown end of the story for him while he mucked about in the jungle.

After I filed my last report from Georgetown, I began the trek back home. I landed in New York and as I stepped off the plane, I learned that San Francisco Mayor George Moscone and county supervisor Harvey Milk had just been assassinated. I called the station and Jeff Skov had the good sense to tell me to stay where I was; to take a few days off.

This may be the most important point of the story. When a reporter or crew has been through an experience like Guyana, or some other incredible disaster, they must be given an opportunity to cool out. Al Webb, a fantastic journalist with UPI, told me after the Guyana incident that it was worse than all the years he'd spent as Southeast Asia bureau chief during the Vietnam war. There must be a chance to reflect and to come to terms with events of this scope.

Now we are back to normal — or are we? On March 27, 1979, I attended a press conference with a lot of other reporters presented by the Abilene Alliance, an anti-nuclear group. They were presenting some experts from their own camp who were going to discuss the dangers of low level radiation and the danger of the Diablo Canyon

nuclear reactor, located on an earthquake fault. After a while, most of the reporters left because they felt "there was no news here." I stayed to hear the medical explanations on radiation effects and other information. The next day, the TMI story broke. I had established contact with these people and they were answering my questions. Other reporters, the ones who had left the press conference the previous day, came back demanding answers. I got my questions answered first. Because of the information I had and the contacts I made, I think KSFO had the best reporting in town on the TMI accident.

Right now there is a problem with the Diablo Canyon reactor site regarding the seriousness of the earthquake danger. The Atomic Safety and Licensing Board has one set of figures, the U.S. Geological Survey has another set of figures. The reactor has been retrofitted to improve its ability to withstand the shock of an earthquake, but still doesn't meet the original figures provided. Somehow, the NRC was able to make two different figures match. How do you report something like that on the air unless something happens, unless there is an event? We, as reporters, have a responsibility to know enough to ask the right questions, to find out what we can even when the subject is difficult. **BM/E**

The Quality Microphone That Isn't Made In Deutschland.



Before you assume you must go for the standard microphones from Germany, we think you owe it to your ears (and wallet) to consider The Swedish Alternative: PML. Since 1941, PML has maintained a tradition of handcrafted quality that is immediately apparent in the sound and design of each painstakingly crafted microphone. The essence of superb Swedish attention to detail and quality is exemplified in the F-69, a studio quality dynamic cardioid which is super-rugged, produces high output and is very lightweight. The DC-73 cardioid condenser is an excellent hand-held mic that features an integral "pop" filter and a built-in shock resistant elastic suspension to reduce hand noise to a

minimum. A pre-polarized omni miniature electret condenser, the CL-4 lavalier features outstanding clarity and exceptionally smooth response.

The '69, '73 and CL-4 are only 3 of a full line that includes studio condensers and advanced design XY-axis stereo mics and complete accessories.

Please write us for full technical information and ask your pro-dealer for a demonstration.

We'll bet you dollars to marks you'll be surprised how much more you'll get with the Swedish Steal. Dealer inquiries invited.

Sverige Är Bäst.

PML PROFESSIONAL MICROPHONES

Exclusive U.S. Distributor: **Cara International, Ltd.**, P.O. Box 9339, Marina del Rey, Ca. 90291, (213) 821-7898
Worldwide Marketing: **Creative Trade, CTAB AB**, Knutsgatan 6, S-26500, Astorp, Sweden, Tel: 4642/515 21

GREAT IDEA CONTEST


1. Sequential Cart Triggering Circuit

J. W. Nelson, Chief Engineer,
WPCH, Atlanta, Ga.


Problem: The need for the radio announcer/operator to read cart labels and remember which cart is next during a break.

Solution: This sequential cart trigger circuit has a START button that starts the first cart machine and dele-

gates control to the second, third, and so forth cart machine or tape deck. A status panel indicates which deck the START button will start next. When the START button is pushed, that deck will start and the next light will move to the next deck in the sequence. The next time the button is pressed that deck will start. A NEXT button allows the operator to skip a spot or start anywhere in the sequence. The circuit automatically returns to "deck no. 1-next" status after a power failure.



Status panel (above) and schematic (below) for Nelson's sequential cart triggering circuit



2. Digital Timer

Ronnie Powell, Radio/TV Engineer,
KSAU-FM, Nacogdoches, Texas

Problem: To build an accurate, inexpensive timer that would start tape machines automatically.

Solution: We needed a method to record news feeds and programs for delayed broadcast. Our solution was to buy an inexpensive digital clock and interface the alarm in

order to start audio or videotape recorders.

We installed a jack on the clock that allows the alarm to function normally until the interface is plugged in. Approximately 5 V pulses are developed across the 470 ohm resistor, which acts as a load in the absence of the alarm speaker. The .01 μ F capacitor helps to prevent false triggering of the one-shot while LED L1 simply indicates when the alarm is pulsing. Polarity of the alarm pulse must be determined for proper triggering of the 74LS123 one-shot.

Portability plus in communications counters.

Model 6243A
1,250 MHz

Model 6242A
512 MHz

Model 6241A
100 MHz

100 MHz • 512 MHz • 1250 MHz

Systron-Donner's communications counters offer the latest technology in precision frequency measurement along with a battery pack option that lets you take them anywhere.

- **Tone measurement** (opt.): Allows measurement of low frequencies with high speed and resolution. For example, 0.01 Hz resolution measurements may be made in 1 second.
- **Overload protection:** Input fuse allows counter to withstand high input signal levels without damage.
- **Sensitivity:** 10mV rms for all three models.
- **Display:** 8 LED digits with excellent visibility, 0.1 Hz resolution.
- **Many options:** It's a simple matter to tailor an instrument to your needs for accuracy, stability and BCD outputs.

All models accept an *internal* battery pack that does not increase the size of these compact instruments. Battery power begins automatically when AC power fails or is removed.

In addition to communications applications, these counters are ideally suited for any use that requires high sensitivity and wide range frequency measurements.

For more information or sales assistance, contact your Scientific Devices office or Systron-Donner at 2727 Systron Drive, Concord, CA 94518. Telephone (415) 676-5000.



S-D the frequency measurement people,
and a lot more

SYSTRON DONNER

PUT OUR PERFORMANCE TO THE TEST

Circle 161 on Reader Service Card


www.americanradiohistory.com

Great Ideas

The first half of the one-shot, which has the timing resistor omitted, acts as a latch and triggers the second half of the chip. This second half of the one-shot has a time

constant that enables the relay for approximately five seconds through the relay driver Q1. The relay will not close again until the reset button is pushed and the alarm is activated. LED L2 indicates when the one-shot is latched.

If the tape machine contacts need to be held closed for
continued on page 106



Now—The 1980 Great Idea Contest

BM/E's 1980 Great Idea Contest begins with the January issue. Send in your ideas for making station life easier — they could win you a prize! Just read the rules below and fill in the entry blank — and don't forget to vote for your favorite entry. 1979 winners will be announced in March.

1. Eligibility: All station personnel are eligible. Consultants to the industry may enter if the entry indicates the specific station or stations using the idea or concept. Manufacturers of equipment or their representatives are not eligible.

2. How to Enter: Use the Official Entry Form on this page or simply send BM/E a description of your work. State the objective or problem and your solution. Include diagrams, drawings, or glossy photos, as appropriate. Artwork must be legible but need not be directly reproducible and not exceeding three in number. Camera reproducible material is preferred. Length can vary, but should not exceed 500 words. BM/E reserves the right to edit material. Entry should include: Name, title, station affiliation, and the class of station — TV, FM, AM. Indicate if idea is completely original with you.

3. Material Accepted for Publication: BM/E editors will make all decisions regarding acceptability for publication. If duplicative or similar ideas are received, BM/E editors will judge which entry or entries to accept. A \$10 honorarium will be paid for each item published.

4. Voting: Every reader of BM/E is entitled to rank the ideas published. This can be done on the Reader Service Card in the magazine or by letters or cards sent to the BM/E office. To vote, readers should select the three ideas they like best and rank them 1, 2, or 3.

5. Winners: Top rated entries in the year-long tally will become winners in each of the three major categories (AM, FM, TV). Final winners will be picked in February, 1981, and announced in the March, 1981, issue of BM/E.

6. Prizes and Awards: Three top prizes will be awarded: a programmable electronic calculator will be awarded for the highest rated entry in the respective categories of AM, FM, and TV. Ten engineering slide rule calculators will be awarded as secondary prizes for the highest rated entries in the following additional categories (top three winners are not eligible for these prizes): audio (three prizes, one each in the AM, FM, and TV categories); RF (three prizes, one each in the categories of AM, FM, TV); Control (three prizes, one each in the AM, FM, and TV categories); Video (one prize in TV).

Mail to:

Editors, BM/E
295 Madison Avenue
New York, New York 10017

1980
Entry Form

Name _____ Title _____

Station Call Letters _____ City _____

State _____ Zip _____

Telephone No. _____

Licensee _____

Class of Station at which idea is used (check one)

TV _____ FM _____ AM _____

Category: Audio _____ RF _____ Video _____ Control _____


Objective or Problem: (In few words; use separate sheet for details)

Solution: (Use separate sheet—500 words max)

I assert that, to the best of my knowledge, the idea submitted is original with this station; and I hereby give BM/E permission to publish the material.

Signed _____ Date _____

CREATIVE FREEDOM



A microprocessor-based editing control system

Who more than you, deserves all this?

The Z6/B has all of the outstanding features of its predecessor, the Z6/A plus . . .

- **Auto Edit** — any or all 99 events can be performed at the push of a single button.
- **Sync** — a Z6 exclusive, keeps both tapes synchronous with respect to each other. Move either tape in either direction and the other transport will move the exact number of frames.
- **ADR** — Automatic Data Replacement, when activated, sends the editor in a "looping" condition. The operator can replace data numerous times until it is a "take."
- **Auto Cal** — automatically assigns the proper number to the proper frame of video on any new tape. No longer do known locations or SMPTE addresses need to be referenced.

Z6/B standard features include . . .

- Bi directional joystick shuttle
- Auto search
- 99 event memory
- Full status display
- Cruise control
- Rehearse, perform, review edit
- Error and prompting message
- Programmable Pre and Post rolls
- Single glide ballistics
- NO mechanical mods to VTR's
- SMPTE or Micro-code display
- Return to "in" or "out" points
- Micro-loc* — frame accuracy
- Consecutive non stop mode change
- Full VTR remote control
- A/B monitor select
- Tag functions

Z6/B options include . . .

- Drop frame/Non drop frame readout
- Dump — an exclusive Z6 feature which records all memory on the video tape itself
- Line Printer — allows a hard copy read-out of all edit decisions and parameters

Z6 is truly the most powerful video tape editing system available. Call Videomedia or your local dealer for more information.

*pat. pend.



The Z6 data display is a continuous readout of all edit parameters, including operator prompting messages

Videomedia
Professional Television Systems

250 North Wolfe Road, Sunnyvale, CA 94086 408/733-6500

Circle 162 on Reader Service Card

www.americanradiohistory.com

Narrow your Blanking Widths to meet FCC SPECS.....

with VACC's NEW ADJUSTABLE blanking color sync generator.....

Are you having difficulty meeting FCC's public notices 79-10 or 78-423?...they address the maximum legal width of horizontal and vertical blanking intervals. Excessive TV signal blanking widths are of great concern to station licensees, network, program producers and equipment manufacturers. The reason for excessive blanking widths is extensive and complicated. It is fully covered in the March 1979 SMPTE Journal. Simply put, however, after leaving the originating video source, both vertical and horizontal blanking can widen from camera recording to broadcast transmission. This widening can occur from a program during editing, duping, time base corrections and production switching.

Many engineers will innovate to meet these rigid specifications. If you are concerned about blanking widths, consider purchasing VACC's model 5000AB color sync generator. Horizontal blanking periods are adjustable from 8 to 13 microseconds. Vertical blanking can be adjusted from 11 to 22 lines. By narrowing your blanking widths before your system stretches them, you can meet FCC blanking specifications. VACC's model 5000AB is a digitally controlled color sync generator with a six month stability of ± 5 Hz at 3.579545MHz.

Obtain more information today from your VACC dealer or circle the bingo card. VACC 5000AB \$2145.00.



VIDEO AIDS corporation
of colorado

phone USA (303)-667-3301
Canada (800)-261-4088

325 East 7th Street, Loveland, Colorado 80537

Circle 163 on Reader Service Card

Great Ideas

the entire length of the program, as is necessary when using the remote jack of an audio cassette, the 2.2 K ohm base resistor of the relay driver can be moved from pin 5 to pin 13.

To operate the unit, set the alarm, push the reset button, and flip the Auto Remote Start switch.

3. Optimod-FM Modification

Walter Kowalczyk, Transmitter/Studio Engineer,
WTAE/WXKX, Pittsburgh, Penn.

Problem: Audible mid-frequency pumping and loss of high-frequency brilliance with the Optimod FM.

Solution: After listening to several stations using the Optimod, this problem became apparent. Studying the unit's schematic, I found that no significant headroom was allowed for preemphasis unless the audio emerges from the broadband limiter at a level below the limiting threshold, e.g., during gain recovery or soft passages. It occurred to me that using a pad between the broadband and high frequency limiter sections would alleviate this problem. The pads can be simple voltage dividers, identical for each channel, and should be inserted between the accessory points (29/28 and 31/27), which are now jumpered.

Since the 75 microsecond curve is up 3 dB at only 2.1 kHz and there is often a lot of energy in this region, a pad of at least 3 dB should be used so that audio emerging from the broadband section at full level will have at least some preemphasis applied. Without the pad, response will approach flat rather than preemphasized whenever audio out of the broadband limiter is at the limiting threshold level and contains significant highs. At the receiver, brilliance and mid-range loudness will be sacrificed if proper preemphasis is not used. Your modulation monitor won't sit on 99 percent with this modification, but it will help banish listener fatigue.


A companion idea is to provide for high frequency gain reduction metering so that the action of the high frequency limiter section can be observed. This is easily accomplished by using an SPDT switch at the gate of the G/R meter FET (IC216C). In the broadband position of this switch, the connection is unchanged; in the high frequency position, the FET gate is instead connected to the high frequency gain reduction bus (junction of R281/282). The front panel meter switch is set to "G/R" for either limiting function. The high frequency G/R position can show only relative limiter activity, because the amount of gain reduction is dependent on frequency.

I gave these ideas to Bob Haberkost, chief engineer of WNDE/WFBQ, Indianapolis, Ind., who tried them with gratifying results. He used 10 K ohm trimpots for the pads, and set them to 4 dB attenuation. The result was much less high frequency limiter activity with better highs, a more "open" and less restricted sound, with essentially no perceived loss of loudness. **BM/E**

VOTE NOW!

Ballot On Reader Service Card


The Story of The Smart Little Switch




The Series 10 solid state switching family puts a lot of large-switcher capability into small broadcast, educational, and industrial systems. It gets its smarts from a microcomputer based control system. Available only in a 10 x 10 matrix, which is both cost-effective and small in size, the smart little switch fills small-systems applications where big things need doing.

Separate solid state matrices for audio and vertical interval video switching are available — and all systems come with tally as a standard feature. Matrices can be mixed in all combinations up to a total of four, for multi-level audio, audio-follow-video, RGB, and data switching applications.


The real genius of the Series 10 however, is its high degree of flexibility in providing local and/or remote control in any combination to meet a variety of needs — and remembering everything — even when the power fails. Now that's a lot of big system smarts for a little switch.



Remote Bus Controls Single bus remote control can be added at any time for one or all outputs. The same 2000' of RG59 cable used for remote master controls provides communication for the rack or desk units. They're smart too — with their own microcomputer for communication, keyboard and LED scanning. Set the bus location with internal switches and it will appear on the front panel's LED display!



- It's a quick-thinking, high-achiever in the solid-state video and audio switcher class.
- Its microcomputer brain takes direction from local or remote controllers on a single coax line.
- If it loses power, it remembers its status — puts everything back in place when power is restored.
- It does its thing during the vertical interval.
- It can tell up to three switchers what to do and provides tally as a standard feature.



Remote Switcher Controls When control of the switcher from another location — or two, or more — is a requirement, master control panels can be added in racks or on desks located up to 2000' (RG59) feet away. They can be programmed by internal switches to run the entire matrix, one bus, or display the status of all outputs.

But there's more to the story of the smart little switch and how it all comes packaged in self-contained units — including the master controller — enabling add-on of many of the system elements at a later date. Why not join the smart set and get the details on our ingenious little switch.

SERIES 10

It really IS a smart little switch

DYNAIR

ELECTRONICS, INC.

5275 Market Street, San Diego, CA 92114
Tel.: (714) 263-7711 TWX: (910) 335 2040

Circle 164 on Reader Service Card

BROADCAST EQUIPMENT



eliminates the source of EMI noise.

"Extreme corrosion of steel guys and electromagnetic interference, due to arcing, were two very severe problems when we purchased WYFR

We installed PHILLYSTRAN on all nine broadcast antennas at Hatherly Beach, eliminating the source of EMI noise

"We were pleasantly surprised by the ease of re-guying and the way PHILLYSTRAN reduced the labor involved to make our non-metallic guying systems competitive — on an installed-cost comparison — to conventional metal guys!"

*Art Thompson, Station Manager
WYFR, The International Voice
of Family Radio
Scituate, Mass.*

PHILLYSTRAN™ Tower Guys are
• non-conducting • maintenance-free • easy-to-install

Please send

10 reasons why your best buy for tower guys is PHILLYSTRAN

PHILLYSTRAN offers the advantages of synthetic fibers plus the strength of steel

NAME _____

TITLE _____

COMPANY _____

ADDRESS _____

CITY _____

STATE _____ ZIP _____



PHILADELPHIA RESINS CORP.
20 Commerce Drive
Montgomeryville, PA 18936
(215) 855-8450
Telex 84-6342


BM E

Circle 177 on Reader Service Card

FM Transmitter

250

The Model 831G-3 25 kW FM transmitter is type-accepted to operate as low as 10 kW. PA efficiency is approximately 80 percent, over 10 percent better than the maker's previous model when operated at the common power




output of 20 kW. LED status indicators signal each level in the control ladder, including all overloads and the status of all door interlocks. A phase loss/rotation detector gives additional protection against main ac power line problems. Indicators and controls are at eye level; electromagnetic relays have been eliminated wherever possible and components have been simplified. Features include automatic power output control, automatic overload recycling, built-in VSWR protection, and automatic filament voltage regulation. Maker claims superior frequency and PA stability. ROCKWELL COLLINS

Telecine

251

The Series V-1000 Videola™ telecine transfer machine, introduced at SMPTE, is designed to transfer film to tape with film speed independent of TV sync and irrespective of any vertical




scanning rate. The film moves in real time, and visual effects such as slow and fast motion are achieved without dependence on TV sync. The unit does not require a dedicated camera, and

cameras may be assigned as need arises. The "flickerless prism" intermittent optical system produces resolution of 6 MHz for 16mm and 8.5 MHz for 35mm. Wow and flutter is less than 0.1 percent RMS or DIN weighted; picture steadiness is typically 0.1 percent, vertical and horizontal. The unit can be used with composite optical, magnetic, or separate magnetic tracks in 16 mm configuration or with optical track in 35 mm. Features include auto density control, manual color correction, auto and manual torque motor control, and crystal-controlled 14/15 fps film speed. Production models will be available in July. MAGNASYNC/MOVIOLA CORP.

Direct Drive Turntable

252


Model SL-1015 is a turntable system consisting of a quartz synthesizer direct drive turntable, an anti-resonant and acoustically deadened turntable base, and a new tonearm system design allowing tonearms to be interchanged for



precise matching with different cartridges. Quartz synthesizer pitch control gives precise variation in 0.1 percent increments above or below any of the three standard speeds up to a maximum of +9.9 percent. This allows the user to match the pitch of a record to that of a musical instrument, or expand or compress playing times to fit a time slot. The amount of pitch variation is indicated by a bright digital display above the pitch control buttons. Full cycle detection FC, extremely high torque, integrated rotor-platter motor construction, high effective damping, pulsed power supply, and special pitch lock mechanism to prevent misoperation are included. Wow and flutter is rated at 0.025 percent WRMS. TECHNICS BY PANASONIC.

**For more information
circle bold face numbers
on reader service card.**

For a better signal, here's how Rockwell SAWs shape up.



Now you can get Rockwell technology in solid state,
space saving, maintenance-free SAW filters.

**MICRO
POWER**

Rockwell International announces the latest addition to its SAWD (Surface Acoustic Wave Device) product line. The Rockwell SAW CATV Modulator Filter. It combines the solid state advantages of SAW technology with the volume production and research and development resources of Rockwell International. The result: A better signal for cable TV transmission of higher resolution video.

That's Rockwell Micropower!

Rockwell's SAW bandpass filter provides the CATV Modu-

lator designer with unique benefits. Shown in the graph above, the Rockwell SAW CATV filter has excellent band pass characteristics. Its solid state construction requires no tuning or maintenance, making it ideal for remote, unattended locations. Its compact size



means it saves space and allows design flexibility. Add to that its flat group delay characteristics and reliability and you'll know why Rockwell SAWs are shaping up to be the technology leader.

Rockwell's SAWD products are the result of over 10 years of research and development together with nearly 30 years of Collins mechanical filter design and production.

For more information, contact Filter Products Marketing, Electronic Devices Division, Rockwell International, 4311 Jamboree Road, Newport Beach, CA 92660. Phone: 714/833-4544/4324.




Rockwell International

...where science gets down to business

Circle 165 on Reader Service Card

take your signal to the max without mush



STA-MAX™

Already proven at top-rated stations in major markets. Sta-Max. With advanced new technology that gives you the loudest FM Stereo signal on the dial. To increase your coverage. And your numbers. With a complete end to overshoot and distortion. And increased mono loudness without degrading stereo separation.

Sta-Max is completely compatible with any processor or compressor, any stereo generator/exciter combination. And it works. Regardless of your format.

Get loud. Stay legal. With Sta-Max.

STA-MAX: Now on line at 124 stations

**automated
broadcast
controls**

9155 Brookville Road
Silver Spring, MD 20910
301-587-3505

Circle 166 on Reader Service Card

Broadcast Equipment

ENG Cue System


253

This one watt IFB system combines and retransmits program and instructions from an ENG van to field personnel. It consists of the Model CTA cue transmitter and the Model LPQRA cue receiver. Model CTA accepts two audio inputs and controls levels so that program is heard continuously and instructions (from two-way radio or local mic) override program audio as they occur. Frequency range is 26.1 to 26.48 MHz; power source is 120 V 60 Hz. The transmitter takes up 1¾ inches of 19-inch rack space. Model LPQRA is pocket-sized (3 by 5 by 1 inches) and battery-powered. It features 6 kHz audio response for accurate program monitoring, a crystal filter for interference-free operation, and a high-level headphone output. The system is FCC type-accepted. Model CTA, \$750; Model LPQRA, \$395. COMREX CORP.

Multi-Track Audio Recorder

254

The ATR-124 24-track audio recorder, introduced at the AES convention, uses a closed-loop dc servoed transport that maintains constant tape tension at each reel in all operating modes without pinch rollers. Both reel motors and the single drive capstan are servo-



controlled; tape tension is automatically adjusted. Flux Gate™ record heads combine the recording and sync playback windings on the one head for Sel Sync™ response that approximates normal reproduce response. A variable speed shuttle regulates forward and reverse tape motion; shuttle speeds can be regulated from slow to 300 ips. The system features programmable monitoring with memory and a battery-powered backup memory in case of power failure. Also featured are dual microprocessor controls, record mode diagnostics with flashing VU meter lights, and Pick-Up Recording Capability (PURC), which permits the editing or dubbing of new material without creating errors at either end of the new insert. Noise reduction inter-

QUALITY COLOR SWITCHERS

MODEL 1107

\$995

CALL OR WRITE FOR MORE DETAILS OR DEMO TAPE

DISCOUNT INDUSTRIES Inc.

100 EAST 89th AVENUE
VANCOUVER, B.C.
CANADA V5X 2W9
PHONE (604) 327-8448
TELEX 04-200005


Circle 167 on Reader Service Card

face is provided. Options include multi-point search-to-cue and complete remote control panel. AMPEX CORP.

Video Editor

255

Commander I computerized SMPTE or Control Track videotape editing system is designed to control two VTRs in either an on-line or off-line editing situation. Features include listing of edits



with cut, wipe and dissolves, 24-, 25-, and 30-frame rate selection, editing through midnight, and storage of up to 25 events. The unit operates with two-inch, one-inch, or 3/4-inch VTRs. It reads, prints, and punches an industry-compatible tape, and can be interfaced to most VTRs without modifications, according to the manufacturer; the operator is provided with continuous feedback of the editing parameters.

UNITED MEDIA, INC.

Turntable Preamp

256

The Audio-Metrics stereo/dual turntable preamplifier combines discrete and IC components in the input gain stage and low noise resistors to hold noise to near theoretical limits, according to the manufacturer. With second stage equalization, the first stage gain block effectively buffers the cartridge from loading changes and provides broadband high input overload protection. Transformers have been eliminated through the use of ICs, ground plane circuit boards, and input and output RF suppression, protecting the unit against RF interference. Specifications include: THD, 0.03 percent at +18 dBm; maximum output, +27 dBm, maximum input, 350 mV at any frequency; and noise, 96 dB relative to 12 mV at 1 kHz. \$225.

RADIO SYSTEMS DESIGN, INC.

Broadcast Limiter

257


The 600L broadcast limiter for AM and FM transmitters provides a high slope ratio above the limit threshold, allowing closer operation to the transmitter maximum input. It accepts program signals from 20 Hz to 15 kHz and has a "gain make up" control that adjusts the input signal to compensate for varying levels. A six-position threshold switch

varies the threshold in 1 dB steps from +5 dB to +10 dBm; attack and release times are also selectable by six-position switches. Preemphasis switch and gain reduction meter are included. The unit is housed in a 19-inch rack-mounting assembly compatible with the associated 600F filter unit, intended for use as a bandwidth restricting filter in AM installations. The filter operates from the same 24 V remote power supply as the limiter and provides a high cutoff rate above a frequency of 6 kHz and a pass band ripple of less than 0.3 dB. AUDIO & DESIGN RECORDING, INC.

Digital TBC

258

The CVS 520B is an updated version of the CVS 520 digital TBC, designed to work with all VTRs. The key new feature is an optional 16-line window intended for dealing with portable VTR



gyro errors, random edits, and other ENG or EFP problems. Improvements in head switch handling provide increased protection against possible tearing and color streaking when the unit is used with segmented VTRs, according to the manufacturer. The unit dubs cassette and other non-capstan servoed heterodyne VTRs to quad and other production machines, converts all heterodyne VTRs to interlaced color, and uses nine-bit four times subcarrier PCM digital sampling to maintain picture quality on multi-generation tapes. HARRIS VIDEO SYSTEMS.

ENG Mixer-Amplifier

259

Model MA-3VR is a three-channel on-board mixer-amplifier for ENG teams that will mount permanently on any VCR or one-inch VTR. It is powered by the VTR battery and has low current drain; up to 1/2 watt monitoring power is provided. The unit, which measures 1 1/2 by 3 by 6 inches and weighs 20 ounces, can feed any headphone of any impedance, accepts balanced or unbalanced low impedance mics, and is double-filtered against RFI. It is designed with network input and has no protruding knobs or plugs that could interfere in crowds. The solid-state LED VU meter is unbreak-

**For more information
circle bold face numbers
on reader service card.**



MODEL 611N VIDEO FILE



Model 611N VIDEO FILE memorizes five Pictures per floppy disk (one memory record such as an EP record), and has the following features and applications: Convenient in outputting "network mark" and "Phase Wait" signals.

Picture can be output by switch selection by entering five pictures on output memory.

The desired static picture can be output by changing the diskette.

The diskette is as easy to use as an ordinary record.

In CM! Take the place of duplicator!


Uniquely designed to be easy to use anywhere and by anyone.

Economical, high performance.

Titles can be entered by using in conjunction with the optional Model 629B TITLE WRITER.



MODEL 617N VIDEO FILE



150 Pictures can be instantaneously and freely output.

(Up to four disk drives can be added. In this case, up to 600 pictures can be memorized.)

Compact lightweight.

Compact disk meets almost all user demands.

Memorization on diskette

for storage is possible by

connecting to the optional model 619 FILING FLOPPY DISK. The picture stored on the diskette can be easily transferred to the main disk. Moreover, the diskette is interchangeable with the Model 611 and Model 612 VIDEO FILES.

- Memorized memory disk can be easily stored in a locker.
- Since spare memory disks are available, accidents caused by destruction of the memory are prevented.
- Handling and maintenance can be easily performed by anyone.

- Diskette loading employs a manual system.

In CM! Take the place of duplicator!

Uniquely designed to be easy to use anywhere and by anyone.

Economical, high performance.

Internal sync signal generator.

Titles can be entered by using in conjunction with the optional Model 629B TITLE WRITER.

(NOTE) A function that also inputs a picture even while broadcasting is available as an option. In this case, a sub control panel is equipped.


Refer to Model 618N.



MODEL 618NA VIDEO FILE WITH AUDIO

THE ULTIMATE VIDEO FILE WITH AUDIO

Incorporates picture and sound input and editing wide broadcasting, and all other user demands.



In CM! Take the place of duplicator!

Uniquely designed to be easy to use anywhere and by anyone.

Extremely convenient in eliminating overtime by inputting the next program consecutively even while broadcasting.

This dream has finally been realized.

Sub control panel serves this function.

The below pictures and high quality audio are outputs

Picture only	Picture and 15 secs audio	Picture and 10 secs audio	Picture and 5 secs audio	Audio only in 5 secs segments
4,020	1,005	1,340	2,010	4,020

Unique, simple control system. Therefore,

- Operation is simple.
- Maintenance is easy.
- Economical, high performance.

- Since a memory unit partition system is employed, picture and audio time can be easily and freely combined.

Beautiful, wide dynamic range sound.

Audio can be freely entered in 5 sec segments.

Can be operated by computer control. Can be controlled from APS or other external computer.

Picture is instantaneously and freely transmitted.

Contents can be memorized and saved on diskette by connecting to the optional model 619 FILING FLOPPY DISK. The picture and sound on the diskette can be easily transferred to the main disk.

Moreover, this diskette is interchangeable with the Model 611 and Model 612 VIDEO FILE.

- Memorized memory disk can be easily stored in a locker.
- Since spare memory disks are available, accidents caused by destruction of memory are prevented.
- Diskette loading employs a manual system.
- 5 segments/diskette can be memorized.
- Internal sync signal generator.



NTA America, Inc.

1000 North Vine Street, Los Angeles, California 90015
Phone: (213) 621-6000


Circle 168 on Reader Service Card

MMP AUDIO DISTRIBUTION AMPLIFIERS

IMPAC SERIES MODEL 4820

(1 X 8)

MODULAR PC-CARD SYSTEM UP TO 16 CARDS PER FRAME



NEW... MODEL 7821 SINGLE INPUT X 8 OUTPUTS. 19 INCH RACK MOUNTING W. BUILT-IN POWER SUPPLY



NEW... MODEL 7822 DUAL CHANNEL (2 X 8) OR (1 X 16) 19 IN. RACK MTG. WITH P. S.

For prompt assistance call or write



Manufacturers of ■ CONSOLES
■ CONSOLE/SYSTEM COMPONENTS

MMP MODULAR AUDIO PRODUCTS

A UNIT OF MODULAR DEVICES, INC.


50 Orville Drive • Airport International Plaza
Bohemia, N.Y. 11716 • (516) 567-9620

Circle 169 on Reader Service Card

FINALLY!

The First Low Priced 3 Ch. Mixer For Mounting on Any Videocassette or 1" Recorder.

Model MA-3VR



\$375.00

- Weight, 20 oz.
- Broadcast Quality
- Network Proven AGC
- Powered by Recorder
- New 10 LED VU Meter
- Designed with Network Input
- ¼ Watt Head Phone Power

[One Year Warranty]

Write for Brochure.

Transist-O-Sound
728 YOSEMITE DRIVE
INDIANAPOLIS, INDIANA 46217
Area Code: 317 897-1549

Broadcast Equipment

able and highly visible at night. All components are mounted to be in the natural hand position of the sound person. \$375. TRANST-O-SOUND.

Time Base Corrector

260

The ccd2h-1 video TBC will work with any half-inch or ¾-inch capstan or non-capstan servo heterodyne VTR. It can externally lock to a master sync generator to allow the operator to use the VTR as a source and do A-B rolls. S/N is 58 dB, differential phase is 0.5 degree, and differential gain is 1.5 percent. The unit has a correction window of two horizontal lines with an automatic steerable advanced sync to keep the VTR centered in the window. Also featured are adjustable noise coring to reduce chrominance and luminance noise by up to 4 dB and adjustable horizontal enhancement that provides up to 100 percent boost in the picture. \$5800. EDUTRON, INC.

Four-Channel Amplifier

261

The Model 4020 modular plug-in card amplifier delivers up to +20 dBm into 75 ohm loads on four independent channels, each with self-contained gain control. Each channel has a differential

NEW FM AND TV FIELD STRENGTH METER FIM-71

- Accurate - Direct Reading - Volts or dB
- 45 MHz to 225 MHz - Continuous Tuning
- Peak or Averaging Detector (switch selectable)
- Wide or Narrow IF Bandwidth (switch selectable)
- 20 dB or 60 dB Meter Range (switch selectable)
- AM or FM Demodulator (switch selectable)
- Calibrated Dipole Antenna, Mounted on Case for Near-Ground Measurements or Removable for TASO Measurements
- 140 dB Measurement Range (1 µV to 10 V)
- 4½-Inch, Mirrored Scale, Taut-Band Meter
- Front Panel Speaker
- Recorder Output
- Rugged, Portable Package
- Calibrated Signal Generator, 45 MHz to 225 MHz
- Battery or External Power
- Use as Signal Source/Selective Voltmeter for Insertion Loss Measurements of Filters, etc.
- Measures FM Harmonics to -80 dB




CONTACT US FOR DETAILS.

POTOMAC INSTRUMENTS

932 PHILADELPHIA AVE.
SILVER SPRING, MD. 20910
(301) 589-2662

Circle 170 on Reader Service Card



type input that can accept up to 47K resistive source impedance. Frequency response is flat to within ±0.25 dB from 20 Hz to 20 kHz and has a maximum distortion of 0.1 percent. Maximum noise on any channel is -80 dBm; worst-case crosstalk is -60 dB. The unit uses conventional ±15 V dc power supplies and draws a maximum of 250 mA; it is 2¾ inches high. MODULAR AUDIO PRODUCTS.

Ribbon Microphone

262

The Beyer M 160 double-ribbon microphone uses two extra-short aluminum ribbons, each less than 1/12,000 of an inch thick, as its generating elements. The manufacturer claims that the short length of these ribbons and the special forming process used in

making them makes the mic highly immune to overload and mechanical shock problems. The ribbons have very low inertia, resulting in excellent transient response and smooth, natural frequency response from 40 Hz to 18 kHz. The mic's true hypercardioid pattern exhibits better than 25 dB attenuation at 120 degrees off-axis. Two red dots on the ring around the unit's head mark the longitudinal axis of the ribbons to aid in determining optimum recording orientation. Output is -59 dBm into a 200 ohm electrical impedance; options include lightweight colored windscreen, gooseneck, table and floor stands, and cable transformers for connection to high impedance inputs. \$334.
BURNS AUDIOTRONICS, INC.

Cart Machine 263

Model 3400 is available in five different configurations: monaural playback, stereo playback, monaural record/playback, stereo record/playback, and monaural delay programmer. It is designed into a rack-mount assembly requiring no shelf or filler panels and may be used for desktop operation when equipped with optional cover. Features include direct-drive hysteresis synchronous motor, air-damped solenoid with excellent reserve capability, and half-inch thick machined aluminum deck. Also included are Phase Lok III head bracket, low-voltage solenoid, advanced IC/solid-state design with wide dynamic operating ranges, and long-life Nortronics Duracore heads.
BROADCAST ELECTRONICS, INC.

Color Monitor 264

Model CM-182 is an 18-inch color broadcast monitor with an in-line-type color picture tube designed to reproduce a bright picture with vivid color. Color synchronizing and color decoding circuits incorporate ICs to repro-



duce and maintain delicate hues, and an aperture correction circuit offers sharp pictures without ringing, according to the manufacturer. Video input is 1.0 Vp-p (VBS) 75 ohms or high, BNC connector. Specifications include: horizontal resolution, over 370 lines at

center; vertical resolution, over 350 lines at center; S/N, over 46 dB; and deflection linearity, less than two percent within the central zone of diameter equal to picture height. Power requirements are U&C type 117 V ac \pm 10 percent, 60 Hz; power consumption is approximately 80 W. \$2200.
HITACHI DENSHI AMERICA, LTD.

Aircraft ENG System 265

The Flight Pack 1™ is a television microwave system designed for program origination on board aircraft or for use as an airborne repeater. The completely self-contained unit includes an MA-2CP transmitter, MA-2P receiver, PA-315 12 W power amplifier, complete duplexer for simultaneous transmission and reception, and necessary power supplies to permit the system to operate from the aircraft's 24 V dc supply voltage. Once installed (on a seat, on the floor, or in a storage compartment), the unit may be separated into radio and support modules. Transmit or repeat operation modes are possible; in the transmit mode the ENG team originates broadcasts from the air, while in the repeat mode, the aircraft becomes a relay point to extend the operating range of an ENG team on the ground. Also included is the Omnex™ antenna, which mounts underneath the fuselage.
MICROWAVE ASSOCIATES.


Fresnel Power Supply 266

The Moduleur electronic ballast is designed for use with HMI and other "daylight" high-efficiency gas discharge lamps. The 1200 W solid-state ballast weighs 17.5 pounds, compared



to up to 75 pounds for conventional magnetic inductance ballast. Lamp flicker is entirely eliminated, according to the maker. An electronic feedback circuit regulates the lamp arc power consumption regardless of mains power variations and lamp aging, producing constant light and color temperature output and increasing useful lamp life. Lights may be variably dimmed without shift of the color temperature out of daylight range; remote dimming is also possible. The unit operates on 115 V current, with 575 W lamps drawing 6 A and 1200 W lamps drawing 12 A.
P.E.P., INC.

"On-Board Frezzi Battery Packs"



for any video camera.

Reliable, high-capacity O.E.M. or replacements for Hitachi, Ikegami, Philips, RCA, Sony and others. Less than 1 hour re-charge time with "Frezzi-Fast"™ Chargers. Made in U.S.A.

For information (N.J. 201) 427-1160 (N.Y.C. 212) 591-2294

Frezzolini Electronics Inc.
7 Valley St. Hawthorne, N.J. 07506 U.S.A.

Export Agents: **CINECRAFT**
11 Caesar Place, Monaca, N.J. 07074 U.S.A. • (201) 639-2875
Telex: Cinecraft Moon TLX 13-8875 • Cables: Cinecraft Monaca

Circle 171 on Reader Service Card

Penny & Giles FADERS

We've got to hand it to you - this brochure tells you everything about the world's smoothest faders



for brochures, price lists, faders and service contact.

Penny & Giles Conductive Plastics -
1640 Fifth Street Santa Monica California 90401
Telephone: 213 393 0014
Telex 65 2337

Circle 172 on Reader Service Card

Advertisers Index

Adcom	114
American Data Corp	24
Ampro/Scully	12
Angenieux Corp. of America	28-29
Asaca Corp.	59
Audio Designs & Mfg. Inc.	C2, 9
Audio & Design Recording Inc.	89
Automated Broadcast Controls Inc.	110
Belar Electronics Lab. Inc.	114
BTX Corp.	86
Burns Audiotechnics	83
Camera Mart	27
Canon USA Inc.	73
Cara International	101
CEI	42
Central Dynamics Ltd.	85
Christie Electric Corp.	82
Chyron	60
Cine 60 Inc.	74
Cinema Products Corp.	64
Comrex Corp.	36

Conrac Corp.	13
Continental Electronics Mfg. Co.	88
Continental Specialties	54
Convergence Corp.	61
Datatron	95
Digital Video	93
Dynair Electronics	107
Eimac, Div. Varian	21
Electro-Voice Inc.	19
ENG Corp.	114
Farinon	66
Frezzolini Electronics Inc.	113
Fujinon Optical Inc.	56
Grass Valley Group	7
Gray Engineering	71
Harris Corp.	3, 97
Hitachi Denshi American Ltd.	11, 62
IGM, Div. NTI	63
Ikegami	40
International Tapetronics Corp.	80

JVC Industries Inc.	22-23
Knox Ltd.	26
3M/Magnetic Tape Div.	18
3M/Mincor-Video Products	15
McCurdy Radio Ind. Inc.	C3
Micro Consultants Inc.	81
Microtime	43
Microwave Associates Inc.	38
Nippon Television Industry	111
NEC Broadcast Equipment	37, 77
Modular Audio Products	112
Orban Associates	96
Otari Corp.	76
Panasonic Matsushita Electric Corp.	32
Penny & Giles	113
Philadelphia Resins	108
Philips Broadcast Equipment Corp.	16-17
Potomac Instruments	112
QEI Corp.	84
QSI	78
Ramko Research	50-51
RCA Broadcast Systems	45, 47
Rockwell International	109
Shure Bros. Inc.	53
Sintronix Corp.	87
Station Business Systems	91
Syston-Donner	103
Tektronix Inc.	48
Telemet	14
Telex Communications Inc.	98
Thermodyne	71
Thomson-CSF Labs Inc.	4-5
Transist-O-Sound	112
United Media	69
UREI	100
Video Aids Corp. of Colorado	106
Videomedia	105
Viscount Industries Inc.	110
Vital Industries Inc.	70
Wang Voice Communications	10
Ward-Beck Systems Ltd.	C4
Winsted	60

TOTAL VTR LEADER FORMAT

The New Dynatel Countdown LPG-2 Automatic Cue Generator

- Quality engineered for dubbing & editing rooms
- Built in character generator & tone burst oscillator
- Keyed character countdown over slate input
- Sequences through color bar input to character countdown & program start
- Full front panel cycle time controls
- Adjustable pre-roll function
- Rear panel remote connector

Get all the facts, call or write today

ADCOM COMMUNICATIONS 555 W. 57th St. N.Y., N.Y. 10019 212 265-1760 416 251-3355

Circle 173 on Reader Service Card

When accuracy Counts...Count on Belar for AM/FM/TV MONITORS

BELAR AM MODULATION MONITOR

BELAR CALL ARNO MEYER (215) 687-5550
ELECTRONICS LABORATORY, INC.
 LANCASTER AVENUE AT DORSET DEVDN. PA 19333 • BOX 826 • (215) 687-5550

Circle 174 on Reader Service Card

MOBILE ELECTRONIC JOURNALISM

FIELD TESTED VANS AND FOUR WHEEL DRIVE DESIGNS TO MEET YOUR ENG/EPF REQUIREMENTS.
QUALITY • RELIABILITY • ECONOMY



E-N-G CORPORATION

1009C SHARY CIRCLE • CONCORD, CA. 94518
 (415) 798-4060

Circle 175 on Reader Service Card

SALES OFFICES

BME

Broadcast Management/Engineering

295 Madison Ave.
 New York, New York 10017
 Telex: 64-4001

Eastern & Midwestern States

295 Madison Avenue
 New York, New York 10017
 212-685-5320
 Kevin J. Condon

Western States

353 Sacramento Street
 Suite 600
 San Francisco, CA 94111
 415-421-7330
 William J. Healey

3420 Ocean Park Blvd., Suite 3020
 Santa Monica, CA 90405
 213-450-7181
 Neal Wilder

United Kingdom/Europe

Chilberton House
 Doods Road
 Reigate, Surrey, England
 Telephone: Reigate 43521
 Derek Hopkins
 Bronwyn Holmes

Japan/Far East

Erraku Building
 1-13-9, Glnza,
 Chuo-Ku, Tokyo 104 Japan
 03 (562) 4781
 S. Yasui
 K. Yamamoto

SS 8650

STEREO AUDIO CONSOLE



A new standard modular audio console offering full facilities, quality circuitry of proven reliability, comprehensive features and a range of standard, pre-wired options. A maximum of fourteen channels are available along with a convenient centrally-located script board and input and accessory modules to satisfy any requirement. Standardization allows these features to be incorporated into a well engineered, compact, functionally styled package at an unusually economical price.



MCCURDY RADIO INDUSTRIES

TORONTO
[416] 751-6262

CHICAGO
[312] 640-7077

NEW YORK
[201] 327-0750

Circle 176 on Reader Service Card

www.americanradiohistory.com

Aloha! Ward-Beck.

Golden beaches cushioning the pounding surf, majestic mountains reaching into sunny skies, exotic flowers colored brighter than a rainbow . . . these are the sights of Paradise!

Happy smiling faces, mellow rhythmic music, warm words of welcome . . . sounds that bring the scene to life.

Welcome to Hawaii!

Set design by Nature. Production by Hawaii Production Center, KGMB. Audio by Ward-Beck.



First by Design.

WBS Model L3242

Ward-Beck Systems Ltd., 841 Progress Avenue, Scarborough, Ontario, Canada M1H 2X4
Tel. (416) 438-6550.

Ward-Beck Systems Inc., 6900 East Camelback Road, Suite 1010, Scottsdale, Arizona 85251