

AUTHOR INDEX

- Allen, D.W. and Cadman, S.
Calcium-induced erythrocyte membrane changes. The role of absorption of cytosol proteins and proteases (551) 1
- Altura, B.M., see Turlapaty, P.D.M.V. (551) 459
- Altura, B.T., see Turlapaty, P.D.M.V. (551) 459
- Alving, C.R., Habig, W.H., Urban, K.A. and Hardegree, M.C.
Cholesterol-dependent tetanolysin damage to liposomes (551) 224
- Arendes, J., see Müller, W.E.G. (551) 363
- Armstrong, W.McD., Bixenman, W.R., Frey, K.F., Garcia-Diaz, J.F., O'Regan, M.G. and Owens, J.L.
Energetics of coupled Na^+ and Cl^- entry into epithelial cells of bullfrog small intestine (551) 207
- Backer, J.M. and Dawidowicz, E.A.
The rapid transmembrane movement of cholesterol in small unilamellar vesicles (551) 260
- Beaugé, L. and DiPollo, R.
Vanadate selectivity inhibits the K_0^+ -activated Na^+ efflux in squid axons (551) 220
- Benson, B.W., see Chovan, J.P. (551) 129
- Bevers, E.M., see Bishop, D.G. (551) 122
- Benz, R., Janko, K. and Läger, P.
Ionic selectivity of pores formed by the matrix protein (porin) of *Escherichia coli* (551) 238
- Bishop, D.G., Bevers, E.M., van Meer, G., Op den Kamp, J.A.F. and van Deenen, L.L.M.
A monolayer study of the reaction of trinitrobenzene sulphonic acid with amino phospholipids (551) 122
- Bixenman, W.R., see Armstrong, W.McD. (551) 207
- Blair, H.A.F., see Suckling, K.E. (551) 10
- Bonting, S.L., see Jansen, J.W.C.M. (551) 95
- Borisova, M.P., see Kasumov, Kh.M. (551) 229
- Bornet, E., see Entman, M.L. (551) 382
- Borst-Pauwels, G.W.F.H., see Roomans, G.M. (551) 187
- Borst-Pauwels, G.W.F.H., see Roomans, G.M. (551) 197
- Boyd, G.S., see Suckling, K.E. (551) 10
- Brady, R.J., see Lau, Y.T. (551) 448
- Butterfield, D.A., Purdy, M.J. and Markesbery, W.R.
Electron spin resonance, hematological and deformability studies of erythrocytes from patients with Huntington's disease (551) 452
- Cadman, S., see Allen, D.W. (551) 1
- Cadot, M., see Cherqui, G. (551) 304
- Canellakis, E.S., see Kramer, R.H. (551) 328
- Carstens, M. and Weller, M.
A comparison of the intrinsic protein kinase activities of membrane preparations from various tissues (551) 420
- Cherqui, G., Cadot, M., Senault, C. and Portet, R.
The lipid composition of plasma membrane and mitochondrial fractions from epididymal adipocytes of cold-acclimated rats (551) 304
- Chovan, J.P., Kulakowski, E.C., Benson, B.W. and Schaffer, S.W.
Taurine enhancement of calcium binding to rat heart sarcolemma (551) 129
- Cotter, T.G., see Robinson, G.B. (551) 85
- Craig, I.F., see Suckling, K.E. (551) 10
- Dawidowicz, E.A., see Backer, J.M. (551) 260
- De Gier, J., see Mombers, C. (551) 271
- De Kruijff, B., see Gerritsen, W.J. (551) 248
- De Pont, J.J.H.H.M., see Jansen, J.W.C.M. (551) 95
- DiPollo, R., see Beaugé, L. (551) 220
- Emmelot, P., see van Hoeven, R.P. (551) 44
- Entman, M.L., van Winkle, W.B., Bornet, E. and Tate, C.
Spontaneous calcium release from sarcoplasmic reticulum. A re-examination (551) 382
- Ermishkin, L.N., see Kasumov, Kh.M. (551) 229

- Fan, V.S.C., see McCammon, J.R. (551) 67
 Feeney, G.A., see Lau, Y.T. (551) 448
 Frey, K.F., see Armstrong, W.McD. (551) 207
- Garcia-Diaz, J.F., see Armstrong, W.McD. (551) 207
- Gerritsen, W.J., van Zoelen, E.J.J., Verkleij, A.J., de Kruijff, B. and van Deenen, L.L.M.
 A ^{13}C NMR method for determination of the transbilayer distribution of phosphatidylcholine in large, unilamellar, protein-free and protein-containing vesicles (551) 248
- Gilkes, N.R., Laroy, K. and Weeks, G.
 An analysis of the protein, glycoprotein and monosaccharide composition of Dictyostelium discoideum plasma membranes during development (551) 349
- Goldfarb, S., see Sul, H.S. (551) 148
- Habig, W.H., see Alving, C.R. (551) 224
 Haguenaer-Tsapis, R. and Kepes, A.
 Unmasking of an essential thiol during function of the membrane-bound enzyme II of the phosphoenolpyruvate β -glucoside phosphotransferase system of Escherichia coli (551) 157
- Hardegree, M.C., see Alving, C.R. (551) 224
 Heichal, O., Ish-Shalom, D., Koren, R. and Stein, W.D.
 The kinetic dissection of transport from metabolic trapping during substrate uptake by intact cells. Uridine uptake by quiescent and serum-activated Nil 8 hamster cells and their murine sarcoma virus-transformed counterparts (551) 169
- Hoekstra, D. and Scherphof, G.
 Effect of fetal calf serum and serum protein fractions on the uptake of liposomal phosphatidylcholine by rat hepatocytes in primary monolayer culture (551) 109
- Hollemans, M., Reijngoud, D.-J. and Tager, J.M.
 Evidence against a MgATP-dependent proton pump in rat liver lysosomes (551) 55
- Ish-Shalom, D., see Heichal, O. (551) 169
- Jacobson, Y.K., see Szoka, F.C., Jr. (551) 295
- Janko, K., see Benz, R. (551) 238
- Jansen, J.W.C.M., de Pont, J.J.H.H.M. and Bonting, S.L.
 Transepithelial permeability in the rabbit pancreas (551) 95
- Kasbekar, D.K., see Rabon, E. (551) 432
 Kasumov, Kh.M., Borisova, M.P., Ermishkin, L.N., Potseluyev, V.M., Silberstein, A.Ya. and Vainshtein, V.A.
 How do ionic channel properties depend on the structure of polyene antibiotic molecules? (551) 229
- Kepes, A., see Haguenaer-Tsapis, R. (551) 157
- Koren, R., see Heichal, O. (551) 169
- Kramer, R.H. and Canellakis, E.S.
 The surface glycoproteins of the HeLa cell. The internalization of wheat germ agglutinin-receptors (551) 328
- Kulakowski, E.C., see Chovan, J.P. (551) 129
- Kurelec, B., see Müller, W.E.G. (551) 363
- Kurland, R., Newton, C., Nir, S. and Papahadjopoulos, D.
 Specificity of Na^+ binding to phosphatidylserine vesicles from a ^{23}Na relaxation rate study (551) 137
- Kuypers, G.A.J., see Roomans, G.M. (551) 197
- Laing, W., see Weller, M. (551) 406
- Lad, P.M., Preston, M.S., Welton, A.F., Nielsen, T.B. and Rodbell, M.
 Effects of phospholipase A_2 and filipin on the activation of adenylate cyclase (551) 368
- Lalazar, A., see Laster, Y. (551) 282
- Laroy, K., see Gilkes, N.R. (551) 349
- Laster, Y., Lalazar, A. and Loyter, A.
 Viral and non-viral induced fusion of pronase digested human erythrocyte ghosts (551) 282
- Lau, Y.T., Parsons, R.H., Brady, R.J. and Feeney, G.A.
 Water movement across split frog skin (551) 448
- Läuger, P., see Benz, R. (551) 238
- Loyter, A., see Laster, Y. (551) 282
- Malcolm, B.R., see Suckling, K.E. (551) 10
- Markesbery, W.R., see Butterfield, D.A. (551) 452
- Martin, C.E., see Nandini-Kishore, S.G. (551) 315
- Mattox, S.M., see Nandini-Kishore, S.G. (551) 315
- McCammon, J.R. and Fan, V.S.C.
 Release of membrane constituents following polyethylene glycol treatment of HEp-2 cells (551) 67
- Mombers, C., Verkleij, A.J., de Gier, J. and van Deenen, L.L.M.
 The interaction of spectrin-actin and syn-

- thetic phospholipids. II. The interaction with phosphatidylserine (551) 271
- Müller, I., see Müller, W.E.G. (551) 363
- Müller, W.E.G., Zahn, R.K., Arendes, J., Kurelec, B., Steffen, R. and Müller, I. Aggregation of sponge cells. XX. Self-aggregation of the circular proteid particle (551) 363
- Nandini-Kishore, S.G., Mattox, S.M., Martin, C.E. and Thompson, G.A. Jr. Membrane changes during growth of *Tetrahymena* in the presence of ethanol (551) 315
- Newton, C., see Kurland, R. (551) 137
- Nielsen, T.B., see Lad, P.M. (551) 368
- Nir, S., see Kurland, R. (551) 137
- Noonan, K.D. An analysis of concanavalin A-mediated agglutination in two Chinese hamster ovary subclones whose surface phenotypes reposed to maintenance in medium supplemented with dibutyryl cyclic AMP. V. Biochemical composition of the plasma membrane (551) 22
- Op den Kamp, J.A.F., see Bishop, D.G. (551) 122
- O'Regan, M.G., see Armstrong, W.McD. (551) 207
- Owens, J.L., see Armstrong, W.McD. (551) 207
- Papahadjopoulos, D., see Kurland, R. (551) 137
- Papahadjopoulos, D., see Szoka, F.C. Jr. (551) 295
- Parsons, R.H., see Lau, Y.T. (551) 448
- Portet, R., see Cherqui, G. (551) 304
- Potseluyev, V.M., see Kasumov, Kh.M. (551) 229
- Preston, M.S., see Lad, P.M. (551) 368
- Purdy, M.J., see Butterfield, D.A. (551) 452
- Rabon, E., Saccomani, G., Kasbekar, D.K. and Sachs, G. Transport characteristics of frog gastric membranes (551) 432
- Reijngoud, D.-J., see Hollemans, M. (551) 55
- Robinson, G.B. and Cotter, T.G. Studies on the filtration properties of isolated renal basement membranes (551) 85
- Rodbell, M., see Lad, P.M. (551) 368
- Rogus, E.M., see Zierler, K. (551) 389
- Roomans, G.M., Kuypers, G.A.J., Theuvenet, A.P.R. and Borst-Pauwels, G.W.F.H. Kinetics of sulfate uptake by yeast (551) 197
- Roomans, G.M., Theuvenet, A.P.R., van den Berg, Th.P.R. and Borst-Pauwels, G.W.F.H. Kinetics of Ca^{2+} and Sr^{2+} uptake by yeast. Effects of pH, cations and phosphate (551) 187
- Rose, F., see Sul, H.S. (551) 148
- Saccomani, G., see Rabon, E. (551) 432
- Sachs, G., see Rabon, E. (551) 432
- Schaffer, S.W., see Chovan, J.P. (551) 129
- Scherphof, G., see Hoekstra, D. (551) 109
- Senault, C., see Cherqui, G. (551) 304
- Shrago, E., see Sul, H.S. (551) 148
- Silberstein, A.Ya., see Kasumov, Kh.M. (551) 229
- Steffen, R., see Müller, W.E.G. (551) 363
- Stein, W.D., see Heichal, O. (551) 169
- Stollery, J.G., see Vail, W.J. (551) 74
- Suckling, K.E., Blair, H.A.F., Boyd, G.S., Craig, I.F. and Malcolm, B.R. The importance of the phospholipid bilayer and the length of the cholesterol molecule in membrane structure (551) 10
- Sul, H.S., Shrago, E., Goldfarb, S. and Rose, F. Comparison of the adenine nucleotide translocase in hepatomas and rat liver mitochondria (551) 148
- Szoka, F.C. Jr., Jacobson, K. and Papahadjopoulos, D. The use of aqueous space markers to determine the mechanism of interaction between phospholipid vesicles and cells (551) 295
- Tager, J.M., see Hollemans, M. (551) 55
- Tate, C., see Entman, M.L. (551) 382
- Theuvenet, A.P.R., see Roomans, G.M. (551) 187
- Theuvenet, A.P.R., see Roomans, G.M. (551) 197
- Thompson, G.A. Jr., see Nandini-Kishore, S.G. (551) 315
- Turlapaty, P.D.M.V., Altura, B.T. and Altura, B.M. Tris(hydroxymethyl)aminomethane inhibits calcium uptake in vascular smooth muscle (551) 459
- Urban, K.A., see Alving, C.R. (551) 224
- Vail, W.J. and Stollery, J.G. Phase changes of cardiolipin vesicles mediated by divalent cations (551) 74
- Vainshtein, V.A., see Kasumov, Kh.M. (551) 229
- Van Blitterswijk, W.J., see van Hoeven, R.P. (551) 44

- Van Deenen, L.L.M., see Bishop, D.G. (551) 122
- Van Deenen, L.L.M., see Gerritsen, W.J. (551) 248
- Van Deenen, L.L.M., see Mombers, C. (551) 271
- Van den Berg, Th.P.R., see Roomans, G.M. (551) 187
- Van Hoeven, R.P., van Blitterswijk, W.J. and Emmelot, P.
Fluorescence polarization measurements on normal and tumour cells and their corresponding plasma membranes (551) 44
- Van Meer, G., see Bishop, D.G. (551) 122
- Van Winkle, W.B., see Entman, M.L. (551) 382
- Van Zoelen, E.J.J., see Gerritsen, W.J. (551) 248
- Verkleij, A.J., see Gerritsen, W.J. (551) 248
- Verkleij, A.J., see Mombers, C. (551) 271
- Weeks, G., see Gilkes, N.R. (551) 349
- Weller, M., see Carstens, M. (551) 420
- Weller, M. and Laing, W.
The effect of cyclic nucleotides and protein phosphorylation on calcium permeability and binding in the sarcoplasmic reticulum (551) 406
- Welton, A.F., see Lad, P.M. (551) 368
- Zahn, R.K., see Müller, W.E.G. (551) 363
- Zierler, K. and Rogus, E.M.
Temperature effects on 1,8-anilinonaphthalene sulfonic acid fluorescence with sarcolemma vesicles (551) 389