

AUTHOR INDEX

- Akino, M., see Nagatsu, T. (523) 47
 Albers, R.W., see Swann, A.C. (523) 215
 Alpert, N.R., see Litten, III, R.Z. (523) 377
- Bargetzi, J.-P., see Depierre, D. (523) 469
 Batte, E.A., see Mian, N. (523) 454
 Berliner, L.J. see Grunwald, J. (523) 47
 Boozal, J., see Lluís, C. (523) 273
 Brayden, J.E., see Litten, III, R.Z. (523) 377
 Brown, Jr., R.D., see Shoemaker, S.P. (523) 133
 Brown, Jr., R.D., see Shoemaker, S.P. (523) 147
- Chader, G.J., see Krishnan, N. (523) 506
 Clarkson, T.W., see Halbach, S. (523) 522
 Corvol, P., see Galen, F.X. (523) 485
 Cumming, R.W., Thomson, J. and Koppel, J.L.
 Iron: a possible heterotropic effector of prolyl hydroxylase (523) 533
- Debey, P., see Douzou, P. (523) 1
 Degn, H., see Olsen, L.F. (523) 321
 Del C. Batlle, A.M., see Wilder de Xifra, E.A. (523) 245
 Depierre, D., Bargetzi, J.-P. and Roth, M.
 Dipeptidyl carboxypeptidase from human seminal plasma (523) 469
 Devaux, C., see Galen, F.X. (523) 485
 Douzou, P., Debey, P. and Franks, F.
 Supercooled water as medium for enzyme reactions at subzero temperatures (523) 1
 Durand, G., see Monsan, P. (523) 477
 Duttagupta, C., Rifas, L. and Makman, M.H.
 Regulation of cyclic nucleotide phosphodiesterase activity in human lung fibroblasts (523) 385
- Endo, Y.
 N-acyl-L-aromatic amino acid deacylase in animal tissues (523) 207
 Esumi, H., Sato, S., Sugimura, T. and Oka-saki, N.
 Purification and properties of an acid pro-tease from human ascitic fluid (523) 191
- Fattoum, A., see Philips, M. (523) 368
- Fernández-Sousa, J.M., Perez-Castells, R. and Rodriguez, R.
 A simple, one-step chromatographic pro-cedure for the purification of lysozyme (523) 430
 Flashner, M., see Wang, P. (523) 170
 Flavin, M., see Nagata, Y. (523) 228
 Fletcher, R.T., see Krishnan, N. (523) 506
 Flower, R.J., see Salmon, J.A. (523) 250
 Franks, F., see Douzou, P. (523) 1
- Galen, F.X., Devaux, C., Grogg, P., Menard, J. and Corvol, P.
 Fluorimetric assay of renin (523) 485
 Gander, J.E., see Johnson, M.T. (523) 9
 Garbers, D.L.
 Demonstration of 5'-methylthioadenosine phosphorylase activity in various rat tis-sues. Some properties of the enzyme from rat lung (523) 82
- Garreau, H., see Kahn, A. (523) 59
 Glick, M.C., see Santer, U.V. (523) 435
 Gogotov, I.N., Zorin, N.A., Serebriakova, L.T. and Kondratieva, E.N.
 The properties of hydrogenase from Thio-capsa roseopersicina (523) 335
 Grogg, P., see Galen, F.X. (523) 485
 Grunwald, J. and Berliner, L.J.
 Immobilized bovine lactose synthase. A method of topographical analysis of the active site (523) 53
- Halbach, S. and Clarkson, T.W.
 Enzymatic oxidation of mercury vapor by erythrocytes (523) 522
 Hemker, H.C., see Vermeer, C. (523) 494
 Herries, D.G., see Mian, N. (523) 454
- Imai, T.
 FAD-dependent malate dehydrogenase, a phospholipid-requiring enzyme from My-cobacterium sp. strain Takeo. Purification and some properties (523) 37
 Imaoka, T., Imazu, M., Ishida, N. and Takeda, M.
 Comparison of two forms of pig heart phosphoprotein phosphatase (523) 109

- Imazu, M., see Imaoka, T. (523) 109
 Ishida, N., see Imaoka, T. (523) 109
- Jack, G.W. and McMahon, P.C.
 A bacterial phenylalanine aminotransferase lacking pyridoxal 5'-phosphate as cofactor (523) 344
- Johnson, M.T. and Gander, J.E.
 Purification and properties of a nucleoside diphosphosugar : NAD⁺ 2-hexosyl oxidoreductase (523) 9
- Jursinic, S.B. and Robinson, J.L.
 The active site of rabbit muscle pyruvate kinase. Evidence for a site common to the oxalacetate decarboxylase and pyruvate kinase reactions (523) 358
- Kahn, A., Marie, J., Garreau, H. and Sprengers, E.D.
 The genetic system of the L-type kinase forms in man. Subunit structure, interrelation and kinetic characteristics of the pyruvate kinase enzymes from erythrocytes and liver (523) 59
- Karube, I., see Morikawa, Y. (523) 263
- Kato, N., Ohashi, H., Tani, Y. and Ogata, K.
 3-Hexulosephosphate synthase from *Methylomonas aminofaciens* 77a. Purification, properties and kinetics (523) 236
- Kato, T., see Nagatsu, T. (523) 47
- Komoda, T. and Sakagishi, Y.
 The function of carbohydrate moiety and alteration of carbohydrate composition in human alkaline phosphatase isoenzymes (523) 395
- Konratieva, E.N., see Gogotov, I.N. (523) 335
- Koppel, J.L., see Cumming, R.W. (523) 533
- Krishna, G., see Krishnan, N. (523) 506
- Krishnan, N., Fletcher, R.T., Chader, G.J. and Krishna, G.
 Characterization of guanylate cyclase of rod outer segments of the bovine retina (523) 506
- Larsson-Raźnikiewicz, M. and Wiksell, E.
 Inhibition of phosphoglycerate kinase by salicylates (523) 94
- Litten, III, R.Z., Brayden, J.E. and Alpert, N.R.
 The ATPase activity of subfragment-1 from the hypertrophied heart (523) 377
- Lluis, C. and Bozal, J.
 Kinetic mechanism of the hydroxypyruvate-lactate dehydrogenase-NADH system (523) 273
- Madhosingh, C. and Orr, W.
 Hydroxymethylglutaryl-coenzyme A reductase. Purification and properties of the enzyme from *Fusarium oxysporum* (523) 283
- Makman, M.H., see Duttagupta, C. (523) 385
- Marie, J., see Kahn, A. (523) 59
- McMahon, P.C., see Jack, G.W. (523) 344
- McTigue, J.J. and van Etten, R.L.
 An essential active-site histidine residue in human prostatic acid phosphatase. Ethoxyformylation by diethyl pyrocarbonate and phosphorylation by a substrate (523) 407
- McTigue, J.J. and van Etten, R.L.
 An essential arginine residue in human prostatic acid phosphatase (523) 422
- Menard, J., see Galen, F.X. (523) 485
- Mian, N., Herries, D.G. and Batte, E.A.
 The multiple forms and kinetic differences of rat colonic β -N-acetylhexosaminidases (523) 454
- Misono, H., see Toyama, S. (523) 75
- Moncada, S., see Salmon, J.A. (523) 250
- Monsan, P. and Durand, G.
 Production of L-lysine by immobilized trypsin. Study of DL-lysine methyl ester resolution (523) 477
- Morikawa, Y., Karube, I. and Suzuki, S.
 NAD recycling in the collagen membrane (523) 263
- Mračkova, M., see Rexová-Benkořa, Ľ. (523) 162
- Nagata, Y. and Flavin, M.
 A dynein ATPase inhibitor isolated from a commercial ATP preparation (523) 228
- Nagatsu, T., Numata(Sudo), Y., Kato, T., Sugiyama, K. and Akino, M.
 Effects of melanin on tyrosine hydroxylase and phenylalanine hydroxylase (523) 47
- Naoi, Ma., Naoi, Mi. and Yagi, K.
 Immobilized D-amino acid oxidase (523) 19
- Naoi, Mi., see Naoi, Ma. (523) 19
- Nason, A., see Pan, S. (523) 297
- Numata(Sudo), Y., see Nagatsu, T. (523) 47
- Ogata, K., see Kato, N. (523) 236
- Ohashi, H., see Kato, N. (523) 236
- Okasaki, N., see Esumi, H. (523) 191
- Olalla, A., Osuna, C., Sebastian, J., Sillero, A. and Sillero, M.A.G.
 Purification and properties of three proteases from the larvae of the brine shrimp *Artemia salina* (523) 181

- Olsen, L.F. and Degn, H.
Oscillatory kinetics of the peroxidase-oxidase reaction in an open system. Experimental and theoretical studies (523) 321
- Orr, W., see Madhosingh, C. (523) 283
- Osuna, C., see Olalla, A. (523) 181
- Paietta, E. and Sands, H.
Phosphoprotein phosphatase in bovine tracheal smooth muscle. Multiple fractions and multiple substrates (523) 121
- Pan, S.-S. and Nason, A.
Purification and characterization of homogenous assimilatory reduced nicotinamide adenine dinucleotide phosphate-nitrate reductase from *Neurospora* (523) 297
- Pavlič, M.R. and Wilson, I.B.
On the mechanism of acceleration of methanesulfonylation of acetylcholinesterase with cationic accelerators (523) 101
- Perez-Castells, R., see Fernández-Sousa, J.M. (523) 430
- Petkov, D.D.
Detection of a tetrahedral intermediate in the trypsin-catalysed hydrolysis of specific ring-activated anilides (523) 538
- Philips, M., Roustan, C., Fattoum, A. and Pradel, L.-A.
Yeast 3-phosphoglycerate kinase. Essential arginyl residues at the 3-phosphoglycerate binding site (523) 368
- Pierce, S. and Tappel, A.L.
Glutathione peroxidase activities from rat liver (523) 27
- Pradel, L.-A., see Philips, M. (523) 368
- Reimann, E.M. and Umfleet, R.A.
Selective precipitation of $^{32}\text{P}_i$ onto filter papers. Application to ATPase and cyclic AMP phosphodiesterase determination (523) 516
- Rexová-Benko, Ľ. and Mračková, M.
Active groups of extracellular endo-D-galacturonanase of *Aspergillus niger* derived from pH effect on kinetic data (523) 162
- Rifas, C., see Duttagupta, C. (523) 385
- Robinson, J.L., see Jursinic, S.B. (523) 358
- Rodriguez, R., see Fernández-Sousa, J.M. (523) 430
- Rosén, S.
Purification of beef-heart cytochrome c oxidase by hydrophobic interaction chromatography on Octyl-Sepharose CL-4B (523) 314
- Roth, M., see Depierre, D. (523) 469
- Roustan, C., see Philips, M. (523) 368
- Sakagishi, Y., see Komoda, T. (523) 395
- Salmon, J.A., Smith, D.R., Flower, R.J., Moncada, S. and Vane, J.R.
Further studies on the enzymatic conversion of prostaglandin endoperoxide into prostacyclin by porcine aorta microsomes (523) 250
- Sands, H., see Paietta, E. (523) 121
- Santer, U.V., Yee-Foon, J. and Glick, M.C.
A rapid assay for neuraminidase. The detection of two differences in activity associated with virus transformation (523) 435
- Sato, S., see Esumi, H. (523) 191
- Sebastian, J., see Olalla, A. (523) 181
- Serebriakova, L.T., see Gogotov, I.N. (523) 335
- Shoemaker, S.P. and Brown, Jr., R.D.
Enzymic activities of endo-1,4- β -D-glucanases purified from *Trichoderma viride* (523) 133
- Shoemaker, S.P. and Brown, Jr., R.D.
Characterisation of endo-1,4- β -D-glucanases purified from *Trichoderma viride* (523) 147
- Sillero, A., see Olalla, A. (523) 181
- Sillero, M.A.G., see Olalla, A. (523) 181
- Smith, D.R., see Salmon, J.A. (523) 250
- Soda, K., see Toyama, S. (523) 75
- Soute, B.A.M., see Vermeer, C. (523) 494
- Sprengers, E.D., see Kahn, A. (523) 59
- Storey, K.B.
Purification and properties of fructose diphosphatase from bumblebee flight muscle. Role of the enzyme in control of substrate cycling (523) 443
- Sugimura, T., see Esumi, H. (523) 191
- Sugiyama, K., see Nagatsu, T. (523) 47
- Suttimool, W., see Yuthavong, Y. (523) 198
- Suzuki, S., see Morikawa, Y. (523) 263
- Swann, A.C. and Albers, R.W.
Sodium and potassium ion-dependent adenosine triphosphatase of mammalian brain. Interactions of magnesium ions with phosphatase site (523) 215
- Takeda, M., see Imaoka, T. (523) 109
- Tanenbaum, S.W., see Wang, P. (523) 170
- Tani, Y., see Kato, N. (523) 236
- Tappel, A.L., see Pierce, S. (523) 27
- Thomson, J., see Cumming, R.W. (523) 533
- Toyama, S., Misono, H. and Soda, K.
Properties of taurine: α -ketoglutarate aminotransferase of *Achromobacter superficialis*. Inactivation and reactivation of enzyme (523) 75
- Umfleet, R.A., see Reimann, E.M. (523) 516

- Vane, J.R., see Salmon, J.A. (523) 250
Van Etten, R.L., see McTigue, J.J. (523) 407
Van Etten, R.L., see McTigue, J.J. (523) 422
Vermeer, C., Soute, B.A.M. and Hemker, H.C.
In vitro prothrombin synthesis from a
purified precursor protein. II. Partial
purification of bovine carboxylase (523)
494
Wang, P., Tanenbaum, S.W. and Flashner, M.
Purification and properties of *Arthrobacter*
neuraminidase (523) 170
Wiksell, E., see Larsson-Raźnikiewicz, M.
(523) 94
Wilder de Xifra, E.A. and del C. Battle, A.M.
Porphyrin biosynthesis: immobilized
enzymes and ligands. VI. Studies on suc-
cinyl CoA synthetase from cultured soya
bean cells (523) 245
Wilson, I.B., see Pavlić, M.R. (523) 101
Yagi, K., see Naoi, Ma. (523) 19
Yee-Foon, J., see Santer, U.V. (523) 435
Yuthavong, Y. and Suttimool, W.
Rate constants of individual steps in
papain-catalysed reactions (523) 198
Zorin, N.A., see Gogotov, I.N. (523) 335