



Corrigendum

Corrigendum to “Synthesis and structure–activity relationship studies of tyrosine-based antagonists at the human P2X₇ receptor” [Bioorg. Med. Chem. Lett. 18 (2008) 571–575]

Ga Eun Lee^a, Bhalchandra V. Joshi^b, Wangzhong Chen^b, Lak Shin Jeong^c, Hyung Ryong Moon^d, Kenneth A. Jacobson^b, Yong-Chul Kim^{a,*}

^a Department of Life Science, Gwangju Institute of Science and Technology (GIST), 1 Oryong-dong, Buk-gu, Gwangju 500-712, Republic of Korea


^b Laboratory of Bioorganic Chemistry, National Institute of Diabetes and Digestive and Kidney Diseases, National Institutes of Health, Bethesda, MD, USA

^c Laboratory of Medicinal Chemistry, College of Pharmacy, Ewha Womans University, Seoul 120-750, Republic of Korea

^d College of Pharmacy, Pusan National University, Pusan 609-735, Republic of Korea

The correct structure of compound **9** is 2,6-dimethyl, not 3,5-dimethyl. Therefore, the following corrections should be made.

1. On page 571, in line 5 of the abstract, “3,5-dimethyl groups” should read “2,6-dimethyl groups.”
2. On page 572, [Scheme 1](#) and its legend should appear as:



Scheme 1. Synthesis of a representative P2X₇ receptor antagonist **9** consisting of a 2,6-dimethyltyrosyl derivative.

3. On page 572, in lines 2 and 3 from the bottom, “two methyl groups” should read “2,6-dimethyl groups.”
4. On page 573, in Footnote b in Table 1, “two methyl groups” should read “2,6-dimethyl groups.”
5. On page 574, in line 9 of the last paragraph of regular text, “dimethylphenylsulfonate” should read “2,6-dimethylphenylsulfonate.”
6. On page 574, in line 15 of the last paragraph of regular text, “3,5-dimethyl groups” should read “2,6-dimethyl groups.”

DOI of original article: [10.1016/j.bmcl.2007.11.077](https://doi.org/10.1016/j.bmcl.2007.11.077)

* Corresponding author. Tel.: +82 62 970 2502; fax: +82 62 970 2484.

E-mail address: yongchul@gist.ac.kr (Y.-C. Kim).