



Contents lists available at ScienceDirect

Bioorganic & Medicinal Chemistry

journal homepage: www.elsevier.com/locate/bmc



Corrigendum

Corrigendum to “Anionic polymer, poly(methyl vinyl ether–maleic anhydride)-coated beads-based capture of human influenza A and B virus” [Bioorg. Med. Chem. 17 (2009) 752–757]

Akikazu Sakudo^{a,*}, Koichi Baba^b, Megumi Tsukamoto^a, Atsuko Sugimoto^a, Takashi Okada^a, Takanori Kobayashi^a, Norihito Kawashita^c, Tatsuya Takagi^c, Kazuyoshi Ikuta^a

^a Department of Virology, Center for Infectious Disease Control, Research Institute for Microbial Diseases, Osaka University, 3-1 Yamadaoka, Suita, Osaka 565-0871, Japan

^b Baba Pediatric Clinic, Kadoma, Osaka 571-0046, Japan

^c Department of Environmental Pharmacometrics, Graduate School of Pharmaceutical Sciences, Osaka University, 1-6 Yamadaoka, Suita 565-0871, Japan

The authors regret that this article contains several errors:

1. On page 752, in line 5 of the Abstract, “absorption” should be “adsorption”.
2. On page 753, in line 1 of legend for Figure 3, “absorbed” should be “adsorbed”.
3. On page 754, in line 1 of legend for Figure 6, “absorbed” should be “adsorbed”.
4. On page 755, in line 18 of Discussion, “absorption” should be “adsorption”.

DOI of original article: [10.1016/j.bmc.2008.11.046](https://doi.org/10.1016/j.bmc.2008.11.046)

* Corresponding author. Tel.: +81 6 6879 8309; fax: +81 6 6879 8310.

E-mail address: sakudo@biken.osaka-u.ac.jp (A. Sakudo).