FISEVIER

Contents lists available at ScienceDirect

Bioorganic & Medicinal Chemistry

journal homepage: www.elsevier.com/locate/bmc



Corrigendum

Corrigendum to "Bioactivity-guided isolation of cytotoxic constituents of *Brucea javanica* collected in Vietnam" [Bioorg. Med. Chem. 17 (2009) 2219]

Li Pan ^a, Young-Won Chin ^a, Hee-Byung Chai ^a, Tran Ngoc Ninh ^b, Djaja Djendoel Soejarto ^c, A. Douglas Kinghorn ^{a,*}

- ^a Division of Medicinal Chemistry and Pharmacognosy, College of Pharmacy, The Ohio State University, 500 West 12th Avenue, Columbus, OH 43210, USA
- b Institute of Ecology and Biological Resources, Vietnamese Academy of Science and Technology, Hoang Quoc Viet, Cau Giay, Hanoi, Viet Nam
- ^c Program for Collaborative Research in the Pharmaceutical Sciences, Department of Medicinal Chemistry and Pharmacognosy, College of Pharmacy, 833 South Wood Street, University of Illinois at Chicago, Chicago, IL 60612, USA

In the figure on page 2220, as well as the figure in the graphical abstract, the orientation of H-23 of all the new compounds (1-5) should be drawn as α , as correctly described in the text of the paper. The corrected structures appear below.

- **1** $R_1 = H$, $R_2 = HexanoyI$, $R_3 = Ac$
- 2 $R_1 = Ac$, $R_2 = HexanoyI$, $R_3 = Ac$
- 3 $R_1 = Ac$, $R_2 = TigloyI$, $R_3 = Ac$

5

^{*}DOI of original article: 10.1016/j.bmc.2008.10.076

^{*} Corresponding author. Tel.: +1 614 247 8094; fax: +1 614 247 8642. *E-mail address*: kinghorn.4@osu.edu (A.D. Kinghom).