Subject Index for Volume 16

Α

Acetonitrile

1-benzyl-4-cyano-1,4-dihydronicotinamide in, zinc-promoted dissociation of cyanide ion, kinetics and mechanism, 17

Acetylcholinesterase

reaction kinetics, effects of high-concentration salts, 429

Acrolein

reaction with cytosine and adenine derivatives, characterization, 272

Adenosine

reaction with acrolein, characterization, 272

ADP-ribosyl oxocarbonium ion

stabilized intermediate in NAD+ glycohydrolase-catalyzed reactions, chemical evidence, 38

Alcohol dehydrogenase

 -NADH enzyme-coenzyme complex model, in 2-pyridinecarboxaldehyde reduction, 215

redox reactions, ring-size effects (equine liver), 165

Amide groups

intramolecular nucleophilicity, implications on catalytic role in enzymatic reactions,

D-Amino acid oxidase

catalysis of D-amino acid dehydrogenation, reaction mechanism (porcine kidney), 97

D-Amino acids

dehydrogenation, catalysis by D-amino acid oxidase, reaction mechanism (porcine kidney), 97

Aminopeptidase

microdetermination with fluorogenic substances, role of bimane system quenching properties. 298

1-O-Anisoyl-β-D-glucose

enzymatic synthesis, 29

Antibiotics

β-lactam, electron transfer mechanism via side-chain imine, 149

Antigens

HLA-D, catalysis of ketone reduction in vitro, effects of reaction conditions on stereochemical course: 3-cyano-4,4-dimethylcyclohexanone as sensitive probe, 223

ATPase

related activity of macrocyclic polyamine receptor molecule [24]N₆O₂, mechanisms, 418

В

Barbituric acid

enzymatic bromination, kinetics, 352

Benzene

metabolism, role of maleylacetoacetate cistrans isomerase, 394

1-O-Benzoyl- β -D-glucose ester

enzymatic synthesis, 29

N-Benzyl-2,6-bismethoxycarbonylpiperidine

cis and trans forms, esterase-catalyzed hydrolysis, control of stereoselectivity by different reaction conditions (porcine liver), 364

N-Benzyl-2,5-bismethoxycarbonylpyrrolidine

cis and trans forms, esterase-catalyzed hydrolysis, control of stereoselectivity by different reaction conditions (porcine liver), 364

1-Benzyl-4-cyano-1,4-dihydronicotinamide

in acetonitrile, zinc-promoted dissociation of cyanide ion, kinetics, 17

(Z)-4-Benzylidene-2-methyloxazolin-5-one

interconversion with corresponding aryl or alkyl ester, enzymatic catalysis: role of amide group intramolecular nucleophilicity, 245

(Z)-4-Benzylidene-2-phenyloxazolin-5-one

interconversion with corresponding aryl or alkyl ester, enzymatic catalysis: role of amide group intramolecular nucleophilicity, 245

Bimane

peptides, fluorescence and associated quenching properties, role in microdetermination of chymotrypsin and aminopeptidase, 298

Blasticidin S

biosynthesis, associated sugar transformations, analysis with [2,3,4,6,6-2H₅]-D-glucose (Streptomyces griseochromogenes), 258

Bromination

enzymatic, barbituric acid and derivatives, kinetics, 352

Bromoperoxidase

bromination of barbituric acid and derivatives, kinetics, 352

C

2-Carboxymethyl-3,4-dihydro-β-carboline formation from 5-hydroxytryptamine, preparation and properties, 189

Carnitine

discovery and function, historical review, 307 Carnitine acetyltransferase

distribution in tissues and organelles, enzymology, and proposed molecular mechanisms, review, 307

5-Chlorobarbituric acid

enzymatic bromination, kinetics, 352

Chymotrypsin

microdetermination with fluorogenic substances, role of bimane system quenching properties, 298

Cisplatin

induction of stereochemical changes in psoralen photoaddition to DNA, 175

Cyanide

zinc-promoted dissociation from 1-benzyl-4cyano-1,4-dihydronicotinamide in acetonitrile, kinetics, 17

3-Cyanocyclohexanone

reduction, HLAD-catalyzed, stereochemical course, effect of reaction conditions, 223

3-Cyano-4,4-dimethylcyclohexanone

reduction, HLAD-catalyzed, stereochemical course, effect of reaction conditions, 223

Cyclobutanol

oxidation, equine liver alcohol dehydrogenasecatalyzed, analysis, 165

Cyclobutanone

reduction, equine liver alcohol dehydrogenasecatalyzed, analysis, 165

Cycloheptanol

oxidation, equine liver alcohol dehydrogenasecatalyzed, analysis, 165

Cycloheptanone

reduction, equine liver alcohol dehydrogenasecatalyzed, analysis, 165

Cyclohexanol

oxidation, equine liver alcohol dehydrogenasecatalyzed, analysis, 165

Cyclohexanone

reduction

equine liver alcohol dehydrogenase-catalyzed, analysis, 165

HLAD-catalyzed, stereochemical course, effect of reaction conditions, 223

Cyclononanol

oxidation, equine liver alcohol dehydrogenasecatalyzed, analysis, 165 Cyclononanone

reduction, equine liver alcohol dehydrogenasecatalyzed, analysis, 165

Cyclooctanol

oxidation, equine liver alcohol dehydrogenasecatalyzed, analysis, 165

Cyclooctanone

reduction, equine liver alcohol dehydrogenasecatalyzed, analysis, 165

Cyclopentanol

oxidation, equine liver alcohol dehydrogenasecatalyzed, analysis, 165

Cyclopentanone

reduction, equine liver alcohol dehydrogenasecatalyzed, analysis, 165

Cytidine

reaction with acrolein, characterization, 272

D

Deoxyadenosine

reaction with acrolein, characterization, 272

Deoxycytidine

reaction with acrolein, characterization, 272

Dimethylallyl diphosphate

negative ion fast atom bombardment mass spectrometry, 111

1,3-Dimethylbarbituric acid

enzymatic bromination, kinetics, 352

2.7-Diiododiazofluorene

¹²⁵I-labeled, as photoactivable reagent for labeling membrane hydrophobic core, 124

9,10-Dioxa-syn-3,4,6,7-tetramethylbimane, see Bimane

Dipyrandium

induction of stereochemical changes in psoralen photoaddition to DNA, 175

Distamycin A

induction of stereochemical changes in psoralen photoaddition to DNA, 175

DNA

psoralen photoaddition, drug-induced stereochemical changes, 175

Dopamine β-hydroxylase, see Dopamine βmonooxygenase

Dopamine β -monooxygenase

3-phenylpropenes as mechanism-based inhibitors, characterization, 232

Е

Electron transfer

mechanism for β -lactam antibiotic action via side-chain imine, 149

Enzyme catalysis

role of induced fit and conformational changes, review. 62

Enzyme specificity

role of induced fit and conformational changes, review, 62

Epimerization

in thiophosphoanhydride synthesis, analysis, 52

Esterase

hepatic, stereoselectivity in hydrolysis of cis-N-benzyl-2,5-bismethoxycarbonylpyrrolidine and structurally related diesters, control by different reaction conditions (pig), 364

Ethanol

effect on stereochemical course of HLAD-catalyzed ketone reduction: 3-cyano-4,4-dimethylcyclohexanone as sensitive probe, 223

Ethylbenzene- α , α - d_2

side-chain hydroxylation by fungi, direct observation by ²H NMR, 388

N-Ethyl-2,6-bismethoxycarbonylpiperidine cis and trans forms, esterase-catalyzed hydrolysis, control of stereoselectivity by different reaction conditions (porcine liver), 364

N-Ethyl-2,5-bismethoxycarbonylpyrrolidine cis and trans forms, esterase-catalyzed hydrolysis, control of stereoselectivity by different reaction conditions (porcine liver), 364

F

Farnesyl diphosphate

negative ion fast atom bombardment mass spectrometry, 111

Fast atom bombardment mass spectrometry negative ion, isoprenoid diphosphates and related analogs, 111

Fluorescence

bimane, and associated quenching properties, role in microdetermination of chymotrypsin and aminopeptidase, 298

Fluoroethylbenzene- α , α - d_2

meta and para forms, side-chain hydroxylation by fungi, direct observation by ²H NMR, 388

Fluorotoluene- α , α , α - d_3

meta and para forms, side-chain hydroxylation by fungi, direct observation by ²H NMR, 388

Fourier transform infrared spectroscopy stereochemistry of chiral [16O, 17O, 18O]sulfate monoesters, 283

Fungi

Mortierella isabellina, side-chain hydroxylation of aromatic compounds by, direct observation by ²H NMR, 388

G

Galactokinase

catalysis of α -galactose 1-thiophosphate synthesis, 206

Galactose-1-phosphate uridyltransferase, see UTP-hexose-1-phosphate uridyltransferase

α-Galactose 1-thiophosphate

enzymatic synthesis, 206

Geranyl diphosphate

negative ion fast atom bombardment mass spectrometry, 111

p-Glucose

[2,3,4,6,6-2H₅]-labeled, in analysis of sugar transformations during microbial biosynthesis of sarubicin A, blasticidin S, and streptothricin F (*Streptomyces* sp.), 258

Glucose-6-phosphate dehydrogenase

catalysis of glucose-6-thiophosphate synthesis, 206

α-Glucose 1-thiophosphate enzymatic synthesis, 206

Glucose 6-thiophosphate

enzymatic synthesis, 206

Glucosyltransferase

UDP glucose-specific, in synthesis of 1-Ophenylcarboxyl-β-D-glucose esters, 29

Н

3-Halo-4,5-dihydroisoxazole

transglutaminase inhibitors with, synthesis, chemistry, and absolute configuration, 335

1,4,7,13,16,19-Hexaaza-10,22-dioxatetradecane ATPase-like activity, mechanisms, 418

Hexokinase

catalysis of glucose 6-thiophosphate synthesis,

High-performance liquid chromatography in separation of 2-methyl-4-[(R)-2-endo-bornyl] cyclohexanone stereoisomers, 341

Hydrolysis

cis-N-benzyl-2,5-bismethoxycarbonylpyrrolidine and structurally related diesters, esterase-catalyzed, control of stereoselectivity by different reaction conditions (porcine liver), 364

NAD⁺ nicotinamide-ribose bond, role of oxocarbonium-ion intermediate stabilization by NAD⁺ glycohydrolase, 38 p-nitrophenyl diphenyl phosphate, catalysis by bifunctional zinc complexes, analysis, 408
 soman, base-catalyzed, saturation effect, 12

1-O-p-Hydroxybenzoyl-β-D-glucose enzymatic synthesis, 29

6-Hydroxy-1-carboxyl-1,2,3,4-tetrahydro-β-carboline

formation from 5-hydroxytryptamine, preparation and properties, 189

6-Hydroxy-2-carboxymethyl-1,2,3,4-tetrahydro*β*-carboline

formation from 5-hydroxytryptamine, preparation and properties, 189

6-Hydroxy-3,4-dihydro-β-carboline

formation from 5-hydroxytryptamine, preparation and properties, 189

Hydroxylation

side-chain, aromatic compounds by fungi, direct observation by ²H NMR, 388

6-Hydroxy-1-methyl-1,2,3,4-tetrahydro-β-carboline

formation from 5-hydroxytryptamine, preparation and properties, 189

6-Hydroxy-1,2,3,4-tetrahydro-β-carboline formation from 5-hydroxytryptamine, preparation and properties, 189

5-Hydroxytryptamine, see Serotonin

I

Imine

side-chain, role in electron transfer mechanism for β -lactam antibiotic action, 149

2-Iododiazofluorene

¹²⁵I-labeled, as photoactivable reagent for labeling membrane hydrophobic core, 124

Isomerization

one-step double *cis-trans*, monomethyl muconate, maleylacetoacetate *cis-trans* isomerase-catalyzed, analysis, 394

Isopentenyl diphosphate

negative ion fast atom bombardment mass spectrometry, 111

Isoprenoid diphosphate

and related analogs, negative ion fast atom bombardment mass spectrometry, 111

L

B-Lactam

antibiotic action, electron transfer mechanism via side-chain imine, 149

Linear combination of atomic orbitals

-MO study, conformation-reactivity relationships in pyridoxal model systems, 133

Liver

esterase stereoselectivity in hydrolysis of cis-N-benzyl-2,5-bismethoxycarbonylpyrrolidine and structurally related diesters, control by different reaction conditions (pig), 364

М

Maleylacetoacetate cis-trans isomerase

one-step double *cis-trans* isomerization of monomethyl muconate and role in benzene metabolism, 394

Membranes

hydrophobic core, labeling with ¹²⁵I-labeled photoactivable iododiazofluorene, 124

Methanolysis

NAD+ nicotinamide-ribose bond, oxocarbonium-ion intermediate stabilization by NAD+ glycohydrolase, 38

9-Methyladenine

reaction with acrolein, characterization, 272

1-Methylbarbituric acid

enzymatic bromination, kinetics, 352

3-Methylcyclohexanone

reduction, HLAD-catalyzed, stereochemical course, effect of reaction conditions, 223

1-Methylcytosine

reaction with acrolein, characterization, 272

2-Methyl-4-[(R)-2-endo-bornyl]cyclohexanone stereoisomers, synthesis, separation by HPLC, elucidation of absolute configuration, and odor evaluation, 341

N-Methylisonicotinyl esters

chemical shifts of aromatic and heterocyclic protons, solvent effects in ¹H NMR study of mixed and inverse micelles, 1

N-Methylnicotinyl esters

chemical shifts of aromatic and heterocyclic protons, solvent effects in 'H NMR study of mixed and inverse micelles, 1

Methyl 3-oxocyclohexanecarboxylate

reduction, HLAD-catalyzed, stereochemical course, effect of reaction conditions, 223

1-Methyl-5-phenylbarbituric acid

enzymatic bromination, kinetics, 352

Micelles

mixed and inverse, ¹H NMR study: solvent effects on chemical shifts of aromatic and heterocyclic protons in N-methylnicotinyl and N-methylisonicotinyl esters, 1

Models

NADH-alcohol dehydrogenase enzyme-coenzyme complex in 2-pyridinecarboxaldehyde reduction, 215 Molecular orbital

 -LCAO study, conformation-reactivity relationships in pyridoxal model systems, 133

Monomethyl muconate

one-step double *cis-trans* isomerization, maleylacetoacetate *cis-trans* isomerase-catalyzed, analysis, 394

Ν

NAD+ glycohydrolase, see NAD+ nucleosidase NADH (reduced nicotinamide adenine dinucleotide)

 -alcohol dehydrogenase enzyme-coenzyme complex model, in 2-pyridinecarboxaldehyde reduction, 215

NAD+ nucleosidase

catalyzed reactions, oxocarbonium-ion intermediate stabilization, chemical evidence, 38

p-Nitrophenyl diphenyl phosphate

hydrolysis, catalysis by bifunctional zinc complexes, analysis, 408

Nuclear magnetic resonance

¹H, mixed and inverse micelles: solvent effects on chemical shifts of aromatic and heterocyclic protons in N-methylnicotinyl and N-methylisonicotinyl esters, 1

2H, in direct observation of side-chain hydroxylation of aromatic compounds by fungi, 388

Nucleophilicity

intramolecular, amide groups: implications on catalytic role in enzymatic reactions, 245

0

Odor

2-methyl-4-[(R)-2-endo-bornyl]cyclohexanone stereoisomers, comparison, 341

Oxidation

cycloalkanols, catalysis by equine liver alcohol dehydrogenase, ring-size effects, 165

Ρ

pН

effect on stereochemical course of HLAD-catalyzed ketone reduction: 3-cyano-4,4-dimethylcyclohexanone as sensitive probe, 223

Phenyl-(Z)-α(acetylamino)cinnamate

interconversion with corresponding oxazolinone, enzymatic catalysis: role of amide group intramolecular nucleophilicity, 245 5-Phenylbarbituric acid

enzymatic bromination, kinetics, 352

Phenyl-(Z)- α (benzoylamino)cinnamate

interconversion with corresponding oxazolinone, enzymatic catalysis: role of amide group intramolecular nucleophilicity, 245

1-O-Phenylcarboxyl-β-D-glucose esters enzymatic synthesis, 29

3-Phenylpropenes

as mechanism-based inhibitors of dopamine β -hydroxylase, characterization, 232

Phosphatidylserine decarboxylase

catalyzed reaction, steric course (Escherichia coli), 184

Photoaddition

psoralen to DNA, drug-induced stereochemical changes, 175

Presqualine diphosphate

negative ion fast atom bombardment mass spectrometry, 111

Protein-glutamine γ-glutamyltransferase

inhibitors containing 3-halo-4,5-dihydroisoxazole: synthesis, chemistry, and absolute configuration, 335

1-O-Protocatechuoyl-β-D-glucose enzymatic synthesis, 29

Protons

aromatic and heterocyclic, in N-methylnicotinyl and N-methylisonicotinyl esters, solvent effects on chemical shifts in ¹H NMR study of mixed and inverse micelles, 1

Psoralen

photoaddition to DNA, drug-induced stereochemical changes, 175

2-Pyridinecarboxaldehyde

reduction by dehydrogenase-NADH model, 215

N-Pyridoxylidenealanine

conformation-reactivity relationships, semiempirical molecular mechanics and MO-LCAO study, 133

R

Reduction

cycloalkanones, catalysis by equine liver alcohol dehydrogenase, ring-size effects, 165

ketones, HLAD-catalyzed, effect of reaction conditions on stereochemical course: 3cyano-4,4-dimethylcyclohexanone as sensitive probe, 223

2-pyridinecarboxaldehyde by NADH-alcohol dehydrogenase enzyme-coenzyme complex model, analysis, 215

Rotenone

conformational flexibility in molecular structure, analysis, 376

S

N-Salicylidenealanine

conformation-reactivity relationships, semiempirical molecular mechanics and MO-LCAO study, 133

Salts

high-concentration, effect on acetylcholinesterase reaction kinetics, 429

Sarubicin A

biosynthesis, associated sugar transformations, analysis with [2,3,4,6,6²H₅]-D-glucose (*Streptomyces helicus*), 258

Saturation effect

base-catalyzed hydrolysis of soman, 12 Serotonin

oxidative catabolism, occurrence of β -carboline pathway, 189

Solvents

effects on chemical shifts of aromatic and heterocyclic protons in N-methylnicotinyl and N-methylisonicotinyl esters in 'H NMR study of mixed and inverse micelles, 1

Soman

base-catalyzed hydrolysis, saturation effect, 12 Stereochemistry

chiral [16O, 17O, 18O] sulfate monoesters, analysis by Fourier transform infrared spectroscopy, 283

HLAD-catalyzed ketone reduction, effect of reaction conditions: 3-cyano-4,4-dimethylcyclohexanone as sensitive probe, 223

Stereoselectivity

esterase in hydrolysis of *cis-N*-benzyl-2,5-bismethoxycarbonylpyrrolidine and structurally related diesters, control by different reaction conditions (porcine liver), 364

Streptothricin F

biosynthesis, associated sugar transformations, analysis with [2,3,4,6,6²H₃]-D-glucose (*Streptomyces* L-1689-23), 258

Structure

crystal and molecular, rotenone, conformational flexibility, analysis, 376

2-methyl-4-[(R)-2-endo-bornyl]cyclohexanone stereoisomers, absolute configuration, 341 Structure-activity relationships

in pyridoxal model systems, semiempirical molecular mechanics and MO-LCAO study, 133

Sucrose phosphorylase

catalysis of α -glucose 1-thiophosphate synthesis, 206

Sugar transformations

in microbial biosynthesis of sarubicin A, blasticidin S, and streptothricin F, analysis with [2,3,4,6,6-2H₃]-D-glucose (Streptomyces sp.), 258

Sulfate monoesters

chiral [foo, foo, footnotes]-labeled, stereochemical analysis by Fourier transform infrared spectroscopy, 283

I-O-Syringoyl-β-D-glucose enzymatic synthesis, 29

Т

Temperature

effect on stereochemical course of HLAD-catalyzed ketone reduction: 3-cyano-4,4-dimethylcyclohexanone as sensitive probe, 223

Thiophosphoanhydrides

synthesis, associated epimerization, 52

Toluene-d₈

side-chain hydroxylation by fungi, direct observation by ²H NMR, 388

Transglutaminase, see Protein-glutamine γ-glutamyltransferase

2,2,2-Trifluoroethyl (Z)- α -(acetylamino)cinnamate

interconversion with corresponding oxazolinone, enzymatic catalysis: role of amide group intramolecular nucleophilicity, 245

2,2,2-Trifluoroethyl (Z)- α -(benzoylamino)cinnamate

interconversion with corresponding oxazolinone, enzymatic catalysis: role of amide group intramolecular nucleophilicity, 245

1,2,2-Trimethylpropyl methylphosphonofluoridate, see Soman

u

UDP-galactose-4-epimerase, *see* UDP-glucose-4-epimerase

UDP-glucose dehydrogenase

catalysis of uridine-5'-O-(thiodiphosphoglucose) synthesis, 206

UDP-glucose-4-epimerase

catalysis of uridine-5'-O-(thiodiphosphogalactose) synthesis, 206

UDP-glucose pyrophosphorylase, see UTP-glucose-1-phosphate uridyltransferase

Uridine-5'-O-(thiodiphosphogalactose) enzymatic synthesis, 206 Uridine-5'-O-(thiodiphosphoglucose)

enzymatic synthesis, 206

UTP-glucose-1-phosphate uridyltransferase catalysis of uridine-5'O-(thiodiphosphoglucose) synthesis, 206

UTP-hexose-1-phosphate uridyltransferase catalysis of uridine-5'-O-(thiodiphosphogalactose) synthesis, 206

٧

1-O-Vanniloyl-β-D-glucose enzymatic synthesis, 29

1-O-Veratroyl-β-D-glucose enzymatic synthesis, 29

Z

Zinc

bifunctional complexes, catalysis of phosphate ester cleavage, analysis, 408

promoted dissociation of cvanide ion from 1benzyl-4-cyano-1,4-dihydronicotinamide, kinetics, 17

Zinc $1-(\alpha-2-\text{methyl}-1,10-\text{phenanthroline})-1,4-\text{di-}$ hydronicotinamide

as model for NADH-alcohol dehydrogenase enzyme-coenzyme complex in 2-pyridinecarboxaldehyde reduction, 215

Statement of ownership, management, and circulation required by the Act of October 23, 1962, Section 4369, Title 39, United States Code: of

Published quarterly by Academic Press, Inc., I East First Street, Duluth, MN 55802. Number of issues published annually: 4. Editor: Dr. Gordon A. Hamilton, Department of Chemistry, 152 Davey Lab., Penn State University, University Park, PA

4. Editor: Dr. Gordon A. Hamilton, Department of Chemistry, 132 Davey Lab., Penn State University Park, PA 16802.

Owned by Academic Press, Inc., 1250 Sixth Avenue, San Diego, CA 92101. Known bondholders, mortgages, and other security holders owning or holding I percent or more of total amount of bonds, mortgages, and other securities: None.

Paragraphs 2 and 3 include, in cases where the stockholder or security holder appears upon the books of the company as trustee or in any other fiduciary relation, the name of the person or corporation for whom such trustee is acting, also the statements in the two paragraphs show the affiant's full knowledge and belief as to the circumstances and conditions under which stockholders and security holders who do not appear upon the books of the company as trustees, hold stock and securities in a capacity other than that of a bona flide owner. Names and addresses of individuals who are stockholders of a corporation which itself is a stockholder or holder of bonds, mortgages, or other securities of the publishing corporation have been included in paragraphs 2 and 3 when the interests of such individuals are equivalent to 1 percent or more of the total amount of the stock or securities of the publishing corporation.

Total no. copies printed; average no. copies each issue during preceding 12 months; 996; single issue nearest to filing date: 0. Free distribution by mail, carrier delivery, or by other means: average no. copies each issue during preceding 12 months; 78; single issue nearest to filing date; 78. Total no. of copies distributed; average no. copies each issue during preceding 12 months; 799; single issue nearest to filing date; 730.

(Signed) Roselle Coviello, Senior Vice President