## Corrections

Joseph, Julian S., and William Bialek. 1992. Biophys. J. 63:397-411.

The right-hand side of Eq. 16 should be multiplied by  $(\pi\omega^4/16u)^{1/2}$ . For the example given in Fig. 2, this factor has the numerical value  $\approx 0.7$  at room temperature and  $\approx 0.4$  at T = 10 K. The factor  $S^{1/4}$ , which is generally close to unity, should be replaced by  $S^{-1/4}$  in the order of magnitude expression following Eqs. 15–20 and in Eq. 36. No other statements in the paper are affected by this change. Derivations of the virtual rate expressions for the mode-specific case at small and large energy denominator, including this correction, are given in Joseph, J. S., and Bialek, W. 1993. Virtual transitions in nonadiabatic condensed-phase reactions. J. Phys. Chem. 97:3245–3256.

Castellano, A. C., M. Barteri, A. Bianconi, E. Borghi, L. Cassiano, M. Castagnola, S. Della Longa, and A. La Monaca. 1993. *Biophys. J.* 64:520-524.

Authors M. Barteri and E. Borghi are not in the staff of the Dipartimento di *Fisica* Universita' but in the Dipartimento di *Chimica* Universita' "La Sapienza" 00185 Roma. Note also that A. La Monaca should not have been included as an author (see Correction. 1993. *Biophys. J.* 65:422).

Trissl, H.-W., Y. Gao, and K. Wulf. 1993. Biophys. J. 64:974-988.

Page 977: Eq. 4 should read as follows:

$$\Phi_{\mathrm{fl}}(T) = c \cdot \int_0^\infty \mathsf{z}(t,T) \, dt,$$

Page 976: Parameter set No. 3 in Fig. 1 contains an inconsistency: The quantities listed were calculated with different time constants,  $k_r$ . The correct table reads:

TABLE 1 List of molecular time constants,  $\tau_l/ns$  ( $\tau_l = k_l^{-1}$ ; defined in Fig. 1) for the primary reactions of PS II in the open and closed state. Calculated values for the photochemical quantum yield,  $\Phi_p$ , the fluorescence yield,  $F_o$ ; the fluorescence yield,  $F_m$ ; the variable fluorescence,  $F_v$ ; the ratio of fluorescence yields for open and closed states,  $F_m/F_o$ ; the complementary area,  $F_a$ ; and the complementary area normalized to the variable fluorescence,  $F_a/F_v$ . The fluorescence yields,  $F_o$  and  $F_m$ , are absolute quantum yields expressed in %, with \* $\tau_r = \infty$  and \*\* $\tau_r = 1.3$ .

No.	Reference	$ au_1$	Open $(Q_A)$			Closed $(Q_A^-)$								
			$ au_{\mathrm{t}}^{\mathrm{ox}}$	$ au_{-1}^{\text{ox}}$	τ <sub>2</sub>	$ au_{\mathfrak{t}}^{\mathrm{red}}$	τ <sup>red</sup> -1	$\Phi_{p}$	$F_{\rm o}$	$F_{\mathrm{m}}$	$F_{\mathbf{v}}$	$F_{\rm m}/F_{\rm o}$	$F_{\mathrm{a}}$	$F_{\rm a}/F_{\rm v}$
1	Schatz et al. (8)	1	0.11	0.50	0.50	0.67	0.42	0.80	1.00	5.45	4.45	5.44	5.42	1.22
2	Leibl et al. (9)	1	0.52	2.50	0.51	1.56	0.33	0.60	2.14	5.50	3.36	2.57	5.44	1.62
3	Roelofs et al. (20)	3.3	0.33	3.33	0.44	2.13	2.94	0.89*	1.83**	8.39**	6.56**	4.59**	10.3**	1.57**

Inadvertently, errors were printed in the series "Solutions for Transients in Arbitrarily Branching Cables: Papers I-III" by Guy Major et al.

Major, G., J. D. Evans, and J. J. B. Jack. 1993. Biophys. J. 65:423-449 (Paper I).

Page 424: Under "Greek symbols" the " $\Theta_n$ " should be " $\theta_n$ ."

Page 432: The following sentence was omitted from the end of the legend for Fig. 2: "Abscissal scale can be used to gauge thickness of vertical lines (diameters). Horizontal lines indicate connectivity."