### NOTICE TO CONTRIBUTORS

The JOURNAL, which appears quarterly, publishes original work in all branches of pharmacology and experimental chemotherapy, including the biochemical and pathological aspects of the subject. Provision is also made for short communications and for brief notes on technique. Papers submitted for publication should be addressed to the Secretary to the Editorial Board, Dr. G. S. Dawes, Nuffield Institute for Medical Research, 43, Woodstock Road, Oxford.

Papers submitted to the JOURNAL are accepted on the understanding that they have not been and will not be published in whole or in part in any other journal; they are subject to editorial revision.

MSS. and illustrations should bear the name and full address of the author to whom proofs are to be sent. Papers should be in double-spaced typing on one side only of quarto or foolscap sheets, with a margin of not less than 1½ in. Papers must be as concise as possible, and only recognized abbreviations should be used.

In stating the object of the research the author should refer to previous work only if it has a direct bearing on the subject of the paper; as a rule a complete historical review is unnecessary. A paper should conclude with a brief but self-explanatory summary giving in numbered paragraphs the results and conclusions described in the paper; it should not exceed 1-20th of the length of the paper.

TABLES.—Tables are to be typed on separate numbered sheets and referred to in the text by Roman numerals. Tables should be comprehensible without reference to the text.

ILLUSTRATIONS.—Illustrations are to be referred to in the text by Arabic numerals. Legends or captions are to be typed on separate sheets and numbered correspondingly; they should render the illustrations comprehensible without reference to the text. Line drawings and graphs, which should be about twice their intended final size, are to be carefully drawn in Indian ink on tracing linen, or Bristol board, or stout smooth white paper; blue-lined graph paper of good quality may be used for graphs. Letterings of drawings and graphs must be lightly written in pencil. Lettering on kymograph records should be large enough to be legible on photographic reproduction. When half-tone reproduction of x-ray or other illustrations is required the author is advised to send the original film unless he wishes to bring out special points in a print of his own choice. Photographs and photomicrographs should be printed on glossy paper, should be larger than the size desired for reproduction, and, if transmitted through the post in a tube, should be rolled with the picture outside.

REFERENCES.—References should be arranged according to the Harvard system. In the text the year of publication must follow the author's name, more than one paper in any one year being indicated by a small letter (a, b, c) after the date. At the end of the paper references should be arranged in the alphabetical order of the authors' names and should include: author's name, followed by initials; year of publication, in parentheses; title of publication, underlined, and abbreviated in accordance with the World List of Scientific Periodicals; volume number in Arabic numerals underlined with a wavy line to indicate bold type; the number of the first page in Arabic numerals, thus:

Barger, G., and Dale, H. H. (1910-11). J. Physiol., 41, 19.

The British Journal of Pharmacology and Chemotherapy should be referred to in the list of references as Brit. J. Pharmacol.

When reference is made to a book the author's name and the date should be followed by: title, underlined; edition, volume number (vol.), and page (p. or pp.); town of origin; and the publisher, thus:

Clark, A. J. (1940). Applied Pharmacology, 7th ed., p. 378. London: Churchill.

For further information on the preparation of MSS. authors are recommended to study the "Suggestions to Authors" in the *Journal of Physiology* (1952), 116, 1. For abbreviations and symbols, however, back numbers of this JOURNAL should be consulted.

Proofs.—Contributors will receive one proof in page, but it will be assumed that all but verbal corrections have been made in the original MS.; an allowance at the rate of ten shillings per sheet of sixteen pages is made for alterations in the proof (printer's errors excepted), and contributors will be charged for any excess.

REPRINTS.—Twenty-five reprints of an article will, if desired, be given to an author or divided among the authors. A limited number of additional reprints at cost price can be supplied if application is made when the proofs are returned, and an estimate of costs can be obtained from the Publishing Manager. British Medical Association.

COPYRIGHT.—Papers which have been published become the property of the JOURNAL and permission to republish must be obtained from the Editors.

# INDEX TO VOLUME 10

### INDEX TO AUTHORS

BANGHAM, D. R.: Metabolism and excretion of <sup>14</sup>Clabelled diethylcarbamazine, 397

Mode of action of diethylcarbamazine investigated with <sup>14</sup>C-labelled drug, 406

BARLOW, R. B.: Series of polymethylenebisacetoxyethyldimethylammonium salts, 168

- Blaschko, H., Himms, J. M., and Trendelenburg, U.: Observations on  $\Omega$ -aminopolymethylenetrimethylammonium compounds, 116

- and Himms, J. M.: Anticholinesterase activity of polymethylenebisquinolinium salts, 173

BARNES, J. M.: see Stoner, H. B., Barnes, J. M., and Duff, J. I.

BATES, C. M.: see Martin, L. E., Bates, C. M., Beresford, C. R., Donaldson, J. D., McDonald, F. F., Dunlop, D., Sheard, P., London, E., and Twigg, G. D. BENTLEY, P., and Dicker, S. E.: Effects of transient

changes of acidity on the isolated rat's uterus, with reference to the assay of oxytocic activity, 424

Beresford, C. R.: see Martin, L. E., Bates, C. M., Beresford, C. R., Donaldson, J. D., McDonald, F. F., Dunlop, D., Sheard, P., London, E., and Twigg, G. D.

BERETERVIDE, K. V.: Actions of succinylcholine chloride on the circulation, 265

BERNHARD, C. G., and Bohm, E.: Action of local anaesthetics on experimental epilepsy in cats and monkeys, 288

BLACKMORE, E. K.: see Schnieden, H., and Blackmore, E. K.

BLASCHKO, H., Chatterjee, M. L., and Himms, J. M.: Enzymic oxidation of derivatives of ethylenediamine, 314

- and Himms, J. M.: Inhibition of amine oxidase and

spermine oxidase by amidines, 451
— and Strömblad, B. C. R.: Enzymic hydrolysis of cocaine and alpha-cocaine, 442

- see Barlow, R. B., Blaschko, H., Himms, J. M., and Trendelenburg, U.

BOHM, E.: see Bernhard, C. G., and Bohm, E.

BROADBENT, J. L.: Observations on histamine-induced pruritus and pain, 183

BURNS, B. D., Frank, G. B., and Salmoiraghi, G.: Mechanism of after-discharges caused by veratrine in frog's skeletal muscles, 363

Bushby, S. R. M., and Green, A. F.: Release of histamine by polymyxin B and polymyxin E, 215

CAMBRIDGE, G. W., and Holgate, J. A.: Superfusion as a method for the study of drug antagonism, 326

CHAKRAVARTI, R. N.: see Gupta, S. K., and Chakravarti, R. N.

CHATTERJEE, M. L.: see Blaschko, H., Chatterjee, M. L., and Himms, J. M.

CHILDS, A. F., Davies, D. R., Green, A. L., and Rutland, J. P.: Reactivation by oximes and hydroxamic acids of cholinesterase inhibited by organo-phosphorus compounds, 462

CHUN YU LIN, R.: Presence of acetylcholine in the Malayan jack-fruit, Artocarpus integra, 247

CLARK, E. E.: see Humm, D. G., Roeder, M., Landew, M., and Clark, E. E.

CLARKE, P. M.: Nomograms for multiple slope-ratio assays arranged in blocks, and improved nomograms for assays without blocks, 296

COLLIER, H. O. J., Potter, M. D., and Taylor, E. P.: Antifungal activities of bisisoquinolinium and bisquinolinium salts, 343

CORNFORTH, J. W., Hart, P. D'A., Nicholls, G. A., Rees, R. J. W., and Stock, J. A.: Antituberculous effects of certain surface-active polyoxyethylene

COULTHARD, C. E., and Hale, L. J.: Treatment of experimental bacillary infections of mice with quinoxaline 1: 4-di-N-oxide, 394

CRAIG, A. W., and Jackson, H.: Metabolism of 82Plabelled triethylenephosphoramide in relation to its anti-tumour activity, 321

CULLUMBINE, H.: see Dirnhuber, P., and Cullumbine, H. CUTLER, A. A.: see Mackie, A., Stewart, G. M., Cutler, A. A., and Misra, A. L.

CYMERMAN-CRAIG, J.: see Rogers, W. P., Cymerman-Craig, J., and Warwick, G. P.

DALLEMAGNE, M. J., and Philippot, E.: Action of proguanil and its metabolite on neuromuscular and synaptic transmission, 147

DAVIES, D. R.: see Childs, A. F., Davies, D. R., Green, A. L., and Rutland, J. P.

497 *INDEX* 

- DICKER, S. E.: see Bentley, P., and Dicker, S. E.
- DICKINSON, L.: Formaldehyde derivatives of amino acids and the mode of action of a formaldehydetyrosine derivative against influenza A virus in ovo,

DIRNHUBER, P., and Cullumbine, H.: Effect of anticholinesterase agents on rat's blood pressure, 12

Donaldson, J. D.: see Martin, L. E., Bates, C. M., Beresford, C. R., Donaldson, J. D., McDonald, F. F., Dunlop, D., Sheard, P., London, E., and Twigg, G. D.

DUFF, J. I.: see Stoner, H. B., Barnes, J. M., and Duff, J. I.

DUFFIN, W. M., and Green, A. F.: Pharmacological properties of the optical isomers of benzhexol, procyclidine, tricyclamol, and related compounds, 383

DUNLOP, D.: see Martin, L. E., Bates, C. M., Beresford, C. R., Donaldson, J. D., McDonald, F. F., Dunlop, D., Sheard, P., London, E., and Twigg, G. D.

DUTTA, N. K., and Habbu, M. K.: Experimental cholera in infant rabbits: a method for chemotherapeutic investigation, 153

### Ε

Evans, B. M.: see Macpherson, C. R., Milne, M. D., and Evans, B. M.

EXLEY, K. A., and Hey, P.: Phase-boundary potentials and ganglion-stimulant activity, 220

FELDBERG, W., and Lecomte, J.: Release of histamine by a substituted butylamine (L 1935): comparison with compound 48/80, 254

- and Sherwood, S. L.: Injections of bulbocapnine into the cerebral ventricles of cats, 371

FOSTER, R., Ing, H. R., and Varagić, V.: alpha-Cocaine,

FRANK, G. D.: see Burns, B. D., Frank, G. D., and Salmoiraghi, G.

Fraser, R., Hanno, M. G. W., and Pitney, W. R.: Mode of action of antithyroid drugs: further observations on in vitro inhibition of oxidative protein iodination, 1

GADDUM, J. H., and Paasonen, M. K.: Use of some molluscan hearts for the estimation of 5-hydroxytryptamine, 474

GALAL, E. E.: Effects of glycyrrhetinic acid on salt and water metabolism, 305

GARRETT, W. J.: Effects of adrenaline, noradrenaline and dihydroergotamine on excised human myometrium, 39

GEORGE, R., and Leong Way, E.: Studies on the mechanism of pituitary-adrenal activation by morphine, 260 GERTNER, S. B.: Effect of compound 48/80 on ganglionic

transmission, 103 GLASER, E. M., and Newling, P. S. B.: Side effects of chlorpromazine hydrochloride, 429

GOMES, F. P.: Slow contracting substance in normal human urine, 200

GRASSET, E., and Schwartz, D. E.: In vivo and in vitro comparative assays of the anticoagulant activity of dextran sulphate and heparin, 317

GREEN, A. F., and Ward, N. B.: Action of analgesics and nalorphine on the cough reflex, 418

- see Bushby, S. R. M., and Green, A. F.

- see Duffin, W. M., and Green, A. F.

Green, A. L.: see Childs, A. F., Davies, D. R., Green, A. L., and Rutland, J. P.

GUPTA, S. K., and Chakravarti, R. N.: Therapeutic activity of some sulphones and sulphoxides in experimental tuberculosis of guinea-pigs, 113

HABBU, M. K.: see Dutta, N. K., and Habbu, M. K. HAINING, C. G.: Histamine release in rabbit blood by dextran and dextran sulphate, 87

HALE, L. J.: see Coulthard, C. E., and Hale, L. J. HALPERN, B. N., Musso, E., and Neveu, Th.: Action of the histamine-releaser polyvinylpyrrolidone on capil-

lary permeability in dogs, 223

HANNO, M. G. W.: see Fraser, R., Hanno, M. G. W.,

and Pitney, W. R.

HART, P. D'A.: see Cornforth, J. W., Hart, P. D'A.,
Nicholls, G. A., Rees, R. J. W., and Stock, J. A.

HAWKING, F., and Thurston, J. P.: Action of antrycide

upon trypanosomes in vitro, 454

HAWKINS, D. F.: Bronchoconstrictor and bronchodilator actions of antihistamine drugs, 230

HERXHEIMER, H.: Protection against anaphylactic shock by various substances, 160

HEY, P.: see Exley, K. A., and Hey, P. HIMMS, J. M.: see Barlow, R. B., Blaschko, H., Himms, J. M., and Trendelenburg, U.

see Barlow, R. B., and Himms, J. M.

— see Blaschko, H., Chatterjee, M. L., and Himms, J. M.

see Blaschko, H., and Himms, J. M.
see Blaschko, H., Himms, J. M., and Strömblad, B. C. R.

Hobbiger, F.: Effect of nicotinhydroxamic acid methiodide on human plasma cholinesterase inhibited by organophosphates containing a dialkylphosphato group, 356

HOLGATE, J. A.: see Cambridge, G. W., and Holgate, J. A.

HOLMES, R., and Robins, E. L.: Reversal by oximes of neuromuscular block produced by anticholinesterases, 490

HOLZBAUER, M., and Vogt, M.: Modification by drugs of the response of the rat's uterus to adrenaline, 186 HUGHES, B.: Isolated heart of Mya arenaria as a sensitive

preparation for the assay of acetylcholine, 36 Humm, D. G., Roeder, M., Landew, M., and Clark, E. E.: Possible mechanism of adrenaline stabilization in the adrenal gland, 163

ING, H. R.: see Foster, R., Ing, H. R., and Varagić, V.

JACKSON, H.: see Craig, A. W., and Jackson, H.

### K

KIANG, A. K.: see Toh, C. C., Lee, T. S., and Kiang, A. K.

KOTTEGODA, S. R., and Mott, J. C.: Cardiovascular and respiratory actions of 5-hydroxytryptamine in the cat, 66

LANDEW, M.: see Humm, D. G., Roeder, M., Landew, M., and Clark, E. E.

LECOMTE, J.: see Feldberg, W., and Lecomte, J.

LEE, T. S.: see Toh, C. C., Lee, T. S., and Kiang, A. K. LEONG WAY, E.: see George, R., and Leong Way, E. LONDON, E.: see Martin, L. E., Bates, C. M., Beresford, C. Ř., Donaldson, J. D., McDonald, F. F., Dunlop, D., Sheard, P., London, E., and Twigg, G. D.

McDonald, F. F.: see Martin, L. E., Bates, C. M., Beresford, C. R., Donaldson, J. D., McDonald, F. F., Dunlop, D., Sheard, P., London, E., and Twigg, G. D.

MACKIE, A., Stewart, G. M., Cutler, A. A., and Misra, A. L.: In vitro tests of chemical compounds on Ascaris lumbricoides and Fasciola hepatica, 7

MACPHERSON, C. R., Milne, M. D., and Evans, B. M.: Excretion of salicylate, 484

MARSHALL, P. B.: Antagonism of acetylcholine by (+)- and (-)-hyoscyamine, 354

Some chemical and physical properties associated with histamine antagonism, 270

MARTIN, L. E., Bates, C. M., Beresford, C. R., Donaldson, J. D., McDonald, F. F., Dunlop, D., Sheard, P., London, E., and Twigg, G. D.: Pharmacology of an iron-dextran intramuscular haematinic, 375

MASON, D. F. J., and Wien, R.: Actions of heterocyclic bisquaternary compounds, especially of a pyrrolidinium series, 124

MILNE, M. D.: see Macpherson, C. R., Milne, M. D., and Evans, B. M.

MISRA, A. L.: see Mackie, A., Stewart, G. M., Cutler, A. A., and Misra, A. L.

MOHANTY, J. K.: Development of tolerance and crosstolerance to methonium compounds in laboratory animals, 279

Mongar, J. L.: Study of two methods for testing local anaesthetics in man, 240

MOTT, J. C.: see Kottegoda, S. R., and Mott, J. C. Musso, E.: see Halpern, B. N., Musso, E., and Neveu, Th.

NAGUIB, M., and Robson, J. M.: Effect of cortisone alone and in combination with isoniazid in experimental corneal tuberculosis in mice, 387
NASMYTH, P. A.: Effect of chlorpromazine on adreno-

cortical activity in stress, 336

- Histamine release and the "stress" phenomenon, 51 NEAL, R. A., and Vincent, P.: Amoebicidal activity of

2-diethanolamino-5-nitropyridine, 434 Neveu, Th.: see Halpern, B. N., Musso, E., and Neveu, Th.

NEWLING, P. S. B.: see Glaser, E. M., and Newling,

NICHOLLS, G. A.: see Cornforth, J. W., Hart, P. D'A., Nicholls, G. A., Rees, R. J. W., and Stock, J. A.

PAASONEN, M. K.: see Gaddum, J. H., and Paasonen, M. K.

PARKES, M. W.: Spasmolytic properties of thiobenzilic acid esters and related compounds, 95

PHILIPPOT, E.: see Dallemagne, M. J., and Philippot, E. PITNEY, W. R.: see Fraser, R., Hanno, M. G. W., and Pitney, W. R.

POTTER, M. D.: see Collier, H. O. J., Potter, M. D., and Taylor, E. P.

QUILLIAM, J. P.: Action of hypnotic drugs on frog skeletal muscle, 133

Action of thiopentone sodium on skeletal muscle, 141

RAISON, C. G., and Standen, O. D.: Schistosomicidal activity of symmetrical diaminodiphenoxyalkanes, 191

REES, R. J. W.: see Cornforth, J. W., Hart, P. D'A., Nicholls, G. A., Rees, R. J. W., and Stock, J. A.

ROBINS, E. L.: see Holmes, R., and Robins, E. L. ROBSON, J. M.: see Naguib, M., and Robson, J. M. RODDIE, I. C., Shepherd, J. T., and Whelan, R. F.:

Action of 5-hydroxytryptamine on the blood vessels of the human hand and forearm, 445

ROEDER, M.: see Humm, D. G., Roeder, M., Landew, M., and Clark, E. E.

Rogers, W. P., Cymerman-Craig, J., and Warwick, G. P.: Chemical constitution and anthelmintic activity of cyclic analogues of phenothiazine, 340

ROLLO, I. M.: Mode of action of sulphonamides, proguanil and pyrimethamine on Plasmodium gallinaceum, 208

RUTLAND, J. P.: see Childs, A. F., Davies, D. R., Green, A. L., and Rutland, J. P.

Salmoiraghi, G.: see Burns, B. D., Frank, G. B., and

Salmoiraghi, G. Schaumann, W.: Paralysing action of morphine on the guinea-pig ileum, 456

SCHNIEDEN, H., and Blackmore, E. K.: Effect of nalorphine on the antidiuretic action of morphine in rats and men, 45

SCHWARTZ, D. E.: see Grasset, E., and Schwartz, D. E. SHEARD, P.: see Martin, L. E., Bates, C. M., Beresford, C. R., Donaldson, J. D., McDonald, F. F., Dunlop, D., Sheard, P., London, E., and Twigg, G. D.

SHELLEY, H.: Correlation between cholinesterase inhibition and increase in muscle tone in rabbit duodenum, 26

SHEPHERD, J. T.: see Roddie, I. C., Shepherd, J. T., and Whelan, R. F.

Sherwood, S. L.: see Feldberg, W., and Sherwood, S. L. SMITH, M. J. H.: Effects of sodium salicylate on blood glucose in the rat, 110

Sömjén, G., and Uyldert, I. E.: Effect of compound 48/80 on mammalian skeletal muscle, 413

STANDEN, O. D.: see Raison, C. G., and Standen, O. D. STEWART, G. M.: see Mackie, A., Stewart, G. M.,

Cutler, A. A., and Misra, A. L. STOCK, J. A.: see Cornforth, J. W., Hart, P. D'A., Nicholls, G. A., Rees, R. J. W., and Stock, J. A.

STONER, H. B., Barnes, J. M., and Duff, J. I.: Studies on the toxicity of alkyl tin compounds, 16

STRÖMBLAD, B. C. R.: see Blaschko, H., Himms, J. M., and Strömblad, B. C. R.

TAYLOR, E. P.: see Collier, H. O. J., Potter, M. D., and Taylor, E. P.

THOMPSON, R. H. S., Tickner, A., and Webster, G. R.: Action of lysergic acid diethylamide on mammalian cholinesterases, 61

THURSTON, J. P.: see Hawking, F., and Thurston, J. P.

TICKNER, A.: see Thompson, R. H. S., Tickner, A.,

and Webster, G. R. Тон, C. C., Lee, T. S., and Kiang, A. K.: Pharmacological actions of capsaicin and analogues, 175

TRENDELENBURG, U.: see Barlow, R. B., Blaschko, H., Himms, J. M., and Trendelenburg, U.

Twigg, G. D.: see Martin, L. E., Bates, C. M., Beresford, C. R., Donaldson, J. D., McDonald, F. F., Dunlop, D., Sheard, P., London, E., and Twigg, G. D.

UYLDERT, I. E.: see Sömjén, G., and Uyldert, I. E.

VARAGIĆ, V.: Action of eserine on the blood pressure of the rat, 349

VARAGIĆ, V.: see Foster, R., Ing, H. R., and Varagić, V. VINCENT, P.: see Neal, R. A., and Vincent, P. VOGT, M.: see Holzbauer, M., and Vogt, M.

WARD, N. B.: see Green, A. F., and Ward, N. B. WARWICK, G. P.: see Rogers, W. P., Cymerman-Craig, J., and Warwick, G. P.

Webster, G. R.: see Thompson, R. H. S., Tickner, A., and Webster, G. R.

WHELAN, R. F.: see Roddie, I. C., Shepherd, J. T., and Whelan, R. F.

WIEN, R.: see Mason, D. F. J., and Wien, R. WILLEY, G. L.: Stimulant activities of quaternary ammonium compounds on mammalian skeletal muscle, 466

## SUBJECT INDEX

Acetoxime, reactivation by, of organophosphate-inhibited cholinesterase, 462

Acetylcholine, antagonism of, by (+)- and (-)-hyoscyamine, 354

- assay of, using isolated heart of Mya arenaria, 36

 ganglion-stimulant activity and phase-boundary potential of, 220

presence of, in Malayan Jack-fruit, 247

Adrenaline, action of, on excised human myometrium, 39 - inhibition of uterine contractions by, effect of various drugs on, 186

stabilization mechanism in adrenal gland, 163

Alkyltin compounds, toxicity of, 16

Allobarbitone sodium, action of, on isolated muscle preparations, 133

Allyl iodide and isothiocyanate, in vitro anthelmintic activity of, 7

Amethocaine, action of, on epilepsy, in cats and monkeys, 288

local anaesthetic activity of, 240.

Amidines, inhibition of amine oxidase and spermine oxidase by, 451 Amine oxidase, inhibition of, by amidines, 451

Amino-acids, and formaldehyde derivatives, in ovo antiviral activity of, 56

2-Amino-5-nitrothiazole, in vitro anthelmintic activity of, 7

 $\Omega$ -Amino polymethylenetrimethylammonium pounds, biological activities and oxidation of, 116

p-Aminosalicylic acid, in vitro antithyroid activity determination and mode of action of, 1

Anaesthetics, local, action of, on epilepsy, in cats and monkeys, 288

- comparison of testing methods in man, 240

Analgesics, action of, on cough reflex, 418
Antazoline hydrochloride, action of, on bronchial musculature, 230

Antergan hydrochloride, action of, on bronchial musculature, 230

Anthelmintic activity and chemical structure relations in phenothiazine analogues, 340

Anthelmintics, in vitro testing of, 7 Anthisan: see Mepyramine maleate

Anti-anaphylactic drugs, evaluation of, 160

Anti-cholera drugs, evaluation of, 153

Anticholinesterases, action of, on isolated rabbit duodenum, 26

on rat blood pressure, 12

- neuromuscular block due to, reversal by oximes, 490 Anticonvulsants, local anaesthetics as, 288

Antifungal activities of polymethylene-bisquinolinium and bisisoquinolinium salts, 343

Antihistaminics, action of, on bronchial musculature, 230 activity-structure relations in, 270

Antimalarial drugs, mode of action of, 208

Antistin: see Antazoline hydrochloride

Antithyroid drugs, in vitro potency determination and mode of action of, 1

Antitubercular agents, sulphones and sulphoxides as, in guinea-pigs, 113

surface-active polyoxyethylene ethers as, 73 Antrycide: see Quinapyramine

Artemisia maritima, essential oil from, in vitro anthelmintic activity of, 7

Artocarpus integra, presence of acetylcholine in, 247 Asca-is lumbricoides, in vitro tests of compounds on, 7 Ascorbic acid, anti-anaphylactic action of, 160 Assays, multiple slope-ratio, nomograms for, 296 Aureomycin, vibriocidal activity of, 153

### В

BDHB: see Butyl 4-hydroxy-3: 5-di-iodobenzoate Bacillary infections, treatment of, with quinoxaline 1: 4-di-N-oxide, in mice, 394

Banthine: see Methantheline bromide

Barbitone sodium, action of, on isolated muscle preparations, 133

Barbiturates, action of, on isolated muscle preparations, 133

Barium chloride, anti-anaphylactic action of, 160

Benadryl: see Diphenhydramine hydrochloride Benzamine, enzymic hydrolysis of, 442

Benzhexol, optical isomers of, pharmacological properties of, 383 Benzhydroxamic acid, reactivation by, of organophos-

phate-inhibited cholinesterase, 462 Benzilic acid esters, derivatives of, spasmolytic activities of, 95

Benzoylcholine, ganglion-stimulant activity and phaseboundary potential of, 220

5-Benzyloxygramine, effect of, on response of rat uterus to adrenaline and isoprenaline, 186

1: 4-Bis(benzo-1: 4-dioxan-2-ylmethyl)piperazine, effect of, on response of rat uterus to adrenaline, 186

Blood circulation, action of succinylcholine chloride on, 265

- peripheral, action on, of 5-hydroxytryptamine, 445 - glucose, action of sodium salicylate on, in rats, 110 α-Bromo-p-nitrocinnamaldehyde, vibriocidal activity of,

Bulbocapnine, intraventricular, catatonia production by, in cats, 371

Buscopan: see N-Butylhyoscine bromide

Butacaine, local anaesthetic activity of, 240 Butazolidin: see Phenylbutazone

153

Butethamine, action of, on epilepsy, in cats and monkeys,

Butobarbitone sodium, action of, on isolated muscle preparations, 133

Butyl 4-hydroxy-3: 5-di-iodobenzoate, in vitro antithyroid activity determination and mode of action of, 1

Butylamines, substituted, histamine release by, 254 N-Butylhyoscine bromide, anti-anaphylactic action of,

Butyrylcholine, stimulant activity of, on skeletal muscle, 466

isoButyrylcholine, ganglion-stimulant activity and phaseboundary potential of, 220

stimulant activity of, on skeletal muscle, 466

Caffeine, anti-anaphylactic action of, 160 Capillary permeability, effect on, of polyvidone, in dogs, 223

Capsaicin, and analogues, pharmacological actions of, 175 Carbachol, ganglion-stimulant activity and phaseboundary potential of, 220

Carbimazole, in vitro antithyroid activity determination and mode of action of, 1

Carbon tetrabromide, in vitro anthelmintic activity of, 7 tetrachloride, in vitro anthelmintic activity of, 7

Carbromal, action of, on isolated muscle preparations, 133

Catatonia, production of, by bulbocapnine, in cats, 371 Chloral hydrate, action of, on isolated muscle preparations, 133

anti-anaphylactic action of, 160

Chloralose, action of, on isolated muscle preparations,

Chloramphenicol, vibriocidal activity of, 153

Chlorbutol, action of, on isolated muscle preparations,

Chlorcyclizine hydrochloride, action of, on bronchial musculature, 230

-- on response of rat uterus to adrenaline, 186 o-Chlorobenzaldoxime, reactivation by, of organo-phosphate-inhibited cholinesterase, 462

2'-Chloroethylethylfluoren-9-ylamine hydrochloride, effect of, on response of rat uterus to adrenaline,

Chloropyrilene citrate, action of, on bronchial musculature, 230

Chlorothen: see Chloropyrilene citrate

Chlorpromazine, action of, on adrenocortical activity in stress, 336

- Chlorpromazine, action of, on response of rat uterus to adrenaline, 186
- anti-anaphylactic action of, 160

side effects of, 429

Chlorprophenpyridamine maleate, action of, on bronchial musculature, 230

- on response of rat uterus to adrenaline. 186 Chlortetracycline: see Aureomycin

Chlortrimeton: see Chlorprophenpyridamine maleate Cholera, experimental, production in infant rabbits, 153 Choline esters and ethers, ganglion-stimulant activities and phase-boundary potentials of, 220

- stimulant activity of, on skeletal muscle, 466 Cholinesterases, inhibition of, correlation muscle tone and, in rabbit duodenum, 26

- mammalian, action of lysergic acid diethylamide on, 61

- organophosphate-inhibited, reactivation of, by nicotinhydroxamic acid methiodide, 356

- by oximes and hydroxamic acids, 462

Cinchocaine, local anaesthetic activity of, 240

Cocaine, enzymic hydrolysis of, 442 - local anaesthetic activity of, 240

a-Cocaine, enzymic hydrolysis of, 442

- local anaesthetic and other effects of, 436

Codeine, action of, on cough reflex, 418

Compound 48/80, action of, on ganglionic transmission,

- on mammalian skeletal muscle, 413 Conessine hydrochloride, in vitro anthelmintic activity of, 7

Cortisone, with and without isoniazid, action of, in corneal tuberculosis, in mice, 387

Cough reflex, effect on, of analgesics and nalorphine, 418 Cyanocobalamin, anti-anaphylactic action of, 160

Dextran, histamine release by, in rabbit blood, 87 Dextran sulphate, in vitro and in vivo anticoagulant activity of, 317

histamine release by, in rabbit blood, 87

Diacetylmonoxime, reactivation by, of organophosphateinhibited cholinesterase, 462

Diamidines, inhibition of amine oxidase and spermine oxidase by, 451

4:6-Diamino-l-p-chlorophenyl-1: 2-dihydro-2: 2-dimethyl-1:3:5-triazine, action of, on neuromuscular and synaptic transmission, 147

Di(aminophenoxy)alkanes, symmetrical, and derivatives, schistosomicidal activities of, 191

Diatrin: see Methapheniline hydrochloride

Dibenamine hydrochloride, action of, on response of rat uterus to adrenaline, 186

Dibenzyline, anti-anaphylactic action of, 160

- action of, on response of rat uterus to adrenaline and isoprenaline, 186

Dibozane: see 1:4-Bis(benzo-1:4-dioxan-2-ylmethyl)piperazine

2-Diethanolamino-5-nitropyridine, amoebicidal activity of, 434

Diethoxine: see Parethoxycaine

Diethyl p-nitrophenyl phosphate, action of, on rat blood pressure, 12

2-Diethylaminomethylbenzo-1: 4-dioxan hydrochloride, action of, on response of rat uterus to adrenaline, 186 Diethylcarbamazine, <sup>14</sup>C-labelled, metabolism and excre-

tion of, 397 mode of action of, investigated with 14C-labelled drug, 406

Diethyl-2-thymoxyethylamine hydrochloride, action of, on response of rat uterus to adrenaline, 186

Dihydroergotamine, action of, on excised human myometrium, 39

——on response of rat uterus to adrenaline and isoprenaline, 186

2: 3-Dihydro-3-ketobenzo-1: 4-thiazine, derivatives of, in vitro anthelmintic activities of, 7

5-Dimethylamino-3-ethyl-2-methylindole, action of, on response of rat uterus to adrenaline and isoprenaline, 186

Dissonitrosoacetone, reactivation by, of organophosphate-inhibited cholinesterase, 462

 reversal by, of neuromuscular block due to anticholinesterases, 490

Diisonitrosocyclohexanone, reactivation by, of organophosphate-inhibited cholinesterase, 462

Di-Paralene: see Chlorcyclizine hydrochloride

Diphenhydramine hydrochloride, action of, on bronchial musculature, 230

Diphenylamine, and derivatives, in vitro anthelmintic activity of, 7

Di-isopropyl phosphorofluoridate: see Dyflos Dyflos, action of, on isolated rabbit duodenum, 26

— — on rat blood pressure, 12

— neuromuscular block due to, reversal by oximes, 490

### E

E.600: see Diethyl p-nitrophenyl phosphate Enheptin-T: see 2-Amino-5-nitrothiazole

Ephedrine hydrochloride, action of, on response of rat uterus to adrenaline, 186

Epilepsy, effect of local anaesthetics on, in cats and monkeys, 288

Ergot alkaloids, action of, on mammalian esterases, 61 Eserine: see Physostigmine

Esterases, mammalian, action of lysergic acid diethylamide and ergot alkaloids on, 61

Ethyl pyrophosphate, action of, on rat blood pressure, 12
— neuromuscular block due to, reversal by oximes,
490

Ethylenediamine, derivatives of, enzymic oxidation of, 314

β-Eucaine: see Benzamine

### F

Fasciola hepatica, in vitro tests of compounds on, 7 Formaldehyde sulphathiazole, vibriocidal activity of, 153 Formaldehyde-tyrosine derivative, mode of action of, against influenza A virus in ovo, 56

Formo-Cibazol: see Formaldehyde sulphathiazole Formo-sulphathiazole: see Formaldehyde sulphathiazole Furohydroxamic acid, reactivation by, of organophosphate-inhibited cholinesterase, 462

### G

Gamma benzene hexachloride, in vitro anthelmintic activity of, 7

Ganglion-stimulant activity and phase-boundary potentials, 220

Glycyrrhetinic acid, action of, on salt and water metabolism, 305

Glyoxime, reactivation by, of organophosphate-inhibited cholinesterase, 462

### Н

Hearts, molluscan, for 5-hydroxytryptamine assay, 474 Heparin, anti-anaphylactic action of, 160

in vitro and in vivo anticoagulant activity of, 317
 Hexobarbitone sodium, action of, on isolated muscle preparations, 133

Histadyl: see Methapyrilene hydrochloride

Histamine, release of, and "stress" phenomenon, 51

—— by dextran and dextran sulphate, in rabbit blood, 87

— — by L 1935, compared with compound 48/80, 254 — — by polymyxin B and E, 215

Histamine-induced itching and pain, 183

Histantin: see Chlorcyclizine hydrochloride

Hydroxamic acids, reactivation by, of organophosphateinhibited cholinesterase, 462

5-Hydroxytryptamine, action of, on peripheral blood vessels, 445

 assay of, in admixture with histamine and acetylcholine, 326

— — using molluscan hearts, 474

 cardiovascular and respiratory actions of, in cats, 66
 (+)- and (-)-Hyoscyamine, antagonism of acetylcholine by, 354

Hypnotics, action of, on isolated muscle preparations, 133

### I

Imferon, pharmacology of, 375

Influenza A virus, action of formaldehyde-tyrosine derivative against, in ovo, 56

Iodothiouracil, *in vitro* antithyroid activity determination and mode of action of, 1

Iproniazid, action of, on response of rat uterus to adrenaline, 186

Iron-dextran preparation, pharmacology of, 375

Isatin-β-oxime, reactivation by, of organophosphateinhibited cholinesterase, 462

Isoniazid, in vitro antithyroid activity determination and mode of action of, 1

### K

Khellin, anti-anaphylactic action of, 160

### I

L 1935, histamine release by, compared with compound 48/80, 254

Largactil: see Chlorpromazine hydrochloride Lidocaine: see Lignocaine

Lignocaine, action of, on epilepsy, in cats and monkeys, 288

— local anaesthetic activity of, 240

2: 6-Lutidine, in vitro anthelmintic activity of, 7

Lysergic acid diethylamide, action of, on mammalian esterases, 61

— — — — on response of rat uterus to adrenaline and isoprenaline, 186

### M

Marsilid: see Iproniazid

Medmain: see 5-Dimethylamino-3-ethyl-2-methylindole Mepyramine maleate, action of, on bronchial musculature, 230

Mercuric chloride, in vitro anthelmintic activity of, 7 Mercury, organic derivatives of, in vitro anthelmintic activity of, 7

Metabolism, salt and water, action of glycyrrhetinic acid on, 305

Methacholine, ganglion-stimulant activity and phaseboundary potential of, 220 Methadone, action of, on cough reflex, 418 mechanism of pituitary-adrenal activation by, 260 Methantheline bromide, anti-anaphylactic action of, 160 Methapheniline hydrochloride, action of, on bronchial musculature, 230 Methapyrilene hydrochloride, action of, on bronchial musculature, 230 Methimazole, in vitro antithyroid activity determination and mode of action of, 1 Methonium compounds, development of tolerance and cross-tolerance to, in laboratory animals, 279 p-Methoxyisonitrosoacetophenone, reactivation by, of organophosphate-inhibited cholinesterase, 462 Methylglyoxime, reactivation by, of organophosphate-inhibited cholinesterase, 462 Methylpentynol, action of, on isolated muscle preparations, 133 Monocaine: see Butethamine Monoisonitrosoacetone, reactivation by, of organophosphate-inhibited cholinesterase, 462 reversal by, of neuromuscular block due to anticholinesterases, 490 Morphine, action of, on cough reflex, 418 anti-anaphylactic action of, 160 - antidiuretic action of, effect of nalorphine on, in rats and men, 45 - mechanism of pituitary-adrenal activation by, 260 paralysing action of, on guinea-pig ileum, 456 Muscle, bronchial, effect on, of antihistaminics, 230 - skeletal, effect on, of compound 48/80, 413 - — — of hypnotics, 133 — — of quaternary ammonium compounds, 466
— — of thiopentone sodium, 141 - mechanism of after-discharges caused by veratrine in, 363 Muscle tone, correlation between cholinesterase inhibition and, in rabbit duodenum, 26 Myometrium, excised human, effect of adrenaline, noradrenaline and dihydroergotamine on, 39 Nalorphine, action of, on antidiuretic action of morphine, in rats and men, 45 - on cough reflex and on antitussive action of morphine-like analgesics, 418 Narcotine, action of, on cough reflex, 418 Neo-Synephrine: see Phenylephrine Neuromuscular transmission, effect of proguanil and its metabolite on, 147 Nicotine, ganglion-stimulant activity and phase-boundary potential of, 220 - stimulant activity of, on skeletal muscle, 466 Nicotinhydroxamic acid methiodide, action of, on organophosphate-inhibited cholinesterase, 356 - reactivation by, of organophosphate-inhibited cholinesterase, 462 o- and p-Nitrophenols, in vitro anthelmintic activities of, 7 isoNitrosoacetophenone, reactivation by, of organo-phosphate-inhibited cholinesterase, 462 isoNitrosoacetylacetone, reactivation by, of organophos-phate-inhibited cholinesterase, 462 isoNitrosoacetylfuran, reactivation by, of organophos-

phate-inhibited cholinesterase, 462

Nomograms for multiple slope-ratio assays, 296

Noradrenaline, action of, on excised human myometrium

Oximes, reactivation by, of organophosphate-inhibited

cholinesterase, 462 reversal by, of neuromuscular block due to anticholinesterases, 490

Oxytetracycline, vibriocidal activity of, 153

Oxytocic activity, assay of, effect of acidity changes on, isolated rat uterus in, 424

Paludrine: see Proguanil

Paraldehyde, action of, on isolated muscle preparations, 133

Parethoxycaine, action of, on epilepsy, in cats and monkeys, 288

Pentobarbitone sodium, action of, on isolated muscle preparations, 133

Perchlorate, in vitro antithyroid activity determination, 1 Pethidine, action of, on cough reflex, 418

anti-anaphylactic action of, 160

Phenacetylcholine, ganglion-stimulant activity and phaseboundary potential of, 220

Phenergan: see Promethazine hydrochloride

Phenindamine tartrate, action of, on bronchial musculature, 230

on response of rat uterus to adrenaline, 186 Phenobarbitone, anti-anaphylactic action of, 160 Phenobarbitone sodium, action of, on isolated muscle preparations, 133

Phenothiazine, cyclic analogues of, anthelmintic activity and structure relations in, 340

derivatives of, in vitro anthelmintic activities of, 7

Phenoxazine, anthelmintic activity of, 340

Phentolamine, action of, on response of rat uterus to adrenaline, 186

Phenylbutazone, anti-anaphylactic action of, 160 Phenylephrine, anti-anaphylactic action of, 160

Phenylglyoxime, reactivation by, of organophosphateinhibited cholinesterase, 462

Pholcodine, action of, on cough reflex, 418

Physostigmine, action of, on isolated rabbit duodenum,

- — — rat blood pressure, 12, 349
- — — response of rat uterus to adrenaline, 186

Picolines, in vitro anthelmintic activities of, 7

Picolinhydroxamic acid, reactivation by, of organophosphate-inhibited cholinesterase, 462

Piperidylamidone, action of, on cough reflex, 418 Piperoxane hydrochloride, action of, on response of rat

uterus to adrenaline, 186

Pituitary-adrenal axis, mechanism of stimulation by morphine and methadone, 260

Plasmodium gallinaceum, mode of action of proguanilpyrimethamine and sulphonamides on, 208

Polymethylenebis (2-acetoxy ethyl dimethyl ammonium) salts, pharmacological activity of, 168

Polymethylenebis[4-(4-alkyl)morpholinium] salts, ganglion-blocking activities of, 124

Polymethylenebis[1-(1-alkyl)piperidinium] salts, ganglion-blocking activities of, 124

Polymethylenebis[1-(1-alkyl)pyrrolidinium] glion-blocking activities of, 124

Polymethylenebis (2-hydroxy ethyl dimethyl ammonium) salts, pharmacological activity of, 168

Polymethylenebisquinolinium salts, anticholinesterase activity of, 173

- antifungal activities of, 343

Polymethylenebisisoquinolinium salts, antifungal activities of, 343

Polymyxin B and E, histamine release by, 215

Polyoxyethylene ethers, surface-active, antitubercular activities of, 73

Polyvidone, action of, on capillary permeability in dogs,

Polyvinylpyrrolidone: see Polyvidone Priscol: see Tolazoline hydrochloride Probanthine: see Propantheline bromide

Procaine, action of, on epilepsy, in cats and monkeys, 288 Procyclidine, optical isomers of, pharmacological properties of, 383

Proguanil, and its metabolite, action of, on neuromuscular and synaptic transmission, 147

- pyrimethamine and sulphonamides, cross-resistance, potentiation and antagonism in Plasmodium gallinaceum, 208
Promethazine hydrochloride, action of, on bronchial

musculature, 230

Propantheline bromide, anti-anaphylactic action of, 160 Propionylcholine, ganglion-stimulant activity and phaseboundary potential of, 220

stimulant activity of, on skeletal muscle, 466 2-Propoxyprocaine, local anaesthetic activity of, 240 isoPropyl methylphosphonofluoridate: see Sarin Pumpkin seed extract, in vitro anthelmintic activity of, 7 Pyribenzamine: see Tripelennamine hydrochloride Pyridine, in vitro anthelmintic activity of, 7

Pyridine-2-aldoxime methiodide, reversal by, of neuromuscular block due to anticholinesterases, 490 Pyridine-2-, -3- and -4-aldoxime methiodide, reactivation

by, of organophosphate-inhibited cholinesterase, 462 Pyrimethamine, proguanil and sulphonamides, crossresistance, potentiation and antagonism in Plasmodium gal.inaceum, 208

Pyrimidine-2-hydroxamic acid, reactivation by, organophosphate-inhibited cholinesterase, 462 Pyrogallaldoxime, reactivation by, of organophosphate-

inhibited cholinesterase, 462

Quaternary ammonium compounds, stimulant activities of, on skeletal muscle, 466 Quinapyramine, in vitro trypanocidal activity of, 454 Quinine hydrochloride, in vitro antithyroid activity determination, 1 Quinoline, in vitro anthelmintic activity of, 7 isoQuinoline, in vitro anthelmintic activity of, 7

Quinoxaline 1: 4-di-N-oxide, treatment with, of bacillary infections, in mice, 394

Ravocaine: see 2-Propoxyprocaine

Resorcinol, in vitro antithyroid activity determination and mode of action of, 1

Rhodanine, derivatives of, in vitro anthelmintic activities of, 7

Rogitine: see Phentolamine

SKF 501: see 2'-Chloroethylethylfluoren-9-ylamine hydrochloride

SKF 688A: see Dibenzyline

Salicylaldoxime, reactivation by, of organophosphateinhibited cholinesterase, 462

Salicylate, action of, on blood glucose, in rats, 110 excretion of, 484

Salicylhydroxamic acid, reactivation by, of organophosphate-inhibited cholinesterase, 462

Salicylic acid, anti-anaphylactic action of, 160

Sarin, action of, on rat blood pressure, 12

neuromuscular block due to, reversal by oximes, 490
 Schistosomicidal activity of symmetrical di(aminophenoxy)alkanes and their derivatives, 191

Shock, anaphylactic, protection against, by various substances, 160

Sodium azide, in vitro anthelmintic activity of, 7

cyanate, anti-anaphylactic action of, 160

fluoride, action of, on response of rat uterus to adrenaline, 186

Spasmolytics, derivatives of benzilic and thiobenzilic acid esters as, 95

Spermine oxidase, inhibition of, by amidines, 451 Stress, adrenocortical activity in, effect of chlorpromazine on, 336

Stress phenomenon, and histamine release, 51 Succinvlcholine chloride: see Suxamethonium chloride Sulphaguanidine, vibriocidal activity of, 153

Sulphathiazole sodium, in vitro antithyroid activity determination and mode of action of, 1

Sulphonamides, proguanil and pyrimethamine, crossresistance, potentiation and antagonism in P.asmodium gallinaceum, 208

Sulphones, antitubercular activity of, in guinea-pigs, 113 Sulphoxides, antitubercular activities of, in guinea-pigs,

Superfusion, as method for study of drug antagonism,

Suxamethonium chloride, action of, on blood circulation, 265

Synaptic transmission, effect of proguanil and its metabolite on, 147

TEPP: see Ethyl pyrophosphate Terramycin: see Oxytetracycline

β-Tetra: see Tetrahydro-β-naphthylamine carbonate Tetracaine: see Amethocaine

Tetrahydro- $\beta$ -naphthylamine carbonate, action of, on response of rat uterus to adrenaline and isoprenaline, 186

Thephorin: see Phenindamine tartrate

Thiambutene, action of, on cough reflex, 418

Thiobenzilic acid esters, and related compounds, spasmolytic activities of, 95

Thiocyanate, in vitro antithyroid activity determination and mode of action of, 1

pseudoThiohydantoin, in vitro anthelmintic activity of, 7 Thiopentone sodium, action of, on isolated muscle preparations, 133, 141

Thiouracil, in vitro antithyroid activity determination and mode of action of, 1

L-Thyroxine, in vitro antithyroid activity determination and mode of action of, 1

Tolazoline hydrochloride, action of, on response of rat uterus to adrenaline, 186

Tricyclamol, optical isomers of, pharmacological properties of, 383

Triethylenephosphoramide, metabolism of, in relation to antitumour activity, 321

Trimethylacetylcholine, ganglion-stimulant activity and phase-boundary potential of, 220

stimulant activity of, on skeletal muscle, 466

Triisonitrosopropane, reactivation by, of organophosphate-inhibited cholinesterase, 462

 reversal by, of neuromuscular block due to anticholinesterases, 490

Tripelennamine hydrochloride, action of, on bronchial musculature, 230

Tuberculosis, corneal, effect on, of cortisone, with and without isoniazid, in mice, 387

### U.

Urethane, action of, on isolated muscle preparations, 133 Urine, human, plain-muscle-stimulating substance in, 200

### ν

Valerylcholine, stimulant activity of, on skeletal muscle, 466

N-Vanillylacetamide, pharmacological actions of, 175 Vanillylamine, pharmacological actions of, 175 N-Vanillyldecanamide, pharmacological actions of, 175

Veratramine, action of, on response of rat uterus to adrenaline, 186

Veratrine, mechanism of after-discharges due to, in skeletal muscle, 363

Veratrum alkaloids, action of, on response of rat uterus to adrenaline, 186

### X

Xylocaine: see Lignocaine

### Y

Yohimbine hydrochloride, action of, on response of rat uterus to adrenaline, 186

883 F: see 2-Diethylaminomethylbenzo-1: 4-dioxan hydrochloride

929 F. see Diethyl-2-thymoxyethylamine hydrochloride

933 F: see Piperoxane hydrochloride