BRITISH JOURNAL OF PHARMACOLOGY AND CHEMOTHERAPY

EDITED FOR

THE BRITISH PHARMACOLOGICAL SOCIETY

BY

W. A. BAIN
H. BLASCHKO
G. S. DAWES
L. G. GOODWIN
W. L. M. PERRY
J. M. ROBSON
H. O. SCHILD
A. SPINKS
R. S. STACEY
A. D. MACDONALD (Chairman)
J. M. WALKER (Secretary)
J. P. QUILLIAM (Press Editor)
J. G. WIDDICOMBE (Assistant Press Editor)
In co-operation with the EDITOR of the British Medical Journal

VOLUME 14, 1959

LONDON
BRITISH MEDICAL ASSOCIATION
TAVISTOCK SQUARE, W.C.1

NOTICE TO CONTRIBUTORS

The Journal, which appears quarterly, publishes original work in pharmacology and experimental chemotherapy, including the biochemical and pathological aspects of the subject. Short communications and brief notes on methods may also be accepted. MSS. submitted for publication should be addressed to the Secretary to the Editorial Board, Dr. J. M. Walker, Department of Pharmacology, South Parks Road, Oxford. Papers submitted to the Journal are only accepted on the understanding that they have not been and will not be published in whole or in part in any other journal and that they are subject to editorial revision.

Preparation of MSS. and Illustrations.—Authors are recommended to consult the current number of the JOURNAL before preparing a MS. so that the presentation of their paper follows current practice of the JOURNAL. Text and Tables should be in double-spaced typing on one side only of quarto or foolscap sheets with a margin of not less than 1½ in. on the left. The title, the name(s) and address(es) of the author(s), and a suggested short title should be typed on the first sheet. This should be followed by a brief but self-explanatory summary in abstract form on a separate sheet giving the main results and conclusions. The text should then start on a separate sheet. In stating the object, reference should only be made to previous work if it has a direct bearing on the subject. Papers must be as concise as possible, but only recognized physical and chemical abbreviations may be used. All other names must be given in full. Abbreviations consisting of initial letters of words, etc., are not acceptable. Official or approved names should always be used, but, when these are not available, chemical or trade-names may be employed. On first mention, trade-names, serial numbers, etc., must be defined in terms of chemical names. Reference to other work should always give the author's name followed by the year of publication; more than one paper in one year being indicated by a small letter (a, b, c) after the date. On first reference to work by three or more authors, all the surnames should be given in full, but subsequently only the surname of the first author followed by et al. and the date is necessary. Footnotes and notes added in proof should be avoided.

TABLES.—Tables are referred to in the text by roman numerals and each must be typed on a separate sheet. Tables should be comprehensible without reference to the text. Explanations should follow the heading of the Table. Footnotes are not used.

ILLUSTRATIONS.—Illustrations are referred to in the text by Arabic numerals. The legend for each is to be typed on a separate sheet, numbered correspondingly, and should make the illustration understandable independently of the text. Line drawings and graphs are to be carefully and boldly drawn in Indian ink on tracing linen, or Bristol board, or stout smooth white paper; blue-lined graph paper of good quality may be used for graphs. All lettering and numerals must be written lightly but legibly in pencil. The original drawing should always be sent. Photographic copies are useful to the editors, but are insufficient by themselves. Originals should be about two to three times the suggested final size, and in no case larger than foolscap for ease in sending through the post. Mounted originals of kymograph tracings, rather than copies, should be sent, as should those of x-ray or other illustrations for half-tone reproduction. Photographs and photomicrographs should be printed on glossy paper and should be larger than the size desired for reproduction; particular care must be taken to ensure adequate definition, contrast, etc., in the prints submitted.

REFERENCES.—References should be arranged according to the Harvard system at the end of the paper in the alphabetical order of the names of the first author of each paper, and should include: author's name, followed by initials; year of publication in parentheses; title of publication, underlined, and abbreviated in accordance with the World Medical Periodicals (2nd ed.); volume number in Arabic numerals, underlined with a wavy line to indicate bold type; the number of the first page in Arabic numerals. The reference will then appear in type thus:

Burn, J. H., and Rand, M. J. (1958). Brit. J. Pharmacol., 13, 471.

When reference is made to a book, the author's name and the year should be followed by: title (underlined); editor's name and volume number or edition (if appropriate); page (p. or pp.); town of origin; publisher. The reference will appear in type thus:

Clark, A. J. (1940). Applied Pharmacology, 7th ed., p. 378. London: Churchill.

Proofs.—Two page proofs will be supplied, one of which may be retained by the author. Authors are requested to read their proofs immediately on receipt, correct in pencil, and return them at once to the Press Editor. It is assumed that all but verbal corrections have been made in the original MS.: an allowance of eightpence/page is made for alterations in the proof (printer's errors excepted) and contributors will be charged for any excess.

REPRINTS.—Twenty-five reprints of an article will, if desired, be given to an author or divided among the authors. Additional reprints at cost price can be supplied if application is made on the postcard sent out with the proofs or to the publishers.

COPYRIGHT.—Papers which have been published become the property of the JOURNAL and permission to republish in part or whole must be obtained from the Editors.

BRITISH JOURNAL OF PHARMACOLOGY AND CHEMOTHERAPY MARCH, 1959. Vol. 14. No. 1.

CONTENTS

	PAGE
BRITISH PHARMACOLOGICAL SOCIETY: WINTER MEETING, 1959	1
OBITUARY: PROFESSOR J. A. GUNN	4
DAVIES, D. R., GREEN, A. L., AND WILLEY, G. L. 2-HYDROXYIMINOMETHYL-N-METHYLPYRIDINIUM METHANESULPHONATE AND ATROPINE IN THE TREATMENT OF SEVERE ORGANOPHOSPHATE POISONING	5
MILLAR, R. A., KEENER, E. B., AND BENFEY, B. G. PLASMA ADRENALINE AND NORADRENALINE AFTER PHENOXYBENZAMINE ADMINISTRATION, AND DURING HAEMORRHAGIC HYPOTENSION, IN NORMAL AND ADRENALECTOMIZED DOGS	9
LOWENTHAL, J., and TAYLOR, J. D. A method for measuring the activity of compounds with an activity like vitamin k against indirect anticoagulants in rats	14
HALPERN, B. N., BINAGHI, R., MAYER, M., AND BUGNARD, C. THE MECHANISM OF THE INHIBITION BY CARBONIC ACID OF THE SMOOTH MUSCLE CONTRACTION PRODUCED BY HISTAMINE AND	10
OXYTOCIN	19
GREEN, A. F. Comparative effects of analgesics on pain threshold, respiratory frequency and gastrointestinal propulsion	26
GRAHAM, J. D. P., AND NICHOLLS, P. J. DISTRIBUTION OF [14C]BEMEGRIDE IN TISSUES AFTER INTRAVENOUS INJECTION	35
KIRPEKAR, S. M., AND LEWIS, J. J. SOME EFFECTS OF RESERPINE AND HYDRALLAZINE UPON TISSUE RESPIRATION AND THE CONCENTRATION OF ADENOSINE NUCLEOTIDES IN CERTAIN TISSUES	40
MALHOTRA, C. L., AND PUNDLIK, P. G. THE EFFECT OF RESERPINE ON THE ACETYLCHOLINE CONTENT OF DIFFERENT AREAS OF THE CENTRAL NERVOUS SYSTEM OF THE DOG	46
ARUNLAKSHANA, O., AND SCHILD, H. O. SOME QUANTITATIVE USES OF DRUG ANTAGONISTS	48
BROWN, D. A., PRICHARD, B. N. C., AND QUILLIAM, J. P. SOME PHARMACOLOGICAL PROPERTIES OF THE α-TOXIN OF STAPHYLOCOCCUS PYOGENES	59
TIMMS, A. R., AND BUEDING, E. STUDIES OF A PROTEOLYTIC ENZYME FROM SCHISTOSOMA MANSONI .	68
CHAUDHRI, KHURSHID-UN-NISA. RENAL EFFECTS OF VERATRIDINE	74
SELYE, H., AND BAJUSZ, E. EFFECT OF VARIOUS ELECTROLYTES UPON CARDIAC AND SKELETAL MUSCULATURE	∙83
VANE, J. R. The relative activities of some tryptamine analogues on the isolated rat stomach strip preparation	∕∶ 87
BARLOW, R. B., AND KHAN, I. Actions of some analogues of tryptaming on the isolated raturers and on the isolated rat fundus strip preparations	; 99
LESSIN, A. W., AND PARKES, M. W. THE EFFECTS OF RESERPINE AND OTHER AGENTS UPON LEPTAZOL CONVULSIONS IN MICE	108
BLACKMAN, J. G., CAMPION, D. S., AND FASTIER, F. N. MECHANISM OF ACTION OF RESERPINE IN PRODUCING GASTRIC HAEMORRHAGE AND EROSION IN THE MOUSE	112
GADDUM, J. H., AND HORTON, E. W. THE EXTRACTION OF HUMAN URINARY KININ (SUBSTANCE Z) AND ITS RELATION TO THE PLASMA KININS	117
HORTON, E. W. Human urinary kinin excretion	125
KONZETT, H., AND BERDE, B. THE BIOLOGICAL ACTIVITY OF A NEW ANALOGUE OF OXYTOCIN IN WHICH THE TYROSYL GROUP IS REPLACED BY PHENYLALANYL	133
FULTON, J. D., AND MATHEW, K. K. TRACER STUDIES OF THE DISTRIBUTION AND TRYPANOCIDAL ACTION OF STILBAMIDINE IN RATS	137
BENFEY, B. G., LEDOUX, G., AND MELVILLE, K. I. INCREASED URINARY EXCRETION OF ADRENALINE AND NORADRENALINE AFTER PHENOXYBENZAMINE	142