

BRITISH JOURNAL OF PHARMACOLOGY AND CHEMOTHERAPY

EDITED FOR
THE BRITISH PHARMACOLOGICAL SOCIETY
BY

H. M. ADAM A. S. V. BURGEN F. HAWKING P. HEY E. W. HORTON
G. P. LEWIS J. L. MONGAR W. E. ORMEROD J. M. ROBSON
J. W. THOMPSON J. R. VANE MARTHE VOGT M. WEATHERALL R. WIEN
G. S. DAWES (Chairman) J. M. WALKER (Secretary)
J. G. WIDDICOMBE (Press Editor) JOAN C. MOTT (Assistant Press Editor)

In co-operation with the EDITOR of the British Medical Journal

VOLUME 25, 1965

LONDON
BRITISH MEDICAL ASSOCIATION
TAVISTOCK SQUARE, W.C.1

NOTICE TO CONTRIBUTORS. The journal, which appears two-monthly, publishes original work in pharmacology and experimental chemotherapy, including the biochemical and pathological aspects of the subject. MSS. submitted for publication should be addressed to the Secretary to the Editorial Board, Dr. J. M. Walker, Department of Pharmacology, South Parks Road, Oxford. Papers submitted to the journal are only accepted on the understanding that they are subject to editorial revision and that they have not been and will not be published in whole or in part in any other journal. When submitting a paper for publication, author(s) should include a statement to this effect.

¶ **PREPARATION OF MSS. AND ILLUSTRATIONS.** Authors are recommended to consult the current number of the journal before preparing a MS. so that the presentation of their paper follows current practice of the journal. Foreign-speaking contributors are advised, where possible, to seek the help of some British pharmacologist, known to them, in revising manuscripts before submission. Text and Tables should be in double-spaced typing on one side only of quarto or foolscap sheets with a margin of not less than 1½ in. on the left. The title, the name(s) and address(es) of the author(s) and a suggested short title should be typed on the first sheet. Where there is more than one author their names shall be printed in alphabetical order. The text should then start on a separate sheet. In stating the object, reference should only be made to previous work if it has a direct bearing on the subject. The paper should end with a summary of the author's results and conclusions, presented in numbered paragraphs, and not more than one-twentieth of the total length of the paper. Authors should also send an abstract of about 100 words suitable for inclusion in *International Abstracts of Biological Sciences*. Papers must be as concise as possible, but only recognized physical and chemical abbreviations may be used. All other names must be given in full. Abbreviations consisting of initial letters of words, etc., should not be used. Official or approved names should always be used, but, when these are not available, chemical or trade-names may be employed. On first mention, trade-names, serial numbers, etc., must be defined in terms of chemical names. The contributor should consider whether concentrations of solutions might be best stated in terms of weight per volume or molarity. Where comparisons are made it is often advisable to use molarities. Reference to other work should always give the author's name followed by the year of publication; more than one paper in one year being indicated by a small letter (a, b, c) after the date. On first reference to work by three or more authors, all the surnames should be given in full, but subsequently only the surname of the first author followed by *et al.* and the date is necessary. Footnotes and notes added in proof should be avoided.

¶ **TABLES.** Tables are referred to in the text by Arabic numerals and each must be typed on a separate sheet. Tables should be comprehensible without reference to the text. Explanations should follow the heading of the Table. Footnotes are not used.

¶ **ILLUSTRATIONS.** Illustrations are referred to in the text by Arabic numerals. The legend for each is to be typed on a separate sheet, numbered correspondingly, and should make the illustration understandable independently of the text. Line drawings and graphs are to be carefully and boldly drawn in Indian ink on tracing linen, or Bristol board, or stout smooth white paper; blue-lined graph paper of good quality may be used for graphs. All lettering and numerals must be written lightly but legibly in pencil. Where desirable, kymograph tracings should be calibrated in both dimensions. Symbols which are to

appear in the legend should be chosen from the following:

× + ● ○ ■ □ △ ▲ ▽ ▼ ○ ● ◇ ◆

The original drawing, or a full size high quality photograph of it, should always be sent. Small photographic copies are useful to the editors, but are insufficient by themselves. Originals should be about two to three times the suggested final size, and in no case larger than foolscap for ease in sending through the post. Mounted originals of kymograph tracings, rather than copies, should be sent, as should those of x-ray or other illustrations for half-tone reproduction. Photographs and photomicrographs should be printed on glossy paper and should be larger than the size desired for reproduction; particular care must be taken to ensure adequate definition, contrast, etc., in the prints submitted.

¶ **REFERENCES.** References should be arranged according to the Harvard system at the end of the paper in the alphabetical order of the names of the first author of each paper, and should include: author's name, followed by initials; year of publication in parentheses; title of article; title of publication, underlined, and abbreviated in accordance with the *World Medical Periodicals* (3rd ed.); volume number in Arabic numerals, underlined with a wavy line to indicate bold type; the number of the first and last page in Arabic numerals. The reference will then appear in type thus:

BURN, J. H. & RAND, M. J. (1958). The depressor action of dopamine and adrenaline. *Brit. J. Pharmacol.*, 13, 471-479.

When reference is made to a book, the author's name and the year should be followed by: title (underlined); editor's name and volume number or edition (if appropriate); page (p. or pp.); town of origin; publisher. The reference will appear in type thus:

CLARK, A. J. (1940). *Applied Pharmacology*, 7th ed., p. 378. London: Churchill.

¶ **PROOFS.** Two page proofs will be supplied, one of which may be retained by the author. Authors are requested to read their proofs immediately on receipt, correct in pencil, and return them at once to the Press Editor. It is assumed that all but verbal corrections have been made in the original MS.: an allowance of eightpence/page is made for alterations in the proof (printer's errors excepted) and contributors will be charged for any excess.

¶ **REPRINTS.** Fifty reprints of an article will, if desired, be given to an author or divided among the authors. Additional reprints at cost price can be supplied if application is made on the postcard sent out with the proofs or to the publishers.

NOTICE TO ADVERTISERS. Applications for advertisement space and for rates should be addressed to the Advertisement Manager, *British Journal of Pharmacology and Chemotherapy*.

NOTICE TO SUBSCRIBERS. The annual subscription rate is £10 10s. in the United Kingdom and the Republic of Ireland, and £11 in all countries overseas.

The following are examples of equivalents to the sterling subscription rate: Australia £A.13 15s.; Belgium Fr. 1,540; Canada \$34.00; Denmark Kr. 212.75; France NF. 152.00; Germany DM. 123.25; India and Pakistan R. 150.00; Italy L. 19,250; Japan Yen 11,088; Netherlands G. 111.50; Norway Kr. 220.00; South Africa Rand 22.00; Spain Pta. 1,848; Sweden Kr. 159.00; Switzerland Fr. 134.75; U.S.A. \$32.00; Venezuela Bol. 102.75. Payment for overseas subscriptions should be made in sterling, i.e. £11, and sent by Mail Transfer—*Charges Remitter*—through a Bank, payable to the British Medical Association. Orders can be placed locally through any leading subscription agent or bookseller.

COPYRIGHT © 1965 by the *British Journal of Pharmacology and Chemotherapy*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

CONTENTS

	PAGE
BIGLAND, C. H. AND SHIFRINE, M. EFFECT OF HISTAMINE ON REPRODUCTION IN FEMALE MICE	1
BURGEN, A. S. V. THE ROLE OF IONIC INTERACTION AT THE MUSCARINIC RECEPTOR	4
IVERSEN, L. L. THE UPTAKE OF CATECHOL AMINES AT HIGH PERFUSION CONCENTRATIONS IN THE RAT ISOLATED HEART: A NOVEL CATECHOL AMINE UPTAKE PROCESS	18
BURGEN, A. S. V. AND IVERSEN, L. L. THE INHIBITION OF NORADRENALINE UPTAKE BY SYMPATHOMIMETIC AMINES IN THE RAT ISOLATED HEART	34
GARCIA LEME, J. AND ROCHA E SILVA, M. COMPETITIVE AND NON-COMPETITIVE INHIBITION OF BRADYKININ ON THE GUINEA-PIG ILEUM	50
ROTHSCHILD, A. M. HISTAMINE RELEASE BY BEE VENOM PHOSPHOLIPASE A AND MELLITIN IN THE RAT	59
AMUNDSEN, E. AND RUGSTAD, H. E. INFLUENCE OF SOME PATHOGENIC BACTERIA ON KININ FORMATION AND DESTRUCTION	67
BHARGAVA, K. P. AND SRIVASTAVA, R. K. ANTITETANUS ACTIVITY OF CENTRAL MUSCLE RELAXANTS	74
PARKES, M. W. AND PICKENS, J. T. CONDITIONS INFLUENCING THE INHIBITION, BY ANALGESIC DRUGS, OF THE RESPONSE TO INTRAPERITONEAL INJECTIONS OF PHENYLBENZOQUINONE IN MICE	81
PATON, W. D. M. AND SPEDEN, R. N. AN ANALYSIS OF THE KINETICS OF ANAESTHESIA OF MICE	88
SPEDEN, R. N. THE EFFECT OF SOME VOLATILE ANAESTHETICS ON THE TRANSMURALLY STIMULATED GUINEA-PIG ILEUM	104
KHAN, M., MANTEGAZZA, P. AND PICCININI, F. EFFECT OF LOW TEMPERATURES ON THE RESPONSES OF GUINEA-PIG ISOLATED ATRIA TO NICOTINE AND TO SYMPATHETIC AND PARASYMPATHETIC STIMULATION	119
KOLIN, A. AND ROSS, G. THE EFFECT OF SYMPATHOMIMETIC AMINES ON FEMORAL ARTERIAL BLOOD FLOW IN THE CAT	126
EMMELIN, N., HOLMBERG, J. AND OHLIN, P. RECEPTORS FOR CATECHOL AMINES IN THE SUBMAXILLARY GLANDS OF RATS	134
HICKS, R. A QUANTITATIVE STUDY OF REPEATED ANAPHYLACTIC REACTIONS IN ISOLATED TISSUES	139
HOCKADAY, T. D. R. A RAPID RISE IN BLOOD PYRUVATE IN CATS GIVEN LARGE DOSES OF HYDROCORTISONE	145
LEES, P. AND LOCKETT, MARY F. SOME ACTIONS OF ISOPRENALINE AND ORCIPRENALINE ON PERFUSED CAT KIDNEYS	152
LOVELESS, A. H. AND MAXWELL, D. R. A COMPARISON OF THE EFFECTS OF IMIPRAMINE, TRIMIPRAMINE, AND SOME OTHER DRUGS IN RABBITS TREATED WITH A MONOAMINE OXIDASE INHIBITOR	158
BRODIE, B. B., CHANG, C. C. AND COSTA, E. ON THE MECHANISM OF ACTION OF GUANETHIDINE AND BRETILIUM	171
PORTER, R. B. SOME ACTIONS OF TACRINE ON SLOW MUSCLES OF THE TOAD (<i>BUFO MARINUS</i>) AND THE CHICK	179
BIZZI, A., GARATTINI, S. AND VENERONI, E. THE ACTION OF SALICYLATE IN REDUCING PLASMA FREE FATTY ACIDS AND ITS PHARMACOLOGICAL CONSEQUENCES	187
MELDRUM, B. S. ACTIONS OF WHOLE AND FRACTIONATED INDIAN COBRA (<i>Naja naja</i>) VENOM ON SKELETAL MUSCLE	197
BARLOW, R. B. AND HAMILTON, J. T. THE STEREOSPECIFICITY OF NICOTINE	206
LESSER, E. THE STEREOSPECIFICITY OF ACETYL- α -METHYLCHOLINE	213
TOTHILL, ANNE. THE EFFECTS OF FOUR MONOAMINE OXIDASE INHIBITORS ON THE RAT UTERUS	217
JACKSON, H. AND JAMES, R. M. V. METABOLIC STUDIES WITH CERTAIN ETHYLENIMINE DERIVATIVES IN RELATION TO DIURESIS	223
BULL, G. AND HEMSWORTH, B. A. THE ACTION OF TRIETHYLCHOLINE ON THE BIOLOGICAL SYNTHESIS OF ACETYLCHOLINE	228
ROBERTS, J. B., THOMAS, B. H. AND WILSON, A. DISTRIBUTION AND EXCRETION OF [14 C]-NEOSTIGMINE IN THE RAT AND HEN	234
BENTLEY, G. A. POTENTIATION OF RESPONSES TO NORADRENALINE AND REVERSAL OF SYMPATHETIC NERVE BLOCKADE IN THE GUINEA-PIG VAS DEFERENS	243
MASON, BRENDA AND SPARROW, ELIZABETH M. THE RELATIONSHIP BETWEEN THE PERMEABILITY-INCREASING AND THE HYPOTENSIVE PROTEASES OF PLASMA	257
WEBSTER, R. A. EFFECTS OF MEPHENSIN AND CHLORPROMAZINE ON MOTOR NERVE DISCHARGES IN THE RABBIT	270