

AUTHOR INDEX

Volumes 13-25, 1958-1965

A

- AARSEN, P. N., and KEMP, A. Influence of metals on the activity of a bradykinin-destroying enzyme kininase, **19**, 442
- , and VAN NOORDWIJK, J. Effect of atropine, propantheline and poldine on vagally stimulated gastric motility and histamine-stimulated acid gastric secretion in the rat, **17**, 41
- ABERCROMBIE, G. F., and DAVIES, B. N. Action of guanethidine, with particular reference to the sympathetic nervous system, **20**, 171
- ABRAHAMS, V. C., and HILTON, S. M. Blocking action of decamethonium at different sites in the autonomic nervous system of the cat, **18**, 194
- ACRED, P., and BROWN, D. M. Antitubercular properties of a series of thiols and sulphides, **15**, 485
- , —. Further pharmacology and chemotherapy of cloxacillin, **21**, 339
- , —, TURNER, D. H., and WILSON, M. J. Pharmacology and chemotherapy of ampicillin—a new broad-spectrum penicillin, **18**, 356
- , —, —, and WRIGHT, D. Pharmacology of methicillin, **17**, 70
- , —, and WRIGHT, D. Antitubercular activity of 3-acetylthiopropylene sulphide and 3-(2-furoylthio)propylene sulphide, **15**, 496
- ADAM, K. R., and WEISS, C. Actions of scorpion venom on skeletal muscle, **14**, 334
- AGARWAL, R. P., and GUHA, A. Lytic action of chlorpromazine hydrochloride on *Escherichia coli* G. cells, **24**, 466
- AHMED, A., and MARSHALL, P. B. Relationship between antiacetylcholine and antiTremorine activity in anti-parkinsonian and related drugs, **18**, 247
- , and TAYLOR, N. R. W. Analysis of drug-induced tremor in mice, **14**, 350
- AIMAN, Ranita, and CHAUDHARY, Nirmala. Mechanism of action of oral antidiabetic drugs, **14**, 377
- , See also SACHDEV, K. S., *et al.*, **16**, 146
- AINLEY, A. D., and DAVEY, D. G. Trypanocidal activity of some pyrimidylaminophenylarsonic compounds, **13**, 244
- ALI, M. N. Comparison of some activities of argipressin (*arginine vasopressin*) and lysipressin (*lysine vasopressin*) on kidney function in conscious dogs, **13**, 131
- ALMIRANTE, L. See LOGEMANN, W., *et al.*, **17**, 286
- ALONSO-deFLORIDA, F., DEL CASTILLO, J., GONZALEZ, Carmen C., and SANCHEZ, V. Pharmacological and anaphylactic responsiveness of denervated skeletal muscle of the guinea-pig, **25**, 610
- AMUNDSEN, E., and NUSTAD, K. Kinin-forming and -destroying activities of saliva, **23**, 440
- , —, and WAALER, B. A stable substrate for the assay of plasma kinin-forming enzymes, **21**, 500
- , and RUGSTAD, H. E. Influence of some pathogenic bacteria on kinin formation and destruction, **25**, 67
- AMURE, B. O., and GINSBURG, M. Effects of chlorpromazine and bromolysergic acid diethylamide on gastric secretion of acid induced by histamine in rats, **22**, 520
- , —. Inhibitors of histamine catabolism and the action of gastrin in rat, **23**, 476
- ANASTASI, A., and ERSPAMER, V. Occurrence and some properties of edeloin in extracts of posterior salivary glands of *Eledone*, **19**, 326
- ANDERSSON, N. S. E. See LINDVALL, S., *et al.*, **17**, 358
- ANDERTON, J. L., COWIE, J. F., HARRIS, E. A., and SLEET, R. A. Effect of ethamivan (vanillic acid diethylamide) on the respiratory response of healthy young men to carbon dioxide, in the absence of hypoxia, **19**, 142
- , and HARRIS, E. A. Ventilatory effects of prethcamide in healthy young men, **20**, 139
- ANDREWS, Muriel M. Relative potencies of some substituted salicylic acids as metabolic stimulants in the intact rat, **13**, 419
- ANDREWS, W. H. H. See NASMYTH, P. A., *et al.*, **14**, 477
- ANGELUCCI, R., ARTINI, D., CRESSERI, A., GIRALDI, P. N., LOGEMANN, W., NANNINI, G., and VALZELLI, G. Some aspects of the metabolism of triazine derivatives active in experimentally induced virus infections, **24**, 274
- ARCHER, R. K., FELDBERG, W., and KOVACS, B. A. Antihistamine activity in extracts of horse eosinophils, **18**, 101
- ARMITAGE, A. K. Effects of nicotine and tobacco smoke on blood pressure and release of catechol amines from the adrenal glands, **25**, 515
- , BOSWOOD, Janet, and LARGE, B. J. Thioxanthines with potent bronchodilator and coronary dilator properties, **16**, 59
- , —, —. Structure-activity relationships in a series of 6-thioxanthines with bronchodilator and coronary dilator properties, **17**, 196
- , and VANE, J. R. Sensitive method for the assay of catechol amines, **22**, 204
- ARORA, R. B., and MATHUR, C. N. Relationship between structure and anticoagulant activity of coumarin derivatives, **20**, 29
- , and SIVAPPA, D. S. Ectopic ventricular rhythms and myocardial infarction in the domestic pig and their response to nialamide, a monoamine-oxidase inhibitor, **19**, 394
- ARTINI, D. See ANGELUCCI, R., *et al.*, **24**, 274
- ARUNLAKSHANA, O., and SCHILD, H. O. Some quantitative uses of drug antagonists, **14**, 48
- ASATOOR, A. M., GALMAN, B. R., JOHNSON, J. R., and MILNE, M. D. Excretion of dexamphetamine and its derivatives, **24**, 293
- , LONDON, D. R., MILNE, M. D., and SIMENHOFF, M. L. Excretion of pethidine and its derivatives, **20**, 285

- ASHCROFT, G. W., and SHARMAN, D. F. Drug-induced changes in the concentration of 5-OR indoyl compounds in cerebrospinal fluid and caudate nucleus, **19**, 153
- ASHFORD, A., and JONES, J. I. M. Assay of corticotrophin in hypophysectomized and in hydrocortisone-treated rats, **20**, 95
- , and SHAPERO, M. Effect of chlorpromazine, reserpine, benactyzine and phenobarbitone on the release of corticotrophin in the rat, **19**, 458
- ASKEW, Beryl M. Hyperpyrexia as a contributory factor in the toxicity of amphetamine to aggregated mice, **19**, 245
- ASSARSON, N., and EMMELIN, N. Leakage of transmitters in salivary glands, **22**, 119
- ÅSTRÖM, A., and PERSSON, N. H. Some pharmacological properties of *o*-methyl- α -propylaminopropionanilide, a new local anaesthetic, **16**, 32
- ATERMAN, K. Toxic effect of carbon tetrachloride on the liver cell, **19**, 219
- AXELROD, J., GORDON, Edna, HERTTING, G., KOPIN, I. J., and POTTER, L. T. On the mechanism of tachyphylaxis to tyramine in the isolated rat heart, **19**, 56
- , See also HERTTING, G., *et al.*, **18**, 161
- AYESHA, Begum Naseem. See HARANTH, P. S. R. K., *et al.*, **24**, 339
- AYLIFFE, G. A. J., and DAVIES, A. Ampicillin levels in human bile, **24**, 189
- AZARNOFF, D. L., and BURN, J. H. Effect of nor-adrenaline on the action of nicotine and tyramine on isolated atria, **16**, 335
- B**
- BAINBRIDGE, J. G., and BROWN, D. M. Ganglion-blocking properties of atropine-like drugs, **15**, 147
- BAJUSZ, E. See SELYE, H., *et al.*, **14**, 83
- BAKER, J. R. Curative power of 4-(2,6-diaminopyrimidin-4-ylamino)phenylarsine oxide (Compound 12,065) in infections of *Trypanosoma rhodesiense* in laboratory animals, **13**, 436
- , Effect of nitrofurazone on *Trypanosoma rhodesiense* infections in mice, **14**, 408
- BARER, Gwenda R., and NÜSSER, E. Cardiac output during excitation of chemoreflexes in the cat, **13**, 372
- BARLOW, R. B. Effects on amine oxidase of substances which antagonize 5-hydroxytryptamine more than tryptamine on the rat fundus strip, **16**, 153
- , and HAMILTON, J. T. Effects of some isomers and analogues of nicotine on junctional transmission, **18**, 510
- , —, Effects of pH on the activity of nicotine and nicotine monomethiodide on the rat diaphragm preparation, **18**, 543
- , —, Stereospecificity of nicotine, **25**, 206
- , and KHAN, I. Actions of some analogues of tryptamine on the isolated rat uterus and on the isolated rat fundus strip preparations, **14**, 99
- , —, Actions of some analogues of 5-hydroxytryptamine on the isolated rat uterus and rat fundus strip preparations, **14**, 265
- , —, Use of the guinea-pig ileum preparation for testing the activity of substances which imitate or antagonize the actions of 5-hydroxytryptamine and tryptamine, **14**, 553
- , SCOTT, K. A., and STEPHENSON, R. P. An attempt to study the effects of chemical structure on the affinity and efficacy of compounds related to acetylcholine, **21**, 509
- BARLOW, R. B. (*cont.*)
- , and ZOLLER, Anne. Activity of analogues of decamethonium on the chick biventer cervicis preparation, **19**, 485
- , —, Some effects of long-chain polymethylene bisonium salts on junctional transmission in the peripheral nervous system, **23**, 131
- BARNETT, Margaret, BUSHBY, S. R. M., and WILKINSON, S. Sodium sulphomethyl derivatives of polymyxins, **23**, 552
- BARON, R. L., BENNETT, D. R., and CASIDA, J. E. Neurotoxic syndrome produced in chickens by a cyclic phosphate metabolite of tri-*o*-cresyl phosphate—a clinical and pathological study, **18**, 465
- , and JOHNSON, H. Neurological disruption produced in hens by two organophosphate esters, **23**, 295
- BARRETT, A. M. Adventitious factors affecting the concentration of free fatty acids in the plasma of rats, **22**, 577
- , Mobilization of free fatty acids in response to isoprenaline in the rat, **25**, 545
- BARRON, D. I., NATOFF, I. L., and VALLANCE, D. K. Pharmacology of *N*-[2-(2,6-xylyloxy)ethyl]guanidine sulphate; an adrenergic neurone blocking agent, **25**, 534
- BARTLET, A. L. 5-Hydroxytryptamine content of mouse brain and whole mice after treatment with some drugs affecting the central nervous system, **15**, 140
- , Some cocaine-like actions of 3-phenoxypropyl-guanidine, **18**, 475
- , Action of histamine on the heart, **21**, 450
- , Influence of chlorpromazine on the metabolism of 5-hydroxytryptamine in the mouse, **24**, 497
- BARZAGHI, F., MANTEGAZZA, P., and RIVA, M. Effects of some guanidine derivatives on neuromuscular and ganglionic transmission, **19**, 414
- , —, —, Effects of some *NN*-disubstituted guanidines on neuromuscular and ganglionic transmission, **24**, 282
- BASIL, B., BLAIR, A. M. J. N., and HOLMES, S. W. Action of sodium 4-hydroxybutyrate on spinal reflexes, **22**, 318
- BAUER, D. J., and SADLER, P. W. Structure-activity relationships of the antiviral chemotherapeutic activity of isatin β -thiosemicarbazone, **15**, 101
- BEAVER, Margaret H., and WESTMANN, B. S. Histamine and 5-hydroxytryptamine in the intestinal tract of germ-free animals, animals harbouring one microbial species and conventional animals, **19**, 385
- BEDFORD, Carole, CUMMINGS, A. J., and MARTIN, B. K. Kinetic study of the elimination of salicylate in man, **24**, 418
- BEIN, H. J., and FEHR, H.-U. Depression of muscle spindle activity—a new type of pharmacological action? **19**, 375
- BEJRABLAYA, D., BURN, J. H., and WALKER, J. M. Action of sympathomimetic amines on heart rate in relation to the effect of reserpine, **13**, 461
- BELESLIN, D., RADMANOVIĆ, B., and VARAGIĆ, V. Effect of substance P on the superior cervical ganglion of the cat, **15**, 10
- , and VARAGIĆ, V. Effect of cooling and of 5-hydroxytryptamine on the peristaltic reflex of the isolated guinea-pig ileum, **13**, 266
- , —, Effect of substance P on the peristaltic reflex of the isolated guinea-pig ileum, **13**, 321
- BENELLI, G., DELLA BELLA, D., and GANDINI, A. Angiotensin and peripheral sympathetic nerve activity, **22**, 211

- BENFEY, B. G. Cardiovascular actions of phenoxybenzamine, **16**, 6
- , and GREEFF, K. Interactions of sympathomimetic drugs and their antagonists on the isolated atrium, **17**, 232
- , and GRILLO, S. A. Antagonism of acetylcholine by adrenaline antagonists, **20**, 528
- , LEDOUX, G., and MELVILLE, K. I. Increased urinary excretion of adrenaline and noradrenaline after phenoxybenzamine, **14**, 142
- , —, and SEGAL, M. Action of antisympathomimetic drugs on the urinary excretion of adrenaline and noradrenaline, **14**, 380
- , and VARMA, D. R. Cardiac and vascular effects of sympathomimetic drugs after administration of tri-iodothyronine and reserpine, **21**, 174
- , —. Vasoconstrictor action of tolazoline, **22**, 66
- , —. Influence of methyl dopa on central effects of reserpine, **22**, 366
- , —. Inhibition of sympathomimetic effects on the heart, **23**, 399
- , —. See also MILLAR, R. A., *et al.*, **14**, 9
- BENFORADO, J. M. Depressant effect of acetylcholine on the idio-ventricular pacemaker of the isolated perfused rabbit heart, **13**, 415
- BENNETT, A. Metabolism of histamine by guinea-pig and rat lung *in vitro*, **24**, 147
- BENNETT, D. R. See BARON, R. L., *et al.*, **18**, 465
- BENTLEY, G. A. Studies on sympathetic mechanisms in isolated intestinal and vas deferens preparations, **19**, 85
- , —. Potentiation of responses to noradrenaline and reversal of sympathetic nerve blockade in the guinea-pig vas deferens, **25**, 243
- , and SABINE, J. R. Effects of ganglion-blocking and postganglionic sympatholytic drugs on preparations of the guinea-pig vas deferens, **21**, 190
- BENTLEY, P. J., and McEWEN, Eleanor. Effects of ion changes on the contraction of the rat uterus stimulated by oxytocin, **16**, 45
- BENZAKEIN, F. See BERGMANN, F., *et al.*, **17**, 159
- BENZI, G., BERTÉ, F., CREMA, A., and FRIGO, G. M. Actions of sympathomimetic drugs on the smooth muscle at the junction of the bile duct and duodenum studied *in situ*, **23**, 101
- BERALDO, W. T. Pressor effect of peptone in the rat, **13**, 178
- , DA SILVA, W. D., and FERNANDES, A. D. L. Inhibitory effects of carbohydrates on histamine release and mast cell disruption by dextran, **19**, 405
- , —, and PUDLES, J. Antigenic properties of purified fractions from *Ascaris lumbricoides* var. *suum* on naturally sensitized guinea-pig, **17**, 236
- , and ZANOTTO, A. Ganglion-stimulating principle present in peptone, **15**, 224
- BERDE, B. See KONZETT, H., *et al.*, **14**, 133
- BERGMANN, D. See BERGMANN, F., *et al.*, **15**, 313
- BERGMANN, F., CHAIMOVITZ, M., LEON, S., and PREISS, B. Mechanism of action of Colisan, **18**, 302
- , —, and WIND, Esther. Dual action of nitro-paraffins on the guinea-pig ileum, **18**, 381
- , LEON, S., CHAIMOVITZ, M., and BENZAKEIN, F. Comparative study of staphylococcus haemolysins and Colisan, **17**, 159
- , PARNAS, I., and REICH, K. Action of the toxin of *Prymnesium parvum* Carter on the guinea-pig ileum, **22**, 47
- BERGMANN, F. (*cont.*)
- , REITLER, R., CHAIMOVITZ, M., and BERGMANN, D. Pharmacological study of a new antibiotic of bacillary origin, **15**, 313
- BERRY, P. A., and COLLIER, H. O. J. Bronchoconstrictor action and antagonism of a slow-reacting substance from anaphylaxis of guinea-pig isolated lung, **23**, 201
- BERRY, W. K., DAVIES, D. R., and GREEN, A. L. Oximes of $\alpha\omega$ -diquaternary alkane salts as antidotes to organophosphate anticholinesterases, **14**, 186
- BERTACCINI, G., CEI, J. M., and ERSPAMER, V. Occurrence of physalaemin in extract of the skin of *Physalaemus fuscumaculatus* and its pharmacological actions on extravascular smooth muscle, **25**, 363
- , —, —. Action of physalaemin on the systemic arterial blood pressure of some experimental animals, **25**, 380
- , and NOBILI, M. B. Effect of L-tryptophan on diuresis and 5-hydroxyindoleacetic acid excretion in the rat, **17**, 519
- BERTÉ, F. See BENZI, G., *et al.*, **23**, 101
- , CREMA, A., *et al.*, **20**, 221
- BEVAN, J. A., and SU, C. Sympathetic mechanism in the isolated pulmonary artery of the rabbit, **22**, 176
- BEYTH, J., and GUTMAN, J. Change of vasomotor response to catechol amines on repeated administration, **24**, 612
- BHAGAT, B. Modification of the effects of guanethidine on cardiac catechol amines by various agents, **22**, 238
- , and SHIDEMAN, F. E. Mechanism of the positive inotropic responses to bretylium and guanethidine, **20**, 56
- BHARGAVA, K. P., BHATTACHARYA, S. S., and SRIMAL, R. C. Central cardiovascular actions of γ -aminobutyric acid, **23**, 383
- , and DHAWAN, K. N. Depression of the vasomotor centre by mecamlamine, independent of its ganglion-blocking action, **21**, 39
- , and JAITLEY, K. D. Effect of some phenothiazine tranquillizers on the oestrus cycle of albino mice, **22**, 162
- , KAR, K., and PARMAR, Surendra S. Independent cholinergic and adrenergic mechanisms in the guinea-pig isolated nerve-vas deferens preparation, **24**, 641
- , KISHOR, K., PANT, M. C., and SAXENA, P. R. Identification of tryptamine derivatives in *Ranunculus sceleratus*, **25**, 743
- , and OM CHANDRA. Anti-emetic activity of phenothiazines in relation to their chemical structure, **21**, 436
- , —. Tranquillizing and hypotensive activities of twelve phenothiazines, **22**, 154
- , —, and VARMA, D. R. Mechanism of the emetic action of sodium salicylate, **21**, 45
- , and SRIVASTAVA, R. K. Nonspecific depressant action of γ -aminobutyric acid on somatic reflexes, **23**, 391
- , —. Antitetanus activity of central muscle relaxants, **25**, 74
- , —. Central effects of haloperidol on somatic reflexes, **25**, 751
- , and TANGRI, K. K. Central vasomotor effects of 5-hydroxytryptamine, **14**, 411
- , —. See also DHAWAN, K. N., *et al.*, **15**, 215
- BHATTACHARYA, B. K., and FELDBERG, W. Comparison of the effects of eserine and neostigmine on the leech muscle preparation, **13**, 151

- BHATTACHARYA, B. K., and FELDBERG, W. (*cont.*)
 —, —. Perfusion of cerebral ventricles: effects of drugs on outflow from the cisterna and the aqueduct, **13**, 156
 —, —. Perfusion of cerebral ventricles: assay of pharmacologically active substances in the effluent from cisterna and aqueduct, **13**, 163
 —, and SEN, Amiya B. Chemotherapeutic properties of some new quaternary ammonium compounds; their cesticidal action against *Hymenolepis nana*, **24**, 240
- BHATTACHARYA, S. S. See BHARGAVA, K. P., *et al.*, **23**, 383
- BHIDE, N. K. Pharmacological study and fractionation of *Paspalum scrobiculatum* extract, **18**, 7
- BHOOLA, K. D., COLLIER, H. O. J., SCHACHTER, M., and SHORLEY, Patricia G. Actions of some peptides on bronchial muscle, **19**, 190
- BIANCHI, G. See MAFFII, G., *et al.*, **16**, 231
- BIGGS, D. F. Experiments on the mechanism of action of chlorocresol and caffeine, **24**, 510
- BIGLAND, C. H., and SHIFRINE, M. Effect of histamine on reproduction in female mice, **25**, 1
- BILBEY, D. L. J., SALEM, H., and GROSSMAN, M. H. Anatomical basis of the Straub phenomenon, **15**, 540
- BINAGHI, R. See HALPERN, B. N., *et al.*, **14**, 19
- BIRMINGHAM, A. T., and WILSON, A. B. Preganglionic and postganglionic stimulation of the guinea-pig isolated vas deferens preparations, **21**, 569
 —, —. Analysis of the blocking action of dimethylphenylpiperazinium iodide on the inhibition of isolated small intestine produced by stimulation of the sympathetic nerves, **24**, 375
- BISCARDI, A. M., CARPI, A., and ORSINGER, O. A. Urinary excretion of catechol amines in the rat after their liberation by reserpine or dexamphetamine, **23**, 529
- BISHOP, Hilary, FRAZER, A. C., ROBINSON, G. B., and SCHNEIDER, R. Nature of the antiperistaltic factor from wheat gluten, **21**, 238
 —. See also SCHNEIDER, R., *et al.*, **15**, 219, 574
- BISHOP, J. M., HARRIS, P., and SEGEL, N. Circulatory effects of bradykinin in normal subjects and patients with bronchitis, **25**, 456
- BISSET, G. W. Effect of tyrosinase preparations on oxytocin, vasopressin and bradykinin, **18**, 405
 —, and LEWIS, G. P. Spectrum of pharmacological activity in some biologically active peptides, **19**, 168
- BIZZI, A., GARATTINI, S., and VENERONI, E. Action of salicylate in reducing plasma free fatty acids and its pharmacological consequences, **25**, 187
- BJURÖ, T., and WESTLING, H. Effect of sodium intake on urinary histamine in adrenalectomized rats, **22**, 453
 —, —, and WETTERQVIST, H. Effect of thyroid hormones on histamine formation in the rat, **17**, 479
 —, —, —. Formation of [¹⁴C]histamine *in vivo* in normal rats and in rats treated with liothyronine, **23**, 433
- BLABER, L. C. Antagonism of muscle relaxants by ambenonium and methoxyambenonium in the cat, **15**, 476
 —. Facilitation of neuromuscular transmission by anticholinesterase drugs, **20**, 63
 —, and BOWMAN, W. C. Comparison between the effects of edrophonium and choline in the skeletal muscles of the cat, **14**, 456
- BLABER, L. C., and BOWMAN, W. C. (*cont.*)
 —, —. Studies on the repetitive discharges evoked in motor nerve and skeletal muscle after injection of anticholinesterase drugs, **20**, 326
- BLACK, J. W., DUNCAN, W. A. M., and SHANKS, R. G. Comparison of some properties of pronethalol and propranolol, **25**, 577
- BLACKMAN, J. G. Stimulus frequency and neuromuscular block, **20**, 5
 —, CAMPION, D. S., and FASTIER, F. N. Mechanism of action of reserpine in producing gastric haemorrhage and erosion in the mouse, **14**, 112
 —, and LAVERTY, R. Peripheral actions of hexamethonium in relation to the decreasing effects of repeated doses on the blood pressure of anaesthetized rats, **17**, 124
 —, and RAY C. Actions of mecamlamine, dimecamlamine, pempidine and their two quaternary methosalts at the neuromuscular junction, **22**, 56
- BLAIR, A. M. J. N. Pharmacological actions of pepsintensin, **18**, 255
 —, and STEPHENSON, R. P. Analgesic action of ethyl 4-phenylpiperidine-4-carboxylates with oxygenated 1-substituents, **15**, 247
 —. See also BASIL, B., *et al.*, **22**, 318
- BLAIR, D. A., GLOVER, W. E., KIDD, B. S. L., and RODDIE, I. C. Peripheral vascular effects of bretylium tosylate in man, **15**, 466
- BLASCHKO, H., and CHRUŚCIEL, T. L. Observations on the substrate specificity of amine oxidases, **14**, 364
 —, and KURZÉPA, S. Potentiation of the response to histamine by picolylamines, **19**, 544
 —, and LEVINE, W. G. Comparative study of hydroxyindole oxidases, **15**, 625
 —, and MILTON, A. S. Oxidation of 5-hydroxytryptamine and related compounds by *Mytilus* gill plates, **15**, 42
 —. See also PRATESI, P., *et al.*, **14**, 256
- BOGOCH, S., PAASONEN, M. K., and TRENDLENBURG, U. Some pharmacological properties of brain ganglioside, **18**, 325
- BONACCORSI, A., GARATTINI, S., and JORI, A. Studies on the hyperglycaemia induced by chlorpromazine in rats, **23**, 93
- BORN, G. V. R., HORNYKIEWICZ, O., and STAFFORD, Anne. Uptake of adrenaline and noradrenaline by blood platelets of the pig, **13**, 411
 —, INGRAM, G. I. C., and STACEY, R. S. Relationship between 5-hydroxytryptamine and adenosine triphosphate in blood platelets, **13**, 62
- BOSWOOD, Janet. See ARMITAGE, A. K., *et al.*, **16**, 59; **17**, 196
- BOTTING, J. H. An isolated preparation with a selective sensitivity to vasopressin, **24**, 156
- BOULLIN, D. J. Pharmacological responses of thiamine-deficient rat tissues, **20**, 190
 —. Action of triethylcholine on the peristaltic reflex of the guinea-pig ileum, **21**, 208
 —. Observations on the significance of 5-hydroxytryptamine in relation to the peristaltic reflex of the rat, **23**, 14
- BOURA, A. L. A., COPP, F. C., DUNCOMBE, W. G., GREEN, A. F., and MCCOUBREY, A. Selective accumulation of bretylium in sympathetic ganglia and their postganglionic nerves, **15**, 265
 —, DUNCOMBE, W. G., and MCCOUBREY, A. Distribution of some quaternary ammonium salts in the peripheral nervous system of cats in relation to the adrenergic-blocking action of bretylium, **17**, 92

- BOURA, A. L. A. (*cont.*)
 —, and GREEN, A. F. Actions of bretylium: adrenergic neurone blocking and other effects, **14**, 536
 —, —. Comparison of bretylium and guanethidine: tolerance, and effects on adrenergic nerve function and responses to sympathomimetic amines, **19**, 13
 —, —. Adrenergic neurone blockade and other acute effects caused by *N*-benzyl-*N,N'*-dimethylguanidine and its ortho-chloro-derivative, **20**, 36
 BOVET, D., KOHN, R., MAROTTA, M., and SILVESTRINI, B. Some effects of histamine in the normal and *Haemophilus pertussis* vaccinated rat, **13**, 74
 BOWDEN, K., BROADBENT, J. L., and ROSS, W. J. Some simple anthelmintics, **24**, 714
 BOWERS, M. B., Jr. Stimulation and sensitization of the isolated *Venus* heart by cerebrospinal fluid, **19**, 295
 BOWMAN, W. C. Neuromuscular blocking action of benzoquinonium chloride in the cat and the hen, **13**, 521
 —, CALLINGHAM, B. A., and CUTHBERT, A. W. Effects of physostigmine on the mechanical and electrical responses of the cat nictitating membrane, **22**, 558
 —, GOLDBERG, A. A. J., and RAPER, C. Comparison between the effects of a tetanus and the effects of sympathomimetic amines on fast- and slow-contracting mammalian muscles, **19**, 464
 —, and HEMSWORTH, B. A. Effects of triethylcholine on the output of acetylcholine from the isolated diaphragm of the rat, **24**, 110
 —, —. Effects of some polymethylenebis(hydroxyethyl)dimethylammonium salts on neuromuscular transmission, **25**, 392
 —, —, and RAND, M. J. Triethylcholine compared with other substances affecting neuromuscular transmission, **19**, 198
 —, and RAND, M. J. Actions of triethylcholine on neuromuscular transmission, **17**, 176
 —, and RAPER, C. Effects of adrenaline and other drugs affecting carbohydrate metabolism on contractions of the rat diaphragm, **23**, 184
 —, —. Effects of sympathomimetic amines on chronically denervated skeletal muscles, **24**, 98
 —. *See also* BLABER, L. C., *et al.*, **14**, 456; **20**, 326
 BOYD, G., GILLESPIE, J. S., and MACKENNA, B. R. Origin of the cholinergic response of the rabbit intestine to stimulation of its extrinsic sympathetic nerves after exposure to sympathetic blocking agents, **19**, 258
 BOYD, Helen, BURNSTOCK, G., CAMPBELL, G., JOWETT, Alison, O'SHEA, Judith, and WOOD, Margaret. Cholinergic-blocking action of adrenergic-blocking agents in the pharmacological analysis of autonomic innervation, **20**, 418
 —, —, and ROGERS, D. Innervation of the large intestine of the toad (*Bufo marinus*), **23**, 151
 —, CHANG, V., and RAND, M. J. Anticholinesterase activity of some antiadrenaline agents, **15**, 525
 BRADLEY, P. B., and KEY, B. J. Comparative study of the effects of drugs on the arousal system of the brain, **14**, 340
 —, and MARLEY, E. Effect of tryptamine and tryptamine homologues on cerebral electrical activity and behaviour in the cat, **24**, 659
 BREEZE, G. R., and NASH, C. B. Cardiovascular interactions between acutely administered reserpine and mephentermine, **25**, 621
 BRIMBLECOMBE, R. W., DOWNING, D. F., GREEN, D. M., and HUNT, R. R. Some pharmacological effects of a series of tryptamine derivatives, **23**, 43
 BRITTAI, R. T., CHESHER, B. G., COLLIER, H. O. J., and GRIMSHAW, J. J. Assay of suxamethonium and laudexium on the frog rectus abdominis, **14**, 158
 —, COLLIER, H. O. J., and D'ARCY, P. F. Neuromuscular-blocking action of γ -oxalolaudonium bromide, **17**, 116
 BROADBENT, J. L. Cardiotoxic action of two tannins, **18**, 167
 —. Importance of calcium in the actions of some drugs that stimulate the isolated hypodynamic frog heart, **19**, 183
 —. Interaction of some stimulant and depressant drugs on the frog heart, **21**, 78
 —, and SCHNIEDEN, H. Comparison of some pharmacological properties of dioscorine and dioscoreine, **13**, 213
 —. *See also* BOWDEN, K., *et al.*, **24**, 714
 BRODIE, B. B., CHANG, C. C., and COSTA, E. Mechanism of action of guanethidine and bretylium, **25**, 171
 BROOME, A. W. J. Studies on the mode of action of methyridine [2-(2-methoxyethyl)pyridine], **17**, 327
 —, and GREENHALGH, N. Anthelmintic activity of methyridine against experimental nematode infections in mice, **17**, 321
 BROOME, J., CALLOW, R. K., FELDBERG, W., and KOVACS, B. A. Histamine protection in guinea-pigs produced by plant-tumour extracts, **18**, 87
 BROWN, B. T., STAFFORD, Anne, and WRIGHT, S. E. Chemical structure and pharmacological activity of some derivatives of digitoxigenin and digoxigenin, **18**, 311
 BROWN, D. A. An eserine-like action of chloral hydrate, **19**, 111
 —. Release of histamine by the α -toxin of *Staphylococcus pyogenes*, **25**, 771
 —, PRICHARD, B. N. C., and QUILLIAM, J. P. Some pharmacological properties of the α -toxin of *Staphylococcus pyogenes*, **14**, 59
 —, and QUILLIAM, J. P. Effects of some centrally acting drugs on ganglionic transmission in the cat, **23**, 241
 —, —. Observations on the mode of action of some central depressant drugs on transmission through the cat superior cervical ganglion, **23**, 257
 —, —. Some effects of staphylococcal α -toxin on isolated mammalian smooth muscle preparations, **25**, 781
 BROWN, D. M. *See* ACRED, P., *et al.*, **15**, 485, 496; **17**, 70; **18**, 356; **21**, 339
 —, BAINBRIDGE, J. G., *et al.*, **15**, 147
 BROWN, K. N., HILL, J., and HOLLAND, A. E. Antitrypanosomal activity of certain phenyldiazoamino- and phenylazoamino-phenanthridinium compounds, **17**, 396
 BROWN, R. V. Effects of intracisternal sarin and pralidoxime (pyridine-2-aldoxime methyl methanesulphonate) in anaesthetized dogs, **15**, 170
 BROWNE, G., and HARRY, J. Some pharmacological properties of the circular and longitudinal muscle strips from the guinea-pig isolated ileum, **21**, 544
 —, and JOHNSON, E. S. Site of the 5-hydroxytryptamine receptor on the intramural nervous plexus of the guinea-pig isolated ileum, **21**, 306
 —, —. Release of acetylcholine from the isolated ileum of the guinea-pig induced by 5-hydroxytryptamine and dimethylphenylpiperazinium, **24**, 689
 BRUG, J., DE BOCK, C. A., MOED, H. D., and KLEIN, A. J. Antiviral action of derivatives of ω -aminoacetophenone, **13**, 404

- BRUS, R., CHRUSCIEL, M., CHRUSCIEL, T. L., and PLECH, A. Sympatholytic drugs and intraperitoneal injections of surface-active agents, **23**, 449
- BUCKETT, W. R., and HAINING, C. G. Some pharmacological studies of the optically active isomers of hyoscine and hyoscyamine, **24**, 138
- BUCKNELL, Anne, and WHITNEY, B. Preliminary investigation of the pharmacology of the human isolated taenia coli preparation, **23**, 164
- BUEDING, E., SAZ, H. J., and FARROW, G. W. Effect of piperazine on succinate production by *Ascaris lumbricoides*, **14**, 497
- , See also TIMMS, A. R., *et al.*, **14**, 68
- BUGNARD, C. See HALPERN, B. N., *et al.*, **14**, 19
- BÜLBRING, Edith, and BURNSTOCK, G. Membrane potential changes associated with tachyphylaxis and potentiation of the response to stimulating drugs in smooth muscle, **15**, 611
- , and CREMA, A. Observations concerning the action of 5-hydroxytryptamine on the peristaltic reflex, **13**, 444
- , —, and SAXBY, O. B. Method for recording peristalsis in isolated intestine, **13**, 440
- BULL, G., and HEMWORTH, B. A. Action of triethylcholine on the biological synthesis of acetylcholine, **25**, 228
- BURGEN, A. S. V. Role of ionic interaction at the muscarinic receptor, **25**, 4
- , and GOLDBERG, N. J. Absorption of folic acid from the small intestine of the rat, **19**, 313
- , and IVERSEN, L. L. Inhibition of noradrenaline uptake by sympathomimetic amines in the rat isolated heart, **25**, 34
- BURN, G. P., and BURN, J. H. Uptake of labelled noradrenaline by isolated atria, **16**, 344
- BURN, J. H., DROMEY, J. J., and LARGE, B. J. Release of acetylcholine by sympathetic nerve stimulation at different frequencies, **21**, 97
- , and FROEDE, H. Action of substances which block sympathetic postganglionic nervous transmission, **20**, 378
- , and GIBBONS, W. R. Effect of phenoxybenzamine and of tolazoline on the response to sympathetic stimulation, **22**, 527
- , —. Part played by calcium in determining the response to stimulation of sympathetic postganglionic fibres, **22**, 540
- , —. The sympathetic postganglionic fibre and the block by bretylium. The block prevented by hexamethonium and imitated by mecamlamine, **22**, 549
- , and HUKOVIĆ, S. Anoxia and ventricular fibrillation; with a summary of evidence on the cause of fibrillation, **15**, 67
- , and MILTON, A. S. Choline acetylase activity in the atria and its possible relation to the maintenance of the membrane potential, **14**, 493
- , and NG, K. K. F. Action of pempidine and anti-adrenaline substances at the sympathetic postganglionic termination, **24**, 675
- , and RAND, M. J. Depressor action of dopamine and adrenaline, **13**, 471
- , —. Effect of precursors of noradrenaline on the response to tyramine and sympathetic stimulation, **15**, 47
- , —. Sympathetic postganglionic cholinergic fibres, **15**, 56
- , —, and WIEN, R. Adrenergic mechanism in the nictitating membrane, **20**, 83
- BURN, J. H., (*cont.*)
- , and WEETMAN, D. F. Effect of eserine on the response of the vas deferens to hypogastric nerve stimulation, **20**, 74
- , See also AZARNOFF, D. L., *et al.*, **16**, 335
- BEJRABLAYA, D., *et al.*, **13**, 461
- BURN, G. P., *et al.*, **16**, 344
- BURNSTOCK, G. Effect of drugs on spontaneous motility and on response to stimulation of the extrinsic nerves of the gut of a teleostean fish, **13**, 216
- , and HOLMAN, Mollie E. An electrophysiological investigation of the actions of some autonomic blocking drugs on transmission in the guinea-pig vas deferens, **23**, 600
- , See also BOYD, Helen, *et al.*, **20**, 418; **23**, 151
- BÜLBRING, Edith, *et al.*, **15**, 611
- BUSFIELD, Dorothy, CHILD, K. J., and TOMICH, E. G. An effect of phenobarbitone on griseofulvin metabolism in the rat, **22**, 137
- BUSHBY, S. R. M. See BARNETT, Margaret, *et al.*, **23**, 552
- BUTTERWORTH, K. R. β -Adrenergic blocking and pressor actions of isoprenaline in the cat, **21**, 378
- BUTTLE, G. A. H., D'ARCY, P. F., and HOWARD, E. M. Influence of cortisone and hydrocortisone acetates on the course of *Mycobacterium lepraemurium* infection in rats, **13**, 95
- , —, —, and KELLETT, D. N. Effect of adrenal steroids and corticotrophin on the growth of a sarcoma of human origin in small laboratory animals, **14**, 307
- BUTTOO, A. S., ELVES, M. W., ISRAELS, M. C. G., and ROATH, O. S. Demonstration of the site of action of the antimetabolite drug 6-azuridine by the use of leucocyte cultures, **23**, 90
- BUZARD, J. A., and CONKLIN, J. D. Comparison of the concentrations of certain nitrofurans in the aqueous humour and cerebrospinal fluid of the dog, **24**, 266
- BYCK, R. Effect of hexamethonium on the carotid chemoreceptor response to nicotine and cyanide, **16**, 15

C

- CAHAL, D. A. Analgesic activity of (+)-1-(3-methyl-4-morpholino - 2, 2 - diphenylbutyryl) pyrrolidine (R.875) in student volunteers, **13**, 30
- CAIRNIE, A. B., KOSTERLITZ, H. W., and TAYLOR, D. W. Effect of morphine on some sympathetically innervated effectors, **17**, 539
- CAIROLI, V. J., REILLY, J. F., and ROBERTS, J. Effect of reserpine pretreatment on the response of isolated papillary muscle to ephedrine, **18**, 588
- CALAM, D. H., and CALLOW, R. K. Histamine protection produced by plant tumour extracts. The active principle of tomato plants infected with crown-gall, **22**, 486
- CALLAWAY, S., and PEARCE, K. A. Protection against systemic poisoning by mustard gas, di(2-chloroethyl) sulphide, by sodium thiosulphate and Thiocit in the albino rat, **13**, 395
- CALLINGHAM, B. A., and MANN, Monica. Depletion and replacement of the adrenaline and noradrenaline contents of the rat adrenal gland, following treatment with reserpine, **18**, 138
- , See also BOWMAN, W. C., *et al.*, **22**, 558
- CALLOW, R. K. See BROOME, J., *et al.*, **18**, 87
- CALAM, D. H., *et al.*, **22**, 486
- CALNAN, J., and FRY, H. J. H. Wound healing in rats with the antibiotic fucidin, **19**, 321

- CAMERON, Margaret, A. M. Action of nitrophenols on the metabolic rate of rats, **13**, 25
- CAMPBELL, G. See BOYD, Helen, *et al.*, **20**, 418
- CAMPION, D. S. See BLACKMAN, J. G., *et al.*, **14**, 112
- CARLINI, E. A., and GREEN, J. P. Subcellular distribution of histamine, slow-reacting substance and 5-hydroxytryptamine in the brain of the rat, **20**, 264
- CARLYLE, R. F. A note on the isolated nerve-sterno-trachealis preparation of the chicken, **18**, 612
- . Mode of action of neostigmine and physostigmine on the guinea-pig trachealis muscle, **21**, 137
- . Responses of the guinea-pig isolated intact trachea to transmural stimulation and the release of an acetylcholine-like substance under conditions of rest and stimulation, **22**, 126
- de CARNERI, I. See DE CARNERI, I.
- CARPI, A. See BISCARDI, A. M., *et al.*, **23**, 529
- CASIDA, J. E. See BARON, R. L., *et al.*, **18**, 465
- CASS, Rosemary, and SPRIGGS, T. L. B. Tissue amine levels and sympathetic blockade after guanethidine and bretylium, **17**, 442
- del CASTILLO, J. See DEL CASTILLO, J.
- CAVANAGH, J. B., DAVIES, D. R., HOLLAND, P., and LANCASTER, M. C. Comparison of the functional effects of dyflos, tri-*o*-cresyl phosphate and tri-*p*-ethylphenyl phosphate in chickens, **17**, 21
- , and HOLLAND, P. Localization of cholinesterases in the chicken nervous system and the problem of the selective neurotoxicity of organophosphorus compounds, **16**, 218
- CEI, J. M. See BERTACCINI, G., *et al.*, **25**, 363, 380
- CHAIMOVITZ, M. See BERGMANN, F., *et al.*, **15**, 313; **17**, 159; **18**, 302, 381
- CHANDRA, OM. See OM CHANDRA
- CHANG, C. C., and CHANG, J. C. Change in the subcellular distribution of noradrenaline in the rat isolated vas deferens effected by nerve stimulation, **25**, 758
- . See also BRODIE, B. B., *et al.*, **25**, 171
- CHANG, J. C. See CHANG, C. C., *et al.*, **25**, 758
- CHANG, V., and RAND, M. J. Transmission failure in sympathetic nerves produced by hemicholinium, **15**, 588
- . See also BOYD, Helen, *et al.*, **15**, 525
- CHAUDHARY, Nirmala. See AIMAN, Ranita, *et al.*, **14**, 377
- CHAUDHRI, K.-UN-N. Renal effects of veratridine, **14**, 74
- CHAUDHURY, M. R. See CHAUDHURY, R. R., *et al.*, **17**, 305
- CHAUDHURY, R. R. Release of oxytocin in unanaesthetized lactating rats, **17**, 297
- , CHAUDHURY, M. R., and LU, F. C. Stress-induced block of milk ejection, **17**, 305
- CHEN, I-Yung, and LEONG WAY, E. Antagonism of morphine miosis by nalorphine as a diagnostic test for narcotic usage, **24**, 789
- CHESHER, G. B., and THORP, R. H. Atropine-resistance of the response to intrinsic nerve stimulation of the guinea-pig bladder, **25**, 288
- . See also BRITTAIN, R. T., *et al.*, **14**, 158
- CHIESARA, E. See KATO, R., *et al.*, **18**, 29
- CHILD, K. J., and ZAIMIS, Eleanor. New biological method for the assay of depolarizing substances using the isolated semispinalis muscle of the chick, **15**, 412
- . See also BUSFIELD, Dorothy, *et al.*, **22**, 137
- CHIU, C. C. See HSIEH, A. C. L., *et al.*, **14**, 219
- CHONG, G. C., and PHILLIS, J. W. Pharmacological studies on the heart of *Tapes waltlingi*: a mollusc of the family Veneridae, **25**, 481
- CHRUŚCIEL, M. See BRUS, R., *et al.*, **23**, 449
- CHRUŚCIEL, T. L. See BLASCHKO, H., *et al.*, **14**, 364
- BRUS, R., *et al.*, **23**, 449
- CIRSTEA, M. Potentiation of some bradykinin effects by thiol compounds, **25**, 405
- CLARK, B. B. See YELNOSKY, J., *et al.*, **15**, 448
- CLARK, R. J., ISAACS, A., and WALKER, J. Derivatives of 3,4-xylydine and related compounds as inhibitors of influenza virus: relationships between chemical structure and biological activity, **13**, 424
- CLARKSON, T. W., ROTHSTEIN, A., and SUTHERLAND, R. Mechanism of action of mercurial diuretics in rats; metabolism of ²⁰³Hg-labelled chlormerodrin, **24**, 1
- CLEUGH, J., GADDUM, J. H., HOLTON, Pamela, and LEACH, E. Assay of substance P on the fowl rectal caecum, **17**, 144
- CLITHEROE, H. J. See PICKLES, V. R., *et al.*, **15**, 128
- COBBIN, L. B., LEEDER, S., and POLLARD, J. Smooth muscle stimulants in extracts of optic nerves, optic tracts and lateral geniculate bodies of sheep, **25**, 295
- , and THORP, R. H. Cardio-active principle in spleen, **14**, 392
- COLLIER, H. O. J., and GRIMSHAW, J. J. Local action of some antibacterial substances against *Corynebacterium ovis* in guinea-pig skin, **13**, 231
- , HOLGATE, J. A., SCHACHTER, M., and SHORLEY, Patricia G. Bronchoconstrictor action of bradykinin in the guinea-pig, **15**, 290
- , and LEE, I. R. Nociceptive responses of guinea-pigs to intradermal injections of bradykinin and kallidin-10, **21**, 155
- , and SHORLEY, Patricia G. Analgesic antipyretic drugs as antagonists of bradykinin, **15**, 601
- . Antagonism by mefenamic and flufenamic acids of the bronchoconstrictor action of kinins in the guinea-pig, **20**, 345
- , WARNER, B. T., and SKERRY, Rita. A multiple toe-pinch method for testing analgesic drugs, **17**, 28
- . See also BERRY, P. A., *et al.*, **23**, 201
- BHoola, K. D., *et al.*, **19**, 190
- BRITTAIN, R. T., *et al.*, **14**, 158; **17**, 116
- HORTON-SMITH, C., *et al.*, **15**, 298
- COLLINS, R. F., DAVIS, M., EDGE, N. D., and HILL, J. Schistosomicidal and toxic effects of some *ω*-di(*p*-aminophenoxy)alkanes and related monoamines, **13**, 238
- , ———, ———, READING, H. W., and TURNBULL, Eleanor R. Schistosomicidal and toxic effects of some *N-p*-aminophenoxyalkylamides, **14**, 467
- COLQUHOUN, D. Balanced incomplete block designs in biological assay illustrated by the assay of gastrin using a Youden square, **21**, 67
- CONKLIN, J. D. See BUZARD, J. A., *et al.*, **24**, 266
- COOPER, C. J., FEWINGS, J. D., HODGE, R. L., and WHELAN, R. F. Effects of bretylium and guanethidine on human hand and forearm vessels and on their sensitivity to noradrenaline, **21**, 165
- COPP, F. C. See BOURA, A. L. A., *et al.*, **15**, 265
- CORNE, S. J., and EDGE, N. D. Pharmacological properties of pempidine (1,2,2,6,6-pentamethyl-piperidine), a new ganglion-blocking compound, **13**, 339
- , PICKERING, R. W., and WARNER, B. T. Method for assessing the effects of drugs on the central actions of 5-hydroxytryptamine, **20**, 106
- . See also EDGE, N. D., *et al.*, **15**, 207
- CORRIGAN, J. P. See FLEISHER, J. H., *et al.*, **13**, 288, 291; **15**, 23
- COSTA, E. See BRODIE, B. B., *et al.*, **25**, 171

- COWIE, J. F. *See* ANDERTON, J. L., *et al.*, **19**, 142
- COX, B. M., and WEINSTOCK, Marta. Quantitative studies of the antagonism by nalorphine of some of the actions of morphine-like analgesic drugs, **22**, 289
- CRAIG, A. W., JACKSON, H., and JAMES, R. M. V. Metabolic studies with di(aziridin-1-yl) sulphoxide (diethyleneiminosulphoxide), **21**, 590
- *See also* JACKSON, H., *et al.*, **14**, 149
- CRAWFORD, J. M., and CURTIS, D. R. Excitation and depression of mammalian cortical neurones by amino-acids, **23**, 313
- CRAWFORD, T. B. B., and LAW, W. Urinary excretion of adrenaline and noradrenaline by rats under various experimental conditions, **13**, 35
- CREESE, R., TAYLOR, D. B., and TILTON, B. Rate of antagonism of tubocurarine by potassium ions, **17**, 101
- CREMA, A., and BERTÉ, F. Action of sympathomimetic drugs on the isolated junction of the bile duct and duodenum, **20**, 221
- *See also* BENZI, G., *et al.*, **23**, 101
- BÜLBRING, Edith, *et al.*, **13**, 440, 444
- CRESSERI, A. *See* ANGELUCCI, R., *et al.*, **24**, 274
- CROSS, R. B. Absence of renal action of pure intermediate lobe hormone, **13**, 315
- CROUT, J. R., MUSKUS, A. J., and TRENDLENBURG, U. Effect of tyramine on isolated guinea-pig atria in relation to their noradrenaline stores, **18**, 600
- CUMMINGS, A. J., and MARTIN, B. K. Kinetic study of the elimination of 3-methylsalicylic acid and its acetyl derivative in man, **25**, 470
- *See also* BEDFORD, Carole, *et al.*, **24**, 418
- CURTIS, D. R., and DAVIS, R. Pharmacological studies upon neurones of the lateral geniculate nucleus of the cat, **18**, 217
- , PHILLIS, J. W., and WATKINS, J. C. Actions of amino-acids on the isolated hemisected spinal cord of the toad, **16**, 262
- *See also* CRAWFORD, J. M., *et al.*, **23**, 313
- CUTHBERT, A. W. Actions of some anticholinesterases on the smooth muscle of the chick amnion, **18**, 550
- Some effects of atropine on smooth muscle, **21**, 285
- , and SUTTER, M. C. Effects of drugs on the relation between the action potential discharge and tension in a mammalian vein, **25**, 592
- *See also* BOWMAN, W. C., *et al.*, **22**, 558
- CUTHBERT, M. F. Relative actions of quaternary methyl derivatives of tyramine, dopamine and noradrenaline, **23**, 55
- D**
- DALE, M. Maureen. Inhibitory effect of acetylcholine on the response of the guinea-pig ileum to histamine, **13**, 17
- DANDIYA, P. C., and MENON, M. K. Effects of asarone and β -asarone on conditioned responses, fighting behaviour and convulsions, **20**, 436
- DANIEL, E. E., and MARKS, G. S. Pressor response to acetylcholine and the effects of *N*-diethylaminoethyl-*N*-isopentyl-*N'*-di-isopropylurea, **24**, 449
- D'ARCY, P. F. *See* BRITTAI, R. T., *et al.*, **17**, 116
- BUTTLE, G. A. H., *et al.*, **13**, 95; **14**, 307
- DAS, P. K. *See* MALHOTRA, C. L., *et al.*, **18**, 190
- DA SILVA, W. D. *See* BERALDO, W. T., *et al.*, **17**, 236; **19**, 405
- MOTA, I., *et al.*, **15**, 396, 405
- DAVEY, D. G. *See* AINLEY, A. D., *et al.*, **13**, 244
- DAVEY, M. J., FARMER, J. B., and REINERT, H. Effects of nialamide on adrenergic functions, **20**, 121
- , and REINERT, H. Pharmacology of the anti-hypertensive guanosine, **24**, 29
- DAVIES, A. *See* AYLIFFE, G. A. J., *et al.*, **24**, 189
- DAVIES, B. N. *See* ABERCROMBIE, G. F., *et al.*, **20**, 171
- DAVIES, D. R., GREEN, A. L., and WILLEY, G. L. 2-Hydroxyiminomethyl-*N*-methylpyridinium methane-sulphonate and atropine in the treatment of severe organophosphate poisoning, **14**, 5
- , HOLLAND, P., and RUMENS, M. J. Relationship between the chemical structure and neurotoxicity of alkyl organophosphorus compounds, **15**, 271
- , and WILLEY, G. L. Toxicity of pralidoxime (2-hydroxyiminomethyl-*N*-methylpyridinium) methane-sulphonate (P2S), **13**, 202
- *See also* BERRY, W. K., *et al.*, **14**, 186
- CAVANAGH, J. B., *et al.*, **17**, 21
- DAVIES, G. E., and DRIVER, G. W. Action of two ethyl thiol esters against experimental tuberculosis in the guinea-pig, **15**, 122
- , and LOWE, J. S. Presence of kallikrein in the γ -globulin permeability factor of guinea-pig serum, **21**, 491
- DAVIES, J. W. L., RICKETTS, C. R., and WILLIAMS, B. N. Plasma volume expansion by rapid infusion of a low-molecular-weight dextran, **21**, 220
- DAVIS, M. *See* COLLINS, R. F., *et al.*, **13**, 238; **14**, 467
- DAVIS, R. *See* CURTIS, D. R., *et al.*, **18**, 217
- DAWSON, W., and WEST, G. B. Influence of ascorbic acid on histamine metabolism in guinea-pigs, **24**, 725
- DAY, Margaret, GREEN, J. P., and ROBINSON, jun., J. D. Disposition of [35 S]heparin in the rat, **18**, 625
- , and STOCKBRIDGE, Anne. Effects of drugs on the uptake of amines by mast cells, **23**, 405
- , and VANE, J. R. Analysis of the direct and indirect actions of drugs on the isolated guinea-pig ileum, **20**, 150
- DAY, M. D. Effect of sympathomimetic amines on the blocking action of guanethidine, bretylium and xylocholone, **18**, 421
- , and RAND, M. J. Effect of guanethidine in revealing cholinergic sympathetic fibres, **17**, 245
- , —. Evidence for a competitive antagonism of guanethidine by dexamphetamine, **20**, 17
- , —. Tachyphylaxis to some sympathomimetic amines in relation to monoamine oxidase, **21**, 84
- , —. Some observations on the pharmacology of α -methyl dopa, **22**, 72
- DE BOCK, C. A. *See* BRUG, J., *et al.*, **13**, 404
- DE CARNERI, I. *See* LOGEMANN, W., *et al.*, **17**, 286
- DEKANSKI, J. B., and HARVIE, Margaret I. Quantitative assay of corticotrophin using rats treated with hydrocortisone acetate, **15**, 95
- DE LA SIERRA, B. G. A. Action of some ganglion-stimulating substances on the secretion of saliva from the submandibular gland, **18**, 501
- DEL CASTILLO, J., DE MELLO, W. C., and MORALES, T. Mechanism of the paralytic action of piperazine on ascaris muscle, **22**, 463
- *See also* ALONSO-deFLORIDA, F., *et al.*, **25**, 610
- DELLA BELLA, D., GANDINI, A., and PRETI, M. Mechanism of the pressor responses to physostigmine in the rat and their modification by mebutamate and amylobarbitone, **23**, 540

- DELLA BELLA, D. (*cont.*)
- , ROGNONI, F., and TEOTINO, U. Effect of β -diethyl-aminoethyl 3,3-diphenylpropylacetate on the action of suxamethonium and other neuromuscular blocking drugs, **18**, 563
- , See also BENELLI, G., *et al.*, **22**, 211
- DE MELLO, W. C. See DEL CASTILLO, J., *et al.*, **22**, 463
- DESHPANDE, V. R., SHARMA, M. L., KHERDIKAR, P. R., and GREWAL, R. S. Some observations on pecking in pigeons, **17**, 7
- , See also JINDAL, M. N., *et al.*, **15**, 506
- DEWHURST, W. G., and MARLEY, E. Methods for quantifying behaviour and cerebral electrical activity and the effect of drugs under controlled conditions, **25**, 671
- , —. Effects of α -methyl derivatives of nor-adrenaline, phenylethylamine and tryptamine on the central nervous system of the chicken, **25**, 682
- , —. Action of sympathomimetic and allied amines on the central nervous system of the chicken, **25**, 705
- DEWS, P. B. See PAASONEN, M. K., *et al.*, **13**, 84
- DHAWAN, B. N., and SAXENA, P. N. Apomorphine-induced pecking in pigeons, **15**, 285
- , —, and GUPTA, G. P. Antagonism of apomorphine-induced pecking in pigeons, **16**, 137
- DHAWAN, K. N., and BHARGAVA, K. P. Central vasomotor effects of a new ganglion-blocking agent—1,2,2,6,6-pentamethylpiperidine (pempidine), **15**, 215
- , See also BHARGAVA, K. P., *et al.*, **21**, 39
- DIAS DA SILVA, W. See DA SILVA, W. D.
- DICKINS, D. W., LADER, M. H., and STEINBERG, Hannah. Differential effects of two amphetamine-barbiturate mixtures in man, **24**, 14
- DIXIT, B. N., GULATI, O. D., and GOKHALE, S. D. Action of bretylium and guanethidine at the neuromuscular junction, **17**, 372
- DÓDA, M., FEHÉR, O., GYÖRGY, L., and NÁDOR, K. Pharmacology of new adrenergic neurone blocking agents, *N-p*-cyclohexylbenzyltropinium derivatives, **21**, 10
- DOLLERY, C. T., EMSLIE-SMITH, D., and MUGGLETON, D. F. Action of chlorothiazide on the distribution, excretion and hypotensive effect of pempidine in man, **17**, 488
- DOMER, F. R., and DYAS, E. C. Effects on the spinal cord of the cat by drugs known to influence neuromuscular transmission, **25**, 411
- , and FELDBERG, W. Tremor in cats: effect of administration of drugs into the cerebral ventricles, **15**, 578
- DOWNING, D. F. See BRIMBLECOMBE, R. W., *et al.*, **23**, 43
- DOYLE, A. E., and MORLEY, A. Studies on the absorption and excretion of [14 C]bethanidine in man, **24**, 701
- DOYLE, D., HARRIS, E. A., and SLAWSON, K. B. Respiratory action of dichlorphenamide, **22**, 228
- DRAŠKOVIĆ, M. Assay of lysergide (*lysergic acid diethylamide*) and its passage from blood into the perfused cerebral ventricles, **15**, 29
- DRIVER, G. W. See DAVIES, G. E., *et al.*, **15**, 122
- DROMEY, J. J. See BURN, J. H., *et al.*, **21**, 97
- DUNCAN, W. A. M. See BLACK, J. W., *et al.*, **25**, 577
- DUNCOMBE, W. G., and MCCOUBREY, A. Excretion and stability to metabolism of bretylium, **15**, 260
- , See also BOURA, A. L. A., *et al.*, **15**, 265; **17**, 92
- DUNLOP, D. See SPINKS, A., *et al.*, **13**, 501
- DYAS, E. C. See DOMER, F. R., *et al.*, **25**, 411
- EADE, N. R., and WOOD, D. R. Release of adrenaline and noradrenaline from the adrenal medulla of the cat during splanchnic stimulation, **13**, 390
- EAKINS, K. E., and LOCKETT, Mary F. Formation of an isoprenaline-like substance from adrenaline, **16**, 108
- , and RYAN, S. J. Action of sympathomimetic amines on the outflow of aqueous humour from the eye, **23**, 374
- EDERY, H. Effects of diacetyl monoxime on neuromuscular transmission, **14**, 317
- , —. Effects of organophosphorus compounds, oximes and atropine injected into the third ventricle of unanaesthetized dogs, **18**, 19
- , —. Potentiation of the action of bradykinin on smooth muscle by chymotrypsin, chymotrypsinogen and trypsin, **22**, 371
- , —. Further studies of the sensitization of smooth muscle to the action of plasma kinins by proteolytic enzymes, **24**, 485
- , and LEWIS, G. P. Inhibition of plasma kininase activity at slightly acid pH, **19**, 299
- , and SCHATZBERG-PORATH, G. Phosphorylphosphatase and oximes, **17**, 276
- EDGE, N. D. Effects of amphetamine on the responses of the guinea-pig isolated vas deferens preparation to hypogastric nerve stimulation, **22**, 408
- , CORNE, S. J., LEE, G. E., and WRAGG, W. R. Ganglion-blocking activity of aminobicyclo[2,2,1]-heptanes (congeners of mecamlamine) and bicyclo-[3,2,1]azaoctanes (bridged congeners of pempidine), **15**, 207
- , See also COLLINS, R. F., *et al.*, **13**, 238; **14**, 467
- , CORNE, S. J., *et al.*, **13**, 339
- EISEN, V. Effect of hexadimethrine bromide on plasma kinin formation, hydrolysis of *p*-tosyl-L-arginine methyl ester and fibrinolysis, **22**, 87
- ELLIOTT, R. C. Centrally active drugs and transmission through the isolated superior cervical ganglion preparation of the rabbit when stimulated repetitively, **24**, 76
- , and QUILLIAM, J. P. Some actions of centrally active and other drugs on the transmission of single nerve impulses through the isolated superior cervical ganglion preparation of the rabbit, **23**, 222
- ELMORE, D. T. See KILPATRICK, R., *et al.*, **13**, 350
- ELVES, M. W. See BUTTOO, A. S., *et al.*, **23**, 90
- EMMELIN, N. Supersensitivity due to prolonged administration of ganglion-blocking compounds, **14**, 229
- , —. Supersensitivity of the submaxillary gland following exclusion of the postganglionic parasympathetic neurone, **15**, 356
- , and ENGSTRÖM, J. Supersensitivity of salivary glands following treatment with bretylium or guanethidine, **16**, 315
- , HOLMBERG, J., and OHLIN, P. Receptors for catechol amines in the submaxillary glands of rats, **25**, 134
- , and NORDENFELT, I. Effects of cross-suture and of injected acetylcholine on the supersensitivity of denervated striated muscle, **14**, 234
- , and STRÖMBLAD, B. C. R. Effect of anticholinesterases on the parotid gland after parasympathetic decentralization or denervation, **13**, 193
- , See also ASSARSON, N., *et al.*, **22**, 119
- EMSLIE-SMITH, D. See DOLLERY, C. T., *et al.*, **17**, 488
- ENGBERG-PEDERSEN, H., MØRCH, P., and TYBRING, L. Kinetics of serum aminosalicilic acid levels, **23**, 1

- ENGSTRÖM, J. See EMMELIN, N., *et al.*, **16**, 315
- ERSPAMER, G. F. See ERSPAMER, V., *et al.*, **19**, 337
- ERSPAMER, V., and ERSPAMER, G. F. Pharmacological actions of eledoisin on extravascular smooth muscle, **19**, 337
- , and GLÄSSER, A. Pharmacological actions of some murexine-like substances, **13**, 378
- , —. Pharmacological actions of (*m*-hydroxyphenethyl)trimethylammonium (leptodactyline), **15**, 14
- , —. Action of eledoisin on the systemic arterial blood pressure of some experimental animals, **20**, 516
- , —. See also ANASTASI, A., *et al.*, **19**, 326
- BERTACCINI, G., *et al.*, **25**, 363, 380
- ESPELIEN, A. D. See EXLEY, K. A., *et al.*, **13**, 485
- EVANS, C. L. Cobalt compounds as antidotes for hydrocyanic acid, **23**, 455
- EVANS, E. R., and WILSON, H. Actions of hemicholinium (HC-3) on neuromuscular transmission, **22**, 441
- EVANS, M. H. Effects of "paralytic shellfish poison" on frog nerve and muscle, **22**, 478
- EVERITT, B. J., HALL, G. H., and TAYLOR, E. M. Sedative and anticonvulsant activity of some substituted pyrrolidones and piperidones, **25**, 790
- EXLEY, K. A., FLEMING, Marie C., and ESPELIEN, A. D. Effects of drugs which depress the peripheral nervous system on the reticular activating system of the cat, **13**, 485
- F
- FABRO, S., SCHUMACHER, H., SMITH, R. L., STAGG, R. B. L., and WILLIAMS, R. T. Metabolism of thalidomide: some biological effects of thalidomide and its metabolites, **25**, 352
- FARMER, J. B. See DAVEY, M. J., *et al.*, **20**, 121
- FARQUHARSON, Muriel E., GAGE, J. C., and NORTHOVER, Jean. Biological action of chlorophenols, **13**, 20
- , and JOHNSTON, R. G. Antagonism of the effects of Tremorine by tropine derivatives, **14**, 559
- FARRANT, J. Interactions between cocaine, tyramine and noradrenaline at the noradrenaline store, **20**, 540
- , HARVEY, Judith A., and PENNEFATHER, Jocelyn N. Influence of phenoxybenzamine on the storage of noradrenaline in rat and cat tissues, **22**, 104
- FARRINGTON, J. A. See SPINKS, A., *et al.*, **13**, 501
- FARROW, G. W. See BUEDING, E., *et al.*, **14**, 497
- FASCILOLO, J. C. Bradykininogen, angiotensinogen and kallidinogen, **21**, 250
- FASTER, F. N., McDOWALL, M. A., and WAAL, Hendrieka. Pharmacological properties of phenyl-diguanide and other amidine derivatives in relation to those of 5-hydroxytryptamine, **14**, 527
- , —. See also BLACKMAN, J. G., *et al.*, **14**, 112
- FAWAZ, G. Effect of mephentermine on isolated dog hearts, normal and pretreated with reserpine, **16**, 309
- , and SIMAAN, J. Cardiac noradrenaline stores, **20**, 569
- , —. Tachyphylaxis caused by mephentermine and tyramine, **24**, 526
- , and TUTUNJI, B. Ouabain-induced ventricular tachycardia and its effect on the performance and metabolism of the dog heart, **14**, 355
- , —. Effects of adrenaline and noradrenaline on the metabolism and performance of the isolated dog heart, **15**, 389
- FEHÉR, O. See DÓDA, M., *et al.*, **21**, 10
- FEHR, H.-U. See BEIN, H. J., *et al.*, **19**, 375
- FELDBERG, W. See ARCHER, R. K., *et al.*, **18**, 101
- BHATTACHARYA, B. K., *et al.*, **13**, 151, 156, 163
- BROOME, J., *et al.*, **18**, 87
- DOMER, F. R., *et al.*, **15**, 578
- FENG, P. C., and PATRICK, S. J. Action of hypoglycin-A, a hypoglycaemic substance, **13**, 125
- FENNER, Penelope A., and HILTON, J. G. Effects of neostigmine upon ganglion responses after administration of blocking drugs, **21**, 323
- FENTON, H., and WEST, G. B. Studies on wound healing, **20**, 507
- FERNANDES, A. D. L. See BERALDO, W. T., *et al.*, **19**, 405
- FERNANDES, J. F. See MOTA, I., *et al.*, **15**, 405
- FERREIRA, S. H. A bradykinin-potentiating factor (BPF) present in the venom of *Bothrops jararaca*, **24**, 163
- FEWINGS, J. D., HODGE, R. L., SCROOP, G. C., and WHELAN, R. F. Effects of bethanidine on the peripheral circulation in man, **23**, 115
- , —. See also COOPER, C. J., *et al.*, **21**, 165
- FIELDEN, R., and GREEN, A. L. Effects of some aralkyl-guanidines in mice, **24**, 408
- , —, and WILLEY, G. L. Adrenergic neurone blocking activity of some aralkylguanidines, **24**, 395
- , ROE, A. M., and WILLEY, G. L. Adrenergic neurone-blocking action of some coumaran derivatives, **23**, 486
- FISCHER, J. E., HORST, W. D., and KOPIN, I. J. Hydroxylated sympathomimetic amines as false neurotransmitters, **24**, 477
- FLEISHER, J. H., CORRIGAN, J. P., and HOWARD, J. W. Potentiation of the response of frog rectus muscle to acetylcholine by isopropyl methyl phosphonofluoridate and its modification by pyridine 2-aldoxime methiodide, **13**, 291
- , —, —. Reciprocal potentiating action of depolarizing drugs on the isolated frog rectus abdominis muscle, **15**, 23
- , HOWARD, J. W., and CORRIGAN, J. P. Effect of pyridine aldoximes on response of frog rectus muscle to acetylcholine, **13**, 288
- FLEMING, Marie C. See EXLEY, K. A., *et al.*, **13**, 485
- FLEMING, W. W., and KENNY, A. D. Effect of fasting on the hyperglycaemic responses to catechol amines in rats, **22**, 267
- FLOOD, D. J. See HUGHES, W. H., *et al.*, **25**, 317
- FODOR, J., and GRAFNETTER, D. Influence of thiopentone anaesthesia on the blood lipid and blood sugar level, **15**, 282
- FOX, B. W., and JACKSON, H. *In vivo* effects of methylene dimethanesulphonate on proliferating cell systems, **24**, 24
- , —. See also JACKSON, H., *et al.*, **14**, 149
- FRANK, G. B. Effects of drugs on partially and completely denervated skeletal muscle of the frog, **17**, 59
- , and SANDERS, H. D. Proposed common mechanism of action for general and local anaesthetics in the central nervous system, **21**, 1
- FRAZER, A. C. See BISHOP, Hilary, *et al.*, **21**, 238
- FRIEBEL, H. Ineffectiveness of ($\pm$)-carnitine preventing the twitches of striated frog muscle in 0.7% sodium chloride solution, **14**, 420
- FRIGO, G. M. See BENZI, G., *et al.*, **23**, 101
- FROEDE, H. See BURN, J. H., *et al.*, **20**, 378
- FRY, H. J. H. See CALNAN, J., *et al.*, **19**, 321
- FULTON, J. D., and MATHEW, K. K. Tracer studies of the distribution and trypanocidal action of stilbamidine in rats, **14**, 137

G

- GABBIANI, G., SELYE, H., and TUCHWEBER, Beatriz. Prevention of indium intoxication by ferric dextran, **19**, 508
- GABR, Y. Studies on the slow contraction of smooth muscle produced by human plasma, **17**, 51
- GADDUM, J. H. An improved microbath, **23**, 613
- , and GUTH, P. S. Comparison of the kallikrein-kinin system in sheep and dogs, **15**, 181
- , and HORTON, E. W. Extraction of human urinary kinin (substance Z) and its relation to the plasma kinins, **14**, 117
- , and STEPHENSON, R. P. A microbath, **13**, 493
- , and SZERB, J. C. Assay of substance P on goldfish intestine in a microbath, **17**, 451
- , *See also* CLEUGH, J., *et al.*, **17**, 144
- GAGE, J. C. *See* FARQUHARSON, Muriel E., *et al.*, **13**, 20
- GALIMBERTI, S. *See* LOGEMANN, W., *et al.*, **17**, 286
- GALMAN, B. R. *See* ASATOOR, A. M., *et al.*, **24**, 293
- GANDINI, A. *See* BENELLI, G., *et al.*, **22**, 211
- , DELLA BELLA, D., *et al.*, **23**, 540
- GARATTINI, S. *See* BIZZI, A., *et al.*, **25**, 187
- , BONACCORSI, A., *et al.*, **23**, 93
- GARCIA LEME, J., and ROCHA E SILVA, M. Competitive and non-competitive inhibition of bradykinin on the guinea-pig ileum, **25**, 50
- GARDIER, R. W., JAMES, E. A., jun., JOHNSON, P. C., RICHARDS, A. B., and ROESCH, R. P. Vasodepression induced by acetylcholine in the atropinized dog, **20**, 579
- , RICHARDS, A. B., STOELTING, V. K., and WHITE, N. Mechanism whereby halothane reverses the pressor responses to acetylcholine, **20**, 586
- GARRETT, J., OSSWALD, W., and MOREIRA, M. G. Mechanism of cardiovascular actions of heptanolamines, **18**, 49
- GERTNER, S. B., and KOHN, R. Effect of histamine on ganglionic transmission, **14**, 179
- GEY, K. F., and PLETSCHER, A. Effect of α -alkylated tryptamine derivatives on 5-hydroxytryptamine metabolism *in vivo*, **19**, 161
- GHOSH, M. N. Quantitative method for the assay of inhibitors of acid gastric secretion in the rat, **13**, 118
- , and SCHILD, H. O. Continuous recording of acid gastric secretion in the rat, **13**, 54
- GIARMAN, N. J., and PEPEU, G. Drug-induced changes in brain acetylcholine, **19**, 226
- , —. Influence of centrally acting cholinolytic drugs on brain acetylcholine levels, **23**, 123
- , and SCHMIDT, K. F. Some neurochemical aspects of the depressant action of γ -butyrolactone on the central nervous system, **20**, 563
- GIBBONS, W. R. *See* BURN, J. H., *et al.*, **22**, 527, 540, 549
- GILLESPIE, J. S. *See* BOYD, G., *et al.*, **19**, 258
- GINSBORG, B. L., and WARRINER, Joan. Isolated chick biventer cervicis nerve-muscle preparation, **15**, 410
- GINSBURG, M., and SMITH, M. W. Fate of oxytocin in male and female rats, **14**, 327
- , *See also* AMURE, B. O., *et al.*, **22**, 520; **23**, 476
- , SMITH, M. W., *et al.*, **16**, 244
- GINZEL, K. H. Effect of lysergide [(+)-lysergic acid diethylamide] and other drugs on the sinus reflex, **13**, 250
- GIOIA, A., and MORPURGO, C. Effect of choline acetylation inhibitors on acetylcholine output and motility in response to anticholinesterases and distension of the lumen of isolated guinea-pig ileum, **13**, 467
- GIRALDI, P. N. *See* ANGELUCCI, R., *et al.*, **24**, 274
- , LOGEMANN, W., *et al.*, **18**, 61
- GLÄSSER, A. *See* ERSFAMER, V., *et al.*, **13**, 378; **15**, 14; **20**, 516
- GLAESSER, A. *See* GLÄSSER, A.
- GLOVER, W. E., GREENFIELD, A. D. M., and SHANKS, R. G. Effect of dichloroisoprenaline on the peripheral vascular responses to adrenaline in man, **19**, 235
- , SHANKS, R. G., and STANFORD, C. F. Peripheral vascular effects of mixtures of isoprenaline and noradrenaline in man, **22**, 166
- , *See also* BLAIR, D. A., *et al.*, **15**, 466
- GOKHALE, S. D., and GULATI, O. D. Potentiation of inhibitory and excitatory effects of catechol amines by bretylium, **16**, 327
- , —, and JOSHI, N. Y. Effect of some blocking drugs on the pressor response to physostigmine in the rat, **21**, 273
- , —, —. Participation of an unusual ganglionic pathway in the mediation of the pressor effect of physostigmine in the rat, **23**, 34
- , —, —. Antagonism of the blocking action of bretylium and guanethidine on the pressor effect of physostigmine in the rat, **24**, 624
- , —, and KELKAR, V. V. Mechanism of the initial adrenergic effects of bretylium and guanethidine, **20**, 362
- , —, and PARIKH, H. M. An investigation of the adrenergic blocking action of chlorpromazine, **23**, 508
- , *See also* DIXIT, B. N., *et al.*, **17**, 372
- GOLBERG, L., MARTIN, L. E., SHEARD, P., and HARRISON, C. Pharmacology of chymotrypsin administered by inhalation, **15**, 304
- GOLDBERG, A. A. J. *See* BOWMAN, W. C., *et al.*, **19**, 464
- GOLDBERG, N. J. *See* BURGEN, A. S. V., *et al.*, **19**, 313
- GONZALEZ, Carmen C. *See* ALONSO-deFLORIDA, F., *et al.*, **25**, 610
- GOODFORD, P. J. Metabolic factors and ventricular fibrillation, **13**, 144
- , and ING, H. R. Pharmacology of the ethanesulphonate anion, **14**, 358
- GOODWIN, L. G. Method for recording the effects of anthelmintics on the movements of *Ascaris lumbricoides*, **13**, 197
- , and RICHARDS, W. H. G. Pharmacologically active peptides in the blood and urine of animals infected with *Babesia rodhaini* and other pathogenic organisms, **15**, 152
- GORDON, Edna. *See* AXELROD, J., *et al.*, **19**, 56
- GOSSELIN, R. E. *See* MOORE, K. E., *et al.*, **17**, 278
- GRAFNETTER, D. *See* FODOR, J., *et al.*, **15**, 282
- GRAHAM, J. D. P. Effect of reserpine on the pressor response to injection of 2-halogenoethylamines, **16**, 77
- , —. Distribution of (2-bromethyl)ethyl(naphth-1-ylmethyl[14 C])amine hydrobromide in the rat, **23**, 285
- , and NICHOLLS, P. J. Distribution of [14 C]-bamegride in tissues after intravenous injection, **14**, 35
- GRANA, E., and LILLA, L. Inhibition of amine oxidase and the central stimulating action of the stereoisomeric amphetamines and 1-phenylethylamines, **14**, 501
- GRANT, C. M. Action of nitrophenols on the pulmonary ventilation of rats, **14**, 401
- GRAY, W. R. *See* MAXWELL, D. R., *et al.*, **17**, 310
- GREEFF, K. *See* BENFEY, B. G., *et al.*, **17**, 232

- GREEN, A. F. Comparative effects of analgesic on pain threshold, respiratory frequency and gastrointestinal propulsion, **14**, 26
- , and ROBSON, R. D. Comparison of the effects of bretylium, guanethidine and bethanidine on smooth muscle responses to different rates of sympathetic nerve stimulation, **22**, 349
- , —. Adrenergic neurone blocking agents: tolerance and hypersensitivity to adrenaline and noradrenaline, **25**, 497
- , and SIM, M. F. Diuresis in rats: effect of sympathomimetic and sympathetic blocking agents, **17**, 464
- , —. See also BOURA, A. L. A., *et al.*, **14**, 536; **15**, 265; **19**, 13; **20**, 36
- GREEN, A. L. See BERRY, W. K., *et al.*, **14**, 186
- , DAVIES, D. R., *et al.*, **14**, 5
- , FIELDEN, R., *et al.*, **24**, 395, 408
- GREEN, D. M. See BRIMBLECOMBE, R. W., *et al.*, **23**, 43
- GREEN, J. See PRICE, S. A., *et al.*, **15**, 243
- GREEN, J. P. See CARLINI, E. A., *et al.*, **20**, 264
- , DAY, Margaret, *et al.*, **18**, 625
- GREENBERG, M. J. Responses of the *Venus* heart to catechol amines and high concentrations of 5-hydroxytryptamine, **15**, 361
- , —. Structure-activity relationship of tryptamine analogues on the heart of *Venus mercenaria*, **15**, 375
- GREENFIELD, A. D. M. See GLOVER, W. E., *et al.*, **19**, 235
- GREENHALGH, N. See BROOME, A. W. J., *et al.*, **17**, 321
- GREWAL, R. S. Rôle of quinine in haemolysis, **13**, 175
- , —. See also DESHPANDE, V. R., *et al.*, **17**, 7
- GRILLO, S. A. See BENFEY, B. G., *et al.*, **20**, 528
- GRIMSHAW, J. J. See BRITTAI, R. T., *et al.*, **14**, 158
- , COLLIER, H. O. J., *et al.*, **13**, 231
- GROSSMAN, M. H. See BILBEY, D. L. J., *et al.*, **15**, 540
- GUHA, A. See AGARWAL, R. P., *et al.*, **24**, 466
- GULATI, O. D. See DIXIT, B. N., *et al.*, **17**, 372
- , GOKHALE, S. D., *et al.*, **16**, 327; **20**, 362; **21**, 273; **23**, 34, 508; **24**, 624
- GUPTA, G. P. See DHAWAN, B. N., *et al.*, **16**, 137
- GUTH, P. S. Kinins produced from bovine colostrum by kallikrein and saliva, **14**, 549
- , —. See also GADDUM, J. H., *et al.*, **15**, 181
- GUTMAN, J. See BEYTH, J., *et al.*, **24**, 612
- GYÖRGY, L. See DÓDA, M., *et al.*, **21**, 10
- H
- HAEFELY, W., HÜRLIMANN, A., and THOENEN, H. Responses to tyramine of the normal and denervated nictitating membrane of the cat: analysis of the mechanisms and sites of action, **21**, 27
- , —. Quantitative study of the effect of cocaine on the response of the cat nictitating membrane to nerve stimulation and to injected noradrenaline, **22**, 5
- HAGEN, P. Substrate specificity of dopa decarboxylase from ox adrenal medulla, human pheochromocytoma and human argentaffinoma, **18**, 175
- , and WALLACE, A. C. Effect of reserpine on growth and sexual development of chickens, **17**, 267
- HAINING, C. G. Effects of antirheumatic compounds and pyridine derivatives on the cutaneous response to thurfyl nicotinate in the guinea-pig, **21**, 104
- , and JOHNSTON, R. G. Neuromuscular blocking properties of some bistrupinium esters, **18**, 275
- HAINING, C. G., and JOHNSTON, R. G. (*cont.*)
- , —, and SMITH, J. M. Neuromuscular blocking properties of a series of bis-quaternary tropeines, **15**, 71
- , —. See also BUCKETT, W. R., *et al.*, **24**, 138
- HALEY, T. J., RAYMOND, K., KOMESU, N., and UPHAM, H. C. Toxicological and pharmacological effects of gadolinium and samarium chlorides, **17**, 526
- HALL, G. H. See EVERITT, B. J., *et al.*, **25**, 790
- HALL, W. J. Action of tyramine on the dog isolated atrium, **20**, 245
- HALLIWELL, G., QUINTON, R. M., and WILLIAMS, Frances E. Comparison of imipramine, chlorpromazine and related drugs in various tests involving autonomic functions and antagonism of reserpine, **23**, 330
- HALPERN, B. N., BINAGHI, R., MAYER, M., and BUGNARD, C. Mechanism of the inhibition by carbonic acid of the smooth muscle contraction produced by histamine and oxytocin, **14**, 19
- , NEVEU, T., and SPECTOR, S. On the nature of the chemical mediators involved in anaphylactic reactions in mice, **20**, 389
- HAMILTON, J. T. See BARLOW, R. B., *et al.*, **18**, 510, 543; **25**, 206
- HARANATH, P. S. R. K., AYESHA, Begum Naseem, and SITARAMAYYA, G. V. Effects of procaine injected into the cerebral ventricles of conscious and anaesthetized dogs, **24**, 339
- HARRIS, E. A. Effects of noscapine and codeine on the ventilatory responses to excess of carbon dioxide and lack of oxygen, **24**, 532
- , and SLAWSON, K. B. Respiratory effects of therapeutic doses of cyclobarbitone, triclofos and ethchlorvynol, **24**, 214
- , —. See also ANDERTON, J. L., *et al.*, **19**, 142; **20**, 139
- , DOYLE, D., *et al.*, **22**, 228
- HARRIS, J. M., and WEST, G. B. Rats resistant to the dextran anaphylactoid reaction, **20**, 550
- HARRIS, P. See BISHOP, J. M., *et al.*, **25**, 456
- HARRISON, C. See GOLBERG, L., *et al.*, **15**, 304
- HARRISON, Patricia M., and STEWART, G. T. Excretion of antibiotics in bile, **17**, 420
- , WHITE, Jean A., and STEWART, G. T. Excretion of methicillin sodium [sodium 6-(2,6-dimethoxybenzamido)penicillinate morohydrate] in rats, **15**, 571
- , —. See also STEWART, G. T., *et al.*, **17**, 414
- HARRY, J. Effect of cooling, local anaesthetic compounds and botulinum toxin on the responses of and the acetylcholine output from the electrically transmurally stimulated isolated guinea-pig ileum, **19**, 42
- , —. Action of drugs on the circular muscle strip from the guinea-pig isolated ileum, **20**, 399
- , —. See also BROWNLEE, G., *et al.*, **21**, 544
- HARVEY, Judith A., and PENNEFATHER, Jocelyn N. Effect of adrenaline infusions on the catechol-amine content of cat and rat tissues, **18**, 183
- , —. See also FARRATT, J., *et al.*, **22**, 104
- HARVIE, Margaret I. See DEKANSKI, J. B., *et al.*, **15**, 95
- HAWKING, F. Chemotherapeutic screening of compounds against *Theileria annulata* in tissue culture, **13**, 458
- , —. Trypanocidal action of *p*-biganidoacetophenone amidinohydrazone, **19**, 324
- , and SEN, Amiya B. Trypanocidal action of homidium, quinapyramine and suramin, **15**, 567
- , —. See also SEN, Amiya B., *et al.*, **15**, 436

- HAWKINS, D. F. Application of the Robbins-Monro process to sequential toxicity assays, **22**, 392
- HEATLEY, N. G. See JAGO, Margaret, *et al.*, **16**, 170
- HEBBORN, P., and SHAW, B. Action of sodium salicylate and aspirin on some kallikrein systems, **20**, 254
- HELLMANN, K. Response of the isolated skin of rats to drugs and electrical stimulation, **21**, 331
- HEMSWORTH, B. A. See BOWMAN, W. C., *et al.*, **19**, 198; **24**, 110; **25**, 392
- BULL, G., *et al.*, **25**, 228
- HERMANSEN, K. Effect of adrenaline, noradrenaline and isoprenaline on the guinea-pig uterus, **16**, 116
- HERTTING, G., AXELROD, J., and PATRICK, R. W. Actions of bretylium and guanethidine on the uptake and release of [³H]noradrenaline, **13**, 161
- See also AXELROD, J., *et al.*, **19**, 56
- HERTZLER, E. C. 5-Hydroxytryptamine and transmission in sympathetic ganglia, **17**, 406
- HERXHEIMER, A. Comparison of some atropine-like drugs in man, with particular reference to their end-organ specificity, **13**, 184
- , and STRE EMANN, E. Effect of some new antihistamines on the anaphylactic microshock of the guinea-pig, **21**, 414
- HICKS, R. Quantitative study of repeated anaphylactic reactions in isolated tissues, **25**, 139
- Some effects of corticosteroids on tissue histamine levels in the guinea-pig, **25**, 664
- , and LEACH, G. D. H. Quantitative evaluation of guinea-pig anaphylaxis *in vivo*, **21**, 441
- HILL, J. Studies on isometamidium: effect of isometamidium, homidium and pyridinium on the infectivity of trypanosomes for mice, **25**, 658
- See also BROWN, K. N., *et al.*, **17**, 396
- COLLINS, R. F., *et al.*, **13**, 238; **14**, 467
- HILTON, J. G. See FENNER, Penelope A., *et al.*, **21**, 323
- HILTON, S. M. See ABRAHAM, V. C., *et al.*, **18**, 194
- HINT, H. C., and RICHTER, A. W. Chronic toxicity of dextran sulphate in rabbits, **13**, 109
- HINTON, J. M. Actions of amylobarbitone sodium, butobarbitone and quinalbarbitone sodium upon insomnia and nocturnal restlessness compared in psychiatric patients, **16**, 82
- Comparison of the effects of six barbiturates and a placebo on insomnia and motility in psychiatric patients, **20**, 319
- HOBBIGER, F., and SADLER, P. W. Protection against lethal organophosphate poisoning by quaternary pyridine aldioximes, **14**, 192
- HOCKADAY, T. D. R. Rapid rise in blood pyruvate in cats given large doses of hydrocortisone, **25**, 145
- HODGE, R. L., and WHELAN, R. F. Effect of hexamethonium on the vascular response to noradrenaline in man, **18**, 331
- See also COOPER, C. J., *et al.*, **21**, 165
- FEWINGS, J. D., *et al.*, **23**, 115
- HODGES, J. R., and VERNIKOS, Joan. Comparison of the pituitary inhibitory effects of prednisone, prednisolone, and hydrocortisone, **13**, 98
- Stability of endogenous corticotrophin in rat blood *in vitro*, **21**, 215
- HÖGBERG, K.-G., and LINDVALL, S. Distribution of parenteral iron haematinics in nonpregnant, pregnant and lactating rats, **22**, 275
- HOLGATE, J. A., and WARNER, B. T. Evaluation of antagonists of histamine, 5-hydroxytryptamine and acetylcholine in the guinea-pig, **15**, 561
- See also COLLIER, H. O. J., *et al.*, **15**, 290
- HOLLAND, A. E. See BROWN, K. N., *et al.*, **17**, 396
- HOLLAND, P. See CAVANAGH, J. B., *et al.*, **16**, 218; **17**, 21
- DAVIES, D. R., *et al.*, **15**, 271
- HOLLANDS, B. C. S., and VANOV, S. Localization of catechol amines in visceral organs and ganglia of the rat, guinea-pig and rabbit, **25**, 307
- HOLMAN, Mollie E. See BURNSTOCK, G., *et al.*, **23**, 600
- HOLMBERG, J. See EMMELIN, N., *et al.*, **25**, 134
- HOLMES, S. W., HORTON, E. W., and MAIN, I. H. M. Effect of prostaglandin E₁ on responses of smooth muscle to catechol amines, angiotensin and vasopressin, **21**, 538
- See also BASIL, B., *et al.*, **22**, 318
- HOLMSTEDT, B., and WHITTAKER, V. P. Pharmacological properties of $\beta\beta$ -dimethylacryloylcholine and some other β -substituted acryloylcholines, **13**, 315
- HOLTON, Pamela, and RAND, M. J. Sympathetic vasodilatation in the rabbit ear, **19**, 513
- See also CLEUGH, J., *et al.*, **17**, 144
- HORITA, A. Initial inactivation of phenelzine by a monoamine oxidase-like system *in vitro* and *in vivo*, **24**, 245
- HORNKIEWICZ, O. Action of dopamine on the arterial blood pressure of the guinea-pig, **13**, 91
- See also BORN, G. V. R., *et al.*, **13**, 411
- HORST, W. D. See FISCHER, J. E., *et al.*, **24**, 477
- HORTON, E. W. Human urinary kinin excretion, **14**, 125
- Actions of prostaglandins E₁, E₂ and E₃ on the central nervous system, **22**, 189
- , and MAIN, I. H. M. Comparison of the biological activities of four prostaglandins, **21**, 182
- , —. Comparison of the actions of prostaglandins F_{2a} and E₁ on smooth muscle, **24**, 470
- , and THOMPSON, C. J. Thin-layer chromatography and bioassay of prostaglandins in extracts of semen and tissues of the male reproductive tract, **22**, 183
- See also GADDUM, J. H., *et al.*, **14**, 117
- HOLMES, S. W., *et al.*, **21**, 538
- HORTON-SMITH, C., LONG, P. L., and COLLIER, H. O. J. Potentiation of sulphadimidine by 2,4-diamino-6,7-diisopropylpteridine and other 6,7-disubstituted 2,4-diaminopteridines against *Eimeria* infections of chicks, **15**, 298
- HOSSACK, D. J. N. *Proteus vulgaris* urinary tract infections in rats; treatment with nitrofurantoin derivatives, **19**, 306
- HOWARD, E. M. See BUTTLE, G. A. H., *et al.*, **13**, 95; **14**, 307
- HOWARD, J. W. See FLEISHER, J. H., *et al.*, **13**, 288, 291; **15**, 23
- HOWARD HUGHES, W. See HUGHES, W. H.
- HSIEH, A. C. L., and CHIU, C. C. Effects of sodium salicylate on the oxygen consumption of rats, **14**, 219
- HUGHES, W. H., LEE, W. R., and FLOOD, D. J. Comparative study of the actions of six tetracyclines on the development of the chick embryo, **25**, 317
- HUKOVIČ, S. Isolated rabbit atria with sympathetic nerve supply, **14**, 372
- Action of sympathetic blocking agents on isolated and innervated atria and vessels, **15**, 117
- Responses of the isolated sympathetic nerve—ductus deferens preparation of the guinea-pig, **16**, 188
- , RAND, M. J., and VANOV, S. Observations on an isolated innervated preparation of rat urinary bladder, **24**, 178
- See also BURN, J. H., *et al.*, **15**, 67
- HULSE, E. V. Action of cysteamine and Synkavit on gastric emptying in the normal and irradiated rat, **13**, 260

HUNT, R. R. See BRIMBLECOMBE, R. W., *et al.*, 23, 43
HÜRLIMANN, A. See HAEFELY, W., *et al.*, 21, 27; 22, 5

I

- ING, H. R. See GOODFORD, P. J., *et al.*, 14, 358
INGRAM, G. I. C. See BORN, G. V. R., *et al.*, 13, 62
INNES, I. R. Sensitization of the heart and nictitating membrane of the cat to sympathomimetic amines by antihistamine drugs, 13, 6
——. Identification of the smooth muscle excitatory receptors for ergot alkaloids, 19, 120
——. An action of 5-hydroxytryptamine on adrenaline receptors, 19, 427
——. Uptake of 5-hydroxytryptamine and adrenaline in the liver, 21, 202
——. Action of dexamphetamine on 5-hydroxytryptamine receptors, 21, 427
ISAACS, A. See CLARK, R. J., *et al.*, 13, 424
ISHII, Tisue. See MOTA, I., *et al.*, 15, 82
ISRAELS, M. C. G. See BUTTOO, A. S., *et al.*, 23, 90
IVERSEN, L. L. Uptake of noradrenaline by the isolated perfused rat heart, 21, 523
——. Uptake of adrenaline by the rat isolated heart, 24, 387
——. Uptake of catechol amines at high perfusion concentrations in the rat isolated heart; a novel catechol amine uptake process, 25, 18
——, and WHITBY, L. G. Retention of injected catechol amines by the mouse, 19, 355
——. See also BURGEN, A. S. V., *et al.*, 25, 34

J

- JACKSON, H., FOX, B. W., and CRAIG, A. W. Effect of alkylating agents on male rat fertility, 14, 149
——, and JAMES, R. M. V. Effect of certain ethyl-eneamines on renal function, 21, 581
——, ———. Metabolic studies with certain ethyl-eneimine derivatives in relation to diuresis, 25, 223
——, PARTINGTON, M., and WALPOLE, A. L. Production of heritable partial sterility in the mouse by methyl methanesulphonate, 23, 521
——. See also CRAIG, A. W., *et al.*, 21, 590
FOX, B. W., *et al.*, 24, 24
JACOB, J. See OUTSCHOORN, A. S., *et al.*, 15, 131
JACOBOWITZ, D., JOHNSON, P., KITCHNER, I., and KOELLE, G. B. Effect of hemicholinium (HC-3) on sympathetic transmission at the nictitating membrane of the rabbit, 25, 527
JACOBSON, J. H. See MACMILLAN, W. H., *et al.*, 18, 39
JAGO, Margaret. Antibacterial activity of some derivatives of 7-aminocephalosporanic acid against *Staphylococcus aureus* and synergism between these and other antibiotics, 22, 22
——, and HEATLEY, N. G. Some biological properties of cephalosporin C and a derivative, 16, 170
JAITLEY, K. D. See BHARGAVA, K. P., *et al.*, 22, 162
JAKIMOWSKA, Krystyna. See VENULET, J., *et al.*, 15, 4
JALAR, Ulla H. See KAO, F. F., *et al.*, 14, 522
JAMES, E. A., jun. See GARDIER, R. W., *et al.*, 20, 579
JAMES, R. M. V. See CRAIG, A. W., *et al.*, 21, 590
JACKSON, H., *et al.*, 21, 581; 25, 223
JAMIESON, Dana. Method for the quantitative estimation of drugs on the isolated intact trachea, 19, 286
JANOWIEC, M. See VENULET, J., *et al.*, 15, 4
JARMAN, D. A. See LOCKETT, M. F., *et al.*, 13, 11

- JARRETT, R. J. Action of nicotine on the rabbit muscular organ (ileo-colic sphincter), 18, 397
——. Some endocrine effects of two phenothiazine derivatives, chlorpromazine and perphenazine, in the female mouse, 20, 497
JENSEN, K. B. Slow-contracting substances in human urine, 13, 271
JINDAL, M. N., and DESHPANDE, V. R. Neuromuscular blockade by streptomycin and dihydrostreptomycin, 15, 506
JOHNSON, E. A., and ROBERTSON, P. A. Stimulatory action of acetylcholine on isolated rabbit atria, 13, 304
JOHNSON, E. S. Origin of the acetylcholine released spontaneously from the guinea-pig isolated ileum, 21, 555
——. See also BROWNLEE, G., *et al.*, 21, 306; 24, 689
JOHNSON, H. See BARON, R. L., *et al.*, 23, 295
JOHNSON, J. R. See ASATOOR, A. M., *et al.*, 24, 293
JOHNSON, P. See JACOBOWITZ, D., *et al.*, 25, 527
JOHNSON, P. C. See GARDIER, R. W., *et al.*, 20, 579
JOHNSTON, R. G. See FARQUHARSON, Muriel E., *et al.*, 14, 559
HAINING, C. G., *et al.*, 15, 71; 18, 275
JONES, J. I. M. See ASHFORD, A., *et al.*, 20, 95
JONES, J. J., and LAITY, J. L. H. An unusual effect of gallamine and tubocurarine, 24, 360
JORDAN, P. Action of diethylcarbrazine *in vitro* on infective larvae of *Wuchereria bancrofti*, 13, 318
JORI, A. See BONACCORSI, A., *et al.*, 23, 93
JOSEPH, A. D. Effects of injection of mepesulphate into the cerebral ventricles of cats, 17, 533
JOSHI, N. Y. See GOKHALE, S. D., *et al.*, 21, 273; 23, 34; 24, 624
JOWETT, Alison. See BOYD, Helen, *et al.*, 20, 418
JOYCE, C. R. B. Consistent differences in individual reactions to drugs and dummies, 14, 512
JOYCE, Daphné. Changes in the 5-hydroxytryptamine content of rat, rabbit and human brain after death, 18, 370
JUNQUEIRA, L. C. U., ROTHSCILD, Hannah A., and VUGMAN, I. Action of atropine on pancreatic secretion, 13, 71
JUORIO, A. V., and VOGT, Marthe. Effect of prenylamine on the metabolism of catechol amines and 5-hydroxytryptamine in brain and adrenal medulla, 24, 566

K

- KADZIELAWA, K. Mechanism of action of guanethidine, 19, 74
KANE, P. O., and SMITH, S. E. Thiopentone and buthalitone: relationship between depth of anaesthesia, plasma concentration and plasma protein binding, 14, 261
KAO, F. F., and JALAR, Ulla H. Central action of xylocaine and its effect on cardiac output, 14, 522
KAR, K. See BHARGAVA, K. P., *et al.*, 24, 641
KARIM, S. M. M. Mechanism of the depressor action of noradrenaline in the cat, 23, 592
——. Sympathetic β -receptor blocking action of methoxamine, 24, 365
KÄRKI, N. T. See PAASONEN, M. K., *et al.*, 14, 164
KARP, Dorothy, RINZLER, S. H., and TRAVELL, Janet. Effects of ergometrine (ergonovine) on the isolated atherosclerotic heart of the cholesterol-fed rabbit, 15, 333

- KATO, R., and CHIESARA, E. Increase of pentobarbitone metabolism induced in rats pretreated with some centrally acting compounds, **18**, 29
- KEELER, R., and SCHNIEDEN, H. Effects of loading rats with intravenous isotonic sodium chloride on the renal response to diuretics, **14**, 368
- KEEN, P. M. Binding of three penicillins in the plasma of several mammalian species as studied by ultrafiltration at body temperature, **25**, 507
- KEENER, E. B. See MILLAR, R. A., *et al.*, **14**, 9
- KELKAR, V. V. See GOKHALE, S. D., *et al.*, **20**, 362
- KELLETT, D. N. Anti-inflammatory activity of protamine sulphate and of hexadimethrine bromide, inhibitors of plasma kinin formation, **24**, 705
- , See also BUTTLE, G. A. H., *et al.*, **14**, 307
- KEMP, A. See AARSEN, P. N., *et al.*, **19**, 442
- KENNY, A. D. See FLEMING, W. W., *et al.*, **22**, 267
- KEY, B. J. See BRADLEY, P. B., *et al.*, **14**, 340
- KEYL, M. J., and WHITTAKER, V. P. Some pharmacological properties of murexine (urocanoylcholine), **13**, 103
- KHAN, I. See BARLOW, R. B., *et al.*, **14**, 99, 265, 553
- KHAN, M., MANTEGAZZA, P., and PICCININI, F. Effect of low temperatures on the responses of guinea-pig isolated atria to nicotine and to sympathetic and parasympathetic stimulation, **25**, 119
- KHAYYAL, M. T. Effects of antimony uptake on the location and pairing of *Schistosoma mansoni*, **22**, 342
- KHERDIKAR, P. R. See DESHPANDE, V. R., *et al.*, **17**, 7
- KIDD, B. S. L. See BLAIR, D. A., *et al.*, **15**, 466
- KIDD, D. A. A., and SMITH, G. H. Amoebicidal activity of dichloro-*N*-2-hydroxyethyl-*N*-*p*-methylsulphonylbenzylacetamide and some related compounds, **18**, 128
- KILPATRICK, R., ELMORE, D. T., and WOOD, D. R. Antithyroid activity of thiohydantoins, **13**, 350
- KIRALY, J. K., and PHILLIS, J. W. Action of some drugs on the dorsal root potentials of the isolated toad spinal cord, **17**, 224
- KIRPEKAR, S. M., and LEWIS, J. J. Some effects of reserpine and hydrallazine upon tissue respiration and the concentration of adenosine nucleotides in certain tissues, **14**, 40
- , —. Effects of reserpine, chlorpromazine and sodium salicylate on the enzymic activity of rat liver, **15**, 175
- KISHOR, K. See BHARGAVA, K. P., *et al.*, **25**, 743
- KITCHIN, A. H., KONZETT, H., and PICKFORD, Mary. Comparison of effects of valyl¹⁸-oxytocin and Syntocinon on the cardiovascular system of man, **14**, 567
- KITCHNER, I. See JACOBOWITZ, D., *et al.*, **25**, 527
- KLEIN, A. J. See BRUG, J., *et al.*, **13**, 404
- KOELLE, G. B. See JACOBOWITZ, D., *et al.*, **25**, 527
- KOHN, R. See BOVET, D., *et al.*, **13**, 74
- , —, GERTNER, S. B., *et al.*, **14**, 179
- KOLIN, A., and ROSS, G. Effect of sympathomimetic amines on femoral arterial blood flow in the cat, **25**, 126
- KOMESU, N. See HALEY, T. J., *et al.*, **17**, 526
- KONZETT, H., and BERDE, B. Biological activity of a new analogue of oxytocin in which the tyrosyl group is replaced by phenylalanyl, **14**, 133
- , and STÜRMER, E. Biological activity of synthetic polypeptides with bradykinin-like properties, **15**, 544
- , See also KITCHIN, A. H., *et al.*, **14**, 567
- KOPIN, I. J. See AXELROD, J., *et al.*, **19**, 56
- , —, FISCHER, J. E., *et al.*, **24**, 477
- KOSTERLITZ, H. W., and LEES, G. M. Action of bretylium on the isolated guinea-pig ileum, **17**, 82
- , and ROBINSON, Judith A. Inhibitory action of morphine on the contraction of the longitudinal muscle coat of the isolated guinea-pig ileum, **13**, 296
- , and TAYLOR, D. W. Effect of morphine on vagal inhibition of the heart, **14**, 209
- , and WALLIS, D. I. Action of morphine-like drugs on impulse transmission in mammalian nerve fibres, **22**, 499
- , See also CAIRNIE, A. B., *et al.*, **17**, 539
- KOVACS, B. A., PELLETIER, G., and ROSE, B. An anti-histamine-like substance (or substances) in extracts prepared from human tissues, **21**, 419
- , See also ARCHER, R. K., *et al.*, **18**, 101
- , —, BROOME, J., *et al.*, **18**, 87
- KOVACS, Eva M. Changes in tissue histamine content of guinea-pigs following treatment with cortisone and metyrapone, **24**, 574
- KRIVOV, W. A. Potentiation of substance P by lysergide (lysergic acid diethylamide) *in vivo*, **16**, 253
- , and KROEGER, D. Preservation of bradykinin by phenothiazines *in vitro*, **22**, 329
- KRNJEVIĆ, K., LAVERTY, R., and SHARMAN, D. F. Ionophoretic release of adrenaline, noradrenaline and 5-hydroxytryptamine from micropipettes, **20**, 491
- , and PHILLIS, J. W. Actions of certain amines on cerebral cortical neurones, **20**, 471
- KROEGER, D. See KRIVOV, W. A., *et al.*, **22**, 329
- KRSTIĆ, M., and VARAGIĆ, V. Difference between the blood pressure responses to intrajugular and intracarotid injections of physostigmine, and the syndrome of contralateral torsion in the rat, **24**, 132
- KUPERMAN, A. S., and OKAMOTO, M. Relationship between anticurare activity and time course of the endplate potential; a structure-activity approach, **23**, 575
- , —. Comparison of the effects of some ethonium ions and their structural analogues on neuromuscular transmission in the cat, **24**, 223
- KURZEPA, S. See BLASCHKO, H., *et al.*, **19**, 544

L

- LADER, M. H. See DICKINS, D. W., *et al.*, **24**, 14
- LAITY, J. L. H. See JONES, J. J., *et al.*, **24**, 360
- LANCASTER, M. C. Demyelination produced in hens by dialkylfluorides, **15**, 279
- , See also CAVANAGH, J. B., *et al.*, **17**, 21
- LARGE, B. J. Sympathetic β -receptors and the guinea-pig vas deferens, **24**, 194
- , See also ARMITAGE, A. K., *et al.*, **16**, 59; **17**, 196
- , —, BURN, J. H., *et al.*, **21**, 97
- LASZLO, I. Estimation of substance P in mouse brain. Identification of interfering nucleotides in the extract, **20**, 449
- , —. Removal of interfering nucleotides from brain extracts containing substance P. Effect of drugs on brain concentrations of substance P, **21**, 113
- LAURENCE, D. R., and NAGLE, R. E. Effects of bretylium and guanethidine on the pressor responses to noradrenaline and angiotensin, **21**, 403
- , and WEBSTER, R. A. Method of assaying the anti-tetanus potency of drugs on experimental local tetanus in the rabbit, **13**, 330
- , —. Activity of a variety of chemical compounds against experimental tetanus, **13**, 334

- LAURENCE, D. R., and WEBSTER, R. A. (*cont.*)
 —, —. Tachyphylaxis to the anti-tetanus activity of some phenothiazine compounds, **16**, 296
- LAVERTY, R. Relation in rat hind-limb blood vessels between nervous vasomotor tone and the response to vasoconstrictor drugs, **18**, 451
- , MICHAELSON, I. A., SHARMAN, D. F., and WHITTAKER, V. P. Subcellular localization of dopamine and acetylcholine in the dog caudate nucleus, **21**, 482
- , and SHARMAN, D. F. Estimation of small quantities of 3,4-dihydroxyphenylethylamine in tissues, **24**, 538
- , —. Modification by drugs of the metabolism of 3,4-dihydroxytryptamine in the brain, **24**, 759
- , —, and VOGT, Marthe. Action of 2,4,5-trihydroxyphenylethylamine on the storage and release of noradrenaline, **24**, 549
- , —. See also BLACKMAN, J. G., *et al.*, **17**, 124
 KRNEVIĆ, K., *et al.*, **20**, 491
- LAW, W. See CRAWFORD, T. B. B., *et al.*, **13**, 35
- LAWRENCE, J. C. Comparative toxicity of antibiotics to skin, **14**, 168
- LEACH, E. See CLEUGH, J., *et al.*, **17**, 144
- LEACH, G. D. H. See HICKS, R., *et al.*, **21**, 441
- LEDoux, G. See BENFEY, B. G., *et al.*, **14**, 142, 380
- LEDSOME, J. R., LINDEN, R. J., and NGRMAN, J. Use of sympathetic β -receptor blocking agents in the investigation of reflex changes in heart rate, **24**, 781
- LEE, C. Y. See LEE, W. C., *et al.*, **25**, 651
 SU, C., *et al.*, **15**, 88
- LEE, G. E. See EDGE, N. D., *et al.*, **15**, 207
- LEE, I. R. See COLLIER, H. O. J., *et al.*, **21**, 155
- LEE, W. C., LEE, C. Y., and YOO, C. S. Effects of treatment with thyroxine on the noradrenaline content of the rabbit heart, **25**, 651
- LEE, W. R. See HUGHES, W. H., *et al.*, **25**, 317
- LEEDER, S. See COBBIN, L. B., *et al.*, **25**, 295
- LEES, G. M. See KOSTERLITZ, H. W., *et al.*, **17**, 82
- LEES, P., and LOCKETT, Mary F. Study of the β -adrenergic receptors in rat kidneys, **20**, 135
- , —. Some actions of isoprenaline and orci-prenaline on perfused cat kidneys, **25**, 152
- LEGGE, D., and STEINBERG, Hannah. Actions of a mixture of amphetamine and barbiturate in man, **18**, 490
- LEHMAN, R. A. Mechanism of the antagonism by pralidoxime and 1,1-trimethylenebis(4-hydroxyiminomethylpyridinium) of the action of echothiophate on the intestine, **18**, 287
- LEME, J. Garcia. See GARCIA LEME, J.
- LEMESSURIER, D. H., SCHWARTZ, C. J., and WHELAN, R. F. Cardiovascular effects of intravenous infusions of 5-hydroxytryptamine in man, **14**, 246
- LEON, S. See BERGMANN, F., *et al.*, **17**, 159; **18**, 302
- LEONG WAY, E. See CHEN, I-Yung, *et al.*, **24**, 789
- LERMAN, L. H., and PATON, W. D. M. Experiments on the pharmacology of hydroxydione sodium succinate, **15**, 458
- LEŠIĆ, R., and VARAGIĆ, V. Factors influencing the hypertensive effect of eserine in the rat, **16**, 99
- , —. Effect of noradrenaline, bretylium and cocaine on the blood pressure response to tyramine in the rat, **16**, 320
- LESLIE, G. B., and MAXWELL, D. R. Some pharmacological properties of thioproperazine and their modification by anti-parkinsonian drugs, **22**, 301
- LESSER, E. Stereospecificity of acetyl- α -methylcholine, **25**, 213
- LESSIN, A. W. Pharmacological methods of estimating inhibition of drug oxidation in the mouse, **14**, 251
- , LONG, R. F., and PARKES, M. W. Central stimulant action of α -alkyl substituted tryptamines in mice, **24**, 49
- , —, —. Effects of α -alkyl substituted tryptamine on 5-hydroxytryptamine uptake by blood platelets, **24**, 68
- , and PARKES, M. W. Effects of reserpine and other agents upon leptazol convulsions in mice, **14**, 108
- LETLEY, E. Effect of temperature on the direct muscle twitch response and the action of drugs on the isolated denervated rat diaphragm, **15**, 345
- LEVI, A. A., and SNOW, G. A. Metabolism and excretion of di(*p*-aminophenyl) sulphoxide in different animal species, **15**, 160
- LEVINE, W. G. See BLASCHKO, H., *et al.*, **15**, 625
- LEWIS, G. P. Inhibition by morphine of the action of smooth muscle stimulants on the guinea-pig intestine, **15**, 425
- , —. See also BISETT, G. W., *et al.*, **19**, 168
 EDERY, H., *et al.*, **19**, 299
- LEWIS, J. J., MARTIN-SMITH, M., and MUIR, T. C. Observations upon roles of ether oxygen, alkyl-group size, number of onium centres and inter-onium distance upon neuromuscular block in bis- and poly-onium compounds, **20**, 307
- , RITCHIE, A. P., and VAN PETTEN, G. R. Influence of hallucinogenic drugs upon *in vivo* brain levels of adenine nucleotides, phosphocreatine and inorganic phosphate in the rat, **25**, 631
- , and VAN PETTEN, G. R. Effect of antidepressive drugs and some related compounds on the levels of adenine nucleotides, inorganic phosphate and phosphocreatine in the rat brain, **20**, 462
- , —. See also KIRPEKAR, S. M., *et al.*, **14**, 40; **15**, 175
- LIGHTOWLER, J. E., and RYLAND, H. J. Anti-inflammatory activity of some substituted phenolic compounds, **22**, 221
- LILJA, B., and LINDELL, S.-E. Metabolism of [14 C]-histamine in heart-lung-liver preparations of cats, **16**, 203
- LILLA, L. See GRANA, E., *et al.*, **14**, 501
- LIN, R. C. Y., and WHITTOW, G. C. Pharmacological activity of an aqueous extract of the leaves of the Malayan rengas tree, *Gluta rengas*, **15**, 440
- LINDELL, S.-E., NILSSON, Karen, ROOS, B.-E., and WESTLING, H. Effect of enzyme inhibitors on histamine catabolism in man, **15**, 351
- , and SCHAYER, R. W. Renal removal of injected [14 C]histamine from the blood in dogs, **13**, 44
- , —. Metabolism of injected [14 C]histamine in the kidney of the dog, **13**, 52
- , —. Formation of histamine in the kidney of the dog, **13**, 89
- , and VISKE, K. Distribution of [14 C]histamine added to blood, **17**, 131
- , —. See also LILJA, B., *et al.*, **16**, 203
- LINDEN, R. J. See LEDSOME, J. R., *et al.*, **24**, 781
- LINDVALL, S., and ANDERSSON, N. S. E. A new intramuscular haematinic, iron-sorbitol, **17**, 358
- , —. See also HÖGBERG, K.-G., *et al.*, **22**, 275
- LING, H. W. Actions of dimethylphenylpiperazinium, **14**, 505
- LISTER, R. E. Pharmacological actions of two new pethidine analogues, **15**, 254
- LLOYD, Sybil. Vascular responses of the rat to bradykinin, **19**, 503

- LLOYD, Sybil (*cont.*)
 —, and PICKFORD, Mary. Persistence of a depressor response to oxytocin in the fowl after denervation and blocking agents, **16**, 129
- LOCK, J. A. Use of the hen and rabbit isolated auricles for the determination of inotropic potency, **21**, 393
 —. Effect of temperature and frequency on the contractile force and inotropic response to ouabain, calcium and some other drugs of the hen isolated driven auricle, **25**, 557
- LOCKETT, Mary F., and JARMAN, D. A. Assay of the capillary action of flavanoid compounds in mice, **13**, 11
 —, and ROBERTS, C. N. Actions of two aldosterone antagonists on cat perfused kidneys, **20**, 443
 —. See also EAKINS, K. E., *et al.*, **16**, 108
 LEES, P., *et al.*, **20**, 135; **25**, 152
- LOGEMANN, W., ALMIRANTE, L., GALIMBERTI, S., and DE CARNERI, I. Influence of dichloroacetylation on the antimicrobial activity of chloramphenicol derivatives and of various amines, **17**, 286
 —, and GIRALDI, P. N. Metabolism of methylated disulphonamides with a diuretic action—a contribution to the mechanism of action of chlorothiazide and similar compounds, **18**, 61
 —. See also ANGELUCCI, R., *et al.*, **24**, 274
- LONDON, D. R. See ASATOOR, A. M., *et al.*, **20**, 285
- LONG, P. L. See HORTON-SMITH, C., *et al.*, **15**, 298
- LONG, R. F. See LESSIN, A. W., *et al.*, **24**, 49, 68
- LOVATT EVANS, C. See EVANS, C. L.
- LOVELESS, A. H., and MAXWELL, D. R. Comparison of the effects of imipramine, trimipramine, and some other drugs in rabbits treated with a monoamine-oxidase inhibitor, **25**, 158
- LOWE, J. S. See DAVIES, G. E., *et al.*, **21**, 491
- LOWENTHAL, J., and TAYLOR, J. D. Method for measuring the activity of compounds with an activity like vitamin K against indirect anticoagulants in rats, **14**, 14
- LU, F. C. See CHAUDHURY, R. R., *et al.*, **17**, 305
- M
- MACCARI, M., and MAGGI, G. C. Effects of γ -amino- β -hydroxybutyric acid on cerebral amines, **24**, 462
- MCCOUBREY, A. See BOURA, A. L. A., *et al.*, **15**, 265; **17**, 92
 DUNCOMBE, W. G., *et al.*, **15**, 260
- MCDOWALL, M. A. See FASTIER, F. N., *et al.*, **14**, 527
- MCEWEN, Eleanor. See PENTLEY, P. J., *et al.*, **16**, 45
- MCMALE, D. See PRICE, S. A., *et al.*, **15**, 243
- MACKAY, D., and SHEPHERD, D. M. Potential histidine decarboxylase inhibitors, **15**, 552
- MACKENNA, B. R. See BOYD, G., *et al.*, **19**, 258
- MCKENZIE, J. M., O'BRIEN, L. J., and STAVINOHA, W. B. Immediate effects of catechol amines on plasma fibrinogen in conscious and anaesthetized dogs, **17**, 392
- MACLAGLAN, Jennifer. Comparison of the responses of the tenuissimus muscle to neuromuscular-blocking drugs *in vivo* and *in vitro*, **18**, 204
- MACMILLAN, W. H. Hypothesis concerning the effect of cocaine on the action of sympathomimetic amines, **14**, 385
 —, SMITH, D. J., and JACOBSON, J. H. Response of normal, denervated, and reserpine-treated arteries to sympathomimetic amines and nicotine in dogs, **18**, 39
- MADINAVEITIA, J. L. Ferrocenes as haematinics, **24**, 352
- MAFFII, G., BIANCHI, G., SCHIATTI, P., and SILVESTRINI, B. Action of 5,5-diethyl-1,3-oxazine-2,4-dione (dioxone) on respiration and circulation, **16**, 231
 —, and SONCIN, E. Pharmacological activity of 5-phenyl-1,3,4-thiadiazole (L 1538), 2-amino-5-phenyl-1,3,4-thiadiazole (L 1460) and 2-amino-5-(2'-thienyl)-1,3,4-thiadiazole (L 1458), **13**, 357
- MAGGI, G. C. See MACCARI, M., *et al.*, **24**, 462
- MAIN, I. H. M. Inhibitory actions of prostaglandins on respiratory smooth muscle, **22**, 551
 —. See also HOLMES, S. W., *et al.*, **21**, 538
 HORTON, E. W., *et al.*, **21**, 182; **24**, 470
- MALHOTRA, C. L., and DAS, P. K. Effect of reserpine on the acetylcholine content of the heart, the ileum and the hypothalamus of the dog, **18**, 190
 —, and PRASAD, K. Effect of chlorpromazine and reserpine on the catechol-amine content of different areas of the central nervous system of the dog, **18**, 595
 —. Effect of intra(cerebro)ventricular reserpine on the acetylcholine content of the heart, ileum and hypothalamus of the dog, **21**, 355
 —, and PUNDLIK, P. G. Effect of reserpine on the acetylcholine content of different areas of the central nervous system of the dog, **14**, 46
 —. Effect of reserpine on the acetylcholine concentration in hypothalamus, ileum and heart of the dog after bilateral vagotomy and ganglionic blockade, **24**, 119
 —. Effect of some anaesthetics on the acetylcholine concentrations of different areas of dog brain, **24**, 348
- MAMALIS, P. See PRICE, S. A., *et al.*, **15**, 243
- MANN, Monica. See CALLINGHAM, B. A., *et al.*, **18**, 138
- MANN, T., SEAMARK, R. F., and SHARMAN, D. F. Occurrence and metabolism of 5-hydroxytryptamine and related indole compounds in mammalian semen, **17**, 208
- MANNAIONI, P. F. Interaction between histamine and dichloroisoprenaline (*dichloroisoproterol*), hexamethonium, pempidine, and diphenhydramine, in normal and reserpine-treated heart preparations, **15**, 500
- MANTEGAZZA, P., TYLER, Christine, and ZAIMIS, Eleanor. Peripheral action of hexamethonium and pentolinium, **13**, 480
 —. See also BARZAGHI, F., *et al.*, **19**, 414; **24**, 282
 KHAN, M., *et al.*, **25**, 119
- MARKS, G. S. See DANIEL, E. E., *et al.*, **24**, 449
- MARLEY, E. Pharmacology of methylpentynol and methylpentynol carbamate, **14**, 284
 —, and PATON, W. D. M. Effect of methylpentynol and methylpentynol carbamate on the perfused superior cervical ganglion of the cat, **14**, 303
 —, and VANE, J. R. Distribution of methylpentynol and methylpentynol carbamate in tissues and body fluids of cats, **13**, 364
 —. See also BRADLEY, P. B., *et al.*, **24**, 659
 DEWHURST, W. G., *et al.*, **25**, 671, 682, 705
- MAROTTA, M. See BOVETT, D., *et al.*, **13**, 74
- MARRIOTT, A. S., and SPENCER, P. S. J. Effects of centrally acting drugs on exploratory behaviour in rats, **25**, 432
- MARSHALL, Elizabeth F., STIRLING, G. S., TAIT, A. C., and TODRICK, A. Effect of iproniazid and imipramine on the blood platelet 5-hydroxytryptamine level in man, **15**, 35

- MARSHALL, P. B. Effect of sex hormones on the excretion of free histamine by male and female rats, 16, 50
 —. See also AHMED, A., *et al.*, 18, 247
- MARTIN, B. K. See BEDFORD, Carole, *et al.*, 24, 418
 CUMMINGS, A. J., *et al.*, 25, 470
- MARTIN, L. E. See GOLBERG, L., *et al.*, 15, 304
- MARTIN, P. J., and SCHILD, H. O. Antagonism of disulphide polypeptides by thiols, 25, 418
- MARTIN-SMITH, M. See LEWIS, J. J., *et al.*, 20, 307
- MASON, Brenda, and SPARROW, Elizabeth M. Relationship between the permeability-increasing and the hypotensive proteases of plasma, 25, 257
- MASON, D. F. J. Ganglion-stimulating action of neostigmine, 18, 76
 —. Depolarizing action of neostigmine at an autonomic ganglion, 18, 572
- MATHEW, K. K. See FULTON, J. D., *et al.*, 14, 137
- MATHIAS, A. P., and SCHACHTER, M. Chromatographic behaviour of wasp venom kinin, kallidin and bradykinin, 13, 326
- MATHUR, C. N. See ARORA, R. B., *et al.*, 20, 29
- MATTHEWS, E. K. Effects of choline and other factors on the release of acetylcholine from the stimulated perfused superior cervical ganglion of the cat, 21, 244
 —, and QUILLIAM, J. P. Effects of central depressant drugs upon acetylcholine release, 22, 415
- MAXWELL, D. R., GRAY, W. R., and TAYLOR, E. M. Relative activity of some inhibitors of monoamine oxidase in potentiating the action of tryptamine *in vitro* and *in vivo*, 17, 310
 —. See also LESLIE, G. B., *et al.*, 22, 301
 LOVELESS, A. H., *et al.*, 25, 158
- MAXWELL, G. M. Effects of synthetic eleidoisin on the systemic and coronary haemodynamics and metabolism of the intact dog, 22, 585
- MAYER, M. See HALPERN, B. N., *et al.*, 14, 19
- MÉHES, J. See SZEKERES, L., *et al.*, 17, 167
- MELDRUM, B. S. Actions of whole and fractionated Indian cobra (*Naja naja*) venom on skeletal muscle, 25, 197
- MELVILLE, K. I., and VARMA, D. R. Synthetic oxytocin as an antagonist of experimental cardiac anoxic changes in rabbits, 17, 218
 —. See also BENFEY, B. G., *et al.*, 14, 142
- MENON, M. K. See DANDIYA, P. C., *et al.*, 20, 436
- METCALF, W. K. Effect of teratogenic and related dyes on the haemoglobin nitrite sensitivity reaction, 19, 492
- MICHAELSON, I. A. See LAVERTY, R., *et al.*, 21, 482
- MILLAR, R. A., KEENER, E. B., and BENFEY, B. G. Plasma adrenaline and noradrenaline after phenoxybenzamine administration, and during haemorrhagic hypotension, in normal and adrenalectomized dogs, 14, 9
- MILLSON, D. R. Nicotine and the effect of anti-sympathomimetic agents on the aorta of the rabbit, 14, 239
- MILNE, M. D. See ASATOOR, A. M., *et al.*, 20, 285; 24, 293
- MILTON, A. S. Relation between temperature and changes in ion concentration on ventricular fibrillation induced electrically, 14, 183
 —. Action of tubocurarine on ciliary movement, 14, 323
 —. See also BLASCHKO, H., *et al.*, 15, 42
 BURN, J. H., *et al.*, 14, 493
 MOORE, K. E., *et al.*, 17, 278
- MITCHELL, J. F., and PHILLIS, J. W. Cholinergic transmission in the frog spinal cord, 19, 534
- MOED, H. D. See BRUG, J., *et al.*, 13, 404
- MOHIUDDIN, A. See TOH, C. C., *et al.*, 13, 113
- MONTANARI, R., and STOCKHAM, M. A. Effects of single and repeated doses of reserpine on the secretion of adrenocorticotrophic hormone, 18, 337
- MOORE, K. E., MILTON, A. S., and GOSSELIN, R. E. Effect of 5-hydroxytryptamine on the respiration of excised lamellibranch gill, 17, 278
- MOORHEAD, Marilyn. See WRIGHT, Anne M., *et al.*, 18, 440
- MORALES, T. See DEL CASTILLO, J., *et al.*, 22, 463
- MORALES-AGUILERÁ, A., and VAUGHAN WILLIAMS, E. M. Action of pronethalol on spinal reflexes, 24, 319
 —. Effects on cardiac muscle of β -receptor antagonists in relation to their activity as local anaesthetics, 24, 332
- MØRCH, P. See ENGBERG-PEDERSEN, H., *et al.*, 23, 1
- MOREIRA, M. G. See GARRETT, J., *et al.*, 18, 49
- MORLEY, A. See DOYLE, A. E., *et al.*, 24, 701
- MORPURGO, C. See GIOIA, A., *et al.*, 13, 467
- MOTA, I., and DA SILVA, W. D. Anti-anaphylactic and histamine-releasing properties of the antihistamines. Their effect on mast cells, 15, 396
 —, —, and FERNANDES, J. F. Inhibition of mast cell damage and histamine release in anaphylaxis by pyridine and diphosphopyridine nucleotidase inhibitors. Comparison with compound 48/80, 15, 405
 —, and ISHII, Tisue. Inhibition of mast cell disruption and histamine release in rat anaphylaxis *in vitro*. Comparison with compound 48/80, 15, 82
- MUGGLETON, D. F., and READING, H. W. Absorption, metabolism and elimination of pempidine in the rat, 14, 202
 —. See also DOLLERY, C. T., *et al.*, 17, 488
- MUIR, T. C. See LEWIS, J. J., *et al.*, 20, 307
- MUSCHOLL, E. Effect of cocaine and related drugs on the uptake of noradrenaline by heart and spleen, 16, 352
 —, and VOGT, Marthe. Secretory responses of extramedullary chromaffin tissue, 22, 193
- MUSKUS, A. J. See CROUT, J. R., *et al.*, 18, 600
- MYERSCOUGH, P. R., and SCHILD, H. O. Quantitative assays of oxytocic drugs on the human postpartum uterus, 13, 207

N

- NÁDOR, K. See DÓDA, M., *et al.*, 21, 10
- NAGLE, R. E. See LAURENCE, D. R., *et al.*, 21, 403
- NANNINI, G. See ANGELUCCI, R., *et al.*, 24, 274
- NASH, C. B. See BREESE, G. R., *et al.*, 25, 621
- NASMYTH, P. A. Investigation of the action of tyramine and its interrelationship with the effects of other sympathomimetic amines, 18, 65
 —, and ANDREWS, W. H. H. Antagonism of cocaine to the action of xylocholine (*choine 2,6-xylyl ether*) bromide at sympathetic nerve endings, 14, 477
- NATOFF, I. L. See BARRON, D. I., *et al.*, 25, 534
- NEAL, M. J. Hyperalgesic action of barbiturates in mice, 24, 170
 —, and ROBSON, J. M. Measurement of analgesic properties of inhalation drugs given in sub-anaesthetic concentrations, 22, 590
 —. Analgesic properties of sub-anaesthetic doses of anaesthetics in the mouse, 22, 596
 —. Analgesic properties of sub-anaesthetic doses of fluorinated anaesthetics in the mouse, 24, 519

- NELSON, J. W. See RAITT, J. R., *et al.*, 17, 473
 NEVEU, T. See HALPERN, B. N., *et al.*, 20, 389
 NEWBOULD, B. B. Chemotherapy of arthritis induced in rats by mycobacterial adjuvant, 21, 127
 —. Suppression of adjuvant-induced arthritis in rats with 2-butoxycarbonylmethylene-4-oxothiazolidine, 24, 632
 NG, K. K. F. See BURN, J. H., *et al.*, 24, 675
 NICHOLLS, P. J. See GRAHAM, J. D. P., *et al.*, 14, 35
 NILSSON, Karen. See LINDELL, S.-E., *et al.*, 15, 351
 NISSIM, J. A. Study and assay of substances affecting intestinal absorption in the mouse, 24, 205
 NOBILI, M. B. See BERTACCINI, G., *et al.*, 17, 519
 NORDENFELT, I. See EMMELIN, N., *et al.*, 14, 234
 NORMAN, J. See LEDSOME, J. R., *et al.*, 24, 781
 NORTHOVER, B. J., and SUBRAMANIAN, G. Some inhibitors of histamine-induced and formaldehyde-induced inflammation in mice, 16, 163
 —. Analgesic-antipyretic drugs as inhibitors of kallikrein, 17, 107
 —. Possible mediators of inflammatory reactions in the mouse foot, 18, 346
 NORTHOVER, Jean. See FARQUHARSON, Muriel E., *et al.*, 13, 20
 NOWELL, P. T., SCOTT, Carol A., and WILSON, A. Determination of neostigmine and pyridostigmine in the urine of patients with myasthenia gravis, 18, 617
 —. Hydrolysis of neostigmine by plasma cholinesterase, 19, 498
 NÜSSER, E. See BARER, Gwenda R., *et al.*, 13, 372
 NUSTAD, K. See AMUNDSEN, E., *et al.*, 21, 500; 23, 440

O

- O'BRIEN, L. J. See MCKENZIE, J. M., *et al.*, 17, 392
 O'GRADY, F., and THOMPSON, R. E. M. Comparative effects of chlortetracycline and cortisone on a local monilial lesion in the mouse, 13, 1
 OHLIN, P., and STRÖMLAD, B. C. R. Supersensitivity of the vessels of the parotid gland after denervation, 13, 227
 —. Observations on the isolated vas deferens, 20, 299
 —. See also EMMELIN, N., *et al.*, 25, 134
 OKAMOTO, M. See KUPERMAN, A. S., *et al.*, 23, 575; 24, 223
 OM CHANDRA. See BHARGAVA, K. P., *et al.*, 21, 45, 436; 22, 154
 ORMEROD, W. E., and SHAW, J. J. Granules and other changes in phase-contrast appearance produced by chemotherapeutic agents in trypanosomes, 21, 259
 ORSINGER, O. A. See BISCARDI, A. M., *et al.*, 23, 529
 O'SHEA, Judith. See BOYD, Helen, *et al.*, 20, 418
 OSSWALD, W. See GARRETT, J., *et al.*, 18, 49
 OUTSCHOORN, A. S., and JACOB, J. Antagonists of 5-hydroxytryptamine and catechol amines on the rat's blood pressure, 15, 131

P

- PAASONEN, M. K., and DEWS, P. B. Effects of raunescine and isoraunescine on behaviour and on the 5-hydroxytryptamine and noradrenaline contents of brain, 13, 84
 —, and KÄRKI, N. T. Increase of 5-hydroxytryptamine in the rat brain by raunescine, 14, 164
 —. See also BOGOCH, S., *et al.*, 18, 325

- PAGET, G. E., and THORPE, E. Teratogenic effect of a sulphonamide in experimental animals, 23, 305
 PAIVA, A. C. M. See PAIVA, Therezinha B., *et al.*, 15, 557
 PAIVA, Therezinha B., and PAIVA, A. C. M. Some pharmacological actions of synthetic analogues of angiotensinamide, 15, 557
 PANT, M. C. See BHARGAVA, K. P., *et al.*, 25, 743
 PAPP, J. See SZEKERES, L., *et al.*, 17, 167
 PARIKH, H. M. See GOKHALE, S. D., *et al.*, 23, 508
 PARKES, M. W., and PICKENS, J. T. Conditions influencing the inhibition, by analgesic drugs, of the response to intraperitoneal injections of phenylbenzoquinone in mice, 25, 81
 —. See also LESSIN, A. W., *et al.*, 14, 108; 24, 49, 68
 PARMAR, Surendra S. See BHARGAVA, K. P., *et al.*, 24, 641
 PARNAS, I. See BERGMANN, F., *et al.*, 22, 47
 PARRATT, J. R. Comparison of the effects of the plasma kinins, bradykinin and kallidin, on myocardial blood flow and metabolism, 22, 34
 —. Blockade of sympathetic β -receptors in the myocardial circulation, 24, 601
 —, and WEST, G. B. Inhibition by various substances of oedema formation in the hind-paw of the rat induced by 5-hydroxytryptamine, histamine, dextran, eggwhite and compound 48/80, 13, 65
 PARTINGTON, M. See JACKSON, H., *et al.*, 23, 521
 PATON, W. D. M., and ROTHSCHILD, A. M. Effect of varying calcium concentration on the kinetic constants of hyoscyne and mepyramine antagonism, 24, 432
 —. Changes in response and in ionic content of smooth muscle produced by acetylcholine action and by calcium deficiency, 24, 437
 —, and SPEDEN, R. N. Analysis of the kinetics of anaesthesia of mice, 25, 88
 —, and THOMPSON, J. W. Ganglion blocking action of procainamide, 22, 143
 —. See also LERMAN, L. H., *et al.*, 15, 458
 MARLEY, E., *et al.*, 14, 303
 PATRICK, R. W. See HERITING, G., *et al.*, 18, 161
 PATRICK, S. J. See FENG, P. C., *et al.*, 13, 125
 PEARCE, K. A. See CALLAWAY, S., *et al.*, 13, 395
 PELLETIER, G. See KOVACS, B. A., *et al.*, 21, 419
 PENN, R. G. Some factors influencing the recovery of isolated myocardium from acute anoxia, 24, 253
 PENNEFATHER, Jocelyn N. See FARRANT, J., *et al.*, 22, 104
 HARVEY, Judith A., *et al.*, 18, 183
 PEPEU, G. See GIARMAN, N. J., *et al.*, 19, 226; 23, 123
 PERERA, B. A. V., and ROSENOER, V. M. Relation between urogastrone and gonadotrophins, 20, 534
 PERSSON, N. H. See ÅSTRÖM, A., *et al.*, 16, 32
 PHILLIS, J. W. See CHONG, G. C., *et al.*, 25, 481
 CURTIS, D. R., *et al.*, 16, 262
 KIRALY, J. K., *et al.*, 17, 224
 KRNEVIK, K., *et al.*, 20, 471
 MITCHELL, J. F., *et al.*, 19, 534
 PICCININI, F. See KHAN, M., *et al.*, 25, 119
 PICKENS, J. T. See PARKES, M. W., *et al.*, 25, 81
 PICKERING, R. W. See CORNE, S. J., *et al.*, 20, 106
 PICKFORD, Mary. See KITCHIN, A. H., *et al.*, 14, 567
 LLOYD, Sybil, *et al.*, 16, 129
 PICKLES, V. R., and CLITHEROE, H. J. Effects of ambucetamide on human myometrial and other preparations, and its antagonism to the menstrual stimulant, 15, 128
 PLECH, A. See BRUS, R., *et al.*, 23, 449
 PLETSCHER, A. See GEY, K. F., *et al.*, 19, 161

- POLLARD, J. See COBBIN, L. B., *et al.*, **25**, 295
 PORTER, R. B. Some actions of tacrine on slow muscles of the toad (*Bufo marinus*) and the chick, **25**, 179
 POTTER, B. J. Haemoglobinuria caused by propylene glycol in sheep, **13**, 385
 POTTER, L. T. See AXELROD, J., *et al.*, **19**, 56
 POULSON, Evelyn, and ROBSON, J. M. Prevention by antagonists of the toxic action of 5-hydroxytryptamine on pregnancy, **21**, 150
 POYSER, R. H., and WEST, G. B. Changes in vascular permeability produced in rats by dextran, ovomucoid and yeast cell wall polysaccharides, **25**, 602
 POZZATTI, C. See SILVESTRINI, B., *et al.*, **16**, 209
 PRASAD, K. See MALHOTRA, C. L., *et al.*, **18**, 595; **21**, 355
 PRATEJ, P., and BLASCHKO, H. Specificity of amine oxidase for optically active substrates and inhibitors, **14**, 256
 PREISS, B. See BERGMANN, F., *et al.*, **18**, 302
 PRETI, M. See DELLA BELLA, D., *et al.*, **23**, 540
 PRICE, S. A., MAMALIS, P., McHALE, D., and GREEN, J. Antimicrobial properties of some α -amino-oxy-acids, α -amino-oxy-hydrazides, alkoxyamines, alkoxydiguanydes and their derivatives, **15**, 243
 PRICHARD, B. N. C. See BROWN, D. A., *et al.*, **14**, 59
 PRUSOFF, W. H. Distribution of 5-hydroxytryptamine and adenosine triphosphate in cytoplasmic particles of the dog's small intestine, **15**, 520
 —. Effect of reserpine on the 5-hydroxytryptamine and adenosine triphosphate of the dog intestinal mucosa, **17**, 87
 PUDLES, J. See BERALDO, W. T., *et al.*, **17**, 236
 PUNDLIK, P. G. See MALHOTRA, C. L., *et al.*, **14**, 46; **24**, 119, 348

Q

- QUASTEL, M. R., and RAHAMIMOFF, R. Effect of melatonin on spontaneous contractions and response to 5-hydroxytryptamine of rat isolated duodenum, **24**, 455
 QUILLIAM, J. P. Paraldehyde and methylpentynol and ganglionic transmission, **14**, 277
 —, and SHAND, D. G. Selectivity of drugs blocking ganglionic transmission in the rat, **23**, 273
 —. See also BROWN, D. A., *et al.*, **14**, 59; **23**, 241, 257; **25**, 781
 ELLIOTT, R. C., *et al.*, **23**, 222
 MATTHEWS, E. K., *et al.*, **22**, 415
 QUINTON, R. M. Increase in the toxicity of yohimbine induced by imipramine and other drugs in mice, **21**, 51
 —. See also HALLIWELL, G., *et al.*, **23**, 330

R

- RADMANOVIĆ, B. See BELESIN, D., *et al.*, **15**, 10
 RAHAMIMOFF, R. See QUASTEL, M. R., *et al.*, **24**, 455
 RAITT, J. R., NELSON, J. W., and TYE, A. Effect of chlorpromazine on septal hyperactivity in the rat, **17**, 473
 RAJAPURKAR, M. V. See SACHDEV, K. S., *et al.*, **16**, 146
 RAMWELL, P. W., and SHAW, Jane E. Effect of picrotoxin on motor activity and the electroencephalogram of mice, **24**, 651
 RAND, M. J., and STAFFORD, Anne. Duration of action of some cardiac glycosides and aglycones in the guinea-pig, **14**, 174

RAND, M. J. (*cont.*)

- , and WALKER, J. M. Comparison of anti-fibrillatory drugs in the heart-lung preparation, **13**, 107
 —. See also BOWMAN, W. C., *et al.*, **17**, 176; **19**, 198
 BOYD, Helen, *et al.*, **15**, 525
 BURN, J. H., *et al.*, **13**, 471; **15**, 47, 56; **20**, 83
 CHANG, V., *et al.*, **15**, 588
 DAY, M. D., *et al.*, **17**, 245; **20**, 17; **21**, 84; **22**, 72
 HOLTON, Pamela, *et al.*, **19**, 513
 HUKOVIC, S., *et al.*, **24**, 178
 RANG, H. P. Unspecific drug action. Effects of a homologous series of primary alcohols, **15**, 185
 —. Stimulant actions of volatile anaesthetics on smooth muscle, **22**, 356
 RAPER, C. See BOWMAN, W. C., *et al.*, **19**, 464; **23**, 184; **24**, 98
 RAY, C. See BLACKMAN, J. G., *et al.*, **22**, 56
 RAYMOND, K. See HALEY, T. J., *et al.*, **17**, 526
 READING, H. W. See COLLINS, R. F., *et al.*, **14**, 467
 MUGGLETON, D. F., *et al.*, **14**, 202
 REES, A. H., and SCHNIEDEN, H. Effect of nicotine, normicotine and allylnornicotine on the diuretic response to water in rats, **18**, 299
 REGOLI, D., and VANE, J. R. Sensitive method for the assay of angiotensin, **23**, 351
 REICH, K. See BERGMANN, F., *et al.*, **22**, 47
 REILLY, J. F. See CAIROLI, V. J., *et al.*, **18**, 588
 REINERT, H. See DAVEY, M. J., *et al.*, **20**, 121; **24**, 29
 REITLER, R. See BERGMANN, F., *et al.*, **15**, 313
 RICHARDS, A. B. See GARDIER, R. W., *et al.*, **20**, 579, 586
 RICHARDS, W. H. G. Pharmacologically active substances in the blood, tissues and urine of mice infected with *Trypanosoma brucei*, **24**, 124
 —. See also GOODWIN, L. G., *et al.*, **15**, 152
 RICHTER, A. W. See HINT, H. C., *et al.*, **13**, 109
 RICKETTS, C. R. See DAVIES, J. W. L., *et al.*, **21**, 220
 RINZLER, S. H. See KARP, Dorothy, *et al.*, **15**, 333
 RITCHIE, A. P. See LEWIS, J. J., *et al.*, **25**, 631
 RIVA, M. See BARZAGHI, F., *et al.*, **19**, 414; **24**, 282
 ROATH, O. S. See BUTTOO, A. S., *et al.*, **23**, 90
 ROBERTS, C. N. See LOCKETT, Mary F., *et al.*, **20**, 443
 ROBERTS, D. J. Vasodilatation in skeletal muscle produced by an apparent metabolite of adrenaline, **24**, 735
 ROBERTS, J. See CAIROLI, V. J., *et al.*, **18**, 588
 ROBERTS, J. B., THOMAS, B. H., and WILSON, A. Distribution and excretion of [14 C]neostigmine in the rat and hen, **25**, 234
 —, —, —. Metabolism of [14 C]neostigmine in the rat, **25**, 763
 ROBERTSON, P. A., and RUBIN, Dana. Stimulation of intestinal nervous elements by angiotensin, **19**, 5
 —. See also JOHNSON, E. A., *et al.*, **13**, 304
 ROBINSON, B. V., and ROBSON, J. M. Production of an anti-inflammatory substance at a site of inflammation, **23**, 420
 ROBINSON, G. B. See BISHOP, Hilary, *et al.*, **21**, 238
 ROBINSON, Judith A. See KOSTERLITZ, H. W., *et al.*, **13**, 296
 ROBINSON, J. D., jun. See DAY, Margaret, *et al.*, **18**, 625
 ROBSON, J. M., and SENIOR, Judith B. 5-Hydroxytryptamine content of the placenta and foetus during pregnancy in mice, **22**, 380
 —, and SULLIVAN, F. M. Effect of treatment with a large dose of isoniazid on an established tuberculous infection in mice, **14**, 222

- ROBSON, J. M. (*cont.*)
 —. See also NEAL, M. J., *et al.*, **22**, 590, 596; **24**, 519
 POULSON, Evelyn, *et al.*, **21**, 150
 ROBINSON, B. V., *et al.*, **23**, 420
 ROBSON, R. D. See GREEN, A. F., *et al.*, **22**, 349; **25**, 497
 ROCHA E SILVA, M. Central effects produced by injection of 48/80 into the cerebral ventricles of mice, **14**, 243
 —. See also GARCIA LEME, J., *et al.*, **25**, 50
 RODDIE, I. C. See BLAIR, D. A., *et al.*, **15**, 466
 ROE, A. M. See FIELDEN, R., *et al.*, **23**, 486
 ROESCH, R. P. See GARDIER, R. W., *et al.*, **20**, 579
 ROGERS, D. See BOYD, Helen, *et al.*, **23**, 151
 ROGNONI, F. See DELLA BELLA, D., *et al.*, **18**, 563
 ROLINSON, G. N., and SUTHERLAND, R. Binding of antibiotics to serum proteins, **25**, 638
 ROLLO, I. M. See WILLIAMSON, J., *et al.*, **14**, 423
 ROOS, B.-E. See LINDELL, S.-E., *et al.*, **15**, 351
 ROSE, B. See KOVACS, B. A., *et al.*, **21**, 419
 ROSENBERG, V. M. See PERERA, B. A. V., *et al.*, **20**, 534
 ROSS, G. See KOLIN, A., *et al.*, **25**, 126
 ROSS, W. J. See BOWDEN, K., *et al.*, **24**, 714
 ROTHSCHILD, A. M. Histamine release by bee venom phospholipase A and mellitin in the rat, **25**, 59
 —. See also PATON, W. D. M., *et al.*, **24**, 432, 437
 ROTHSCHILD, Hannah A. See JUNQUEIRA, L. C. U., *et al.*, **13**, 71
 ROTHSTEIN, A. See CLARKSON, T. W., *et al.*, **24**, 1
 RUBIN, Dana. See ROBERTSON, P. A., *et al.*, **19**, 5
 RUGSTAD, H. E. See AMUNDSEN, E., *et al.*, **25**, 67
 RUMENS, M. J. See DAVIES, D. R., *et al.*, **15**, 271
 RUSHTON, Ruth, and STEINBERG, Hannah. Mutual potentiation of amphetamine and amylobarbitone measured by activity in rats, **21**, 295
 —, —, and TINSON, Christine. Effects of a single experience on subsequent reactions to drugs, **20**, 99
 RUTLAND, J. P. Effect of some oximes in sarin poisoning, **13**, 399
 RYALL, R. W. Effects of cocaine and antidepressant drugs on the nictitating membrane of the cat, **17**, 339
 RYAN, S. J. See EAKINS, K. E., *et al.*, **23**, 374
 RYDÉN, G., and SÖHOLM, I. Assay of oxytocin by rat mammary gland *in vitro*, **19**, 136
 RYLANCE, H. J. See LIGHTOWLER, J. E., *et al.*, **22**, 221
- S
- SAAMELI, K. Quantitative comparison between oxytocin and four related neurohypophysial peptides on the human uterus *in situ*, **23**, 176
 SABINE, J. R. See BENTLEY, G. A., *et al.*, **21**, 190
 SACHDEV, K. S., AAMAN, Ranita, and RAJAPURKAR, M. V. Antihistaminase activity of serpentine, **16**, 146
 SADLER, P. W. See BAUER, D. J., *et al.*, **15**, 101
 HOBBIGER, F., *et al.*, **14**, 192
 SAFFRAN, M., and VOGT, Marthe. Depletion of pituitary corticotrophin by reserpine and by a nitrogen mustard, **15**, 165
 SALEM, H. See BILBEY, D. L. J., *et al.*, **15**, 540
 SALVATERRA, M. See SETNIKAR, I., *et al.*, **14**, 484
 SANABRIA, A. Ultrastructural changes produced in the rat kidney by a mercurial diuretic (meralluride), **20**, 352
 SANAN, S., and VOGT, Marthe. Effect of drugs on the noradrenaline content of brain and peripheral tissues and its significance, **18**, 109
 SANCHEZ, V. See ALONSO-deFLORIDA, F., *et al.*, **25**, 610
 SANDERS, H. D. See FRANK, G. B., *et al.*, **21**, 1
 SAXBY, O. B. See BÜLBRING, Edith, *et al.*, **13**, 440
 SAXENA, P. N. See DHAWAN, B. N., *et al.*, **15**, 285; **16**, 137
 SAXENA, P. R. See BHARGAVA, K. P., *et al.*, **25**, 743
 SAZ, H. J. See BUEDING, E., *et al.*, **14**, 497
 SCHACHTER, M. See BHOOLA, K. D., *et al.*, **19**, 190
 COLLIER, H. O. J., *et al.*, **15**, 290
 MATHIAS, A. P., *et al.*, **13**, 326
 SCHAIN, R. J. Effects of 5-hydroxytryptamine on the dorsal muscle of the leech (*Hirudo medicinalis*), **16**, 257
 —. Some effects of a monoamine-oxidase inhibitor upon changes produced by centrally administered amines, **17**, 261
 SCHATZBERG-PORATH, G. See EDERY, H., *et al.*, **17**, 276
 SCHAUMANN, W. Maximal inhibition of cholinesterase in the central nervous system, **15**, 432
 SCHAYER, R. W. See LINDELL, S.-E., *et al.*, **13**, 44, 52, 89
 SCHIATTI, P. See MAFFII, G., *et al.*, **16**, 231
 SCHILD, H. O. See ARUNLAKSHANA, O., *et al.*, **14**, 48
 GHOSH, M. N., *et al.*, **13**, 54
 MARTIN, P. J., *et al.*, **25**, 418
 MYERSCOUGH, P. R., *et al.*, **13**, 207
 SCHMIDT, K. F. See GIARMAN, N. J., *et al.*, **20**, 563
 SCHNEIDER, R., and BISHOP, Hilary. Mechanism of the inhibitory effect of gluten fractions on the peristaltic reflex, **15**, 574
 —, —, and SHAW, B. Inhibition of the peristaltic reflex by substances from protein sources, **15**, 219
 —. See also BISHOP, Hilary, *et al.*, **21**, 238
 SCHNIEDEN, H. Effect of levallorphan tartrate and of adifenine hydrochloride on the antidiuretic action of morphine and nicotine, **15**, 510
 —. See also BROADBENT, J. L., *et al.*, **13**, 213
 KEELER, R., *et al.*, **14**, 368
 REES, A. H., *et al.*, **18**, 299
 SCHOTT, A. Suppression of ouabain-induced atrial arrhythmias by carotid sinus stimulation, **17**, 12
 SCHUMACHER, H., SMITH, R. L., and WILLIAMS, R. T. Metabolism of thalidomide: spontaneous hydrolysis of thalidomide in solution, **25**, 324
 —, —, —. Metabolism of thalidomide: fate of thalidomide and some of its hydrolysis products in various species, **25**, 338
 —. See also FABRO, S., *et al.*, **25**, 352
 SCHWARTZ, C. J. See LEMESSURIER, D. H., *et al.*, **14**, 246
 SCOTT, Carol A. See NOWELL, P. T., *et al.*, **18**, 617; **19**, 498
 SCOTT, K. A. See BARLOW, R. B., *et al.*, **21**, 509
 SCROOP, G. C. See FEWINGS, J. D., *et al.*, **23**, 115
 SEAMARK, R. F. See MANN, T., *et al.*, **17**, 208
 SEGAL, M. See BENFEY, B. G., *et al.*, **14**, 380
 SEGEL, N. See BISHOP, J. M., *et al.*, **25**, 456
 SEKIYA, A., and VAUGHAN WILLIAMS, E. M. Effects of pronethalol, dichloroisoprenaline and disopyramide on the toxicity to the heart of ouabain and anaesthetics, **21**, 462
 —, —. Comparison of the antifibrillatory actions and effects on intracellular cardiac potentials of pronethalol, disopyramide and quinidine, **21**, 473
 —, —. Central and peripheral actions of pronethalol, **24**, 307
 SELLER, M. J., and SPECTOR, R. G. Effect of aldosterone and cortisol on leptazol-induced seizures in rats, **19**, 271
 SELYE, H., and BAJUSZ, E. Effect of various electrolytes upon cardiac and skeletal musculature, **14**, 83
 —. See also GABBIANI, G., *et al.*, **19**, 508

- SEN, Amiya B., and HAWKING, F. Screening of cestidal compounds on a tapeworm, *Hymenolepis nana*, *in vitro*, **15**, 436
- . See also BHATTACHARYA, B. K., *et al.*, **24**, 240
HAWKING, F., *et al.*, **15**, 567
- SENIOR, Judith B. See ROBSON, J. M., *et al.*, **22**, 380
- SETNIKAR, I., SALVATERRA, M., and TEMELCOU, O. Antiphlogistic activity of iproniazid, **14**, 484
- SHAND, D. G. Mode of action of drugs blocking ganglionic transmission in the rat, **24**, 89
- . See also QUILLIAM, J. P., *et al.*, **23**, 273
- SHANKS, R. G. See BLACK, J. W., *et al.*, **25**, 577
GLOVER, W. E., *et al.*, **19**, 235; **22**, 166
- SHAPERO, M. See ASHFORD, A., *et al.*, **19**, 458
- SHARMA, M. L. See DESHPANDE, V. R., *et al.*, **17**, 7
- SHARMA, P. L. Mechanism of atrial flutter and fibrillation induced by aconitine in the dog, with observations on the role of cholinergic factors, **21**, 368
- SHARMAN, D. F. Fluorimetric method for the estimation of 4-hydroxy-3-methoxyphenylacetic acid (homovanillic acid) and its identification in brain tissue, **20**, 204
- , VANOV, S., and VOGT, Marthe. Noradrenaline content in the heart and spleen of the mouse under normal conditions and after administration of some drugs, **19**, 527
- . See also ASHCROFT, G. W., *et al.*, **19**, 153
KRNEVICK, K., *et al.*, **20**, 491
LAVERTY, R., *et al.*, **21**, 482; **24**, 538, 549, 759
MANN, T., *et al.*, **17**, 208
- SHAW, B. See HEBBORN, P., *et al.*, **20**, 254
SCHNEIDER, R., *et al.*, **15**, 219
- SHAW, Jane E. See RAMWELL, P. W., *et al.*, **24**, 651
- SHAW, J. J. See ORMEROD, W. E., *et al.*, **21**, 259
- SHEARD, P. See GOLBERG, L., *et al.*, **15**, 304
- SHEPHERD, D. M. See MACKAY, D., *et al.*, **15**, 552
- SHIDEMAN, F. E. See BHAGAT, B., *et al.*, **20**, 56
- SHIFRINE, M. See BIGLAND, C. H., *et al.*, **25**, 1
- SHORLEY, Patricia G. See BHOOLA, K. D., *et al.*, **19**, 190
COLLIER, H. O. J., *et al.*, **15**, 290, 601; **20**, 345
- de la SIERRA, B. G. A. See DE LA SIERRA, B. G. A.
- E SILVA, M. Rocha. See ROCHA E SILVA
- SILVERMAN, A. P. Ethological and statistical analysis of drug effects on the social behaviour of laboratory rats, **24**, 579
- SILVESTRI, B., and POZZATTI, C. Pharmacological properties of 3-phenyl-5 β -diethylaminoethyl-1,2,4-oxadiazole, **16**, 209
- . See also BOVET, D., *et al.*, **13**, 74
MAFFII, G., *et al.*, **16**, 231
- SIM, M. F. See GREEN, A. F., *et al.*, **17**, 464
- SIMAAN, J. See FAWAZ, G., *et al.*, **20**, 569; **24**, 526
- SIMENHOFF, M. L. See ASATOOR, A. M., *et al.*, **20**, 285
- SINGH, I. Release of "neurokinin" on nervous and electrical stimulation of a frog stomach muscle preparation, **22**, 403
- SITARAMAYYA, G. V. See HARANATH, P. S. R. K., *et al.*, **24**, 339
- SIVAPPA, D. S. See ARORA, R. B., *et al.*, **19**, 394
- SJOERDSMA, A., and VON STUDNITZ, W. Dopamine- β -oxidase activity in man, using hydroxyamphetamine as substrate, **20**, 278
- SJÖHOLM, I. See RYDÉN, G., *et al.*, **19**, 136
- SKERRY, Rita. See COLLIER, H. O. J., *et al.*, **17**, 28
- SLAWSON, K. B. See DOYLE, D., *et al.*, **22**, 228
HARRIS, E. A., *et al.*, **24**, 214
- SLEET, R. A. See ANDERTON, J. L., *et al.*, **19**, 142
- SMITH, D. J. See MACMILLAN, W. H., *et al.*, **18**, 39
- SMITH, G. H. See KIDD, D. A. A., *et al.*, **18**, 128
- SMITH, J. M. See HAINING, C. G., *et al.*, **15**, 71
- SMITH, M. W. Some pharmacological properties of uridine nucleotides, **22**, 254
- , and GINSBURG, M. Fate of synthetic oxytocin analogues in the rat, **16**, 244
- . See also GINSBURG, M., *et al.*, **14**, 327
- SMITH, R. L. See FABRO, S., *et al.*, **25**, 352
SCHUMACHER, H., *et al.*, **25**, 324, 338
- SMITH, S. E. Pharmacological actions of 3,4-dihydroxyphenyl- α -methylalanine (α -methyl-dopa), an inhibitor of 5-hydroxytryptophan decarboxylase, **15**, 319
- . Uptake of 5-hydroxy[¹⁴C]tryptophan by rat and dog brain slices, **20**, 178
- . See also KANE, P. O., *et al.*, **14**, 261
- SNOW, G. A. See LEVI, A. A., *et al.*, **15**, 160
- SOMERS, G. F. Pharmacological properties of thalidomide (α -phthalimido-glutarimide), a new sedative hypnotic drug, **15**, 111
- SONCIN, E. See MAFFII, G., *et al.*, **13**, 357
- SPARROW, Elizabeth M. See MASON, Brenda, *et al.*, **25**, 257
- SPECTOR, R. G. See SELLER, M. J., *et al.*, **19**, 271
- SPECTOR, S. See HALPERN, B. N., *et al.*, **20**, 389
- SPEDEN, R. N. Effect of some volatile anaesthetics on the transmurally stimulated guinea-pig ileum, **25**, 104
- . See also PATON, W. D. M., *et al.*, **25**, 88
- SPENCER, P. S. J. Activity of centrally acting and other drugs against tremor and hypothermia induced in mice by Tremorine, **25**, 442
- , and WEST, G. B. Sensitivity of the hyperthyroid and hypothyroid mouse to histamine and 5-hydroxytryptamine, **17**, 137
- . See also MARRIOT, A. S., *et al.*, **25**, 432
- SPINKS, A., YOUNG, E. H. P., FARRINGTON, J. A., and DUNLOP, D. Pharmacological actions of pempidine and its ethyl homologue, **13**, 501
- SPRADBROW, P. B. Chemotherapy of experimental leptospiral infection in mice, **20**, 237
- . Sensitivity to drugs of Australian leptospiral serotypes, **20**, 230
- SPRIGGS, T. L. B. Effects of anaesthesia induced by urethane or phenobarbitone upon the distribution of peripheral catechol amines in the rat, **24**, 752
- . See also CASS, Rosemary, *et al.*, **17**, 442
- SPROULL, D. H. Salicylate and liver glutathione, **16**, 180
- SRIMAL, R. C. See BHARGAVA, K. P., *et al.*, **23**, 383
- SRIVASTAVA, R. K. See BHARGAVA, K. P., *et al.*, **23**, 391; **25**, 74, 751
- STACEY, R. S. Uptake of 5-hydroxytryptamine by platelets, **16**, 284
- . See also BORN, G. V. R., *et al.*, **13**, 62
- STAFFORD, Anne. Adrenaline, anti-adrenaline drugs and potassium movements in rabbit auricles, **19**, 274
- . Potentiation of some catechol amines by phenoxybenzamine, guanethidine and cocaine, **21**, 361
- . See also BORN, G. V. R., *et al.*, **13**, 411
BROWN, B. T., *et al.*, **18**, 311
RAND, M. J., *et al.*, **14**, 174
- STAGG, R. B. L. See FABRO, S., *et al.*, **25**, 352
- STANFORD, C. F. See GLOVER, W. E., *et al.*, **22**, 166
- STASZEWSKA-BARCZAK, Janina, and VANE, J. R. Release of catechol amines from the adrenal medulla by histamine, **25**, 728
- STAVINOHA, W. B. See MCKENZIE, J. M., *et al.*, **17**, 392

- STEINBERG, Hannah. See DICKINS, D. W., *et al.*, **24**, 14
 LEGGE, D., *et al.*, **18**, 490
 RUSHTON, Ruth, *et al.*, **20**, 99;
21, 295
- STEPHENSON, R. P. See BARLOW, R. B., *et al.*, **21**, 509
 BLAIR, A. M. J. N., *et al.*, **15**, 247
 GADDUM, J. H., *et al.*, **13**, 493
- STEWART, G. T., and HARRISON, Patricia M. Excretion and re-excretion of a broad-spectrum penicillin in bile, **17**, 414
 —. See also HARRISON, Patricia M., *et al.*, **15**, 571;
17, 420
- STIRLING, G. S. See MARSHALL, Elizabeth F., *et al.*, **15**, 35
- STOCKBRIDGE, Anne. See DAY, Margaret, *et al.*, **23**, 405
- STOCKHAM, M. A. See MONTANARI, R., *et al.*, **18**, 337
- STOELTING, V. K. See GARDIER, R. W., *et al.*, **20**, 586
- STRAUGHAN, D. W. Release of acetylcholine from mammalian motor nerve endings, **15**, 417
- STRESEMANN, E. See HERXHEIMER, H., *et al.*, **21**, 414
- STRÖMBLAD, B. C. R. Uptake of injected [¹⁴C]adrenaline in denervated and in normally innervated submaxillary glands of the cat, **14**, 273
 —. Effect of denervation and of cocaine on the action of sympathomimetic amines, **15**, 328
 —. See also EMMELIN, N., *et al.*, **13**, 193
 OHLIN, P., *et al.*, **13**, 227; **20**, 299
- VON STUDNITZ, W. See SJOERDSMA, A., *et al.*, **20**, 278
- STÜRMER, E. See KONZETT, H., *et al.*, **15**, 544
- STYLES, P. R., and SULLIVAN, T. J. Measurement of uterine activity *in vitro* by integrating muscle tension, **19**, 129
- SU, C., and LEE, C. Y. Mode of neuromuscular blocking action of chlorpromazine, **15**, 88
 —. See also BEVAN, J. A., *et al.*, **22**, 176
- SUBRAMANIAN, G. See NORTHOVER, B. J., *et al.*, **16**, 163;
17, 107; **18**, 346
- SULLIVAN, F. M. See ROBSON, J. M., *et al.*, **14**, 222
- SULLIVAN, T. J. Effect of diet on the 5-hydroxytryptamine content of the small intestine and other organs in rats and mice, **15**, 513
 —. Effect of antibiotics on the 5-hydroxytryptamine content of the small intestine and other organs in rats and mice, **16**, 90
 —. Action of ouabain on the guinea-pig isolated uterus, **21**, 226
 —. See also STYLES, P. R., *et al.*, **19**, 129
- SUTHERLAND, R. Spiramycin: a reappraisal of its antibacterial activity, **19**, 99
 —. See also CLARKSON, T. W., *et al.*, **24**, 1
 ROLINSON, G. N., *et al.*, **25**, 638
- SUTTER, M. C. Pharmacology of isolated veins, **24**, 742
 —. See also CUTHBERT, A. W., *et al.*, **25**, 592
- SZEKERES, L., MÉHES, J., and PAPP, J. Mechanism of increased susceptibility to fibrillation of the hypothermic mammalian heart *in situ*, **17**, 167
 —. See also VAUGHAN WILLIAMS, E. M., *et al.*, **17**, 424
- SZERB, J. C. Effect of morphine on the adrenergic nerves of the isolated guinea-pig jejunum, **16**, 23
 —. See also GADDUM, J. H., *et al.*, **17**, 451
- TAKESHIGE, C., and VOLLE, R. L. (*cont.*)
 —. Comparison of the ganglion potentials and block produced by acetylcholine and tetramethylammonium, **23**, 80
- TANGRI, K. K. See BHARGAVA, K. P., *et al.*, **14**, 411
- TAVERNER, D. Action of local anaesthetics on the spinal cord of the cat, **15**, 201
- TAYLOR, Angela E. R. Absorption of Prothidium by *Trypanosoma rhodesiense*, **15**, 230
 —. Absorption, distribution and excretion of pyrethroid (Prothidium) in rats, rabbits and cattle, **15**, 235
- TAYLOR, D. B. See CREESE, R., *et al.*, **17**, 101
- TAYLOR, D. W. See CAIRNIE, A. B., *et al.*, **17**, 539
 KOSTERLITZ, H. W., *et al.*, **14**, 209
- TAYLOR, E. M. See EVERITT, B. J., *et al.*, **25**, 790
 MAXWELL, D. R., *et al.*, **17**, 310
- TAYLOR, J. D. See LOWENTHAL, J., *et al.*, **14**, 14
- TAYLOR, N. R. W. See AHMED, A., *et al.*, **14**, 350
- TELFORD, J. M., and WEST, G. B. Effect of corticosteroids and related compounds on the histamine and 5-hydroxytryptamine content of rat tissues, **15**, 532
 —. Some effects of corticosteroids on the metabolism of histamine and 5-hydroxytryptamine in the rat, **16**, 360
- TEMLCOU, O. See SETNIKAR, I., *et al.*, **14**, 484
- TEOTINO, U. See DELLA BELLA, D., *et al.*, **18**, 563
- THOENEN, H. See HAEFELY, W., *et al.*, **21**, 27; **22**, 5
- THOMAS, B. H. See ROBERTS, J. B., *et al.*, **25**, 234, 763
- THOMPSON, C. J. See HORTON, E. W., *et al.*, **22**, 183
- THOMPSON, J. W. See PATON, W. D. M., *et al.*, **22**, 143
- THOMPSON, R. E. M. See O'GRADY, F., *et al.*, **13**, 1
- THORP, R. H. See CHESER, G. B., *et al.*, **25**, 288
 COBBIN, L. B., *et al.*, **14**, 392
- THORPE, E. See PAGET, G. E., *et al.*, **23**, 305
- TILTON, B. See CREESE, R., *et al.*, **17**, 101
- TIMMS, A. R., and BUEDIG, E. A proteolytic enzyme from *Schistosoma mansoni*, **14**, 68
- TINSON, Christine. See RUSHTON, Ruth, *et al.*, **20**, 99
- TODRICK, A. See MARSHALL, Elizabeth F., *et al.*, **15**, 35
- TOH, C. C., and MOHIUDDIN, A. Vasoactive substances in the nasal mucosa, **13**, 113
- TOMICH, E. G. See BUSFIELD, Dorothy, *et al.*, **22**, 137
- TOTHILL, Anne. Effects of four monoamine-oxidase inhibitors on the rat uterus, **25**, 217
- TRAVELL, Janet. See KARP, Dorothy, *et al.*, **15**, 333
- TRENDELENBURG, U. See BOGOCH, S., *et al.*, **18**, 325
 CROUT, J. R., *et al.*, **18**, 600
- TUBARO, E. Possible relationship between tetracycline stability and effect on foetal skeleton, **23**, 445
- TUCHWEBER, Beatriz. See GABBIANI, G., *et al.*, **19**, 508
- TURNBULL, Eleanor R. See COLLINS, R. F., *et al.*, **14**, 467
- TURNER, D. H. See ACRED, P., *et al.*, **17**, 70; **18**, 356
- TUTUNJI, B. See FAWAZ, G., *et al.*, **14**, 355; **15**, 389
- TWARCG, Betty M. Pharmacology of a molluscan smooth muscle, **14**, 404
- TYBRING, L. See ENGBERG-PEDERSEN, H., *et al.*, **23**, 1
- TYE, A. See RAITT, J. R., *et al.*, **17**, 473
- TYLER, Christine. See MANTEGAZZA, P., *et al.*, **13**, 480

U

- UPHAM, H. C. See HALEY, T. J., *et al.*, **17**, 526
- URBANŃKA, Alicja. See VENULET, J., *et al.*, **15**, 4

V

- VALLANCE, D. K. See BARRON, D. I., *et al.*, **25**, 534
- VALZELLI, G. See ANGELUCCI, R., *et al.*, **24**, 274

T

- TAIT, A. C. See MARSHALL, Elizabeth F., *et al.*, **15**, 35
- TAKESHIGE, C., and VOLLE, R. L. Asynchronous post-ganglionic firing from the cat superior cervical sympathetic ganglion treated with neostigmine, **20**, 214

- VANE, J. R. Relative activities of some tryptamine analogues on the isolated rat stomach strip preparation, **14**, 87
- . Use of isolated organs for detecting active substances in the circulating blood, **23**, 360
- . See also ARMITAGE, A. K., *et al.*, **22**, 204
- DAY, Margaret, *et al.*, **20**, 150
- MARLEY, E., *et al.*, **13**, 364
- REGOLI, D., *et al.*, **23**, 351
- STASZEWSKA-BARCZAK, Janina, *et al.*, **25**, 728
- VAN NOORDWIJK, J. See AARSEN, P. N., *et al.*, **17**, 41
- VANOV, S. Responses of the rat urinary bladder *in situ* to drugs and to nerve stimulation, **24**, 591
- . See also HOLLANDS, B. C. S., *et al.*, **25**, 307
- HUKOVIĆ, S., *et al.*, **24**, 178
- SHARMAN, D. F., *et al.*, **19**, 527
- VAN PETTEN, G. R. See LEWIS, J. J., *et al.*, **20**, 462; **25**, 631
- VARAGIĆ, V., and VOJVODIĆ, N. Effect of guanethidine, hemicholinium and mebutamate on the hypertensive response to eserine and catechol amines, **19**, 451
- . See also BELESLIN, D., *et al.*, **13**, 266, 321; **15**, 10
- KRSTIĆ, M., *et al.*, **24**, 132
- LEŠIĆ, R., *et al.*, **16**, 99, 320
- VARMA, D. R. See BENFEY, B. G., *et al.*, **21**, 174; **22**, 66, 366; **23**, 399
- BHARGAVA, K. P., *et al.*, **21**, 45
- MELVILLE, K. I., *et al.*, **17**, 218
- VAUGHAN WILLIAMS, E. M. Mode of action of quinidine on isolated rabbit atria interpreted from intracellular potential records, **13**, 276
- , and SZEKERES, L. Comparison of tests for anti-fibrillatory action, **17**, 424
- . See also MORALES-AGUILERÁ, A., *et al.*, **24**, 319, 332
- SEKIYA, A., *et al.*, **21**, 462, 473; **24**, 307
- VEILLEUX, R. Anaphylactoid oedema produced in rats by certain dextrans, **21**, 235
- VENERONI, E. See BIZZI, A., *et al.*, **25**, 187
- VENULET, J., J. KIMOWSKA, Krystyna, JANOWIEC, M., and URBAN, Alicja. Accumulation of isoniazid in tissues, and the course of experimental tuberculosis, **15**, 4
- VERNIKOS, Joan. See HODGES, J. R., *et al.*, **13**, 98; **14**, 215
- VINCENZI, F. F., and WEST, T. C. Effect of hemicholinium on the release of autonomic mediators in the sinoatrial node, **24**, 773
- VISKE, K. See LINDELL, S.-E., *et al.*, **17**, 131
- VOGT, Marthe. Release of medullary amines from the isolated perfused adrenal gland of the dog, **24**, 561
- . See also JUORIO, A. V., *et al.*, **24**, 566
- LAVERTY, R., *et al.*, **24**, 549
- MUSCHOLL, E., *et al.*, **22**, 193
- SAFFRAN, M., *et al.*, **15**, 165
- SANAN, S., *et al.*, **18**, 109
- SHARMAN, D. F., *et al.*, **19**, 527
- VOJVODIĆ, N. See VARAGIĆ, V., *et al.*, **19**, 451
- VOLLE, R. L. See TAKESHIGE, C., *et al.*, **20**, 214; **23**, 80
- VUGMAN, I. See JUNQUEIRA, L. C. U., *et al.*, **13**, 71
- WAALER, Bjarne A. (*cont.*)
- . See also AMUNDSEN, E., *et al.*, **21**, 500
- WALKER, J. See CLARK, R. J., *et al.*, **13**, 424
- WALKER, J. M. See BEJRABLAYA, D., *et al.*, **13**, 461
- RAND, M. J., *et al.*, **13**, 107
- WALKER, J. M. G., and WEATHERALL, M. Calcium in relation to the actions of ouabain and adrenaline on the heart, **23**, 66
- WALLACE, A. C. See HAGEN, P., *et al.*, **17**, 267
- WALLIS, D. I. See KOSTERLITZ, H. W., *et al.*, **22**, 499
- WALPOLE, A. L. See JACKSON, H., *et al.*, **23**, 521
- WARNER, B. T. See COLLIER, H. O. J., *et al.*, **17**, 28
- CORNE, S. J., *et al.*, **20**, 106
- HOLGATE, J. A., *et al.*, **15**, 561
- WARRINER, Joan. See GINSBORG, B. L., *et al.*, **15**, 410
- WATKINS, J. C. See CURTIS, D. R., *et al.*, **16**, 262
- WAY, E. Leong. See LEONG WAY, E.
- WEATHERALL, Josephine A. C. Anaesthesia in new-born animals, **15**, 454
- WEATHERALL, M. See WALKER, J. M. G., *et al.*, **23**, 66
- WEBSTER, R. A. Centrally acting muscle relaxants in tetanus, **17**, 507
- . Site of action of chlorpromazine and mephenesin in experimental tetanus, **18**, 150
- . Effects of mephenesin and chlorpromazine on motor nerve discharges in the rabbit, **25**, 270
- . Antiadrenaline activity of some phenothiazine derivatives, **15**, 566
- . See also LAURENCE, D. R., *et al.*, **13**, 330, 334; **16**, 296
- WEETMAN, D. F. See BURN, J. H., *et al.*, **20**, 74
- WEINSTOCK, Marta. Similarity between receptors responsible for the production of analgesia and lenticular opacity, **17**, 433
- . See also COX, B. M., *et al.*, **22**, 289
- WEISS, C. See ADAM, K. R., *et al.*, **14**, 334
- WELSH, J. H. See WRIGHT, Anne M., *et al.*, **18**, 440
- WEST, G. B. See DAWSON, W., *et al.*, **24**, 725
- FENTON, H., *et al.*, **20**, 507
- HARRIS, J. M., *et al.*, **20**, 550
- PARRATT, J. R., *et al.*, **13**, 65
- POYSER, R. H., *et al.*, **25**, 602
- SPENCER, P. S. J., *et al.*, **17**, 137
- TELFORD, J. M., *et al.*, **15**, 532; **16**, 360
- WEST, T. C. See VINCENZI, F. F., *et al.*, **24**, 773
- WESTLING, H. Difference in the metabolism of injected [¹⁴C]histamine in male and female rats, **13**, 498
- , and WETTERQVIST, H. Further observations on the difference in the metabolism of histamine in male and female rats, **19**, 64
- . See also BJURÖ, T., *et al.*, **17**, 479; **22**, 453; **23**, 433
- LINDELL, S.-E., *et al.*, **15**, 351
- WETTERQVIST, H. See BJURÖ, T., *et al.*, **17**, 479; **23**, 433
- WESTLING, H., *et al.*, **19**, 64
- WHELAN, R. F. See COOPER, C. J., *et al.*, **21**, 165
- FEWINGS, J. D., *et al.*, **23**, 115
- HODGE, R. L., *et al.*, **18**, 331
- LEMESURIER, D. H., *et al.*, **14**, 246
- WHITBY, L. G. See IVERSEN, L. L., *et al.*, **19**, 355
- WHITE, Jean A. See HARRISON, Patricia M., *et al.*, **15**, 571
- WHITE, N. See GARDIER, R. W., *et al.*, **20**, 586
- WHITE, T. A vasoactive material in brain extracts, **22**, 113
- WHITNEY, B. See BUCKNELL, Anne, *et al.*, **23**, 164
- WHITTAKER, V. P. See HOLMSTEDT, B., *et al.*, **13**, 315
- KEYL, M. J., *et al.*, **13**, 103
- LAVERTY, R., *et al.*, **21**, 482
- WAAL, Hendrieka. See FASTIER, F. N., *et al.*, **14**, 527
- WAALER, Bjarne A. Effect of dopamine on the isolated perfused lung lobes of the dog, **16**, 195

- WHITTLE, B. A. Use of changes in capillary permeability in mice to distinguish between narcotic and non-narcotic analgesics, **22**, 246
- WHITTOW, G. C. See LIN, R. C. Y., *et al.*, **15**, 440
- WIEN, R. See BURN, J. H., *et al.*, **20**, 83
- WILKINSON, S. See BARNETT, Margaret, *et al.*, **23**, 552
- WILLEY, D. R. See DAVIES, D. R., *et al.*, **13**, 202
- WILLEY, G. L. Effect of antisympathomimetic drugs on the plasma concentrations of catechol amines, **19**, 365
— See also DAVIES, D. R., *et al.*, **14**, 5
FIELDEN, R., *et al.*, **23**, 486; **24**, 395
- WILLIAMS, B. N. See DAVIES, J. W. L., *et al.*, **21**, 220
- WILLIAMS, E. M. V. See VAUGHAN WILLIAMS, E. M.
- WILLIAMS, Frances E. See HALLIWELL, G., *et al.*, **23**, 330
- WILLIAMS, G. A. H. Experimental hepatic amoebiasis and its application to chemotherapeutic studies, **14**, 488
- WILLIAMS, R. T. See FABRO, S., *et al.*, **25**, 352
SCHUMACHER, H., *et al.*, **25**, 324, 338
- WILLIAMSON, J. Drug resistance in trypanosomes; selective interference with trypanocidal action, **14**, 431
— Drug resistance in trypanosomes; effects of metabolic inhibitors, pH and oxidation-reduction potential on normal and resistant *Trypanosoma rhodesiense*, **14**, 443
—, and ROLLO, I. M. Drug resistance in trypanosomes; cross-resistance analyses, **14**, 423
- WILSON, A. See NOWELL, P. T., *et al.*, **18**, 617; **19**, 498
ROBERTS, J. B., *et al.*, **25**, 234, 763
- WILSON, A. B. See BIRMINGHAM, A. T., *et al.*, **21**, 569; **24**, 375
- WILSON, C. W. M. Drug antagonism and audiogenic seizures in mice, **14**, 415
- WILSON, H. See EVANS, E. R., *et al.*, **22**, 441
- WILSON, M. J. See ACRED, P., *et al.*, **18**, 356
- WIND, Esther. See BERGMANN, F., *et al.*, **18**, 381
- WISLICKI, L. Effects of rate of stimulation and of fatigue on the response to neuromuscular blocking agents, **13**, 138
- WITHRINGTON, P., and ZAIMIS, Eleanor. Reserpine-treated cat, **17**, 380
- WOOD, D. R. See EADE, N. R., *et al.*, **13**, 390
KILPATRICK, R., *et al.*, **13**, 350
- WOOD, Margaret. See BOYD, Helen, *et al.*, **20**, 418
- WOSTMANN, B. S. See BEAVER, Margaret H., *et al.*, **19**, 385
- WRAGG, W. R. See EDGE, N. D., *et al.*, **15**, 207
- WRIGHT, Anne M., MOORHEAD, Marilyn, and WELSH, J. H. Actions of derivatives of lysergic acid on the heart of *Venus mercenaria*, **18**, 440
- WRIGHT, D. See ACRED, P., *et al.*, **15**, 496; **17**, 70
- WRIGHT, S. E. See BROWN, B. T., *et al.*, **18**, 311

Y

- YELNO'KY, J., and CLARK, B. B. Response of isolated rabbit atria to aconitine, **15**, 448
- YOO, C. S. See LEE, W. C., *et al.*, **25**, 651
- YOUNG, E. H. P. See SPINKS, A., *et al.*, **13**, 501

Z

- ZAIMIS, Eleanor. See CHILD, K. J., *et al.*, **15**, 412
MANTEGAZZA, P., *et al.*, **13**, 480
WITHRINGTON, P., *et al.*, **17**, 380
- ZANOTTO, A. See BERALDO, W. T., *et al.*, **15**, 224
- ZOLLER, Anne. See BARLOW, R. B., *et al.*, **19**, 485; **23**, 131