

# BRITISH JOURNAL OF PHARMACOLOGY AND CHEMOTHERAPY

EDITED FOR  
THE BRITISH PHARMACOLOGICAL SOCIETY  
BY

H. M. ADAM   A. S. V. BURGEN   F. HAWKING   P. HEY   E. W. HORTON  
G. P. LEWIS   J. L. MONGAR   W. E. ORMEROD   A. SPINKS  
HANNAH STEINBERG   J. R. VANE   MARTHE VOGT   M. WEATHERALL  
J. G. WIDDICOMBE

G. S. DAWES (Chairman)   R. S. STACEY (Secretary)

J. R. HODGES (Press Editor)

In co-operation with the EDITOR of the British Medical Journal

VOLUME 27, 1966

LONDON  
BRITISH MEDICAL ASSOCIATION  
TAVISTOCK SQUARE, W.C.1

**NOTICE TO CONTRIBUTORS.** The journal is published in volumes of three numbers each, and publishes original work in pharmacology and experimental chemotherapy, including the biochemical and pathological aspects of the subject. MSS. submitted for publication should be addressed to the Secretary to the Editorial Board, Prof. R. S. Stacey, Department of Pharmacology and Therapeutics, St. Thomas's Hospital Medical School, London S.E.1. Papers submitted to the journal are only accepted on the understanding that they are subject to editorial revision and that they have not been and will not be published in whole or in part in any other journal. When submitting a paper for publication, author(s) should include a statement to this effect.

¶ **PREPARATION OF MSS. AND ILLUSTRATIONS.** Authors are recommended to consult the current number of the journal before preparing a MS. so that the presentation of their paper follows current practice of the journal. Foreign-speaking contributors are advised, where possible, to seek the help of some British pharmacologist, known to them, in revising manuscripts before submission. Text and Tables should be in double-spaced typing on one side only of quarto or foolscap sheets with a margin of not less than 1½ in. on the left. The title, the name(s) and address(es) of the author(s) and a suggested short title should be typed on the first sheet. Where there is more than one author their names shall be printed in alphabetical order. The text should then start on a separate sheet. In stating the object, reference should only be made to previous work if it has a direct bearing on the subject. The paper should end with a summary of the author's results and conclusions, presented in numbered paragraphs, and not more than one-twentieth of the total length of the paper. Authors should also send an abstract of about 100 words suitable for inclusion in *International Abstracts of Biological Sciences*. Papers must be as concise as possible, but only recognized physical and chemical abbreviations may be used. All other names must be given in full. Abbreviations consisting of initial letters of words, etc., should not be used. Official or approved names should always be used, but, when these are not available, chemical or trade-names may be employed. On first mention, trade-names, serial numbers, etc., must be defined in terms of chemical names. The contributor should consider whether concentrations of solutions might be best stated in terms of weight per volume or molarity. Where comparisons are made it is often advisable to use molarities. Reference to other work should always give the author's name followed by the year of publication; more than one paper in one year being indicated by a small letter (a, b, c) after the date. On first reference to work by three or more authors, all the surnames should be given in full, but subsequently only the surname of the first author followed by *et al.* and the date is necessary. Footnotes and notes added in proof should be avoided.

¶ **TABLES.** Tables are referred to in the text by Arabic numerals and each must be typed on a separate sheet. Tables should be comprehensible without reference to the text. Explanations should follow the heading of the Table. Footnotes are not used.

¶ **ILLUSTRATIONS.** Illustrations are referred to in the text by Arabic numerals. The legend for each is to be typed on a separate sheet, numbered correspondingly, and should make the illustration understandable independently of the text. Line drawings and graphs are to be carefully and boldly drawn in Indian ink, on tracing linen, or Bristol board, or stout smooth white paper; blue-lined graph paper of good quality may be used for graphs. All lettering and numerals must be written lightly but legibly in pencil. Where desirable, kymograph tracings should be calibrated in both dimensions. Symbols which are to appear in the legend should be chosen from the following:

× + ● ■ □ ▲ ▼ ▽ ◆ ◇ ➔ ➠ ➡ ➢ ➣ ➤ ➥ ➦ ➧ ➨ ➩ ➪ ➫ ➬ ➭ ➮ ➯ ➰ ➱ ➲ ➳ ➴ ➵ ➶ ➷ ➸ ➹ ➺ ➻ ➼ ➽ ➾ ➿ ➠ ➡ ➢ ➣ ➤ ➥ ➦ ➧ ➨ ➩ ➪ ➫ ➬ ➭ ➮ ➯ ➰ ➱ ➲ ➳ ➴ ➵ ➶ ➷ ➸ ➹ ➺ ➻ ➼ ➽ ➾ ➿

The original drawing, or a full size high quality photograph of it, should always be sent. Small photographic copies are useful to the editors, but are insufficient by themselves. Originals should be about two to three times the suggested final size, and in no case larger than foolscap for ease in sending through the post. Mounted originals of kymograph tracings, rather than copies, should be sent, as should those of x-ray or other illustrations for half-tone reproduction. Photographs and photomicrographs should be printed on glossy paper and should be larger than the size desired for reproduction; particular care must be taken to ensure adequate definition, contrast, etc., in the prints submitted.

¶ **REFERENCES.** References should be arranged according to the Harvard system at the end of the paper in the alphabetical order of the names of the first author of each paper, and should include: author's name, followed by initials; year of publication in parentheses; title of article; title of publication, underlined, and abbreviated in accordance with the *World List of Scientific Periodicals* (4th ed.); volume number in Arabic numerals, underlined with a wavy line to indicate bold type; the number of the first and last page in Arabic numerals. The reference will then appear in type thus:

BURN, J. H. & RAND, M. J. (1958). The depressor action of dopamine and adrenaline. *Br. J. Pharmac. Chemother.*, 13, 471-479.

When reference is made to a book, the author's name and the year should be followed by: title (underlined); editor's name and volume number or edition (if appropriate); page (p. or pp.); town of origin; publisher. The reference will appear in type thus:

CLARK, A. J. (1940). *Applied Pharmacology*, 7th ed., p. 378. London: Churchill.

¶ **PROOFS.** Two page proofs will be supplied, one of which may be retained by the author. Authors are requested to read their proofs immediately on receipt, correct in pencil, and return them at once to the Press Editor. It is assumed that all but verbal corrections have been made in the original MS.: an allowance of eightpence/page is made for alterations in the proof (printer's errors excepted) and contributors will be charged for any excess.

¶ **REPRINTS.** Fifty reprints of an article will, if desired, be given to an author or divided among the authors. Additional reprints at cost price can be supplied if application is made on the postcard sent out with the proofs or to the publishers.

**NOTICE TO ADVERTISERS.** Applications for advertisement space and for rates should be addressed to the Advertisement Manager, *British Journal of Pharmacology and Chemotherapy*.

**NOTICE TO SUBSCRIBERS.** The Editorial Board have decided that, due to the increased number of acceptable papers, it will be necessary to publish an additional volume in 1966. Each volume will contain three numbers (as at present) and the charge per volume will remain unchanged. The annual subscription rate in 1966 is therefore £15 15s. in the United Kingdom and Republic of Ireland, and £16 10s. (U.S.A. \$48.00) in all countries overseas.

Payment for overseas subscriptions should be made in sterling, i.e., £16 10s., and sent by Mail Transfer—*Charges Remitter*—through a Bank, payable to the British Medical Association. Orders can also be placed locally through any leading subscription agent or bookseller. (For the convenience of readers in the U.S.A. subscription orders, with or without payment, can be sent to: BRITISH MEDICAL JOURNAL, 80 Brighton Avenue, Boston, Mass. 02134.) All enquiries, however, must be addressed to the Publisher in London.)

**COPYRIGHT** © 1966 by the *British Journal of Pharmacology and Chemotherapy*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

# BRITISH JOURNAL OF PHARMACOLOGY AND CHEMOTHERAPY

## MAY, 1966. Vol. 27. No. 1.

### CONTENTS

	PAGE
GABBIANI, G., JACQMIN, M. L. AND RICHARD, R. M. SOFT-TISSUE CALCIFICATION INDUCED BY RARE EARTH METALS AND ITS PREVENTION BY SODIUM PYROPHOSPHATE . . . . .	1
HARANATH, P. S. R. K., PREMALATHA, K. AND SUNANDA-BAI, K. PASSAGE OF INTRAVENOUSLY INFUSED ATROPINE INTO PERFUSED CEREBRAL VENTRICLES AND SUBARACHNOID SPACE . . . . .	10
KARIM, S. M. M. THE MECHANISM OF THE PRESSOR ACTION OF NORADRENALINE IN PITHEID CATS . . . . .	17
ARMITAGE, A. K., MILTON, A. S. AND MORRISON, CATHLEEN F. EFFECTS OF NICOTINE AND SOME NICOTINE-LIKE COMPOUNDS INJECTED INTO THE CEREBRAL VENTRICLES OF THE CAT . . . . .	33
CABRERA, R., COHEN, A., MIDDLETON, S., UTANO, L. AND VIVEROS, H. THE IMMEDIATE SOURCE OF NORADRENALINE RELEASED IN THE HEART BY ACETYL CHOLINE . . . . .	46
CABRERA, R., TORRANCE, R. W. AND VIVEROS, H. THE ACTION OF ACETYL CHOLINE AND OTHER DRUGS UPON THE TERMINAL PARTS OF THE POSTGANGLIONIC SYMPATHETIC FIBRE . . . . .	51
BENTLEY, G. A. THE EFFECT OF LOCAL ANAESTHETIC AND ANTI-ADRENALINE DRUGS ON THE RESPONSE OF SYMPATHETICALLY INNERVATED SMOOTH MUSCLE PREPARATIONS TO STIMULATION AT DIFFERENT FREQUENCIES . . . . .	64
COX, B. M. AND WEINSTOCK, MARTA. THE EFFECT OF ANALGESIC DRUGS ON THE RELEASE OF ACETYLCHOLINE FROM ELECTRICALLY STIMULATED GUINEA-PIG ILEUM . . . . .	81
FEWINGS, J. D., HANNA, M. J. D., WALSH, J. A. AND WHELAN, R. F. THE EFFECTS OF ETHYL ALCOHOL ON THE BLOOD VESSELS OF THE HAND AND FOREARM IN MAN . . . . .	93
DAVIES, G. E. AND LOWE, J. S. INHIBITORY EFFECTS OF THIOL COMPOUNDS ON KALLIKREIN AND ON EXPERIMENTAL BURNS IN GUINEA-PIGS . . . . .	107
CAMBRIDGE, G. W. AND McDONALD, F. F. THE INFLUENCE OF DIET ON THE ACUTE TOXICITY OF INJECTABLE IRON PREPARATIONS IN THE MOUSE . . . . .	114
GILFOIL, T. M. AND KELLY, C. A. MECHANISM OF ACTION OF CHYMOTRYPSIN ON PLAIN MUSCLE . . . . .	120
MALHOTRA, C. L. AND MEHTA, V. L. THE EFFECT OF RESERPINE ON THE ACETYLCHOLINE RELEASE OF THE CEREBRAL CORTEX OF DOG UNDER DIFFERENT ANAESTHETICS . . . . .	131
CLARK, E. R. AND JANA, MARIA DE L. S. A. THE IDENTIFICATION OF THE IMPURITY RESPONSIBLE FOR THE REPORTED PRESSOR ACTIVITY OF XYLOCHOLINE . . . . .	135
BIRMINGHAM, A. T. THE POTENTIATION BY ANTICHOLINESTERASE DRUGS OF THE RESPONSES OF THE GUINEA-PIG ISOLATED VAS DEFERENS TO ALTERNATE PREGANGLIONIC AND POSTGANGLIONIC STIMULATION . . . . .	145
AVANZINO, G. L., BRADLEY, P. B. AND WOLSTENCROFT, J. H. ACTIONS OF PROSTAGLANDINS E <sub>1</sub> , E <sub>2</sub> , AND F <sub>2α</sub> ON BRAIN STEM NEURONES . . . . .	157
GREEN, A. F. AND HUGHES, R. EFFECTS OF ADRENERGIC NEURONE BLOCKING AGENTS ON VOLUNTARY MUSCLE STIMULATED AT DIFFERENT FREQUENCIES . . . . .	164
BOUSQUET, W. F., MIYA, T. S. AND SANCHEZ, C. MODIFICATION OF STRESS RESPONSES IN HISTAMINE-DEPLETED RATS . . . . .	177
GLOGE, HOLGER, LULLMANN, HEINZ AND MUTSCHLER, ERICH. THE ACTION OF TERTIARY AND QUATERNARY ARECAIDINE AND DIHYDROARECAIDINE ESTERS ON THE GUINEA PIG ISOLATED ILEUM . . . . .	185
AARSEN, P. N. THE INFLUENCE OF ANALGESIC ANTIPYRETIC DRUGS ON THE RESPONSES OF GUINEA-PIG LUNGS TO BRADYKININ . . . . .	196
KOVACS, B. A. AND VOITH, K. INHIBITION OF ULCER FORMATION BY URINE EXTRACTS WITH ANTIHISTAMINE ACTIVITY . . . . .	205
JACOBSEN, S. OBSERVATIONS ON THE CONTENT OF KININOGEN, KALLIKREIN AND KININASE IN LYMPH FROM HIND LIMBS OF DOGS AND RABBITS . . . . .	213
JACOBSEN, S. AND WAALER, B. A. THE EFFECT OF SCALDING ON THE CONTENT OF KININOGEN AND KININASE IN LIMB LYMPH . . . . .	222
GREENBAUM, L. M. AND YAMAFUJI, K. THE IN VITRO INACTIVATION AND FORMATION OF PLASMA KININS BY SPLEEN CATHEPSINS . . . . .	230