

# BRITISH JOURNAL OF PHARMACOLOGY AND CHEMOTHERAPY

EDITED FOR  
THE BRITISH PHARMACOLOGICAL SOCIETY  
BY

G. S. DAWES (Chairman)	R. S. STACEY (Secretary)	N. AMBACHE
R. B. BAILEY	J. M. BARNES	J. W. BLACK
W. C. BOWMAN	G. L. BROWN	A. S. V. BURGEN
A. W. CUTHBERT	W. S. FELDBERG	L. G. GOODWIN
F. HOBIGER	H. W. KOSTERLITZ	J. MADDOX
J. F. MITCHELL	J. L. MONGAR	MARY PICKFORD
H. P. RANG	H. O. SCHILD	D. F. SHARMAN
HANNAH STEINBERG	J. R. VANE	MARTHE VOGT
J. R. HODGES (Press Editor)		

*Editorial Assistance is provided by the staff of Nature*

VOLUME 33, 1968

LONDON  
MACMILLAN (JOURNALS) LIMITED  
4 LITTLE ESSEX STREET, W.C.2

**NOTICE TO CONTRIBUTORS.** The journal is published in volumes of three numbers each, and publishes original work in pharmacology and experimental chemotherapy, including the biochemical and pathological aspects of the subject. MSS. submitted for publication should be addressed to the Secretary to the Editorial Board, Prof. R. S. Stacey, Department of Pharmacology and Therapeutics, St. Thomas's Hospital Medical School, London S.E.1. Papers submitted to the journal are only accepted on the understanding that they are subject to editorial revision and that they have not been and will not be published in whole or in part in any other journal. When submitting a paper for publication, author(s) should include a statement to this effect.

¶ **PREPARATION OF MSS AND ILLUSTRATIONS.** Authors are recommended to consult the current number of the journal before preparing a MS. so that the presentation of their paper follows current practice of the journal. Foreign-speaking contributors are advised, where possible, to seek the help of some British pharmacologist, known to them, in revising manuscripts before submission. Text and Tables should be in double-spaced typing on one side only of quarto or foolscap sheets with a margin of not less than 1½ in. on the left. The title, the name(s) and address(es) of the author(s) and a suggested short title should be typed on the first sheet. Where there is more than one author their names shall be printed in alphabetical order. The text should then start on a separate sheet. In stating the object, reference should only be made to previous work if it has a direct bearing on the subject. The paper should end with a summary of the author's results and conclusions, presented in numbered paragraphs, and not more than one-twentieth of the total length of the paper. Authors should also send an abstract of about 100 words suitable for inclusion in *International Abstracts of Biological Sciences*. Papers must be as concise as possible, but only recognized physical and chemical abbreviations may be used. All other names must be given in full. Abbreviations consisting of initial letters of words, etc., should not be used. Official or approved names should always be used, but, when these are not available, chemical or trade-names may be employed. On first mention, trade-names, serial numbers, etc., must be defined in terms of chemical names. The contributor should consider whether concentrations of solutions might be best stated in terms of weight per volume or molarity. Where comparisons are made it is often advisable to use molarities. Reference to other work should always give the author's name followed by the year of publication; more than one paper in one year being indicated by a small letter (a, b, c) after the date. On first reference to work by three or more authors, all the surnames should be given in full, but subsequently only the surname of the first author followed by *et al.* and the date is necessary. Footnotes and notes added in proof should be avoided.

¶ **TABLES.** Tables are referred to in the text by Arabic numerals and each must be typed on a separate sheet. Tables should be comprehensible without reference to the text. Explanations should follow the heading of the Table. Footnotes are not used.

¶ **ILLUSTRATIONS.** Illustrations are referred to in the text by Arabic numerals. The legend for each is to be typed on a separate sheet, numbered correspondingly, and should make the illustration understandable independently of the text. Line drawings and graphs are to be carefully and boldly drawn in Indian ink, on tracing linen, or Bristol board, or stout smooth white paper; blue-lined graph paper of good quality may be used for graphs. All lettering and numerals must be written lightly but legibly in pencil. Where desirable, kymograph tracings should be calibrated in both dimensions. Symbols which are to appear in the legend should be chosen from the following:

× + ● ■ ○ □ ▲ ▼ ▽ ◆ ◇ ◆ ◆

The original drawing, or a full size high quality photograph of it, should always be sent. Small photographic copies are useful to the editors, but are insufficient by themselves. Originals should be about two to three times the suggested final size, and in no case larger than foolscap for ease in sending through the post. Mounted originals of kymograph tracings, rather than copies, should be sent, as should those of x-ray or other illustrations for half-tone reproduction. Photographs and photomicrographs should be printed on glossy paper and should be larger than the size desired for reproduction; particular care must be taken to ensure adequate definition, contrast, etc., in the prints submitted.

¶ **REFERENCES.** References should be arranged according to the Harvard system at the end of the paper in the alphabetical order of the names of the first author of each paper, and should include: author's name, followed by initials; year of publication in parentheses; title of article; title of publication, underlined, and abbreviated in accordance with the *World List of Scientific Periodicals* (4th ed.); volume number in Arabic numerals, underlined with a wavy line to indicate bold type; the number of the first and last page in Arabic numerals. The reference will then appear in type thus:

BURN, J. H. & RAND, M. J. (1958). The depressor action of dopamine and adrenaline. *Br. J. Pharmac. Chemother.*, 13, 471-479.

When reference is made to a book, the author's name and the year should be followed by: title (underlined); editor's name and volume number or edition (if appropriate); page (p or pp.); town of origin; publisher. The reference will appear in type thus:

CLARK, A. J. (1940). *Applied Pharmacology*, 7th ed., p. 378. London: Churchill.

¶ **PROOFS.** Two page proofs will be supplied, one of which may be retained by the author. Authors are requested to read their proofs immediately on receipt, correct in pencil, and return them at once to the Press Editor. It is assumed that all but verbal corrections have been made in the original MS.: an allowance of eightpence/page is made for alterations in the proof (printer's errors excepted) and contributors will be charged for any excess.

¶ **REPRINTS.** Fifty reprints of an article will, if desired, be given to an author or divided among the authors. Additional reprints at cost price can be supplied if application is made on the form sent out with the proofs or to the publishers.

**NOTICE TO ADVERTISERS.** Applications for advertisement space and for rates should be addressed to the Advertisement Manager, *British Journal of Pharmacology and Chemotherapy*. T. G. Scott and Son, Ltd., 1 Clements Inn, London, W.C.2.

**NOTICE TO SUBSCRIBERS.** The Editorial Board have decided that, because of the increased number of acceptable papers, it will again be necessary to publish an additional volume in 1968. Each volume will contain three numbers (as at present) and the charge per volume will remain unchanged. The annual subscription rate in 1968 is therefore £15 15s. in the United Kingdom and Republic of Ireland; \$46.60 U.S.A.; \$50.60 Canada; £16 10s. all other overseas countries. Subscriptions should be sent to the Subscriptions Department, Macmillan (Journals) Ltd., Brunel Road, Basingstoke, Hampshire, England, or ordered locally through a subscription agent or bookseller.

**COPYRIGHT © 1968 by the British Journal of Pharmacology and Chemotherapy.** All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

# CONTENTS

	PAGE
ABDEL-GALIL, A. A. M. AND MARSHALL, P. B. PHENYLBUZAZONE AND HISTAMINE FORMATION IN RAT GLANDULAR STOMACH: ITS RELATIONSHIP TO GASTRIC ULCERATION . . . . .	1
GRAHAM, J. D. P., LEVER, J. D. AND SPRIGGS, T. L. B. AN EXAMINATION OF ADRENERGIC AXONS AROUND PANCREATIC ARTERIOLES OF THE CAT FOR THE PRESENCE OF ACETYLCHOLINESTERASE BY HIGH RESOLUTION AUTORADIOGRAPHIC AND HISTOCHEMICAL METHODS . . . . .	15
WESTWOOD, D. A. AND WHALER, B. C. POSTGANGLIONIC PARALYSIS OF THE GUINEA-PIG HYPOGASTRIC NERVE-VAS DEFERENS PREPARATION BY CLOSTRIDIUM BOTULINUM TYPE D TOXIN . . . . .	21
JANCSÓ, THE LATE N., JANCSÓ-GÁBOR, AURELIA AND SZOLCSANYI, J. THE ROLE OF SENSORY NERVE ENDINGS IN NEUROGENIC INFLAMMATION INDUCED IN HUMAN SKIN AND IN THE EYE AND PAW OF THE RAT . . . . .	32
CROSSLAND, J. AND SLATER, P. THE EFFECT OF SOME DRUGS ON THE "FREE" AND "BOUND" ACETYLCHOLINE CONTENT OF RAT BRAIN . . . . .	42
CARO, G. DE, ENDEAN, R., ERSPAMER, V. AND ROSEGHINI, M. OCCURRENCE OF CAERULEIN IN EXTRACTS OF THE SKIN OF Hyla caerulea AND OTHER AUSTRALIAN HYLIDS . . . . .	48
BERTACCINI, G., CARO, G. DE, ENDEAN, R., ERSPAMER, V. AND IMPICCIATORE, M. THE ACTION OF CAERULEIN ON THE SYSTEMIC ARTERIAL BLOOD PRESSURE OF SOME EXPERIMENTAL ANIMALS . . . . .	59
BUSHBY, S. R. M. AND HITCHINGS, G. H. TRIMETHOPRIM, A SULPHONAMIDE POTENTIATOR . . . . .	72
JOHANSSON, O., PERRAULT, G., SAVOIE, L. AND TUCHWEBER, B. ACTION OF VARIOUS METALLIC CHLORIDES ON CALCAEMIA AND PHOSPHATAEMIA . . . . .	91
LUNDBORG, P. AND STITZEL, R. E. STUDIES ON THE RELATIONSHIP BETWEEN ADRENERGIC NERVE FUNCTION AND GRANULAR UPTAKE MECHANISMS . . . . .	98
FREWIN, D. B. AND WHELAN, R. F. THE MECHANISM OF ACTION OF TYRAMINE ON THE BLOOD VESSELS OF THE FOREARM IN MAN . . . . .	105
NORRIS, H. THE TIME COURSE OF BARBITURATE ACTION IN MAN INVESTIGATED BY MEASUREMENT OF SMOOTH TRACKING EYE MOVEMENT . . . . .	117
SKINNER, ANNETTE AND SPECTOR, R. G. THE EFFECT OF CHLORPROMAZINE ON <sup>14</sup> C-GLUCOSE METABOLISM IN MOUSE LIVER AND BRAIN . . . . .	129
LOCKETT, MARY F. AND NICHOLAS, T. E. THE EFFECTS OF HYDROCHLOROTHIAZIDE AND FRUSEMIDE ON NORADRENALINE SENSITIVITY AND BLOOD PRESSURE OF SALT-LOADED RATS BEFORE AND AFTER NEPHRECTOMY . . . . .	136
FLACKE, W. AND YEOH, T. S. THE ACTION OF SOME CHOLINERGIC AGONISTS AND ANTICHOLINESTERASE AGENTS ON THE DORSAL MUSCLE OF THE LEECH . . . . .	145
FLACKE, W. AND YEOH, T. S. DIFFERENTIATION OF ACETYLCHOLINE AND SUCCINYLCHOLINE RECEPTORS IN LEECH MUSCLE . . . . .	154
AMBACHE, N. AND BRUMMER, HILARY C. A SIMPLE CHEMICAL PROCEDURE FOR DISTINGUISHING E FROM F PROSTAGLANDINS, WITH APPLICATION TO TISSUE EXTRACTS . . . . .	162
BARNETT, A., GREENHOUSE, D. D. AND TABER, R. I. A NEW TYPE OF DRUG ENHANCEMENT: INCREASED MAXIMUM RESPONSE TO CUMULATIVE NORADRENALINE IN THE ISOLATED RAT VAS DEFERENS . . . . .	171
RADWAN, A. G. AND WEST, G. B. THE EFFECT OF AMINOGUANIDINE, HISTAMINE, CHLORPROMAZINE AND ANTIBACTERIAL AGENTS ON HISTIDINE DECARBOXYLASE IN THE STOMACH OF THE RAT . . . . .	177
BARTLET, A. L. ACTIONS OF 5-HYDROXYTRYPTAMINE AND HISTAMINE ON THE NEURAL STRUCTURES AND MUSCULARIS MUCOSAE OF THE GUINEA-PIG OESOPHAGUS . . . . .	184
RADWAN, A. G. AND WEST, G. B. THE EFFECT OF NON-STEROIDAL ANTI-INFLAMMATORY DRUGS ON HISTAMINE FORMATION IN THE RAT . . . . .	193
McEWEN, J. E. THE PRESSOR EFFECT OF LARGE DOSES OF PHYSOSTIGMINE ON THE PITHED RAT . . . . .	199
PROCEEDINGS OF THE BRITISH PHARMACOLOGICAL SOCIETY, CARDIFF, MARCH 28-29 1968 . . . . .	203

*Editorial Assistance is provided by the staff of Nature*