

Edited for the British Pharmacological Society by

G. S. Dawes (*Chairman*)

R. S. Stacey (*Secretary*)

J. R. Hodges (*Press Editor*)

N. Ambache

H. W. Kosterlitz

R. B. Barlow

J. Maddox

J. M. Barnes

J. F. Mitchell

J. W. Black

J. L. Mongar

W. C. Bowman

Mary Pickford

G. L. Brown

H. P. Rang

A. S. V. Burgen

H. O. Schild

A. W. Cuthbert

D. F. Sharman

W. S. Feldberg

Hannah Steinberg

L. G. Goodwin

J. R. Vane

F. Hobbiger

Marthe Vogt

Editorial assistance is provided by the staff of Nature

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

Manuscripts should be sent to Professor R. S. Stacey, St. Thomas's Hospital Medical School, London S.E.1. Authors should consult the suggestions inside the back cover.

Subscriptions. Three volumes of the journal are published annually, each volume containing three numbers. The annual subscription rate is £15 15s. in the United Kingdom and Republic of Ireland; \$46.60 U.S.A.; \$50.60 Canada; £16 10s. all other overseas countries. Subscriptions should be sent to: Subscriptions Department, Macmillan (Journals) Ltd., Brunel Road, Basingstoke, Hampshire, England. Alternatively, the journal can be ordered through a subscription agent or bookseller.

Advertisements. Applications for advertising space and rates should be sent to: Advertisement Manager, *British Journal of Pharmacology*, T. G. Scott and Son Ltd., 1 Clement's Inn, London, W.C.2, England.

Copyright © 1968 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

INDEX TO VOLUME 34

AUTHOR INDEX

A

- ANDÉN, N.-E., CORRODI, H., FUXE, K. and HÖKFELT, T. Evidence for a central 5-hydroxytryptamine receptor stimulation by lysergic acid diethylamide, 1
- ARONSON, A. S. The Schultz-Dale reaction of the depolarized guinea-pig uterus, 523

B

- BARNETT, A., SYMCHOWICZ, S. and TABER, R. I. The effects of drugs inhibiting catecholamine uptake on tyramine and noradrenaline-induced contractions of the isolated rat vas deferens, 484
- BARRASS, B. C., BRIMBLECOMBE, R. W., PARKES, D. C. and RICH, P. The cholinergic properties of some amino-acid esters and amides, 345
- BARRETT, A. M. and CULLUM, VALERIE A. The biological properties of the optical isomers of propranolol and their effects on cardiac arrhythmias, 43
- BECKER, E. L., MOTA, I. and WONG, D. Inhibition by antihistamines of the vascular permeability increase induced by bradykinin, 330
- BENNETT, A., ELEY, K. G. and SCHOLES, G. B. Effects of prostaglandins E_1 and E_2 on human, guinea-pig and rat isolated small intestine, 630
- BENNETT, A., ELEY, K. G. and SCHOLES, G. B. Effect of prostaglandins E_1 and E_2 on intestinal motility in the guinea-pig and rat, 639
- BERTACCINI, G., CARO, G. DE, ENDEAN, R., ERSPAMER, V. and IMPICCIATORE, M. The actions of caerulein on the smooth muscle of the gastrointestinal tract and the gall bladder, 291
- BERTACCINI, G., ENDEAN, R., ERSPAMER, V. and IMPICCIATORE, M. The actions of caerulein on gastric secretion of the dog and rat, 311
- BHARGAVA, K. P. and DIXIT, K. S. Role of the chemoreceptor trigger zone in histamine-induced emesis, 508
- BOREHAM, P. F. L. *In vitro* studies on the mechanism of kinin formation by trypanosomes, 598
- BRICK, I., HUTCHISON, K. J., McDEVITT, D. G., RODDIE, I. C. and SHANKS, R. G. Comparison of the effects of ICI 50172 and propranolol on the cardiovascular responses to adrenaline, isoprenaline and exercise, 127
- BRIMBLECOMBE, R. W. and SUTTON, JOAN V. The ganglion-stimulating effect of some amino-acid esters, 358
- BRIMBLECOMBE, R. W. See BARRASS, B. C., *et al.*, 345
- BRITISH PHARMACOLOGICAL SOCIETY. See ITALIAN AND BRITISH PHARMACOLOGICAL SOCIETIES, 659P
- BRITISH PHARMACOLOGICAL SOCIETY. See SCANDINAVIAN AND BRITISH PHARMACOLOGICAL SOCIETIES, 189P

- BRODIE, B. B., COSTA, E., GROPPETTI, A. and MATSUMOTO, C. Interaction between desipramine, tyramine and amphetamine at adrenergic neurones, 648
- BÜLBRING, EDITH, CASTEELS, R. and KURIYAMA, H. Membrane potential and ion content in cat and guinea-pig myometrium and the response to adrenaline and noradrenaline, 388
- BURGEN, A. S. V. and SPERO, L. The action of acetylcholine and other drugs on the efflux of potassium and rubidium from smooth muscle of the guinea-pig intestine, 99
- BURN, G. P. A device for measuring the threshold of pain in man, 251

C

- CARO, G. DE. See BERTACCINI, G., *et al.*, 291
- CARPI, A. and CARTONI, CARLA. Effects of guanethidine on the blood pressure response to splanchnic nerve stimulation in the rat: role of the adrenal medulla, 259
- CARTONI, CARLA. See CARPI, A., *et al.*, 259
- CASHIN, C. H. and HEADING, CHRISTINE E. The assay of anti-pyretic drugs in mice, using intracerebral injection of pyretogenins, 148
- CASTEELS, R. See BÜLBRING, EDITH, *et al.*, 388
- CHITTAL, S. M., DADKAR, N. K. and GAITONDÉ, B. B. Interactions between acetylcholine, 5-hydroxytryptamine, nicotine and morphine on isolated rabbit atria, 19
- CHOWDHURY, A. K., SKINNER, ANNETTE, SPECTOR, R. G. and YAP, S.-L. The effect of chlorpromazine on cerebral glucose, ATP, ADP, AMP and ATPase in the mouse, 70
- COLLIER, H. O. J., JAMES, G. W. L. and PIPER, PRISCILLA, J. Antagonism by fenamates and like-acting drugs of bronchoconstriction induced by bradykinin or antigen in the guinea-pig, 76
- COLLINS, G. G. S. and WEST, G. B. The release of ^3H -dopamine from the isolated rabbit ileum, 514
- CONCHA, J. and NORRIS, BERYL. Studies on renal vasomotion, 277
- CORRODI, H. See ANDÉN, N.-E., *et al.*, 1
- COSTA, E. See BRODIE, B. B., *et al.*, 648
- COWELL, PAULINE and DAVEY, M. J. The reversal of the central effects of noradrenaline by anti-depressant drugs in mice, 159
- CRANKSHAW, D. P. and RAPER, C. Some studies on peripheral actions of mephenesin, methocarbamol and diazepam, 579
- CULLUM, VALERIE A. See BARRETT, A. M., *et al.*, 43

D

- DADKAR, N. K. See CHITTAL, S. M., *et al.*, 19
- DA PRADA, M. and PLETSCHER, A. Isolated 5-hydroxytryptamine organelles of rabbit blood platelets: physiological properties and drug-induced changes, 591

- DAVEY, M. J., HAYDEN, M. L. and SCHOLFIELD, P. C. The effects of bretylium on C fibre excitation and noradrenaline release by acetylcholine and electrical stimulation, 377
- DAVEY, M. J. *See* COWELL, PAULINE, *et al.*, 159
- DAY, M. D. and OWEN, D. A. A. The interaction between angiotensin and sympathetic vasoconstriction in the isolated artery of the rabbit ear, 499
- DHAWAN, K. N., GUPTA, G. P. and JAJU, B. P. Antagonism of reserpine-induced emesis in pigeons: a screening method for antidepressant activity, 248
- DIXIT, K. S. *See* BHARGAVA, K. P., *et al.*, 508
- DOUGLAS, W. W. Stimulus-secretion coupling: the concept and clues from chromaffin and other cells (the first Gaddum Memorial Lecture), 451
- E**
- EISEN, V., GREENBAUM, L. and LEWIS, G. P. Kinins and anti-inflammatory steroids, 169
- ELEY, K. G. *See* BENNETT, A., *et al.*, 630, 639
- ENDEAN, R. *See* BERTACCINI, G., *et al.*, 291, 311
- ENGELHARDT, E. and ESBÉRARD, C. A. Maturation of somatomotor responses to strychnine in the albino rat, 239
- ERSPAMER, V. *See* BERTACCINI, G., *et al.*, 291, 311
- ESBÉRARD, C. A. *See* ENGELHARDT, E., *et al.*, 239
- F**
- FARMER, J. B. and LEVY, G. P. A comparison of some cardiovascular properties of propranolol, MJ1999 and quinidine in relation to their effects in hypertensive animals, 116
- FELDSTEIN, A. and WILLIAMSON, O. 5-Hydroxytryptamine metabolism in rat brain and liver homogenates, 38
- FENNESSY, M. R. The analgesic action of morphine-N-oxide, 337
- FOO, J. W., JOWETT, ALISON and STAFFORD, ANNE. The effects of some β -adrenoreceptor blocking drugs on the uptake and release of noradrenaline by the heart, 141
- FUXE, K. *See* ANDÉN, N.-E., *et al.*, 1
- G**
- GAITONDÉ, B. B. *See* CHITTAL, S. M., *et al.*, 19
- GREENBAUM, L. *See* EISEN, V., *et al.*, 169
- GROPPETTI, A. *See* BRODIE, B. B., *et al.*, 648
- GUPTA, G. P. *See* DHAWAN, K. N., *et al.*, 248
- H**
- HARANATH, P. S. R. K. and VENKATAKRISHNA-BHATT, H. Procaine perfused into cerebral ventricles and subarachnoid space in conscious and anesthetized dogs, 408
- HAYDEN, M. L. *See* DAVEY, M. J., *et al.*, 377
- HEADING, CHRISTINE E. *See* CASHIN, C. H., *et al.*, 148
- HEDWALL, P. R. Effect of rabbit antibodies against angiotensin-II on the pressor response to angiotensin-II and renal hypertension in the rat, 623
- HEMSWORTH, B. A. and NEAL, M. J. The effect of central stimulant drugs on acetylcholine release from rat cerebral cortex, 543
- HÖKFELT, T. *See* ANDÉN, N.-E., *et al.*, 1
- HOLMES, S. W. and HORTON, E. W. The distribution of tritium-labelled prostaglandin E_1 injected in amounts sufficient to produce central nervous effects in cats and chicks, 32
- HORTON, E. W. *See* HOLMES, S. W., *et al.*, 32
- HUSAIN, M. A., ROBERTS, J. B., THOMAS, B. H. and WILSON, A. The excretion and metabolism of oral ^{14}C -pyridostigmine in the rat, 445
- HUTCHISON, K. J. *See* BRICK, I., *et al.*, 127
- I**
- IMPICCIATORE, M. *See* BERTACCINI, G., *et al.*, 291, 311
- ITALIAN AND BRITISH PHARMACOLOGICAL SOCIETIES. PROCEEDINGS OF THE JOINT MEETING, 11-12-13 September 1968, 659P
- J**
- JAJU, B. P. *See* DHAWAN, K. N., *et al.*, 248
- JAMES, G. W. L. *See* COLLIER, H. O. J., *et al.*, 76
- JOHNSON, G. E. and PUGSLEY, T. A. The formation and release of metaraminol during exposure to warm or cold environments, 267
- JONES, B. J. and ROBERTS, D. J. The effects of intracerebroventricularly administered noradrenaline and other sympathomimetic amines upon leptazol convulsions in mice, 27
- JOWETT, ALISON. *See* Foo, J. W., *et al.*, 141
- K**
- KOKETSU, K., NISHI, S. and NODA, Y. Effects of physostigmine on the afterdischarge and slow postsynaptic potentials of bullfrog sympathetic ganglia, 177
- KURIYAMA, H. *See* BÜLBRING, EDITH, *et al.*, 388
- KUSCHINSKY, K., LÜLLMANN, H. and VAN ZWIETEN, P. A. The binding of ^3H -digitoxigenin by guinea-pig atrial tissues, 613
- L**
- LANDE, I. S. DE LA and WATERSON, J. G. The action of tyramine on the rabbit ear artery, 8
- LEES, P. The influence of β -adrenoceptive receptor blocking agents on urinary function in the rat, 429
- LEVY, B. and WILKENFELD, E. The potentiation of rat uterine inhibitory responses to noradrenaline by theophylline and nitroglycerine, 604
- LEWIS, G. P. and MATTHEWS, J. The mobilization of free fatty acids from rabbit adipose tissue *in situ*, 564
- LEWIS, G. P. *See* EISEN, V., *et al.*, 169
- LEVY, G. P. *See* FARMER, J. B., *et al.*, 116
- LÜLLMANN, H. *See* KUSCHINSKY, K., *et al.*, 613
- M**
- MCDEVITT, D. G. *See* BRICK, I., *et al.*, 127
- MARSHALL, I. G. The neuromuscular blocking action of a series of bicyclic bis-onium esters, 56
- MATSUMOTO, C. *See* BRODIE, B. B., *et al.*, 648
- MATTHEWS, J. *See* LEWIS, G. P., *et al.*, 564
- MILNER, G. The effect of antidepressants and "tranquillizers" on the response of mice to ethanol, 370
- MORPURGO, CLARA. Pharmacological modifications of sympathetic responses elicited by hypothalamic stimulation in the rat, 532
- MOTA, I. *See* BECKER, E. L., *et al.*, 330

MURNAGHAN, M. F. Restoration of the chronotropic effect of tyramine on rat atria after reserpine, 88

N

NEAL, M. J. *See* HEMSWORTH, B. A., *et al.*, 543
NEDERGAARD, O. A. and WESTERMANN, E.
Action of various sympathomimetic amines on the isolated stripped vas deferens of the guinea-pig, 475
NISHI, S. *See* KOKETSU, K., *et al.*, 177
NODA, Y. *See* KOKETSU, K., *et al.*, 177
NORRIS, BERYL. *See* CONCHA, J., *et al.*, 277
NORTHOVER, B. J. The effect of drugs on the constriction of isolated depolarized blood vessels in response to calcium or barium, 417

O

OWEN, D. A. A. *See* DAY, M. D., *et al.*, 499

P

PARKES, D. C. *See* BARRASS, B. C., *et al.*, 345
PATON, D. M. Effects of metabolic inhibitors on contraction of rabbit detrusor muscle, 493
PIPER, PRISCILLA J. *See* COLLIER, H. O. J., *et al.*, 76
PLETSCHER, A. *See* DA PRADA, M., *et al.*, 591
PUGSLEY, T. A. *See* JOHNSON, G. E., *et al.*, 267

R

RAPER, C. *See* CRANKSHAW, D. P., *et al.*, 579
REILLY, MARGARET A. and SCHAYER, R. W. Further studies on the histidine-histamine relationship *in vivo*: effects of endotoxin and of histidine decarboxylase inhibitors, 551
RICH, P. *See* BARRASS, B. C., *et al.*, 345
ROBERTS, D. J. *See* JONES, B. J., *et al.*, 27
ROBERTS, J. B. *See* HUSAIN, M. A., *et al.*, 445
RODDIE, I. C. *See* BRICK, I., *et al.*, 127

S

SCANDINAVIAN AND BRITISH PHARMACOLOGICAL SOCIETIES, PROCEEDINGS OF THE JOINT MEETING, 9-11 July 1968, 189P
SCHAYER, R. W. *See* REILLY, MARGARET A., *et al.*, 551
SCHOLES, G. B. *See* BENNETT, A., *et al.*, 630, 639
SCHOLFIELD, P. C. *See* DAVEY, M. J., *et al.*, 377
SHANKS, R. G. *See* BRICK, I., *et al.*, 127
SKINNER, ANNETTE. *See* CHOWDHURY, A. K., *et al.*, 70
SPECTOR, R. G. *See* CHOWDHURY, A. K., *et al.*, 70
SPERO, L. *See* BURGEN, A. S. V., *et al.*, 99
STAFFORD, ANNE. *See* FOO, J. W., *et al.*, 141
SUTTON, JOAN V. *See* BRIMBLECOMBE, R. W., *et al.*, 358
SYMCHOWICZ, S. *See* BARNETT, A., *et al.*, 484

T

TABER, R. I. *See* BARNETT, A., *et al.*, 484
THOMAS, B. H. *See* HUSAIN, M. A., *et al.*, 445

V

VAN ZWIETEN, P. A. *See* KUSCHINSKY, K., *et al.*, 613
VENKATAKRISHNA-BHATT, H. *See* HARANATH, P. S. R. K., *et al.*, 408

W

WATERSON, J. G. *See* LANDE, I. S. DE LA, *et al.*, 8
WEST, G. B. *See* COLLINS, G. G. S., *et al.*, 514
WESTERMANN, E. *See* NEDERGAARD, O. A., *et al.*, 475
WILKENFELD, E. *See* LEVY, B., *et al.*, 604
WILLIAMSON, O. *See* FELDSTEIN, A., *et al.*, 38
WILSON, A. *See* HUSAIN, M. A., *et al.*, 445
WONG, D. *See* BECKER, E. L., *et al.*, 330

Y

YAP, S.-L. *See* CHOWDHURY, A. K., *et al.*, 70

SUBJECT INDEX

A

- AO 25. *See* 3-Methyl-7-chloro-1,2,4-benzo-thiadiazine-1,1-dioxide
- Acemoquinazone**, choleric activity and toxicity of, 678P
- 4-Acetamidophenol**, effect on response of body temperature to 5-hydroxytryptamine and pyrogen, in cat, 215P
- Acetylcholine**, effect on chromaffin cell, 454, 455
 —, effect on ion permeability of membranes, 454
 —, —, influence of calcium ions, 456
 —, effect on ionic efflux from guinea-pig smooth muscle, 106
 —, effect on release of free fatty acids from epigastric adipose tissue, in rabbit, 572
 —, effect on response of kidney action potentials to splanchnic nerve stimulation, 288
 —, neuromuscular response to, effect of naloxone on, 692P
 —, oestrogen-induced uterine sensitivity to, effect of progesterone on, and influence of ovariectomy, in rat, 206P
 —, release by electrical stimulation, electromyographic demonstration of, in diagnosis of myasthenia gravis, 229P
 —, release from brain of, effect of atropine on, in rat, 545
 —, —, effect of nikethamide and caffeine on, 548
 —, —, effect of picrotoxin, strychnine and dexamphetamine on, 547
 —, release from muscle preparations of, effect of bicyclic dicholine esters on, 64
 —, response of blood flow from kidney to, 282
 —, —, effect of atropine on, 284
 —, —, effect of nicotine on, 285, 287
 —, response of cat submaxillary gland to, effect of calcium ions on, 463
 —, response of nictitating membrane and ganglionic action potential to, effect of dyflos on, 360
 —, response of rabbit isolated atria to, effect of 5-hydroxytryptamine on, 20
 —, —, effect of morphine on, 22
 —, response of rabbit isolated urinary bladder to, effect of dinitrophenol on, and influence of saccharides, 495
 —, —, effect of iodoacetic acid on, and influence of pyruvate, 497
 —, response of rat isolated uterus to, effect of nitroglycerine and action of theophylline, 609
 —, —, effect of noradrenaline on, action of nitroglycerine, 609
 —, —, —, and influence of cocaine, 608
 —, —, effect of noradrenaline and theophylline on, 606
 —, response of splenic nerve to, and effect of this response on adrenergic C fibre action potentials, and influence of hexamethonium, in cat, 380
 —, —, effect of bretylium on, 381
 —, —, frequency of discharge in, 384
 —, response to, in mouse, 216P
 —, secretory response of cat adrenals to, 691P
 —, vasodilatation induced by, effect on oxygen uptake by dog isolated skeletal muscle, 234P
 —, vasomotor response of kidney to, effect of hydergine on, 287
- N-Acetylneuraminic acid**, destruction of, influence on effect of 5-hydroxytryptamine, amphetamine and furtrethonium on uptake of calcium ions by rat fundic strip preparations, 687P
- Acetylsalicylic acid**, effect on bradykinin-induced release of adrenaline, in guinea-pig, 84
 —, effect on grooming behaviour, in mouse, 237P
 —, effect on pain threshold, in man, 254
 —, effect on response of body temperature to "E" pyrogen, in mouse, 152
 —, response of anaphylactic bronchoconstriction to, effect of mepyramine and propranolol on, 83
- Acetyl tri-*n*-butyl citrate**, pharmacological activity of, 208P
- Activity**, circadian rhythm of, effect of amphetamine on, in canary, 218P
 —, comparison of measurement by activity cages and by observation, and effect of dexamphetamine on, in rat, 684P
- Adenosine diphosphate**, in mouse brain preparations, effect of chlorpromazine on, 73
- Adenosine monophosphate**, cyclic, effect on hormonal metabolic response in rat adipose tissue, 198P
 —, in mouse brain preparations, effect of chlorpromazine on, 73
- Adenosine phosphate reactions**, in rat liver mitochondria, effect of atractyloside on, 672P
- Adenosine triphosphatase**, in mouse brain preparations, effect of chlorpromazine on, 73
 —, influence on effect of ouabain and zinc on response of isolated rat uterus to drugs, 231P
 —, ionic activation of, effect of quercetin on, 673P
- Adenosine triphosphate**, effect on release of catecholamines from chromaffin granules, effect of sodium and potassium ions on, 468
 —, in chromaffin granules, 460
 —, in mouse brain preparations, effect of chlorpromazine on, 73
 —, in organelles of blood platelets, 592
 —, mechanism of release from chromaffin cell of, 461
 —, release from platelet organelles, and effect of temperature on, 595
 —, response of electrical activity of isolated uterus to, and effect of calcium ions on, 405
- Adrenal demedullation**, effect on response of blood pressure to splanchnic nerve stimulation, in rat, 260
- Adrenal medulla**, adenosine triphosphate and metabolites in secretion from, 460
 —, secretion from, 452
 —, —, effect of extracellular cations on, 454
- Adrenal-hypothalamic-pituitary axis**, neurohumoral control of, in rat, 659P
- Adrenals**, cat, secretory response to agonists. and effect of tetracaine on, 691P
- Adrenaline**, alone and plus iproniazid, effect on response of reserpinized rat atria to tyramine, 90, 93
 —, bradykinin-induced release of, effect of fenamates and acetylsalicylic acid on, 84
 —, effect on blood flow, in epigastric adipose tissue, in rabbit, 573
 —, effect on intracranial pressure, in baboon, 213P
 —, effect on release of free fatty acids from epigastric adipose tissue, and effect of phentolamine on, in rabbit, 569
 —, effect on response of uterus to hypogastric nerve stimulation, and influence of pregnancy, in cat, 400

Adrenaline (contd.)

- , intravenous, cardiovascular response to, effect of atropine and hexamethonium on, in man, 129
- , release from cat adrenals, response to agonists, and effect of tetracaine on, 691P
- , response of electrical activity of cat isolated uterus to, and effect of pregnancy on, 401
- , —, effect of ionic environment on, 402
- , response of electrical activity of guinea-pig isolated uterus to, and effect of pregnancy on, 403
- , —, effect of ionic environment on, 405
- , response of guinea-pig isolated vas deferens to, and effect of reserpine on, 479
- , response of guinea-pig smooth muscle preparations to, effect of α - and β -receptor blocking agents on, 204P
- , response of heart beat and blood pressure to, effect of propranolol isomers on, in cat, 48
- , response of rabbit isolated atria to, effect of 5-hydroxytryptamine and morphine on, 21
- , response of rat isolated depolarized mesenteric artery to, effect of calcium plus other antagonists on, 421
- , response of sheep isolated heart to, effect of propranolol and phentolamine on, 696P
- Adrenergic nerves**, rat iris, uptake and accumulation of noradrenaline by, effect of reserpine, nialamide and α -methyl-*p*-tyrosine on, 225P
- , response to 6-hydroxydopamine, and effect of desipramine, reserpine, nialamide and bretylium on, histochemical fluorescent demonstration of, 224P
- Adrenocorticotrophic hormone**, effect on release of free fatty acids from epigastric adipose tissue, in rabbit, 567, 572
- Albumin**, egg, response of guinea-pig isolated uterus to, and effect of depolarization on, 525
- , —, effect of sensitization on, 526
- Alloxan**, response of electrical activity of islet cells to, and effect of glutathione, glucose and L-leucine on, 678P
- Amethocaine**, effect on response of rat isolated depolarized mesenteric artery to calcium, adrenaline and barium, 420
- , effect on uptake and release of calcium by rat isolated aorta, 423
- Amidephrine**, effect on release of glucose from guinea-pig isolated liver, and action of phenolamine and propranolol, 695P
- Amino acids**, amides of, preparation of, 348
- , amides and esters of, toxicity, muscarinic and nicotinic activity of, and effect of blocking agents on, 350
- , derivatives of, antagastin activity of, in rat, 677P
- , esters of, preparation of, 346
- , —, response of chick biventer cervicis nerve-muscle preparations to, and effect of neostigmine on, 353
- , —, response of diaphragm movement and phrenic nerve activity to, in rabbit, 354
- , —, response of nictitating membrane and ganglionic action potentials to, and effect of denervation on, in cat, 362
- , —, —, and effect of hexamethonium, atropine and dyflos on, 360
- , —, —, response of respiration, nictitating membrane, electrocardiogram and blood pressure to, and effect of atropine on, in cat, 353
- 4-Aminoantipyrine**, effect on response of body temperature to "E" pyrogen, in mouse, 152

- γ -Aminobutyric acid**, effect on bradykinin-induced bronchoconstriction, in guinea-pig, 79
- , in brain, effect of mid-brain transection on, in cat, 660P
- , release from rat isolated brain, and effect of depolarization on, and influence of bath calcium ions, 661P
- Aminoguanidine**, effect on gastric secretory response to caerulein, in rat, 325
- Aminophylline**, effect on response of rat isolated depolarized mesenteric artery to calcium, adrenaline and barium, 420
- Aminopyrine**, effect on response of rat isolated depolarized mesenteric artery to calcium and adrenaline, 420
- Amiphenazole**, analgesic activity of, and effect on activity of morphine, in rat and mouse, 340
- , effect on analgesic activity of morphine-N-oxide, in rat and mouse, 341
- Amitriptyline**, effect on behavioural response to apomorphine, in mouse, 219P
- , effect on ethanol-induced loss of righting reflex and anaesthesia, in mouse, 373
- , effect on grooming behaviour, in mouse, 237P
- , effect on response of rat isolated vas deferens to tyramine and noradrenaline, 487
- , effect on response to carbachol and oxotremorine, in mouse, 217P
- Amphetamine**, contractile response of eyelid to, in rat, 226P
- , —, effect of α -methyl-*p*-tyrosine and pargyline on, 227P
- , effect on catecholamine metabolism, in man, 225P
- , effect on circadian rhythm of activity, in canary, 218P
- , effect on response to carbachol and oxotremorine, in mouse, 217P
- , effect on uptake of calcium ions by rat fundic strip preparations, and action of N-acetylneuraminic acid, 687P
- , influence on effect of bretylium on acetylcholine and splenic nerve stimulation-induced release of noradrenaline, in cat, 382
- , noradrenaline release from heart induced by, effect of desipramine on, in rat, 654
- Amylobarbitone**, effect on conditioned avoidance learning, in rat, 214P
- , effect on visual after-images, 213P
- Anaesthesia**, induction by ethanol, and effect of diazepam, thioridazine, chlorpromazine and trifluoperazine on, in mouse, 372
- , —, effect of phenobarbitone and amitriptyline on, 373
- , —, effect of trimipramine, imipramine, nortriptyline, methylphenidate, desipramine and phenelzine on, 374
- Anaesthetic activity**, local, of propranolol isomers, in isolated frog nerve, 48
- , —, of β -receptor blocking agents, in guinea-pig, 200P
- Anaesthetics**, general and local, effect on response of cortical neurones to noradrenaline, in cat, 221P
- , local, effect on response of rat isolated depolarized mesenteric artery to calcium, adrenaline and barium, 420
- Analgesic activity**, of amiphenazole and tacrine, in rat and mouse, 340
- , of levallorphan, comparison with morphine and nalorphine, in mouse, 686P
- , of morphine, effect of route of administration on, in rat and mouse, 339

- Anaphylaxis**, in guinea-pig isolated uterus, biologically active substance released in, comparison of effect with that of histamine, 528
 —, —, induction by egg albumin, and effect of depolarization on, 525
- Angiotensin**, effect on blood flow, in epigastric adipose tissue, in rabbit, 573
 —, effect on ionic efflux and contractile response of guinea-pig smooth muscle to carbachol, 111
 —, effect on release of free fatty acids from epigastric adipose tissue, in rabbits, 572
 —, response of blood pressure to, in hypertensive dogs, 201P
 —, response of rabbit ear artery preparations to, and effect on response to sympathetic stimulation, noradrenaline and tyramine, 501
 —, —, effect of guanethidine and phentolamine on, 505
 —, —, effect of perfusion rate and noradrenaline on, 503
 —, —, effect of sympathomimetic amines, 5-hydroxytryptamine and reserpine on, 504
 —, synthetic and native, response of blood pressure to, in rat, 625
 —, —, —, effect of anti-angiotensin rabbit serum on, and influence of nephrectomy, 626
 —, —, —, effect of hypertension on, 628
- Anti-angiotensin serum**, rabbit, effect on pressor response to angiotensin, vasopressin and noradrenaline, and influence of nephrectomy, 626
- Antibacterial agents**, response to, effect of intracellular water space and membrane permeability on, 671P
- Anticholinergic agents**, effect on behaviour response to reserpine, in rat, 217P
- Anticholinesterases**, effect on extracellular slow potentials of bullfrog sympathetic ganglia, and influence of nicotine, 183, 184
 —, effect on intracellular slow potentials of bullfrog sympathetic ganglia, 185, 186
 —, effect on response of bullfrog sympathetic ganglia to tetanic stimulation, 179, 180
 —, neuromuscular response to, effect of bicyclic dicholine esters on, 60
- Anti-convulsant activity**, of diazepam, effect of species variation of metabolism on, in mouse and rat, 667P
- Antidepressants**, effect on ethanol-induced loss of righting reflex and anaesthesia in mouse, 372
 —, effect on hypothermic response to noradrenaline, 159
 —, effect on reserpine-induced emesis, in pigeon, 249
 —, tricyclic, effect on behavioural response to apomorphine, in mouse, 219P
- Antidiuretic agents**, structure and hyperglycaemic activity of, 676P
- Antidiuretic hormone**, response of urinary excretion to, in rat, 438
- Antihistamines**, effect on emetic response to intracerebroventricular histamine and to copper sulphate, in dog, 510
- Anti-inflammatory agents**, effect on bradykinin-induced bronchoconstriction, in guinea-pig, 79
 —, effect on response of rat isolated depolarized mesenteric artery to calcium, adrenaline and barium, 420
- Antipyretic activity**, assay of, intracerebral pyretogens in, in mouse, 228P
- Anti-pyretic agents**, assay of, in mouse, 151
- Anti-rheumatic agents**, effect on histamine release by sensitized rat mast cells, 196P
- Aorta**, rat isolated, uptake and release of calcium by, and effect of amethocaine on, 423
- Aorta**, rat isolated, uptake and release of calcium by (*contd.*)
 —, —, —, effect of cinchocaine, indomethacin and desipramine on, 424
- Apomorphine**, behavioural response to, effect of tricyclic antidepressants on, in mouse, 219P
- Arabinosyl cytosine**, effect on immune reaction to leukaemia, in mouse, 674P
- Arecoline**, effect on the behavioural response to reserpine in rats, 218P
 —, effect on conditioned avoidance reflex, in mouse, 685P
 —, response of nictitating membrane to, and effect of atropine and hexamethonium on, in cat, 366
- Arterial preparations**, rabbit, response to morphine, pethidine and nalorphine, and effect of atropine, pentolinium, phentolamine, propranolol and mepyramine on, 208P
- Arterioles**, cat isolated pancreas, localization of phenoxylbenzamine in, 699P
- Artery**, rabbit ear preparations, response to angiotensin, comparison with response to noradrenaline, 501
 —, —, —, effect of perfusion rate and noradrenaline on, 503
 —, —, —, effect of sympathomimetic amines on, 504
 —, —, response to sympathetic stimulation, noradrenaline and angiotensin, effect of 5-hydroxytryptamine on, 504
 —, —, —, noradrenaline and tyramine, effect of angiotensin on, 501
 —, rat isolated depolarized mesenteric, response to adrenaline, effect of indomethacin and other drugs on, and influence of calcium, 421
 —, —, response to barium, and effect of calcium and various antagonists on, 422
 —, —, response to calcium, and effect of indomethacin and other drugs on, 419
- Atractyloside**, effect on oxidative phosphorylation in digitonin particles of rat liver mitochondria, 672P
- Atrium**, guinea-pig isolated, electrically driven, response to digitoxigenin, 614
 —, —, —, uptake and release of digitoxigenin by, 616
 —, —, exchange of tissue-bound with organ bath digitoxigenin, and effect of digitoxin on, 618, 619
 —, —, response to electrical stimulation, effect of propranolol isomers on, 47
 —, rabbit isolated, response to acetylcholine, effect of 5-hydroxytryptamine on, 20
 —, —, response to acetylcholine and potassium chloride, effect of morphine on, 22
 —, —, response to 5-hydroxytryptamine and nicotine, effect of bretylium on, 22
 —, —, —, effect of hemicholinium on, 23
 —, —, response to nicotine, effect of 5-hydroxytryptamine, morphine, atropine and physostigmine on, influence of reserpine, 24
 —, —, response to nicotine and adrenaline, effect of 5-hydroxytryptamine and morphine on, 21
- Atrium preparations**, reserpinized rat, response to tyramine, effect of sympathomimetic amines on, 90
- Atropine**, effect on cardiovascular response to 4-(2-hydroxy-3-isopropyl-aminopropoxy) acetanilide and propranolol, 136
 —, effect on emetic, defaecation and depression response to caerulein, in conscious dog, 294

Atropine (contd.)

- , effect on gall bladder response to caerulein, in guinea-pig, 300
- , effect on gastric muscle response to caerulein, in dog, 296
- , effect on gastric secretory response to caerulein, in dog, 318
- , effect on heart beat, and relationship to thyroid status, in man, 683P
- , effect on intestinal response to caerulein, in dog and cat, 298
- , effect on ionic efflux and contractile response of guinea-pig smooth muscle to carbachol, 106, 108
- , effect on release of acetylcholine from brain, in rat, 545
- , effect on response of isolated rabbit atria to nicotine, influence of reserpinization, 24
- , effect on response of nictitating membrane, to carbachol, in cat, 367
- , —, to muscarinic agents, 363
- , —, to nicotinic agents, 362
- , —, and of ganglionic action potential, to amino acid esters, 360
- , effect on response of respiration, nictitating membrane, electrocardiogram and blood pressure to amino acid esters, in cat, 353
- , effect on response to carbachol and oxotremorine, in mouse, 217P
- , influence on effect of anticholinesterases on response of bullfrog sympathetic ganglia to tetanic stimulation, 180
- , influence on effect of 4-(2-hydroxy-3-isopropyl-aminopropoxy) acetanilide on cardiovascular response to adrenaline and isoprenaline, in man, 131
- Aurothiosulphate**, effect on histamine release by sensitized rat mast cells, 196P
- Automatic control**, of isolated smooth muscle preparations, with digital print-out of responses, 230P

B

- Barbiturates**, dependence on, effect on response to hexobarbitone and on hepatic metabolic activity, in rat, 211P
- , in tissue, response to ambient temperature, in guinea-pig, 210P
- Barium ions**, response of rat isolated depolarized mesenteric artery to, and effect of calcium and various antagonists on, 422
- Behaviour**, comparison of measurement by activity cages and by observation, and effect of dexamphetamine on, in rat, 684P
- , grooming, effect of psychotropic agents on, in mouse, 237P
- , response to apomorphine, effect of tricyclic antidepressants on, in mouse, 219P
- , response to hypothalamic stimulation, effect of guanethidine, phentolamine, chlorpromazine and diazepam on, in rat, 540
- , response to reserpine, and effect of anti-cholinergic agents on, in rat, 217P
- Behaviour-depressing substance**, in mammalian brain, 659P
- Benactyzine**, effect on behaviour response to reserpine, in rat, 217P
- Benzhexol**, effect on behavioural response to reserpine, in rat, 218P
- , effect on ionic efflux and contractile response of guinea-pig smooth muscle to carbachol, 108
- Benzilylcholine mustard**, effect on ionic efflux and contractile response of guinea-pig smooth muscle to carbachol, 108

- Benzilyl dimethyl butanol**, effect on ionic efflux and contractile response of guinea-pig smooth muscle to carbachol, 108
- Benzindamine**, effect on response of rat isolated depolarized mesenteric artery to calcium, adrenaline and barium, 420
- N-Benzoyl-N'-di-n-propyl-DL-isoglutamine**. *See* Xylamide
- Benztropine**, effect on behavioural response to reserpine, in rat, 218P
- Benzydamine**, effect on bradykinin-induced bronchoconstriction, in guinea-pig, 79
- Bethanechol**, effect on ionic efflux from guinea-pig smooth muscle, 106
- Biventer cervicis nerve-muscle preparations**, chick, response to amino acid esters, and effect of neostigmine on, 353
- Bladder, urinary**. *See* Urinary bladder
- Blood**, acid-base concentration in, effect of gastric secretion on, in man, 238P
- , free fatty acids in, effect of catecholamines on, in rabbit, 569
- , —, effect of hormones on, in rabbit, 566, 569
- , —, effect of theophylline on, 571
- Blood flow**, in epigastric adipose tissue, effect of fat mobilizing agents on, in rabbit, 571
- , from kidney, response to acetylcholine, in dog, 282
- , response to acetylcholine, effect on oxygen uptake by dog isolated skeletal muscle, 234P
- Blood flow and pressure**, response to adrenaline and isoprenaline, effect of 4-(2-hydroxy-3-isopropyl-aminopropoxy) acetanilide and propranolol on, in man, 129
- , response to 4-(2-hydroxy-3-isopropyl-aminopropoxy) acetanilide and propranolol, effect of atropine and hexamethonium on, in man, 136
- Blood plasma**, human, kininogenic activity of, effect of anti-inflammatory steroids on, 172, 175
- , —, —, effect of temperature and hexadimethrine on, 670P
- Blood platelets**, organelles of, 5-hydroxytryptamine, histamine and adenosine triphosphate in, in rabbit, 592
- , —, release of 5-hydroxytryptamine, histamine and adenosine triphosphate from, and uptake of labelled 5-hydroxytryptamine by, and effect of temperature, reserpine and imipramine on, 595
- Blood pressure**, comparison of response to quinine, propranolol and 4-(2-isopropylamino-1-hydroxyethyl) methyl sulphonanilide, 120
- , effect of leptazol on, in rat, 546
- , effect of nikethamide on, 548
- , effect of picrotoxin, strychnine and dexamphetamine on, 547
- , response to adrenaline, effect of propranolol isomers on, in cat, 48
- , response to amino acid esters, and effect of atropine on, in cat, 353
- , response to cerebroventricular procaine, and effect of acidity on, in anaesthetized dog, 412
- , response to cranial subarachnoid perfusion of procaine, in anaesthetized dog, 413
- , response to cystamine and cysteamine, 202P
- , response to hypothalamic stimulation, in rat, 534
- , response to hypothalamic stimulation and noradrenaline, effect of chlorpromazine and diazepam on, 539
- , —, effect of phentolamine and guanethidine on, 538

Blood pressure (contd.)

- , response to intracerebroventricular noradrenaline, and effect of pempidine and nortriptyline on, in mouse, 167
- , response to isoprenaline, in rat, 434
- , —, effect of propranolol and 4-(2-isopropylamino-1-hydroxyethyl) methyl sulphonanilide on, in normotensive rat, 119, 123
- , —, and to carotid occlusion, effect of propranolol and 4-(2-isopropylamino-1-hydroxyethyl) methyl sulphonanilide on, in normotensive dog, 118
- , response to α -methyl dopa, and effect of dopa decarboxylase inhibitors on, in rat, 233P
- , response to propranolol, and effect of hexamethonium, phenoxylbenzamine, reserpine, noradrenaline plus bretylium, and pithing on, in rat, 200P
- , —, and to 4-(2-isopropylamino-1-hydroxyethyl) methyl sulphonanilide, in normotensive dog, 118
- , response to prostaglandins E, in guinea-pig, 643
- , —, in rat, 644
- , response to quinidine, propranolol, 4-(2-isopropylamino-1-hydroxyethyl) methyl sulphonanilide, in hypertensive dog, 125
- , —, —, in hypertensive rat, 123
- , response to spinal and cervical subarachnoid perfusion of procaine, 414
- , response to splanchnic nerve stimulation, and effect of demedullation on, in rat, 260
- , —, effect of guanethidine on, 262
- , response to synthetic and native angiotensin, vasopressin and noradrenaline, in rat, 625
- , —, —, effect of anti-angiotensin rabbit serum on, and influence of nephrectomy, 626
- , —, —, effect of hypertension on, 628
- , response to tyramine, angiotensin, dimethylphenylpiperazinium and noradrenaline, in hypertensive dog, 201P

Bradykinin, bronchoconstriction induced by, response to non-steroidal anti-inflammatory agents, in guinea-pig, 79

- , effect on intracranial pressure, in baboon, 213P
- , effect on release of free fatty acids from epigastric adipose tissue, in rabbit, 572
- , in perfusion fluid, effect of trypanosomes on, 600
- , neuromuscular response to, effect of naloxone on, 692P
- , response of vascular permeability to, effect of mepyramine on, in rabbit and rat skin, 333
- , —, effect of triprolidine on, in guinea-pig, 335
- , —, —, in rabbit, 331
- , —, effect of triprolidine and mepyramine on, in mouse, 333

Brain, amines in, response to lysergic acid diethylamide, bromolysergic acid diethylamide and methysergide, and effect of α -propyl-dopacetamide on, in rat, 3, 4

- , γ -amino-butyrac and glutamic acids in, effect of mid-brain transection on, in cat, 660P
- , 5-hydroxytryptamine and 5-hydroxyindoleacetic acid in, effect of electrical stimulation and chlorpromazine on, in rat, 662P
- , mammalian, behaviour-depressing substance in, 659P
- , monoamines in, effect of prenylamine, nialamide and restraint stress on, and correlation with blood corticosterone, in rat, 663P

Brain (contd.)

- , rat isolated, release of γ -aminobutyric acid from, and effect of depolarization on, and influence of bath calcium ions, 661P
- , release of acetylcholine from, effect of atropine on, in rat, 545
- , —, effect of nikethamide and caffeine on, 548
- , —, effect of picrotoxin, strychnine and dexamphetamine on, 547
- , —, and electrical activity of, effect of leptazol on, 546
- , technique for ventricular perfusion of, in conscious dog, 230P
- , uptake and distribution of pentobarbitone in, in rat, 667P

Brain preparations, mouse, adenine nucleotides and glucose in, effect of chlorpromazine on, 73

- , rat, metabolism of 5-hydroxytryptamine in, 39

Bretylium, effect on adrenergic response to 6-hydroxydopamine, histochemical fluorescent demonstration of, 224P

- , effect on release of dopamine from rabbit isolated ileum, 519
- , effect on response of isolated rabbit atria to 5-hydroxytryptamine and nicotine, 22
- , effect on response of splenic nerve and adrenergic C fibres to acetylcholine, in cat, 381
- , influence on effect of hyoscine on response of chicken oesophagus to stimulation, 206P

4-Bromo-3-hydroxybenzyl oxamine dihydrogen phosphate, effect on response of skin histamine to histidine, in mouse, 556

- , effect on response of skin and stomach histamine and urinary excretion of histamine to histidine, 557

Bromolysergic acid diethylamide, functional response to, 5

- , response of brain and spinal cord 5-hydroxytryptamine to, effect of α -propyl-dopacetamide on, in rat, 3

Bronchoconstriction, anaphylactic response to fenamates and acetylsalicylic acid, and effect of mepyramine and propranolol on, 83

- , bradykinin-induced, response to non-steroidal anti-inflammatory agents, in guinea-pig, 79

2-Butyl-1H-pyrazolo[1,2-a]cinnoline-1,3 (2H)-dione, effect on bradykinin-induced bronchoconstriction, in guinea-pig, 79

C

C3/76. *See* 1-Oxo-3-(4'-chlorophenyl)-3-hydroxyisindoline

CR 242. *See* Xylamide

Ciba 39'089 Ba. *See* 1-Isopropylamino-3-(O-allyloxyphenoxy)-2-propanol

Caerulein, effect on chloride transport in gastric mucosa, in frog, 326

- , emesis, defaecation and depression induced by, and effect of route of administration on, in conscious dog, 294

- , —, —, effect of atropine on, 295

- , gastric secretory response to, in conscious dog, 313, 317

- , —, in rat, 320, 322

- , —, comparison with response to other agonists, 319, 323, 324

- , —, effect of aminoguanidine, compound 48/80, atropine, hexamethonium and bilateral vagotomy on, in rat, 325

Caerulein, gastric secretory response to (*contd.*)

- , —, effect of atropine and hexamethonium on, 318
- , —, interaction with histamine, in dog, 320
- , —, —, in rat, 324, 325
- , response of gall bladder to, in man, 300
- , —, and comparison with response to other agonists, in dog, 301
- , —, —, in guinea-pig, 298
- , response of gastric muscle to, effect of atropine on, and comparison with response to human gastrin I, in dog, 296
- , response of isolated gall bladder from various animals to, 303
- , response of isolated gastrointestinal tract from various animals to, 305
- , response of large and small intestine to, and effect of atropine on, in dog and cat, 298
- , response of sphincter to, in rat and guinea-pig, 302
- , response to, in anaesthetized dog, pigeon, rat and man, 295

Caffeine, effect on ionic efflux and contractile response of guinea-pig smooth muscle to carbachol, 111

- , effect on response of rat isolated depolarized mesenteric artery to calcium, adrenaline and barium, 420

Calcium ions, effect on electrical activity of cat isolated uterus and on response to adrenaline and noradrenaline, 402

- , effect on membrane potentials of uterus, in guinea-pig, 397
- , effect on response of guinea-pig isolated uterus to adrenaline and noradrenaline, 405
- , effect on response of uterus to electrical stimulation, in cat, 394
- , effect on secretory response of adrenergic neurones and hypothalamus, 464
- , effect on stimulus-secretion coupling, in cat submaxillary gland, 463
- , —, in mast cells and polymorphonuclear leucocytes, 466
- , importance in medullary secretion response to acetylcholine, histamine, 5-hydroxytryptamine, angiotensin and bradykinin, 456
- , influence on effect of depolarization on release of γ -amino butyric acid from rat isolated brain, 661P
- , influence on effect of indomethacin on response of rat isolated depolarized mesenteric artery to adrenaline, 421
- , mechanism of secretory action of, 467
- , response of rat isolated depolarized mesenteric artery to, and effect of indomethacin and other drugs on, 419

- , uptake and release by rat isolated aorta of, and effect of amethocaine on, 423

- , —, effect of cinchocaine, indomethacin and desipramine on, 424

- , uptake by rat fundic strip preparations, effect of 5-hydroxytryptamine, amphetamine and furethronium on, and action of N-acetylneuraminic acid destruction, 687P

Caramiphen, effect on behavioural response to reserpine, in rat, 218P**Carbachol**, correlation between ionic efflux and contractile responses of guinea-pig smooth muscle to, 107

- , gastric secretory response to, comparison with response to caerulein, in rat, 324
- , response of guinea-pig isolated vas deferens to, and effect of noradrenaline on, 479

Carbachol (*contd.*)

- , response of guinea-pig smooth muscle preparations to, effect of isoprenaline on, and influence of 4-(2-isopropylamino-1-hydroxyethyl) methyl sulphonanilide, 205P
- , response of ionic efflux and contraction of guinea-pig smooth muscle to, effect of atropine, benzhexol and benzilylcholine mustard on, 108
- , response of ionic efflux from guinea-pig smooth muscle to, 102
- , —, effect of atropine and hexamethonium on, 106
- , —, effect of duration of exposure and of depolarization on, 105
- , response of nictitating membrane to, and effect of atropine and hexamethonium on, in cat, 367
- , response to, effect of peripheral and centrally active agents on, in mouse, 216P

Cardiovascular response, to adrenaline and isoprenaline, effect of 4-(2-hydroxy-3-isopropylaminopropoxy) acetanilide and propranolol on, in man, 129

- , to quinidine, propranolol and 4-(2-isopropylamino-1-hydroxyethyl) methyl sulphonanilide, comparison of, 123

- , —, —, in hypertensive dog, 125

- , —, —, in hypertensive rat, 123

Catecholamines, acetylcholine-induced release from chromaffin cells, and effect of ions on, 455, 456

- , effect of structure on β -receptor activity, 697P
- , effect on ionic efflux and contractile response of guinea-pig smooth muscle to carbachol, 111
- , effect on release of free fatty acids from epigastric adipose tissue, in rabbit, 569
- , mechanism of release from chromaffin cell of, 463

- , metabolism of, effect of centrally active agents on, in rat and mouse brain, 221P

- , —, effect of chlorpromazine on, in dog brain, 220P

- , —, effect of tyramine, amphetamine, prenlyamine and reserpine on, in man, 225P

Catechol-O-methyl transferase activity, of isolated nictitating membrane and vas deferens preparations, effect of sympathectomy on, 693P**Centrally active agents**, effect on action potentials in superior cervical trunk, in cat, 665P

- , effect on metabolism of catecholamines, in rat and mouse brain, 221P

- , effect on response to carbachol and oxotremorine, in mouse, 217P

Cerebroventricular perfusion, technique for, in conscious dog, 230P**Chemoreceptor trigger zone**, ablation of, effect on response to intracerebroventricular histamine, in dog, 510

- , role in histamine-induced emesis, in dog, 508

Chlordiazepoxide, effect on conditioned avoidance learning, in rat, 214P

- , effect on grooming behaviour, in mouse, 237P

- , effect on response to carbachol and oxotremorine, in mouse, 217P

Chloride ions, effect on response of uterus to electrical stimulation, in cat, 393

- , in uterus, and effect of pregnancy on, in cat and guinea-pig, 399

- , urinary excretion of, response to antidiuretic hormone, in rat, 438

- , —, response to dichloroisoprenaline, 434

- , —, response to isoprenaline, 432

- , —, response to pronethalol, 435

- , —, —, effect of hypophysectomy on, 439

- Chloride ions**, urinary excretion of (*contd.*)
 —, —, response to propranolol, 439
- Chloroquine**, effect on response of rat isolated depolarized mesenteric artery to calcium, adrenaline and barium, 420
- Chlorothiazide**, effect on hereditary hypertension, in rats, 680P
- Chlorpheniramine**, effect on response of rat isolated vas deferens to tyramine and noradrenaline, 487
 —, effect on response of vascular permeability to bradykinin and histamine, in rat skin, 333
- Chlorpromazine**, effect on bradykinin-induced bronchoconstriction, in guinea-pig, 79
 —, effect on brain adenine nucleotides and glucose, in mouse, 73
 —, effect on brain 5-hydroxytryptamine and 5-hydroxyindoleacetic acid, in rat, 662P
 —, effect on conditioned avoidance learning, in rat, 214P
 —, effect on emetic response to intracerebroventricular histamine, in dog, 510
 —, effect on ethanol-induced loss of righting reflex and anaesthesia, in mouse, 372
 —, effect on grooming behaviour, in mouse, 237P
 —, effect on metabolism of catecholamines, in dog brain, 220P
 —, effect on response of blood pressure and eyelids to hypothalamic stimulation and noradrenaline, in rat, 539
 —, effect on response to carbachol and oxotremorine, in mouse, 217P
- Cholecystokinin-pancreozymin**, gastric secretory response to, comparison with response to caerulein, in rat, 323
- Choleretic activity**, of acemoquinazone, 678P
- Choline**. *See* Dicholine
- Cholinergic agents**, response to, effect of peripheral and centrally active agents on, in mouse, 216P
- Chromaffin cell**, adenosine triphosphate and metabolites in secretion from, 460
 —, adrenal, catecholamine release from, mechanism of, 459, 462
 —, —, gerbil isolated, response to acetylcholine, and effect of ions on, 454
 —, release of lipids from, 462
- Cinchocaine**, effect on ionic efflux and contractile response of guinea-pig smooth muscle to carbachol, 110
 —, effect on response of rat isolated depolarized mesenteric artery to calcium, adrenaline and barium, 420
 —, effect on uptake and release of calcium by rat isolated aorta, 424
- Clibadium sylvestre***, polyacetylenic alcohol (cunaniol) isolated from, toxicity of, and comparison with picrotoxin, leptazol and strychnine, in fish, 679P
- Cocaine**, effect on release of dopamine from rabbit isolated ileum, 518
 —, effect on response of rabbit isolated atria to noradrenaline, 145
 —, effect on response of rat diaphragm preparations to electrical stimulation, 586
 —, effect on response of rat isolated vas deferens to tyramine and noradrenaline, 486
 —, effect on tyramine-induced release of noradrenaline from isolated rabbit heart, 144, 146
 —, effect on uptake of noradrenaline, by rabbit isolated heart, 143
 —, —, by rat isolated vas deferens, 490
 —, effect on vasoconstrictor response of perfused rabbit ear artery to tyramine, 13
- Cocaine** (*contd.*)
 —, influence on effect of angiotensin on response of rabbit ear artery preparations to sympathetic stimulation, 502
 —, response of guinea-pig isolated vas deferens to, 479
- Codeine**, effect on response to carbachol and oxotremorine, in mouse, 217P
- Compound 48/80**, effect on gastric secretory response to caerulein, in rat, 325
 —, effect on histamine release from rat lung preparations, 236P
 —, effect on noradrenaline uptake and histamine release by rat mast cells, 194P
 —, vascular and metabolic effects of, in canine subcutaneous adipose tissue, 197P
- Conditioned avoidance reflex**, effect of muscarinic and nicotinic agents on, in mouse, 685P
 —, learning of, effects of drugs on, in rat, 214P
- Convulsant action**, of leptazol, effect of sympathomimetic amines on, and influence of reserpine, in mouse, 28
- Convulsogenic activity**, of brainstem and spinal cord, effect of strychnine on, in albino rat, 241
- Corticotrophin**, long-acting, bioassay of, in guinea-pig, 189P
 —, responses of rat adipose tissue to, effect of cyclic adenosine monophosphate on, 198P
- Cortisol**, stress-induced release of, effect of phenylbutazone and indomethacin on, in guinea-pig, 209P
- Cunaniol**, extract from leaves of *Clibadium sylvestre*, toxicity of, comparison with picrotoxin, leptazol and strychnine, in fish, 679P
- Cyclizine**, effect on emetic response to intracerebroventricular histamine and to copper sulphate, in dog, 510
- Cystamine**, shock induced by, 202P
- Cysteamine**, shock induced by, 202P

D

- Decamethonium**, effect on toxicity of nicotine and amino acid esters, 351
- Defaecation**, induction by caerulein, and effect of route of administration and atropine on, in conscious dog, 294
 —, induction by cerebroventricular procaine, in conscious dog, 410
- Denervation**, effect on vasoconstrictor response of perfused rabbit ear artery to tyramine and to noradrenaline, 14
 —, influence on effect of hyoscine on response of chicken oesophagus to stimulation, 206P
- D-2-Deoxyglucose**, influence on effect of dinitrophenol on response of rabbit isolated urinary bladder to acetylcholine, 496
- Depolarization**, effect on response of guinea-pig isolated uterus to egg albumin, 525
 —, electrically or potassium-induced, effect on release of γ -amino butyric acid from rat isolated brain, and influence of bath calcium ions, 661P
 —, of chromaffin cells by acetylcholine, effect of ionic environment on, 455, 456, 457
- Depolarizing activity**, of bicyclic dicholine esters, 59, 60, 63
- Depression**, induction by caerulein, and effect of atropine on, in conscious dog, 294
- Desipramine**, effect on adrenergic response to 6-hydroxydopamine, histochemical fluorescent demonstration of, 224P
 —, effect on ethanol-induced loss of righting reflex and anaesthesia, in mouse, 374

Desipramine (*contd.*)

- , effect on grooming behaviour, in mouse, 237P
- , effect on metabolism of catecholamines, in rat and mouse brain, 221P
- , effect on response of rat isolated depolarized mesenteric artery to calcium, adrenaline and barium, 420
- , effect on response of rat isolated vas deferens to tyramine and noradrenaline, 487
- , effect on tyramine- and amphetamine-induced release of noradrenaline from heart, and on subcellular distribution of tyramine and noradrenaline, in rat, 654
- , effect on uptake and release of calcium by rat isolated aorta, 424
- , effect on uptake and release of tyramine by heart, in rat, 653
- , effect on uptake of noradrenaline by rat isolated vas deferens, 490
- , influence on effect of reserpine on noradrenaline uptake by perfused rat heart, 227P
- Dexamethasone**, effect on esterolytic activity of human kininogenic enzymes, 174
- , effect on kininogenic activity of human plasma, 172
- Dexamphetamine**, effect on activity, and comparison of measurement by activity cages and by observation, in rat, 684P
- , effect on grooming behaviour, in mouse, 237P
- , effect on release of acetylcholine from brain, in rat, 547
- Dexchlorpheniramine**, effect on response of rat isolated vas deferens to tyramine and noradrenaline, 487
- , effect on uptake of noradrenaline by rat isolated vas deferens, 490
- Diaphragm**, rat isolated, response to electrical stimulation, and effect of mephenesin, methocarbamol and diazepam on, 583
- Diazepam**, effect on ethanol-induced loss of righting reflex and anaesthesia, in mouse, 372
- , effect on response of blood pressure and eyelids to hypothalamic stimulation and noradrenaline, in rat, 539
- , effect on response of rat diaphragm preparations to electrical stimulation, 583
- , effect on response of rat phrenic nerve preparations to electrical stimulation, 587
- , effect on response of tibialis anterior muscle to electrical stimulation, in cat, 582
- , species variations in metabolism of, effect of anticonvulsant activity of, in mouse and rat, 667P
- Dibenamine**, effect on ionic efflux and contractile response of guinea-pig smooth muscle to carbachol, 110
- , influence on effect of antidepressants on noradrenaline hypothermia, in mouse, 166
- Dichloroisoprenaline**, effect on response of isolated rabbit atria to noradrenaline, 145
- , effect on tyramine-induced release of noradrenaline from isolated rabbit heart, 144, 146
- , effect on uptake of noradrenaline from perfusion fluid by isolated rabbit heart, 143
- , response of urinary excretion to, in rat, 434
- Dicholine esters**, bicyclic, depolarizing and neuromuscular blocking activity of, 59
- Diethyldithiocarbamate**, effect on behavioural response to apomorphine, in mouse, 219P
- , influence on effect of dopamine on response of reserpinized rat atria to tyramine, 95
- Digitonin particles**, of rat liver mitochondria, oxidative phosphorylation of, effect of atracyloside on, 672P

- Digitoxigenin**, response of electrically driven guinea-pig isolated atria to, 614
- , tissue bound, exchange with organ bath genin in guinea-pig isolated atria, and effect of digitoxin on, 618, 619
- , uptake and release by guinea-pig isolated atria, 616
- Digitoxin** uptake by guinea-pig isolated atria, effect on digitoxigenin exchange, 619
- Dihydrofolate reductases**, in *Trypanosoma*, 191P
- Dihydroxyephedrine**, effect on response of reserpinized rat atria to tyramine, 90
- 3-4-Dihydroxymandelic acid, intracerebroventricular, pharmacological responses to, and effect of pyrogallol and iproniazid on, in mouse, 223P
- Dilvasene**, effect on ionic efflux from guinea-pig smooth muscle, 106
- 5-(Dimethyl-amino)-9-methyl-1H-pyrazolo [1,2-a] [1,2,4] benzotriazine-1,3 (2H)-dione, effect on bradykinin-induced bronchoconstriction, in guinea-pig, 79
- 1,6-Dimethyl-8 β -5-bromonicotinoxyl methyl-10 α -methoxyergoline, vasodilating and α -receptor blocking activity of, 700P
- Dimethylphenylpiperazinium**, response of blood pressure to, in hypertensive dog, 201P
- , response of guinea-pig isolated vas deferens to, and effect of noradrenaline and reserpine on, 479
- , response of nictitating membrane to, and effect of atropine and hexamethonium on, in cat, 362
- Dinitrophenol**, effect on bradykinin-induced bronchoconstriction, in guinea-pig, 79
- , effect on response of rabbit isolated urinary bladder to acetylcholine, and influence of saccharides, 495
- , response of rabbit isolated urinary bladder to, 497
- Disulphiram**, influence on effect of dopamine on response of reserpinized rat atria to tyramine, 95
- Diuretics**, structure and hyperglycaemic activity of, 676P
- Dopa**, effect on release of dopamine from rabbit isolated ileum, 520
- Dopa decarboxylase inhibition**, effect on response of blood pressure to α -methyldopa, in rat, 233P
- Dopamine**, alone and plus iproniazid, effect on response of reserpinized rat atria to tyramine, 90, 93
- , effect on response of reserpinized rat atria to tyramine, influence of disulphiram and sodium diethyldithio-carbamate, 95
- , effect on response to leptazol, and influence of reserpine, in mouse, 28
- , in brain, effect of prenylamine, nialamide and restraint stress on, and correlation with blood corticosterone, in rat, 663P
- , —, response to lysergic acid diethylamide, and effect of α -propyl-dopacetamide on, in rat, 4
- , release from rabbit isolated ileum, effect of cocaine on, 518
- , —, effect of dopa on, 520
- , —, effect of phenoxybenzamine, guanethidine, bretylium and tyramine on, 520
- , —, effect of sympathetic stimulation on, and action of acetylcholine and noradrenaline, 517
- , response of guinea-pig isolated vas deferens to, and effect of reserpine on, 479

Dyflor, effect on response of nictitating membrane and ganglionic action potential to amino acid esters, and to acetylcholine, 360

E

"E" Pyrogen, response of body temperature to, in mouse, 150, 151

—, —, effect of hypothermic agents on, 155

—, —, effect of paracetamol on, in rabbit, 155

—, response to, effect of antipyretic agents on, in mouse, 228P

Edrophonium, neuromuscular response to, effect of bicyclic dicholine esters on, 60

Electrical activity, in brain, effect of leptazol on, in rat, 546

—, —, effect of nikethamide on, 548

—, —, effect of picrotoxin, strychnine and dexamphetamine on, 547

—, in heart, response to amino acid esters, and effect of atropine on, in cat, 353

—, in sheep isolated heart, response to catecholamines, effect of propranolol and phentolamine on, 695P

Electroconvulsions, effect of reserpine-induced emesis, in pigeon, 249

Electromyography, in diagnosis and treatment of myasthenia gravis, 229P

Emesis, induction by caerulein, and effect of atropine on, in conscious dog, 295

—, —, effect of route of administration and atropine on, in conscious dog, 294

—, induction by cerebroventricular procaine, in conscious dog, 410

—, induction by intracerebroventricular histamine, comparison between lateral and fourth ventricles, and effect of ablation of chemoreceptor trigger zone, chlorpromazine and antihistamines on, in dog, 510

—, induction by oral copper sulphate, effect of antihistamines on, 510

—, induction by reserpine, effect of electroconvulsions, insulin, pentylenetetrazol and pargyline on, in pigeon, 249

Endotoxin, effect on response of tissue histamine to histidine, influence of histidine decarboxylase inhibition, 558

—, effect on response of tissue histamine and histidine to histidine injection, in mouse, 555

Epinine, alone and plus iproniazid, effect on response of reserpinized rat atria to tyramine, 90, 93

Ergoline, new derivative of, vasodilating and α -receptor blocking activity of, 700P

Esterolytic activity, of human kininogenic enzymes, effect of anti-inflammatory steroids on, 174

Ethanol, loss of righting reflex and anaesthesia induced by, and effect of diazepam, thioridazine, chlorpromazine and trifluoperazine on, in mouse, 372

—, —, effect of phenobarbitone and amitriptyline on, in mouse, 373

—, —, effect of trimipramine, imipramine, nortriptyline, methylphenidate, desipramine and phenelzine on, in mouse, 374

Ethyl- β -dimethylaminopropionate, response of nictitating membrane and ganglionic action potentials to, and effect of hexamethonium, atropine and dyflor on, in cat, 360

Eyelid contractions, response to hypothalamic stimulation, in rat, 534

—, —, effect of cervical nerve sectioning on, 537

Eyelid contractions, response to hypothalamic stimulation (*contd.*)

—, —, effect of chlorpromazine and diazepam on, 539

—, —, effect of phentolamine and guanethidine on, 538

—, response to sympathetic stimulation, 537

—, response to tyramine, amphetamine and adrenergic stimulation, effect of α -methyl-p-tyrosine and pargyline on, 227P

—, —, α -methyltyramine, amphetamine and adrenergic stimulation, in rat, 226P

F

Faecal excretion, of oral pyridostigmine, in rat, 447

Fat, body, dog, vascular and metabolic effects of histamine, compound 48/80, 5-hydroxytryptamine and heparin in, 197P

—, —, rat, hormonal metabolic responses in, effect of cyclic adenosine monophosphate on, 198P

—, epigastric, release of free fatty acids from, effect of catecholamines on, in rabbit, 569

—, —, —, effect of hormones on, 566, 569

—, subcutaneous, release of free fatty acids from, effect of catecholamines on, in rabbit, 571

Fatty acids, free, release by histamine, compound 48/80, 5-hydroxytryptamine and heparin, in canine subcutaneous adipose tissue, 197P

—, —, release by noradrenaline, 5-hydroxytryptamine and corticotrophin from rat adipose tissue, and effect of cyclic adenosine monophosphate on, 198P

—, —, release from epigastric adipose tissue, effect of angiotensin, bradykinin, histamine, isoprenaline and adrenocorticotrophic hormone on, in rabbit, 572

—, —, —, effect of catecholamines on, in rabbit, 569

—, —, —, effect of hormones on, in rabbit, 566, 569

—, —, —, effect of theophylline on, 571

Fenamates, effect on bradykinin-induced bronchoconstriction, in guinea-pig, 79

—, effect on bradykinin-induced release of adrenaline, 84

—, response of anaphylactic bronchoconstriction to, effect of mepyramine and propranolol on, 83

—, toxicity of, 85

Flufenamic acid, effect on response of body temperature to "E" pyrogen, in mouse, 152

—, effect on response of rat isolated depolarized mesenteric artery to calcium, adrenaline and barium, 420

Follicle stimulating hormone, effect on release of free fatty acids from epigastric adipose tissue, in rabbit, 567

D-Fructose, influence on effect of dinitrophenol on response of rabbit isolated urinary bladder to acetylcholine, 496

Furmethide, effect on ionic efflux from guinea-pig smooth muscle, 106

Furtrethonium, effect on uptake of calcium ions, by rat fundic strip preparations, and action of N-acetylneuraminic acid, 687P

G

D-Galactose, influence on effect of dinitrophenol on response of rabbit isolated urinary bladder to acetylcholine, 496

- Gall bladder**, guinea-pig isolated, response to caerulein, and comparison with response to bradykinin and other agonists, 303
- , —, —, effect of atropine and adrenaline on, 304
- , rabbit and cat isolated, response to caerulein, and comparison with response to other agonists, 304
- , sheep and cow isolated, response to caerulein, and comparison with response to other agonists, 305
- , response to caerulein, in man, 300
- , —, and comparison with response to other agonists, in dog, 301
- , —, —, in guinea-pig, 298
- , —, effect of atropine, hexamethonium, dibenamine, mepyramine and adrenaline on, in guinea-pig, 300
- Ganglion**, superior cervical, histological and histochemical effect of guanethidine on, in rat, 212P
- , sympathetic, bullfrog, nicotinized preparations, response to tetanic stimulation, effect of anticholinesterases alone and plus ouabain on, 182
- , —, —, response to tetanic stimulation, effect of anticholinesterases on, 179
- , —, —, —, —, influence of nicotine and atropine, 180
- Gastrectomy**, effect on response of tissue histamine to histidine, in mouse, 555
- Gastric acid secretion**, response to caerulein, in conscious dog, 313, 317
- Gastrointestinal tract**, isolated preparations from various laboratory animals of, response to caerulein, and comparison with response to other agonists, 305
- Glafenine**, effect on bradykinin-induced bronchoconstriction, in guinea-pig, 79
- Glucagon**, effect on release of free fatty acids from epigastric adipose tissue, in rabbit, 567
- Glucose**, effect on response of electrical activity of islet cells to alloxan, 678P
- , in mouse brain preparations, effect of chlorpromazine on, 73
- , release from guinea-pig isolated liver, effect of catecholamines on, 694P
- D-Glucose**, influence on effect of dinitrophenol on response of rabbit isolated urinary bladder to acetylcholine, 495
- L-Glucose**, influence on effect of dinitrophenol on response of rabbit isolated urinary bladder to acetylcholine, 496
- Glutamic acid**, in brain, effect of mid-brain transection on, in cat, 660P
- Glutathione**, effect on response of electrical activity of islet cells to alloxan, 678P
- Glycolysis**, influence on effect of dinitrophenol on response of rabbit isolated urinary bladder to acetylcholine, 495
- Growth hormone**, porcine, effect on release of free fatty acids from epigastric adipose tissue, in rabbit, 567
- Guanethidine**, effect on hereditary hypertension, in rat, 680P
- , effect on release of dopamine from rabbit isolated ileum, 519
- , effect on response of blood pressure, and of eyelids, to hypothalamic stimulation and noradrenaline, in rat, 538
- , —, to splanchnic nerve stimulation, in intact and demedullate rat, 262
- Guanethidine (contd.)**
- , effect on response of human isolated vas deferens preparations to electrical stimulation, 693P
- , effect on response of rabbit ear artery preparations to sympathetic stimulation and angiotensin, 505
- , histological and histochemical effects on superior cervical ganglion, in rat, 212P

H

- H 22/54. *See* α -Propyl-dopacetamide
- H44/68. *See* α -Methyl-*p*-tyrosine
- α -HH. *See* L-2-Hydrazino-3-4 (5)-imidazolepropionic acid
- Haloperidol**, effect on grooming behaviour, in mouse, 237P
- , effect on metabolism of catecholamines, in rat and mouse brain, 221P
- , effect on response to carbachol and oxotremorine, in mouse, 217P
- Heart**, metaraminol, α -methyl-*m*-tyramine and noradrenaline in, response to α -methyl-*m*-tyrosine, and effect of temperature on, in rat, 271
- , response to thyroxine, in cat and guinea-pig, 681P
- , sheep isolated, response to catecholamines, effect of propranolol and phentolamine on, 695P
- , tyramine- and amphetamine-induced release of noradrenaline from, effect of desipramine on, in rat, 654
- , uptake and release of tyramine by, and release of noradrenaline and conversion of tyramine to octopamine by, in rat, 650
- , —, effect of desipramine on, 654
- , —, effect of reserpine on, 652
- Heart beat**, comparison of responses to quinidine, propranolol and 4-(2-isopropyl-amino-1-hydroxyethyl) methyl sulphonanilide, 120
- , intrinsic, relationship to thyroid status, and effect of propranolol and atropine on, in man, 683P
- , response to adrenaline, effect of propranolol isomers on, in cat, 48
- , response to adrenaline and isoprenaline, effect of 4-(2-hydroxy-3-isopropyl-aminopropoxy) acetanilide and propranolol on, in man, 129
- , response to exercise, effect of 4-(2-hydroxy-3-isopropyl-aminopropoxy) acetanilide and propranolol on, in man, 133
- , response to 4-(2-hydroxy-3-isopropyl-aminopropoxy) acetanilide and propranolol, effect of atropine and hexamethonium on, in man, 136
- , response to hypothalamic stimulation, in rat, 534
- , response to isoprenaline, effect of propranolol and 4-(2-isopropylamino-1-hydroxyethyl) methyl sulphonanilide on, in normotensive dog, 118, 119
- , —, —, in normotensive rat, 119, 123
- , —, effect of propranolol isomers and racemate on, in dog, 46
- , response to ouabain, effect of propranolol isomers on, in cat, 50
- , —, —, in dog, 51
- , response to propranolol and 4-(2-isopropyl-amino-1-hydroxyethyl) methyl sulphonanilide, in normotensive dog, 118
- , response to propranolol isomers and racemate, in rat, 46

Heart beat (contd.)

- , response to quinidine, propranolol and 4-(2-isopropylamino-1-hydroxyethyl) methyl sulphonanilide, in hypertensive dog, 125
- , —, —, in hypertensive rat, 123
- , response to tiking, effect of 4-(2-hydroxy-3-isopropyl-aminopropoxy) acetanilide and propranolol on, in man, 134
- , response to tyramine, effect of sympathomimetic amines on, 90

Hemicholinium, effect on response of isolated rabbit atria to 5-hydroxytryptamine and nicotine, 23

Heparin, effect on plasma lipase activity and free fatty acid release, in rabbit, 573

—, vascular and metabolic effects of, in canine subcutaneous adipose tissue, 198P

Heptyl trimethylammonium, effect on ionic efflux from guinea-pig smooth muscle, 106

Hexadimethrine, effect on response of kinin-forming activity of human blood plasma to temperature, 670P

Hexamethonium, effect on cardiovascular response to 4-(2-hydroxy-3-isopropyl-aminopropoxy) acetanilide and propranolol, 136

—, effect on gastric secretory response to caerulein, in dog, 318

—, —, in rat, 325

—, effect on ionic efflux and contractile response of guinea-pig smooth muscle to carbachol, 106

—, effect on response of blood pressure to propranolol, in rat, 200P

—, effect on response of human isolated vas deferens preparations to electrical stimulation, 693P

—, effect on response of kidney action potentials to splanchnic nerve stimulation, 289

—, effect on response of longitudinal intestinal muscle to prostaglandins E, 632

—, effect on response of nictitating membrane, to carbachol, in cat, 367

—, —, to muscarinic agents, in cat, 363

—, —, to nicotinic agents, 362

—, —, and of ganglionic action potentials, to amino acid esters, 360

—, effect on toxicity of nicotine and amino acid esters, 350

—, effect on vasomotor response of kidney to nerve stimulation, in dog, 282

—, influence on effect of 4-(2-hydroxy-3-isopropyl-aminopropoxy) acetanilide on cardiovascular response to adrenaline and isoprenaline, in man, 131

—, response of guinea-pig isolated vas deferens to, 479

Hexobarbitone, response to, and hepatic metabolism of, effect of barbitone-dependence on, in rat, 211P

Hexyl trimethylammonium, effect on ionic efflux from guinea-pig smooth muscle, 106

Histaminase, reaction mechanism for, 674P

Histamine, effect on blood flow, in epigastric adipose tissue, in rabbit, 573

—, effect on intracranial pressure, in baboon, 213P

—, effect on ionic efflux and contractile response of guinea-pig smooth muscle to carbachol, 110

—, effect on release of free fatty acids from epigastric adipose tissue, in rabbit, 572

—, gastric secretory response to, comparison with response to caerulein, and with response to human gastrin I, 325

—, —, interaction with caerulein, in dog, 320

Histamine, gastric secretory response to, interaction with caerulein (contd.)

—, —, —, in rat, 324

—, in organelles of blood platelets, in rabbit, 592

—, in tissues, response to histidine, and effect of gastrectomy and endotoxin on, in mouse, 555

—, —, —, influence of histidine decarboxylase inhibition, 558

—, intracerebroventricular, emetic response to, comparison between lateral and fourth ventricles, and effect of ablation of chemoreceptor trigger zone on, in dog, 510

—, ionic binding site in rat mast cells, 195P

—, neuromuscular response to, effect of naloxone on, 692P

—, release from platelet organelles, and effect of temperature on, 595

—, release from rat lung tissue by bee venom and compound 48/80, 236P

—, release from rat mast cells, effect of compound 48/80 on, and relation to noradrenaline uptake, 194P

—, response of guinea-pig isolated uterus and ileum to, comparison with biologically active substance released during egg albumin-induced anaphylaxis, 528

—, response of vascular permeability to, effect of mepyramine on, in rabbit and rat skin, 333

—, —, effect of triprolidine on, in guinea-pig, 335

—, —, —, in rabbit, 331

—, —, effect of triprolidine and mepyramine on, in mouse, 333

—, secretory response of cat adrenals to, 691P

—, vascular and metabolic effects of, in canine subcutaneous adipose tissue, 197P

Histidine, response of skin histamine to, effect of histidine decarboxylase inhibition on, 556

—, response of stomach histamine and urinary excretion of histamine to, effect of histidine decarboxylase inhibition on, 556

—, response of tissue histamine to, and effect of gastrectomy and endotoxin on, in mouse, 555

Histidine decarboxylase inhibition, effect on response of skin histamine to histidine, in mouse, 556

—, effect on response of skin and stomach histamine and urinary excretion of histamine to histidine, 556

—, influence on effect of endotoxin and gastrectomy on response of tissue histamine to histidine, 558

Hordenine methiodide, response of guinea-pig isolated vas deferens to, and effect of noradrenaline on, 479

Hydergine, effect on response of circular intestinal muscle to prostaglandins E, 636

—, effect on response of small intestine to prostaglandins E, in guinea-pig, 643

—, effect on vasomotor response of kidney, to nerve stimulation, in dog, 285

—, —, to noradrenaline, acetylcholine and nicotine, 287

Hydralazine, effect on hereditary hypertension, in rats, 680P

L-2-Hydrazino-3-4(5)-imidazolepropionic acid, effect on response of skin histamine to histidine, in mouse, 556

—, effect on response of skin and stomach histamine and urinary excretion of histamine to histidine, 557

- L - 2 - Hydrazino - 3 - 4(5) - imidazolepropionic acid (contd.)**
 —, influence on effect of endotoxin and gastrectomy on response of tissue histamine to histidine, 558
- Hydrazinomethyl dopa**, effect on response of blood pressure to α -methyl dopa, in rat, 233P
- Hydrocortisone**, effect on esterolytic activity of human kininogen enzymes, 174
 —, effect on histamine release by sensitized rat mast cells, 196P
 —, effect on kininogenic activity of human plasma, 172
- 6-Hydroxydopamine**, adrenergic response to, and effect of desipramine, reserpine, nialamide and bretylium on, histochemical fluorescent demonstration of, 224P
- 5-Hydroxyindoleacetaldehyde**, formation from 5-hydroxytryptamine, in rat liver and brain preparations, 39
- 5-Hydroxyindoleacetic acid**, in brain, effect of electrical stimulation and chlorpromazine on, in rat, 662P
- 4-(2-Hydroxy-3-isopropyl-aminopropoxy) acetanilide**, cardiovascular response to, effect of atropine and hexamethonium on, in man, 136
 —, effect on cardiovascular response to intra-arterial isoprenaline, 132
 —, effect on cardiovascular response to intravenous adrenaline and isoprenaline, in man, 129
 —, —, influence of atropine and hexamethonium, 131
 —, effect on heart beat response, to exercise, in man, 133
 —, —, to tilting, in man, 134
 —, effect on response of isolated rabbit atria to noradrenaline, 145
 —, effect on tyramine-induced release of noradrenaline from isolated rabbit heart, 144, 146
 —, effect on uptake of noradrenaline from perfusion fluid by isolated rabbit heart, 143
- 8-Hydroxyquinoline**, influence on effect of ouabain and zinc on response of isolated rat uterus to drugs, 231P
- 5-Hydroxytryptamine**, effect on blood flow, in epigastric adipose tissue, in rabbit, 573
 —, effect on response of isolated rabbit atria, to acetylcholine, 20
 —, —, to nicotine, influence of reserpinization, 24
 —, —, to nicotine and adrenaline, 21
 —, effect on response of rabbit ear artery preparations to sympathetic stimulation, noradrenaline and angiotensin, 504
 —, effect on uptake of calcium ions by rat fundic strip preparations, and action of N-acetylneuraminic acid, 687P
 —, gastric secretory response to, comparison with response to caerulein, in rat, 324
 —, in brain, effect of electrical stimulation and chlorpromazine on, in rat, 662P
 —, in brain and spinal cord, response to lysergic acid diethylamide, bromolysergic acid diethylamide and methysergide, effect of α -propyl-dopacetamide on, in rat, 3
 —, in organelles of blood platelets, in rabbit, 592
 —, metabolism of, in rat liver and brain preparations, 39
 —, oestrogen-induced uterine sensitivity to, effect of progesterone on, and influence of ovariectomy, in rat, 206P
 —, release and uptake by platelet organelles, and effect of temperature, reserpine and imipramine on, 595
- 5-Hydroxytryptamine (contd.)**
 —, response of body temperature to, effect of 4-acetamidophenol on, 215P
 —, response of isolated rabbit atria to, effect of bretylium on, 22
 —, —, effect of hemicholinium on, 23
 —, responses of rat adipose tissue to, effect of cyclic adenosine monophosphate on, 198P
 —, vascular and metabolic effects of, in canine subcutaneous adipose tissue, 198P
- 5-Hydroxytryptophan**, plus nialamide, functional response to, and comparison with response to lysergic acid diethylamide, bromolysergic acid diethylamide and methysergide, in rat, 5
- 5-Hydroxytryptophol**, formation from 5-hydroxytryptamine, in rat liver and brain preparations, 39
- Hydroxyzine**, effect on action potentials in superior cervical trunk, in cat, 665P
- Hyoscine**, effect on response of chicken oesophagus to vagal and oesophageal stimulation, and influence of drugs and denervation, 206P
 —, effect on response of longitudinal intestinal muscle to prostaglandins E, 634
- Hyoscyamine**, effect on behavioural response to reserpine, in rat, 218P
- Hyperexcitability**, induction by strychnine, in albino rat, 241
- Hyperglycaemic activity**, of diuretics, and structure activity of, 676P
- Hypertension**, adrenergic mechanisms in, in dog, 201P
 —, effect on pressor response to angiotensin, vasopressin and noradrenaline, 628
 —, hereditary, strains of rats with, and effect of hypotensive agents on, 680P
- Hypertonia**, induction by strychnine, in albino rat, 241
- Hypothalamic stimulation**, behavioural response to, effect of guanethidine, phentolamine, chlorpromazine and diazepam on, in rat, 540
 —, response of blood pressure and eyelids to, in rat, 534
 —, —, effect of phentolamine and guanethidine on, 538
 —, response of eyelids to, effect of cervical nerve sectioning on, 537
- Hypothalamus**, secretion from, effect of calcium ions on, 464
- Hypothalamus-pituitary-adrenal axis**, neurohumoral control of, in rat, 659P
- Hypothermia**. *See* Temperature, body
- Hypothermic agents**, effect on response of body temperature to "E" pyrogen, in mouse, 155

I

- I.C.I. 50172**. *See* 4-(2-Hydroxy-3-isopropylamino-propoxy) acetanilide
- INPEA**. *See* 2-Isopropylamino-1-(*p*-nitrophenyl) ethanol
- Ibufenac**, effect on bradykinin-induced bronchoconstriction, in guinea-pig, 79
 —, effect on response of body temperature to "E" pyrogen, in mouse, 152
- Imipramine**, effect on behavioural response to apomorphine, in mouse, 219P
 —, effect on ethanol-induced loss of righting reflex and anaesthesia, in mouse, 374
 —, effect on grooming behaviour, in mouse, 237P
 —, effect on release and uptake of 5-hydroxytryptamine by platelet organelles, in rabbit, 595

Imipramine (*contd.*)

- , effect on response of rat isolated depolarized mesenteric artery to calcium, adrenaline and barium, 420
- , effect on response of rat isolated vas deferens to tyramine and noradrenaline, 487
- , effect on response to carbachol and oxotremorine, in mouse, 217P
- , effect on uptake of noradrenaline by rat isolated vas deferens, 490

Immunosuppressive activity, against leukaemia, of antitumour agents, in mouse, 674P

Indomethacin, effect on bradykinin-induced bronchoconstriction, in guinea-pig, 79

—, effect of response of body temperature to "E" pyrogen, in mouse, 152

—, effect on response of rat isolated depolarized mesenteric artery to calcium, adrenaline and barium, 420

—, effect on stress-induced cortisol release, in guinea-pig, 209P

—, effect on uptake and release of calcium by rat isolated aorta, 424

Indoxole, effect on bradykinin-induced bronchoconstriction, in guinea-pig, 79

Insulin, effect on reserpine-induced emesis, in pigeon, 249

Intestinal motility, effect of prostaglandins E on, 639

Intestine, large, rat isolated, uptake of calcium ions by, effect of 5-hydroxytryptamine, amphetamine and furtrethonium on, and action of N-acetylneuraminic acid destruction on, 687P

—, large and small, response to caerulein, and effect of atropine on, in dog and cat, 298

—, small, guinea-pig isolated, potassium and rubidium efflux from, 101

—, —, —, response to acetylcholine, effect of derivatives of tropine and *pseudotropine* on, 689P

—, —, —, response to amino acid amides and esters, 350

—, —, —, response to prostaglandins E, 641

—, —, —, effect of urethane and bath temperature on, 642

—, —, rabbit isolated, release of dopamine from, effect of cocaine on, 518

—, —, —, effect of dopa on, 520

—, —, —, effect of phenoxybenzamine, guanethidine, bretylium and tyramine on, 519

—, —, —, effect of sympathetic stimulation on, and action of acetylcholine and noradrenaline, 517

—, —, rat and guinea-pig isolated, response to tris (3,5,6,8-tetramethyl-1,10-phenanthroline) ruthenium, and effect of antagonists on, 688P

—, —, response to prostaglandin E₁ in rat, 644

—, —, response to prostaglandins E, 631, 634

—, —, —, and effect of hydergine and pronethalol on, in guinea-pig, 643

—, —, —, effect of hexamethonium on, 632

—, —, —, effect of tetrodotoxin, hydergine and pronethalol on, 636

—, —, —, hyoscine, physostigmine, neostigmine, mepyramine and methysergide on, 634

Intracellular water space, relationship to membrane permeability, and effect on activity of antibacterial agents, 671P

Intracranial pressure, effect of various drugs on, in baboon, 213P

Inulin, renal excretion of, response to antidiuretic hormone, in rat, 438

—, —, response to dichloroisoprenaline, 434

—, —, response to pronethalol, 435

—, —, response to propranolol, 439

Iodoacetic acid, effect on response of rabbit isolated urinary bladder to acetylcholine, and influence of pyruvate, 497

—, response of rabbit isolated urinary bladder to, effect of pyruvate on, 497

Ionic efflux, from guinea-pig smooth muscle, 101

—, —, relationship to contractions, 107

—, —, response to carbachol, 102

—, —, response to muscarinic agents, 106

—, response to carbachol, effect of atropine, benzhexol and benzilylcholine mustard on, 108

Ionic environment, effect on acetylcholine-induced depolarization of chromaffin cells, 455, 456

—, effect on electrical activity of cat isolated uterus and on response to adrenaline and noradrenaline, 402

—, effect on membrane potentials of uterus, in guinea-pig, 397

—, effect on response of guinea-pig isolated uterus to adrenaline and noradrenaline, 405

—, effect on response of uterus to electrical stimulation, in cat, 393

Iproniazid, effect on bradykinin-induced bronchoconstriction, in guinea-pig, 79

—, effect on grooming behaviour, in mouse, 237P

—, effect on responses to noradrenaline, in mouse, 223P

Isoprenaline, alone and plus iproniazid, effect on response of reserpinized rat atria to tyramine, 90, 93

—, cardiac response to, effect of propranolol isomers and racemate on, in dog, 46

—, effect on release of free fatty acids from epigastric adipose tissue, in rabbit, 570, 572

—, effect on release of glucose from guinea-pig isolated liver, and action of phentolamine and propranolol, 695P

—, effect on response of guinea-pig smooth muscle preparations to carbachol, and influence of 4-(2-isopropylamino-1-hydroxyethyl) methyl sulphonanilide, 205P

—, intra-arterial, cardiovascular response to, effect of 4-(2-hydroxy-3-isopropyl-aminopropoxy) acetanilide, on, 132

—, intravenous, cardiovascular response to, effect of atropine and hexamethonium on, in man, 129, 132

—, metabolic response to, effect of propranolol isomers on, in dog, 47

—, response of blood pressure to, in rat, 434

—, response of cortical neurones to, effect of α - and β -receptor blocking agents on, in cat, 222P

—, response of guinea-pig isolated vas deferens to, 479

—, response of guinea-pig smooth muscle preparations to, effect of propranolol, 4-(2-isopropylamino-1-hydroxyethyl) methyl sulphonanilide on, 204P

—, response of heart beat to, effect of propranolol and 4-(2-isopropylamino-1-hydroxyethyl) methyl sulphonanilide on, in normotensive rat, 119, 123

—, response of respiration, heart beat and blood pressure to, effect of propranolol and 4-(2-isopropyl-amino-1-hydroxyethyl) methyl sulphonanilide on, in normotensive dog, 118, 119

—, response of sheep isolated heart to, effect of propranolol and phentolamine on, 696P

Isoprenaline (*contd.*)

- , response of urinary excretion to, in rat, 432
- 1-Isopropylamino-3-(*O*-allyloxyphenoxy)-2-propanol, effect on response of isolated rabbit atria to noradrenaline, 145
- , effect on tyramine-induced release of noradrenaline from isolated rabbit heart, 144, 146
- , effect on uptake of noradrenaline from perfusion fluid by isolated rabbit heart, 143
- 4-(2-Isopropylamino-1-hydroxyethyl) methyl sulphonanilide, cardiovascular response to, in hypertensive dog, 125
- , —, in hypertensive rat, 123
- , —, comparison with quinidine and propranolol, 120
- , effect on blood pressure and heart beat and on response to isoprenaline, in normotensive dog, 118, 119
- , effect on response of guinea-pig smooth muscle preparations to isoprenaline, 204P
- , effect on response of rabbit isolated atria to noradrenaline, 145
- , effect on response of rat adipose tissue to cyclic adenosine monophosphate, 199P
- , effect on tyramine-induced release of noradrenaline from isolated rabbit heart, 144, 146
- , effect on uptake of noradrenaline from perfusion fluid by isolated rabbit heart, 143
- , influence on effect of isoprenaline on response of guinea-pig smooth muscle preparations to carbachol, 205P
- 2-Isopropylamino-1-(*p*-nitrophenyl) ethanol, anti-arrhythmic and local anaesthetic activity of, in guinea-pig, 200P
- , effect on response of cortical neurones to noradrenaline and isoprenaline, in cat, 222P
- 1-(Isopropylamino) - 3 - (*o*-phenoxyphenoxy)-2-propanol, anti-arrhythmic and local anaesthetic activity of, in guinea-pig, 200P
- 1-Isopropylamino-3-(3-tolyloxy)-2-propanol, effect on response of isolated rabbit atria to noradrenaline, 145
- , effect on tyramine-induced release of noradrenaline from isolated rabbit heart, 144, 146
- , effect on uptake of noradrenaline from perfusion fluid by isolated rabbit heart, 143
- , response of guinea-pig isolated vas deferens to, 479
- N-Isopropylphenylethanamines, effect of structure on β -receptor activity, 697P

K

- K6592. *See* 1-Isopropylamino-3-(3-tolyloxy)-2-propanol
- Kallidin**, role in pathogenesis of malaria, 235P
- Kidney**, blood flow from, response to acetylcholine, in dog, 282
- , —, —, effect of atropine on, 284
- , —, —, effect of nicotine on, 285
- , vasomotor response to noradrenaline, acetylcholine and nicotine, effect of hydergine on, 287
- , vasomotor response to perfusate from stimulated kidney, in dog, 282
- , vasomotor response to splanchnic and renal nerve stimulation, and effect of nicotine and hexamethonium on, in dog, 281
- Kininase activity**, of plasma, effect of trypanosomes on, 601
- , of trypanosomes, in rat isolated uterus preparations, 600

- Kininogenase activity**, of plasma, effect of trypanosomes on, 601
- Kininogenic activity**, in human plasma, effect of anti-inflammatory steroids on, 172, 175
- , —, effect of temperature and hexamethrine on, 670P

L

- Lachesine**, effect on ionic efflux and contractile response of guinea-pig smooth muscle to carbachol, 108
- Lactose**, influence on effect of dinitrophenol on response of rabbit isolated urinary bladder to acetylcholine, 496
- Leptazol**, effect on release of acetylcholine and electrical activity of brain, and on blood pressure, in rat, 546
- , toxicity of, comparison with *Clibadium sylvestre* extract, 679P
- L-Leucine**, effect on response of electrical activity of islet cells to alloxan, 678P
- Leucocytes**, polymorphonuclear, stimulus-secretion coupling in, effect of calcium ions on, 466
- Leukaemia**, immune reaction to, effect of methotrexate and arabinosyl cytosine on, in mouse, 674P
- Levallorphan**, analgesic activity of, comparison with morphine and nalorphine, in mouse, 686P
- Lignocaine**, effect on ionic efflux and contractile response of guinea-pig smooth muscle to carbachol, 110
- , effect on response of human isolated vas deferens preparations to electrical stimulation, 693P
- , effect on response of rat isolated depolarized mesenteric artery to adrenaline and barium, 420
- Lipase activity**, in plasma, response to heparin and melanophore stimulating hormone, and effect on free fatty acid release, in rabbit, 573
- Lipids**, release from chromaffin granules, 462
- Lipolysis**, effect of catecholamines on, in rabbit, 569
- , induction by various hormones, in rabbit, 566
- Liver**, guinea-pig isolated, release of glucose from, effect of catecholamines on, 694P
- , histamine in, response to histidine, effect of endotoxin on, in mouse, 555
- , —, —, effect of gastrectomy on, influence of histidine decarboxylase inhibition, 558
- , rat isolated, metabolism of 5-hydroxytryptamine in, 39
- , —, uptake and metabolism of prostaglandin E_1 by, 668P
- Lung**, histamine in, response to histidine, effect of endotoxin on, in mouse, 555
- Lung preparations**, rat, bee venom and compound 48/80 induced histamine release from, 236P
- Luteotropic hormone**, effect on release of free fatty acids from epigastric adipose tissue, in rabbit, 567
- Lysergic acid diethylamide**, functional response to, 5
- , response of brain and spinal cord 5-hydroxytryptamine to, effect of α -propyl-dopacetamide on, in rat, 3
- , response of brain noradrenaline and dopamine to, and effect of α -propyl-dopacetamide on, 4

M

- Mi 85. *See* 5-(Dimethyl-amino)-9-methyl-1H-pyrazolo [1,2-*a*] [1,2,4] benzotriazine-1,3 (2H)-dione

- MJ 1999.** See 4-(2-Isopropylamino-1-hydroxyethyl) methyl sulphonanilide
- MK-485.** See Hydrazinomethyl dopa
- MNE.** See 1,6-Dimethyl-8 β -5-bromonicotinoxyl methyl-10 α -methoxyergoline
- Magnesium ions,** activation of adenosine triphosphatase by, effect of quercetin on, 673P
- , effect on acetylcholine-induced release of catecholamines from chromaffin cells, 456
- Malaria,** role of kallidin in pathogenesis of, 235P
- Maleate,** effect on response of urinary mercury excretion to penicillamines, in rat, 232P
- Maltose,** influence on effect of dinitrophenol on response of rabbit isolated urinary bladder to acetylcholine, 496
- D-Mannose,** influence on effect of dinitrophenol on response of rabbit isolated urinary bladder to acetylcholine, 496
- Mast cells,** anaphylactic release of histamine and 5-hydroxytryptamine from, effect of calcium ions on, 466
- , rat, noradrenaline uptake and histamine release by, effect of compound 48/80 on, 194P
- , —, site of ionic sodium and histamine binding in, 195P
- , sensitized rat, histamine release by, effect of anti-rheumatic agents on, 196P
- Mebanazine,** effect on bradykinin-induced bronchoconstriction, in guinea-pig, 79
- Mecamylamine,** effect on hereditary hypertension, in rats, 680P
- , effect on response of human isolated vas deferens preparations to electrical stimulation, 693P
- Meclofenamate,** effect on bradykinin-induced bronchoconstriction, in guinea-pig, 79
- , —, influence of decerebration, spinalization and adrenalectomy on, 80
- Mefenamic acid,** effect on response of body temperature to "E" pyrogen, in mouse, 152
- Melanophore stimulating hormone,** effect on plasma lipase activity and free fatty acid release, in rabbit, 573
- , effect on release of free fatty acids from epigastric adipose tissue, in rabbit, 567
- Membrane permeability,** effect on intracellular water space and on activity of antibacterial agents, 671P
- , to ions, effect of acetylcholine on, 453
- , —, —, influence of calcium, 456
- Mephesisin,** effect on response of rat diaphragm preparations to electrical stimulation, 583
- , effect on response of rat phrenic nerve preparations to electrical stimulation, 587
- , effect on response of tibialis anterior muscle to electrical stimulation, in cat, 582
- Mepyramine,** effect on emetic response to intracerebroventricular histamine and to copper sulphate, in dog, 510
- , effect on ionic efflux and contractile response of guinea-pig smooth muscle to carbachol, 110
- , effect on response of anaphylactic bronchoconstriction to fenamates and acetylsalicylic acid, in guinea-pig, 83
- , effect on response of longitudinal intestinal muscle to prostaglandins E, 634
- , effect on response of vascular permeability to bradykinin and histamine, in rabbit, rat and mouse skin, 333
- , influence on effect of hyoscine on response of chicken oesophagus to stimulation, 206P
- Metabolism,** of diazepam, species variation in, effect on anticonvulsant activity of, in mouse and rat, 667P
- Metabolism (contd.)**
- , of 5-hydroxytryptamine, in rat liver and brain preparations, 39
- , of noradrenaline, effect of antagonists on, in man, 225P
- , —, in cat isolated nictitating membrane, effect of electrical stimulation and phenoxybenzamine on, 222P
- , of prostaglandin E₁, by rat isolated liver, 668P
- , of pyridostigmine, in rat, 446, 448
- Metaraminol,** effect on response of reserpinized rat atria to tyramine, 90
- , in heart, and urinary excretion of, response to α -methyl-*m*-tyrosine, and effect of temperature on, in rat, 271
- , response of guinea-pig isolated vas deferens to, and effect of reserpine on, 479
- Methacholine,** effect on ionic efflux from guinea-pig smooth muscle, 106
- Methaqualone,** effect on response to carbachol and oxotremorine, in mouse, 217P
- Methocarbamol,** effect on response of rat diaphragm preparations to electrical stimulation, 583
- , effect on response of rat phrenic nerve preparations to electrical stimulation, 587
- , effect on response of tibialis anterior muscle to electrical stimulation, in cat, 582
- Methotrexate,** effect on immune reaction to leukaemia, in mouse, 674P
- 3-Methoxy-4-hydroxyphenylglycol,** urinary excretion of, response to α -methyl-*m*-tyrosine, and effect of temperature on, 273
- Methylatropine,** effect on behavioural response to reserpine, in rat, 218P
- 3 - Methyl - 7 - chloro - 1,2,4 - benzothiadiazine - 1,1-dioxide,** hyperglycaemic and diuretic activity and toxicity of, and effect of tolbutamide on, 676P
- Methyl- γ -dimethylaminobutyrate,** response of nictitating membrane and ganglionic action potentials to, and effect of hexamethonium, atropine and dyflos on, in cat, 360
- Methyldopa,** effect on hereditary hypertension, in rat, 680P
- α -**Methyldopa,** response of blood pressure to, and effect of dopa decarboxylase inhibitors on, in rat, 233P
- α -**Methyldopamine,** effect on response of reserpinized rat atria to tyramine, 90
- , response of guinea-pig isolated vas deferens to, 479
- Methylfurmethide,** effect on ionic efflux from guinea-pig smooth muscle, 106
- N'-Methylnicotinamide,** uptake by rat kidney, and inhibition of, 190P
- α -**Methylnoradrenaline,** effect on response of reserpinized rat atria to tyramine, 90
- , response of guinea-pig isolated vas deferens to, and effect of reserpine on, 479
- , uptake by perfused rat heart, effect of reserpine on, and action of desipramine and normetanephrine, 227P
- Methylphenidate,** effect on ethanol-induced loss of righting reflex and anaesthesia, in mouse, 374
- Methylscopolamine,** effect on ionic efflux and contractile response of guinea-pig smooth muscle to carbachol, 108
- α -**Methyltyramine,** contractile response of eyelid to, in rat, 226P
- α -**Methyl-*m*-tyramine,** in heart, and urinary excretion of, response to α -methyl-*m*-tyrosine, and effect of temperature on, in rat, 271

α-Methyl-m-tyramine (contd.)

—, response of guinea-pig isolated vas deferens to, 479

α-Methyl-L-tyrosine, effect on behavioural response to apomorphine, in mouse, 219P

α-Methyl-m-tyrosine, response of heart amines and their urinary excretion to, and effect of temperature on, in rat, 271

α-Methyl-p-tyrosine, effect on rat iris adrenergic nerve uptake and accumulation of noradrenaline, 225P

Methysergide, effect on response of longitudinal intestinal muscle to prostaglandins E, 634

—, functional response to, 5

—, influence on effect of hyoscine on response of chicken oesophagus to stimulation, 206P

—, response of brain and spinal cord 5-hydroxytryptamine to, effect of *α*-propyl-dopacetamide on, in rat, 3

Metronidazole, effect on grooming behaviour, in mouse, 237P

Mitochondria, induction of ultrastructural changes by thyroxine in, in cat and guinea-pig, 681P

Monoamine oxidase inhibition, influence on effect of sympathomimetic amines on response of reserpinized rat atria to tyramine, 93

—, of isolated nictitating membrane and vas deferens preparations, effect of sympathectomy on, 693P

Monoamines, in brain, effect of prenalamine, nialamide and restraint stress on, and correlation with blood corticosterone, in rat, 663P

Morphine, analgesic activity of, comparison with levallorphan and nalorphine, in mouse, 686P

—, analgesic activity of, effect of route of administration on, in rat and mouse, 339

—, effect on hereditary hypertension, in rats, 680P

—, effect on response of rabbit isolated atria, to acetylcholine and potassium chloride, 22

—, —, to nicotine and adrenaline, 21

—, —, to nicotine, influence of reserpinization, 24

—, effect on response to carbachol and oxotremorine, in mouse, 217P

—, neuromuscular response to, effect of naloxone on, 691P

—, response of rabbit arterial and venous preparations to, and effect of atropine, pentolinium, phentolamine, propranolol and mepyramine on, 208P

Morphine-N-oxide, analgesic activity of, effect of route of administration, amiphenazole and tacrine on, in rat and mouse, 341

1 - Morpholinoacetyl-3-phenyl-2,3-dihydro-4(1H)-quinazolinone. *See* Acemoquinazone

Motor response, to strychnine, in albino rat, 241

—, —, effect of age on dosage, 242

Muscarine, effect on ionic efflux from guinea-pig smooth muscle, 106

Muscarinic activity, of amino acid amides and esters, 350

Muscarinic agents, effect on conditioned avoidance reflex, in mouse, 685P

—, effect on ionic efflux from guinea-pig smooth muscle, 106

—, response of nictitating membrane to, and effect of atropine and hexamethonium on, in cat, 363

Muscle, skeletal, dog isolated, oxygen uptake by, effect of vasodilatation on, 234P

—, —, response to electrical stimulation, and effect of mephenesin, methocarbamol and diazepam on, in cat, 582

Muscle (contd.)

—, smooth, automatic control and digital print-out of responses to stimuli, 230P

—, —, circular intestinal, response to prostaglandins E, 634

—, —, —, —, effect of tetrodotoxin, hydergine and pronethalol on, 636

—, —, —, gastric, response to caerulein, and effect of atropine on, in conscious dog, 296

—, —, —, guinea-pig, ionic efflux from, 101

—, —, —, —, effect of muscarinic agents on, 106

—, —, —, —, —, relationship to contractions, 107

—, —, —, —, response to adrenaline and noradrenaline, and effect of *α*- and *β*-receptor blocking agents on, 204P

—, —, —, —, response to carbachol, effect of isoprenaline on, 205P

—, —, —, —, response to isoprenaline, effect of propranolol, 4-(2-isopropylamino-1-hydroxyethyl) methyl sulphonanilide on, 204P

—, —, —, guinea-pig isolated intestinal, response to prostaglandins E, 641

—, —, —, —, —, effect of urethane and bath temperature on, 642

—, —, —, isolated gall bladder preparations, response to caerulein, and comparison with response to other agonists, and effect of atropine and adrenaline on, 303

—, —, —, longitudinal intestinal, response to prostaglandins E, 631

—, —, —, —, —, effect of hexamethonium on, 632

—, —, —, —, —, effect of tetrodotoxin, hyoscine, physostigmine, neostigmine, mepyramine and methysergide on, 634

—, —, —, rabbit isolated urinary bladder, response to acetylcholine, effect of dinitrophenol on, and influence of glycolysis, 495

—, —, —, —, —, effect of iodoacetic acid on, and influence of pyruvate, 497

—, —, —, —, response to dinitrophenol, 497

—, —, —, —, response to iodoacetic acid, and effect of pyruvate on, 497

—, —, —, rat isolated uterus, response to ouabain and zinc, and effect of complexing agents on, 231P

Muscle preparations, of various animals, response to suxamethonium, anticholinesterases and tubocurarine, effect of bicyclic dicholine esters on, 59

Myasthenia, maternal drug-induced neonatal, in man, 203P

Myasthenia gravis, electromyography in diagnosis of, 229P

N

NSD-1055. *See* 4-Bromo-3-hydroxybenzyl oxamine dihydrogen phosphate

Nalorphine, analgesic activity of, comparison with levallorphan and morphine, in mouse, 686P

—, response of rabbit arterial and venous preparations to, and effect of atropine, pentolinium, phentolamine, propranolol and mepyramine on, 208P

Neostigmine, effect on maternal drug-induced neonatal myasthenia, in man, 203P

—, effect on response of chick biventer cervicis nerve-muscle preparations to amino acid esters, 353

—, effect on response of longitudinal intestinal muscle to prostaglandins E, 634

- Nephrectomy**, influence on effect of anti-angiotensin rabbit serum on pressor response to angiotensin, vasopressin and noradrenaline, in rat, 626
- Nerves**, splanchnic, stimulation of, response of blood pressure to, and effect of demedullation on, in rat, 260
- , —, —, —, effect of guanethidine on, 262
- , —, —, —, response of kidney action potentials to, effect of acetylcholine on, 288
- , —, —, —, effect of hexamethonium on, 289
- , —, —, —, vasomotor response of kidney to, effect of hydergine on, in dog, 285
- , splanchnic and renal, stimulation of, vasomotor response of kidney to, and effect of nicotine and hexamethonium on, in dog, 281, 285
- , splenic, response to acetylcholine, and effect of this response on adrenergic C fibre action potentials, and influence of hexamethonium, in cat, 380
- , —, —, —, effect of bretylium on, 381
- , —, —, —, frequency of discharge in, 384
- Neurohumoral agents**, control of hypothalamus-pituitary-adrenal axis by, 659P
- Neuromuscular blocking action**, of bicyclic dicholine esters, 59, 60
- Neuromuscular transmission**, response to morphine, acetylcholine, histamine and bradykinin, effect of naloxone on, 691P
- Neurones**, adrenergic, role of calcium ions in noradrenaline release from, 464
- , cortical, response to noradrenaline, effect of various anaesthetics on, in cat, 221P
- , —, response to noradrenaline and isoprenaline, effect of α - and β -receptor blocking agents on, 222P
- Neurophysins**, hormone-binding capacity of, 192P, 193P
- Nialamide**, effect on adrenergic response to 6-hydroxydopamine, histochemical fluorescent demonstration of, 224P
- , effect on brain monoamines, and correlation with blood corticosterone, in rat, 663P
- , effect on rat iris adrenergic nerve uptake and accumulation of noradrenaline, 225P
- , plus 5-hydroxytryptophan, functional response to, and comparison with response to lysergic acid diethylamide, bromolysergic acid diethylamide and methysergide, in rat, 5
- Nicotine**, effect on conditioned avoidance reflex, in mouse, 685P
- , effect on vasomotor response of kidney, to acetylcholine, in dog, 285
- , —, to nerve stimulation, in dog, 282, 285
- , influence on effect of anticholinesterases, on extracellular slow potentials of bullfrog sympathetic ganglia, 184, 185
- , —, on response of bullfrog sympathetic ganglia to tetanic stimulation, 180
- , response of rabbit isolated atria to, effect of bretylium on, 22
- , —, effect of hemicholinium on, 23
- , —, effect of 5-hydroxytryptamine and morphine on, 21
- , —, effect of 5-hydroxytryptamine, morphine, atropine and physostigmine on, influence on reserpinization, 24
- , secretory response of cat adrenals to, 691P
- , sub-lethal dose of, effect on toxicity of nicotine and amino acid esters, 351
- Nicotine (contd.)**
- , vasomotor response of kidney to, effect of hydergine on, 287
- Nicotinic activity**, of amino acid amides and esters, 350
- Nicotinic agents**, effect on conditioned avoidance reflex, in mouse, 685P
- , response of nictitating membrane to, and effect of atropine and hexamethonium on, in cat, 362
- Nictitating membrane**, cat isolated, metabolism of noradrenaline in, effect of electrical stimulation and phenoxybenzamine on, 222P
- , —, monoamine oxidase activity of, effect of sympathectomy on, 693P
- , response to amino acid esters, and effect of atropine on, in cat, 353
- , —, and effect of hexamethonium, atropine, and dyflos on, in cat, 360
- , response to carbachol, and effect of atropine and hexamethonium on, in cat, 367
- , response to muscarinic agents and effect of atropine and hexamethonium on, in cat, 363
- , response to nicotinic agents, and effect of atropine and hexamethonium on, in cat, 362
- Nitrazepam**, effect on visual after-images, 213P
- Nitroglycerine**, effect on rat isolated uterine inhibitory response to noradrenaline, 609
- , rat isolated uterine inhibitory response to, effect of theophylline on, 609
- Noradrenaline**, effect on response to leptazol, and influence of reserpine, in mouse, 28
- Noradrenaline**, alone and plus iproniazid, effect on response of reserpinized rat atria to tyramine, 90, 93
- , and metabolites, intracerebroventricular, pharmacological responses to, and effect of pyrogallol and iproniazid on, in mouse, 223P
- , effect on blood flow, in epigastric adipose tissue, in rabbit, 573
- , effect on intracranial pressure, in baboon, 213P
- , effect on release of free fatty acids from epigastric adipose tissue, in rabbit, 569
- , effect on release of glucose from guinea-pig isolated liver, and action of phentolamine and propranolol, 695P
- , effect on response of rabbit ear artery to angiotensin, 503
- , effect on response of uterus to hypogastric nerve stimulation, and influence of pregnancy, in cat, 400
- , effect on response to leptazol, and influence of reserpine, in mouse, 28
- , in brain, effect of prenylamine, nialamide and restraint stress on, and correlation with blood corticosterone, in rat, 663P
- , —, response to lysergic acid diethylamide, and effect of α -propyl-dopacetamide on, in rat, 4
- , in heart, and urinary excretion of, response to α -methyl-*m*-tyrosine, and effect of temperature on, in rat, 272
- , metabolism of, effect of tyramine, amphetamine, prenylamine and reserpine on, in man, 225P
- , —, in cat isolated nictitating membrane, effect of electrical stimulation and phenoxybenzamine on, 222P
- , rat isolated uterine inhibitory response to, effect of nitroglycerine on, 609
- , —, effect of theophylline on, 606
- , —, —, influence of cocaine, 608

Noradrenaline (contd.)

- , release by tyramine, amphetamine and adrenergic stimulation, effect of α -methyl-*p*-tyrosine and pargyline on, 227P
- , —, α -methyltyramine, amphetamine and adrenergic stimulation, in rat, 226P
- , release from adrenergic C fibres by acetylcholine and electrical stimulation, and effect of hexamethonium on, in cat, 381
- , —, effect of bretylium on, 381
- , —, —, and influence of amphetamine, 382
- , release from adrenergic neurones, effect of calcium ions on, 464
- , release from cat adrenals, response to agonists, and effect of tetracaine on, 691P
- , response of blood pressure to, in hypertensive dog, 201P
- , —, in rat, 625
- , —, and effect of pempidine and nortriptyline on, in mouse, 167
- , —, effect of anti-angiotensin rabbit serum on, and influence of nephrectomy, 626
- , —, effect of hypertension on, 628
- , —, effect of phentolamine and guanethidine on, in rat, 538
- , response of body temperature to, and uptake and distribution of, effect of nortriptyline on, in mouse, 161
- , response of cat submaxillary gland to, effect of calcium ions on, 463
- , response of cortical neurones to, effect of α - and β -receptor blocking agents on, in cat, 222P
- , —, effect of various anaesthetics on, in cat, 221P
- , response of electrical activity of cat isolated uterus to, and effect of pregnancy on, 401
- , —, effect of ionic environment on, 402
- , response of electrical activity of guinea-pig isolated uterus to and effect of pregnancy on, 403
- , —, effect of ionic environment on, 405
- , response of guinea-pig isolated vas deferens to, and effect of reserpine on, 477
- , —, effect of removing drug from bath, 478
- , response of guinea-pig smooth muscle preparations to, effect of α - and β -receptor blocking agents on, 204P
- , response of human isolated vas deferens preparations to, 693P
- , response of rabbit ear artery preparations to, and effect of angiotensin on, 501
- , —, effect of 5-hydroxytryptamine on, 504
- , —, effect of phentolamine on, 505
- , response of rabbit isolated atria to, effect of β -adrenoceptor blocking agents on, 145
- , response of rat adipose tissue to, effect of cyclic adenosine monophosphate on, 198P
- , response of rat isolated vas deferens to, effect of cocaine on, 486
- , —, effect of imipramine, amitriptyline, desipramine, dexchlorpheniramine, chlorpheniramine and phentolamine on, 487
- , response of sheep isolated heart to, effect of propranolol and phentolamine on, 696P
- , subcutaneous, effect on hypothermic response to intracerebroventricular noradrenaline, 165
- , tyramine- and amphetamine-induced release from heart of, effect of desipramine on, in rat, 654
- , tyramine-induced release from heart of, in rat, 650

Noradrenaline (contd.)

- , tyramine-induced release from isolated rabbit heart of, and effect of cocaine and β -adrenoceptor blocking agents on, 144, 146
- , uptake by rabbit isolated heart from perfusion fluid, and effect of cocaine and β -adrenoceptor blocking agents on, 143
- , uptake by rat isolated vas deferens, effect of imipramine, desipramine, cocaine and dexchlorpheniramine on, 490
- , uptake by rat mast cells, effect of compound 48/80 on, and relation to histamine release, 194P
- , uptake by rat perfused heart, effect of reserpine on, and action of desipramine and normetanephrine, 227P
- , uptake and accumulation by rat iris adrenergic nerves of, effect of reserpine, nialamide and α -methyl-*p*-tyrosine on, 225P
- , vasoconstrictor response of rabbit ear artery to, effect of denervation on, 14
- , vasomotor response of kidney to, 285
- , —, effect of hydergine on, 287
- , plus bretylium, effect on response of blood pressure to propranolol, in rat, 200P
- Normetanephrine**, influence on effect of reserpine on noradrenaline uptake by perfused rat heart, 227P
- , intracerebroventricular, pharmacological responses to, and effect of pyrogallol and iproniazid on, in mouse, 223P
- Norphenylephrine**, alone and plus iproniazid, effect on response of reserpinized rat atria to tyramine, 90, 93
- Nortriptyline**, effect on ethanol-induced loss of righting reflex and anaesthesia, in mouse, 374
- , effect on grooming behaviour, in mouse, 237P
- , effect on response of blood pressure to noradrenaline, in mouse, 167
- , effect on response of body temperature to noradrenaline, and on uptake and distribution of noradrenaline, in mouse, 161, 163
- , effect on response to carbachol and oxotremorine, in mouse, 217P
- Nucleotides**, adenine, in mouse brain preparations, effect of chlorpromazine on, 73
- , influences on effect of ouabain and zinc on response of isolated rat uterus to drugs, 231P
- Nystagmus**, induction by cerebroventricular procaine, in conscious dog, 410

O

- Octopamine**, conversion of tyramine by heart to, in rat, 650
- , effect on response to leptazol, and influence of reserpine, in mouse, 28
- , response of guinea-pig isolated vas deferens to, 479
- , plus iproniazid, effect on response of reserpinized rat atria to tyramine, 93
- Octyl trimethylammonium, effect on ionic efflux from guinea-pig smooth muscle, 106
- Oesophagus**, chicken isolated, response to vagal and oesophageal stimulation, effect of hyoscine on, and influence of drugs and denervation, 206P
- Oestradiol**, effect on membrane potentials of uterus, in guinea-pig, 396
- Ouabain**, influence on effect of anticholinesterases on response of nicotinized bullfrog sympathetic ganglia to tetanic stimulation, 182
- , response of heart beat to, effect of propranolol isomers on, in cat, 50

- Ouabain**, response of heart beat to, effect of propranolol isomers on (*contd.*)
 —, —, —, in dog, 51
 —, response of isolated rat uterus to, and effect on response to other drugs, and action of complexing agents, 231P
- Oxidative phosphorylation**, in digitonin particles of rat liver mitochondria, effect of atractyloside on, 672P
- 1-Oxo-3-(4'-chlorophenyl) - 3 - hydroxy-isoinidoline**, anti-diuretic and hyperglycaemic activity, in rat, 676P
- Oxolamine**, effect on response of rat isolated depolarized mesenteric artery to calcium, adrenaline and barium, 420
- Oxotremorine**, effect on behavioural response to reserpine, in rat, 218P
 —, response of nictitating membrane to, and effect of atropine and hexamethonium on, in cat, 363
 —, response to, effect of peripheral and centrally active agents on, in mouse, 216P
 —, and oxotremorine-M, effect on ionic efflux from guinea-pig smooth muscle, 106
- Oxygen**, uptake by dog isolated skeletal muscle, effect of vasodilatation on, 234P
- Oxytocin**, effect on blood flow, in epigastric adipose tissue, in rabbit, 573
 —, effect on release of free fatty acids from epigastric adipose tissue, in rabbit, 569
 —, in bovine posterior pituitary lobe, relation to neurophysins, 193P
 —, oestrogen-induced uterine sensitivity to, effect of progesterone on, and influence of ovariectomy, in rat, 206P
 —, protein binding of, comparison with binding of vasopressin, 192P
 —, release from neurosecretory cells, effect of calcium ions on, 464
- P
- PTSH**. See p-Toluenesulphonylhydrazine
- Pain**, device for experimental production of, and measurement of threshold of, in man, 251
 —, threshold of, effect of acetylsalicylic acid on, 254
 —, —, effect of paracetamol on, 256
- Pancreas**, bicarbonate secretion by, effect on base in arterial blood, 238P
 —, cat isolated, localization of phenoxybenzamine in arterioles of, 699P
- Papaverine**, effect on hereditary hypertension, in rat, 680P
 —, effect on response of rat isolated depolarized mesenteric artery to calcium, adrenaline and barium, 420
- Paracetamol**, effect on pain threshold, in man, 256
 —, effect on response of body temperature to "E" pyrogen, in mouse, 152
 —, —, in rabbit, 155
- Paresis**, induction by cerebroventricular procaine, in conscious dog, 410
- Pargyline**, effect on reserpine-induced emesis, in pigeon, 249
- Pempidine**, effect on response of blood pressure to noradrenaline, in mouse, 167
 —, effect on toxicity of nicotine and amino acid esters, 351
- Penicil amines**, response of urinary mercury excretion to, effect of sodium maleate on, in rat, 232P
- Pentagastrin**, gastric secretory response to, comparison with caerulein, in dog, 319
- Pentagastrin**, gastric secretory response to, comparison with caerulein (*contd.*)
 —, —, —, in rat, 323
- Pentobarbitone**, effect on action potentials in superior cervical trunk, in cat, 665P
 —, effect on response to carbachol and oxotremorine, in mouse, 217P
 —, in tissue, response to ambient temperature, in guinea-pig, 210P
 —, uptake and distribution in brain of, in rat, 667P
- Pentylene-tetrazol**, effect on reserpine-induced emesis, in pigeon, 249
- Pentylethyl dimethylammonium**, effect on ionic efflux from guinea-pig smooth muscle, 106
- 2-Pentyl-1H-pyrazolo [1,2-a] cinnoline-1,3 (2H)-dione**, effect on bradykinin-induced bronchoconstriction, in guinea-pig, 79
- Pepsin**, gastric secretion of, response to caerulein, in conscious dog, 313, 317
- Perfusion pressure**, in rat isolated depolarized mesenteric artery, response to adrenaline, effect of indomethacin and other drugs on, and influence of calcium, 419
 —, —, response to calcium, effect of indomethacin and other drugs on, 419
- Peristalsis**, guinea-pig intestinal, response to prostaglandins E, *in vitro*, 641
 —, —, effect of urethane and bath temperature on, *in vitro*, 642
- Perphenazine**, effect on action potentials in superior cervical trunk, in cat, 665P
 —, effect on response of body temperature to "E" pyrogen, in mouse, 155
- Pethidine**, response of rabbit arterial and venous preparations to, and effect of atropine, pentolinium, phentolamine, propranolol and mepyramine on, 208P
- Phenanthroline**, influence on effect of ouabain and zinc on response of isolated rat uterus to drugs, 231P
- Phenelzine**, effect on bradykinin-induced bronchoconstriction, in guinea-pig, 79
 —, effect on ethanol-induced loss of righting reflex and anaesthesia, in mouse, 374
 —, effect on response to carbachol and oxotremorine, in mouse, 217P
- Phenobarbitone**, effect on ethanol-induced loss of righting reflex and anaesthesia, in mouse, 373
 —, effect on response of body temperature to "E" pyrogen, in mouse, 155
 —, in tissue, response to ambient temperature, in guinea-pig, 210P
- Phenoxybenzamine**, effect on bradykinin-induced bronchoconstriction, in guinea-pig, 79
 —, effect on hereditary hypertension, in rats, 680P
 —, effect on noradrenaline metabolism in cat isolated nictitating membrane, 223P
 —, effect on release of dopamine from rabbit isolated ileum, 519
 —, effect on response of blood pressure to propranolol, in rat, 200P
 —, influence on effect of antidepressants on noradrenaline hypothermia, in mouse, 166
 —, localization in arterioles of cat isolated pancreas, 699P
- 1 - Phenoxy-2-hydroxy-3-isopropylamino-propanes**, effect of structure on β -receptor activity, 697P
- Phentolamine**, effect on response of blood pressure and eyelids to hypothalamic stimulation and noradrenaline, in rat, 538
 —, effect on response of cortical neurones to noradrenaline and isoprenaline, in cat, 222P

Phentolamine (*contd.*)

- , effect on response of rabbit ear artery preparations to noradrenaline, sympathetic stimulation and angiotensin, 505
- , effect on response of rat isolated vas deferens to tyramine and noradrenaline, 487
- , effect on toxicity of nicotine and amino acid esters, 351
- , electrophysiological response of sheep isolated heart to, and effect on response to catecholamines, 696P
- , influence on effect of antidepressants on noradrenaline hypothermia, in mouse, 166
- Phentyl trimethylammonium, effect on ionic efflux from guinea-pig smooth muscle, 106
- Phenylbutazone**, effect on histamine release by sensitized rat mast cells, 196P
- , effect on response of body temperature to "E" pyrogen, in mouse, 152
- , effect on stress-induced cortisol release, in guinea-pig, 209P
- Phenylephrine**, alone and plus iproniazid, effect on response of reserpinized rat atria to tyramine, 90, 93
- , effect on response of guinea-pig smooth muscle preparations to carbachol, 205P
- Phenylethylamine**, effect on response of rabbit ear artery preparations to angiotensin, 504
- Phenytol**, effect on response to carbachol and oxotremorine, in mouse, 217P
- Phrenic nerve activity**, response to amino acid esters, in rabbit, 354
- Phrenic nerve preparations**, rat, response to electrical stimulation, effect of mephnesin, methocarbamol and diazepam on, 587
- Physostigmine**, effect on behavioural response to reserpine, in rat, 218P
- , effect on conditioned avoidance reflex, in mouse, 685P
- , effect on response of bullfrog sympathetic ganglia to tetanic stimulation, 179, 180
- , —, influence of nicotine and atropine, 180
- , effect on response of longitudinal intestinal muscle to prostaglandins E, 634
- , effect on response of rabbit isolated atria to nicotine, influence of reserpinization, 24
- , influence on effect of hyoscine on response of chicken oesophagus to stimulation, 206P
- Picrotoxin**, effect on release of acetylcholine from brain, in rat, 547
- , toxicity of, comparison with *Clibadium sylvestre* extract, 679P
- Pilocarpine**, effect on conditioned avoidance reflex, in mouse, 685P
- , effect on ionic efflux from guinea-pig smooth muscle, 106
- , secretory response of cat adrenals to, 691P
- Pithing**, effect on response of blood pressure to propranolol, in rat, 200P
- Pituitary-adrenal-hypothalamic axis**, neurohumoral control of, in rat, 659P
- Pituitary hormones**, anterior, effect on release of free fatty acids from epigastric adipose tissue, in rabbit, 567
- , posterior, effect on release of free fatty acids from epigastric adipose tissue, in rabbit, 569
- Polyvinyl chloride**, pharmacological activity imparted to biological fluids from, 207P
- Potassium chloride**, response of isolated rabbit atria to, effect of morphine on, 22
- Potassium ions**, activation of adenosine triphosphatase by, effect of quercetin on, 673P

Potassium ions (*contd.*)

- , effect on acetylcholine-induced release of catecholamines from chromaffin cells, 456
- , effect on membrane potentials of uterus, in guinea-pig, 397
- , effect on response of uterus to electrical stimulation, in cat, 393
- , efflux from guinea-pig smooth muscle, 101
- , —, effect of carbachol on, 102
- , —, effect of muscarine agents on, 106
- , in uterus, and effect of pregnancy on, in cat and guinea-pig, 399
- , secretory response of cat adrenals to, 691P
- , urinary excretion of, response to antidiuretic hormone, in rat, 438
- , —, response to dichloroisoprenaline, 434
- , —, response to isoprenaline, 432
- , —, response to pronethalol, 435
- , —, —, effect of hypophysectomy on, 439
- , —, response to propranolol, 439
- Potentials**, action, adrenergic C fibre, effect of splenic nerve response to acetylcholine on, and influence of hexamethonium, in cat, 380
- , —, —, response to acetylcholine, effect of bretylium on, 381
- , —, cat tibialis anterior muscle, response to electrical stimulation, effect of methocarbamol on, 586
- , —, ganglionic, response to amino acid esters, and effect of hexamethonium, atropine, and dyflos on, in cat, 360
- , —, kidney, response to splanchnic nerve stimulation, effect of acetylcholine on, in dog, 288
- , —, —, —, effect of hexamethonium on, 289
- , —, rat phrenic nerve preparations, response to electrical stimulation, effect of mephnesin, methocarbamol and diazepam on, 587
- , —, sheep isolated heart, response to catecholamines, effect of propranolol and phentolamine on, 695P
- , —, superior cervical trunk, effect of centrally active agents on, in cat, 665P
- , extracellular slow, of bullfrog sympathetic ganglia, response to tetanic stimulation, effect of anticholinesterases on, 183, 184
- , —, —, —, —, influence of nicotine, 184, 185
- , intracellular slow, of bullfrog sympathetic ganglia, response to tetanic stimulation, effect of anticholinesterases on, 185, 186
- , membrane, of islet cells, response to alloxan, and effect of glutathione, glucose and L-leucine on, 678P
- , membrane, of uterus in guinea-pig, 395
- , —, —, effect of ionic environment on, 397
- , —, —, effect of pregnancy, hormones and electrical stimulation on, 396
- , —, —, response to electrical stimulation, in cat, 392
- , —, —, —, effect of ionic environment on, 393
- , membrane and action, of uterus, and effect of pregnancy on, in cat, 391
- Prednisolone**, effect on esterolytic activity of human kininogenic enzymes, 174
- , effect of kininogenic activity of human plasma, 172
- Pregnancy**, effect on membrane and action potentials of uterus, in cat, 391

Pregnancy (contd.)

- , effect on membrane potentials of uterus, in guinea-pig, 396
- , effect on response of electrical activity of cat isolated uterus to adrenaline and noradrenaline, 401
- , effect on response of uterus to electrical stimulation, and on influence of ionic environment, in cat, 393
- , influence on effect of adrenaline and noradrenaline on response of uterus to hypogastric nerve stimulation, in cat, 400

Prenylamine, effect on brain monoamines, and correlation with blood corticosterone, in rat, 663P

- , effect on catecholamine metabolism, in man, 225P

Proadifen, influence on effect of sub-lethal nicotine on toxicity of nicotine and amino acid esters, 353

Procaine, cerebroventricular, responses to, in conscious dog, 410

- , —, —, and effect of acidity on, in anaesthetized dog, 412

—, cranial subarachnoid perfusion of, response of blood pressure and respiration to, in anaesthetized dog, 413

—, spinal and cervical subarachnoid perfusion of, response of blood pressure and respiration to, 414

Progesterone, effect on membrane potentials of uterus, in guinea-pig, 396

- , effect on oestrogen-induced uterine oxytocic sensitivity and influence of ovariectomy, in rat, 206P

Promethazine, effect on metabolism of catecholamines, in rat and mouse brain, 221P

Pronethalol, effect on response of circular intestinal muscle to prostaglandins E, 636

- , effect on response of rabbit isolated atria to noradrenaline, 145

—, effect on response of small intestine to prostaglandins E, in guinea-pig, 643

—, effect on tyramine-induced release of noradrenaline from isolated rabbit heart, 144, 146

—, effect on uptake of noradrenaline from perfusion fluid by isolated rabbit heart, 143

- , response of urinary excretion to, in rat, 435
- , —, effect of hypophysectomy on, 439

Propantheline, effect on response to carbachol and oxotremorine, in mouse, 217P

Propranolol, anti-arrhythmic and local anaesthetic activity of, in guinea-pig, 200P

- , cardiovascular response to, in hypertensive dog, 125

—, —, in hypertensive rat, 123

—, —, comparison with quinidine and 4-(2-isopropylamino-1-hydroxyethyl) methyl sulphonanilide, 120

—, —, effect of atropine and hexamethonium on, in man, 136

—, effect on blood pressure and heart beat and on response to isoprenaline, in normotensive dog, 118, 119

—, effect on cardiovascular response to intravenous adrenaline and isoprenaline, in man, 129

—, effect on heart beat, and relationship to thyroid status, in man, 683P

—, effect on response of anaphylactic bronchoconstriction to fenamates and acetylsalicylic acid, in guinea-pig, 83

—, effect on response of cortical neurones to noradrenaline and isoprenaline, in cat, 222P

Propranolol (contd.)

—, effect on response of guinea-pig smooth muscle preparations to isoprenaline, 204P

—, effect on response of isolated rabbit atria to noradrenaline, 145

—, effect on tyramine-induced release of noradrenaline from isolated rabbit heart, 144, 146

—, effect on uptake of noradrenaline from perfusion fluid by isolated rabbit heart, 143

—, electrophysiological response of sheep isolated heart to, and effect on response to catecholamines, 696P

—, influence on effect of antidepressants on noradrenaline hypothermia, in mouse, 166

—, isomers of, effect on cardiac response to isoprenaline, in dog, 46

—, —, effect on heart beat, in rat, 46

—, —, effect on response of heart beat to ouabain, in cat, 50

—, —, —, in dog, 51

—, —, effect on response of isolated guinea-pig atrium to electrical stimulation, 47

—, —, local anaesthetic effect of, in isolated frog nerve, 48

—, response of blood pressure to, and effect of hexamethonium, phenoxybenzamine, reserpine, noradrenaline plus bretylium, and pithing on, in rat, 200P

—, response of urinary excretion to, in rat, 439

α -Propyl-dopacetamide, effect on response of brain noradrenaline and dopamine to lysergic acid diethylamide, 4

—, effect on response of brain and spinal cord 5-hydroxytryptamine to lysergic acid diethylamide, bromolysergic acid diethylamide and methysergide, in rat, 3

Prostaglandin E₁, effect on release of free fatty acids from epigastric adipose tissue, in rabbit, 572

—, intra-arterial, tissue distribution of, in cat, 35

—, intracerebroventricular, tissue distribution of, in cat, 34

—, intravenous and intra-arterial, tissue distribution of, in chick, 36

—, uptake and metabolism by rat isolated liver of, 668P

Prostaglandins, enzymatic assay of, 190P

Prostaglandins E, response of circular intestinal muscle to, 634

—, —, effect of tetrodotoxin, hydergine and pronethalol on, 636

—, response of intestinal intraluminal pressure and of blood pressure to, and effect of hydergine and pronethalol on, in guinea-pig, 643

—, response of isolated perfused guinea-pig intestinal muscles to, 641

—, —, effect of urethane and bath temperature on, 642

—, response of longitudinal intestinal muscle to, 631

—, —, effect of hexamethonium on, 632

—, —, effect of tetrodotoxin, hyoscine, physostigmine, neostigmine, mepyramine and methysergide on, 634

—, response of small intestine and blood pressure to, in rat, 644

Prostigmine, effect on response of bullfrog sympathetic ganglia to tetanic stimulation, 179, 180

—, —, influence of nicotine and atropine, 180

Psychotropic agents, effect on grooming behaviour, in mouse, 237P

Ptoxis, induction by cerebroventricular procaine, in conscious dog, 410

- Pyretogens**, response of body temperature to, in mouse, 150
- Pyridostigmine**, neonatal myasthenia induced by, in man, 203P
- , oral, metabolism and excretion of, in rat, 446, 448
- Pyrogallol**, effect on responses to noradrenaline, in mouse, 223P
- Pyruvate**, effect on response of rabbit isolated urinary bladder to iodoacetic acid, 497
- , influence on effect of iodoacetic acid on response of rabbit isolated urinary bladder to acetylcholine, 497

Q

- Quercetin**, effect on ionic activated adenosine triphosphatase, 673P
- Quinidine**, cardiovascular response to, in hypertensive dog, 125
- , —, in hypertensive rat, 123
- , —, comparison with propranolol and 4-(2-isopropylamino-1-hydroxyethyl) methyl sulphonanilide, 120

R

- RO 4-4602. *See* Seryl-1,2,3-trihydroxybenzylhydrazine
- Radioprotective substances**, shock induced by, 202P
- Receptor blocking activity**, α -, of new ergoline derivative, 700P
- Receptor blocking agents**, α - and β -, effect on response of cortical neurones to noradrenaline and isoprenaline, in cat, 222P
- , —, effect on response of guinea-pig smooth muscle preparations, to adrenaline and noradrenaline, 204P
- , —, —, to carbachol and isoprenaline, and influence of 4-(2-isopropylamino-1-hydroxyethyl) methyl sulphonanilide, 205P
- , —, influence on effect of antidepressants on noradrenaline hypothermia, in mouse, 166
- , β -, antiarrhythmic and local anaesthetic activity of, in guinea-pig, 200P
- , —, response of urinary excretion to, in rat, 432, 434, 435
- Receptors**, α - and β -, responses to saligenin analogues of catecholamines, comparison with response to catecholamines, 698P
- , β -, response to catecholamines, effect of structure on, 697P
- Reflexes**, flexor, response to 5-hydroxytryptophan and lysergic acid diethylamide, comparison with response to dihydroxyphenylalanine, in rat, 5
- , patellar and corneal, response to cerebroventricular procaine, in conscious dog, 411
- , righting, response to ethanol, and effect of diazepam, thioridazine, chlorpromazine and trifluoperazine on, in mouse, 372
- , —, —, effect of phenobarbitone and amitriptyline on, 373
- , —, —, effect of trimipramine, imipramine, nortriptyline, methylphenidate, desipramine and phenelzine on, 374
- , spinal, effect of saxitoxin and tetrodotoxin on, in spinal cat, 664P
- Reserpine**, behaviour response to, and effect of anticholinergic agents on, in rat, 217P
- , effect on adrenergic response to 6-hydroxydopamine, histochemical fluorescent demonstration of, 224P
- , effect on catecholamine metabolism, in man, 225P
- Reserpine (contd.)**
- , effect on hereditary hypertension, in rats, 680P
- , effect on noradrenaline uptake by perfused rat heart, and action of desipramine and normetanephrine, 227P
- , effect on rat iris adrenergic nerve uptake and accumulation of noradrenaline, 225P
- , effect on release and uptake of 5-hydroxytryptamine by platelet organelles, in rabbit, 595
- , effect on response of blood pressure to propranolol, in rat, 200P
- , effect on response of body temperature to "E" pyrogen, in mouse, 155
- , effect on response of guinea-pig isolated vas deferens to sympathomimetic amines, 477, 479
- , effect on response of rabbit ear artery preparations to sympathetic stimulation and angiotensin, 504
- , effect on uptake and release of tyramine by heart, in rat, 652
- , emetic response to, effect of electroconvulsions, insulin, pentylene-tetrazol and pargyline on, in pigeon, 249
- , influence on effect of 5-hydroxytryptamine, morphine, atropine and physostigmine on response of isolated rabbit atria to nicotine, 24
- , influence on effect of sympathomimetic amines on response to leptazol, in mouse, 28
- Respiration**, comparison of responses to quinidine, propranolol and 4-(2-isopropylamino-1-hydroxyethyl) methyl sulphonanilide, 120
- , response to amino acid esters, in rabbit, 354
- , —, and effect of atropine on, in cat, 353
- , response to cerebroventricular procaine, in conscious dog, 411
- , —, and effect of acidity on, in anaesthetized dog, 412
- , response to cranial subarachnoid perfusion of procaine, in anaesthetized dog, 413
- , response to isoprenaline, effect of propranolol and 4-(2-isopropylamino-1-hydroxyethyl) methyl sulphonanilide on, in normotensive dog, 118
- , response to spinal and cervical subarachnoid perfusion of procaine, 414
- Restraint stress**, effect on brain monoamines, and correlation with blood corticosterone, in rat, 663P
- Rubidium ions**, efflux from guinea-pig smooth muscle, 101
- , —, effect of carbachol on, 102
- , —, effect of muscarinic agents on, 106

S

- Scha 87/2. *See* 2-Butyl-1H-pyrazolo [1,2-a] cinnoline-1,3 (2H)-dione
- Scha 306. *See* 2-Pentyl-1H-pyrazolo [1,2-a] cinnoline-1,3 (2H)-dione
- Saccharides**, influence on effect of dinitrophenol on response of rabbit isolated urinary bladder to acetylcholine, 495
- Saligenin analogues**, of catecholamines, α - and β -receptor responses to, comparison with response to catecholamines, 698P
- Saxitoxin**, effect on spinal reflexes, in spinal cat, 664P
- Schulz-Dale reaction**, of guinea-pig isolated uterus, to egg albumin, 523
- Scopolamine**, effect on behaviour response to reserpine, in rat, 217P

- Sensitization**, to egg albumin, effect on anaphylactic response of guinea-pig isolated uterus to egg albumin, 526
- Seryl-1,2,3-trihydroxy-benzylhydrazine**, effect on response of blood pressure to α -methyl dopa, in rat, 233P
- Shock**, induction by cystamine and cysteamine, 202P
- Skin**, histamine in, response to histidine, effect of histidine decarboxylase inhibition on, in mouse, 558
- Sodium aurothiosulphate**. *See* Aurothiosulphate
- Sodium ions**, binding site in rat mast cells, 195P
- , activation of adenosine triphosphatase by, effect of quercetin on, 673P
- , effect on acetylcholine-induced release of catecholamines from chromaffin cells, 456
- , effect on response of uterus to electrical stimulation, in cat, 394
- , in uterus, and effect of pregnancy on, in cat and guinea-pig, 399
- , urinary excretion of, response to antidiuretic hormone, in rat, 438
- , —, response to dichloroisoprenaline, 434
- , —, response to isoprenaline, 432
- , —, response to pronethalol, 435
- , —, —, effect of hypophysectomy on, 439
- , —, —, response to propranolol, 439
- Sodium maleate**. *See* Maleate
- Somatomotor response**, to strychnine, in albino rat, 239
- Soya bean oil**, effect on guinea-pig smooth muscle, 208P
- Spasmolytics**, effect on response of rat isolated depolarized mesenteric artery to calcium, adrenaline and barium, 420
- Sphincter**, response to caerulein, in rat and guinea-pig, 302
- Spinalis muscle**, chick isolated semi-, response to amino acid amides and esters, 350
- Spleen**, response to acetylcholine and electrical stimulation, effect of bretylium on, 381
- Stearic acid**, effect on guinea-pig smooth muscle, 208P
- Steroids**, anti-inflammatory, effect on esterolytic activity of human kininogenic enzymes, 174
- , —, effect on kininogenic activity of human plasma, 172, 175
- Stilboestrol**, induction of uterine oxytocic sensitivity by, effect of progesterone on, and influence of ovariectomy, 206P
- Stimulus-secretion coupling**, 453
- , in chromaffin cell, 460
- Stomach**, histamine in, response to histidine, 555
- , secretory response to agonists, effect of xylamide and N-benzoyl-glutamic acid on, in rat, 677P
- , secretory response to caerulein, in conscious dog, 313, 317
- , —, —, in rat, 320, 322
- , —, —, comparison with response to other agonists, 319, 323
- , —, —, effect of atropine and hexamethonium on, 318
- , —, —, interaction with histamine, 320
- Strychnine**, effect on release of acetylcholine from brain, in rat, 547
- , motor response to, in albino rat, 241
- , —, effect of age on dosage, 242
- , toxicity of, comparison with *Clibadium sylvestre* extract, 679P
- Submaxillary gland**, cat, stimulus-secretion coupling in, effect of calcium ions on, 463
- Sucrose**, influence on effect of dinitrophenol on response of rabbit isolated urinary bladder to acetylcholine, 496
- Suxamethonium**, neuromuscular response to, effect of bicyclic dicholine esters on, 59
- Sympathectomy**, effect on monoamine oxidase activity of isolated nictitating membrane and vas deferens preparations, 693P
- Sympathetic stimulation**, effect on release of dopamine from rabbit isolated ileum, 517
- , effect on response of rabbit ear artery preparations to angiotensin and noradrenaline, 502
- , response of rabbit ear artery preparations to, effect of angiotensin on, 501
- , —, effect of 5-hydroxytryptamine and reserpine on, 504
- , —, effect of phentolamine and guanethidine on, 505
- Sympathomimetic amines**, alone and plus iproniazid, effect on response of reserpinized rat atria to tyramine, 90, 93
- , effect on guinea-pig smooth muscle preparations, 204P
- , effect on leptazol-induced convulsions, in mouse, 28
- , effect on response of rabbit ear artery preparations to angiotensin, 504
- , response of guinea-pig isolated vas deferens to, and effect of noradrenaline and reserpine on, 479
- , saligenin analogues of catecholamines, α - and β -responses to, comparison with response to catecholamines, 698P
- Synephrine**, plus iproniazid, effect on response of reserpinized rat atria to tyramine, 93

T

TEPP. *See* Tetraethyl pyrophosphate

T.A.B. vaccine, response of body temperature to, in mouse, 150

—, —, effect of 4-acetamidophenol on, 215P

Tacrine, analgesic activity of, and effect on activity of morphine, in rat and mouse, 340

—, effect on analgesic activity of morphine-N-oxide, in rat and mouse, 341

Temperature, ambient, effect on body temperature and on tissue barbiturates, in guinea-pig, 210P

—, —, effect on response of heart amines and their urinary excretion to α -methyl-*m*-tyrosine, in rat, 271

—, bath, effect on release of 5-hydroxytryptamine, histamine and adenosine triphosphate from platelet organelles, and on uptake of labelled 5-hydroxytryptamine, in rabbit, 595

—, body, response to ambient temperature and anaesthetics, in guinea-pig, 210P

—, —, response to cholinergic agents, effect of peripheral and centrally active agents on, in mouse, 217P

—, —, response to "E" pyrogen, effect of antipyretic agents on, 152

—, —, —, effect of hypothermic agents on, 155

—, —, —, effect of paracetamol on, in rabbit, 155

—, —, —, response to 5-hydroxytryptamine and pyrogen, effect of 4-acetamidophenol on, in cat, 215P

—, —, —, response to noradrenaline, effect of nortriptyline on, in mouse, 161, 163

—, —, —, response to pyretogens, in mouse, 150

Temperature (contd.)

- , response of kinin-forming activity of human blood plasma to, effect of hexadimethrine on, 670P
- Tetracaine**, effect on secretory response of cat adrenals to agonists, 691P
- Tetraethyl pyrophosphate**, effect on response of bullfrog sympathetic ganglia to tetanic stimulation, 179, 180
- , —, influence of nicotine and atropine, 180
- Tetramethylammonium**, response of nictitating membrane to, and effect of atropine and hexamethonium on, in cat, 362
- Tetrodotoxin**, effect on response of circular intestinal muscle to prostaglandins E, 636
- , effect on response of longitudinal intestinal muscle to prostaglandins E, 634
- , effect on spinal reflexes, in spinal cat, 664P
- Theophylline**, effect on rat isolated uterine inhibitory response, to acetylcholine, and on action of noradrenaline, 606
- , —, to nitroglycerine, 609
- , —, to noradrenaline, influence of cocaine, 608
- , effect on release of free fatty acids from epigastric adipose tissue, in rabbit, 571
- , effect on response of rat adipose tissue to cyclic adenosine monophosphate, 199P
- , rat isolated uterine inhibitory response to, and effect on response to noradrenaline, 606
- Thioridazine**, effect on ethanol-induced loss of righting reflex and anaesthesia, in mouse, 372
- Thyroid status**, relationship to intrinsic heart rate, and effect of propranolol and atropine on, in man, 683P
- Thyrotropin hormone**, effect on release of free fatty acids from epigastric adipose tissue, in rabbit, 567
- Thyroxine**, cardiac effects of, and mitochondrial structural changes induced by, in cat and guinea-pig, 681P
- Tibialis anterior muscle**, response to electrical stimulation, and effect of mephenesin, methocarbamol and diazepam on, in cat, 582
- Timing apparatus**, programmed, 228P
- Tolazoline**, influence on effect of antidepressants on noradrenaline hypothermia, in mouse, 166
- Tolbutamide**, effect on hyperglycaemic and hypotensive activity of 3-methyl-7-chloro-1,2,4-benzothiadiazine-1,1-dioxide, 676P
- p-Toluenesulphonylhydrazine**, effect on response of skin histamine to histidine, in mouse, 556
- , effect on response of skin and stomach histamine and urinary excretion of histamine to histidine, 557
- Tranquillizers**, effect on ethanol-induced loss of righting reflex and anaesthesia, in mouse, 372
- Tranlycypromine**, effect on bradykinin-induced bronchoconstriction, in guinea-pig, 79
- Tremorine**, response to, in mouse, 216P
- Tricyclamol**, effect on ionic efflux and contractile response of guinea-pig smooth muscle to carbachol, 108
- Trifluoperazine**, effect on ethanol-induced loss of righting reflex and anaesthesia, in mouse, 372
- Trimethylammonium**, effect on ionic efflux from guinea-pig smooth muscle, 106
- Trimipramine**, effect on ethanol-induced loss of righting reflex and anaesthesia, in mouse, 374
- , effect on grooming behaviour, in mouse, 237P
- Tripolidine**, effect on response of vascular permeability to bradykinin and histamine, in guinea-pig, 335

Tripolidine, effect on response of vascular permeability to bradykinin and histamine (contd.)

- , —, in mouse skin, 333
 - , —, in rabbit skin, 331
 - , —, in rat skin, 333
 - Tris** (3,5,6,8 - Tetramethyl - 1,10 - phenanthroline) ruthenium, response of small intestine to, and effect of antagonists on, 688P
 - Tropine**, and *pseudotropine*, derivatives of, effect on response of guinea-pig isolated ileum preparations to acetylcholine, 689P
 - Trypanosoma**, dihydrofolate reductases in, 191P
 - Trypanosomes**, kinin-forming activity of, in rat isolated uterus preparations, and effect of bradykinin in incubation mixture, 600
 - Tubocurarine**, effect on toxicity of nicotine and amino acid esters, 351
 - , neuromuscular response to, effect of bicyclic dicholine esters on, 60
 - Tyramine**, contractile response of eyelid to, in rat, 226P
 - , —, effect of α -methyl-*p*-tyrosine and pargyline on, 227P
 - , effect on catecholamine metabolism, in man, 225P
 - , effect on release of dopamine from rabbit isolated ileum, 519
 - , effect on response of rabbit ear artery preparations to angiotensin, 504
 - , effect on response to leptazol, and influence of reserpine, in mouse, 28
 - , noradrenaline release from heart induced by, effect of desipramine on, in rat, 654
 - , response of blood pressure to, in hypertensive dog, 201P
 - , response of guinea-pig isolated vas deferens to, and effect of noradrenaline on, 479
 - , response of human isolated vas deferens preparations to, 693P
 - , response of rabbit ear artery preparations to, effect of angiotensin on, 501
 - , —, effect of sympathetic stimulation on, 503
 - , response of rat isolated vas deferens to, effect of cocaine on, 486
 - , —, effect of imipramine, amitriptyline, desipramine, dexchlorpheniramine, chlorpheniramine and phentolamine on, 487
 - , response of reserpinized rat atria to, effect of sympathomimetic amines on, 90
 - , uptake and release by heart of, and conversion to octopamine, in rat, 650
 - , —, effect of desipramine on, 654
 - , —, effect of reserpine on, 652
 - , vasoconstrictor response of perfused rabbit ear artery to, effect of cocaine on, 13
 - , —, effect of denervation on, 14
 - , —, effect of route of administration on, 10
- U
- Urinary bladder**, rabbit isolated, response to acetylcholine, effect of dinitrophenol on, and influence of saccharides, 495
 - , —, —, effect of iodoacetic acid on, and influence of pyruvate, 497
 - , —, response to dinitrophenol, 497
 - , —, response to iodoacetic acid, and effect of pyruvate on, 497
 - Urinary excretion**, of amines, response to α -methyl-*m*-tyrosine, and effect of temperature on, in rat, 271
 - , of oral pyridostigmine, in rat, 446, 448
 - , response to dichloro-isoprenaline, in rat, 434

Urinary excretion (contd.)

- , response to isoprenaline, 432
- , response to pronethalol, 435
- , —, effect of hypophysectomy on, 439
- , response to propranolol, 439
- Uterus**, cat isolated, electrical activity of, response to adrenaline and noradrenaline, and effect of pregnancy on, 401
- , guinea-pig isolated, effect of sensitization on, 526
- , —, electrical activity of, response to adrenaline and noradrenaline, and influence of pregnancy, 403
- , —, response to egg albumin, and effect of depolarization on, 525
- , ionic content of, and effect of pregnancy on, in cat and guinea-pig, 399
- , membrane potentials of, in guinea-pig, 395
- , —, effect of ionic environment on, 397
- , —, effect of pregnancy, hormones and electrical stimulation on, 396
- , —, response to electrical stimulation, in cat, 392
- , —, —, effect of ionic environment on, 393
- , membrane and action potentials of, and effect of pregnancy on, in cat, 391
- , oestrogen-induced oxytocic sensitivity in, effect of progesterone on, and influence of ovariectomy, in rat, 206P
- , rat isolated, response to acetylcholine, effect of nitroglycerine on, action of theophylline, 609
- , —, —, effect of noradrenaline on, action of cocaine and theophylline, 608
- , —, —, —, action of nitroglycerine, 609
- , —, —, effect of theophylline and noradrenaline on, 606
- , —, response to ouabain and zinc, and effect of complexing agents on, 231P
- , —, response to trypanosomes, 600
- , response to hypogastric nerve stimulation, effect of adrenaline and noradrenaline on, and influence of pregnancy, in cat, 400

V

- Vagotomy**, effect on gastric secretory response to caerulein, in rat, 325
- Vanillylmandelic acid**, intracerebroventricular, pharmacological responses to, and effect of pyrogallol and iproniazid on, in mouse, 223P
- Vas deferens**, guinea-pig isolated, response to noradrenaline, and effect of reserpine on, 477, 479
- , —, response to sympathomimetic amines, and effect of noradrenaline on, 479
- , human isolated, response to electrical stimulation and to drugs, effect of antagonists on, 692P
- , rat isolated, response to tyramine and noradrenaline, effect of cocaine on, 486
- , —, —, effect of imipramine, amitriptyline, desipramine, dexchlorpheniramine, chlorpheniramine and phentolamine on, 487
- , —, uptake of noradrenaline by, effect of imipramine, desipramine, cocaine and dexchlorpheniramine on, 490

Vas deferens (contd.)

- , rat and guinea-pig isolated, monoamine oxidase activity of, effect of sympathectomy on, 693P
- Vascular permeability**, response to histamine and bradykinin, and effect of triprolidine on, in rabbit skin, 331
- , —, effect of mepyramine on, in rabbit and rat skin, 333
- , —, effect of triprolidine and mepyramine on, in mouse skin, 333
- Vaso-activity**, of morphine, pethidine and nalorphine, 208P
- Vasoconstrictor action**, of angiotensin, in isolated perfused rabbit ear artery, 501
- , of tyramine, in perfused rabbit ear artery, effect of cocaine on, 13
- , —, —, effect of denervation on, 14
- , —, —, effect of route of administration on, 10
- Vasodilatation**, effect on oxygen uptake, by dog isolated skeletal muscle, 234P
- Vasodilating activity**, of new ergoline derivative, 700P
- Vasomotor response**, of kidney, to nerve stimulation, and effect of nicotine and hexamethonium on, in dog, 281
- , —, to nerve stimulation, effect of hydergine on, in dog, 285
- , —, to noradrenaline, acetylcholine and nicotine, effect of hydergine on, 287
- , —, to perfusate from stimulated kidney, in dog, 282
- Vasopressin**, effect on blood flow, in epigastric adipose tissue, in rabbit, 573
- , effect on release of free fatty acids from epigastric adipose tissue, in rabbit, 569
- , in bovine posterior pituitary lobe, relation to neurophysins, 193P
- , protein binding of, comparison with binding of oxytocin, 192P
- , release from neurosecretory cells, effect of calcium ions on, 464
- , response of blood pressure to, in rat, 625
- , —, effect of anti-angiotensin rabbit serum on, and influence of nephrectomy, 626
- , —, effect of hypertension on, 628
- Venom**, bee, fractionated, effect on histamine release from rat lung preparations, 236P
- Venous preparations**, rabbit, response to morphine, pethidine and nalorphine, and effect of atropine, pentolinium, phentolamine, propranolol and mepyramine on, 208P
- Visual after-images**, effect of nitrazepam and amylobarbitone on, 213P
- Vomiting**. See Emesis

X

- Xylamide**, anti-gastrin activity of, in rat, 677P
- D-Xylose**, influence on effect of dinitrophenol on response of rabbit isolated urinary bladder to acetylcholine, 496

Z

- Zinc**, response of isolated rat uterus to, and effect on response to other drugs, and action of complexing agents, 232P

Suggestions to Authors

A recent issue of the journal is a good guide to style. Papers are accepted only if accompanied by a statement that they have not and will not be published in whole or in part in any other journal.

Manuscripts should be typed in double spacing on one side only of quarto or foolscap paper, with a separate title page giving the names and addresses of the authors and a suggested short title. Tables and legends to figures should be on separate sheets of paper. A short summary of results and conclusions, arranged in numbered paragraphs, must be included, together with an abstract of about 100 words suitable for inclusion in *International Abstracts of Biological Sciences*.

References are arranged according to the Harvard system, at the end of the paper in alphabetical order of the first author of each paper. They should include the authors' names, year of publication, title of article, title of publication (abbreviated in accordance with the fourth edition of the *World List of Scientific Periodicals*), volume number and first and last page number. References to books should, in addition, include the names of editors and edition number, where appropriate, town of origin and name of publisher.

Figures should not be larger than foolscap ($12\frac{1}{2}$ in. \times 8 in.), and may be in the form of original drawings, recorded tracings or high quality photographs made from them. Good quality prints (black on white) are preferred to positive prints of kymograph tracings. Lettering should be inserted in pencil. Photographs and photomicrographs should be printed on glossy paper and should be larger than the size required for reproduction. Symbols which are to appear in the legend should be chosen from the following:

\times + ● ■ ○ □ △ ▲ ▽ ▼ ⊙ ⊖ ◇

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Fifty reprints will be supplied to authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs.