

Edited for the British Pharmacological Society by

W. D. M. Paton (*Chairman*)

R. S. Stacey (*Secretary*)

P. A. Nasmyth (*Press Editor*)

N. Ambache

H. W. Kosterlitz

R. B. Barlow

J. Maddox

J. M. Barnes

J. F. Mitchell

J. W. Black

J. L. Mongar

W. C. Bowman

Mary Pickford

P. B. Bradley

H. P. Rang

A. S. V. Burgen

H. O. Schild

A. W. Cuthbert

D. F. Sharman

W. S. Feldberg

Hannah Steinberg

L. G. Goodwin

J. R. Vane

F. Hobbiger

Marthe Vogt

J. R. Hodges

Editorial assistance is provided by the staff of Nature

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

Manuscripts (two copies) should be sent to Professor R. S. Stacey, St. Thomas's Hospital Medical School, London S.E.1. Authors should consult the suggestions inside the back cover.

Subscriptions. Three volumes of the journal are published annually, each volume containing three numbers. The annual subscription rate is £15 15s. in the United Kingdom and Republic of Ireland; \$46.60 U.S.A.; \$50.60 Canada; £16 10s. all other overseas countries. Subscriptions should be sent to: Subscriptions Department, Macmillan (Journals) Ltd., Brunel Road, Basingstoke, Hampshire, England. Alternatively, the journal can be ordered through a subscription agent or bookseller.

Advertisements. Applications for advertising space and rates should be sent to: Advertisement Manager, *British Journal of Pharmacology*, T. G. Scott and Son Ltd., 1 Clement's Inn, London, W.C.2, England. Tel: 01-242 6264; 01-405 4743. Grams: Textualist London W.C.2.

Copyright © 1969 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

INDEX TO VOLUME 35

AUTHOR INDEX

A

- AHMED, N. See KHAN, I., *et al.*, 332
ARMITAGE, A. K., HALL, G. H. and SELLERS, C. M.
Effects of nicotine on electrocortical activity and
acetylcholine release from the cat cerebral cor-
tex, 152

B

- BARLOW, R. B. and MCLEOD, L. J. Some studies on
cytisine and its methylated derivatives, 161
BILLINGHAM, M. E. J., ROBINSON, B. V. and
ROBSON, J. M. Partial purification of the
anti-inflammatory factor(s) in inflammatory
exudate, 543
BIRMINGHAM, A. T., ERNEST, K. and NEWCOMBE,
J. F. Antagonism of the response of human
isolated arteries to noradrenaline, 127
BOLTON, T. B. Spontaneous and evoked release of
neurotransmitter substances in the longitudinal
muscle of the anterior mesenteric artery of the
domestic fowl, 112
BOULLIN, D. J. and O'BRIEN, R. A. The accumula-
tion of guanethidine by human blood platelets,
90
BOULLIN, D. J. and SULLIVAN, T. J. Relationship
between the uptake, binding and pharmaco-
logical action of procaine in the isolated heart,
322
BOWMAN, W. C., GOLDBERG, A. A. J. and RAPER,
C. Post-tetanic and drug-induced repetitive
firing in the soleus muscle of the cat, 62
BRAND, J. J. The time course of action of (-)-hyo-
scine after intramuscular injection, 202
BRITISH PHARMACOLOGICAL SOCIETY, PROCEEDINGS
OF, LONDON, 2-3 JANUARY, 1969, 351
BROWN, D. A., HOFFMANN, P. C. and ROTH, L. J.
³H-Nicotine in cat superior cervical and nodose
ganglia after close-arterial injection *in vivo*,
406
BULUK, KAROL and MALOFIEJEV, MICHAL. The
pharmacological properties of fibrinogen de-
gradation products, 79

C

- CHATTERJEE, R. K. and SEN, A. B. Chemothera-
peutic reactions of *Chandlerella hawkingi*, the
filarial parasite of the Indian jungle crow,
Corvus macrorhynchos (Wagler), 339
COX, B. and POTKONJAK, D. The effects of atro-
pine and dyflos on tremor and increase in
whole brain acetylcholine produced by injec-
tion of oxotremorine in the rat, 521
COX, B. and POTKONJAK, D. The relationship
between tremor and change in brain acetyl-
choline concentration produced by injection of
tremorine or oxotremorine in the rat, 295
CRONE, H. D. and KEEN, T. E. B. An *in vitro*
study of the intestinal absorption of pyridinium
aldoximes, 304

- CULLUM, VALERIE A., FARMER, J. B., JACK, D. and
LEVY, G. P. Salbutamol: a new, selective β -
adrenoceptive receptor stimulant, 141
CUTHBERT, A. W. and PAINTER, ELISABETH. The
action of antidiuretic hormone on cell mem-
branes. Voltage transient studies, 29

D

- DALE, HENRY HALLETT, 1875-1968, obituary, 1
DALY, M. J., LIGHTOWLER, J. E. and PICKERING,
R. W. Taloximine a new respiratory stimu-
lant with bronchodilator properties, 283
DE SCHAEPSDRYVER, A., PREZIOSI, P. and SCAPAGNINI,
U. Brain monoamines and adrenocortical
activation, 460

E

- EDERY, H. and GRUNFELD, Y. Sensitization of
smooth muscle to plasma kinins: effects of
enzymes and peptides on various preparations,
51
ELLIS, D. E. and REIT, E. Inhibition by lidoflazine
of the contractile response of the rat isolated
colon to angiotensin, 132
ELLIS, F. R. Some effects of PCO₂ and Ph on
nerve tissue, 197
ERNEST, K. See BIRMINGHAM, A. T., *et al.*, 127

F

- FARMER, J. B. See CULLUM, VALERIE A., *et al.*, 141
FOSTER, R. W. An uptake of radioactivity from
(\pm)-³H-isoprenaline and its inhibition by drugs
which potentiate the response to (-)-isoprena-
line in the guinea-pig isolated trachea, 418
FOWLER, J. S. L. Some hepatotoxic actions of
hexachloroethane and its metabolites in sheep,
530
FREEMAN, SHIRLEY and TURNER, R. J. A pharma-
cological study of the toxin of a Cnidarian,
Chironex fleckeri Southcott, 510

G

- GASCON, A. L. Influence of rat plasma and of
various cations on the anti-eledoisin activity of
morin, 187
GERKENS, J. F., McCULLOCH, M. W. and WILSON,
J. Mechanism of the antagonism between
guanethidine and dexamphetamine, 563
GEUMEI, AIDA, ISSA, I. and MAHFOUZ, M. Intra-
hepatic vascular response to sodium nitrite, 456
GOLDBERG, A. A. J. See BOWMAN, W. C., *et al.*, 62
GRUNFELD, Y. See EDERY, H., *et al.*, 51

H

- HALL, G. H. See ARMITAGE, A. K., *et al.*, 152
 HALMAGYI, D. F. J., NEERING, I. R., VARGA, D. and PULLIN, JOY. Sustained complete autonomic blockade, 271
 HAWKER, R. W., NORTH, W. G. and ZERNER, B. The pharmacology of a new oxytocic principle from ox hypothalamus, 175
 HEISLER, S. and KOVACS, EVA M. The possible role of histamine in the cortisone induced gastric hypersecretion of the guinea-pig, 498
 HERMANSEN, KELD. Anti-arrhythmic, local anaesthetic, and adrenergic blocking activity of some β -receptor antagonists, 476
 HOFFMANN, P. C. See BROWN, D. A., *et al.*, 406
 HUSAIN, M. A., ROBERTS, J. B., THOMAS, B. H. and WILSON, A. Metabolism and excretion of 3-hydroxyphenyl-trimethylammonium and neostigmine, 344

I

- INNES, I. R. and KOHLI, J. D. Excitatory action of sympathomimetic amines on 5-hydroxytryptamine receptors of gut, 383
 ISSA, I. See GEUMEL, AIDA, *et al.*, 456

J

- JACK, D. See CULLUM, VALERIE A., *et al.*, 141

K

- KALSNER, S. and NICKERSON, M. Effects of a haloalkylamine on responses to and disposition of sympathomimetic amines, 440
 KALSNER, S. and NICKERSON, M. Effects of reserpine on the disposition of sympathomimetic amines in vascular tissue, 394
 KALSNER, S. and NICKERSON, M. Mechanism of cocaine potentiation of responses to amines, 428
 KAYAALP, S. O. and TÜRKER, R. K. Evidence for muscarinic receptors in the adrenal medulla of the dog, 265
 KEEN, T. E. B. See CRONE, H. D., *et al.*, 304
 KHAN, I. and AHMED, N. Effects of progesterone therapy on the stilboestrol-induced sensitivity of isolated rat uterus preparations, 332
 KOHLI, J. D. See INNES, I. R., *et al.*, 383
 KOVACS, EVA M. See HEISLER, S., *et al.*, 498

L

- LAVERTY, R. and TAYLOR, K. M. Behavioural and biochemical effects of 2-(2,6 dichlorophenyl-amino)-2-imidazoline hydrochloride (St 155) on the central nervous system, 253
 LEVY, G. P. See CULLUM, VALERIE A., *et al.*, 141
 LIGHTOWLER, J. E. See DALY, M. J., *et al.*, 283

M

- MCCULLOCH, M. W. See GERKENS, J. F., *et al.*, 563
 MCLEOD, L. J. See BARLOW, R. B., *et al.*, 161

- MAGOS, L. and STOYTCHIEV, T. Combined effects of sodium maleate and some thiol compounds on mercury excretion and redistribution in rats, 121
 MAHFOUZ, M. See GEUMEL, AIDA, *et al.*, 456
 MALOFIEJEW, MICHAL. See BULUK, KAROL, *et al.*, 79
 MOUDGIL, LALTA RANI. Possible protective action of antialdosterone compounds in myocardial necrosis in rats, 558

N

- NEERING, I. R. See HALMAGYI, D. F. J., *et al.*, 271
 NEWBOULD, B. B. The pharmacology of fenclozic acid (2-(4-chlorophenyl)thiazol-4-ylacetic acid : I.C.I. 54,450 : "Myalex") ; a new compound with anti-inflammatory, analgesic and antipyretic activity, 487
 NEWCOMBE, J. F. See BIRMINGHAM, A. T., *et al.*, 127
 NICKERSON, M. See KALSNER, S., *et al.*, 394, 428, 440
 NORTH, W. G. See HAWKER, R. W., *et al.*, 175

O

- O'BRIEN, R. A. See BOULLIN, D. J., *et al.*, 90

P

- PAINTER, ELISABETH. See CUTHBERT, A. W., *et al.*, 29
 PATON, W. D. M. and VIZI, E. S. The inhibitory action of noradrenaline and adrenaline on acetylcholine output by guinea-pig ileum longitudinal muscle strip, 10
 PICARELLI, ZULEIKA P. and VALLE, J. R. Hormonal regulation of rat seminal vesicle sensitivity to adrenaline, noradrenaline, acetylcholine and acetyl- β -methylcholine, 468
 PICKERING, R. W. See DALY, M. J., *et al.*, 283
 POTKONJAK, D. See COX, B., *et al.*, 295, 521
 PREZIOSI, P. See DE SCHAEFDRYVER, A., *et al.*, 460
 PULLIN, JOY. See HALMAGYI, D. F. J., *et al.*, 271

R

- RAPER, C. See BOWMAN, W. C., *et al.*, 62
 REIT, E. See ELLIS, D. E., *et al.*, 132
 ROBERTS, J. B. See HUSAIN, M. A., *et al.*, 344
 ROBINSON, B. V. See BILLINGHAM, M. E. J., *et al.*, 543
 ROBSON, J. M. See BILLINGHAM, M. E. J., *et al.*, 543
 ROTH, L. J. See BROWN, D. A., *et al.*, 406
 RUFF, F. See SAINDELLE, A., *et al.*, 313

S

- SAINDELLE, A. and RUFF, F. Histamine release by sodium chloroplatinate, 313
 SCAPAGNINI, U. See DE SCHAEFDRYVER, A., *et al.*, 460
 SELLERS, C. M. See ARMITAGE, A. K., *et al.*, 152
 SEN, A. B. See CHATTERJEE, R. K., *et al.*, 339
 STOYTCHIEV, T. See MAGOS, L., *et al.*, 121

SUGRUE, M. F. A study of the role of noradrenaline in behavioural changes produced in the rat by psychotomimetic drugs, 243
SULLIVAN, T. J. *See* BOULLIN, D. J., *et al.*, 322

T

TAYLOR, K. M. *See* LAVERTY, R., *et al.*, 253
THOMAS, B. H. *See* HUSAIN, M. A., *et al.*, 344
TÜRKER, R. K. *See* KAYAALP, S. O., *et al.*, 265
TURNER, R. J. *See* FREEMAN, SHIRLEY, *et al.*, 510

V

VALLE, J. R. *See* PICARELLI, ZULEIKA P., *et al.*, 468
VANE, J. R. The release and fate of vasoactive hormones in the circulation. The second Gaddum Memorial Lecture, 209

VARGA, D. *See* HALMAGYI, D. F. J., *et al.*, 271
VIZI, E. S. *See* PATON, W. D. M., *et al.*, 10

W

WILSON, A. *See* HUSAIN, M. A., *et al.*, 344
WILSON, J. *See* GERKENS, J. F., *et al.*, 563

Z

ZERNER, B. *See* HAWKER, R. W., *et al.*, 175
ZWIETEN, P. A. VAN. Decrease in ionic permeability of the cell membrane in guinea-pig atrial tissue by treatment with antifibrillatory agents and hexobarbitone, determined by means of ^{86}Rb , 103

SUBJECT INDEX

A

- Acetarsol**, effect on filarial parasite of Indian crow, 340
- Acetylcholine**, bioassay of, 212
- , brain, effect of atropine and oxotremorine on, in rat, 524
 - , —, effect of dyflos and oxotremorine on, 526
 - , —, effect of oxotremorine on, in rat, 300
 - , —, effect of tremorine on, 297
 - , concentration in tibialis anterior and soleus muscles, relationship to cholinesterase concentration/activity, in cat and rabbit, 73
 - , effect on response of guinea-pig isolated ileum to phenoxybenzamine, 389
 - , hydrolysis by acetylcholinesterase, response to cytosine and its derivatives, 169
 - , intracerebral, analgesic activity of, in mouse, 361P
 - , isolation from ergot of, and discovery of presence in animal tissues, 3
 - , nicotinic transmitter action of, 6
 - , pharmacological activity of, 4, 6
 - , release and fate of, measurement of, 214
 - , release from cerebral cortex, and effect of atropine and nicotine on, in cat, 154
 - , release from guinea-pig ileum longitudinal muscle strip, effect of p-chloroamphetamine on, 24
 - , —, effect of p-chlorophenylalanine on, 24
 - , —, effect of guanethidine on, 23
 - , —, effect of noradrenaline antagonists on, 20
 - , —, effect of reserpine on, 22
 - , —, effect of sympathetic amines on, 14
 - , release from longitudinal muscle of chicken isolated anterior mesenteric artery, response to catecholamines and physostigmine, and effect of hyoscine on, 113
 - , response of adrenal medullary secretion of catecholamines to, and effect of atropine and ganglion-blocking agents on, in autoperfused denervated hindlimb, in dog, 267
 - , response of bronchial smooth muscle to, effect of salbutamol, isoprenaline and orciprenaline on, in guinea-pig, 144, 148
 - , response of guinea-pig isolated ileum to, and effect of atropine and mepyramine on, 182
 - , —, effect of bromolysergic acid diethylamide on, 390
 - , —, effect of fibrinogen degradation products on, 85
 - , response of hen rectal caecum to, and effect of atropine on, 183
 - , response of hind-limb lymph to, in cat, 377P
 - , response of rat isolated colon to, effect of lidoflazine on, 135
 - , —, effect of papaverine on, 137
 - , response of rat isolated seminal vesicles to, and effect of castration and oestradiol plus castration on, 470
 - , response of rat isolated uterus to, and effect of atropine on, 181
 - , —, and effect of progesterone, stilboestrol and ovariectomy on, 334
 - , response of smooth muscle preparations to, effect of enzymes and peptides on, 52
 - , response of soleus muscle to, in cat, 65

Acetylcholine (*contd.*)

- , response of soleus and tibialis anterior muscles to, in cat, 70
- N-Acetyl-penicillamine**, influence on effect of morin on response of blood pressure to eledoisin, in rat, 193
- , influence on inhibitory effect of rat plasma on anti-eledoisin activity of morin, in guinea-pig isolated ileum, 192
 - , response of mercury metabolism to, effect of maleate on, in rat, 123
- Acidity**, effect on action potentials of rat phrenic nerve preparations, 199
- , effect on conduction time of rat phrenic nerve preparations, 200
 - , effect on response of frog rectus muscle to cytosine and its derivatives, and to β -pyridyl-methyltrimethylammonium, 169
- Actinomycin-D**, effect on morphine tolerance, 373P
- Adrenal medulla**, secretory response of, agents inducing, and comparison with response of nerve endings, 219
- , —, reflex-induced, 220
 - , —, response to acetylcholine, dimethylphenylpiperazinium and methacholine, and effect of atropine and ganglion-blocking agents on, in autoperfused denervated hindlimb, in dog, 267
- Adrenalectomy**, response to, effect of fenclozic acid on, comparison with effect of cortisone, in rat, 496
- Adrenaline**, bioassay of, 210, 211
- , effect on acetylcholine output by guinea-pig ileum longitudinal muscle strips, 14, 17
 - , effect on response of longitudinal muscle of chicken isolated anterior mesenteric artery to electrical stimulation, 115
 - , fate in internal tissues of, 220
 - , fate in peripheral tissues of, 221
 - , intracerebral, analgesic activity of, in mouse, 361P
 - , release of, 218
 - , release from adrenal medulla, response to acute cardiac infarction, and correlation with arrhythmia, 220
 - , response of rabbit isolated aortic strip to, effect of cocaine on, 430
 - , —, effect of fibrinogen degradation products on, 86
 - , response of rat isolated seminal vesicles to, and effect of castration and oestradiol plus castration on, 470
 - , response of various preparations to, 386
 - , response of vascular smooth muscle to, effect of cinnarizine and chlorpromazine on, 354P
 - , urinary excretion of, effect of test for anti-inflammatory activity on, in mouse, 378P
- Adrenergic blocking action**, of ergot, 2
- Adrenocortical activation**, effect of prenylamine, p-chlorophenylalanine, restraint stress and monoamine oxidase inhibition on, in rat, 463
- Aggression**, pain-induced, response to 2-(2-6, dichlorophenylamino)-2-imidazoline, and comparison with chlorpromazine, 257
- Agroclavine**, effect on pregnancy, action of progesterone and other agents on, in mouse, 367P
- Amines**, biogenic, effect on morphine analgesia, in rat, 362P

Amines (contd.)

- , brain, effect of 2-(2,6-dichlorophenylamino)-2-imidazoline and chlorpromazine on, in rat and guinea-pig, 260
- Aminoguanidine**, effect on gastric acid output, and on response to cortisone, in pylorus ligated guinea-pig, 504
- Aminophylline**, effect on egg albumen-induced anaphylaxis, comparison with taloximine, in guinea-pig, 292
- , effect on histamine-induced bronchoconstriction, in guinea-pig, 291
- , relaxant activity of, on various isolated organs, comparison with taloximine, 290
- Ammonium compounds**, quaternary, magnetic resonance studies of, in solutions, 375P
- Ammonium sulphate precipitation**, effect on anti-inflammatory activity of inflammatory exudate, in rat, 549
- Amphetamine**, effect on acetylcholine output by guinea-pig ileum longitudinal muscle strips, 14, 19
- , effect on release of guanethidine from human blood platelets, 99
- , intracerebral, analgesic activity of, in mouse, 361P
- , response of various preparations to, 386
- Anaesthesia**, induction by 2-(2,6-dichlorophenylamino)-2-imidazoline, and comparison with chlorpromazine, in rat and guinea-pig, 255
- Anaesthetic effect**, of (\pm)-(isopropylamino)-3-(*o*-phenoxyphenoxy)-2-propanol, propranolol and (\pm)-2-isopropylamino-1-(*p*-nitrophenyl) ethanol, on corneal reflex, comparison with procaine and tetracaine, in guinea-pig, 481
- , —, —, on tail, comparison with procaine, in mouse, 482
- Anaesthetics**, effect on release of histamine from guinea-pig isolated ileum by chlorplatinate, 319
- , effect on response to chlorplatinate, in guinea-pig, 315
- , in cell membranes, magnetic resonance studies of, 374P
- Analgesic activity**, of fenclozic acid, on acetic acid-induced squirming, in mouse, 495
- , of intracerebral injection of various agents, in mouse, 361P
- Analgesics**, post-operative pain in assessment of, in man, 363P
- Anaphylaxis**, egg albumen-induced, effect of taloximine on, comparison with aminophylline, in guinea-pig, 292
- , response to antibodies, 3
- Angiotensin**, bioassay of, 210, 211
- , effect on pressor response to endogenous nor-adrenaline, in pithed rat, 355P
- , fate in tissues of, 228
- , intracerebral, analgesic activity of, in mouse, 361P
- , release in blood of, 226
- , response of adrenal medullary secretion to, 219
- , response of guinea-pig isolated intestine to, effect of fibrinogen degradation products on, 85
- , response of rat isolated colon to, effect of lidoflazine on, 133
- , —, —, comparison with effect on response to acetylcholine, 5-hydroxytryptamine and barium ions, 135
- , —, effect of papaverine on, 137
- , response of smooth muscle preparations to, effect of enzymes and peptides on, 52
- Angiotensin amide**, effect on cardiorespiratory and metabolic responses to autonomic blockade induced by trimetaphan camsylate plus atropine, 278
- , response of guinea-pig ileum to, and effect of atropine and mepyramine on, 182
- , response of hen rectal caecum to, and effect of atropine on, 183
- , response of rat uterus to, 180
- Anoxia**, response of adrenal medullary secretion to, 219
- Antagonists**, use in bioassay, 210
- Anti-aldosterone compounds**, effect on isoprenaline-induced myocardial necrosis, in rat, 559
- Anticholinergic agents**, peripheral and central responses to, effect of triflupromazine on, in cat, 364P
- Antidiuretic hormone**, location of effect on cell membranes of frog skin, 44
- , response of frog skin resistance, capacitance and conductance to, 34
- , —, comparison of pure with commercial preparations, 39
- , —, effect of replacement of chloride by isethionate on, 40
- , —, effect of replacement of sodium by choline on, 43
- Antifibrillatory agents**, effect on contractile response of guinea-pig isolated left auricles to electrical stimulation, and on release of rubidium, 105, 107, 108
- Anti-inflammatory activity**, of fenclozic acid, on adjuvant-induced arthritis, comparison with phenylbutazone, in rat, 490, 491
- , of fenclozic acid, on carrageenin-induced oedema, comparison with phenylbutazone, in rat, 493
- , of polyester sponge-induced inflammatory exudate, effect of temperature, ammonium sulphate precipitation and pronase on, and chromatographic purification of active factor in, 549
- , —, in carrageenin-induced oedema, in rat, 546
- , —, —, comparison with effect of serum, and influence of dialysis, 547
- , test for, effect on catecholamine excretion, in mouse, 378P
- Anti-inflammatory factor**, of inflammatory exudate, chromatographic separation of, 549
- Antimonials**, effect on filarial parasite of Indian crow, 341
- Antimony potassium tartrate**, effect on filarial parasite of Indian crow, 341
- Antipyretic activity**, of fenclozic acid, in rat, 495
- Arsenamide**, effect on filarial parasite of Indian crow, 340
- Arsenicals**, effect on filarial parasite of Indian crow, 340
- Arterial baroreceptor reflex**, effect of catecholamines on, 219
- Artery**, chicken isolated anterior mesenteric, longitudinal muscle of, response to barium chloride, effect of nicotine on, and influence of ganglion and β -receptor blocking agents, 116
- , —, —, response to catecholamines, and physostigmine, and effect of hyoscine on, 113
- , —, —, response to electrical stimulation, effect of catecholamines on, 113
- , human isolated, response to noradrenaline, and effect of thymoxamine on, 128
- , rabbit isolated aortic, response to N-cyclohexylmethyl-N-ethyl- β -chloroethylamine, 443

Artery, rabbit isolated aortic (*contd.*)

- , —, —, response to methoxamine, effect of cocaine on, 434
- , —, —, response to methoxamine and histamine, 449
- , —, —, response to noradrenaline, adrenaline and phenylephrine, effect of cocaine on, 430
- , —, —, effect of N-cyclohexylmethyl-N-ethyl- β -chloroethylamine, comparison with effect of cocaine, 444, 447
- , —, —, —, influence of enzyme inhibition on, 446
- , —, —, effect of iproniazid, tropolone and cocaine on, influence of reserpine, 399, 401
- , —, —, and adrenaline, effect of fibrinogen degradation products on, 86
- , —, —, and angiotensin, effect of N-cyclohexylmethyl-N-ethyl - β - chloroethylamine on, and influence of reserpine, 443
- , —, —, and phenylephrine, effect of procaine on, 433
- , —, —, and tyramine, effect of cocaine on, influence of cold storage, 431
- , —, —, response to phenylephrine, effect of iproniazid and cocaine on, influence of reserpine, 398
- , —, —, —, 5-hydroxytryptamine and histamine, effect of cocaine on, and influence of reserpine, 432
- , —, —, response to sympathomimetic amines, effect of reserpine on, 396
- , —, —, response to tyramine, effect of N-cyclohexamethyl-N-ethyl- β -chloroethylamine on, and influence of iproniazid and tropolone, 448
- , rabbit isolated ear, response to sympathetic stimulation, effect of guanethidine on, and action of dexamphetamine and cocaine, 566

Arthritis, adjuvant-induced, anti-inflammatory effect of fenclozic acid on, comparison with phenylbutazone, in rat, 490, 491

Atrium, guinea-pig isolated, response to adrenaline, effect of (\pm)-(isopropylamino)-3-(*o*-phenoxyphenoxy)-2-propanol, propranolol and (\pm)-2-isopropylamino-1-(*p*-nitrophenyl) ethanol on, 483

—, guinea-pig isolated, response to salbutamol, isoprenaline and orciprenaline, 148

—, intracellular potentials of, effect of bretylium on, and comparison with anti-arrhythmic agents, 352P

Atropine, effect on ciliary motility and mucous flow, in cat, 379P

—, effect on oxotremorine-induced tremor and whole brain acetylcholine, in rat, 524

—, effect on release of acetylcholine from cerebral cortex, in cat, 154

—, effect on response of adrenal medullary secretion and blood pressure to acetylcholine, dimethylphenylpiperazinium, methacholine and bradykinin, in autoperfused denervated hind-limb, in dog, 268

—, effect on response of rat uterus to acetylcholine, 5-hydroxytryptamine, bradykinin and fraction of ox hypothalamic extract, 181

—, peripheral and central responses to, effect of triflupromazine on, in cat, 364P

Auricle, left, guinea-pig isolated, response to electrical stimulation, and release of rubidium by, effect of hexobarbitone and propranolol on, 108

—, —, —, —, —, effect of quinidine on, 105

Auricle, left, guinea-pig isolated, response to electrical stimulation, and release of rubidium by (*contd.*)

—, —, —, —, —, effect of tetracaine on, 107

Autonomic blockade, induction by trimetaphan camsylate plus atropine, cardiorespiratory and metabolic effects of, in sheep and dog, 275

—, —, —, action of angiotensin amide, 278

—, —, —, action of dopamine, 281

B

BAC20. See Eicosane 1:20-*bis* (aminocinnolinium)

BIQ 20. See Eicosane 1:20-*bis* (isoquinolinium)

Bacterial collagenase, effect on response of smooth muscle preparations to various agonists, 52

Barium chloride, response of longitudinal muscle of chicken isolated anterior mesenteric artery to, effect of nicotine on, and influence of ganglion and β -receptor blocking agents, 116

Barium ions, response of rat isolated colon to, effect of lidoflazine on, 135

—, —, effect of papaverine on, 137

Behaviour, effect of psychotomimetic agents on, and action of reserpine and α -methyltyramine, in rat, 248

—, response to cunaniol, in goldfish, 382P

—, response to 2-(2,6-dichlorophenylamino)-2-imidazoline, and comparison with chlorpromazine, in rat, 256, 258

Bemegride, effect on respiratory response to morphine and pentobarbitone, comparison with taloximine, 287

—, effect on response of righting reflex to hexobarbitone, comparison with taloximine, in mouse, 290

—, respiratory response to, comparison with taloximine 287

Benzylicholine mustard, effect on acetylcholine output by guinea-pig ileum longitudinal muscle strips, 20

Bethanidine, effect on mydriatic response of human eye to phenylephrine and ephedrine, 376P

—, effect on uptake of guanethidine by human blood platelets, 95

Bile, hexachloroethane and its metabolites in, after oral hexachloroethane, in sheep, 535

Bioassay, techniques for, 209

Biventer-cervicis preparation, chick, response to cytosine and its derivatives, comparison with response to nicotine, 166

Blood, carbon dioxide concentration in, effect on action potentials of rat phrenic nerve preparations, 199

—, effect on conduction time of rat phrenic nerve preparations, 200

—, hexachloroethane and its metabolites in, after oral hexachloroethane, in sheep, 535

—, uptake of 3-hydroxyphenyltrimethylammonium by, in rat, 347

Blood-bathed organ technique, of bioassay of hormones, 209

—, —, calibration of, 202

Blood flow, from liver, effect of nitrite on, in dog, 457

—, from soleus muscle, response to electrical stimulation, effect of acetylcholine on, in cat, 70

—, measurement of, and effect on bioassay of hormones, 213

—, peripheral, response to isoprenaline and salbutamol, and effect of propranolol on, in dog, 147

Blood flow (contd.)

- , response to trimetaphan camsylate, alone and plus atropine, in sheep and dog, 275

Blood plasma, electrolytes in, effect of box jellyfish toxin on, in rabbit and rat, 518

- , metabolic response to trimetaphan camsylate, alone and plus atropine, in sheep and dog, 275
- , rat, effect on anti- α -eidoisin activity of morin, in guinea-pig isolated ileum, 189
- , —, —, influence of N-acetyl-penicillamine, 192
- , —, —, influence of cations, 191

Blood platelets, human, guanethidine binding to, and metabolism of, 98

- , —, release of guanethidine from, effect of amphetamine and reserpine on, 99
- , —, uptake of guanethidine by, and comparison with 5-hydroxytryptamine, 92
- , —, —, dependence on platelet viability, 99
- , —, —, effect of sodium ion concentration on, 95
- , —, —, effect of temperature and various drugs on, 95
- , —, —, site of, 97
- , —, —, site of 5-hydroxytryptamine inhibition of, 96

Blood pressure, response to acetylcholine, dimethylphenylpiperazinium and methacholine, and effect of atropine and ganglion-blocking agents on, in autoperfused denervated hindlimb, in dog, 267

- , response to adrenaline and noradrenaline, effect of taloximine on, 292
- , response to box jellyfish toxin, in rabbit, 514
- , —, in rat, 517
- , —, effect of ganglionic blockade on, 515
- , response to catecholamines, effect of carotid occlusion on, 219
- , response to cytosine and its derivatives, comparison with response to nicotine, in cat and rat, 166
- , response to 2-(2,6-dichlorophenylamino)-2-imidazoline, and comparison with chlorpromazine, 258
- , response to eledoisin, effect of morin on, and influence of N-acetylpenicillamine, in rat, 193
- , response to isoprenaline, effect of (\pm)-(isopropylamino)-3-(*o*-phenoxyphenoxy)-2-propanol, propranolol and (\pm)-2-isopropylamino-1-(*p*-nitrophenyl) ethanol on, in rat, 484
- , —, and salbutamol, and effect of propranolol on, in dog, 144
- , response to prenylamine, in rat, 463
- , response to taloximine, 292
- , response to trimetaphan camsylate, alone and plus atropine, in sheep and dog, 275

Bradykinin, bioassay of, 209, 210, 211

- , effect on bronchiolar tone, in guinea-pig, 58
- , effect on permeability of microcirculation vessels, 59
- , fate in blood of, 225
- , release from tissues of, 224
- , response of adrenal medullary secretion of catecholamines to, and effect of atropine and ganglion-blocking agents on, in autoperfused denervated hindlimb, in dog, 268
- , response of guinea-pig isolated intestine to, and effect of atropine and mepyramine on, 182
- , —, effect of fibrinogen degradation products on, 82

Bradykinin (contd.)

- , response of hen rectal caecum to, 183
- , response of hind-limb lymph to, in cat, 377P
- , response of rat isolated duodenum to, effect of fibrinogen degradation products on, 85
- , response of rat uterus to, 180
- , —, effect of atropine, phenoxybenzamine and mepyramine on, 181
- , response of smooth muscle preparations to, effect of enzymes and peptides on, 52
- , plus histamine, response of guinea-pig isolated intestine to, effect of organ bath potassium concentration on, 87

Brain, acetylcholine in, effect of atropine and oxytremorine on, in rat, 524

- , —, effect of dyflos and oxotremorine on, 526
- , acetylcholine release from, and effect of atropine and nicotine on, in cat, 154
- , amines in, effect of 2-(2,6-dichlorophenylamino)-2-imidazoline on, in rat and guinea-pig, 260
- , cat, synaptosomal and mitochondrial fractions of, micro-scale preparation of, 370P
- , snail, neurones of, response to dopamine, effect of α - and β -receptor blocking agents on, 359P

Brain phospholipids, rat, incorporation of labelled phosphorus by, effect of noradrenaline on, 360P**Bretylum**, cardiac and local anaesthetic effects of, and comparison with anti-arrhythmic agents, 352P

- , effect on uptake of guanethidine by human blood platelets, 95

Bromolysergic acid diethylamide, effect on rat hypothalamic noradrenaline, 246

- , effect on response of guinea-pig isolated ileum to acetylcholine, 5-hydroxytryptamine and sympathomimetic amines, 390

Bronchoconstriction, histamine-induced, effect of taloximine and aminophylline on, in guinea-pig, 291

- , induction by vagal stimulation, effect of isoprenaline and salbutamol on, in cat and dog, 147
- , response to bradykinin and chymotrypsin, in guinea-pig, 58

Bronchospasm, acetylcholine-induced, effect of salbutamol, isoprenaline and orciprenaline on, in guinea-pig, 144, 148

- , chloroplatinate induced, comparison with response to histamine, in guinea-pig, 315

Bronchus, human isolated, response to taloximine, comparison with aminophylline, 290

C

Calcium ions, response of vascular smooth muscle to, effect of cinnarizine and chlorpromazine on, 354P**Calibration**, of techniques for bioassay of vasoactive hormones, 212**Capacitance**, alternating current, of frog skin, effect of antidiuretic hormone on, 37

- , direct current, of frog skin, effect of antidiuretic hormone on, 35

Caramiphen, peripheral and central responses to, effect of triflupromazine on, in cat, 364P**Cardiac output**, measurement of, and effect on bioassay of hormones, 213

Cardiac output (contd.)

—, response to trimetaphan camsylate, alone and plus atropine, in sheep and dog, 275

Cardiorespiratory response, to autonomic blockade induced by trimetaphan camsylate plus atropine, in sheep and dog, 275

—, —, effect of angiotensin amide on, 278

—, —, effect of dopamine on, 281

Cardiovascular response, to adrenaline and noradrenaline, effect of taloximine on, 292

—, to box jellyfish toxin, in rabbit, 514

—, —, in rat, 517

—, to taloximine, 292

Carrageenin, oedema induced by, anti-inflammatory effect of fenclozic acid on, comparison with phenylbutazone, in rat, 493

—, —, effect of polyester sponge-induced inflammatory exudate on, time- and dose-response relationships, in rat, 546

—, —, —, comparison with effect of serum, and influence of dialysis, 547

Castration, alone and plus oestradiol, effect on response of rat isolated seminal vesicles to adrenaline, noradrenaline, acetylcholine, and methacholine, 470

Catecholamines, effect on longitudinal muscle of chicken isolated anterior mesenteric artery, 113

—, effect on response of longitudinal muscle of chicken isolated anterior mesenteric artery to electrical stimulation, 113

—, —, influence of phentolamine and propranolol, 116

—, fate in internal tissues of, 220

—, fate in peripheral tissues of, 221

—, influence on effect of nicotine on response of longitudinal muscle of chicken isolated anterior mesenteric artery to barium chloride, 117

—, release of, 218

—, release from adrenal medulla, response to acetylcholine, dimethylphenylpiperazinium and methacholine, and effect of atropine and ganglion-blocking agents on, in autoperfused denervated hindlimb, in dog, 267

—, urinary excretion of, effect of test for anti-inflammatory activity on, in mouse, 378P

Catechol-o-methyl transferase inhibition, influence on effect of N-cyclohexylmethyl-N-ethyl- β -chloroethylamine on response of rabbit isolated aortic strip to noradrenaline, 446

—, tropolone-induced, influence on effect of reserpine on response of rabbit isolated aortic strip to noradrenaline, 400

Cations, influence on inhibitory effect of de-ionized rat plasma on anti- α -leudoisin activity of morin, in guinea-pig isolated ileum, 191

Caulophylline, and derivatives, acute toxicity of, comparison with cystisine and nicotine, in mouse, 165

—, —, response of various preparations to, comparison with response to nicotine, 166

—, response of frog rectus muscle preparations to, effect of acidity on, 169

Cell membranes, frog skin, location of effect of antidiuretic hormone in, 44

—, —, permeability of, effect of antidiuretic hormone on, 34

—, —, resistance of, response to antidiuretic hormone, effect of replacement of chloride by isethionate on, 40

—, —, —, —, effect of replacement of sodium by choline on, 40

Chandlerella hawkingi, filarial parasite of Indian crow, response to antimonials and other compounds, 341

—, —, response to arsenicals, 340

Chelating agents, response of mercury metabolism to, effect of maleate on, in rat, 123

Chironex fleckeri (box jellyfish). See Jellyfish, box

Chlorbutol, effect on frog skin potential, resistance and conductance, and comparison with anti-diuretic hormone, 39

p-Chloroamphetamine, effect on acetylcholine output by guinea-pig ileum longitudinal muscle strips, 24

p-Chlorophenylalanine, effect on acetylcholine output by guinea-pig ileum longitudinal muscle strips, 24

—, effect on brain monoamines and plasma corticosterone, in rat, 463

—, effect on uptake of guanethidine by human blood platelets, 95

Chloroplatinate, induction of bronchospasm by, and response of capillary permeability to, and effect of general anaesthetics on, in guinea-pig, 315

—, induction of histamine release by, and action on mesenteric mast cells, in rat, 315

—, lethal response to, and release of histamine by, in dog, 316

—, —, effect of mepyramine on, and relationship to blood histamine level, in guinea-pig, 314

—, release of histamine from guinea-pig isolated ileum by, effect of temperature and anaesthetics on, 319

—, response of guinea-pig isolated ileum to, comparison with histamine, and effect of mepyramine on, 316

—, tachyphylaxis to, relationship to egg albumen tachyphylaxis, and effect on histamine sensitivity, 318

Chlorpromazine, anaesthetic effect of, comparison with 2-(2,6-dichlorophenylamino)-2-imidazoline, in rat and guinea-pig, 260

—, behavioural response to, comparison with response to 2-(2,6-dichlorophenylamino)-2-imidazoline, in rat, 256

—, chronic oral administration of, behavioural and pressor responses to, comparison with 2-(2,6-dichlorophenylamino)-2-imidazoline, in rat, 258

—, effect on brain amines, comparison with effect of 2-(2,6-dichlorophenylamino)-2-imidazoline, in rat and guinea-pig, 260

—, effect on gastric acid output, and on response to cortisone, in pylorus ligated guinea-pig, 506

—, effect on response of vascular smooth muscle to calcium and adrenaline, 354P

Choline, transmural transfer from rat isolated jejunal sac, 307

Cholinesterase, concentration in tibialis anterior and soleus muscles, relationship to activity and to acetylcholine concentration, in cat and rabbit, 73

Cholinesterase activity, of motor end-plates, effect of thiocholine staining on, 370P

Chymotrypsin, effect on bronchiolar tone, and on response to bradykinin, in guinea-pig, 59

—, effect on permeability of microcirculation vessels, 59

Chymotrypsin (*contd.*)

—, effect on response of smooth muscle preparations to various agonists, 52, 56

Cinnarizine, effect on response of vascular smooth muscle to calcium and adrenaline, 354P

Clibadium sylvestre, polyacetylenic alcohol (cunaniol) from, behavioural effect on goldfish, 382P

Cocaine, effect on firmly bound isoprenaline accumulated by guinea-pig isolated trachea, 421

—, —, correlation with effect on response to (—)-isoprenaline, 423

—, effect on response of rabbit isolated aortic strip to adrenaline, noradrenaline and phenylephrine, 430

—, —, to methoxamine, 434

—, —, to noradrenaline, comparison with effect of N-cyclohexylmethyl-N-ethyl- β -chloroethylamine, 444, 447

—, —, —, and influence of reserpine, 399, 401

—, —, to noradrenaline and tyramine, influence of cold storage, 431

—, —, to phenylephrine, and influence of reserpine, 397, 398

—, —, —, 5-hydroxytryptamine and histamine, and influence of reserpine, 432

—, effect on uptake of guanethidine by human blood platelets, 95

—, effect on uptake of noradrenaline by sheep isolated spleen, 570

—, influence on effect of guanethidine on response of rabbit ear artery preparation to sympathetic stimulation, 566

Collagenase, effect on response of smooth muscle preparations to various agonists, 52, 56

Complexing agents, response of mercury metabolism to, effect of maleate on, in rat, 123

Conditioned avoidance response, effect of 2-(2,6-dichlorophenylamino)-2-imidazoline on, and comparison with chlorpromazine, in rat, 257

—, effect of psychotomimetic agents on, in rat, 248

Conditioned responses, to glyceryl trinitrate, in man, 366P

—, to various agents, in dog, 366P

Conduction time, of rat phrenic nerve preparations, effect of blood carbon dioxide concentration and acidity on, 200

Convulsant response, to pentylenetetrazol, effect of taloximine on, comparison with nikethamide, in mouse, 290

Copper ions, influence on inhibitory effect of de-ionized rat plasma on anti-edeoisin activity of morin, in guinea-pig isolated ileum, 191

Corticosterone, plasma, response to prenylamine, p-chlorophenylalanine, restraint stress and nialamide, in rat, 463

Cortisone, effect on uptake of histamine by stomach, in pylorus ligated guinea-pig, 507

—, response of gastric acid hypersecretion to, effect of aminoguanidine on, in pylorus ligated guinea-pig, 504

—, —, effect of iproniazid, chlorpromazine and 1,4, methylhistamine on, in pylorus ligated guinea-pig, 506

—, —, effect of α -methyl dopa, diamine oxidase and heparin on, in pylorus ligated guinea-pig, 500

Cromoglycic acid, effect on ciliary motility and mucous flow, in cat, 379P

Cunaniol, behavioural effect on goldfish, 382P

Cyanine 863. See 1'-Ethyl-3,6-dimethyl-2-phenyl-4-pyrimido-2'-cyanine

Cycloheximide, effect on morphine tolerance, 373P
N-Cyclohexylmethyl-N-ethyl- β -chloroethylamine, effect on rabbit isolated aortic strip, and on response to noradrenaline and angiotensin, and influence of reserpine, 443

—, —, to methoxamine and histamine, 449

—, —, to noradrenaline, comparison with effect of cocaine, 444, 447

—, —, —, influence of enzyme inhibition on, 446

—, —, to tyramine, and influence of iproniazid and tropolone, 448

Cytisine, and derivatives, acute toxicity of, comparison with nicotine, in mouse, 165

—, —, response of various preparations to, comparison with response to nicotine, 166

—, response of frog rectus muscle preparations to, effect of acidity on, 169

D

Debrisoquine, effect on uptake of guanethidine by human blood platelets, 95

Desipramine, effect on firmly bound isoprenaline accumulated by guinea-pig isolated trachea, 421

—, —, correlation with effect on response to (—)-isoprenaline, 423

—, effect on uptake of guanethidine by human blood platelets, 95

Dexamphetamine, effect on uptake of guanethidine by human blood platelets, 95

—, influence on effect of guanethidine, on response of rabbit ear artery preparation to sympathetic stimulation, 566

—, —, on response of rabbit isolated ileum to sympathetic stimulation, 565

—, —, on response of sheep isolated spleen to sympathetic stimulation, 567

—, uptake by sheep isolated spleen, effect of dexamphetamine and cocaine on, 567

Dialysis, influence on effect of polyester sponge-induced inflammatory exudate and serum on carrageenin-induced oedema, in rat, 547

Diamine oxidase, effect on gastric acid output, and on response to cortisone, in pylorus ligated guinea-pig, 500

Diaphragm, rat, response to cytosine and its derivatives, comparison with response to nicotine, 166

2-(2,6-Dichlorophenylamino)-2-imidazoline, anaesthetic responses to, and comparison with chlorpromazine, in rat and guinea-pig, 255

—, behavioural response to, and comparison with chlorpromazine, in rat, 256

—, chronic oral administration of, behavioural and pressor responses to, and comparison with chlorpromazine, in rat, 258

—, effect on noradrenaline metabolism in brain, in rat, 261

—, tissue concentration of, and effect on concentration of other amines, in rat and guinea-pig, 260

Diethyl-p-aminophenyl stibonate, effect on filarial parasite of Indian crow, 341

Diethylcarbamazine, effect on filarial parasite of Indian crow, 341

- Diethylpropion**, response of various preparations to, 386
- Dihydroergotamine**, effect on response of longitudinal muscle of chicken isolated anterior mesenteric artery to electrical stimulation, 115
- 1,3-Di(4-hydroxyiminomethyl-pyridinium) propane dibromide, transmural transfer from rat isolated jejunal sac, 307
- 2,3-Dimercaptopropanol, response of mercury metabolism to, effect of maleate on, in rat, 123
- Dimethylphenylpiperazinium**, response of adrenal medullary secretion of catecholamines to, and effect of atropine and ganglion-blocking agents on, in autoperfused denervated hindlimb, in dog, 267
- Dimethyl sulfoxide**, effect on response of smooth muscle preparations to various agonists, 52
- Disodium cromoglycate. *See* Cromoglycic acid
- Dopamine**, brain, response to prenylamine, *p*-chlorophenylalanine, restraint stress and nialamide, in rat, 463
- , effect on acetylcholine output by guinea-pig ileum longitudinal muscle strips, 14, 19
- , effect on cardiorespiratory and metabolic responses to autonomic blockade induced by trimetaphan camsylate plus atropine, 281
- , intracerebral, analgesic activity of, in mouse, 361P
- , response of snail brain neurones to, effect of α - and β -receptor blocking agents on, 359P
- , response of various preparations to, 386
- Duodenum**, rat isolated, response to bradykinin, effect of fibrinogen degradation products on, 85
- , —, response to noradrenaline, effect of fibrinogen degradation products on, 87
- , —, response to taloximine, comparison with aminophylline, 291
- Dyflor**, effect on oxotremorine-induced tremor, in rat, 524
- , influence on effect of pronase on response of gerbil ileum to bradykinin, 56
- , plus oxotremorine, effect on whole brain acetylcholine, 526
- E**
- Eicosane 1:20-*bis* (aminocinnolinium), effect on filarial parasite of Indian crow, 341
- Eicosane 1:20-*bis* (isoquinolinium), effect on filarial parasite of Indian crow, 341
- Electrocortical activity**, effect of nicotine on, in cat, 155
- Electron spin resonance**, in magnetic resonance studies of anaesthetics in cell membranes, 374P
- Eledoisin**, response of blood pressure to, effect of morin on, and influence of N-acetylpenicillamine, in rat, 193
- , response of guinea-pig isolated ileum to, effect of morin on, action of rat plasma, 189
- , —, —, —, influence of N-acetylpenicillamine, 192
- , —, —, —, influence of cations, 191
- , response of smooth muscle preparations to effect of enzymes and peptides on, 52
- Endotoxin**, response of catecholamine release to, 220
- Enzymes**, effect on response of smooth muscle preparations to various agonists, 52
- Ephedrine**, mydriatic response of human eye to, effect of bethanidine on, 376P
- , response of various preparations to, 386
- Epinine**, response of various preparations to, 386
- Ergot**, effect on pressor response to adrenaline and sympathetic nerve stimulation, 2
- Ergotamine**, effect on acetylcholine output by guinea-pig ileum longitudinal muscle strips, and on response to noradrenaline, 22
- Erythema**, ultra-violet light-induced, response to fenclizic acid, comparison with phenylbutazone, in guinea-pig, 495
- Ethyl alcohol**, effect on release of histamine by guinea-pig isolated ileum by chloroplatinate, 319
- , effect on response to chloroplatinate, in guinea-pig, 315
- 1'-Ethyl-3,6-dimethyl-2-phenyl-4-pyrimido-2'-cyanine, effect on filarial parasite of Indian crow, 341
- Ethylenediamine tetraacetic acid**, effect on transmural transfer of 2-hydroxyimino-methyl-N-methylpyridinium from rat isolated jejunal sac, 310
- N* - Ethyl - 2-pyrrolidylmethyl-cyclo-pentylphenylglycollate, peripheral and central responses to, effect of triflupromazine on, in cat, 364P
- , plus *N*-Ethyl-3-piperidyl cyclopentylphenyl, effect on conditioned avoidance response and behaviour, in rat, 248
- , —, effect on hypothalamic noradrenaline, in rat, 246
- Eye**, mydriatic response to phenylephrine and ephedrine, effect of bethanidine on, in man, 376P
- F**
- Faeces**, hexachloroethane and its metabolites in, after oral hexachloroethane, in sheep, 535
- Fat**, hexachloroethane and its metabolites in, after oral hexachloroethane, in sheep, 536
- Fenclizic acid**, effect on adjuvant-induced arthritis, comparison with response to phenylbutazone, in rat, 490, 491
- , effect on adjuvant-induced inflammation, comparison with response to phenylbutazone, in mouse, 495
- , effect on carrageenin-induced oedema, comparison with response to phenylbutazone, in rat, 493
- , effect on response to adrenalectomy, comparison with effect of cortisone, in rat, 496
- , effect on ultra-violet light erythema, comparison with response to phenylbutazone, in guinea-pig, 495
- Fibrinogen degradation products**, effect on response of guinea-pig isolated intestine, to angiotensin, 85
- , —, to bradykinin, 82, 84
- , —, to histamine, 5-hydroxytryptamine and acetylcholine, 85
- , —, to kallidin, 84
- , effect on response of rabbit aortic strip to noradrenaline and adrenaline, 86
- , effect on response of rat isolated duodenum, to bradykinin, 85
- , —, to noradrenaline, 87
- Ficln**, effect on response of smooth muscle preparations to various agonists, 52, 53

- Filarial infection**, of Indian crow, response to anti-moniales and other compounds, 341
 —, —, response to arsenicals, 340
Fluorouracil, effect on morphine tolerance, 373P
Fumarate, response of mercury metabolism to, and effect of penicillamine on, in rat, 123
Fundus, gerbil, response to various agonists, effect of enzymes and peptides on, 52
 —, rat, response to various agonists, effect of enzymes and peptides on, 52

G

- GD-131. See N-Cyclohexylmethyl-N-ethyl- β -chloro-ethylamine
Ganglia, superior cervical and nodose, nicotine in, after close arterial injection, effect of hexamethonium on, and autoradiographic location of, 414
 —, —, nicotine and inulin in, after close arterial injection, and relationship to dose, in cat, 410
 —, —, response to nicotine, 410
 —, —, uptake of mannitol by, comparison with uptake of nicotine and inulin, 412
 —, —, water content of, 412
 —, —, —, effect of close arterial saline injection on, 414
Ganglion, cat superior cervical, response to cytosine and its derivatives, comparison with response to nicotine, 166
Ganglion blocking agents, effect on response of adrenal medullary secretion and blood pressure to acetylcholine, dimethylphenylpiperazinium, methacholine and bradykinin, in autoperfused denervated hindlimb, in dog, 268
 —, influence on effect of nicotine on response of longitudinal muscle of chicken isolated anterior mesenteric artery to barium chloride, 116
Ganglionic blockade, effect on responses to box jellyfish toxin, in rabbit, 515
Gastric acid secretion, measurement by conductivity of, 371P
Gastrin, storage and binding of, 372P
Glutathione, effect on response of smooth muscle preparations to various agonists, 52
Glyceril trinitrate, conditioned responses to, in man, 366P
Guanethidine, binding to and metabolism by human blood platelets of, 98
 —, effect on acetylcholine output by guinea-pig ileum longitudinal muscle strips, and on response to adrenaline, 23
 —, effect on firmly bound isoprenaline accumulated by guinea-pig isolated trachea, 421
 —, —, correlation with effect on response to (–)-isoprenaline, 423
 —, effect on response of rabbit ear artery preparation to sympathetic stimulation, and action of dexamphetamine and cocaine, 566
 —, effect on response of rabbit isolated ileum to sympathetic stimulation, and action of dexamphetamine, 565
 —, effect on response of sheep isolated spleen to sympathetic stimulation, and action of dexamphetamine, 567
 —, influence on effect of nicotine on response of longitudinal muscle of chicken isolated anterior mesenteric artery to barium chloride, 117

Guanethidine (*contd.*)

- , release from human blood platelets, effect of amphetamine and reserpine on, 99
 —, uptake by human blood platelets, and comparison with uptake of 5-hydroxytryptamine, 92
 —, —, dependence on platelet viability, 99
 —, —, effect of sodium ions on, 95
 —, —, effect of temperature and various drugs on, 95
 —, —, site of, 97
 —, —, site of action of 5-hydroxytryptamine inhibition of, 96

H

- Haemorrhage**, response of catecholamine release to, 220
Haloalkylamines, effect on response to and disposition of sympathomimetic amines, 440
Heart, guinea-pig isolated, efflux of procaine from, and comparison with inulin, 326
 —, —, response to procaine, 324, 327
 —, —, uptake of procaine by, and effective of temperature on, 325
 —, —, —, relationship with activity, 328
 —, isoprenaline-induced necrosis of, effect of anti-aldersterone compounds on, in rat, 559
 —, uptake of 3-hydroxyphenyltrimethylammonium by, in rat, 347
Heart beat, response to box jellyfish toxin, in rabbit, 514
 —, —, in rat, 517
 —, —, effect of ganglionic blockade on, 515
 —, response to hyoscine, time course of, in man, 203
 —, response to isoprenaline, and salbutamol, and effect of propranolol on, in dog, 144
 —, —, orciprenaline and salbutamol, in guinea-pig, 148
 —, response to ouabain, effect of (±)-(isopropylamino)-3-(*o*-phenoxyphenoxy)-2-propanol, propranolol and (±)-2-isopropylamino-1-(*p*-nitrophenyl) ethanol on, in guinea-pig, 479
 —, response to taloximine, 292
 —, response to trimetaphan camsylate, alone and plus atropine, in sheep and dog, 275
Heparin, effect on gastric acid output, and on response to cortisone, in pylorus ligated guinea-pig, 500
Hexachloroethane, oral, clinical response to, in sheep, 535
 —, —, hepatotoxicity of, 534, 538
 —, —, metabolism of, 532, 535
 —, —, —, in vitro, 533
Hexamethonium, conditioned response to, in dog, 366P
 —, effect on ganglionic nicotine after close arterial injection, in cat, 414
 —, effect on response of adrenal medullary secretion and blood pressure to acetylcholine, dimethylphenylpiperazinium, methacholine and bradykinin, in autoperfused denervated hindlimb, in dog, 268
 —, effect on response to box jellyfish toxin, in rabbit, 515

Hexamethonium (*contd.*)

- , influence on effect of nicotine on response of longitudinal muscle of chicken isolated anterior mesenteric artery to barium chloride, 116

Hexobarbitone, effect on contractile response of guinea-pig isolated left auricles to electrical stimulation, and on release of rubidium, 108

- , response of righting reflex to, effect of taloximine on, comparison with bemegride, nikethamide and vanillic acid diethylamide, in mouse, 290

Histamine, bronchoconstrictor response to, effect of taloximine and aminophylline on, in guinea-pig, 291

- , discovery of presence in animal tissues, 5
- , effect on response of guinea-pig isolated ileum to phenoxybenzamine, 389
- , intracerebral, analgesic activity of, in mouse, 361P
- , isolation from ergot of, 3
- , pharmacological activity of, and variation with physiological location, 4
- , release by chloroplatinate, in dog, 316
- , —, in rat, 315
- , release from guinea-pig isolated ileum by chloroplatinate, effect of temperature and anaesthetics on, 319
- , —, transfer to other test tissues, 317
- , release from mast cells and skin tissue of, effect of box jellyfish toxin on, 518
- , response of guinea-pig isolated intestine to, effect of fibrinogen degradation products on, 85
- , response of hen rectal caecum to, and effect of atropine on, 183
- , response of hind-limb lymph to, in cat, 377P
- , response of rabbit isolated aortic strip to, effect of cocaine on, and influence of reserpine, 432
- , —, effect of N-cyclohexyl-methyl-N-ethyl- β -chloroethylamine on, and influence of iproniazid and tropolone, 449
- , responses to, comparison with chloroplatinate, in guinea-pig, 314
- , stomach, response to cortisone, effect of aminoguanidine on, in pylorus ligated guinea-pig, 504
- , —, —, effect of iproniazid, chlorpromazine and 1,4-methylhistamine on, in pylorus ligated guinea-pig, 506
- , —, —, effect of α -methyldopa, diamine oxidase and heparin on, in pylorus ligated guinea-pig, 500
- , uptake by stomach of, effect of cortisone on, in pylorus ligated guinea-pig, 507
- , plus bradykinin, response of guinea-pig isolated intestine to, effect of organ bath potassium concentration on, 87

Hormones, vasoactive, bioassay of, blood-bathed organ technique of, 209

- , —, —, calibration of, 212
- , —, —, endogenous, release of, 213, 214
- , —, —, exogenous, fate of, 212, 214
- , —, —, release and fate in tissues of, 233

Hydrogen ion concentration, effect on action potentials of rat phrenic nerve preparations, 199**Hydrogen ion concentration** (*contd.*)

- , effect on conduction time of rat phrenic nerve preparations, 200
- , effect on response of frog rectus muscle to cytosine and its derivatives, and to β -pyridyl-methyltrimethylammonium, 169

Hydroxyamphetamine, response of various preparations to, 386**2-Hydroxyiminomethyl-N-amylopyridinium**, transmural transfer from rat isolated jejunal sac, 307**2-Hydroxyiminomethyl-N-methylpyridinium**, effect on transmural potential difference of rat isolated jejunal sac, 310

- , transmural transfer from rat isolated jejunal sac, 307, 308
- , uptake by rat isolated jejunal sac, 306

2-Hydroxyiminomethyl pyridine, transmural transfer from rat isolated jejunal sac, 307**3-Hydroxyphenyltrimethylammonium**, excretion of, after intramuscular neostigmine, 348

- , in liver, after intramuscular neostigmine, 349
- , intramuscular, distribution in tissues of, in rat, 347
- , renal tubular secretion of, 347
- , urinary excretion and metabolism of, 345

5-Hydroxytryptamine, bioassay of, 210, 211, 212

- , brain, response to prenlyamine, *p*-chlorophenylalanine, restraint stress and nialamide, in rat, 463
- , effect on morphine analgesia, in rat, 362P
- , effect on response of guinea-pig isolated ileum to phenoxybenzamine, 389
- , effect on uptake of guanethidine by human blood platelets, 95
- , —, site of action of, 97
- , intracerebral, analgesic activity of, in mouse, 361P
- , release and fate of, measurement of, 215
- , response of guinea-pig ileum to, and effect of atropine on, 182
- , —, effect of bromolysergic acid diethylamide on, 390
- , —, effect of fibrinogen degradation products on, 85
- , —, effect of sympathomimetic amines on, 389
- , response of hen rectal caecum to, and effect of atropine on, 183
- , response of hind-limb lymph to, in cat, 377P
- , response of rabbit isolated aortic strip to, effect of cocaine on, and influence of reserpine, 432
- , response of rat isolated colon to, effect of lidoflazine on, 135
- , —, effect of papaverine on, 137
- , response of rat isolated uterus to, and effect of atropine and phenoxybenzamine on, 181
- , —, and effects of progesterone, stilboestrol and ovariectomy on, 334
- , response of smooth muscle preparations to, effect of enzymes and peptides on, 52
- , uptake by human blood platelets of, comparison with guanethidine, 92

Hyoscine, effect on response of longitudinal muscle of chicken isolated anterior mesenteric artery, 113

- , intramuscular, time course of action of, in man, 203
- , peripheral and central responses to, effect of triflupromazine on, in cat, 364P

Hypersensitivity, relationship to immunity, 3

Hypertensin. *See* Angiotensin amide

Hypothalamic extract, ox, response of guinea-pig ileum to fraction of, and effect of atropine and mepyramine on, 182

—, —, response of hen rectal caecum to, and effect of atropine on, 183

—, —, response of rat uterus to fraction of, comparison with response to oxytocin, bradykinin and angiotensin amide, 180

—, —, —, effect of atropine, phenoxybenzamine and mepyramine on, 181

I

ICI 54,450. *See* Fenclozic acid

INPEA. *See* (\pm)-2-Isopropylamino-1-(*p*-nitrophenyl) ethanol

Impedance method, instantaneous, for recording action of antidiuretic hormone on frog cell membranes, 31

Infarction, acute cardiac, effect on adrenal medullary secretion, 220

Inflammation, adjuvant-induced, effect of fenclozic acid on, comparison with phenylbutazone, in mouse, 495

Inflammatory exudate, polyester sponge-induced, anti-inflammatory activity of, in rat, 546

—, —, —, comparison with effect of serum, and influence of dialysis, 547

—, —, —, effect of temperature, ammonium sulphate precipitation and pronase on, and chromatographic purification of active factor in, 549

Infusion, preference to injection in assay of circulating substances, 212

Intestine, guinea-pig isolated, effect of box jellyfish toxin on, and on its response to 5-hydroxytryptamine and histamine, 518

—, —, initial tonus and sensitivity to bradykinin and histamine of, effect of organ bath potassium concentration on, 87

—, —, response to angiotensin, effect of fibrinogen degradation products on, 85

—, —, response to bradykinin, effect of fibrinogen degradation products on, 82, 84

—, —, response to histamine, 5-hydroxytryptamine and acetylcholine, effect of fibrinogen degradation products on, 85

—, —, response to kallidin, effect of fibrinogen degradation products on, 84

—, large, guinea-pig isolated, effect of prostaglandin E_1 on, 351P

—, —, rat isolated, response to acetylcholine, effect of taloximine on, comparison with aminophylline, 291

—, —, —, response to angiotensin, effect of lidoflazine on, 133

—, —, —, —, comparison with effect on response to acetylcholine, 5-hydroxytryptamine, and barium ions, 135

—, —, —, —, effect of papaverine on, 137

—, —, —, specificity of sensitivity of, 209

—, small, cat, specificity of sensitivity of, 210

Intestine, small (*contd.*)

—, —, gerbil, response to various agonists, effect of enzymes and peptides on, 52

—, —, guinea-pig isolated, release of acetylcholine from, effect of *p*-chloroamphetamine on, 24

—, —, —, —, effect of *p*-chlorophenylalanine on, 24

—, —, —, —, effect of guanethidine on, 23

—, —, —, —, effect of noradrenaline antagonists on, 20

—, —, —, —, effect of reserpine on, 22

—, —, —, —, effect of sympathetic amines on, 14

—, —, —, response to acetylcholine, 5-hydroxytryptamine and sympathomimetic amines, effect of bromolysergic acid diethylamide on, 390

—, —, —, response to chloroplatinate, comparison with histamine and effect of mepyramine on, 316

—, —, —, response to cystisine and its derivatives, comparison with response to nicotine, 166

—, —, —, response to eledoisin, effect of morin on, action of rat plasma, 189

—, —, —, —, —, influence of N-acetyl-penicillamine, 192

—, —, —, —, —, influence of cations, 191

—, —, —, response to fraction of ox hypothalamic extract, acetylcholine, 5-hydroxytryptamine, bradykinin, angiotensin amide and vasopressin, and effect of atropine and mepyramine on, 182

—, —, —, response to histamine, effect of taloximine on, comparison with aminophylline, 291

—, —, —, response to phenoxybenzamine, effect of acetylcholine, histamine, 5-hydroxytryptamine and sympathomimetic amines on, 389

—, —, —, response to sympathomimetic amines, 386

—, —, —, —, comparison with response to acetylcholine, histamine and 5-hydroxytryptamine, 388

—, —, —, response to various agonists, effect of enzymes and peptides on, 52

—, —, —, uptake of 2-hydroxyiminomethyl-N-methylpyridinium by jejunal sac of, 306

—, —, rabbit isolated, response to sympathetic stimulation, effect of guanethidine on, and action of dexamphetamine, 565

—, —, —, response to sympathomimetic amines, 386

—, —, rat isolated, response to 5-hydroxytryptamine and sympathomimetic amines, effect of morphine on, 391

—, —, —, response to various agonists, effect of enzymes and peptides on, 52

—, —, —, transmural transfer from jejunal sac of pyridinium oximes and choline, 307

—, uptake of 3-hydroxyphenyl-trimethylammonium by, in rat, 347

Inulin, in superior cervical and nodose ganglia, after close arterial injection, in cat, 410

- Inulin**, in superior cervical and nodose ganglia, after close arterial injection (*contid.*)
 —, —, —, comparison with nicotine content, 412
- Iproniazid**, effect on gastric acid output, and on response to cortisone, in pylorus ligated guinea-pig, 506
 —, effect on response of rabbit isolated aortic strip, to noradrenaline, and influence of reserpine, 399, 401
 —, —, to phenylephrine, and influence of reserpine, 397, 398
 —, influence on effect of N-cyclo-hexyl-N—ethyl- β -chloroethylamine on response of rabbit isolated aortic strip, to noradrenaline, 446
 —, —, to tyramine, 448
- Isoprenaline**, disappearance from blood of, 223
 —, effect on acetylcholine-induced bronchospasm, in guinea-pig, 144
 —, —, and heart beat, and on isolated tracheal chain and atrium, in guinea-pig, 148
 —, effect on acetylcholine output by guinea-pig ileum longitudinal muscle strips, 14, 18
 —, effect on bronchoconstriction induced by vagal stimulation, in cat and dog, 147
 —, effect on ciliary motility and mucous flow, in cat, 379P
 —, effect on response of longitudinal muscle of chicken isolated anterior mesenteric artery to electrical stimulation, 115
 —, influence on effect of propranolol on response of longitudinal muscle of chicken isolated anterior mesenteric artery to electrical stimulation, 116
 —, labelled, accumulated by guinea-pig isolated trachea, effect of various drugs on, 420
 —, —, —, firmly bound, effect of various drugs on, correlation with effect on response to (—)-isoprenaline, 423
 —, —, —, separation into components, and time course of, 420
 —, myocardial necrosis induced by, effect of anti-aldosterone compounds on, in rat, 559
 —, response of blood pressure, heart beat and respiration to, and effect of propranolol on, in dog, 144
 —, response of peripheral blood flow to, and effect of propranolol on, in dog, 147
- (\pm)-2-Isopropylamino-1-(*p*-nitrophenyl) ethanol, anti-arrhythmic effect on cardiac response to ouabain, in guinea-pig, 479
 —, effect on response of blood pressure to isoprenaline, in rat, and toxicity of, in guinea-pig, 484
 —, effect on response of guinea-pig atria to adrenaline, 483
 —, local anaesthetic effect of, on corneal reflex, comparison with procaine and tetracaine, in guinea-pig, 481
 —, —, on tail, comparison with procaine, in mouse, 482
- (\pm) - (Isopropylamino) - 3-(*o*-phenoxyphenoxy)-2-propanol, anti-arrhythmic effect on cardiac response to ouabain, in guinea-pig, 479
 —, effect on response of blood pressure to isoprenaline, in rat, and toxicity of, in guinea-pig, 484
- (\pm) - (Isopropylamino) - 3-(*o*-phenoxyphenoxy)-2-propanol (*contid.*)
 —, effect on response of guinea-pig atria to adrenaline, 483
 —, local anaesthetic effect of, on corneal reflex, comparison with procaine and tetracaine, in guinea-pig, 481
 —, —, on tail, comparison with procaine, in mouse, 482
- J**
- JB-329**. See N-Ethyl-2-pyrrolidylmethyl cyclopentyl-phenyl glycolate plus N-Ethyl-3-piperidyl cyclopentylphenyl
- Jellyfish**, box (*Chironex fleckeri*), toxin from, effects on isolated organs, 518
 —, —, —, —, effect on phrenic nerve activity, 516
 —, —, —, —, response to, in mouse, 513
 —, —, —, —, —, in rabbit, 514
 —, —, —, —, —, effect of ganglionic blockade on, 515
 —, —, —, —, —, effect of vagotomy on, 516
 —, —, —, —, —, toxicity of, in rat, 517
- K**
- Kallidin**, release from tissues of, 224
 —, response of guinea-pig isolated intestine to, effect of fibrinogen degradation products on, 84
- Kallikrein**, in plasma, activation of, 224
- Kidney**, uptake of 3-hydroxyphenyltrimethylammonium by, in rat, 347
- L**
- Lidoflazine**, effect on response of rat isolated colon to angiotensin, 133
 —, —, comparison with effect on response to acetylcholine, 5-hydroxytryptamine and barium ions, 135
- Liver**, blood flow from, effect of nitrite on, in dog, 457
 —, toxic response to hexachloroethane and its metabolites, in sheep, 589
 —, uptake of 3-hydroxyphenyltrimethylammonium by, in rat, 347
 —, —, after intramuscular neostigmine, 349
- Lung**, clearance mechanism of, response to isoprenaline, atropine and cromoglycic acid, in cat, 379P
 —, uptake of 3-hydroxyphenyltrimethylammonium by, in rat, 347
- Lymph**, hind-limb, flow and composition of, response to various agents, in cat, 377P
- Lysergic acid diethylamide**, effect on conditioned avoidance response and behaviour, in rat, 248
 —, effect on hypothalamic noradrenaline, in rat, 246
- M**
- MJ1992**. See Soterenol
- Msb**. See Sodium *p*-melaminylphenyl stibonate

- Magnetic resonance**, nuclear, in study of anaesthetics in cell membranes, 374P
 —, —, in study of quaternary ammonium compounds in solutions, 375P
- Maleate**, effect on mercury metabolism, and on response of mercury metabolism to thiol compounds, in rat, 123
- Mannitol**, uptake by superior cervical and nodose ganglia of, in cat, 412
- Mast cells**, histamine release from, effect of box jellyfish toxin on, 518
 —, mesenteric, response to chloroplatinate, in rat, 315
- Mecamylamine**, effect on response of adrenal medullary secretion and blood pressure to acetylcholine, dimethylphenylpiperazinium, methacholine and bradykinin, in autoperfused denervated hindlimb, in dog, 268
 —, influence on effect of nicotine on response of longitudinal muscle of chicken isolated anterior mesenteric artery to barium chloride, 116
- Melarsoprol**, effect on filarial parasite of Indian crow, 340
- Mental alertness**, response to hyoscine, time course of, in man, 206
- Mepyramine**, effect on response of guinea-pig isolated ileum to chloroplatinate, 316
 —, effect on response of rat uterus to bradykinin and fraction of ox hypothalamic extract, 181
- Mercaptopurine**, effect on morphine tolerance, 373P
- Mercury**, metabolism of, response to fumarate, and effect of penicillamine on, in rat, 123
 —, —, response to thiol compounds, effect of maleate on, 123
- Metabolism**, of hexachloroethane, in sheep, 532, 535
 —, of hydroxyphenyltrimethylammonium, in rat, 345
 —, of neostigmine, in rat, 348
 —, of noradrenaline, by normal and denervated guinea-pig and rat vas deferens preparations, 356P
- Metanephrine**, effect on firmly bound isoprenaline accumulated by guinea-pig isolated trachea, 421
 —, —, correlation with effect on response to (—)-isoprenaline, 423
 —, response of various preparations to, 386
- Metaraminol**, response of various preparations to, 386
- Methacholine**, response of adrenal medullary secretion of catecholamines to, and effect of atropine and ganglion-blocking agents on, in autoperfused denervated hindlimb, in dog, 267
 —, response of rat isolated seminal vesicles to, and effect of castration and oestradiol plus castration on, 470
- Methamphetamine**, response of various preparations to, 386
- Methoxamine**, effect on acetylcholine output by guinea-pig longitudinal muscle strips, 14, 19
 —, response of rabbit isolated aortic strip to, effect of cocaine on, 434
 —, —, effect of N-cyclohexyl-methyl-N-ethyl- β -chloroethylamine on, and influence of iproniazid and tropolone, 449
 —, response of various preparations to, 386
- 3-Methoxy-4-hydroxy-phenylethylamine**, response of various preparations to, 386
- Methoxyphenamine**, response of various preparations to, 386
- α -Methyldopa**, effect on gastric histamine and acid output, and on response to cortisone, in pylorus ligated guinea-pig, 500
 —, effect on uptake of guanethidine by human blood platelets, 95
- 1,4, Methylhistamine**, effect on gastric acid output, and on response to cortisone, in pylorus ligated guinea-pig, 506
- N-Methyl-3-piperidylbenzilate**, peripheral and central responses to, effect of triflupromazine on, in cat, 364P
- 4'-N-Methylpiperidyl 1-phenylcyclopentane carboxylate**, peripheral and central responses to, effect of triflupromazine on, in cat, 364P
- α -Methyltyramine**, effect on behavioural response to psychotomimetic agents, in rat, 248
- Microcirculation vessels**, effect of peptides, chymotrypsin and bradykinin on, 59
- Monoamine oxidase inhibition**, effect on brain monoamines and plasma corticosterone, in rat, 463
 —, influence on effect of N-cyclohexylmethyl-N-ethyl- β -chloroethylamine on response of rabbit isolated aortic strip to noradrenaline, 446
 —, influence on effect of reserpine on response of rabbit isolated aortic strip to noradrenaline, 400
 —, iproniazid-induced, effect on response of rabbit isolated aortic strip to phenylephrine, 399
- Monoamines**, brain, response to prenlylamine, *p*-chlorophenylalanine, restraint stress and niilamide, in rat, 463
- Morin**, anti-eledoisin action of, effect of rat plasma on, in guinea-pig isolated ileum, 189
 —, —, —, influence of N-acetyl-penicillamine, 192
 —, —, —, influence of cations, 191
 —, effect on response of blood pressure to eledoisin, and influence of N-acetyl-penicillamine, in rat, 193
- Morphine**, analgesic response to, effect of biogenic amines on, in rat, 362P
 —, conditioned response to, in dog, 366P
 —, effect on response of guinea-pig isolated ileum to 5-hydroxytryptamine and sympathomimetic amines, 391
 —, intracerebral, analgesic activity of, in mouse, 361P
 —, respiratory response to, effect of taloximine on, in rabbit, 287
 —, tolerance to, effect of protein synthesis inhibition on, 373P
- Muscle**, anterior tibialis, cat, response to cytosine and its derivatives, comparison with response to nicotine, 166
 —, hexachloroethane and its metabolites in, after oral hexachloroethane, in sheep, 536
 —, skeletal, uptake of 3-hydroxyphenyltrimethylammonium by, in rat, 347
 —, smooth, anaphylactic contraction of, 3
 —, —, bronchial, response to acetylcholine, effect of salbutamol, isoprenaline and orci-prenaline on, in guinea-pig, 144, 148
 —, —, —, response to vagal stimulation, effect of isoprenaline and salbutamol on, in cat and dog, 147

Muscle, smooth (contd.)

- , —, chicken isolated anterior mesenteric artery longitudinal, response to barium chloride, effect of nicotine on, and influence of ganglion and β -receptor blocking agents, 116
- , —, —, response to catecholamines and physostigmine, and effect of hyoscine on, 113
- , —, —, response to electrical stimulation, effect of catecholamines on, 113
- , —, guinea-pig, response to cytosine and its derivatives, comparison with response to nicotine, 166
- , —, guinea-pig colon longitudinal, effect of prostaglandin E_1 on, 351P
- , —, guinea-pig ileum longitudinal, release of acetylcholine by, effect of p-chloroamphetamine on, 24
- , —, —, —, effect of p-chlorophenylalanine on, 24
- , —, —, —, effect of guanethidine on, 23
- , —, —, —, effect of noradrenaline antagonists on, 20
- , —, —, —, effect of reserpine on, 22
- , —, —, —, effect of sympathetic amines on, 14
- , —, rat isolated seminal vesicle, response to adrenaline, noradrenaline, acetylcholine and methacholine, and effect of castration and oestradiol plus castration on, 470
- , —, response to calcium and adrenaline, effect of cinnarizine and chlorpromazine on, 354P
- , —, response to taloximine, comparison with aminophylline, 290
- , —, response to various agonists, effect of enzymes and peptides on, 52
- , soleus, cross-innervated with flexor digitorum longus muscle nerve, response to high-frequency electrical stimulation, 71
- , —, response to acetylcholine, in cat, 70
- , —, response to electrical stimulation, in rabbit, 71
- , —, response to high-frequency electrical stimulation, in cat, 65
- , —, response to neostigmine, in cat and rabbit, 72
- , —, response to post-tetanic nerve shock, effect of tubocurarine on, 69
- , striated, chick, response to cytosine and its derivatives, comparison with response to nicotine, 166
- , tibialis anterior, response to acetylcholine, in cat, 70
- , —, response to electrical stimulation, in rabbit, 71
- , —, response to high-frequency electrical stimulation, and effect of tubocurarine on, in cat, 69
- , —, response to neostigmine, in cat and rabbit, 72

N

- Neoarsphenamine**, effect on filarial parasite of Indian crow, 340
- Neostibosan**. *See* Diethyl-p-aminophenyl stibonate

- Neostigmine**, effect on transmural transfer of 2-hydroxyiminomethyl - N - methylpyridinium from rat isolated jejunal sac, 310
- , intramuscular, effect on liver of, 349
- , —, metabolism and excretion of, and effect on excretion of 3-hydroxyphenyltrimethylammonium, in rat, 348
- , response of tibialis anterior and soleus muscles to, in cat and rabbit, 72
- Nerve fibres**, sympathetic, uptake of noradrenaline by, 222
- Neuromuscular transmission**, effect of procaine on, in mammals, 353P
- Nialamide**, effect on brain monoamines and plasma corticosterone, in rat, 463
- Nicotine**, acute toxicity of, comparison with cytosine and its methylated derivatives, in mouse, 165
- , conditioned response to, in dog, 366P
- , effect on electrocortical activity, in cat, 155
- , effect on release of acetylcholine from cerebral cortex, in cat, 154
- , effect on response of longitudinal muscle of chicken isolated anterior mesenteric artery to barium chloride, and influence of ganglion and β -receptor blocking agents, 116
- , in superior cervical and nodose ganglia, after close arterial injection, and relationship to dose, in cat, 410
- , —, —, comparison with inulin content, 412
- , —, —, effect of hexamethonium on, and autoradiographic location of, 414
- , voluntary preference for, in rat, 367P
- Nikethamide**, effect on pentylene-tetrazol-induced convulsions, comparison with taloximine, in mouse, 290
- , effect on response of righting reflex to hexobarbitone, comparison with taloximine, in mouse, 290
- , respiratory response to, comparison with taloximine, in rabbit, 287
- Nitrite**, effect on blood flow from liver, in dog, 457
- Noradrenaline**, bioassay of, 210, 211
- , brain, response to prenylamine, p-chlorophenylalanine, restraint stress and nialamide, in rat, 463
- , effect on acetylcholine output by guinea-pig ileum longitudinal muscle strips, 14
- , effect on incorporation of labelled phosphorus by rat brain phospholipids, 360P
- , effect on morphine analgesia, in rat, 362P
- , effect on response of longitudinal muscle of chicken isolated anterior mesenteric artery to electrical stimulation, 115
- , effect on uptake of guanethidine by human blood platelets, 95
- , endogenous, pressor response to, effect of angiotensin on, in pithed rat, 355P
- , fate in internal tissues of, 220
- , fate in peripheral tissues of, 221
- , influence on effect of β -receptor blockade on response of longitudinal muscle of chicken isolated anterior mesenteric artery to electrical stimulation, 116
- , intracerebral, analgesic activity of, in mouse, 361P
- , metabolism in brain of, effect of 2-(2,6-dichlorophenylamino)-2-imidazoline on, in rat, 261

Noradrenaline (contd.)

- , rat hypothalamic, response to psychotomimetic agents, 246
 - , release of, 218
 - , release from nerve endings, comparison with release from adrenal medulla, 219
 - , release from sheep isolated spleen by sympathetic stimulation, effect of guanethidine on, and action of dexamphetamine, 567
 - , response of human isolated artery to, and effect of thymoxamine on, 128
 - , response of rabbit isolated aortic strip to, effect of cocaine on, 430
 - , —, —, influence of cold storage, 431
 - , —, —, effect of N-cyclohexylmethyl-N-ethyl- β -chloroethylamine on, and influence of reserpine, 443
 - , —, —, comparison with effect of cocaine, 444, 447
 - , —, —, influence of enzyme inhibition on, 446
 - , —, —, effect of fibrinogen degradation products on, 86
 - , —, —, effect of iproniazid, cocaine and tropolone on, and influence of reserpine, 399, 401
 - , —, —, effect of procaine on, 433
 - , —, —, effect of reserpine on, 396
 - , response of rat isolated duodenum to, effect of fibrinogen degradation products on, 87
 - , response of rat isolated seminal vesicles to, and effect of castration and oestradiol plus castration on, 470
 - , response of various preparations to, 386
 - , uptake by sheep isolated spleen, effect of dexamphetamine and cocaine on, 570
 - , uptake by sympathetic nerve fibres, 222
 - , uptake and metabolism by normal and denervated guinea-pig and rat vas deferens preparations, 356P
 - , urinary excretion of, effect of test for anti-inflammatory activity on, in mouse, 378P
- Noradrenaline-antagonists**, effect on acetylcholine output by guinea-pig ileum longitudinal muscle strips, 20
- Nordefrine**, response of rabbit isolated aortic strip to, effect of reserpine on, 396
- , response of various preparations to, 386
- Normetanephrine**, response of various preparations to, 386
- 19-Nor-3(3-oxo-17 β -hydroxy-4-androsten-17 α yl) propionic acid γ -lactone, effect on isoprenaline-induced myocardial necrosis, in rat, 559
- Norphenylephrine**, response of various preparations to, 386

O

- Octopamine**, response of various preparations to, 386
- Oedema**, carrageenin-induced, anti-inflammatory effect of fenclozic acid on, comparison with phenylbutazone, in rat, 493
- , —, effect of polyester sponge-induced inflammatory exudate on, in rat, 546
- , —, —, comparison with effect of serum, and influence of dialysis, 547
- Oestradiol**, action on effect of agroclavine on pregnancy, in mouse, 367P
- , response to, effect of methylated stilboestrol on, 369P

Oestradiol (contd.)

- , plus castration, effect on response of rat isolated seminal vesicles to adrenaline, noradrenaline, acetylcholine and methacholine, 470
- Orciprenaline**, β -adrenoceptive stimulant effect of, comparison with salbutamol and soterol, 358P
- , effect on acetylcholine-induced bronchospasm, in guinea-pig, 144
- , —, and heart beat, and on isolated tracheal chain and atrium, in guinea-pig, 148
- Ouabain**, cardiac response to, effect of (\pm)-(isopropylamino)-3-(*o*-phenoxyphenoxy)-2-propanol, propranolol and (\pm)-2-isopropylamino-1-(*p*-nitrophenyl) ethanol on, in guinea-pig, 479
- , effect on uptake of guanethidine by human blood platelets, 95
- Ovariectomy**, effect on response of rat isolated uterus to oxytocic agents, and on action of progesterone on response to stilboestrol, 334, 337
- Oxedrine**, response of various preparations to, 386
- 3-(3-Oxo-17 β -hydroxy-4-androsten-17 α yl) propionic acid γ -lactone, effect on isoprenaline-induced myocardial necrosis, in rat, 559
- Oxotremorine**, intracerebral, analgesic activity of, in mouse, 361P
- , response of brain acetylcholine to, in rat, 300
- , response of brain acetylcholine to, in atropinized rat, 524
- , tremor induced by, in rat, 298
- , —, effect of atropine and dyflos on, in rat, 524
- , plus dyflos, effect on whole brain acetylcholine, 526
- Oxygen uptake**, response to trimetaphan camsylate, alone and plus atropine, in sheep and dog, 275
- Oxytocic action**, of pituitary extract, 3
- Oxytocin**, possible source of pharmacological activity of ox hypothalamic extract, and effect of thioglycollate on, separation by gel filtration, 179
- , response of rat isolated uterus to, 180, 181
- , —, and effects of progesterone, stilboestrol and ovariectomy on, 334

P

- PAA**. See 2-Hydroxyiminomethyl-N-amylpyridinium
- PAM**. See 2-Hydroxyiminomethyl-N-methylpyridinium
- Ph QA 33**. See (\pm)-(isopropylamino)-3-(*o*-phenoxyphenoxy)-2-propanol
- Pain**, post-operative, in assessment of analgesics, in man, 363P
- Papaverine**, effect on response of rat isolated colon to angiotensin, acetylcholine, 5-hydroxytryptamine and barium ions, 137
- Pempidine**, influence on effect of nicotine on response of longitudinal muscle of chicken isolated anterior mesenteric artery to barium chloride, 116
- Penicillamine**, response of mercury metabolism to, effect of maleate on, in rat, 123
- Pentachloroethane**, clinical response to, in sheep, 535
- , in blood, tissues and excreta, after oral hexachloroethane and pentachloroethane, in sheep, 536

- Pentobarbitone**, respiratory response to, effect of taloximine on, in rabbit, 287
- Pentylentetrazol**, convulsant response to, effect of taloximine on, comparison with nikethamide, in mouse, 290
- Peptides**, effect on permeability of microcirculation vessels, 59
—, effect on response of smooth muscle preparations to various agonists, 52, 56
—, release from tissues of, 224, 229
- Perfusion pressure**, response to acetylcholine, dimethylphenylpiperazinium and methacholine, and effect of atropine and ganglion-blocking agents on, in autoperfused denervated hindlimb, in dog, 267
- pH**, effect on action potentials of rat phrenic nerve preparations, 199
—, effect on conduction time of rat phrenic nerve preparations, 200
—, effect on response of frog rectus muscle to cytosine and its derivatives, and to β -pyridylmethyltrimethylammonium, 169
- β -Phenethylamine, response of various preparations to, 386
- Phenoxybenzamine**, effect on acetylcholine output by guinea-pig ileum longitudinal muscle strips, and action of phentolamine, 20
—, effect on firmly bound isoprenaline accumulated by guinea-pig isolated trachea, 421
—, —, correlation with effect on response to (—)-isoprenaline, 423
—, effect on response of acetylcholine output by guinea-pig ileum to noradrenaline, 22
—, effect on response of rat uterus to 5-hydroxytryptamine, bradykinin and fraction of ox hypothalamic extract, 181
—, response of guinea-pig isolated ileum to, effect of acetylcholine, histamine, 5-hydroxytryptamine and sympathomimetic amines on, 389
- Phentolamine**, conditioned response to, in dog, 366P
—, effect on acetylcholine output by guinea-pig ileum longitudinal muscle strips, and on response to noradrenaline, 22
—, effect on firmly bound isoprenaline accumulated by guinea-pig isolated trachea, 421
—, —, correlation with effect on response to (—)-isoprenaline, 423
—, effect on response of longitudinal muscle of chicken isolated anterior mesenteric artery to electrical stimulation, 115
—, influence on effect of nicotine on response of longitudinal muscle of chicken isolated anterior mesenteric artery to barium chloride, 117
- Phenylephrine**, effect on acetylcholine output by guinea-pig ileum longitudinal muscle strips, 14, 18
—, mydriatic response of human eye to, effect of bethanidine on, 376P
—, response of rabbit isolated aortic strip to, effect of cocaine on, 430
—, —, —, and influence of reserpine, 432
—, —, —, influence of cold storage, 431
—, —, —, effect of iproniazid and cocaine on, and influence of reserpine, 397, 398
—, —, —, effect of procaine on, 433
—, —, —, effect of reserpine on, 396
—, response of various preparations to, 386
- Phenylpropanolamine**, response of various preparations to, 386
- Phosphorus**, incorporation by rat brain phospholipids, effect of noradrenaline on, 360P
- Phrenic nerve**, response to box jellyfish toxin, in rabbit, 516
- Phrenic nerve preparations**, rat, action potentials of, effect of blood carbon dioxide concentration and acidity on, 199
—, —, conduction time of, effect of blood carbon dioxide concentration and acidity on, 199
- Phrenic nerve-diaphragm preparations**, rat, effect of box jellyfish toxin on, 518
- Physostigmine**, intracerebral, analgesic activity of, in mouse, 361P
—, response of longitudinal muscle of chicken isolated anterior mesenteric artery to, and effect of hyoscine on, 113
- Pituitary extract**, oxytocic action of, 3
- Polarization angle**, of frog skin, effect of antidiuretic hormone on, 37
- Potassium ions**, depolarization induced by, effect on response of rat uterus to oxytocin, bradykinin and fraction of ox hypothalamic extract, 181
—, organ bath concentration of, effect on tonus and sensitivity to bradykinin and histamine of guinea-pig isolated intestine, 87
- Potassium 3-oxo-9 α -fluoro-11 β , 17 β -dihydroxy-17 α -pregn-4-ene-21-carboxylate, effect on isoprenaline-induced myocardial necrosis, in rat, 559
- Potentials**, action, of rat phrenic nerve preparations, effect of blood carbon dioxide concentration and acidity on, 199
—, —, of soleus muscle, response to high-frequency electrical stimulation, in cat, 66
—, —, of tibialis anterior muscle, response to high-frequency electrical stimulation, in cat, 69
—, —, of tibialis anterior and soleus muscles, response to neostigmine, in cat and rabbit, 72
—, atrial, effect of bretylium on, and comparison with anti-arrhythmic agents, 352P
- Pregnancy**, effect of agroclavine on, action of progesterone and other agents on, in mouse, 367P
- Prenylamine**, effect on blood pressure, in rat, 463
—, effect on brain monoamines and plasma corticosterone, in rat, 463
- Procaine**, effect on neuromuscular transmission, in mammals, 353P
—, effect on response of rabbit isolated aortic strip to noradrenaline and phenylephrine, 433
—, efflux from guinea-pig isolated heart, and comparison with inulin, 326
—, response of guinea-pig isolated heart to, 324, 327
—, uptake by guinea-pig isolated heart, and effect of temperature on, 325
—, —, relationship with activity, 328
- Progesterone**, action on effect of agroclavine in pregnancy, in mouse, 367P
—, effect on response of rat isolated uterus to stilboestrol, and on sensitivity to oxytocic agents, 334
- Prolactin**, action on effect of agroclavine on pregnancy, in mouse, 367P
- Pronase**, effect on anti-inflammatory activity of inflammatory exudate, in rat, 549
—, effect on response of smooth muscle preparations to various agonists, 52, 53, 54, 56
- Propranolol**, anti-arrhythmic effect on cardiac response to ouabain, in guinea-pig, 479
—, effect on contractile response of guinea-pig isolated left auricles to electrical stimulation, and on release of rubidium, 108

Propranolol (*contd.*)

- , effect on response of blood pressure, to isoprenaline, in rat, and toxicity of, in guinea-pig, 484
- , —, heart beat and respiration, to isoprenaline and salbutamol, in dog, 144
- , effect on response of guinea-pig atria to adrenaline, 483
- , effect on response of longitudinal muscle of chicken isolated anterior mesenteric artery to electrical stimulation, 115
- , —, influence of isoprenaline and noradrenaline, 116
- , effect on response of peripheral blood flow to isoprenaline and salbutamol, in dog, 147
- , influence on effect of nicotine on response of longitudinal muscle of chicken isolated anterior mesenteric artery to barium chloride, 117
- , local anaesthetic effect of, on corneal reflex, comparison with procaine and tetracaine, in guinea-pig, 481
- , —, on tail, comparison with procaine, in mouse, 482

Prostaglandin E₁, effect on longitudinal muscle of guinea-pig isolated colon, 351P

Prostaglandins, bioassay of, 210, 211, 212

- , fate in tissues of, 231
 - , release in blood of, 231
 - , response of hind-limb lymph to, in cat, 377P
- Protein**, inhibition of synthesis of, effect on morphine tolerance, 373P

Psilocybin, effect on conditioned avoidance response and behaviour, in rat, 248

- , effect on hypothalamic noradrenaline, in rat, 246

Psychotomimetic agents, effect on conditioned avoidance response and behaviour, in rat, 248

- , effect on hypothalamic noradrenaline, in rat, 246

Pupil diameter, response to hyoscine, time course of, in man, 206

Puromycin, effect on morphine tolerance, 373P

Pyridinium oximes, chloroform-water partition ratios of, 310

- , intestinal absorption and serosal transfer of, in rat isolated jejunal sac, 306

β -Pyridylmethyltrimethylammonium, response of frog rectus muscle to, effect of acidity on, 169

Pyrogen, response to, effect of fenclozic acid on, in rat, 495

Q

Quaternary ammonium compounds, magnetic resonance studies of, in solutions, 375P

Quinidine, effect on contractile response of guinea-pig isolated left auricles to electrical stimulation, and on release of rubidium, 105

R

β -**Receptor blockade**, effect on response of longitudinal muscle of chicken isolated anterior mesenteric artery to electrical stimulation, influence of isoprenaline and noradrenaline, 116

- , influence on effect of nicotine on response of longitudinal muscle of chicken isolated anterior mesenteric artery to barium chloride, 117

Receptor blocking agents, α - and β -, effect on response of snail brain neurones to dopamine, 359P

- , β -, anti-arrhythmic effect on response to ouabain, in guinea-pig, 479

Rectal caecum, hen, response to bradykinin, acetylcholine, histamine, 5-hydroxytryptamine, angiotensin amide and fraction of ox hypothalamic extract, and effect of atropine on, 183

Rectification, absence of, in effect on electrical response of frog skin to antidiuretic hormone, 43

Rectum, chick, specificity of sensitivity of, 210

Rectus muscle, frog, response to cytosine and its derivatives, and to β -pyridylmethyltrimethylammonium, effect of acidity on, 169

- , —, —, comparison with response to nicotine, 166

Relaxant activity, of taloximine, on various isolated organs, comparison with aminophylline, 290

Repetitive firing, of soleus muscle fibres, induction by high-frequency tetanus, 66

Reserpine, action on effect of agroclavine on pregnancy, in mouse, 367P

- , effect on acetylcholine output by guinea-pig ileum longitudinal muscle strips, 22

- , effect on behavioural response to psychotomimetic agents, in rat, 248

- , effect on release of guanethidine from human blood platelets, 99

- , effect on response of acetylcholine output from guinea-pig ileum to noradrenaline and adrenaline, 23

- , effect on response of rabbit isolated aortic strip to sympathomimetic amines, 396

- , influence on effect of cocaine on response of rabbit isolated aortic strip to phenylephrine, 5-hydroxytryptamine and histamine, 432

- , influence on effect of cocaine and iproniazid on response of rabbit isolated aortic strip to phenylephrine, 397, 398

- , influence on effect of iproniazid, tropolone and cocaine on response of rabbit isolated aortic strip to noradrenaline, 399, 401

- , influence on response of rabbit isolated aortic strip to N-cyclohexylmethyl-N-ethyl- β -chloroethylamine, and on its effect on response to noradrenaline and angiotensin, 443

Resistance components, parallel and series, of frog skin, effect of antidiuretic hormone on, 34

Respiration, response to box jellyfish toxin, in rabbit, 514, 516

- , —, in rat, 517

- , —, effect of ganglionic blockade on, 515

- , —, effect of vagotomy on, 516

- , response to cytosine and its derivatives, comparison with response to nicotine, in rabbit, 166

- , response to isoprenaline and salbutamol, and effect of propranolol on, in dog, 144

- , response to morphine and pentobarbitone, effect of taloximine on, in rabbit, 287

- , response to taloximine, comparison with bemegride, nikethamide and vanillic acid diethylamide, 287

- , response to trimetaphan camsylate, alone and plus atropine, in sheep and dog, 275

Restraint stress, effect on brain monoamines and plasma corticosterone, in rat, 463

Ribonuclease, effect on response of smooth muscle preparations to various agonists, 52

Righting reflex, response to hexobarbitone, effect of taloximine on, comparison with bemegride, nikethamide and vanillic acid diethylamide, in mouse, 290

Rubidium, uptake by guinea-pig left auricles, effect of hexobarbitone and propranolol on, 108
—, —, effect of quinidine on, 105
—, —, effect of tetracaine on, 107

S

Sc. 5233. *See* 3(3-oxo-17 β -hydroxy-4-androsten-17 α yl) propionic acid γ -lactone

Sc. 8109. *See* 19-Nor-3 (3-oxo-17 β -hydroxy-4-androsten-17 α yl) propionic acid γ -lactone

Sc. 9420. *See* Spironolactone

Sc. 11927. *See* Potassium 3-oxo-9 α -fluoro-11 β , 17 β -dihydroxy-17 α -pregn-4-ene-21 carboxylate

St. 155. *See* 2-(2, 6-Dichlorophenylamino)-2-imidazoline

Salbutamol, β -adrenoceptive stimulant effect of, comparison with orciprenaline and soteranol, 358P

—, effect on acetylcholine-induced bronchospasm, in guinea-pig, 144

—, —, heart beat, and isolated tracheal chain and atrium, in guinea-pig, 148

—, effect on bronchoconstriction induced by vagal stimulation, in cat and dog, 147

—, response of blood pressure, heart beat and respiration to, and effect of propranolol on, in dog, 144

—, response of peripheral blood flow to, and effect of propranolol on, in dog, 147

Salivation, response to hyoscine, time course of, in man, 203

Seminal vesicles, rat isolated, response to adrenaline, noradrenaline, acetylcholine, and methacholine, and effect of castration and oestradiol plus castration on, 470

Shock, histamine-induced, vascular effects of, 5

Skin, frog, resistance, capacitance and conductance of, effect of antidiuretic hormone on, 34

—, —, resistance of, response to antidiuretic hormone, effect of replacement of chloride by isethionate on, 40

—, —, —, effect of replacement of sodium by choline on, 43

—, histamine release from, effect of box jellyfish toxin on, in rat, 518

Slow-reacting substance A, response of smooth muscle preparations to, effect of enzymes and peptides on, 52

Sodium chloroplatinate. *See* Chloroplatinate

Sodium fumarate. *See* Fumarate

Sodium ions, organ bath concentration of, effect on uptake of guanethidine by human blood platelets, 95

Sodium maleate. *See* Maleate

Sodium *p*-melaminylphenyl stibonate, effect on filarial parasite of Indian crow, 341

Sodium nitrite. *See* Nitrite

Soteranol, β -adrenoceptive stimulant effect of, comparison with salbutamol and orciprenaline, 358P

Spironolactone, effect on isoprenaline-induced myocardial necrosis, in rat, 559

Splanchnic nerve, stimulation of, response of catecholamine release to, 220

Spleen, sheep isolated, response to sympathetic stimulation, effect of guanethidine on, and action of dexamphetamine, 567

—, uptake of 3-hydroxyphenyltrimethylammonium by, in rat, 347

Squirring, response to acetic acid, effect of fenclozic acid on, in mouse, 495

Standardization, of pharmacologically-active compounds, importance of, 7

Steroids, in inflammatory exudate, effect on anti-inflammatory activity, in rat, 554

Stilboestrol, effect on response of rat isolated uterus to oxytocic agents, 334

—, methylation of, effect on response to oestradiol, in mouse, 369P

—, response of rat isolated uterus to, effect of progesterone and ovariectomy on, 334, 337

Stomach, acid hypersecretion from, response to cortisone, effect of aminoguanidine on, in pylorus ligated guinea-pig, 504

—, —, —, effect of iproniazid, chlorpromazine and 1,4-methylhistamine on, in pylorus ligated guinea-pig, 506

—, —, —, effect of α -methyldopa, diamine oxidase and heparin on, in pylorus ligated guinea-pig, 500

—, rat isolated, response to sympathomimetic amines, 386

—, uptake of histamine by, effect of cortisone on, in pylorus ligated guinea-pig, 507

Stomach strip preparations, rat, in assay of blood concentration of exogenous hormones, 212

—, —, specificity of sensitivity of, 210

Substance P, possible source of pharmacological activity of ox hypothalamic extract, separation by gel filtration, 179

Superfusion, bioassay by, 209

—, —, calibration of, 212

Suramin, effect on filarial parasite of Indian crow, 341

Sympathetic amines, effect on acetylcholine output by guinea-pig ileum longitudinal muscle strips, 14

Sympathomimetic amines, effect on 5-hydroxytryptamine desensitized guinea-pig isolated ileum, 389

—, initial identification of, 3

—, relationship between chemical structure and pharmacological activity of, 4

—, response of guinea-pig isolated ileum to, comparison with response to acetylcholine, histamine and 5-hydroxytryptamine, 388

—, —, effect of bromolysergic acid diethylamide on, 390

—, response of rabbit isolated aortic strip to, effect of N-cyclohexylmethyl-N-ethyl- β -chloroethylamine on, 440

—, —, effect of reserpine on, 396

—, response of various preparations to, 386

T

TMB-4. *See* 1,3-Di(4-hydroxyiminomethyl-pyridinium) propane dibromide

Tachyphylaxis, to chloroplatinate and egg albumen, and effect on histamine sensitivity, 318

Taloximine, acute toxicity of, 293

—, effect on egg albumen-induced anaphylaxis, comparison with aminophylline, in guinea-pig, 292

Taloximine (*contd.*)

- , effect on histamine-induced bronchoconstriction, in guinea-pig, 291
- , effect on pentylenetetrazol-induced convulsions, comparison with nikethamide, in mouse, 290
- , effect on respiratory response to morphine and pentobarbitone, in rabbit, 287
- , effect on response of righting reflex to hexobarbitone, comparison with bemegride, nikethamine and vanillic acid diethylamide, in mouse, 290
- , relaxant activity of, on various isolated organs, comparison with aminophylline, 290
- , respiratory response to, comparison with response to bemegride, nikethamide and vanillic acid diethylamide, 287

Temperature, blood, response to trimetaphan camsylate, alone and plus atropine, in sheep and dog, 275

- , body, response to 2-(2,6-dichlorophenylamino)-2-imidazoline, and comparison with chlorpromazine, in rat, 255
- , —, response to pyrogen, effect of fenclizic acid on, in rat, 495
- , effect on anti-inflammatory activity of inflammatory exudate, in rat, 549
- , effect on firmly bound isoprenaline accumulated by guinea-pig isolated trachea, 421
- , —, correlation with effect on response to (—)-isoprenaline, 423
- , effect on release of histamine from guinea-pig isolated ileum by chloroplatinate, 319
- , effect on uptake of procaine by guinea-pig isolated heart, 325
- , low, effect on uptake of guanethidine by human blood platelets, 95
- , —, influence on effect of cocaine on response of rabbit isolated aortic strip to noradrenaline and tyramine, 431

Tetanus, high-frequency, response of soleus muscle to, in cat, 65

- , —, response of tibialis anterior muscle to, and effect of tubocurarine on, in cat, 69

Tetracaine, effect on contractile response of guinea-pig isolated left auricles to electrical stimulation, and on release of rubidium, 107**Tetrachloroethylene**, clinical response to, in sheep, 535

- , in blood, tissues and excreta, after oral hexachloroethane and pentachloroethane, in sheep, 537

Thiocholine staining, effect on cholinesterase activity of motor end-plates, 370P**Thioglycollate**, effect on pharmacological activity of ox hypothalamic extract, 179**Thiols**, response of mercury metabolism to, effect of maleate on, in rat, 123**Thymoxamine**, effect on response of human isolated artery to noradrenaline, 128**Tibialis muscle**, cat anterior, response to cytosine and its derivatives, comparison with response to nicotine, 166**Trachea**, guinea-pig isolated, response to box jellyfish toxin, and effect of diphenhydramine on, 518

- , —, response to taloximine, comparison with aminophylline, 290
- , —, uptake of labelled isoprenaline by, effect of various drugs on, 420

Trachea, guinea-pig isolated, uptake of labelled isoprenaline by (*contd.*)

- , —, —, firmly bound, effect of various drugs on, correlation with effect on response to (—)-isoprenaline, 423
- , —, —, separation into components, and time course of, 420

Tracheal chain, guinea-pig isolated, effect of salbutamol, isoprenaline and orciprenaline on, 148**Transducer**, mechano-electrical, for bioassay, 380P**Transfer**, transmural, from rat isolated jejunal sac, of pyridinium oximes and choline, 307, 308**Tremor**, oxotremorine-induced, in rat, 298, 301

- , —, effect of atropine and dyflos on, in rat, 524

Tremorine, induction of tremor and change in brain acetylcholine by, in rat, 297**Triflupromazine**, effect on responses to anticholinergic agents, 364P**Trimetaphan camsylate**, alone and plus atropine, induction of autonomic blockade by, cardiorespiratory and metabolic effects of, in sheep and dog, 275

- , —, —, effect of angiotensin amide on, 278

- , —, —, effect of dopamine on, 281

Tropolone, effect on response of rabbit isolated aortic strip to noradrenaline, and influence of reserpine, 399, 401

- , influence on effect of N-cyclohexyl-methyl-N-ethyl- β -chloroethylamine on response of rabbit isolated aortic strip, to noradrenaline, 446

- , —, to tyramine, 448

Tryparsamide, effect on filarial parasite of Indian crow, 340**Trypsin**, effect on response of smooth muscle preparations to various agonists, 52**Tubocurarine**, effect on response of soleus and tibialis anterior muscles to high-frequency tetanus, in cat, 69**Tyramine**, discovery in ergot, 4

- , effect on uptake of guanethidine by human blood platelets, 95

- , response of rabbit isolated aortic strip to, effect of cocaine on, influence of cold storage, 431

- , —, effect of N-cyclohexylmethyl-N-ethyl- β -chloroethylamine on, and influence of iproniazid and tropolone, 448

Tyrosine, in fibrinogen degradation products, effect on response of guinea-pig isolated intestine to bradykinin, 82

U

Urethane, effect on release of histamine from guinea-pig isolated ileum by chloroplatinate, 319

- , effect on response to chloroplatinate, in guinea-pig, 315

Urinary excretion, of 3-hydroxyphenyltrimethylammonium, in rat, 345

- , of mercury, response to fumarate, and effect of penicillamine on, in rat, 123

- , —, response to maleate, 123

- , —, response to thiol compounds, effect of maleate on, 123

Urine, hexachloroethane and its metabolites in, after oral hexachloroethane, in sheep, 535

Uterus, rat isolated, response to acetylcholine, bradykinin, angiotensin amide, vasopressin, 5-hydroxytryptamine, and fraction of ox hypothalamic extract, and effect of atropine, phenoxybenzamine, mepyramine and potassium depolarization on, 181

—, —, response to oxytocin, bradykinin, and angiotensin amide, 180

—, —, response to various agonists, effect of enzymes and peptides on, 52

—, —, stimulant response to oxytocic agents, and effects of progesterone, stilboestrol and ovariectomy on, 334

—, —, weight of, response to stilboestrol, effect of progesterone on, and influence of ovariectomy, 337

V

Vagal stimulation, response of bronchial smooth muscle to, effect of isoprenaline and salbutamol on, in cat and dog, 147

Vagotomy, effect on responses to box jellyfish toxin, in rabbit, 516

Vanillic acid diethylamide, effect on response of righting reflex to hexobarbitone, comparison with taloximine, in mouse, 290

—, respiratory response to, comparison with taloximine, in rabbit, 287

Vas deferens preparations, guinea-pig and rat normal and denervated, uptake and metabolism of noradrenaline by, 356P

Vasopressin, bioassay of, 211

—, fate in tissues of, 231

—, release in blood of, 230

—, response of rat uterus to, 181

—, response of smooth muscle preparations to, effect of enzymes and peptides on, 52

Y

Yohimbine, conditioned response to, in dog, 366P

Suggestions to Authors

A recent issue of the journal is a good guide to style. Papers are accepted only if accompanied by a statement that they have not and will not be published in whole or in part in any other journal.

Manuscripts should be typed in double spacing on one side only of quarto or foolscap paper, with a separate title page giving the names and addresses of the authors and a suggested short title. Tables and legends to figures should be on separate sheets of paper. A short summary of results and conclusions, arranged in numbered paragraphs, must be included, together with an abstract of about 100 words suitable for inclusion in *International Abstracts of Biological Sciences*.

References are arranged according to the Harvard system, at the end of the paper in alphabetical order of the first author of each paper. They should include the authors' names, year of publication, title of article, title of publication (abbreviated in accordance with the fourth edition of the *World List of Scientific Periodicals*), volume number and first and last page number. References to books should, in addition, include the names of editors and edition number, where appropriate, town of origin and name of publisher.

Figures should not be larger than foolscap (12½ in. × 8 in.), and may be in the form of original drawings, recorded tracings or high quality photographs made from them. Good quality prints (black on white) are preferred to positive prints of kymograph tracings. Lettering should be inserted in pencil. Photographs and photomicrographs should be printed on glossy paper and should be larger than the size required for reproduction. Symbols which are to appear in the legend should be chosen from the following:

× + ● ■ ○ □ △ ▲ ▽ ▼ ○ ● ◇

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Fifty reprints will be supplied to authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs.