

# Edited for the British Pharmacological Society by

W. D. M. Paton (*Chairman*)      R. S. Stacey (*Secretary*)  
P. A. Nasmyth (*Press Editor*)

N. Ambache	H. W. Kosterlitz
R. B. Barlow	J. Maddox
J. M. Barnes	J. F. Mitchell
J. W. Black	J. L. Mongar
W. C. Bowman	Mary Pickford
P. B. Bradley	H. P. Rang
A. S. V. Burgen	H. O. Schild
A. W. Cuthbert	D. F. Sharman
W. S. Feldberg	Hannah Steinberg
L. G. Goodwin	J. R. Vane
F. Hobbiger	Marthe Vogt
J. R. Hodges	

*Editorial assistance is provided by the staff of Nature*

---

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

**Manuscripts** (two copies) should be sent to Professor R. S. Stacey, St. Thomas's Hospital Medical School, London S.E.1. Authors should consult the suggestions inside the back cover.

**Subscriptions.** Three volumes of the journal are published annually, each volume containing three numbers. The annual subscription rate is £15 15s. in the United Kingdom and Republic of Ireland; \$46.60 U.S.A.; \$50.60 Canada; £16 10s. all other overseas countries. Subscriptions should be sent to: Subscriptions Department, Macmillan (Journals) Ltd., Brunel Road, Basingstoke, Hampshire, England. Alternatively, the journal can be ordered through a subscription agent or bookseller.

**Advertisements.** Applications for advertising space and rates should be sent to: Advertisement Manager, *British Journal of Pharmacology*, T. G. Scott and Son Ltd., 1 Clement's Inn, London, W.C.2, England. Tel: 01-242 6264; 01-405 4743. Grams: Textualist London W.C.2.

---

Copyright © 1969 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

# INDEX TO VOLUME 36

## AUTHOR INDEX

### A

- ACETO, M. D., MCKEAN, DONNA B. and PEARL, J. Effects of opiates and opiate antagonists on the Straub tail reaction in mice, 225
- AELLIG, W. H. and BERDE, B. Studies of the effect of natural and synthetic polypeptide type ergot compounds on a peripheral vascular bed, 561

### B

- BARNETT, A., STAUB, M. and SYMCHOWICZ, S. The effect of cocaine and imipramine on tyramine-induced release of noradrenaline-<sup>3</sup>H from the rat vas deferens *in vitro*, 79
- BARTON, A. A. and BARTON, MARY. ACTH and decubitus ulceration: an experimental study, 219
- BARTON, MARY. See BARTON, A. A., *et al.*, 219
- BEANI, L., BIANCHI, CLEMENTINA and CREMA, A. The effect of catecholamines and sympathetic stimulation on the release of acetylcholine from the guinea-pig colon, 1
- BERDE, B. See AELLIG, W. H., *et al.*, 561
- BHARGAVA, K. P., KOHLI, R. P., SINHA, J. N. and TAYAL, G. Role of catecholamines in centrogenic cardiac arrhythmia induced by aconitine, 240
- BIANCHI, CLEMENTINA. See BEANI, L., *et al.*, 1
- BRITISH PHARMACOLOGICAL SOCIETY, PROCEEDINGS, London, 27-28 March, 1969, 171P

### C

- CARLSSON, A., FUXE, K., HAMBERGER, B. and MALMFORS, T. Effect of a new series of bicyclic compounds with potential thymoleptic properties on the reserpine-resistant uptake mechanism of central and peripheral monoamine neurones *in vivo* and *in vitro*, 18
- CEASAR, P. M., RUTHVEN, C. R. J. and SANDLER, M. Catecholamine and 5-hydroxyindole metabolism in immunosympathectomized rats, 70
- CHANG, J. See GREENBAUM, L. M., *et al.*, 623
- COLLINS, J. M., McDEVITT, D. G., SHANKS, R. G. and SWANTON, J. G. The cardio-toxicity of isoprenaline during hypoxia, 35
- COSTA, E., NEFF, N. H. and NGAI, S. H. Regulation of metaraminol efflux from rat heart and salivary gland, 153
- COWELL, PAULINE. The interactions of noradrenaline and imipramine-like antidepressant drugs, 85
- CREMA, A. See BEANI, L., *et al.*, 1
- CUTHBERT, A. W., PAINTER, ELISABETH and PRINCE, W. T. The effects of anions on sodium transport, 97

### D

- DAVIES, D. T. P., HUGHES, A. and TONKS, R. S. The influence of salicylate on platelets and whole blood adenine nucleotides, 437

- DOHADWALLA, A. N., FREEDBERG, A. S. and VAUGHAN WILLIAMS, E. M. The relevance of  $\beta$ -receptor blockade to ouabain-induced cardiac arrhythmias, 257
- DUNLOP, D. and SHANKS, R. G. Inhibition of the carotid sinus reflex by the chronic administration of propranolol, 132
- DUTTA, S. N., SANYAL, R. K. and TRIPATHI, O. N. Studies on the action of acetylcholine on the sino-auricular node of the dog, 380

### E

- EVANS, M. H. Differences between the effects of saxitoxin (paralytic shellfish poison) and tetrodotoxin on the frog neuromuscular junction, 426
- EVANS, M. H. The effects of saxitoxin and tetrodotoxin on nerve conduction in the presence of lithium ions and of magnesium ions, 418
- EYRE, P. The pharmacology of sheep tracheo-bronchial muscle: a relaxant effect of histamine on the isolated bronchi, 409

### F

- FERREIRA, S. H. and ROCHA E SILVA, M. Liberation of a bradykinin-like substance in the circulating blood of dogs by trypsin, chymotrypsin and nagarse, 611
- FINCH, L. and LEACH, G. D. H. The role of the sympathetic nervous system in the cardiovascular responses to angiotensin in the pithed rat, 481
- FREEDBERG, A. S. See DOHADWALLA, A. N., *et al.*, 257
- FREEMAN, SHIRLEY E. and TURNER, R. J. Ionic interactions in acetylcholine contraction of the denervated rat diaphragm, 510
- FREER, R. See GREENBAUM, L. M., *et al.*, 623
- FREWIN, D. B., JELLET, L. B. and WHELAN, F. Modification of the vasoconstrictor action of sympathomimetic agents by bretylium tosylate and tranlylcypromine in man, 602
- FUXE, K. See CARLSSON, A., *et al.*, 18

### G

- GODFRAIND, T. and KABA, A. Blockade or reversal of the contraction induced by calcium and adrenaline in depolarized arterial smooth muscle, 549
- GREENBAUM, L. M., FREER, R., CHANG, J., SEMENTE, G. and YAMAFUJI, K. PMN-kinin and kinin metabolizing enzymes in normal and malignant leucocytes, 623
- GUIMARÃES, S. Reversal by pronethalol of dibenamine blockade: a study on the seminal vesicle of the guinea-pig, 594
- GULDBERG, H. C. and YATES, CELIA M. Effects of chlorpromazine on the metabolism of catecholamines in dog brain, 535

## H

- HAMBERGER, B. See CARLSSON, A., *et al.*, 18  
 HASSAN, T. A hyoscine-resistant contraction of isolated chicken oesophagus in response to stimulation of parasympathetic nerves, 268  
 HEMSWORTH, B. A. and MITCHELL, J. F. The characteristics of acetylcholine release mechanism in the auditory cortex, 161  
 HILL, R. C. and TURNER, P. Preliminary investigations of a new beta-adrenoceptive receptor blocking drug, LB46, in man, 368  
 HOBIGER, F., MITCHELSON, F. and RAND, M. J. The actions of some cholinomimetic drugs on the isolated taenia of the guinea-pig caecum, 53  
 HODGES, J. R. and SADOW, JANET. Hypothalamo-pituitary-adrenal function in the rat after prolonged treatment with cortisol, 489  
 HUGHES, A. See DAVIES, D. T. P., *et al.*, 437

## J

- JELLETT, L. B. See FREWIN, D. B., *et al.*, 602

## K

- KABA, A. See GODFRAIND, T., *et al.*, 549  
 KALSNER, STANLEY. Steroid potentiation of responses to sympathomimetic amines in aortic strips, 582  
 KAYAALP, S. O. and MCISAAC, R. J. Muscarinic component of splanchnic-adrenal transmission in the dog, 286  
 KHALIDI, A. and ZAKI, SANIHA AMIN. The mode of action of carbon tetrachloride on *Fasciola hepatica*, 253  
 KOHLI, R. P. See BHARGAVA, K. P., *et al.*, 240

## L

- LEACH, G. D. H. See FINCH, L., *et al.*, 481  
 LEES, P. and TAVERNOR, W. D. The influence of suxamethonium on cardiovascular and respiratory function in the anaesthetized horse, 116  
 LÜLLMANN, H., PETERS, T. and VAN ZWIETEN, P. A. The distribution of <sup>3</sup>H-labelled cardenolides between isolated guinea-pig atrial tissue and circulating oxygenated whole blood, 276  
 LUNDBORG, P. Effect of reserpine on the subcellular distribution of <sup>3</sup>H- $\alpha$ -methylnoradrenaline in the mouse heart, 386

## M

- MCDEVITT, D. G. See COLLINS, J. M., *et al.*, 35  
 MCISAAC, R. J. See KAYAALP, S. O., *et al.*, 286  
 MCKEAN, DONNA B. See ACETO, M. D., *et al.*, 225  
 MCQUEEN, E. G. Displacement from protein binding of sulphormethoxine by phenylbutazone using *in vivo* dialysis in rats, 29  
 MALMFORS, T. See CARLSSON, A., *et al.*, 18  
 MARTIN, K. Effects of quaternary ammonium compounds on choline transport in red cells, 458  
 MITCHELL, J. F. See HEMSWORTH, B. A., *et al.*, 161  
 MITCHELSON, F. See HOBIGER, F., *et al.*, 53  
 MURPHY, G. F., ROBINSON, D. and SHARMAN, D. F. The effect of tropolone on the formation of 3,4-dihydroxyphenylacetic acid and 4-hydroxy-3-methoxyphenylacetic acid in the brain of the mouse, 107

## N

- NEFF, N. H. See COSTA, E., *et al.*, 153  
 NGAI, S. H. See COSTA, E., *et al.*, 153

## P

- PAINTER, ELISABETH. See CUTHBERT, A. W., *et al.*, 97  
 PEARL, J. See ACETO, M. D., *et al.*, 225  
 PETERS, T. See LÜLLMANN, H., *et al.*, 276  
 POLAK, R. L. The influence of drugs on the uptake of acetylcholine by slices of rat cerebral cortex, 144  
 PRINCE, W. T. See CUTHBERT, A. W., *et al.*, 97

## R

- RAND, M. J. See HOBIGER, F., *et al.*, 53  
 RICHENS, A. The action of general anaesthetic agents on root responses of the frog isolated spinal cord, 294  
 RICHENS, A. Microelectrode studies in the frog isolated spinal cord during depression by general anaesthetic agents, 312  
 ROBINSON, D. See MURPHY, G. F., *et al.*, 107  
 ROCHA E SILVA, M. See FERREIRA, S. H., *et al.*, 611  
 ROGERS, K. J. and THORNTON, J. A. The interaction between monoamine oxidase inhibitors and narcotic analgesics in mice, 470  
 RUTHVEN, C. R. J. See CEASAR, P. M., *et al.*, 70

## S

- SADOW, JANET. See HODGES, J. R., *et al.*, 489  
 SANDLER, M. See CAESAR, P. M., *et al.*, 70  
 SANYAL, R. K. See DUTTA, S. N., *et al.*, 380  
 SCHILD, H. O. The effect of metals on the S-S polypeptide receptor in depolarized rat uterus, 329  
 SCHNIEDEN, H. and WESTON, A. H. Investigation of the spasmogenic effect of manganese on the guinea-pig isolated ileum preparation, 496  
 SCHULMAN, M. P. See SHARKAWI, MAHMOUD, *et al.*, 373  
 SEMENTE, G. See GREENBAUM, L. M., *et al.*, 623  
 SHANKS, R. G. See COLLINS, J. M., *et al.*, 35  
 SHANKS, R. G. See DUNLOP, D., *et al.*, 132  
 SHARKAWI, MAHMOUD and SCHULMAN, M. P. Relationship between acetylcholine synthesis and its concentration in rat cerebral cortex, 373  
 SHARMAN, D. F. Glycol metabolites of noradrenaline in brain tissue, 523  
 SHARMAN, D. F. See also MURPHY, G. F., *et al.*, 107  
 SINHA, J. N. See BHARGAVA, K. P., *et al.*, 240  
 SLATER, P. Hypothermia following intraventricular injection of hemicholinium-3 in rats, 46  
 STAFFORD, ANNE. Actions of adrenaline on the potassium balance of the isolated heart, 571  
 STAUB, M. See BARNETT, A., *et al.*, 79  
 SWANTON, J. G. See COLLINS, J. M., *et al.*, 35  
 SYMCHOWICZ, S. See BARNETT, A., *et al.*, 79

## T

- TAVERNOR, W. D. See LEES, P., *et al.*, 116  
 TAYAL, G. See BHARGAVA, K. P., *et al.*, 240  
 THORNTON, J. A. See ROGERS, K. J., *et al.*, 470  
 TODA, N. Effects of calcium, sodium and potassium ions on contractility of isolated atria and their responses to noradrenaline, 350

- TODA, N. Interactions of ouabain and noradrenaline in isolated rabbit's atria, 393  
TONKS, R. S. See DAVIES, D. T. P., *et al.*, 437  
TRIPATHI, O. N. See DUTTA, S. N., *et al.*, 380  
TURNER, P. See HILL, R. C., *et al.*, 368  
TURNER, R. J. See FREEMAN, SHIRLEY E., *et al.*, 510

## V

- VAN ZWIETEN, P. A. See LÜLLMANN, H., *et al.*, 276  
VAUGHAN WILLIAMS, E. M. See DOHADWALLA, A. N., *et al.*, 257

## W

- WESTON, A. H. See SCHNIEDEN, H., *et al.*, 496

- WHELAN, R. F. See FREWIN, D. B., *et al.*, 602  
WILSON, W. S. The effects of phenobarbitone, leptazol, dexamphetamine, iproniazid, imipramine, LSD, chlorpromazine, reserpine and hydroxyzine on the *in vivo* levels of adenine nucleotides and phosphocreatine in the rat brain, 448

## Y

- YAMAFUJI, K. See GREENBAUM, L. M., *et al.*, 623  
YATES, CELIA M. See GULDBERG, H. C., *et al.*, 535

## Z

- ZAKI, SANIHA AMIN. See KHALIDI, A., *et al.*, 253

## SUBJECT INDEX

## A

AH 5183. *See* 2-(4-Phenylpiperidino)-cyclohexanol  
 AHR-602. *See* N-Benzyl-3-pyrrolidyl acetate metho-  
 bromide

AM 1. *See* O-Ethyl S-diethylaminoethyl ethylphos-  
 phonothiolate

**Acetylcholine**, content and formation in rat brain  
 preparations, effect of morphine on, 377  
 —, contraction of denervated rat diaphragm by,  
 ionic interactions in, 510

—, —, time course of, 512

—, effect on isolated tracheobronchial muscles  
 of sheep, 411

—, effect on response of rat isolated mesenteric  
 artery to noradrenaline and sympathetic stimu-  
 lation, and action of hyoscine, physostigmine  
 and hexamethonium, 209P

—, formation by rat brain preparations, effect  
 of glucose on, and influence of potassium  
 chloride, 376

—, —, effect of potassium ions on, 374

—, in guinea-pig isolated colon, and effect of  
 physostigmine and adrenaline on, 12

—, manganese-induced release from guinea-pig  
 ileum, 502

—, receptors for, effect of various agonists on,  
 182P

—, release from auditory cortex, effect of cal-  
 cium and magnesium ion concentrations on,  
 164

—, —, effect of triethylcholine on, 166

—, release from auditory and visual cortex, in  
 rabbit, 163

—, —, effect of stimulation of medial genicu-  
 late nucleus on, 164

—, release from guinea-pig isolated colon, by  
 pelvic and transmural stimulation, 4

—, —, —, effect of adrenaline and nor-  
 adrenaline on, 6

—, —, —, effect of sympathetic stimulation  
 on, 7

—, —, by transmural stimulation, effect of  
 hexamethonium on, 9

—, —, —, —, and influence of adrena-  
 line, 10

—, —, by transmural and sympathetic stimu-  
 lation, effect of tetrodotoxin on, 11

—, release from reserpinized guinea-pig isolated  
 colon by sympathetic stimulation, 8

—, response of guinea-pig isolated colon to, and  
 effect of sympathetic stimulation on, 4, 7

—, response of guinea-pig isolated ileum to,  
 effect of phospholipids on, 186P

—, response of heart beat to, in dog, 382

—, —, effect of dichloro-isopropylnoradrena-  
 line, pronethalol, cocaine, reserpine and atro-  
 pine on, 384

—, response of isolated taenia of guinea-pig  
 caecum to, 55, 57

—, —, effect of tetrodotoxin on, 62

—, —, effect of hexamethonium, ganglion  
 blocking agents and tubocurarine on, 60

—, —, effect of hyoscine on, 59

—, —, effect of local anaesthetics on, 64

—, response of rat isolated uterus to, effect of  
 magnesium ions on, comparison with response  
 to lypressin, 337

**Acetylcholine (contd.)**

—, uptake by rat brain tissue, and effect of bath  
 potassium concentration and various agonists  
 on, 147

—, —, effect of anaerobic incubation on, 150

—, —, effect of metabolic poisons on, 148

—, —, effect of temperature on, 151

**Acetylsalicylic acid**, oral, effect on platelet aggre-  
 gation in human whole blood in vitro, 440

**Aconitine**, cardiac and behavioural effects of, in  
 conscious dog, 248

—, response of blood pressure and heart beat to,  
 effect of bilateral adrenalectomy on, in dog,  
 244

—, —, and effect of bilateral vagotomy on, 242

—, —, effect of quinidine on, 248

—, —, effect of reserpinization and  $\alpha$ - and  $\beta$ -  
 adrenoceptor blockade on, 246

—, —, effect of spinal transection and bilateral  
 stellate ganglionectomy on, 243

—, —, effect of thoracic splanchnic neur-  
 ectomy and ganglionic blockade on, 245

**Adenine nucleotide**, whole blood levels of, effect of  
 aspirin administration on, 443

**Adenine nucleotides**, in rat brain, effect of several  
 centrally-acting drugs on, 448

**Adenosine diphosphate**, platelet aggregation in nor-  
 mal human blood induced by, effect of sodium  
 salicylate on, 441

**Adrenal**, rat, weight after prolonged treatment  
 with cortisol, 490

**Adrenal gland**, exclusion from circulation of, effect  
 on pressor response to splanchnic nerve stimu-  
 lation, in dog, 288

—, response to splanchnic nerve stimulation of,  
 effect of atropine on, and influence of hexa-  
 methonium, 291

—, —, —, influence of nicotine, 291

**Adrenalectomy**, bilateral, effect on response of  
 blood pressure, heart beat and electrical  
 activity, to aconitine, in dog, 244

**Adrenaline**, actions of, on potassium balance of  
 isolated heart, 571

—, effect on acetylcholine content of guinea-pig  
 isolated colon, 12

—, effect of chlorpromazine on concentration in  
 dog hypothalamus and other areas of the brain,  
 541

—, effect on action of, of changes in potassium  
 concentration of perfusion fluid, in isolated  
 heart, 573

—, effect on coronary flow, 575

—, effect on guinea-pig vesicles, 596

—, effect on human smooth muscle, comparison  
 with noradrenaline, 213P

—, effect on responses of guinea-pig isolated  
 colon to physostigmine and stimulation, 6

—, effect on response of heart beat to acetyl-  
 choline, 384

—, effects of steroids on responses to, in aortic  
 strips, 584

—, influence on effect of hexamethonium on  
 acetylcholine release from guinea-pig isolated  
 colon, 10

—, response of heart beat to, in dog, 383

—, —, effect of dichloro-isopropylnoradren-  
 aline, pronethalol and reserpine on, 384

**$\alpha$ -Adrenergic block activity**, on the innervated per-  
 fused limb of the dog, 561

**$\alpha$ -Adrenergic block activity** (*contd.*)

—, tested by inhibition of noradrenaline vasoconstriction, 567

**Adrenoceptor blocking agents**, effect on responses to angiotensin in pithed rat, 483

**Alanine**, electrically stimulated release from rat isolated brain of, 201P

**Alkyltrimethylammonium compounds**, affinity constants for choline transport site in human red blood cells, 463

**Amines**, sympathetic, effect on human smooth muscle, relative potencies of, 213P

**Amino acids**, electrically stimulated release from rat isolated brain of, 201P

**$\gamma$ -Aminobutyric acid**, electrically stimulated release from rat isolated brain of, 201P

—, subcellular distribution in rat isolated brain of endogenous and exogenous, 206P

**Amitriptyline**, effect on hypothermic response to noradrenaline, in mouse, 88

—, —, comparison with effect on behavioural response, 89

—, —, comparison with effect on response to reserpine, 91

—, effect on reserpine-resistant uptake of  $\alpha$ -methyl-noradrenaline by peripheral noradrenaline neurones, in rat, 24

**Ammonium compounds**, quaternary, effect of various on choline transport in red cells, 458

**Amphetamine**, effect on hypothermic response to noradrenaline, comparison with effect on response to reserpine, 91

—, effect on reserpine-resistant uptake of  $\alpha$ -methyl-noradrenaline by peripheral noradrenaline neurones, in rat, 24

—, effect on response of body temperature to hemicholinium, in rat, 51

—, response of blood pressure and heart beat to, effect of propranolol on, in dog, 140

**Amphetamine-barbiturate mixture**, effect on self-stimulation of brain, in rat, 192P

**Amylobarbitone**, effect on uptake of acetylcholine by rat brain tissue, 148

**Anaerobic incubation**, effect on uptake of acetylcholine by rat brain tissue, 150

**Anaesthesia**, ether, effect on cardiovascular and respiratory responses to suxamethonium, comparison with halothane anaesthesia, in horse, 127

**Anaesthetic effect**, local, of  $\beta$ -receptor blocking agents, 174P

**Anaesthetics**, general, effect on presynaptic conduction in frog isolated spinal cord, 318

—, —, effect on root responses of frog isolated spinal cord to dorsal root and lateral column stimulation, 294, 301, 308

—, local, effect on isolated taenia of guinea-pig caecum, and on response to various agonists, 64

**Anemone**, sea, catecholamines in, 182P

**Angiotensin**, intravenous, cardiovascular responses to, in pithed rat, 483

**Angiotensin amide**, response of rat isolated uterus to, effect of magnesium ions on, comparison with response to lypressin, 337

**Anticholinesterases**, effect on mammalian skeletal muscle, 172P

—, effect on uptake of acetylcholine by rat brain tissue, 147

**Antidepressants**, effect on hypothermic response to noradrenaline, in mouse, 87

—, —, comparison with effect on behavioural response, 89

**Antidepressants**, effect on hypothermic response to noradrenaline (*contd.*)

—, —, comparison with effect on response to reserpine, 91

**Antidiuretic hormone**, influence on effect of sodium isethionate and theophylline on electrical properties of frog skin, 99

—, nicotine- and saline-induced release of, effect of pempidine and hexamethonium on, in cat, 197P

**Aortic strips**, relaxation of adrenaline and phenylephrine contracted, in oil, 589

**Argipressin**, response of rat isolated uterus to, effect of magnesium ions on, 335

**Artery**, depolarized, rabbit, blockade or reversal of contraction induced by calcium and adrenaline in, 549

—, rat isolated mesenteric, vasoconstrictor responses to noradrenaline and sympathetic stimulation, effect of variation of perfusion solution on, 209P

**Ascorbic acid**, adrenal, in rat, after prolonged treatment with cortisol, 492

**Aspartate**, electrically stimulated release from rat isolated brain of, 201P

**Aspirin**, effect of, on normal human blood platelet aggregation induced *in vitro* by adenosine diphosphate, 442

**Atrium**, guinea-pig isolated, spontaneous activity and response to stimulation and various agonists of, 280

—, —, uptake of cardenolides by, in circulating whole blood, 281

—, rabbit isolated, interactions of ouabain and noradrenaline in, 393

—, rabbit isolated, intracellular potentials of, effect of propranolol isomers and practolol (I.C.I. 50172) on, 263

—, —, response to electrical stimulation, effect of calcium and sodium ions on, 352

—, —, —, —, influence of noradrenaline, 355

—, —, —, —, effect of potassium ions on, and influence of noradrenaline, 355

—, —, response to high-rate electrical stimulation, and effect of cations, noradrenaline and ouabain on, 361

**Atropine**, affinity constant for choline transport site in human red blood cells, 461

—, effect on hypothermic response to noradrenaline, comparison with effect on behavioural response, 89

—, effect on responses of adrenal gland to splanchnic nerve stimulation, and influence of hexamethonium, in dog, 290

—, —, influence of nicotine, 291

—, effect on response of chicken isolated oesophagus to nerve stimulation, 271

—, effect on response of heart beat to acetylcholine, 384

—, effect on response of reserpinized guinea-pig isolated colon to stimulation, 8

—, effect on Straub tail response to opiates, in mouse, 229

—, effect on uptake of acetylcholine by rat brain tissue, 147

## B

**Barbiturate-amphetamine mixture**, effect on self-stimulation of brain, in rat, 192P

**Barium ions**, bath concentration of, effect on response of rat isolated mesenteric artery to noradrenaline and sympathetic stimulation, 209P

**Barium ions (contd.)**

- , effect on response of rat isolated uterus to lypressin, 338
- , response of guinea-pig isolated ileum to, effect of phospholipids on, 186P

**Behaviour**, response to aconitine, in conscious dog, 248

- , response to cystathionine and cysteine, in cat, 199P
- , response to noradrenaline, and effect of route of administration and of antidepressants on, in mouse, 87
- , —, effect of antidepressants on, comparison with effect on hypothermic response, 89
- , —, effect of nortriptyline on, influence of route of administration, 89
- , response to noradrenaline, isoprenaline and dopamine, and effect of mebanazine, phenoxybenzamine and propranolol on, in chick, 194P
- , social response to *p*-chlorophenylalanine, effect of atropine on, in rat, 193P

**N-Benzyl-3-pyrrolidyl acetate methobromide**, response of isolated taenia of guinea-pig caecum to, 57

- , —, effect of hexamethonium, ganglion blocking agents and tubocurarine on, 60
- , —, effect of hyoscine on, 59
- , —, effect of local anaesthetics on, 64
- , —, effect of tetrodotoxin on, 62

**Beryllium**, effect on response of rat isolated uterus to lypressin, 338**Bethanidine**, effect on response of isolated taenia of guinea-pig caecum to electrical stimulation, 187P**Bile**, carbon tetrachloride in, after oral administration, in sheep, 255**Bisquaternary compounds**, affinity constants for choline transport site in human red blood cells, 463**Blood**, glucose in, effect of  $\alpha$ -methyl-noradrenaline on, in chick, 196P

- , oxygenated whole, organ bath circulation of, 279

**Blood cells**, human, effects of quaternary ammonium compounds on choline transport in, 458

- , human, uptake of tetracycline by, 180P

**Blood platelets**, normal human, effect of sodium salicylate on, *in vitro*, 439**Blood pressure**, response to aconitine, effect of bilateral adrenalectomy on, in dog, 244

- , —, and effect of bilateral vagotomy on, 242

- , —, effect of quinidine on, 248

- , —, effect of reserpine and  $\alpha$ - and  $\beta$ -adrenoceptor blockade on, 246

- , —, effect of thoracic splanchnic neurectomy on, 245

- , —, effect of spinal transection and bilateral stellate ganglionectomy on, 243

- , arterial, effect of hypoxia on, in dog, 36

- , —, response to isoprenaline, and effect of hypoxia on, 37, 40

- , —, —, —, influence of propranolol, 43

- , response to amphetamine, bilateral carotid occlusion and central vagal stimulation, effect of propranolol on, in dog, 140

- , response to isoprenaline, noradrenaline and phenylethylamine, effect of propranolol on, 137

- , response to propranolol, 135

**Blood pressure (contd.)**

- , response to splanchnic nerve stimulation, effect of adrenal gland exclusion on, in dog, 288

- , —, effect of atropine on, and influence of hexamethonium, 291

- , response to suxamethonium, in horse, 119

**Blood serum**, phenylbutazone in, and effect of sulphormethoxine on, 32

- , sulphormethoxine in, and effect of phenylbutazone on, in rat, 30

**Botulinus toxin**, effect on spasmogenic effect of manganese in guinea-pig ileum, 500**Bradykinin**, action of certain haloalkylamines on some biological activities of, 635

- , effect on isolated tracheobronchial muscles of sheep, 414

- , inhibition of bradykinin-like substance in the circulating blood of dogs by trypsin, chymotrypsin and nagarse, 611

- , response of rat isolated uterus to, effect of magnesium ions on, comparison with response to lypressin, 337

**Brain**, cat isolated, electrical activity of, response to cystathionine and cysteine, 199P

- , dog, effect of chlorpromazine on concentrations of catecholamines and their metabolites in, 541

- , electrical activity of, response to nicotine and tobacco smoke, and effect of chlorpromazine, atropine and mecamylamine on, in cat, 200P

- , glycol metabolites of noradrenaline in, 523

- , 5-hydroxytryptamine in, response to  $\alpha$ -ethyl-4-methyl-metatyramine (H75/12), effect of bicyclic thymoleptics on, in mouse, 22

- , hypothalamic area of, method for regulating temperature of, in conscious cat, 216P

- , mouse, monoamine levels in, following injection of tranlycypromine, 474

- , noradrenaline in, response to 4- $\alpha$ -dimethyl-metatyramine (H77/77), effect of bicyclic thymoleptics on, in mouse, 21

- , noradrenaline and 5-hydroxytryptamine in, response to noradrenaline, and effect of phenobarbitone on, in mouse, 92

- , rat, adenine nucleotides in, effect of several centrally-acting drugs on, 448

- , rat isolated, acetylcholine content and formation in, effect of morphine on, 377

- , —, electrically stimulated release of amino acids from, 201P

- , —, subcellular distribution of endogenous and exogenous  $\gamma$ -aminobutyric acid in, 206P

- , —, cortical tissue of, uptake of acetylcholine by, autoradiography of, 151

- , —, —, effect of anaerobic incubation on, 150

- , —, —, —, and effect of bath potassium concentration and various agonists on, 147

- , —, —, —, effect of metabolic poisons on, 148

- , —, —, —, effect of temperature on, 151

- , —, formation of acetylcholine by, effect of glucose on, and influence of potassium chloride, 376

- , —, —, effect of potassium ions on, 374

- , reserpinized rat isolated, uptake of  $\alpha$ -methyl-noradrenaline by, effect of bi- and tri-cyclic thymoleptics on, 25

- , self-stimulation of, effect of amphetamine-barbiturate mixture on, in rat, 192P

**Brain (contd.)**

- , uptake and distribution of haloperidol in, in rat, 208P
- , ventricular perfusion of, in conscious rabbit, 210P
- Bretylium**, depletion of cat isolated spleen nor-adrenaline by, effect on adrenergic neurone activity, 191P
- , effect on response of chicken isolated oesophagus to nerve stimulation, 270
- Bretylium tosylate**, modification of the vasoconstrictor action of sympathomimetic agents by, and tranlylcypromine in man, 602
- Bromolysergic acid**, effect on response of body temperature to hemicholinium, in rat, 51

## C

- Calcium**, concentration, effect of changing, on the action of adrenaline on isolated heart, 577
- , effect of, on contraction of depolarized arterial smooth muscle in rabbit, 554
- Calcium ions**, bathing fluid concentration of, effect on release of acetylcholine from auditory cortex, in rabbit, 164
- , —, effect on response of rat isolated mesenteric artery to noradrenaline and sympathetic stimulation, and action of phentolamine, dopamine, reserpine, denervation, cocaine and nialamide, 209P
- , effect on response of rabbit isolated atrium to electrical stimulation, 352
- , —, influence of noradrenaline, 355
- , effect on response of rabbit isolated atrium to high-rate electrical stimulation, and on pacemaker rate, 362
- , effect on response of rat isolated uterus to lypressin, 332, 338
- , —, influence of ethylene diamine tetra-acetic acid, 333
- Carbachol**, affinity constant for choline transport site in human red blood cells, 461
- Carbohydrate metabolism**, effect of diuretics on, in mouse, 190P
- Carbon tetrachloride**, new metabolite of, 181P
- , oral, presence in bile, and effect on *Fasciola hepatica*, in sheep, 255
- Cardenolides**, uptake by isolated atria and erythrocytes of, 281
- Cardiovascular response**, to isoprenaline, and effect of hypoxia on, in dog, 41
- , —, —, influence of propranolol, 43
- , to suxamethonium, in horse, 119
- , —, effect of autonomic blocking agents on, 125
- , —, effect of positive pressure ventilation on, 124
- Carotid occlusion**, bilateral, response of blood pressure and heart beat to, effect of propranolol on, in dog, 140
- Catecholamines**, effect of depletion in pithed rat treated with angiotensin, 485
- , effect on isolated tracheobronchial muscles of sheep, 414
- , in sea anemone, 182P
- , inhibitors of, effect on brain noradrenaline and dopamine, in rat, 203P
- , known inhibitors of catechol-O-methyl transferase potentiated responses to, enhancing effect of steroids abolished, 582
- , metabolism of, effect of immunosympathectomy on, in rat, 75

**Catecholamines (contd.)**

- , release from adrenal gland by splanchnic nerve stimulation, and effect on pressor response, in dog, 289
- , —, effect of atropine on, and influence of hexamethonium, in dog, 291
- , —, effect of nicotine on, and action of atropine, 292
- , responses to, enhanced by 17 $\beta$ -oestradiol, progesterone and desoxycorticosterone in untreated and reserpine pretreated aortic strips, 582
- , responses to hypothalamic infusion of, in chick, 194P
- , with one or two free alcoholic hydroxyl groups, and their metabolites, estimation in brain by gas chromatography, 525
- Catechol-O-methyl transferase**, inhibition by tropolone and tropolone-4-acetamide, effect on brain metabolism of dopa, in mouse, 113
- Cations**, divalent, effect of reduction of external, on acetylcholine contraction of rat denervated diaphragm, 514
- Caudate nucleus**, dog, effect of chlorpromazine on relation between concentration of phenolic acids in, and lateral ventricular cerebrospinal fluid, 544
- Cells**, white, importance in contributing to formation and destruction or "extra-plasma" sources of kinins by enzymes which differ from plasma enzymes, 623
- Cephalin**, effect on response of guinea-pig isolated ileum to agonists and transmural stimulation, 185P
- Cerebrospinal fluid**, lateral ventricular, in dog, effect of chlorpromazine on concentrations of phenolic acids in, 541
- , removal of L-tryptophan from, in dog, 204P
- Cerebroventricular perfusion**, in conscious rabbit, 210P
- Chlordiazepoxide**, effect on hypothermic response to noradrenaline, comparison with effect on behavioural response, 89
- , —, comparison with effect on response to reserpine, 91
- Chloride ions**, influence on effect of sodium isethionate and theophylline on electrical properties of frog skin, 99
- , plasma, response to suxamethonium, in horse, 120
- Chlorisondamine**, effect on response of blood pressure and heart beat to aconitine, in dog, 245
- Chloroform**, effect on dorsal root responses of frog isolated spinal cord, to dorsal root and lateral column stimulation, 308
- , effect on intracellular potentials of motoneurons, 323
- , effect on motoneurone excitability, 321
- , effect on presynaptic conduction in frog isolated spinal cord, 318
- , effect on ventral root responses of frog isolated spinal cord to dorsal root and lateral column stimulation, 301
- p-Chloromercuribenzoate**, effect on uptake of acetylcholine by rat brain tissue, 148
- Chloromethyl ketones**, some inhibit kininases of normal and malignant cells, 623
- p-Chlorophenylalanine**, response of social behaviour to, and effect of atropine on, in rat, 193P
- 4 - (m - Chlorophenyl - carbamoyloxy) - 2 - butynyltri-methyl ammonium**, response of isolated taenia of guinea-pig caecum to, 57



- 4 - (m-Chlorophenyl-carbamoyloxy)-2-butyryltrimethyl ammonium**, response of isolated taenia of guinea-pig caecum to (*contd.*)
- , —, effect of hexamethonium, ganglion blocking agents and tubocurarine on, 60
  - , —, effect of hyoscine on, 59
  - , —, effect of local anaesthetics on, 64
  - , —, effect of tetrodotoxin on, 62
- Chlorpromazine**, effect of, an adrenaline-induced contraction of depolarized arterial smooth muscle in rabbit, 554
- , —, on calcium-induced contraction of depolarized arterial smooth muscle in rabbit, 557
  - , —, effect on hypothermic response to noradrenaline, comparison with effect on behavioural response, 89
  - , —, comparison with effect on response to reserpine, 91
  - , —, effect on *in vivo* levels of adenine nucleotides and phosphocreatine in rat brain, 453
  - , —, effect on metabolism of catecholamines in dog brain, 535
  - , —, site and mechanism of action in rabbit arterial smooth muscle, 559
- Choline**, affinity constant for choline transport site in human red blood cells, 461
- , —, effect on response of body temperature to hemicholinium, in rat, 48
  - , —, effect on uptake of acetylcholine by rat brain tissue, 147
  - , —, transport of, in human red cells, effects of quaternary ammonium compounds on, 458
  - , —, uptake by red blood cells from patients with myasthenia gravis, 466
- Choline chloride**, influence on effect of sodium isethionate and theophylline on electrical properties of frog skin, 99
- Choline phenyl ether**, response of isolated taenia of guinea-pig caecum to, 58
- , —, effect of hexamethonium, ganglion blocking agents and tubocurarine on, 60
  - , —, effect of hyoscine on, 59
  - , —, effect of local anaesthetics on, 64
  - , —, effect of tetrodotoxin on, 62
- Cholineacetyltransferase activity**, of guinea-pig isolated colon, 13
- Cholinergic agents**, effect on uptake of acetylcholine by rat brain tissue, 147
- Chymotrypsin**, liberation of a bradykinin-like substance in the circulating blood of dogs, 611
- Cinchocaine**, effect on isolated taenia of guinea-pig caecum, and on response to various agonists, 64
- Cinnarizine**, effect of, on adrenaline-induced contraction of depolarized and polarized arterial smooth muscle in rabbit, 557
- , —, on calcium-induced contraction of depolarized arterial smooth muscle in rabbit, 555
  - , —, site and mechanism of action in rabbit arterial smooth muscle, 558
- Cobalt**, effect on response of rat isolated uterus to lyppressin, 339
- Cocaine**, effect of, on contractions in guinea-pig vesicles due to adrenaline and noradrenaline, 599
- , —, effect on hypothermic response to noradrenaline, comparison with effect on response to reserpine, 91
  - , —, effect on isolated taenia of guinea-pig caecum, and on response to various agonists, 64
  - , —, effect on response of heart beat to acetylcholine, in dog, 384
  - , —, effect on tyramine-induced release of noradrenaline from rat isolated vas deferens, 82
- Codeine**, effect on Straub tail response to opiates, in mouse, 229
- Colon**. *See* Intestine, large
- Copper ions**, effect on electrical properties of frog skin, 101
- , —, effect on response of rat isolated uterus to lyppressin, 342
- Cortex**, auditory, release of acetylcholine from, effect of calcium and magnesium ion concentrations on, 164
- , —, —, effect of triethylcholine on, 166
  - , —, auditory and visual, release of acetylcholine from, in rabbit, 163
  - , —, —, effect of stimulation of medial geniculate nucleus on, 164
- Corticosterone**, plasma concentrations, in rat, after prolonged treatment with cortisol, 491
- Corticotrophin**, effect on tenotomy- and neuroectomy-induced ulceration of heel, in mouse, 222
- Cortisol**, long-term treatment with, effect on hypothalamo-pituitary-adrenal system in rat, 489
- Cyclazocine**, effect on Straub tail response to opiates, in mouse, 229
- , —, isomers of, anti-opiate effect and dose ratios of, and comparison with other opiate antagonists, 231
- Cyclophosphamide**, effect on Straub tail response to opiates, in mouse, 229
- Cystathionine**, neuropharmacological effects of, in cat, 199P
- Cysteine**, neuropharmacological effects of, in cat, 199P

## D

**DMPP**. *See* Dimethylphenylpiperazinium

**Decamethonium**, affinity constant for choline transport site in human red blood cells, 461

**Decamethonium**, derivatives of, effect on acetylcholine receptors, 183P

**Decerebration**, influence on effect of hyoscine on response of oesophagus to nerve stimulation, in chicken, 273

**Desipramine**, effect on hypothermic response to noradrenaline, in mouse, 88

- , —, comparison with effect on behavioural response, 89

- , —, comparison with effect on response to reserpine, 91

- , —, effect on reserpine-resistant uptake of  $\alpha$ -methyl-noradrenaline by peripheral noradrenaline neurones, in rat, 24

- , —, effect on responses of body temperature to hemicholinium, in rat, 51

- , —, effect on uptake of  $\alpha$ -methyl-noradrenaline by reserpinized rat isolated brain and vas deferens, 25

**Desmethylimipramine**, effect in pithed rat treated with angiotensin, 486

**Dexamphetamine**, effect on *in vivo* levels of adenine nucleotides and phosphocreatine in rat brain, 451

**Diaphragm**, denervated rat, effects of changes in the ionic environment on acetylcholine-induced contraction of, 510

- , —, rat isolated denervated, spontaneous activity and response to various agonists of, 281

**Dibenamine**, blockade, reversal by pronethalol of, in the seminal vesicle of the guinea-pig, 594

**Dichloro-isopropylnoradrenaline**, effect on response of heart beat to acetylcholine, adrenaline and noradrenaline, in dog, 384

**Diethylthiocarbamate**, effect on brain noradrenaline and dopamine, in rat, 203P

- Digitoxigenin**, uptake by isolated atria and erythrocytes of, in circulating whole blood, 281
- Digitoxin**, uptake by isolated atria and erythrocytes of, in circulating whole blood, 281
- Digoxin**, uptake by isolated atria and erythrocytes of, in circulating whole blood, 281
- 3,4-Dihydroxyphenylacetic acid**, brain, effect of tropolone and tropolone-4-acetamide on, influence of probenecid, 113
- , effect of chlorpromazine on concentration in lateral ventricular cerebrospinal fluid in dogs, 541
- , —, response to L-dopa, effect of tropolone and tropolone-4-acetamide on, in mouse, 113
- , —, response to probenecid, and effect of reserpine on, in pigeon, 202P
- , fluorimetric assay of, 110
- 3,4-Dihydroxyphenylethylene glycol**, estimation in mouse hypothalamus, 529
- N,N'-Diisopropyl-phosphorodiamidic fluoride**, effect on spasmogenic effect of manganese in guinea-pig ileum, 500
- 3,3-Dimethyl-n-butyl 2-methylphosphono-fluoridate**, effect on uptake of acetylcholine by rat brain tissue, 147
- Dimethylphenylpiperazinium**, effect on response of isolated taenia of guinea-pig caecum to electrical stimulation, 187P
- , response of isolated taenia of guinea-pig caecum to, effect of hexamethonium, ganglion blocking agents and tubocurarine on, 60
- , —, and effect of hyoscine on, 59
- , —, effect of local anaesthetics on, 64
- , —, effect of tetrodotoxin on, 64
- Dinitrophenol**, effect on uptake of acetylcholine by rat brain tissue, 148
- Diphenhydramine**, effect on hypothermic response to noradrenaline, comparison with effect on response to reserpine, 91
- Diuretics**, effect on carbohydrate metabolism, in mouse, 190P
- L-Dopa**, response of brain homovanillic acid and 3,4-dihydroxyphenylacetic acid to, effect of tropolone and tropolone-4-acetamide on, in mouse, 113
- Dopamine**, brain, effect of catecholamine inhibitors on, in rat, 203P
- , effect of, on guinea-pig vesicles, 596
- , metabolites of, in brain, response to probenecid, and effect of reserpine on, in pigeon, 202P
- , responses to hypothalamic infusion of, and effect of mebanazine, phenoxybenzamine and propranolol on, in chick, 194P
- , urinary excretion of, effect of immunosympathectomy on, in rat, 75
- DOPEG**. *See* 3,4-dihydroxyphenylethylene glycol
- Duodenum**, rabbit isolated, spontaneous activity and response to various agonists of, 281

## E

- Ephedrine**, vasoconstrictor actions of, on blood vessels of human hand, 602
- Ergot alkaloids**, vascular resistance brought about by infusing, 565
- Ergot compounds**, studies of effect of natural and synthetic polypeptide type on a peripheral vascular bed, 561
- Erythrocytes**, human, choline transport system in, effects of quaternary ammonium compounds on, 458
- , uptake of cardenolides by, in circulating whole blood, 281

- (±) - **Erythro - 4-(2-methylamino-1-hydroxypropyl) methanesulphoanilide**, effect on skeletal muscle, 174P
- Ethacrynic acid**, effect on carbohydrate metabolism, in mouse, 190P
- Ether**, effect on ventral root responses of frog isolated spinal cord to dorsal root and lateral column stimulation, 302
- Ether anaesthesia**, effect on cardiovascular and respiratory responses to suxamethonium, comparison with halothane anaesthesia, in horse, 127
- Ethyl alcohol**, effect on ventral root responses of frog isolated spinal cord to dorsal root and lateral column stimulation, 302
- Ethyl chloride**, effect on dorsal root responses of frog isolated spinal cord to dorsal root and lateral column stimulation, 308
- , effect on firing threshold of motoneurone pool, in frog isolated spinal cord, 304
- , effect on presynaptic conduction in frog isolated spinal cord, 318
- , effect on ventral root responses of frog isolated spinal cord to dorsal root and lateral column stimulation, 302
- O-Ethyl S-diethylaminoethyl ethyl-phosphonothiolate**, effect on uptake of acetylcholine by rat brain tissue, 147
- Ethyl N,N-dimethyl phosphonoamide-cyanate**, effect on uptake of acetylcholine by rat brain tissue, 147
- Ethylene diamine tetraacetic acid**, influence on effect of magnesium and calcium ions on response of rat isolated uterus to lypressin, 333
- N-Ethyl-2-pyrrolidylmethylphenylcyclopentyl glycollate**, effect on mammalian skeletal muscle, 172P

## F

- Fasciola hepatica**, effect of carbon tetrachloride on, in sheep, 255
- Fatty acids**, non-esterified, effect of  $\alpha$ -methylnor-adrenaline on, in chick, 196P
- Frusemide**, effect on carbohydrate metabolism, in mouse, 190P

## G

- GABA**. *See*  $\gamma$ -Aminobutyric acid
- Gallamine**, effect on acetylcholine receptors, 182P
- Ganglion blocking agents**, effect on response of isolated taenia of guinea-pig caecum to various agonists, 60
- Ganglionectomy**, bilateral stellate, effect on response of blood pressure, heart beat and electrical activity, to aconitine, in dog, 243
- Ganglionic blockade**, effect on response of blood pressure and heart beat to aconitine, in dog, 245
- Gas chromatography**, use in estimation of glycol metabolites in brain tissue, 523
- Gastric acid**, pentagastrin- and histamine-induced release of, effect of prostaglandin E<sub>2</sub> on, 214P
- Glucose**, induction of acetylcholine formation in rat brain preparations by, and effect of potassium chloride on, 376
- Glutamate**, electrically stimulated release from rat isolated brain of, 201P
- Glycine**, electrically stimulated release from rat isolated brain of, 201P

**Glycine** (*contd.*)

—, uptake by rat isolated spinal cord, and effect of temperature, choline chloride, dinitrophenol, ouabain, strychnine and *p*-hydroxymercuribenzoate on, 205P

**Guanethidine**, effect on response of isolated taenia of guinea-pig caecum to electrical stimulation, 187P

## H

H75/12. See  $\alpha$ -Ethyl-4-methyl-metatyramine

H77/77. See 4- $\alpha$ -Dimethyl-metatyramine

**Haloalkylamines**, action of certain, on some biological activities of bradykinin, 635

**Haloperidol**, uptake and distribution in brain of, in rat, 208P

**Halothane**, effect on dorsal root responses of frog isolated spinal cord to dorsal root and lateral column stimulation, 308

—, effect on ventral root responses of frog isolated spinal cord to dorsal root and lateral column stimulation, 302

**Halothane anaesthesia**, effect on cardiovascular and respiratory responses to suxamethonium, comparison with ether anaesthesia, in horse, 127

**Heart**, metaraminol and noradrenaline in, response to  $\alpha$ -methyl-*m*-tyrosine and  $\alpha$ -methyl-*p*-tyrosine, in rat, 155

—, —, —, and effect of temperature on, comparison with salivary gland concentrations, 156

—, noradrenaline in, response to 4- $\alpha$ -dimethyl-metatyramine (H77/77), effect of bicyclic thymoleptics on, in mouse, 21

—, noradrenaline and 5-hydroxytryptamine in, response to noradrenaline, and effect of phenobarbitone on, in mouse, 93

—, reserpine-induced release of  $\alpha$ -methyl-noradrenaline from subcellular fractions of, in mouse, 387

—, response to ouabain, effect of  $\beta$ -receptor blocking agents on, in guinea-pig, 178P

—, subcellular distribution and total content of  $\alpha$ -methylnoradrenaline in, effect of reserpine on, 389

**Heart beat**, effect of isoprenaline on, and influence of hypoxia, in dog, 37, 40

—, response to acetylcholine, in dog, 382

—, —, adrenaline and noradrenaline, effect of dichloro-isopropylnoradrenaline, pronethalol, cocaine, reserpine and atropine on, 384

—, response to aconitine, effect of bilateral adrenalectomy on, in dog, 244

—, —, and effect of bilateral vagotomy on, 242

—, —, effect of quinidine on, 248

—, —, effect of reserpine and  $\alpha$ - and  $\beta$ -adrenoceptor blockade on, 246

—, —, effect of spinal transection and bilateral stellate ganglionectomy on, 243

—, —, effect of thoracic splanchnic neurectomy on, 245

—, —, in conscious dog, 248

—, response to adrenaline and noradrenaline, 383

—, response to amphetamine, bilateral carotid occlusion and central vagal stimulation, effect of propranolol on, in dog, 140

—, response to DL-4-(2-hydroxy-3-isopropylaminopropoxy)-indole, and comparison with response to propranolol, in man, 369

—, —, effect of isoprenaline on, 371

**Heart beat** (*contd.*)

—, response to isoprenaline, and effect of propranolol on, 136, 137

—, response to noradrenaline and phenylethylamine, effect of propranolol on, 137

—, response to ouabain, effect of propranolol isomers on, in guinea-pig, 261

—, response to propranolol, 135

—, response to suxamethonium, in horse, 119

**Heart function**, effect of isoprenaline on, and influence of hypoxia, in dog, 41

**Heart rate**, in isolated heart, increase in presence of adrenaline, 575

**Hemicholinium**, affinity constant for choline transport site in human red blood cells, 461

—, effect on uptake of acetylcholine by rat brain tissue, 147

—, response of body temperature to, and effect of choline on, influence of route of administration, in rat, 48

—, —, effect of various agonists on, 51

—, *p*-terphenyl derivative of, toxicity of, and effect on acetylcholine formation and on acetylcholine-mediated tissues, 171P

**Hexamethonium**, affinity constant for choline transport site in human red blood cells, 461

—, effect on cardiovascular and respiratory responses to suxamethonium, 125

—, effect on isolated taenia of guinea-pig caecum, and on response to various agonists, 60

—, effect on nicotine- and saline-induced release of antidiuretic hormone, in cat, 197P

—, effect on response of body temperature to hemicholinium, in rat, 51

—, effect on response of chicken isolated oesophagus to nerve stimulation, 273

—, effect on response of guinea-pig isolated colon to physostigmine and transmural stimulation, 9

—, effect on response of isolated taenia of guinea-pig caecum to various agonists, influence of hyoscine, 65

—, effect on response of reserpinized guinea-pig isolated colon to stimulation, 8

—, influence on effect of atropine on response of adrenal gland to splanchnic nerve stimulation, in dog, 291

**Histamine**, effect on isolated tracheobronchial muscles of sheep, 411

—, response of guinea-pig isolated ileum to, effect of phospholipids on, 186P

—, response of histamine and gastric acid release from stomach to, effect of Prostaglandin  $E_2$  on, in rat, 214P

**Homovanillic acid**, brain, effect of tropolone and tropolone-4-acetamide on, influence of probenecid, 113

—, —, response to L-dopa, effect of tropolone and tropolone-4-acetamide on, in mouse, 113

—, —, response to probenecid, and effect of reserpine on, in pigeon, 202P

—, effect of chlorpromazine on concentration in lateral ventricular cerebrospinal fluid in dogs, 541

—, urinary excretion of, effect of immunosympathectomy on, in rat, 75

**Hydrochlorothiazide**, effect on carbohydrate metabolism, in mouse, 190P

**5-Hydroxyindolylacetic acid**, effect of chlorpromazine on concentration in lateral ventricular cerebrospinal fluid in dogs, 541

—, urinary excretion of, effect of immunosympathectomy on, in rat, 75

- 4-(2-Hydroxy-3-isopropyl-aminopropoxy) acetanilide. *See* Practolol
- DL-4-(2-Hydroxy-3-isopropylaminopropoxy) - indole, response of heart beat to, and comparison with effect of propranolol on, in man, 369
- , —, effect of isoprenaline on, 371
- 4-Hydroxy-3-methoxymandelic acid, urinary excretion of, effect of immunosympathectomy on, in rat, 75
- 4-Hydroxy-3-methoxyphenylethylene glycol, estimation in mouse hypothalamus, 529
- 4-Hydroxy-3-methoxyphenylglycol, urinary excretion of, effect of immunosympathectomy on, in rat, 75
- 5-Hydroxytryptamine, brain, response to  $\alpha$ -ethyl-4-methyl-metatyramine (H75/12), effect of bicyclic thymoleptics on, in mouse, 22
- , brain and heart, response to noradrenaline, and effect of phenobarbitone on, in mouse, 92
- , effect on isolated tracheobronchial muscles of sheep, 414
- , response of guinea-pig isolated ileum to, effect of phospholipids on, 186P
- , urinary excretion of, effect of immunosympathectomy on, in rat, 75
- Hydroxyzine, effect on *in vivo* levels of adenine nucleotides and phosphocreatine in rat brain, 453
- Hyoscine, effect on isolated taenia of guinea-pig caecum, and on response to various agonists, 59
- , effect on response of body temperature to hemicholinium, in rat, 51
- , effect on response of chicken isolated oesophagus to nerve stimulation, 271
- , effect on response of oesophagus to nerve stimulation, influence of decerebration on, in chicken, 273
- , effect on spasmogenic effect of manganese in guinea-pig ileum, 500
- , influence on effect of hexamethonium, tetrodotoxin and procaine on response of isolated taenia of guinea-pig caecum to various agonists, 65
- Hyperthyroidism, effect on drug sensitivity, 189P
- Hypothalamo-pituitary-adrenal system, rat, effect of prolonged treatment with cortisol, 489
- Hypothalamus, dog, effect of chlorpromazine on concentrations of catecholamines and their metabolites in, and other areas of dog brain, 541
- Hypoxia, effect on arterial blood pressure, in dog, 36
- , influence on effect of isoprenaline on arterial blood pressure and heart beat, 37
- I
- I.C.I. 50172. *See* Practolol
- INPEA. *See* ( $\pm$ )-2-Isopropylamino-1-(*p*-nitrophenyl) ethanol
- I, effect on Straub tail response to opiates, in mouse, 229
- (-)-*trans*-I, Straub tail response to, and effect of agonists on, in mouse, 229
- Ileum, guinea-pig isolated, spasmogenic effect of manganese on, 498
- Imipramine, effect on hypothermic response to noradrenaline, in mouse, 88
- , —, comparison with effect on behavioural response, 89
- , —, comparison with effect on response to reserpine, 91
- Imipramine (*contd.*)
- , effect on *in vivo* levels of adenine nucleotides and phosphocreatine in rat brain, 453
- , effect on response of body temperature to hemicholinium, in rat, 51
- , effect on tyramine-induced release of noradrenaline from rat isolated vas deferens, 82
- Immunosympathectomy, effect on catecholamine and 5-hydroxyindole metabolism, in rat, 70
- Intestine, large, guinea-pig isolated, acetylcholine in, and effect of physostigmine and adrenaline on, 12
- , —, —, acetylcholine release from, effect of hexamethonium on, and influence of adrenaline, 10
- , —, —, cholineacetyltransferase activity of, 13
- , —, —, response to pelvic and transmural stimulation and to acetylcholine, and effect of sympathetic stimulation on, 4
- , —, —, response to physostigmine and transmural stimulation, and effect of hexamethonium on, 9
- , —, —, —, effect of tetrodotoxin on, 11
- , —, —, response to stimulation, effect of adrenaline and noradrenaline on, and action of physostigmine, 6
- , —, reserpinized guinea-pig isolated, response to peri-arterial stimulation, and effect of hexamethonium and atropine on, 8
- , small, guinea-pig isolated, response to agonists and transmural stimulation, effect of phospholipids on, 185P
- , —, isolated preparations of, effect of *p*-terphenyl hemicholinium on, 171P
- 3-Iodo-tyrosine, effect on brain noradrenaline and dopamine, in rat, 203P
- Iproniazid, effect on *in vivo* levels of adenine nucleotides and phosphocreatine in rat brain, 453
- , potentiation of toxicity of narcotic analgesics by, in mice, 472
- Iris, uptake of  $\alpha$ -methyl-noradrenaline by, effect of bi- and tri-cyclic thymoleptics on, in rat, 24
- Iron, effect on response of rat isolated uterus to lypressin, 341
- Isoprenaline, cardiac response to, and effect of hypoxia on, 41
- , —, —, influence of propranolol, 43
- , effect on arterial blood pressure and heart beat, and influence of hypoxia, in dog, 37, 40
- , effect on guinea-pig vesicles, 596
- , effect on human smooth muscle, comparison with noradrenaline, 213P
- , effect on potassium balance of the isolated heart, 576
- , effect on response of heart beat to DL-4-(2-hydroxy-3-isopropylaminopropoxy)-indole and propranolol, in man, 371
- , effect on response of rat isolated mesenteric artery to noradrenaline and sympathetic stimulation, 209P
- , response of blood pressure and heart beat to, effect of propranolol on, 137
- , response of heart beat to, and effect of propranolol pretreatment on, in dog, 136
- , response of rat isolated uterus to, effect of magnesium ions on, comparison with response to lypressin, 337
- , response of skin temperature to, effect of propranolol on, comparison with 4-(2-hydroxy-3-isopropylaminopropoxy) acetanilide, in man, 177P

**Isoprenaline (contd.)**

—, responses to hypothalamic infusion of, and effect of mebanazine, phenoxybenzamine and propranolol on, in chick, 194P

**4-(2-Isopropylamino-1-hydroxyethyl) methane-sulphonanilide**,  $\beta$ -receptor and nerve blocking activity of, comparison with propranolol, 176P

( $\pm$ )-**2-Isopropylamino-1-(*p*-nitrophenyl) ethanol**, effect on response of blood pressure and heart beat to aconitine, in dog, 246

**K**

**Kinin metabolizing enzymes**, in normal and malignant leucocytes, 623

**Kinin release**, blood pressure lowering effect of low doses of trypsin due mainly to, in blood of dogs, 611

—, releasing activity of trypsin and chymotrypsin compared by infusions in external circuit, in dogs, 617

**L**

**LB 46**. See **DL-4-(2-Hydroxy-3-isopropylamino-propoxy)-indole**

**Lu-compounds**. See **Thymoleptics**, bicyclic

**Lecithin**, effect on response of guinea-pig isolated ileum to agonists and transmural stimulation, 185P

**Leptazol**, effect on *in vivo* levels of adenine nucleotides and phosphocreatine in rat brain, 451

**Leucocytes**, PMN-kinin and kinin metabolizing enzymes in normal and malignant, 623

**Leukaemic cells**, kinin-forming activity of, 629

**Levallorphan**, effect on Straub tail response to opiates, in mouse, 229

**Lithium**, action potentials generated by, in rat nerve fibres, inhibition by saxitoxin and tetrodotoxin, 420

—, effect of substitution with sodium of, on acetylcholine contraction of rat denervated diaphragm, 514

**Liver**, monoamine oxidase activity of, in mouse, after administration of tranlycypromine, 474

**Lypressin**, response of rat isolated uterus to, effect of alkaline earth metals on, 338

—, —, effect of copper and zinc on, 342

—, —, effect of iron on, 341

—, —, effect of magnesium ions on, comparison with effect on response to acetylcholine, bradykinin, angiotensin amide and isoprenaline, 337

—, —, effect of magnesium and calcium ions on, 332, 334

—, —, effect of manganese, cobalt and nickel on, 339

**Lysergic acid diethylamide**, effect on *in vivo* levels of adenine nucleotides and phosphocreatine in rat brain, 451

**M**

**McN-A-343**. See **4-(*m*-Chlorophenyl-carbamoyloxy)-2-butynyltrimethyl ammonium**

**MJ 1998**. See ( $\pm$ )-**Erythro-4-(2-methylamino-1-hydroxypropyl) methanesulphonanilide**

**MJ 1999**. See **4-(2-Isopropylamino-1-hydroxyethyl) methanesulphonanilide**

**Magnesium**, effect on inhibition by saxitoxin and tetrodotoxin of action potentials generated by lithium in rat nerve fibres, 421

**Magnesium ions**, bathing fluid concentration of, effect on release of acetylcholine from auditory cortex, in rabbit, 164

—, —, effect on response of rat isolated mesenteric artery to noradrenaline and sympathetic stimulation, 209P

—, effect on response of rat isolated uterus to argipressin, 335

—, effect on response of rat isolated uterus to lypressin, 332, 334

—, —, comparison with effect on response to acetylcholine, bradykinin, angiotensin amide and isoprenaline, 337

—, —, influence of ethylene diamine tetra-acetic acid, 333

**Mammary gland**, effect of neurohypophysial hormones on, 183P

**Manganese**, effect of, on acetylcholine contraction of rat innervated denervated diaphragm, 515

—, effect on response of rat isolated uterus to lypressin, 339

—, spasmogenic effect on guinea-pig ileum, 498

**Mecamylamine**, effect on response of blood pressure and heart beat to aconitine, in dog, 245

—, effect on response of isolated taenia of guinea-pig caecum to various agonists, 60

**Medial geniculate nucleus**, stimulation of, effect on release of acetylcholine from auditory and visual cortex in rabbit, 164

**Meperidine**, effect on Straub tail response to opiates, in mouse, 229

**Mepyramine**, effect on hypothermic response to noradrenaline, comparison with effect on behavioural response, 89

**Metabolic inhibitors**, effect on uptake of acetylcholine by rat brain tissue, 148

**Metadrenaline**, urinary excretion of, effect of immunosympathectomy on, in rat, 75

**Metals**, effect on response of rat isolated uterus to lypressin, 337

—, —, mechanism of, 342

**Metnephine**, effect of chlorpromazine on concentration in dog hypothalamus and other areas of the brain, 541

**Metaraminol**, in heart, response to  $\alpha$ -methyl-tyrosine and  $\alpha$ -methyl-*p*-tyrosine, in rat, 155

—, —, —, and effect of temperature on, comparison with salivary gland concentration, 156

**Methohexitone**, effect on dorsal root responses of frog isolated spinal cord to dorsal root and lateral column stimulation, 308

—, effect on motoneurone excitability, 321

—, effect on presynaptic conduction in frog isolated spinal cord, 319

—, effect on synaptic response of frog isolated spinal cord to dorsal root and lateral column stimulation, 325

—, effect on ventral root responses of frog isolated spinal cord to dorsal root and lateral column stimulation, 302

**Methoxyflurane**, effect on dorsal root responses of frog isolated spinal cord to dorsal root and lateral column stimulation, 308

—, effect on ventral root responses of frog isolated spinal cord to dorsal root and lateral column stimulation, 302

***p*-Methoxyphenethylamine**, response of mono-synaptic reflexes to, and effect of phenoxybenzamine, methysergide and pronethalol on, in cat, 198P

**Methylamphetamine**, vasoconstrictor actions of, on blood vessels of human hand, 602

- $\alpha$ -Methylnoradrenaline**, effect on body temperature, in chick, 196P  
 —, reserpine-induced release from subcellular fractions of heart, in mouse, 387  
 —, subcellular distribution and total content in heart of, effect of reserpine on, 389  
 —, uptake by peripheral noradrenaline neurones, effect of bi- and tri-cyclic thymoleptics on, in rat, 24  
 —, uptake by reserpinized rat isolated brain and vas deferens, effect of bi- and tri-cyclic thymoleptics on, 25
- Methylphenidate**, effect on hypothermic response to noradrenaline, comparison with effect on response to reserpine, 91
- Methysergide**, effect on response of monosynaptic reflexes to *p*-methoxyphenethylamine, in cat, 198P
- Mipaflox**. See N,N'-diisopropyl-phosphorodiamidic fluoride
- Monoamines**, brain, in mouse, concentrations of, after administration of tranlycypromine, 474
- Monoamine oxidase inhibitors**, interaction with narcotic analgesics in mice, 470
- MOPEG**. See 4-hydroxy-3-methoxyphenyl-ethylene glycol
- Morphine**, effect on acetylcholine content and formation in rat brain preparations, 377  
 —, effect on Straub tail response to opiates, in mouse, 229  
 —, Straub tail response to, effect of antagonists on, dose ratios of, 234  
 —, toxicity in mice pretreated with monoamine oxidase inhibitors, 472
- Motoneurons**, in frog isolated spinal cord, excitability of, effect of anaesthetics on, 321  
 —, —, firing threshold of, effect of chloroform on, 319  
 —, —, —, effect of ethyl chloride on, 304, 319  
 —, —, intracellular potentials of, effect of anaesthetics on, 323  
 —, —, response to dorsal root and lateral column stimulation, 316, 317
- Muscle**, depolarized arterial smooth, rabbit, blockade or reversal of contraction induced by calcium and adrenaline in, 549  
 —, rat innervated diaphragm, ionic interactions in acetylcholine contraction of, 510  
 —, sheep isolated tracheobronchial, effect of histamine on, 409  
 —, skeletal, effect of  $\beta$ -receptor blocking agents on 174P  
 —, —, mammalian, effect of N-ethyl-2-pyrrolidylmethylphenyl-cyclopentyl glycollate on, 172P  
 —, smooth, human, relative potencies of sympathetic amines, 213P  
 —, —, spontaneous activity and response to various agonists of, 281  
 —, striated, spontaneous activity and response to various agonists of, 281
- Myasthenia gravis**, patients with, uptake of choline in erythrocytes from patients with, 466
- N**
- Nagarse**, liberation of a bradykinin-like substance in the circulating blood of dogs by, 611
- Nalorphine**, anti-opiate effect of, dose ratios of, and comparison with other opiate antagonists, 231, 234  
 —, effect of Straub tail response to opiates, in mouse, 229
- Naloxone**, anti-opiate effect of, dose ratios of, and comparison with other opiate antagonists, 231, 234  
 —, effect on Straub tail response to opiates, in mouse, 229
- Nerve blocking activity**, of propranolol and 4-(2-isopropylamino-1-hydroxyethyl) methanesulphonanilide, 176P
- Nerves**, sympathetic, stimulation of, response of rat isolated mesenteric artery to, effect of variation of perfusion solution on, 209P  
 —, vagal and oesophageal, stimulation of, response of chicken isolated oesophagus to, 269  
 —, —, —, —, effect of hexamethonium and tubocurarine on, 273  
 —, —, —, —, effect of hyoscine and atropine on, 271  
 —, —, —, —, effect of neurectomy and bretylium on, 270
- Neurectomy**, effect on response of chicken isolated oesophagus to nerve stimulation, 270
- Neurohypophysial hormones**, effect on mammary gland, 183P
- Neuromuscular blocking activity**, of 2-(4-phenylpiperino)-cyclohexanol, 173P
- Neuromuscular junction**, frog, effects of saxitoxin and tetrodotoxin on, 426
- Neurone activity**, adrenergic, effect of bretylium-induced depletion of cat isolated spleen noradrenaline on, 191P
- Neurone blockade**, adrenergic, effect on response of isolated taenia of guinea-pig caecum to electrical stimulation, 187P
- Neurons**, peripheral, uptake of  $\alpha$ -methylnoradrenaline by, effect of bi- and tri-cyclic thymoleptics on, in rat, 24  
 —, reserpinized rat isolated central and peripheral, uptake of  $\alpha$ -methyl-noradrenaline by, effect of bi- and tri-cyclic thymoleptics on, 25
- Nialamide**, effect on hypothermic response to noradrenaline, comparison with effect on response to reserpine, 91
- Nickel**, effect on response of rat isolated uterus to lypressin, 339
- Nicotine**, cortical and olfactory responses to, and effect of chlorpromazine, atropine and mecamylamine on, in cat, 200P  
 —, effect on response of isolated taenia of guinea-pig caecum to various agonists, 60  
 —, induction of antidiuretic hormone release by, effect of pempidine and hexamethonium on, in cat, 197P  
 —, influence on effect of atropine on response of adrenal gland to splanchnic nerve stimulation, 291  
 —, response of isolated taenia of guinea-pig caecum to, 58  
 —, —, effect of hexamethonium, ganglion blocking agents and tubocurarine on, 60  
 —, —, effect of hyoscine on, 59  
 —, —, effect of local anaesthetics on, 64  
 —, —, effect of tetrodotoxin on, 64
- Noradrenaline**, behavioural and hypothermic responses to, and effect of route of administration and of antidepressants on, in mouse, 87, 89  
 —, —, effect of nortriptyline on, influence of route of administration, 89  
 —, hypothermic response to, effect of noradrenaline on, 95  
 —, —, effect of nortriptyline and noradrenaline on, influence of  $\alpha$ - and  $\beta$ -adrenoceptive receptor blocking agents, 95

**Noradrenaline**, hypothermic response to (*contd.*)

- , —, effect of various agonists on, comparison with response to reserpine, 91
- , response of brain and heart noradrenaline and 5-hydroxytryptamine to, and effect of phenobarbitone on, 92

**Noradrenaline**, brain, effect of catecholamine inhibitors on, in rat, 203P

- , brain and heart, response to 4 $\alpha$ -dimethyl-metatyramine (H77/77). effect of bicyclic thymoleptics on, in mouse, 21
  - , —, response to noradrenaline, and effect of phenobarbitone on, in mouse, 92
  - , effect on guinea-pig vesicles, 596
  - , effect on hypothermic response to noradrenaline, in mouse, 95
  - , —, influence of  $\alpha$ - and  $\beta$ -adrenoceptive receptor blocking agents, 95
  - , effect on responses of guinea-pig isolated colon to physostigmine and stimulation, 6
  - , effect on response of heart beat to acetylcholine, 384
  - , effect on response of rabbit isolated atrium to high-rate electrical stimulation, and on sinoatrial pacemaker rate, 362
  - , exogenous, interaction with ouabain in isolated rabbit S-A node, 402
  - , glycol metabolites of, in brain tissue, 523
  - , heart, response to  $\alpha$ -methyl-*m*-tyrosine and  $\alpha$ -methyl-*p*-tyrosine, in rat, 155
  - , —, —, and effect of temperature on, comparison with salivary gland concentration, 156
  - , in cat isolated spleen, bretylium-induced depletion of, effect on adrenergic neurone activity, 191P
  - , increase in vascular resistance inhibited in a dose-dependent manner by ergot alkaloids, 561
  - , influence on effect of cations on response of rabbit isolated atrium to electrical stimulation, 355
  - , release from rat isolated vas deferens by tyramine, effect of cocaine and imipramine on, 82
  - , response of blood pressure and heart beat to, effect of propranolol on, in dog, 137
  - , response of heart beat to, in dog, 383
  - , —, effect of dichloro-isopropylnoradrenaline, pronethalol and reserpine on, 384
  - , response of rat isolated mesenteric artery to, effect of variation of perfusion solution on, 209P
  - , responses to hypothalamic infusion of, and effect of mebanazine, phenoxybenzamine and propranolol on, in chick, 194P
  - , uptake by rat isolated vas deferens, 80
- Normetadrenaline**, urinary excretion of, effect of immunosympathectomy on, in rat, 75
- Nortriptyline**, effect on behavioural and hypothermic responses to noradrenaline, influence of route of administration, 89
- , effect on hypothermic response to noradrenaline, in mouse, 88, 89
  - , —, comparison with effect on behavioural response, 89
  - , —, influence of  $\alpha$ - and  $\beta$ -adrenoceptive receptor blocking agents, 95
  - , effect on reserpine-resistant uptake of  $\alpha$ -methyl-noradrenaline by peripheral noradrenaline neurones, in rat, 24

**Nortriptyline** (*contd.*)

- , effect on response of brain noradrenaline to noradrenaline, 94
- Nucleotides**, adenine, in rat brain, effect of several centrally-acting drugs on, 448

## O

**Oesophagus**, chicken isolated, response to nerve stimulation, 269

- , —, —, effect of hexamethonium and tubocurarine on, 273
  - , —, —, effect of hyoscine and atropine on, 271
  - , —, —, effect of neurectomy and bretylium on, 270
- Olfactory response**, to tobacco smoke, and effect of chlorpromazine, atropine and mecamlamine on, in cat, 200P
- Oligomycin**, effect on uptake of acetylcholine by rat brain tissue, 148
- Opiates**, antagonists and isomers of, relative potencies of, 230
- , interaction with antagonists, 231
  - , Straub tail response to, and effect of agonists on, in mouse, 229
  - , structural formulae of, 227

**Oscillogram analysis**, digital apparatus for, 215P**Ouabain**, effect on sodium fluxes, in cultured cells, 179P

- , effect on uptake of acetylcholine by rat brain tissue, 148
- , effects on membrane potential of pacemaker fibres in rabbit isolated atria, 396
- , interaction with exogenous noradrenaline in isolated rabbit S-A node, 402
- , response of heart to, effect of  $\beta$ -receptor blocking agents on, in guinea-pig, 178P
- , response of heart beat to, effect of propranolol isomers on, in guinea-pig, 261
- , uptake by isolated atria and erythrocytes of, in circulating whole blood, 281

**Oxprenolol**, effect on response of heart to ouabain, in guinea-pig, 178P

- Oxymorphone**, Straub tail response to, and effect of antagonists on, in mouse, 229
- , —, —, dose ratios of, 234

## P

**Pargyline**, effect on hypothermic response to noradrenaline, comparison with effect on behavioural response, 89

- , —, comparison with effect on response to reserpine, 91

**Pempidine**, effect on nicotine- and saline-induced release of antidiuretic hormone, in cat, 197P

- , effect on response of isolated taenia of guinea-pig caecum to various agonists, 60
- , effect on spasmogenic effect of manganese in guinea-pig ileum, 500

**Pentagastrin**, response of histamine and gastric acid release from stomach to, effect of prostaglandin E<sub>2</sub> on, in rat, 214P**Pentazocine**, effect on Straub tail response to opiates, in mouse, 229

- , isomers of, anti-opiate effect and dose ratios of, comparison with other opiate antagonists, 231, 234
- , toxicity in mice pretreated with monoamine oxidase inhibitors, 472

**Perfusion**, cerebroventricular, in conscious rabbit, 210P

- Pethidine**, acute toxicity in mice pretreated with monoamine oxidase inhibitors, 473
- Phenazocine**, Straub tail response to, and effect of antagonists on, in mouse, 229
- , —, —, dose ratios of, 234
- , toxicity in mice pretreated with monoamine oxidase inhibitors, 472
- Phenindamine**, effect on hypothermic response to noradrenaline, comparison with effect on response to reserpine, 91
- Phenobarbitone**, effect on hypothermic response to noradrenaline, comparison with effect on behavioural response, 89
- , effect on *in vivo* levels of adenine nucleotides and phosphocreatine in rat brain, 451
- , effect on response of brain and heart noradrenaline and 5-hydroxytryptamine to noradrenaline, in mouse, 92
- Phenolic acids**, effect of chlorpromazine on relationship between concentrations of, in caudate nucleus and lateral ventricular cerebrospinal fluid in dog, 544
- Phenoxybenzamine**, effect of, on the pressor responses to bradykinin and histamine and depressor response to bradykinin, in rabbits, 635
- , effect on arterial pressure in normotensive rabbits, 638
- , effect on response of blood pressure and heart beat to aconitine, in dog, 246
- , effect on response of monosynaptic reflexes to *p*-methoxyphenethylamine, in cat, 198P
- , effect on responses to angiotensin in pithed rat, 483
- , influence on effect of nortriptyline and noradrenaline on hypothermic response to noradrenaline, in mouse, 95
- Phentolamine**, effect on response of body temperature to hemicholinium, in rat, 51
- , effect on responses to angiotensin in pithed rat, 483
- Phenylbutazone**, serum (total) and dialysis sac (free) levels of, and effect of sulfadoxine on, in rat, 32
- Phenylephrine**, effect on human smooth muscle, comparison with noradrenaline, 213P
- , effect on guinea-pig vesicles, 596
- Phenylethylamine**, response of blood pressure and heart beat to, effect of propranolol on, in dog, 137
- 2-(4-Phenylpiperidino)-cyclohexanol, neuromuscular blocking activity of, 173P
- Phosphocreatine**, in rat brain, effect of several centrally-acting drugs on, 448
- Phospholipids**, effect on response of guinea-pig isolated ileum to agonists and transmural stimulation, 185P
- Physostigmine**, affinity constant for choline transport site in human red blood cells, 461
- , effect on acetylcholine content of guinea-pig isolated colon, 12
- , effect on uptake of acetylcholine by rat brain tissue, 147
- , influence on effect of adrenaline and noradrenaline on response of guinea-pig isolated colon to stimulation, 6
- , response of guinea-pig isolated colon to, effect of tetrodotoxin on, 11
- Pituitary**, rat, weight after prolonged treatment with cortisol, 490
- Platelets**, normal human blood, aggregation of, induced by adenosine diphosphate, effect of sodium salicylate on, 441
- PMN-Kinin**, and kinin metabolizing enzymes in normal and malignant leucocytes, 623
- , pharmacological and chemical properties of, 629
- Poison**, paralytic shellfish. *See* Saxitoxin
- Polypeptides**, S-S, receptor for, effect of metals on, 329
- Potassium**, uptake by the isolated heart, 578
- Potassium balance**, actions of adrenaline on, of isolated heart, 571
- Potassium chloride**, effect on formation of acetylcholine from glucose by rat brain preparations, 376
- Potassium concentration**, of perfusion fluid, effect on actions of adrenaline of changes in, 573
- Potassium ions**, bath concentration of, effect on response of rat isolated mesenteric artery to noradrenaline and sympathetic stimulation, 209P
- , —, effect on uptake of acetylcholine by rat brain tissue, 147
- , effect on formation of acetylcholine by rat brain preparations, 374
- , effect on response of rabbit isolated atrium to electrical stimulation, and influence of noradrenaline, 355
- , effect on response of rabbit isolated atrium to high-rate electrical stimulation, and on pacemaker rate, 362
- , plasma, response to suxamethonium, in horse, 120
- , response of guinea-pig isolated ileum to, effect of phospholipids on, 186P
- Potentials**, action, of frog isolated sciatic nerve, effect of propranolol isomers and procaine on, and dose-response of latter, 260
- , end-plate, in frog neuromuscular junctions, effects of saxitoxin and tetrodotoxin on, 428
- , focal, of frog isolated spinal cord, response to dorsal root and lateral column stimulation, 314
- , intracellular, of frog isolated spinal cord, response to dorsal root and lateral column stimulation, 317
- , —, —, —, effect of anaesthetics on, 323
- , —, of rabbit isolated atrium, effect of propranolol isomers and practolol on, 263
- , lithium-generated action, of rat nerve fibres, inhibition by saxitoxin and tetrodotoxin, 420
- Practolol (I.C.I. 50172)**, effect on rabbit isolated atrium intracellular potentials, 263
- , effect on response of heart to ouabain, in guinea-pig, 178P
- , effect on response of skin temperature to isoprenaline, comparison with propranolol, in man, 177P
- , effect on skeletal muscle, 174P
- Pregnancy**, effect of prostaglandins on, in mouse and rabbit, 188P
- Probenecid**, influence on effect of tropolone and tropolone-4-acetamide on brain homovanillic acid and 3,4-dihydroxyphenylacetic acid, 113
- , response of brain dopamine metabolites to, and effect of reserpine on, in pigeon, 202P
- Procaine**, effect on isolated taenia of guinea-pig caecum, and on response to various agonists, 64
- , effect on response of frog isolated sciatic nerve to electrical stimulation, and dose-response of, 260
- , effect on response of isolated taenia of guinea-pig caecum to various agonists, influence of hyoscine, 65



**Procaine (contd.)**

- , effect on spasmogenic effect of manganese in guinea-pig ileum, 500
- Procaine hydrochloride**, effect of, on acetylcholine contraction of rat denervated diaphragm, 516
- Promethazine**, effect on hypothermic response to noradrenaline, comparison with effect on behavioural response, 89
- Pronethalol**, effect on response of blood pressure and heart beat to aconitine, in dog, 246
- , effect on response of heart beat to acetylcholine, adrenaline and noradrenaline, in dog, 384
- , effect on response of monosynaptic reflexes to *p*-methoxyphenethylamine, in cat, 198P
- , reversal by, of dibenamine blockade in the seminal vesicle of guinea-pig, 594
- Propranidol**, effect on dorsal root responses of frog isolated spinal cord to dorsal root and lateral column stimulation, 308
- , effect on ventral root responses of frog isolated spinal cord to dorsal root and lateral column stimulation, 303
- Propranolol**, effect on blood pressure and heart beat, 135
- , effect on cardiovascular and respiratory responses to suxamethonium, 125
- , effect on response of blood pressure and heart beat, to aconitine, in dog, 246
- , —, to amphetamine, bilateral carotid occlusion and central vagal stimulation, in dog, 140
- , —, to isoprenaline, noradrenaline and phenylethylamine, 137
- , effect on response of body temperature to hemicholinium, in rat, 51
- , effect on response of heart to ouabain, in guinea-pig, 178P
- , effect on response of skin temperature to isoprenaline, comparison with 4-(2-hydroxy-3-isopropylaminopropoxy) acetanilide, in man, 177P
- , influence on effect of hypoxia on cardiac response to isoprenaline, in dog, 43
- , influence on effect of nortriptyline and noradrenaline on hypothermic response to noradrenaline, in mouse, 95
- , isomers of, effect on rabbit isolated atrium intracellular potentials, 263
- , —, effect on response of frog isolated sciatic nerve to electrical stimulation, and dose-response of, 260
- , —, effect on response of heart beat to ouabain, in guinea-pig, 261
- ,  $\beta$ -receptor and nerve blocking activity of, comparison with 4-(2-isopropylamino-1-hydroxyethyl) methanesulphonanilide, 176P
- , response of heart beat to, comparison with effect of DL-4-(2-hydroxy-3-isopropylaminopropoxy)-indole, in man, 369
- , —, effect of isoprenaline on, 371
- Prostaglandin E<sub>2</sub>**, effect on pentagastrin- and histamine-induced release of histamine and gastric acid from stomach, in rat, 214P
- Prostaglandin F<sub>2a</sub>**, effect on response of vascular permeability of skin to prostaglandins E, compound 48/80, histamine, bradykinin and 5-hydroxytryptamine, 217P
- Prostaglandins**, effect on pregnancy, in mouse and rabbit, 188P
- , intradermal, response of vascular permeability of skin to, and effect of mepyramine and methysergide on, in rat and man, 216P

- Protriptyline**, effect on reserpine-resistant uptake of  $\alpha$ -methyl-noradrenaline by peripheral noradrenaline neurones, in rat, 24
- Psychotropic drugs**, effects of various, on adenine nucleotide levels in rat brain, *in vivo*, 448

## Q

- Quinidine**, effect on response of blood pressure and heart beat to aconitine, in dog, 248

## R

- Receptor blockade**,  $\alpha$ - and  $\beta$ -, effect on response of blood pressure and heart beat to aconitine, in dog, 246
- ,  $\beta$ -, effect on cardiac arrhythmia, 257
- $\beta$ -**Receptor blocking activity**, of DL-4-(2-hydroxy-3-isopropylaminopropoxy)-indole, 368
- , of propranolol and 4-(2-isopropylamino-1-hydroxyethyl) methanesulphonanilide, 176P
- Receptor blocking agents**,  $\alpha$ - and  $\beta$ -, effect on cardiovascular and respiratory responses to suxamethonium, 125
- , —, influence on effect of nortriptyline and noradrenaline on hypothermic response to noradrenaline, in mouse, 95
- ,  $\alpha$ -, effects of, on contractor effects of adrenaline, noradrenaline, phenylephrine and dopamine, in guinea-pig vesicles, 597
- ,  $\beta$ -, effect on response of heart to ouabain, in guinea-pig, 178P
- , —, effect on skeletal muscle, 174P
- Reflexes**, monosynaptic, response to *p*-methoxyphenethylamine, and effect of phenoxybenzamine, methysergide and pronethalol on, in cat, 198P
- Reserpine**, effect on *in vivo* levels of adenine nucleotides and phosphocreatine in rat brain, 453
- , effect on response of blood pressure and heart beat to aconitine, in dog, 246
- , effect on response of heart beat to acetylcholine, adrenaline and noradrenaline, in dog, 384
- , effect on response of isolated taenia of guinea-pig caecum to electrical stimulation, 187P
- , effect of treatment with, on range of arterial pressure in rabbits, and effect on injection of bradykinin and histamine, 637
- , effect on subcellular distribution and total content of  $\alpha$ -methylnoradrenaline in heart, in mouse, 389
- , effects of pretreatment, in guinea-pig vesicles, 599
- , hypothermic response to, effect of various agonists on, comparison with response to noradrenaline, 91
- , release of  $\alpha$ -methylnoradrenaline from subcellular fractions of heart by, 387
- Reserpinization**, effect on responses of guinea-pig isolated colon to stimulation, 8
- Respiration**, response to suxamethonium, in horse, 120, 122
- , —, effect of autonomic blocking agents on, 125
- , —, effect of positive pressure ventilation on, 124

## S

- Salicylate**, sodium, effect on platelet aggregation in human whole blood *in vitro*, 439

**Salicylate** (*contd.*)

—, sodium, effect on platelet aggregation in non-anticoagulated platelet-rich plasma, 439

**Saline**, induction of antidiuretic hormone release by, effect of pempidine and hexamethonium on, in cat, 197P

**Salivary gland**, metaraminol and noradrenaline in, response to  $\alpha$ -methyl-*m*-tyrosine and  $\alpha$ -methyl-*p*-tyrosine, and effect of temperature on, comparison with heart concentrations, in rat, 156

**Saxitoxin**, and tetrodotoxin, differences between effects on frog neuromuscular junction, 426

—, effect of, on acetylcholine contraction of rat denervated and innervated diaphragm, 516

—, effect on nerve conduction in presence of lithium and magnesium, in rat, 418

**Sciatic nerve**, excision of, induction of ulceration of heel by, in mouse, 221

—, —, —, effect of corticotrophin on, 222

—, frog isolated, response to electrical stimulation, effect of procaine on, 259

—, —, —, effect of propranolol isomers and procaine on, and dose-response of latter, 260

**Sensitivity**, to drugs, effect of hyperthyroidism on, 189P

**Serine**, electrically stimulated release from rat isolated brain of, 201P

**Skin**, frog, electrical properties of, effect of copper ions on, 101

—, —, —, effect of sodium isethionate and theophylline on, and influence of antidiuretic hormone, chloride and choline chloride, 99

—, —, —, tissue and cell volume and inulin space of, effect of theophylline on, 102

—, vascular permeability of, response to prostaglandins and other agonists, and effect of mepyramine and methysergide on, in rat and man, 217P

**Sodium**, effect of depletion of, on acetylcholine contraction of rat denervated diaphragm, 512

**Sodium azide**, effect on uptake of acetylcholine by rat brain tissue, 148

**Sodium ions**, effect on response of rabbit isolated atrium to electrical stimulation, 352

—, —, influence of noradrenaline, 355

—, effect on response of rabbit isolated atrium to high-rate electrical stimulation, and on pacemaker rate, 362

—, fluxes of, effect of ouabain on, in cultured cells, 179P

—, plasma, response to suxamethonium, in horse, 120

**Sodium isethionate**, effect on electrical properties of frog skin, and influence of antidiuretic hormone, chloride and choline chloride, 99

**Sodium salicylate**. *See* Salicylate

**Sodium transport**, effect of anions on, in frog skin, 97

Soman. *See* 3,3-Dimethyl-*n*-butyl 2-methylphosphonofluoridate

**Spinal cord**, frog isolated, dorsal root responses to dorsal root and lateral column stimulation, 298

—, —, —, effect of general anaesthetics on, 308

—, —, —, firing threshold of motoneurone pool of, effect of ethyl chloride on, 304

—, —, —, focal potentials of, response to dorsal root and lateral column stimulation, 314

—, —, —, —, effect of magnesium ions on, 316

—, —, —, presynaptic conduction in, effect of anaesthetics on, 318

**Spinal cord**, frog isolated (*contd.*)

—, —, —, ventral root responses to dorsal root and lateral column stimulation, 296

—, —, —, effect of general anaesthetics on, 301

—, rat isolated, uptake of glycine by, and effect of temperature, choline chloride, dinitrophenol, ouabain, strychnine and *p*-hydroxymercuribenzoate on, 205P

**Spinal transection**, effect on response of blood pressure, heart beat and electrical activity, to aconitine, in dog, 243

**Splanchnic-adrenal transmission**, muscarinic component of, in dog, 286

**Splanchnic neurectomy**, thoracic, effect on response of blood pressure and heart beat to aconitine, in dog, 245

**Statistical analysis**, of drug interactions, problems of, 213P

**Steroids**, effect of, on responses to amines lacking the catechol nucleus, in aortic strips, 586

—, potentiation of responses to sympathomimetic amines in aortic strips, 582

**Steroid potentiation**, in aortic strips, effects of COMT inhibitors on, of catecholamine responses, 586

**Stomach**, pentagastrin- and histamine-induced release of histamine and gastric acid from, in rat, 214P

**Strontium**, effect on response of rat isolated uterus to lypressin, 338

**Sucrose**, effect of substitution with sodium of, on acetylcholine contraction of rat denervated diaphragm, 513

**Sulfadoxine**, serum (total) and dialysis sac (free) levels of, and effect of phenylbutazone on, in rat, 30

Sulphormethoxine. *See* Sulfadoxine

**Suxamethonium**, affinity constant for choline transport site in human red blood cells, 461

—, cardiovascular response to, in horse, 119

—, cardiovascular and respiratory responses to, and effect of autonomic blocking agents on, 125

—, —, effect of positive pressure ventilation on, 124

—, respiratory response to, 120, 122

**Sympathetic nervous system**, role in cardiovascular responses to angiotensin in pithed rat, 481

**Sympathomimetic agents**, modification of the vasoconstrictor action of, by bretylium tosylate and tranlylcypromine in man, 602

**Sympathomimetic amines**, effects of pronethalol on the responses to, in contractions in guinea-pig vesicles, 598

—, steroid potentiation of responses to, in aortic strips, 582

**Synaptic responses**, of frog isolated spinal cord, to dorsal root and lateral column stimulation, effect of methohexitone on, 325

—, of frog isolated spinal cord dorsal root, to dorsal root and lateral column stimulation, 299

—, of frog isolated spinal cord ventral root, to dorsal root and lateral column stimulation, 296

—, —, —, effect of anaesthetics on, 302

—, pure, to dorsal root and lateral column stimulation of spinal cord, effect of chloroform and methohexitone on, 307

**Synaptic transmission**, pre-, in frog isolated spinal cord, effect of anaesthetics on, 318

## T

- Tabun.** See Ethyl N,N-dimethyl phosphonoamidocyanate
- Taenia,** guinea-pig caecum isolated, response to acetylcholine, 4-(*m*-chlorophenyl-carbamoyloxy)-2-butynyl-trimethyl ammonium and N-benzyl-3-pyrrolidyl acetate methobromide, 57
- , —, response to dimethylphenylpiperazine, 59
- , —, response to electrical stimulation, effect of adrenergic neurone blockade on, 187P
- , —, response to hexamethonium, and effect of hexamethonium on response to various agonists, 60
- , —, response to hyoscine, and effect of hyoscine on response to various agonists, 59
- , —, response to local anaesthetics, and effect of latter on response to various agonists, 64
- , —, response to tetramethylammonium, choline phenyl ether and nicotine, 58
- , —, response to various agonists, effect of ganglion blocking agents and tubocurarine on, 60
- , —, —, effect of hexamethonium, tetrodotoxin, and procaine on, influence of hyoscine, 65
- , —, —, effect of tetrodotoxin on, 62
- , —, spontaneous activity of, and response to acetylcholine, 55
- Temperature,** body, effect of  $\alpha$ -methyl-noradrenaline on, in chick, 196P
- , —, response to hemicholinium, and effect of choline on, influence of route of administration, in rat, 48
- , —, —, effect of various agonists on, 51
- , —, response to noradrenaline, and effect of route of administration and of antidepressants on, in mouse, 87
- , —, —, effect of antidepressants on, comparison with effect on behavioural response, 89
- , —, —, effect of noradrenaline on, 95
- , —, —, effect of nortriptyline on, influence of route of administration, 89
- , —, —, effect of nortriptyline and noradrenaline on, influence of  $\alpha$ - and  $\beta$ -adrenoceptive receptor blocking agents, 95
- , —, —, effect of various agonists on, comparison with response to reserpine, 91
- , —, response to triethylcholine, 49
- , effect of, on hearts perfused with fluid containing various amounts of potassium, 577
- , effect on metaraminol and noradrenaline turnover in heart and salivary gland, in rat, 156
- , effect on uptake of acetylcholine by rat brain tissue, 151
- , hypothalamic, method for regulating, in conscious cat, 216P
- , skin, response to isoprenaline, effect of propranolol on, comparison with 4-(2-hydroxy-3-isopropylaminopropoxy) acetanilide, in man, 177P
- Tenotomy,** induction of ulceration of heel by, in mouse, 221
- , —, effect of corticotrophin on, 222
- p-Terphenyl-hemicholinium,** toxicity of, and effect on acetylcholine formation and on acetylcholine-mediated tissues, 171P
- Tetracycline,** uptake by human blood cells, 180P
- Tetraethylammonium,** affinity constant for choline transport site in human and blood cells, 461
- Tetramethylammonium,** affinity constant for choline transport site in human red blood cells, 461
- , response of guinea-pig isolated ileum to, effect of phospholipids on, 186P
- , response of isolated taenia of guinea-pig caecum to, 58
- , —, effect of hexamethonium, ganglion blocking agents and tubocurarine on, 60
- , —, effect of hyoscine on, 59
- , —, effect of local anaesthetics on, 64
- , —, effect of tetrodotoxin on, 62
- Tetrodotoxin,** and saxitoxin, differences between effects on frog neuromuscular junction, 426
- , effect of, on acetylcholine contraction of rat denervated and innervated diaphragm, 516
- , effect of, on manganese-induced release of acetylcholine from guinea-pig ileum, 505
- , effect on nerve conduction in presence of lithium and magnesium, in rat, 418
- , effect on response of isolated taenia of guinea-pig caecum to various agonists, 62
- , —, influence of hyoscine, 65
- , influence on responses of guinea-pig isolated colon to physostigmine and stimulation, 11
- Theophylline,** effect on electrical properties of frog skin, and influence of antidiuretic hormone, chloride and choline chloride, 99
- , effect on tissue and cell volume and inulin space of frog skin, 102
- Thiocyanate,** effect of, on acetylcholine contraction of rat denervated diaphragm, 518
- Thiopentone,** effect on ventral root responses of frog isolated spinal cord to dorsal root and lateral column stimulation, 301
- Threonine,** electrically stimulated release from rat isolated brain of, 201P
- Thymoleptics,** bicyclic, effect on response of brain 5-hydroxytryptamine to  $\alpha$ -ethyl-4-methyl-metatyramine (H75/12), in mouse, 22
- , —, effect on response of tissue noradrenaline to 4- $\alpha$ -dimethyl-metatyramine (H77/77), in mouse, 21
- , —, effect on response of tissue noradrenaline and 5-hydroxytryptamine to H75/12 and H77/77, histochemical studies of, *in vitro*, 22
- , bicyclic and tricyclic, effect on reserpine-resistant uptake of  $\alpha$ -methyl-noradrenaline by peripheral noradrenaline neurones, in rat, 24
- , —, effect on uptake of  $\alpha$ -methyl-noradrenaline by reserpinized rat isolated brain and vas deferens, 25
- Tobacco smoke,** apparatus for presentation to laboratory animals of, 211P
- , olfactory response to, and effect of chlorpromazine, atropine and mecamlamine on, in cat, 200P
- Tolazoline,** influence on effect of nortriptyline and noradrenaline on hypothermic response to noradrenaline, in mouse, 95
- Tranlycypromine,** effect of, on the response to noradrenaline, in blood vessels in human hand, 607
- , effect on hypothermic response to noradrenaline, comparison with effect on response to reserpine, 91
- , modification of the vasoconstrictor action of sympathomimetic agents by bretylium tosylate in man, 602
- , potentiation of toxicity of narcotic analgesics by, in mice, 473

**Trichloroethylene**, effect on dorsal root responses of frog isolated spinal cord to dorsal root and lateral column stimulation, 308

—, effect on ventral root responses of frog isolated spinal cord to dorsal root and lateral column stimulation, 302

**Triethylcholine**, effect on release of acetylcholine from auditory cortex, in rabbit, 166

—, response of body temperature to, in rat, 49

**Trimetaphan**, effect on response of isolated taenia of guinea-pig caecum to various agonists, 60

**Tripeleennamine**, effect on hypothermic response to noradrenaline, comparison with effect on response to reserpine, 91

**Tris(hydroxymethyl)aminomethane hydrochloride**, effect of substitution with sodium of, on acetylcholine contraction of rat denervated diaphragm, 514

**Tropolone**, and tropolone-4-acetamide, effect on brain homovanillic acid and 3,4-dihydroxyphenylacetic acid, influence of probenecid, 113  
—, effect on response of brain homovanillic acid and 3,4-dihydroxyphenylacetic acid to L-dopa, 113

**Trypsin**, liberation of a bradykinin-like substance in the circulating blood of dogs by, 611

**L-Tryptophan**, removal from cerebrospinal fluid, in dog, 204P

**Tubocurarine**, dimethyl, affinity constant for choline transport site in human red blood cells, 461

—, effect on acetylcholine receptors, 182P

—, effect on response of chicken isolated oesophagus to nerve stimulation, 273

—, effect on response of isolated taenia of guinea-pig caecum to various agonists, 60

**D-Tubocurarine**, affinity constant for choline transport site in human red blood cells, 461

**Tyramine**, effect on response of rat isolated mesenteric artery to noradrenaline and sympathetic stimulation, 209P

—, induction of noradrenaline release from rat isolated vas deferens by, effect of cocaine and imipramine on, 82

—, vasoconstrictor actions of, on the blood vessels of human hand, 602

## U

**Ulceration**, or heel, tenotomy- and neurectomy-induced, in mouse, 221

—, —, —, effect of corticotrophin on, 223

**Urine**, catecholamine and 5-hydroxyindole metabolites in, effect of immunosympathectomy on, in rat, 75

**Uterus**, rat isolated, response to argipressin, effect of magnesium ions on, 35

—, —, response to lyppressin, effect of beryllium, magnesium, calcium, strontium and barium on, 338

—, —, —, effect of copper and zinc on, 342

—, —, —, effect of iron on, 341

—, —, —, effect of magnesium ions on, comparison with effect on response to acetylcholine, bradykinin, angiotensin amide and isoprenaline, 337

—, —, —, effect of magnesium and calcium ions on, 332, 334

—, —, —, effect of manganese, cobalt and nickel on, 339

## V

**Vagal stimulation**, response of blood pressure and heart beat to, effect of propranolol on, in dog, 140

**Vagotomy**, bilateral, effect on response of blood pressure, heart beat and electrical activity, to aconitine, in dog, 242

—, effect on response of chicken isolated oesophagus to nerve stimulation, 269

**Vascular bed**, studies of effect of natural and synthetic polypeptide type ergot compounds on a peripheral, 561

**Vas deferens**, rat isolated, tyramine-induced release of noradrenaline from, effect of cocaine and imipramine on, 82

—, —, uptake of noradrenaline by, 80

—, reserpinized rat isolated, uptake of  $\alpha$ -methyl-noradrenaline by, effect of bi- and tri-cyclic thymoleptics on, 25

**Vasoconstrictor action**, modification of, of sympathomimetic agents by bretylium tosylate and tranlylcypromine in man, 602

Vasopressin, arginine. *See* Argipressin

Vasopressin, lysine. *See* Lyppressin

## Y

**Yohimbine**, effect on response of blood pressure and heart beat to aconitine, in dog, 246

## Z

**Zinc**, effect on response of rat isolated uterus to lyppressin, 342

## Instructions to Authors

1. **Manuscripts** (2 copies) should be typed in double spacing on one side of paper not larger than foolscap (33×20·5 cm). There should be a separate title page giving the names and addresses of the authors in alphabetical order.
2. **A short summary of results and conclusions** (arranged in numbered paragraphs), **tables and legends to figures** should be typed on separate sheets of paper.
3. **References** should be collected at the end of the paper. They should include the authors' names, year of publication, title of article, title of publication (abbreviated in accordance with the fourth edition of the *World List of Scientific Periodicals*), volume number and first and last page numbers. References to books should, in addition, include the names of editors, the edition number, where appropriate, and the town of origin and name of publisher.
4. **Figures** should NOT BE LARGER THAN FOOLSCAP (33×20·5 cm) and may be in the form of original drawings, recorded tracings or high quality photographic prints made from them. Negative prints of kymograph tracings (black on white) should be provided and both ordinates and abscissae should be calibrated.
5. **Lettering** on figures should be inserted in PENCIL. Symbols which are to appear in figures or legends should be chosen from the following:  
× + ● ■ ○ □ △ ▲ ▽ ▼ ○ ● ◆
6. **Photographs and photomicrographs** should be printed on glossy paper and should be larger than the size required for reproduction.
7. **Tables** ideally should not have more than 84 characters to a line (counting spaces between columns as 4 characters) and certainly not more than 130 characters to a line, unless absolutely unavoidable.
8. **An abstract** of about 100 words suitable for inclusion in *International Abstracts of Biological Sciences* should be typed on a separate sheet.

**General remarks.** A recent issue of the Journal is a good guide to style. Papers are accepted only if accompanied by a statement that they have not and will not be published in whole or in part in any other Journal.

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Fifty reprints will be supplied to the authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs.