

Edited for the British Pharmacological Society by

W. D. M. Paton (*Chairman*) R. S. Stacey (*Secretary*)
P. A. Nasmyth (*Press Editor*)

N. Ambache	H. W. Kosterlitz
R. B. Barlow	J. Maddox
J. M. Barnes	J. F. Mitchell
J. W. Black	J. L. Mongar
W. C. Bowman	Mary Pickford
P. B. Bradley	H. P. Rang
A. S. V. Burgen	H. O. Schild
A. W. Cuthbert	D. F. Sharman
W. S. Feldberg	Hannah Steinberg
L. G. Goodwin	J. R. Vane
F. Hobbiger	Marthe Vogt
J. R. Hodges	

Editorial assistance is provided by the staff of Nature

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

Manuscripts (two copies) should be sent to Professor R. S. Stacey, St. Thomas's Hospital Medical School, London S.E.1. Authors should consult the suggestions inside the back cover.

Subscriptions. Three volumes of the journal are published annually, each volume containing three numbers. The annual subscription rate is £15 15s. in the United Kingdom and Republic of Ireland; \$46.60 U.S.A.; \$50.60 Canada; £16 10s. all other overseas countries. Subscriptions should be sent to: Subscriptions Department, Macmillan (Journals) Ltd., Brunel Road, Basingstoke, Hampshire, England. Alternatively, the journal can be ordered through a subscription agent or bookseller.

Advertisements. Applications for advertising space and rates should be sent to: Advertisement Manager, *British Journal of Pharmacology*, T. G. Scott and Son Ltd., 1 Clement's Inn, London, W.C.2, England. Tel: 01-242 6264; 01-405 4743. Grams: Textualist London W.C.2.

Copyright © 1969 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

INDEX TO VOLUME 37

AUTHOR INDEX

A

- ABITBOL, H., PIULATS, E. and ROSELLÓ, S. The action of glucosulphone [*N,N'*-di(glucose sodium sulphonate) of 4,4'-diaminodiphenyl sulphone] on pancreatic kallikrein, 168
- ABRAMSON, F. B., BARLOW, R. B., MUSTAFA, M. G. and STEPHENSON, R. P. Relationships between chemical structure and affinity for acetylcholine receptors, 207
- ACETO, M. D., BENTLEY, H. C. and DEMBINSKI, J. R. Effects of ganglion blocking agents on nicotine extensor convulsions and lethality in mice, 104
- AELLIG, W. H., PRICHARD, B. N. C. and RICHARDSON, G. A. The acute exercise test for the preliminary evaluation of β -receptor blocking drugs in angina pectoris, 527P
- ALLAN, DOROTHY, BAIRD, J. R. C. and ELLIS, KATHLEEN E. J. Interaction between (\pm)-amphetamine and atropine on the rat cardiovascular system, 367
- ALLEN, J. D., SHANKS, R. G. and ZAIDA, S. A. A comparison of the effects of bretylium, lignocaine and propranolol on experimental cardiac arrhythmias, 526P
- ANASTASI, A., BERTACCINI, G., CEI, J. M., CARO, G. DE, ERSPAMER, V. and IMPICCIATORE, M. Structure and pharmacological actions of phyllocaerulein, a caerulein-like nonapeptide: its occurrence in extracts of the skin of *Phyllomedusa sauvagei* and related *Phyllomedusa* species, 198
- ANKIER, S. I. and TYERS, M. B. A technique for the continuous micro-infusion of chemicals into discrete parts of the brain in unrestrained rats, 548

B

- BABABUNMI, E. A. and BASSIR, O. The effect of aflatoxin on blood clotting in the rat, 497
- BAIRD, J. R. C. See ALLAN, DOROTHY, *et al.*, 367
- BALASUBRAMANIAM, K., MAWER, G. E. and RODGERS, E. MARGARET: The estimation of amylobarbitone and hydroxyamylobarbitone in serum by gas liquid chromatography, 546
- BANKS, P., KAPPELLER, K., and MAYOR, D.: The effects of iproniazid and reserpine on the accumulation of granular vesicles and noradrenaline in constricted adrenergic nerves, 10
- BARDSLEY, W. G., HILL, C. M. and LOBLEY, R. W. A reinvestigation of the substrate specificity of pig kidney diamine oxidase, 541P
- BARLOW, R. B., THOMPSON, G. M. and SCOTT, N. C. The affinity and activity of compounds related to nicotine on the rectus abdominis muscle of the frog (*Rana pipiens*), 555
- BARLOW, R. B. See ABRAMSON, F. B., *et al.*, 207
- BASSETT, J. R., CAIRNCROSS, K. D., HACKET, N. B. and STORY, MARGOT. Studies on the peripheral pharmacology of fenazoxine, a potential antidepressant drug, 69
- BASSIR, O. See BABABUNMI, E. A., 479
- BEITCH, BARBARA R. and EAKINS, K. E. The effects of prostaglandins on the intraocular pressure of the rabbit, 158

- BELESLIN, D. B. The action of eledoisin on the peristaltic reflex of guinea-pig isolated ileum, 234
- BELESLIN, D. B. and RAKIĆ, M. M. Stimulant action of tetraethylammonium on the peristaltic reflex of the guinea-pig isolated ileum, 245
- BELL, C. The pharmacological nature of the response of the reserpinized guinea-pig vas deferens to postganglionic nerve stimulation, 52
- BENNETT, T. The effects of hyoscine and anticholinesterases on cholinergic transmission to the smooth muscle cells of the avian gizzard, 585
- BENTLEY, H. C. See ACETO, M. D., *et al.*, 104
- BERTACCINI, G. See ANASTASI, A., *et al.*, 198
- BERTACCINI, G., CARO, G. DE, ENDEAN, R., ERSPAMER, V. and IMPICCIATORE, M. The action of caerulein on pancreatic secretion of the dog and biliary secretion of the dog and the rat, 185
- BHAGAT, B. Role of adrenal hormones in the synthesis of noradrenaline in cardiac sympathetic neurones, 34
- BHAGAT, B. and FRIEDMAN, EITAN. Factors involved in maintenance of cardiac catecholamine content: relative importance of synthesis and re-uptake, 24
- BHARGAVA, V. K. and MELDRUM, B. S. The strychnine-like action of curare and related compounds on the somatosensory evoked response of the rat cortex, 112
- BLACKHAM, A. and SPENCER, P. S. J. Interactions of oestrogenic and progestational steroids with dexamphetamine and fencamfamin in mice, 508P
- BLACKHAM, A. and SPENCER, P. S. J. The effects of oestrogens and progestins on the response of mice to barbiturates, 129
- BLYTHER, S. and MARRIOTT, A. S. The effects of drugs on the hyper-reactivity of rats with bilateral anterior hypothalamic lesions, 507P
- BOREHAM, D. R. and MARTIN, B. K. The kinetics of elimination of salicylic acid and the formation of gentisic acid, 294
- BOTTING, J. H. and TURNER, A. D. Studies on the mode of action of vasopressin on the isolated proximal colon of the guinea-pig, 306
- BRADLEY, P. B., SAMUELS, GILLIAN M. R. and SHAW, JANE E. Correlation of prostaglandin release from the cerebral cortex of cats with the electrocorticogram, following stimulation of the reticular formation, 151
- BREDA, J. B., CARLINI, E. A. and SADER, N. F. A. Effects of chronic administration of (+)-amphetamine on maze performance of the rat, 79
- BRIMBLECOMBE, R. W., HUNT, R. R., RICKARD, R. L. and TAYLOR, JOAN V. The synthesis and pharmacology of some 1,4,5,6-tetrahydropyrimidines, 425
- BROWN, D. A., BROWNSTEIN, M. J. and SCHOLFIELD, C. N. On the nature of the drug-induced after-hyperpolarization in isolated rat ganglia, 511P

- BROWN, D. A., HALLIWELL, J. V. and SCHOLFIELD, C. N. Nicotine uptake in isolated rat ganglia, 510P
- BROWNSTEIN, M. J. *See* BROWN, D. A., *et al.*, 511P
- BUCKINGHAM, R. E., CLARKE, W. G. B., NICHOLS, B. and REES, J. M. H. Electroanaesthesia as a pharmacological technique, 544P
- BUCKLEY, G. A., HEADING, CHRISTINE E. and TAYLOR, K. Ambient temperature and thermal responses to hexamethonium in the mouse, 509P
- BUCKLEY, G. A. and JORDAN, C. C. Two types of adrenoceptor in the isolated frog heart, 522P

C

- CAIRNCROSS, K. D. *See* BASSETT, J. R., *et al.*, 69
- CALDWELL, A. D. S., MARTIN, A. J. and TRIGGER, D. J. Comparative study of the effect of three antibiotics on renal function, 283
- CALNE, D. B. and WEBSTER, R. A. Tremor induced by tetrabenazine, 468
- CALNE, D. B., KAROUM, F., RUTHVEN, C. R. J. and SANDLER, M. The metabolism of orally administered L-DOPA in Parkinsonism, 57
- CALVEY, T. N. *See* SOMANI, S. M., *et al.*, 528P
- CARLINI, E. A. *See* BREDI, J. B., *et al.*, 79
- CARLYLE, R. F. The occurrence of pharmacologically active substances in, and the action of drugs on, preparations of the sea anemone *Actinia equina*, 532P
- CARNEY, I. The evaluation of anaphylactic bronchoconstrictor effects induced by intravenous and aerosol challenge in the anaesthetized guinea-pig, 551
- CARO, G. *See* ANASTASI, A., *et al.*, 198
- CARO, G. DE. *See* BERTACCINI, G., *et al.*, 185
- CEI, G. *See* ANASTASI, A., *et al.*, 198
- CHAHLE, LORIS A., and O'DONNELL, STELLA R. Actions of phenylephrine on β -adrenoreceptors in guinea-pig trachea, 41
- CHOWDHURY, A. K., ROGERS, H., SKINNER, A., SPECTOR, R. G. and WATTS, D. C. The influence of psychotropic drugs on aldolase, mitochondrial malic dehydrogenase and $Mg^{++}Na^{+}K^{+}$ adenosine triphosphate, 459
- CHURCH, M. K. and JAMES, G. W. L. A model to demonstrate inhibition by dexamethasone of anaphylactic bronchoconstriction, 536P
- CLARKE, D. E., JONES, C. J. and LINLEY, P. A. Histochemical fluorescence studies on nor-adrenaline accumulation by Uptake₂ in the isolated rat heart, 1
- CLARKE, W. G. B. *See* BUCKINGHAM, R. E., *et al.*, 544P
- COLLINS, A. J. and HORLINGTON, M. A sequential screening test based on the running component of audiogenic seizures in mice, including reference compound PD50 values, 140
- COOPER, E. R. A. and JACKSON, H.: Effects of ethylene dimethanesulphonate on reproductive function in rats, 532P
- CURZON, G. and GREEN, A. R. Effects of immobilization on rat liver tryptophan pyrrolase and brain 5-hydroxytryptamine metabolism, 690
- CUTHBERT, A. W. and PAINTER, ELISABETH. Capacitance changes in frog skin caused by theophylline and antidiuretic hormone, 314

D

- DALE, M. M. and ZILLETI, L. The anaphylactic reaction in the longitudinal muscle strip of guinea-pig ileum, 518P
- DASH, C. H. *See* GOWER, P. E., 738
- DAVIS, W. G., MACDONALD, D. C. and MASON, D. F. J. The effects of pronethalol and propranolol in the coronary circulation of the dog, 338
- DAY, M. D. and OWEN, D. A. A. Inhibition of angiotensin pressor responses with diethyl-dithiocarbamate (DDC), 517P
- DEMBINSKI, J. R. *See* ACETO, M. D., *et al.*, 104

E

- EAKINS, K. E. *See* BEITCH, BARBARA R., 158
- EDWARDS, K., JACKSON, H. and JONES, A. R. A possible explanation for the varied effects of sulphonic acid diesters on spermatogenesis, 529P
- ELLIS, KATHLEEN. *See* ALLAN, DOROTHY, *et al.*, 367
- EMMELIN, N., OHLIN, P. and THULIN, A. The pharmacology of salivary myoepithelium cells in dogs, 666
- ENDEAN, R. *See* BERTACCINI, G., *et al.*, 185
- ERSPAMER, V. *See* ANASTASI, A., *et al.*, 198
- ERSPAMER, V. *See* BERTACCINI, G., *et al.*, 185

F

- FENNESSY, M. R., HEIMANS, R. L. H. and RAND, M. J. Comparison of effect of morphine-like analgesics on transmurally stimulated guinea-pig ileum, 436
- FILDERMAN, R. B. and KOVACS, B. A. Anti-inflammatory activity of the steroid alkaloid glycoside, tomatine, 748
- FOWLER, J. S. L. Carbon tetrachloride metabolism in the rabbit, 733
- FRIEDMAN, Eitan. *See* BHAGAT, B., 24

G

- GILLESPIE, J. S., MACLAREN, A. and POLLOCK, D. A method of stimulating different segments of the sympathetic and parasympathetic outflows from the spinal cord and the pithed rat, 513P
- GLEN-BOTT, MARY, IMMS, F. J., JONES, M. T. and PAPADAKI, LUCIENNE. The influence of adrenocortical insufficiency on cardiac muscle, 521P
- GODDARD, C. J. H. The quantitative evaluation of skin reactions in cases of delayed hypersensitivity, 532P
- GOLDMAN, JOEL M. *See* HADLEY, MAC E., 650
- GOLDSTEIN, AVRAM. *See* SHARKAWI, MAHMOUD, 123
- GOODRICH, CECILIE A. Effect of monoamine-oxidase inhibitors on 5-hydroxytryptamine output from perfused cerebral ventricles of anaesthetized cats, 87
- GOWER, P. E. and DASH, C. H. Cephalixin: human studies of absorption and excretion of a new cephalosporin antibiotic, 138
- GRAEFF, F. G., PELA, IRENE R. and ROCHA E SILVA, M. Behavioural and somatic effect of bradykinin injected into the cerebral ventricles of unanaesthetized rabbits, 723

- GRAHAM, J. D. P., LEVER, J. D. and SPRIGGS, T. L. B. The effect of morphine dependence on the vesicular content of adrenergic nerves in relation to arteriolar smooth muscle in the pancreas of the rat, 19
- GRAYSON, J., IRVINE, MONA and PARRATT, J. R. The effects of carbochromen on myocardial blood flow and metabolic heat production before and after acute coronary ligation, 523P
- GREEN, A. R. See CURZON, G., 690

H

- HACKET, N. B. See BASSETT, J. R., *et al.*, 69
- HADLEY, MAC E. and GOLDMAN, JOEL M. Effects of cyclic 3',5'-AMP and other adenine nucleotides on the melanophores of the lizard (*Anolis carolinensis*), 650
- HALLIWELL, J. V. See BROWN, D. A., *et al.*, 510P
- HARRISON, D. C., PIRAGES, SUELLEN, ROBINSON, SHERILYN C. and WINTROUB, B. U. The pulmonary and systemic circulatory response to dopamine infusion, 618
- HEADING, CHRISTINE E. Cholinesterases and cholineacetylase in the nervous system of the rat, 553
- HEADING, CHRISTINE E. See BUCKLEY, G. A. *et al.*, 509P
- HEDGES, ANNMARIE and TURNER, P. β -receptors in human isolated smooth muscle, 547
- HEIMANS, R. L. H. See FENNESSY, M. R., *et al.*, 436
- HILL, C. M. See BARDSLEY, W. G., *et al.*, 541P
- HOBBIGER, F. and PECK, A. W. Hydrolysis of suxamethonium by different types of plasma, 258
- HOPE, D. B. and WATKINS, W. B. Isolation of a new oxytocic peptide from bovine posterior pituitary lobes, 533P
- HOPKIN, JUDY M. See HORTON, E. W., 705
- HORLINGTON, M. See COLLINS, A. J., 140
- HORTON, E. W. and JONES, R. L. Prostaglandins A_1 , A_2 and 19-hydroxy A_1 ; their actions on smooth muscle and their inactivation on passage through the pulmonary and hepatic portal vascular beds, addendum by Judy M. Hopkin and E. W. Horton, 705
- HUGHES, B. O. and SPICER, BARBARA. Some anticholinergic activities of BRL 1288—a new anti-Parkinson drug, 501P
- HUGHES, J. and ROTH, R. H. Enhanced release of transmitter during sympathetic nerve stimulation in the presence of angiotensin, 516P
- HUNT, J. N. and LALLEMAND, R. C. Sedative properties of simple analgesics, 450
- HUNT, R. R. See BRIMBLECOMBE, R. W., *et al.*, 425

I

- IMPICCIATORE, M. See ANASTASI, A., *et al.*, 198
- IMPICCIATORE, M. See BERTACCINI, G., *et al.*, 185
- IMMS, F. J. See GLEN-BOTT, MARY, *et al.*, 521P
- IRESON, J. D. Opioid and muscarinic antinociception, 504P
- IRVINE, MONA. See GRAYSON, J., *et al.*, 523P
- IVERSEN, L. L. and LANGER, S. Z. Effects of phenoxybenzamine on the uptake and metabolism of noradrenaline in rat heart and vas deferens, 662
- IVERSEN, L. L. See LIGHTMAN, S. L., 638

J

- JACKSON, H. See COOPER, E. R. A., 532P
- JACKSON, H. See EDWARDS, K., *et al.*, 529P
- JACKSON, H. See JONES, A. R., 531P

- JAMES, G. W. L. See CHURCH, M. K., *et al.*, 536P
- JONES, A. R. and JACKSON, H. Chemosterilant action of trimethylphosphate in rodents, 531P
- JONES, A. R. See EDWARDS, K., *et al.*, 529P
- JONES, C. J. See CLARKE, D. E., *et al.*, 1
- JONES, M. T. See GLEN-BOTT, MARY, *et al.*, 521P
- JONES, R. L. See HORTON, E. W., 705
- JORDAN, C. C. See BUCKLEY, G. A., 522P
- JOYCE, C. R. B., MALPAS, ANN, ROWAN, J. and SCOTT, D. F. Behaviour and EEG are affected on the day after hypnotic doses of nitrazepam and amylobarbitone sodium, 503P

K

- KAPELLER, K. See BANKS, P., *et al.*, 10
- KAROUN, F. See CALNE, D. B., *et al.*, 57
- KOVACS, B. A. See FILDERMAN, R. B., 748

L

- LAITY, J. L. H. The release of prostaglandin E_1 from the rat phrenic nerve-diaphragm preparation, 698
- LANGER, S. Z. See IVERSEN, L. L., 627
- LALLEMAND, R. C. See HUNT, J. N., 450
- LEVER, J. D. See GRAHAM, J. D. P., *et al.*, 19
- LIGHTMAN, S. L. and IVERSEN, L. L. The role of Uptake₂ in the extraneuronal metabolism of catecholamines in isolated rat heart, 638
- LINLEY, P. A. See CLARKE, D. E., *et al.*, 1
- LOBLEY, R. W. See BARDSLEY, W. G., *et al.*, 541P
- LOCKETT, MARY F. and WADLEY, ROSALIE. Renal actions of dihydroergocristine and of phenolamine in anaesthetized cats, 595

M

- MACDONALD, D. C. See DAVID, W. G., *et al.*, 338
- MCINNES, LINDA and PARRATT, J. R. Studies on the mode of action of hexobendine, a prospective anti-anginal drug, 272
- MACLAREN, A. See GILLESPIE, J. S., *et al.*, 513P
- MAEGRAITH, B. G. and ONABANJO, A. O. The involvement of histamine in malaria, 535P
- MALPAS, ANN. See JOYCE, C. R. B., *et al.*, 503P
- MARRIOTT, A. S. See BLYTHER, S., 507P
- MARSHALL, L. and WEINSTOCK, MARTA. A quantitative method for the assessment of physical dependence on narcotic analgesics in mice, 505P
- MARTIN, A. J. See CALDWELL, A. D. S., *et al.*, 283
- MARTIN, B. K. See BOREHAM, D. R., *et al.*, 294
- MASON, D. F. J. See DAVID, W. G., *et al.*, 338
- MASSINGHAM, R. The mechanism of potentiation of inotropic responses to phenylephrine by theophylline, 540P
- MAWER, G. E. See BALASUBRAMANIAM, K., *et al.*, 546
- MAYOR, D. See BANKS, P., *et al.*, 10
- MÉCS, I. See SELYE, H., *et al.*, 485
- MELDRUM, B. S. See BHARGAVA, V. K., 112
- METCALFE, HELEN L. and TURNER, P. Pharmacological studies of cinanserin in human isolated smooth muscle, 519P
- MOYLAN-JONES, R. J. The effect of a large dose of atropine upon the performance of routine tasks, 301
- MUSTAFA, M. G. See ABRAMSON, F. B., *et al.*, 207

N

- NATOFF, I. L. The pharmacology of the cholinceptor in muscle preparations of *Ascaris lumbricoides* var. *suum*, 251

NICHOLS, B. See BUCKINGHAM, R. E., *et al.*, 544P
 NIELSEN, H. M. Kinin forming and destroying activities in human bile and mucous membranes of the biliary tract, 172

O

O'DONNELL, STELLA R. See CHAHL, LORIS A., 41
 OHLIN, P. See EMMELIN, N., *et al.*, 666
 ONABANJO, A. O. See MAEGRAITH, B. G., 535P
 OWEN, D. A. A. See DAY, M. D., 517P

P

PAINTER, ELISABETH. See CUTHBERT, A. W., 314
 PAPADAKI, LUCIENNE. See GLEN-BOTT, MARY, *et al.*, 521P
 PAPP, J. GY. and WILLIAMS, E. M. VAUGHAN. The effect of bretylium on intracellular cardiac action potentials in relation to its anti-arrhythmic and local anaesthetic activity, 380
 PARRATT, J. R. and WADSWORTH, R. M. Myocardial and haemodynamic effects of the beta-adrenoceptor blocking drug alprenolol (H56/28) in anaesthetized cats, 357
 PARRATT, J. R. and WADSWORTH, R. M. The effect of "selective" beta-receptor blocking drugs on the myocardial circulation, 524P
 PARRATT, J. R. See GRAYSON, J., *et al.*, 523P
 PARRATT, J. R. See MCINNES, LINDA, 272
 PECK, A. W. See HOBBIER, F., *et al.*, 258
 PELA, IRENE R. See GRAEFF, F. G., *et al.*, 273
 PIRAGES, SUELLEN. See HARRISON, D. C., *et al.*, 618
 PIULATS, E. See ABITOL, H., *et al.*, 168
 POLLOCK, D. See GILLESPIE, J. S., *et al.*, 513P
 POSNER, J. The inhibitory innervation of the bovine iris sphincter, 515P
 PRICHARD, B. N. C. See AELLIG, W. H., *et al.*, 527P

R

RAKIĆ, M. M. See BELESIN, D. B., 245
 RAND, M. J. See FENNESSY, M. R., *et al.*, 436
 RANG, H. P. and RITTER, J. M. Disulphide bond reduction in nicotinic receptors, 538P
 REES, J. M. H. See BUCKINGHAM, R. E., *et al.*, 544P
 REILLY, MARGARET A. and SCHAYER, R. W. Enhancement of inflammation and histamine formation by actinomycin D, 489
 RICHARDSON, G. A. See AELLIG, W. H., *et al.*, 527P
 RICKARD, R. L. See BRIMBLECOMBE, R. W., *et al.*, 425
 RIDER, J. and THOMAS, S. The effect of theophylline on sodium transport across frog skin in the absence of chloride, 539P
 RITTER, J. M. See RANG, H. P., 538P
 ROBISON, SHERILYN C. See HARRISON, D. C., *et al.*, 618
 ROCHA E SILVA, M. See GRAEFF, F. G., *et al.*, 723
 RODGERS, E. MARGARET. See BALASUBRAMANIAM, K., *et al.*, 546P
 ROGERS, H. See CHOWDHURY, A. K., *et al.*, 459
 ROSENGREN, ELSA and SVENSSON, S. E. Histamine formation in rat gastric mucosa and lung after injecting reserpine or adrenaline, 659
 ROSS, G. Cardiovascular actions of glucagon and secretin, 528P
 ROSELLÓ, S. See ABITOL, H., *et al.*, 168
 ROTH, R. H. See HUGHES, J., 516P

ROWAN, J. See JOYCE, C. R. B., *et al.*, 503P
 RUTHVEN, C. R. J. See CALNE, D. B., *et al.*, 57

S

SADER, N. F. A. See BREDI, J. B., *et al.*, 79
 SAMUELS, GILLIAN M. R. See BRADLEY, P. B., *et al.*, 151
 SANDLER, M. See CALNE, D. B., *et al.*, 57
 SCHAYER, R. W. See REILLY, MARGARET A., 489
 SCHNEIDER, F. H. Secretion from the cortex-free bovine adrenal medulla, 371
 SCHNIEDEN, H. An apparatus for measuring passive resistance to movement of the forearm in man, 542P
 SCHOLFIELD, C. N. See BROWN, D. A., *et al.*, 510P, 511P
 SCOTT, D. F. See JOYCE, C. R. B., *et al.*, 503P
 SCOTT, N. C. See BARLOW, R. B., *et al.*, 555
 SELYE, H., MÉCS, I. and TAMURA, T. Effect of spironolactone and norbolethone on the toxicity of digitalis compounds in the rat, 485
 SHANKS, R. G. See ALLEN, J. D., *et al.*, 526P
 SHARKAWI, MAHMOUD and GOLDSTEIN, AVRAM. Antagonism by physostigmine of the "running fit" caused by levorphanol, a morphine congener, in mice, 123
 SHAW, JANE E. See BRADLEY, P. B., *et al.*, 151
 SILVA, M. ROCHA E. See GRAEFF, F. G., *et al.*, 723
 SILVERMAN, A. P. Behavioural effects of a "smoking dose" of nicotine in rats, 506P
 SKINNER, A. See CHOWDHURY, A. K., *et al.*, 459
 SMALL, R. C. and WESTON, A. H. Spontaneous and drug-induced electrical changes in longitudinal muscle strips from the rabbit duodenum, 545
 SMITH, S. E. Uptake of antimony potassium tartrate by mouse liver slices, 476
 SNEDDON, J. M. Sodium-dependent accumulation of 5-hydroxytryptamine by rat blood platelets, 680
 SOKANI, PITAMBAR. Study on some selective β -adrenoreceptor blocking effects of 1-(4-nitrophenyl)-1-hydroxy-2-methyl isopropylaminoethane (α -methyl INPEA), 609
 SOMANI, S. M., CALVEY, T. N. and WRIGHT, ANTOINETTE. The excretion of hydroxyphenyl trimethylammonium in bile, 528P
 SPECTOR, R. G. See CHOWDHURY, A. K., *et al.*, 459
 SPENCER, P. S. J. and TURNER, T. A. R. Blockade of biogenic amine synthesis: its effect on the responses to leptazol and dexamphetamine in rats, 94
 SPENCER, P. S. J. See BLACKHAM, A., 508P
 SPENCER, P. S. J. See BLACKHAM, A., *et al.*, 129
 SPICER, BARBARA, See HUGHES, B. O. 501P
 SPRIGGS, T. L. B. See GRAHAM, J. D. P., *et al.*, 19
 STARR, M. S. and WEST, G. B. Further evidence for the involvement of kinin in anaphylactic shock in the rat, 178
 STEPHENSON, R. P. See ABRAMSON, F. B., *et al.*, 207
 STEVENSON, I. H. and TURNBULL, M. J. The effect of chronic barbitone administration and withdrawal on the sensitivity of the central nervous system to barbiturate, 502P
 STORY, MARGOT. See BASSETT, J. R., *et al.*, 69
 SUMMERS, R. J. Effects of monoamine oxidase inhibitors on the hypothermia produced in cats by halothane, 400
 SVENSSON, S. E. See ROSENGREN, ELSA, 659
 SWEETMAN, A. J. and WEETMAN, D. F. Polarographic assay of monoamine oxidase, 550

T

- TAMURA, T. *See* SELYE, H., *et al.*, 485
 TAYLOR, JOAN V. *See* BRIMBLECOMBE, R. W., *et al.*, 425
 TAYLOR, K. *See* BUCKLEY, G. A., *et al.*, 509P
 THOMAS, S. *See* RIDER, J., 539P
 THOMPSON, G. M. *See* BARLOW, R. B., *et al.*, 555
 THULIN, A. *See* EMMELIN, N., *et al.*, 666
 TRIGGER, D. J. *See* CALDWELL, A. D. S., *et al.*, 283
 TURKANIS, S. A. Some properties of the denervated anterior gracilis muscle of the rat, 414
 TURNBULL, M. J. *See* STEVENSON, I. H., 502P
 TURNER, A. D. *See* BOTTING, J. H., 306
 TURNER, P. *See* HEDGES, ANNMARIE, 547
 TURNER, P. *See* METCALFE, HELEN L., 519P
 TURNER, T. A. R. *See* SPENCER, P. S. J., 94
 TYRES, M. B. *See* ANKIER, S. I., 548

V

- VOGT, MARTHE. Release from brain tissue of compounds with possible transmitter function: interaction of drugs with these substances, 325

W

- WADLEY, ROSALIE. *See* LOCKETT, MARY F., 595
 WADSWORTH, R. M. *See* PARRATT, J. R., 357; 524P
 WATKINS, W. B. *See* HOPE, D. B., 533P
 WATTS, D. C. *See* CHOWDHURY, A. K., *et al.*, 459
 WEBSTER, R. A. *See* CALNE, D. B., *et al.*, 469
 WEETMAN, D. F. *See* SWEETMAN, A. J., 550P
 WEINSTOCK, MARTA. *See* MARSHALL, L., 505P
 WEST, G. B. *See* STARR, M. S., 178
 WESTFALL, D. P. The effect of decentralization and reserpine-treatment on the sensitivity of the isolated vas deferens of the guinea-pig to stimulant drugs, 514P
 WESTON, A. H. *See* SMALL, R. C., 545
 WHITTAKER, D. K. *See* WILSON, T. R., 543P
 WILLIAMS, E. M. VAUGHAN. *See* PAPP, J. GY., 380
 WILSON, T. R. and WHITTAKER, D. K., Stress-induced oral and gastric ulcers in rats, 543P
 WINTROUB, B. U. *See* HARRISON, D. C., *et al.*, 618
 WRIGHT, ANTOINETTE. *See* SOMANI, S. M., *et al.*, 528P

Z

- ZAIDI, S. A. *See* ALLEN, J. D., *et al.*, 526P
 ZILLETTI, L. *See* DALE, M. M., 518P

SUBJECT INDEX

A

- Acetylcholine**, analogues, affinity for acetylcholine receptors measured where agonists have been shown to be acting competitively, 207
- , —, effect of onium group size on affinity to acetylcholine receptors, 222
- , and methacholine, effects on salivary myoepithelium in dogs, 668
- , bromide, stimulation of catecholamines from cortex-free bovine adrenal medulla, 371
- , depolarization and contracture of denervated anterior gracilis muscle, 419
- , effect on denervated anterior gracilis muscle, 414
- , effect on isometric tension in muscle preparations, 251
- , or carbachol induced deoxyribonuclease activity secretion from cortex-free bovine medulla, 377
- , potency in antagonizing responses of muscle preparations to nicotine-like drugs, 251
- , receptors, relationships between chemical structure and affinity for, 207
- , release at some central cholinergic synapses, retardation by morphine-like drugs, 123
- , released from the brain, interaction of drugs with, 326
- , stimulation of catecholamine secretion from cortex free bovine medulla, 376
- , topically applied, relationship between depolarization and concentration of, denervated anterior gracilis muscle of rat, 417
- Actina equina**, sea anemone, pharmacologically active substances occurrence in, and action of drugs on preparations of, 532P
- Actinomycin-D**, effect on endotoxin-induced inflammation of mouse lung, 491
- , enhancement of inflammation and histamine formation by, 489
- Adenine nucleotides**, effects on the melanophores of the lizard, *Anolis carolinensis*, 650
- 3',5'-Adenosine monophosphate**, cyclic and other adenine nucleotides effects on the melanophores of the lizard, *Anolis carolinensis*, 650
- Adenosine triphosphatase**, influence of psychotropic drugs on, 460
- Adrenal demedullation**, effect on cardiac monoamine oxidase activity and catechol-o-methyl transferase activity, 38
- , effect on cardiac storage of noradrenaline and on blood pressure, 36
- Adrenal hormones**, role in noradrenaline synthesis in cardiac sympathetic neurones, 34
- Adrenal medulla**, cortex-free bovine, carbachol-induced secretion of deoxyribonuclease activity in, 377
- , —, spontaneous loss of tissue constituents from, 373
- , —, stimulation of catecholamine secretion from by carbachol, nicotine, (+)-amphetamine, potassium chloride, histamine and acetylcholine, 376
- , release of catecholamine from, by dihydroergocristine, 604
- Adrenalectomy**, and immobilization, effect on brain 5-hydroxytryptamine and 5-hydroxyindoleacetic acid and liver pyrrolase, 692
- , effect on cardiac monoamine oxidase activity and catechol-o-methyl transferase activity, 38
- Adrenalectomy (contd.)**
- , effect on cardiac storage of noradrenaline and on blood pressure, 36
- Adrenaline**, and noradrenaline, effect of hexobendine on response of isolated rabbit atria to, 279
- , effect on eledoisin action on peristalsis, 242
- , effect on muscle preparations, 251
- , noradrenaline, and isoprenaline, effect on denervated muscle, 421
- , —, and phenylephrine, effect on salivary myoepithelium, dog, 670
- , reserpine and gastrin, effect on histamine forming capacity of rat gastric mucosa and lung, 659
- Adrenergic nerves**, constricted, effects of iproniazid and reserpine on accumulation of granular vesicles and noradrenaline in, 10
- , distribution in heart muscle, 3
- , vesicular content, effect of morphine dependence on, in relation to arteriolar smooth muscle in rat pancreas, 19
- Adrenoceptor**, two types in the isolated frog heart, 522P
- α -Adrenoceptor**, blocking drugs, effect on phenylephrine action on β -adrenoceptors in guinea-pig trachea, 46
- β -Adrenoceptor**, blockade, effect on arterial and coronary venous oxygen tensions (pO_2), dog, 351
- , —, effect on arterial and venous pressures, dog, 342
- , —, effect on coronary flow, dog, 347
- , —, effect on heart rate and size, dog, 343
- , —, effect on pressure-time index, dog heart, 346
- , —, effect on ventricular pressures, dog, 343
- , —, in coronary arteries, antagonism to sympathomimetic amines and to sympathetic stimulation, dog, 341
- , blocking agent, alprenol, myocardial and haemodynamic effects, 357
- , blocking effects of 1-(4-nitrophenyl)-1-hydroxy-2-methyl isopropylaminoethane (α -methyl INPEA), 609
- , phenylephrine action on, guinea-pig trachea, 41
- Adrenocortical insufficiency**, influence on cardiac muscle, 521P
- Aflatoxin**, effect on blood clotting, rat, 497
- After-hyperpolarization**, drug-induced, the nature of, in isolated rat ganglia, 511P
- Aldolase**, influence of psychotropic drugs on, 460
- Allopurinol**, and immobilization on brain 5-hydroxyindoleacetic acid and liver pyrrolase, 691
- , effect on brain 5-hydroxytryptamine metabolism after immobilization, 691
- Alprenol**, effect on extra-vascular smooth muscle, cat, 364
- , effect on liver blood flow, vascular resistance and metabolic heat production, cat, 364
- , effect on myocardial blood flow, vascular resistance and metabolic heat production, 362
- , general haemodynamic effects, cat, 360
- , myocardial and haemodynamic effects in anaesthetized cats, 357

- (±)-**Amphetamine**, and atropine interaction on the rat cardiovascular system, 367
- , effect of atropine on action on pithed rat blood pressure, 367
- , effects of chronic administration on maze performance of the rat, 79
- , stimulation of catecholamine secretion from cortex-free bovine medulla, 376
- Ampicillin B.P.**, (Penbritin), Colomycin and Thiosporin, comparison of effects on kidney function, 283
- Amylobarbitone**, and hydroxyamylobarbitone, estimation of serum by gas liquid chromatography, 546P
- , effect on aldolase, mitochondrial malic dehydrogenase and $Mg++Na+K+$ adenosine triphosphatase, 459
- , effects on the hyper-reactivity of rats with bilateral anterior hypothalamic lesions, 507P
- , sodium, and nitrazepam, effect on behaviour and EEG the day after the dose, 503P
- , —, effect on (+)-amphetamine action on maze performance in rats, 79
- , tremor, similarity to tetrabenazine tremor, 468
- Analgesic drugs**, depression of ileal activity on withdrawal of, guinea-pig, 442
- , increased concentrations produce increased activity in tolerant ileum preparations, 441
- , morphine-like, comparison of effect on transmurally stimulated guinea-pig ileum, 436
- , narcotic, in mice a quantitative method for the assessment of physical dependence on, 505P
- , simple sedative properties of, 450
- , tolerance to depressant action, transmurally stimulated guinea-pig ileum, 440
- , withdrawal, restoration of responses decreased by, guinea-pig ileum, 443
- Anaphylactic bronchoconstriction**, a model of dexamethasone inhibition of, 536P
- Anaphylactic bronchoconstrictor**, effects induced by intravenous and aerosol challenge in the anaesthetized guinea-pig, evaluation of, 551P
- Anaphylactic reaction**, in the longitudinal muscle strip of guinea-pig ileum, 518P
- Anaphylactic shock**, kinin involvement in, rat, 178
- , protection from by phenylbutazone, soya bean trypsin inhibitor, or a mixture of ascorbic acid and mepyramine, 180
- , symptom onset delay and survival time prolongation by fenamates, sodium salicylate, Trasylol and hexadimethrine, 180
- Angina drug**, hexobendine, studies on, 272
- Angina pectoris**, acute exercise test for preliminary evaluation of β -receptor blocking drugs in, 527
- Angiotensin**, effect on salivary myoepithelium, dog, 676
- , enhanced release of transmitter during sympathetic nerve stimulation in the presence of, 516P
- , pressor responses inhibition with diethyldithiocarbamate, 517P
- Anoxia**, effect of hexobendine on response of isolated rabbit atria to, 278
- Anti-anginal drug**, studies on hexobendine as, 272
- Anti-arrhythmic**, actions of I.C.I. 50172 and (–)-propranolol, and effects on intracellular cardiac action potentials and other features of cardiac function, 391
- Antibiotic**, new, Cephalixin human studies of absorption and excretion of, 738
- Antibiotics**, comparison of effects on renal function, 282
- Anticholinergic**, activities of BRL 1288 a new anti-Parkinson drug, 501P
- Anticholinesterases**, and hyoscine, effect on cholinergic transmission to smooth muscle cells of the avian gizzard, 585
- Antidepressant drug**, fenazoxine, studies on peripheral pharmacology of, 69
- Antidiuretic hormone**, and theophylline, capacitance changes in frog skin caused by, 314
- Anti-inflammatory**, activity of steroid alkaloid glycoside, tomatine, 748
- Antimony potassium tartrate**, uptake by mouse liver slices, 476
- Anti-nociception**, opioid and muscarinic, 504P
- Anti-Parkinson drug**, new, BRL 1288, some anticholinergic activities of, 501P
- Aortic flow**, and pressure mean, effect of dopamine on dog, 621
- Aqueous humour**, protein content, effect of prostaglandin E_2 reduced by stabilization of blood-aqueous barrier by polyphlorethin phosphate on, 164
- Arrhythmias**, ouabain-induced, protection against with bretylium tosylate, rabbit, 386
- , prevention by pretreatment with bretylium, rabbit, 387
- Arterial pressures**, effect of β -adrenoceptor blockade on, dog, 342
- Ascaris lumbricoides var. suum**, pharmacology of the cholinceptor in muscle preparations, 251
- Ascorbic acid**, and mepyramine mixture, protection from anaphylactic shock, rat, 180
- Aspirin**, sedative properties of, 455
- Atria**, isolated rabbit, effect of hexobendine on response to adrenaline and noradrenaline, 279
- , —, effect of hexobendine on response to anoxia, 278
- Atrial pressure**, left, effect of dopamine on, dog, 621
- Atropine**, action, effect of tetraethylammonium on, 249
- , and (±)-amphetamine, interaction in rat cardiovascular system, 367
- , and (+)-tubocurarine effects on acetylcholine depolarization and contracture of denervated muscle, 419
- , effect of large dose on routine task performance, 301
- , effect on cortex somatosensory evoked response, 112
- , effect on eledoisin action on peristalsis, 242
- , effect on pithed rat blood pressure after (+)-amphetamine, 367
- , potency in antagonizing responses of muscle preparations to nicotine-like drugs, 251
- , pre-treatment, effect on bradykinin action in cerebral cortex, rabbit, 728
- , protection of mice from nicotine LD95, 104
- Audiogenic seizures**, sequential screening test based on running component of, in mice including reference compound PD50 values, 140

B

- Barbiturate**, effect of chronic barbitone administration and withdrawal on the sensitivity of the central nervous system to, 502P
- , metabolism, altered rates in steroid pretreated mice, body temperature changes as possible explanation for, 134
- , sleep in mice pretreated with mestranol or lynestrol, effects of SKF 525A on, 133

Barbiturate (contd.)

- , effects of oestrogens and progestins on response of mice to, 129

Barium, and potassium ions stimulation of muscle preparations by, 251**Behaviour**, and EEG are affected on the day after hypnotic doses of nitrazepam and amylobarbitone sodium, 503P

- , effects of a "smoking dose" of nicotine in rats on, 506P

- , and somatic effects of bradykinin injected into cerebral ventricles of unanaesthetized rabbits, 723

Benzoylcholine, hydrolysis by plasma, 260**Bile**, excretion of hydroxyphenyltrimethylammonium in, 528P

- , flow, effect of caerulein on, 193

- , human, kinin forming and destroying activities in, 172

- , secretion, caerulein effects on, dog and rat, 185

Biliary tract, mucous membranes, kinin forming and destroying activities in, 172**Biogenic amines**, and tryptophane-containing peptides other than caerulein, occurrence in *Phyllomedusa* skin, 205

- , synthesis blockade, effect on responses to leptazol and dexamphetamine, 94

Biological assay, of prostaglandins A₁ A₂, 719**Blood**, aqueous barrier stabilization by polyphlor-
etin phosphate, effect on IOP response and on action of prostaglandin E₂ on protein content of aqueous humour, 158

- , clotting, effect of aflatoxin on, 497

- , flow, myocardial and metabolic heat production, before and after acute coronary ligation, effect of carbochromen on, 523P

- , gases, effect of dopamine on, dog, 624

- , platelets, sodium-dependent accumulation of 5-hydroxytryptamine by, 680

- , pressure, and cardiac storage of noradrenaline, effect of adrenalectomy or adrenal demedullation on, 37

- , —, effects of the interaction between (±)-amphetamine and atropine on, 367

- , —, pithed rat, effect of atropine on, after (+)-amphetamine, 367

Bradykinin, action on cerebral cortex, atropine pre-treatment effect on, rabbit, 728

- , —, diphemanil, pre-treatment effect on, rabbit, 728

- , —, morphine pre-treatment effect on, rabbit, 728

- , circulatory, respiratory and e.c.o.g. effects on, cerebral cortex, rabbit, 726

- , effect on monoamine content of brain, rabbit, 729

- , effect on salivary myoepithelium, dog, 674

- , injected into the cerebral ventricles of unanaesthetized rabbits, behavioural and somatic effects of, 723

Brain, 5-hydroxytryptamine and 5-hydroxyindole-
acetic acid and liver pyrrolase, effect of adrenalectomy and immobilization on, 692

- , —, effect of allopurinol and immobilization on, 691

- , —, effect of duration of immobilization on, 691

- , —, effect of LSD and immobilization on, 692

- , —, effect of α -methyl tryptophan, 694

- , —, effect of probenecid and immobilization on, 691

- , 5-hydroxytryptamine metabolism, effect of immobilization on, 690

Brain (contd.)

- , interaction of drugs with acetylcholine released from, 326

- , interaction of drugs with dopamine released from, 329

- , interaction of drugs with 5-hydroxytryptamine released from, 329

- , interaction of drugs with noradrenaline released from, 328

- , monoamine content, effect of bradykinin in cortex on, rabbit, 729

- , technique for the continuous micro-infusion of chemicals into discrete parts of, in unrestrained rats, 548

Bretylum, effect on intracellular cardiac action potentials in relation to its anti-arrhythmic and local anaesthetic activity, 381

- , effect on response of reserpinized guinea-pig vas deferens to postganglionic nerve stimulation, 52

- , lignocaine and propranolol comparison of effects on experimental cardiac arrhythmias, 526P

- , prevention of arrhythmias by pretreatment with, rabbit, 387

- , protection against ouabain-induced arrhythmias, rabbit, 386

- , tosylate, effect on intracellular cardiac action potentials in relation to its anti-arrhythmic and local anaesthetic activity, 380

- , —, effect on prostaglandin output in response to phrenic nerve stimulation, rat, 703

BRL 1288, a new anti-Parkinson drug, some anticholinergic activities of, 501P**Butyrylcholine**, hydrolysis, by plasma, 260

- , —, by various types of plasma inhibition by decamethonium, 267

C

Caerulein, action on pancreatic secretion of the dog and biliary secretion of the dog and rat, 185

- , effect of intravenous infusion on pancreatic secretion, 190

- , effect of rapid intravenous injection on pancreatic secretion, 187

- , effect of subcutaneous injection on pancreatic secretion, 190

- , effect on bile flow, 193

- , -like nonapeptide, phyllocaerulein structure and pharmacological action: its occurrence in extracts of the skin of *Phyllomedusa sauvagei* and related *Phyllomedusa* species, 198

- , potency relative to secretin, pancreozymin-cholecystokinin, human gastrin I and other polypeptides, 191

Carbachol, action on colon tissue, effect of replacement of sodium ions with sucrose or mannitol on, 308

- , and vasopressin alteration of potassium concentration effect on colon tissue response to, 308

- , cortex-free bovine medulla, secretion of catecholamines in response to, 374

- , effect on isometric tension in muscle preparations, 251

- , induced catecholamine secretion, inhibition by hexamethonium or tetracaine, cortex-free bovine medulla, 376

- , or acetylcholine induced deoxyribonuclease activity, secretion from cortex-free bovine medulla, 377

Carbachol (*contd.*)

—, stimulation of secret catecholamine secretion from, cortex-free bovine medulla, 376

Carbamylcholine, stimulation of catecholamines from cortex-free bovine adrenal medulla, 371

Carbochromen, effects on myocardial blood flow and metabolic heat production before and after acute coronary ligation, 523P

Carbon tetrachloride, metabolism, rabbit, 733

Cardiac action potentials, intracellular, and other features of cardiac function a comparison of the anti-arrhythmic actions of I.C.I. 50172 and (—)-propranolol and their effects on, 391

Cardiac arrhythmias, comparison of the effects of bretylium, lignocaine and propranolol on, 526P

Cardiac noradrenaline, turnover in adrenalectomized or adrenal medullated rats, effect of ganglionic blockade on, 37

Cardiac sympathetic neurones, role of adrenal hormones in synthesis of noradrenaline in, 34

Cardiovascular action, glucagon and secretin, 528P

—, pronethalol and propranolol, 338

Catecholamines, action, effect of tetraethylammonium on, in peristalsis, 248

—, concentration in cold exposed rat heart, effect of inhibition of re-uptake of released catecholamines by phenoxybenzamine, cocaine or imipramine on the levels of, 30

—, —, effect of monoamine oxidase inhibitors on, 27

—, concentration in rat heart, effect of cold exposure, 26

—, content maintenance in heart, rat, 24

—, metabolism inhibitors, effect on accumulation of unchanged noradrenaline, 641

—, release from adrenal medulla by dihydroergocristine, 604

—, role of Uptake₂ in neuronal metabolism of rat heart, 638

—, secretion, carbachol induced, inhibition by hexamethonium, or tetracaine, cortex-free bovine medulla, 376

—, —, from cortex-free bovine adrenal medulla, after stimulation with secretagogues, 371

—, —, stimulation by carbachol, nicotine, (+)-amphetamine, potassium chloride, histamine and acetylcholine, 376

—, uptake inhibition by fenazoxine, 69

Catechol-o-methyl transferase, activity, cardiac and monoamine oxidase, effect of adrenalectomy or adrenal medullation on, 38

Central nervous system, effect of chronic barbitone administration and withdrawal on sensitivity to barbiturate, 502P

Centrally acting drugs, sequential screening test based on, 141

Cephalexin, human studies of absorption and excretion of a new cephalosporin antibiotic, 738

Cephalosporin, antibiotic, new, cephalixin, human studies of absorption and excretion of, 738

Cerebral cortex, circulatory, respiratory and e.c.o.g. effects of bradykinin on, rabbit, 726

—, effect of atropine pre-treatment on bradykinin action on, rabbit, 728

—, effect of diphemanil pre-treatment on bradykinin action on, rabbit, 728

—, effect of morphine pre-treatment on action of bradykinin on, rabbit, 729

Cerebral ventricles, behavioural and somatic effects of bradykinin on, unanaesthetized rabbits, 723

—, perfused, monoamineoxidase inhibitors effect on 5-hydroxytryptamine output from, anaesthetized cats, 87

Chlordiazepoxide, effects on the hyper-reactivity of rats with bilateral anterior hypothalamic lesions, 507P

Chlorisondamine, effect on nicotine extensor convulsions, 104

Chloroform, production in carbon tetrachloride metabolism in rabbit, 733

p-Chlorophenylalanine, action on synthesis of 5-hydroxytryptamine in the brain, 335

—, effects on biogenic amine synthesis, 101

—, effect on 5-hydroxytryptamine output from perfused cerebral vesicles, 89

—, effect of 5-hydroxytryptamine synthesis in the brain, 335

Chlorpromazine, effect on aldolase, mitochondrial malic dehydrogenase and $Mg^{++}Na^{+}K^{+}$ adenosine triphosphatase, 459

—, effect on hyper-reactivity of rats with bilateral anterior hypothalamic lesions, 507P

—, effect on prostaglandin release from the cerebral cortex, 155

—, protection from nicotine LD95 in mice, 104

Cholinacetylase, and cholinesterases in the nervous system of the rat, 553

Cholinergic transmission, to smooth muscle cells in avian gizzard, effects of hyoscine and anticholinesterases on, 585

—, —, effect of physostigmine and neostigmine effect on, 585

Cholinesterase, inhibition in different types of plasma, by dibucaine and sodium fluoride, 264

—, —, by suxamethonium, 264

—, usual and atypical in human plasma, effect on hydrolysis of suxamethonium, 264

—, and cholinacetylases in the nervous system of the rat, 553

Cholinoceptor, in muscle preparations of *Ascaris lumbricoides* var. *suum*, pharmacology of, 251

Cinanserin, pharmacological studies of, human isolated smooth muscle, 519P

Cocaine, and phenoxybenzamine, effect on metabolism of noradrenaline in rat heart, 631

—, desmethylinipramine and fenazoxine, effects on responses elicited by exogenous noradrenaline, 76

—, effect of inhibition of re-uptake of released catecholamines by, on cardiac catecholamine level, rats exposed to cold, 30

—, effect on catecholamine content of the heart, 24

—, effect on contractions elicited by preganglionic nerve stimulation, cat nictitating membrane, 72

—, effect on exogenous noradrenaline elicited response, in isolated central artery of rabbit ear, 76

—, effect on noradrenaline dose-response relationship of electrically driven atrial strip preparation, 73

—, effect on periarterial stimulation of isolated central artery of rabbit ear, 74

—, effect on phenylephrine action on β -adrenoceptors in guinea-pig trachea, 44

—, phenoxybenzamine and desipramine, effects on uptake of noradrenaline in perfused rat heart, 629

Codeine, effects on transmurally stimulated guinea-pig ileum, 439

Cold exposure, effect on catecholamine concentration in rat heart, 26

Colistin, effect of probenecid on renal excretion of, 287

- Colistin sulphomethate sodium**, (Colomycin), Thio-sporin and Penbritin, comparison of effects on kidney function, 283
- Colomycin**, Thio-sporin and Penbritin, comparison of effects on renal function, 283
- Colon**, isolated proximal, guinea-pig, studies on mode of action of vasopressin on, 306
- Coronary flow**, effect of β -adrenoceptor blockade, dog, 347
- Coronary ligation**, acute, effects of carbochromen on myocardial blood flow and metabolic heat production before and after, 523P
- Cortex**, somatosensory evoked response, strychnine-like action of curare and related compounds on, 112
- Curare**, effect on somatosensory evoked response, cortex, 112
- Cycloheximide**, effect on endotoxin-induced inflammation of mouse lung, 492

D

- Decamethonium**, effect on isometric tension in muscle preparations, 251
- , effect on nicotine extensor convulsions, mice, 104
- , inhibition of hydrolysis of butyrylcholine by various types of plasma, 267
- Decentralization**, and reserpine-treatment, effect on the sensitivity of isolated vas deferens to stimulant drugs, 514P
- Deoxyribonuclease**, activity secretion, carbachol or acetylcholine-induced, cortex-free bovine medulla, 377
- Desipramine**, phenoxybenzamine and cocaine, effects on uptake of noradrenaline in perfused rat heart, 629
- Desmethylinipramine**, cocaine and fenazoxine, effects on responses elicited by exogenous noradrenaline, 76
- , effect on exogenous noradrenaline elicited response, isolated central artery of rabbit ear, 76
- , effect on contractions elicited by preganglionic nerve stimulation, cat nictitating membrane, 72
- , effects on noradrenaline dose-response relationship, electrically driven guinea-pig preparation, 73
- , effect on response elicited by periaxillary stimulation, isolated central artery of rabbit ear, 74
- Dexamethasone**, inhibition of anaphylactic bronchoconstriction, a model of, 536P
- Dexamphetamine**, and fencamfamin, interactions with oestrogenic and progestational steroids, 508P
- Di-allylnortoxiferine**, effect on cortex somatosensory evoked response, 112
- Diamine oxidase**, reinvestigation of the substrate specificity of, pig kidney, 541P
- Diamorphine**, effect on transmurally stimulated guinea-pig ileum, 439
- Dibucaine**, inhibition of cholinesterase in different types of human plasma by, 264
- Diethyldithiocarbamate**, effect on biogenic amine synthesis, 97
- , inhibition of angiotensin pressor responses with, 517P
- Digitalin**, toxicity, spironolactone and norbolethone effect on, rat, 485
- Digitalis compounds**, effect of spironolactone and norbolethone on the toxicity of, 485

- Digitoxigenin**, effect on spironolactone and norbolethone on, 485
- Digitoxin**, toxicity, spironolactone and norbolethone effect on, rat, 485
- Digoxin**, toxicity, spironolactone and norbolethone effect on, rat, 485
- Dihydroergocristine**, and phentolamine, renal action, anaesthetized cats, 595
- , —, antagonism of vasopressor actions of exogenous noradrenaline by, 603
- , and phentolamine mesylate, action on isolated kidneys perfused at constant temperature and pressure from pump-oxygenator circuits, 604
- , influence on renin secretion by the kidney, 605
- , release of catecholamine from adrenal medulla by, 604
- Dihydro- β -erythroidine**, effect on cortex somatosensory evoked response, 112
- Dihydroxyphenylacetic acid**, excretion during treatment of Parkinsonism with L-DOPA, 57
- Dimercaprol**, influence on liver antimony uptake, 476
- , inhibition of uptake of antimony potassium tartrate by, mouse liver slices, 476
- Dimethylphenylpiperazinium**, effect on isometric tension in muscle preparations, 251
- , potency in antagonizing responses of nicotine-like drugs, muscle preparation, 251
- Dinitrophenol**, effect on uptake of antimony potassium tartrate by mouse liver slices, 476
- , influence on liver antimony uptake, 476
- Diphenamil**, pre-treatment, effect on action of bradykinin on cerebral cortex, rabbit, 728
- Disulphide bond**, reduction in nicotinic receptors, 538P
- L-DOPA**, metabolism in Parkinsonism, 57
- Dopamine**, effect on blood gases, dog, 624
- , infusion, pulmonary and systemic circulatory response to, dog, 618
- , metabolite excretion during treatment of Parkinsonism with L-DOPA, 57
- , released, from the brain, interaction of drugs, 329
- , synthesis, necessity for potentiation of the convulsive action of leptazol, 94
- Drug**, binding to receptors, effect of onium group affinity of acetylcholine receptors, 228

E

- Electrical changes**, spontaneous and drug-induced, in longitudinal muscle strips from rabbit duodenum, 545
- Electroanaesthesia**, as a pharmacological technique, 544P
- Electrocorticogram**, correlation of prostaglandin release from cerebral cortex of cats with, following stimulation of the reticular formation, 151
- Electroencephalogram**, and behaviour are affected on the day after hypnotic doses of nitrazepam and amylobarbitone sodium, 503P
- Eledoisin**, action on peristalsis, effect of adrenaline on, 242
- , —, effect of atropine, hyoscine and hyoscine butylbromide on, 242
- , —, effect of ganglion blocking substances on, 240
- , —, effect of morphine and morphine-like drugs on, 242

- Eledoisin**, action on peristalsis (*contd.*)
 —, —, effect of temperature lowering on, 240
 —, and nicotine, interaction on peristaltic activity, 238
 —, effect on peristaltic activity, caused by a prolonged rise of intraluminal pressure, 236
 —, effect on the peristaltic reflex, guinea-pig isolated ileum, 234
 —, tachyphylaxis to, 236
Endotoxin, induced inflammation, actinomycin D effect on, mouse lung, 491
 —, —, cycloheximide effect on, mouse lung, 492
 —, intranasal, test for systemic effect of, mouse lung, 491
Ethylene dimethanesulphonate, effect on reproductive function, rats, 532P

F

- Fenamates**, effect on anaphylactic shock, rat, 180
Fenazoxine, antidepressant drug, studies on the peripheral pharmacology of, 69
 —, cocaine, and desmethylinipramine, effects on the responses elicited by exogenous noradrenaline, 76
 —, effect on contractions elicited by noradrenaline, normal and denervated animals, 73
 —, effect on contractions elicited by preganglionic nerve stimulation, cat nictitating membrane, 72
 —, effect on exogenous noradrenaline elicited response, isolated central artery of rabbit ear, 76
 —, effect on noradrenaline dose-response relationship, electrically driven guinea-pig preparation, 73
 —, effect on response elicited by periarterial stimulation, isolated central artery of rabbit ear, 74
 —, inhibition of catecholamine uptake, 69
Fencamfamin, and dexamphetamine, interaction with oestrogenic and progestational steroids, 508P
Fentanyl, effect on transmurally stimulated guinea-pig ileum, 439

G

- Gallamine triethiodide**, effect on cortex somatosensory evoked response, 112
Ganglia, isolated rat, on the nature of the drug-induced after-hyperpolarization in, 511P
Ganglion-blocking agents, action, effect of tetraethylammonium on, in peristalsis, 246
 —, effect on nicotine extensor convulsions and lethality in mice, 104
 —, effect on eledoisin action on peristalsis, 240
Ganglionic blockade, effect on cardiac noradrenaline turnover, adrenalectomized or adrenal demedullated rats, 37
Gastric mucosa, and lung, histamine forming capacity, effect of reserpine, adrenaline and gastrin on, rat, 659
Gastrin, adrenaline and reserpine, effect on histamine forming capacity of rat gastric mucosa and lung, 659
Gastrin I, human, caerulein potency relative to, 191
Gentisic acid, formation, and kinetics of elimination of salicylic acid, 295
Gitalin, toxicity, spironolactone and norboletone effect on, rat, 485

- Gizzard**, avian, effects of hyoscine and anticholinesterases on cholinergic transmission to smooth muscle cells of, 585
 —, —, effects of physostigmine and neostigmine on cholinergic transmission to smooth muscle cells of, 585
Glucagon, and secretin, cardiovascular actions, 528P
Glucosulphone, [N,N'-di(glucose sodium sulphonate) of 4,4'-diaminodiphenyl sulphone] action of pancreatic kallikrein, 169
Granular vesicles, and noradrenaline, in constricted adrenergic nerves, effect of iproniazid on, 10
 —, —, effects of iproniazid and reserpine on, 10
 —, evidence for role as a major storage site for intraneuronal noradrenaline, 10

H

- Haemodynamic effects**, alprenol, cat, 360
 —, hexobendine, anaesthetized cats, 275
Halothane, hypothermia, effects of monoamine oxidase inhibitors on, 400
Heart, accumulation of radioactive metabolites in, during perfusion with various concentrations of (\pm) 3 H-noradrenaline, 640
 —, and vas deferens, effects of phenoxybenzamine on uptake and metabolism of noradrenaline in, rat, 229
 —, catecholamine concentration, effect of cold exposure on, rat, 26
 —, —, effect of inhibition of re-uptake of released catecholamines by phenoxybenzamine, cocaine or imipramine on, cold-exposed rat, 30
 —, isolated, two types of adrenoceptor in, frog, 522P
 —, muscle, action of bretylium on, 380
 —, noradrenaline accumulation by Uptake₂ in, 1
 —, rate, effect of β -adrenoceptor blockade on, dog, 343
 —, —, effect of dopamine infusion, dog, 623
 —, size, effect of β -adrenoceptor blockage on, dog, 343
Hemicholinium, effect on prostaglandin output in response to nerve stimulation, rat, 703
Hexadimethrine, effects on anaphylactic shock, 180
Hexamethonium, ambient temperatures and thermal responses to, mouse, 509P
 —, bromide, reduction of carbachol-induced secretion of catecholamines from cortex-free bovine adrenal medulla, 372
 —, effect on nicotine extensor convulsions, 104
 —, inhibition of carbachol induced catecholamine secretion from cortex-free bovine medulla, 376
 —, potency in antagonizing responses of muscle preparations to nicotine-like drugs, 251
Hexobendine, a prospective anti-anginal drug, studies on the mode of action of, 272
 —, effect on isolated rabbit atria, response to anoxia, 278
 —, —, to adrenaline and noradrenaline, 279
 —, effects on myocardial blood flow and metabolic heat production, 275
 —, haemodynamic effects, anaesthetized cats, 275
Histamine, dihydrochloride, stimulation of catecholamines from cortex-free bovine adrenal medulla, 371
 —, effect on salivary myoepithelium, dog, 673
 —, formation, and inflammation enhancement by actinomycin D, 489

Histamine, formation (contd.)

- , —, in rat gastric mucosa and lung after injecting reserpine or adrenaline, 659
- , induced contractions, effect of magnesium concentration increase in colon, 309
- , involvement in malaria, 535P
- , stimulation of catecholamine secretion from cortex free bovine medulla, 376
- Homovanillic acid**, excretion during treatment of Parkinsonism with L-DOPA, 57
- Hydroxyamylbarbitone**, and amylbarbitone, estimation in serum by gas liquid chromatography, 546
- 5-Hydroxyindoleacetic acid**, and 5-hydroxytryptamine, brain, and liver pyrrolase, effect of adrenalectomy and immobilization on, 692
- , —, —, —, effect of allopurinol and immobilization on, 691
- , —, —, —, effect of duration of immobilization on, 691
- , —, —, —, effect of LSD and immobilization on, 692
- , —, —, —, effect of probenecid and immobilization on, 694
- , —, —, —, effect of α -methyl tryptophan on, 694
- 4-Hydroxy-3-methoxyphenylethanol**, excretion during treatment of Parkinsonism with L-DOPA, 56
- Hydroxyphenyltrimethylammonium**, excretion in bile, 528P
- 5-Hydroxytryptamine**, action, effect of tetraethylammonium on, in peristalsis, 246
- , and 5-hydroxyindoleacetic acid, brain, and liver pyrrolase, effect of adrenalectomy and immobilization on, 692
- , —, —, —, effect of allopurinol and immobilization on, 691
- , —, —, —, effect of duration of immobilization on, 691
- , —, —, —, effect of LSD and immobilization on, 692
- , —, —, —, effect of probenecid and immobilization on, 694
- , —, —, —, effect of α -methyl tryptophan on, 694
- , effect of monoamine oxidase inhibitors, on output from perfused cerebral ventricles of anaesthetized cats, 87
- , —, and monoamine depleting substances, on output from perfused cerebral ventricles, 91
- , effect on salivary myoepithelium, 677
- , metabolism in the brain, effect of immobilization on, 690
- , released from the brain, interaction of drugs on, 334
- , sodium-dependent accumulation by rat blood platelets, 680
- , synthesis in brain, effect of *p*-chlorophenylalanine on, 335
- Hysocine**, and anticholinesterases effect on cholinergic transmission to smooth muscle cells of the avian gizzard, 585
- , effect on eledoisin action on peristalsis, 242
- , effect on response of reserpinized guinea-pig vas deferens to postganglionic nerve stimulation, 52
- , effect on tetrabenazine tremor, 471
- Hypersensitivity**, delayed, quantitative evaluation of skin reactions in cases of, 532P
- Hypothalamic lesions**, bilateral anterior, effects of drugs on the hyper-reactivity of rats with, 507P
- Hypothermia**, produced by halothane, effects of monoamine oxidase inhibitors on, 400

I

- I.C.I. 50172**, and (—)-propranolol, anti-arrhythmic actions and effects on intracellular cardiac action potentials and other features of cardiac function, 391
- Ileum**, transmurally stimulated guinea-pig, comparison of effect of morphine-like analgesics on, 436
- Imipramine**, effect of inhibition of re-uptake of released catecholamines by, on cardiac catecholamine level, rats exposed to cold, 30
- , effect on catecholamine content of the heart, 24
- Immobilization**, effect of duration on brain, 5-hydroxytryptamine and 5-hydroxyindoleacetic acid and liver pyrrolase, 691
- Inflammation**, and histamine formation, enhancement by actinomycin D, 489
- , endotoxin-induced, actinomycin D effect on, mouse lung, 491
- Inotropic responses**, to phenylephrine by theophylline, mechanism of potentiation of, 540P
- Intraluminal pressure**, effect of eledoisin on peristaltic activity caused by a prolonged rise of, 236
- Intraocular pressure**, effect of prostaglandins on, rabbit, 158
- , response reduction after stabilization of blood-aqueous barrier by polyphlorethin phosphate, rabbit, 158
- Iproniazid**, and reserpine, effects on accumulation of granular vesicles and noradrenaline in constricted adrenergic nerves, 10
- , effects on accumulation of granular vesicles and noradrenaline in constricted adrenergic nerves, 10
- Iris sphincter**, inhibitory innervation of, 515P
- Isoprenaline**, cardiac effects, action of 1-(4-nitrophenyl)-1-hydroxy-2-methyl isopropylaminoethane on, 615
- , effect on salivary myoepithelium, dog, 671
- , noradrenaline and adrenaline, effect on denervated muscle, 421
- , vasodilator effects, blockade by 1-(4-nitrophenyl)-1-hydroxy-2-methyl isopropylaminoethane, 615

K

- Kallidin**, effect on salivary myoepithelium, dog, 675
- Kallikrein**, pancreatic, action of glucosulphone on, 169
- Kidney**, renin secretion, influence of dihydroergocristine on, 605
- Kinin**, content of abdomen in anaphylactic shock, 183
- , formation, effect of sulphones on, 170
- , forming and destroying activity, in human bile and mucous membranes of the biliary tract, 172
- , involvement in anaphylactic shock, rat, 178
- Kininase**, activity in human bile and mucous membranes of biliary tract, 173
- Kininogen**, content of plasma and tissue and in abdomen in anaphylactic shock, rat, 182
- , in human bile and mucous membranes of biliary tract, 173

L

- Learning**, effects of chronic administration of (+)-amphetamine on maze performance of the rat, 79

- Leptazol**, convulsive effects, potentiation with dexamphetamine, 95
- Levorphanol**, induced "running fit", physostigmine antagonization of, 123
- Lignocaine**, bretylium and propranolol, comparison of effects on experimental cardiac arrhythmias, 526P
- Liver**, and lung inactivation of prostaglandins A and E, 718
- , blood flow, vascular resistance and metabolic heat production, effect of alprenol on, cat, 364
- , metabolic heat production, blood flow and vascular resistance, effect of alprenol on, cat, 364
- , uptake of antimony potassium tartrate by, 476
- , vascular resistance, blood flow and metabolic heat production, effect of alprenol on, cat, 364
- Lung**, and gastric mucosa, histamine forming capacity, effect of reserpine, adrenaline and gastrin on, rat, 659
- , and liver, inactivation of prostaglandins A and E, 718
- Lynestrenol**, effect on duration of barbiturate sleep, 129
- , plasma levels of pentobarbitone in mice pre-treated with, 133
- Lysergic acid diethylamide**, and immobilization, effect on brain 5-hydroxytryptamine and 5-hydroxyindoleacetic acid and liver pyrrolase, 692
- , effect on brain 5-hydroxytryptamine after immobilization, 692

M

- Magnesium**, concentration increase, effect on contractions produced by vasopressin, nicotine, histamine or methacholine in colon, 309
- Malaria**, involvement of histamine in, 535P
- Malate dehydrogenase**, influence of psychotropic drugs on, 460
- Mannitol**, or sucrose, replacement of sodium ion, effect on colon tissue response to carbachol, vasopressin or nicotine, 308
- Mecamylamine**, effect on nicotine extensor convulsions, mice, 104
- , potency in antagonizing responses of muscle preparations to nicotine-like drugs, 251
- Melanophores**, of the lizard, *Anolis carolinensis*, effects of cyclic 3',5'-AMP and other adenine nucleotides, 650
- Mepyramine**, and ascorbic acid mixture, protection from anaphylactic shock, rat, 180
- Mestranol**, effect on duration of barbiturate sleep, 129
- , plasma levels of pentobarbitone in mice pre-treated with, 133
- Metabolic heat**, production, and myocardial blood flow, before and after acute coronary ligation, effects of carbochromen on, 523P
- , —, —, effects of hexobendine on, 275
- Methacholine**, and acetylcholine, effects on salivary myoepithelium, dogs, 668
- , induced contractions, effect of magnesium concentration increase in colon, 309
- Methaqualone**, effects on the hyper-reactivity of rats with bilateral anterior hypothalamic lesions, 507P
- α -Methyl INPEA**, action on cardiac effect of isoprenaline, 615
- , β -adrenoreceptor blocking effects of, 609
- , blockade of vasodilator effect of isoprenaline, 615
- Methyloxytocin**, effect on vasopressin action on isolated proximal colon of guinea-pig, 306
- α -Methyl tryptophan**, effect on brain 5-hydroxytryptamine and 5-hydroxyindoleacetic acid, 694
- , effect on brain 5-hydroxytryptamine after immobilization, 694
- α -Methyl-p-tyrosine**, effects on biogenic amine synthesis, 97
- Monoamine**, content of the brain, effect of bradykinin on, rabbit, 729
- Monoamineoxidase**, activity, cardiac, and catechol-o-methyl transferase activity, effect of adrenalectomy or adrenal medullation on, 38
- , inhibitors, comparative potency of, 87
- , —, effect on cardiac catecholamine concentration, rats exposed to cold, 27
- , —, effect on 5-hydroxytryptamine output from perfused cerebral ventricles of anaesthetized cats, 87
- , —, effect on hypothermia produced in cats by halothane, 400
- , polarographic assay, 550
- Morphine**, and morphine-like agent action, effect of tetraethylammonium on, in peristalsis, 248
- , —, effect on eledoisin action on peristalsis, 242
- , effect on transmurally stimulated guinea-pig ileum, 439
- , -like analgesics, comparison of effect on transmurally stimulated guinea-pig ileum, 436
- , -like agents action, effect of tetraethylammonium on, in peristalsis, 248
- , -like drugs, effect on eledoisin action on peristalsis, 242
- , pre-treatment effect on action of bradykinin on cerebral cortex, rabbit, 728
- , protection from nicotine LD95 in mice, 104
- , reduction effect in the granular or dense core vesicle population of adrenergic axons in the pancreas, 19
- Morphine-N-oxide**, effect on transmurally stimulated guinea-pig ileum, 439
- Movement**, of the forearm in man, an apparatus for measuring passive resistance to, 542P
- Muscarine**, and opioid anti-nociception, 504P
- , -like drugs, effect on isometric tension in muscle preparations, 251
- Muscle**, denervated anterior gracilis, acetylcholine-evoked depolarization and contracture of, 419
- , —, depolarization relative to concentration of topically applied acetylcholine, 417
- , arteriolar smooth, in rat pancreas, effect of morphine dependence on vesicular content of adrenergic nerves in relation to, 19
- , cardiac, action of bretylium on, 380
- , —, influence of adrenocortical insufficiency on, 521P
- , cells, smooth, in avian gizzard, effects of hyoscine and anticholinesterases on, in cholinergic transmission, 585
- , —, —, effects of physostigmine and neostigmine on cholinergic transmission in, 585
- , extra-vascular smooth, effect of alprenol on, cat, 364
- , human, smooth, pharmacological studies of cinaserin in, 519P
- , preparations, effect of dimethylphenylpiperazinium, nicotine, acetylcholine, carbachol, decamethonium and pyridine-2-aldoxime methiodide, 251
- , —, effect of muscarine-like drugs on, 251
- , —, of *Ascaris lumbricoides* var. *suum*, pharmacology of the cholinceptor in, 251

Muscle, preparations (contd.)

- , —, stimulation by potassium and barium ions, 251
- , rectus abdominis, affinity and activity of compounds related to nicotine on, 555
- , smooth, effect of prostaglandins on, 705
- , —, human isolated, β -receptors in, 547
- , strip, longitudinal, of guinea-pig ileum, anaphylactic reaction in, 518P
- , —, —, spontaneous and drug induced electrical changes in, 545
- Myocardial blood flow**, and metabolic heat production, effects of hexobendine on, 275
- , effects of alprenol, 357
- , vascular resistance and metabolic heat production, effect of alprenol on, cat, 362
- , circulation effect of "selective" β -receptor drugs on, 524P
- , metabolic heat production, blood flow and vascular resistance, effect of alprenol on, cat, 362
- , vascular resistance, blood flow and metabolic heat production, effect of alprenol on, cat, 362

N

- Nalorphine**, effect after withdrawal from morphine in morphine dependent rats, 22
- , effect on transmurally stimulated guinea-pig ileum, 439
- Narcotic analgesics**, a quantitative method for the assessment of physical dependence on, mice, 505P
- Neostigmine**, and physostigmine, effect on cholinergic transmission to smooth muscle cells of avian gizzard, 585
- Nerve**, stimulation, effect of phenoxybenzamine on prostaglandin output in response to, rat, 703
- , —, post-ganglionic pharmacological nature of the response of reserpinized guinea-pig vas deferens to, 52
- , —, prostaglandin output in response to, effect of hemicholinium on, rat, 703
- Nervous system**, cholinesterases and cholinacetylase in, rat, 553
- Neuromuscular blocking agents**, 1,4,5,6-tetrahydropyrimidines, synthesis and pharmacology, 425
- Nialimide**, effect on halothane-induced hypothermia, cats, 400
- , effect on 5-hydroxytryptamine output from perfused cerebral ventricles, 89
- , effect on hypothermia produced in cats by halothane, 407
- , potency, 37
- Nicotine**, action on colon tissue, effect of replacement of sodium ions with sucrose or mannitol, 308
- , action on effect of eledoisin on peristaltic reflex, 234
- , and eledoisin interaction on peristaltic activity, 238
- , behavioural effects of a 'smoking dose' of, 506P
- , effect on isometric tension in muscle preparations, 251
- , extensor convulsions, effects of ganglion blocking agents on, 104
- , -induced contractions, effect of magnesium concentration increase in colon, 309
- , -like drugs, relative potency of several blocking agents which antagonize the responses of muscle preparations to, 251

Nicotine (contd.)

- , LD95, attempted protection from by atropine, morphine, chlorpromazine and phenobarbitone, mice, 104
- , related compounds affinity and activity on rectus abdominis muscle of frog (*Rana pipiens*), 555
- Nicotinic receptors**, disulphide bond reduction in, 538P
- , response, effect of sodium azide and triethyl tin sulphate on, colon, 310
- , stimulation of catecholamine secretion from cortex-free bovine medulla, 376
- , sulphate, stimulation of catecholamines from cortex-free bovine adrenal medulla, 371
- , uptake by isolated rat ganglia, 510P
- Nitrazepam**, and amylobarbitone sodium, effect on behaviour and EEG the day after the dose, 503P
- 1-(4-nitrophenyl)-1-hydroxy-2-methyl isopropyl-aminoethane (α -methyl INPEA)** selective β -adrenoceptor blocking effects of, 609
- Noradrenaline**, accumulation by Uptake₂, histochemical fluorescence studies on, 1
- , adrenaline, and isoprenaline, effect on denervated muscle, 421
- , —, effect of hexobendine on response of isolated rabbit atria to, 279
- , —, and phenylephrine, effect on salivary myoepithelium, dog, 670
- , and granular vesicles, accumulation in constricted adrenergic nerves, effects of iproniazid and reserpine on, 10
- , cardiac, storage of, and blood pressure, effect of adrenalectomy on, 36
- , —, turnover rate in adrenalectomized and adrenal demedullated rats, 37
- , —, —, effect of ganglionic blockade on, 37
- , comparison of relaxation effect with phenylephrine in guinea-pig trachea, 41
- , dose-response relationship, effects of cocaine, desmethylinipramine and fenazoxine on, electrically driven guinea-pig atrial strip preparation, 73
- , effect of fenazoxine on contractions elicited by in normal and denervated animals, 73
- , effect, of phenoxybenzamine, desipramine and cocaine on, in perfused rat heart, 629
- , effect on prostaglandin output from phrenic nerve-diaphragm, rat, 703
- , elicited response in isolated central artery of rabbit ear, effects of cocaine, desmethylinipramine and fenazoxine on, 76
- , exogenous, antagonism of vasopressor actions of, by DCS and phentolamine, 603
- , extraneuronal metabolism and Uptake₂, effects of phenoxybenzamine, on, 642
- , metabolism, effect of cocaine and noradrenaline on, rat heart, 631
- , released from the brain, interaction of drugs, 328
- , synthesis, increase with cold, heart, 25
- , —, role of adrenal hormones in, cardiac sympathetic neurones, 34
- , unchanged, effects of inhibitors of catecholamine metabolism on accumulation of, 641
- , uptake by vas deferens, effects of phenoxybenzamine and other drugs on, 632
- , uptake in rat heart and vas deferens, effects of phenoxybenzamine on, 629
- (\pm)-³H-noradrenaline, accumulation of radioactive metabolites in the heart during perfusion with various concentrations of, 640

Norbolethone, and spironolactone, effect on the toxicity of digitalis compounds in the rat, 485
Normetanephrine, effect on noradrenaline accumulation by Uptake₂ in the heart, 1
Normorphine, effect on transmurally stimulated guinea-pig ileum, 439

O

Oestrogens, and progestins, effects on response of mice to barbiturates, 129
Onium group, in acetylcholine analogues, effect of drug binding of receptors on affinity to, 228
 —, —, effect of size on affinity to acetylcholine receptors, 222
Opioid, and muscarinic anti-nociception, 504P
Orphenadrine, cyclized analogue, fenazoxine, a potential antidepressant drug, studies on peripheral pharmacology of, 69
Ouabain, effect on uptake of antimony potassium tartrate, mouse liver slices, 476
 —, -induced arrhythmias, protection against with bretylium, rabbit, 386
 —, influence on liver antimony uptake, 476
 —, toxicity, effect of spironolactone and norbolethone on, 485
Oxygen, influence on liver antimony uptake, 476
 —, lack of, effect on uptake of antimony potassium tartrate, mouse liver slices, 476
 —, tensions (pO₂), arterial and coronary effect of β -adrenoceptor blockade on, 351
Oxymorphine, effect on transmurally stimulated guinea-pig ileum, 439
Oxytocic peptide, new, isolation from bovine posterior pituitary lobes, 533P
Oxytocin, effect on salivary myoepithelium, dog, 677

P

Pancreas, effect of morphine dependence on vesicular content of adrenergic nerves in relation to arteriolar smooth muscle in, 20
 —, secretion, caerulein effect on, dog, 185
Pancreozymin-cholecystokinin, caerulein potency relative to, 191
Paracetamol, sedative properties of, 454
Parasympathetic, stimulation, effect on salivary myoepithelium cells, dog, 667
Pargyline, effect on halothane-induced hypothermia, cats, 400
 —, effect on 5-hydroxytryptamine output from perfused cerebral ventricles, 89
 —, effects on hypothermia produced in cats by halothane, 407
 —, potency, 87
Parkinsonism, attempt to induce it with tetra-benzazine, cats, 468
 —, metabolism of L-DOPA in, 57
Penbritin, Colomycin and Thiosporin, comparison of effect on renal function, 283
Pentamethonium, effect on nicotine extensor convulsions, mice, 104
Pentazocine, effect on transmurally stimulated guinea-pig ileum, 439
Pentobarbitone, plasma levels in mice pretreated with lynestrenol, mestranol or SKF 525A, 133
Pento-N sulphomethylpolymyxin B sodium (Thiosporin), Colomycin and Penbritin, comparison of effects on kidney function, 283
Peptides, tryptophan-containing, other than caerulein, occurrence in skin of *Phyllomedusa*, 205

Peristaltic reflex, effect of eledoisin on, 234
 —, stimulant action of tetraethylammonium on, guinea-pig isolated ileum, 245
Pethidine, effect on hyper-reactivity of rats with bilateral anterior hypothalamic lesions, 507
 —, effect on transmurally stimulated guinea-pig ileum, 439
Phenacetin, sedative properties of, 454
Phenazocine, effect on transmurally stimulated guinea-pig ileum, 439
Pheniprazine, effect on halothane-induced hypothermia, cats, 406
 —, effect on 5-hydroxytryptamine output from perfused cerebral vesicles, 89
 —, potency, 87
Phenobarbitone, protection of mice from nicotine LD95, 104
Phenoperidine, effect on transmurally stimulated guinea-pig ileum, 439
Phenoxybenzamine, and cocaine, effect on metabolism of noradrenaline, rat heart, 631
 —, cocaine and desipramine, effect on uptake of noradrenaline, perfused rat heart, 629
 —, effect on catecholamine content, heart, 24
 —, effect on inhibition of re-uptake of released catecholamines by, on cardiac catecholamine level in rats exposed to cold, 30
 —, effect on noradrenaline accumulation by Uptake₂ in the heart, 1
 —, effect on prostaglandin output in response to nerve stimulation, rat, 703
 —, effect on Uptake₂ and extraneuronal metabolism of noradrenaline, 642
 —, effect on uptake and metabolism of noradrenaline, rat heart and vas deferens, 629
Phentolamine, and dihydroergocristine, action on isolated kidneys perfused at constant temperature and pressure from pump-oxygenator circuits, 604
 —, —, antagonism of vasopressor actions of exogenous noradrenaline by, 603
 —, —, renal actions, anaesthetized cats, 595
Phenylbutazone, protection from anaphylactic shock, rat, 180
Phenylephrine, adrenaline and noradrenaline, effect on salivary myoepithelium, dog, 670
 —, action on β -adrenoceptors, guinea-pig trachea, 41
 —, —, —, α -adrenoceptor blocking drugs effect on, 46
 —, —, —, propranolol effect on, 41
 —, as a partial antagonist of adrenoceptors, guinea-pig trachea, 41
 —, comparison of relaxation effect with noradrenaline in guinea-pig trachea, 41
 —, mechanism of potentiation of inotropic responses to, by theophylline, 540P
Phrenic nerve, stimulation, effects of bretylium tosylate on prostaglandin output in response to, rat, 703
Phrenic nerve, -diaphragm, effect of noradrenaline on prostaglandin output from, 703
 —, —, effect of (+)-tubocurarine on prostaglandin E₁ output from, 698
 —, —, rat, release of prostaglandin E₁ from, 698
Phyllocaerulein, a caerulein-like nonapeptide, structure and pharmacological actions of, occurrence in extracts of the skin of *Phyllomedusa sauvagii* and related *Phyllomedusa* species, 198
Phyllomedusa sauvagii, and related species, occurrence of phyllocaerulein in, 198
Physalaemin, effect on salivary myoepithelium, dog, 675

- Physostigmine**, and neostigmine, effect on cholinergic transmission to smooth muscle cells of avian gizzard, 585
- , antagonism of the "running fit" caused by levorphanol, a morphine congener, in mice, 123
- Piperazine**, potency in antagonizing responses of muscle preparations to nicotine-like drugs, 251
- Pituitary lobes**, bovine posterior, isolation of new oxytocic peptide from, 533P
- Plasma**, cholinesterase, inhibition by suxamethonium, 264
- , —, inhibition by dibucaine and sodium fluoride, 264
- , different types, hydrolysis of suxamethonium by, 258
- , from different species, hydrolysis of butyrylcholine, benzoylcholine and suxamethonium by, 260
- , human, with usual, and plasma with atypical cholinesterase, hydrolysis of suxamethonium by, 264
- , various types, inhibition by decamethonium of the hydrolysis of butyrylcholine by, 267
- Polarographic assay**, of monoamine oxidase, 550
- Polypeptides**, caerulein potency relative to, 191
- Polyphloretin phosphate**, stabilization of blood-
aqueous barrier, effect on IOP response and on action of prostaglandin E_2 on protein content of aqueous humour, 158
- Potassium**, and barium ions, stimulation of muscle preparations by, 251
- , chloride, stimulation of catecholamine from cortex-free bovine adrenal medulla, 371
- , concentration alteration, effect on colon tissue response to vasopressin and carbachol, 308
- , effect on uptake of antimony potassium tartrate, mouse liver slices, 476
- , influence on liver antimony uptake, 476
- Pressure-time index**, effect of β -adrenoceptor blockade on, dog heart, 343
- Probenecid**, and immobilization, effect on brain 5-hydroxytryptamine and 5-hydroxyindoleacetic acid and liver pyruvate, 694
- , effect on renal excretion of colistin, 287
- Prochlorperazine**, effect on aldolase, mitochondrial malic dehydrogenase and $Mg^{++}Na^{+}K^{+}$ adenosine triphosphatase, 459
- Progestins**, and oestrogens, effects on response of mice to barbiturates, 129
- Pronethalol**, and propranolol, effect on the coronary circulation of the dog, 338
- (-)-**Propranolol**, and I.C.I. 50172, antiarrhythmic action, and effects on intracellular cardiac action potentials and other features of cardiac function, 391
- Propranolol** and pronethalol, effects on the coronary circulation of the dog, 338
- , bretylium and lignocaine, comparison of effects on experimental cardiac arrhythmias, 526P
- , effect on phenylephrine action on β -adrenoceptors in guinea-pig trachea, 44
- Proscillaridin**, toxicity, spironolactone and norbol-
ethone effect on, rat, 485
- Prostaglandins**, A, blood pressure lowering effect, 712
- , A_1 and A_2 biological assay of, 719
- Prostaglandins (contd.)**
- , A_1 , A_2 and 19-hydroxy A_1 their actions on smooth muscle and inactivation on passage through pulmonary and hepatic portal vascular beds, 705
- , A and E lung and liver inactivation, 718
- , correlation of release from the cerebral cortex of cats with electrocorticogram, following stimulation of reticular formation, 151
- , E and A lung and liver inactivation, 718
- , E_1 output from phrenic nerve-diaphragm, effect of (+)-tubocurarine on, rat, 698
- , E_1 release from rat phrenic nerve-diaphragm preparation, 698
- , E_2 effect on aqueous humour protein content reduced after stabilization of blood-
aqueous barrier by polyphloretin phosphate, 158
- , effects on the intraocular pressure of the rabbit, 158
- , output in response to phrenic nerve stimulation, effects of bretylium tosylate on, rat, 703
- , —, effect of hemicholinium on, 703
- , —, effect of noradrenaline on, rat, 703
- , —, effect of phenoxybenzamine on, rat, 703
- , types, descending order of potency in ability to raise IOP, 158
- Protein**, content of aqueous humour, effect of prostaglandin E_2 reduced by stabilization of a blood-
aqueous barrier by polyphloretin phosphate, 164
- Psychotropic drugs**, influence on aldolase, mitochondrial malic dehydrogenase and $Mg^{++}Na^{+}K^{+}$ adenosine triphosphatase, 459
- Pulmonary artery**, pressure, effect of dopamine on, dog, 620
- Pulmonary vascular resistance**, effect of dopamine on, dog, 623
- Pyridine-2-aldoxime methiodide**, effect on isometric tension in muscle preparations, 251
- , potency in antagonizing responses of muscle preparations to nicotine-like drugs, 251

R

- β -Receptors**, in human isolated smooth muscle, 547
- β -Receptor blocking drugs**, acute exercise test for preliminary evaluation in angina pectoris, 527P
- , "selective" effect on the myocardial circulation, 524P
- Rectus abdominis muscle**, affinity and activity of compounds related to nicotine on, 555
- Renin**, secretion by kidney, influence of dihydroergocristine on, 605
- Reproductive function**, effect of ethylene dimethanesulphonate on, rats, 532P
- Reserpine**, adrenaline and gastrin, effect on histamine forming capacity of rat gastric mucosa and lung, 659
- , and iproniazid, effects on accumulation of granular vesicles and noradrenaline in constricted adrenergic nerves, 10
- , effect on 5-hydroxytryptamine output from perfused cerebral vesicles, 89
- , treatment and decentralization, effect on the sensitivity of isolated vas deferens to stimulant drugs, 514P
- Running component**, of audiogenic seizures, sequential screening test based on, 140

S

- Salicylic acid**, kinetics of the elimination of, and formation of gentisic acid, 294
- Salivary myoepithelium**, effect of adrenaline, noradrenaline and phenylephrine on, dog, 670
- , effect of angiotensin on, dog, 676
 - , effect of bradykinin on, dog, 674
 - , effect of histamine on, dog, 673
 - , effect of 5-hydroxytryptamine on, dog, 677
 - , effect of isoprenaline on, dog, 671
 - , effect of kallidin on, dog, 675
 - , effect of oxytocin on, dog, 677
 - , effect of parasympathetic stimulation cells, dog, 667
 - , effect of physalaemin on, dog, 675
 - , effect of sympathetic stimulation on, dog, 669
 - , effect of vasopressin on, dog, 677
 - , pharmacology of, dog, 666
- Sea anemone**, *Actinia equina*, pharmacologically active substances occurrence in, and action of drugs on preparations of, 532P
- Secretin**, and glucagon, cardiovascular action, 528P
- , caerulein potency relative to, 191
- Serum**, estimation of amyllobarbitone and hydroxyamyllobarbitone in, by gas liquid chromatography, 546
- SKF 525A**, effects on duration of pentobarbitone sleep in mice pretreated with, mestranol or lyneestrol, 133
- , plasma levels of pentobarbitone in mice pretreated with, 133
- "Smoking dose"**, of nicotine, effect on behaviour in rats, 506P
- Sodium arsenate**, effect on uptake of antimony potassium tartrate, mouse liver slices, 476
- Sodium azide**, blockade of responses to vasopressin and nicotine of colon, 310
- Sodium fluoride**, inhibition of cholinesterase in different types of human plasma by, 264
- Sodium ion**, replacement by mannitol or sucrose, effect on colon tissue response to carbachol, vasopressin or nicotine, 308
- Sodium salicylate**, effect on anaphylactic shock, rat, 180
- Sodium**, transport across frog-skin in the absence of chloride, effect of theophylline on, 539P
- Somatosensory evoked response**, effect of strychnine and curare on, 112
- Soya bean**, trypsin inhibitor, protection from anaphylactic shock, 180
- Spermatogenesis**, possible explanation for effects of sulphonic acid diesters on, 529P
- Sphincter**, bovine iris, inhibitory innervation of, 515P
- Spinal cord**, in a method of stimulating different segments of the sympathetic and parasympathetic outflows from, pithed cat, 513P
- Spiroglactone**, and norbolethone, effect on the toxicity of digitalis compounds in the rat, 485
- Sterilizing**, action, of trimethylphosphate in rodents, 531P
- Steroid**, alkaloid glycosides tomatine, anti-inflammatory activity of, 748
- , pretreated mice, effect of SKF 525A on barbiturate sleep in, 133
 - , —, possible involvement of body temperature changes as an explanation of altered rates of barbiturate metabolism in, 134
 - , oestrogenic and progestational, interactions with dexamphetamine and fencamfamin in mice, 508P
- Stress**, -induced oral and gastric ulcers, rats, 543P
- Stroke volume**, effect of dopamine on, dog, 624
- Strophanthin K**, toxicity, effect of spironolactone and norbolethone on, 485
- Strychnine**, effect on somatosensory evoked response, 112
- Substrate specificity**, of pig kidney diamine oxidase, a reinvestigation of, 541P
- Succinylcholine**, effect on cortex somatosensory evoked response, 112
- Sucrose**, or mannitol replacement of sodium ion effect on colon tissue response to carbachol, vasopressin or nicotine, 308
- Sulphones**, effect on kinin formation, 170
- Sulphonic acid diesters**, possible explanation for effects on spermatogenesis, 529P
- Suxamethonium**, hydrolysis by a mixture of human plasma with usual and human plasma with atypical cholinesterase, 264
- , hydrolysis by different types of plasma, 258
 - , hydrolysis by plasma, 260
 - , inhibition of cholinesterase in different types of plasma, 264
- Sympathetic nerve stimulation**, and sympathetic amines, antagonism by β -adrenoceptor blockade, 341
- , effect on salivary myoepithelium, dog, 669
 - , enhanced release of transmitter during the presence of angiotensin, 516P
- Sympathetic neurones**, cardiac, role of adrenal hormones in synthesis of noradrenaline in, 34
- Sympathomimetic amines**, and sympathetic stimulation antagonism by β -adrenoceptor blockade, dog heart, 339
- Systemic effect**, intranasal endotoxin, test for, 492
- Systemic vascular resistance**, effect of dopamine on, dog, 624

T

- Tachyphylaxis**, to eledoisin, 236
- Task performance**, effect of large doses of atropine on, 301
- Temperature**, ambient, and thermal responses to hexamethonium in the mouse, 509P
- , body, changes, as explanation of altered rates of barbiturate metabolism in steroid pretreated mice, 134
 - , lowering, effect on uptake of antimony potassium tartrate, mouse liver slices, 476
- Tetrabenazine**, tremor induced by, 468
- , tremor, similarity of amyllobarbitone tremor to, 468
- Tetracaine**, inhibition of carbachol-induced catecholamine secretion from cortex-free bovine medulla, 376
- , reduction of carbachol-induced secretion of catecholamines from cortex-free bovine adrenal medulla, 372
- Tetraethylammonium**, effect on nicotine extensor convulsions, 104
- , stimulant action on peristaltic reflex of guinea-pig isolated ileum, and effect on action of ganglion-blocking agents, 5-hydroxytryptamine, morphine, catecholamine and atropine, 245
- 1,4,5,6-Tetrahydropyrimidines**, synthesis and pharmacology of, 425
- Tetrodotoxin**, effect on vasopressin response of colon, 310
- Theophylline**, and antidiuretic hormone, capacitance changes in frog skin caused by, 314

Theophylline (*contd.*)

- , effect on sodium transport across frog-skin in the absence of chloride, 539P
- , mechanism of potentiation of inotropic responses to phenylephrine by, 540P

Thiosporin, Colomycin and Penbritin, comparison of effects on renal function, 283

Tomatine, anti-inflammatory activity of, 748

Toxiferine, effect on cortex somatosensory evoked response, 112

Trachea, actions of phenylephrine on β -adrenoceptors in, guinea-pig, 41

Transmitter, enhanced release during sympathetic nerve stimulation in the presence of angiotensin, 516P

Tranylcypromine, effect on halothane-induced hypothermia, cats, 400

—, effect on 5-hydroxytryptamine output from perfused cerebral vesicles, 89

—, effect on hypothermia produced in cats by halothane, 404

—, potency, 87

Trasylol, effect on anaphylactic shock, rat, 180

Tremor, tetrabenazine induced, 468

Triethyl tin sulphate, blockade of responses to vasopressin and nicotine of colon, 310

Trifluoperazine, effect on aldolase, mitochondrial malic dehydrogenase and $Mg^{++}Na^{+}K^{+}$ adenosine triphosphatase, 459

Trimethylphosphate, chemosterilant action in rodents, 531P

Tryptophan pyrrolase, liver, and brain 5-hydroxytryptamine and 5-hydroxyindoleacetic acid, effect of adrenalectomy and immobilization on, 692

—, —, —, effect of allopurinol and immobilization on, 691

—, —, —, effect of duration of immobilization on, 692

—, —, —, effect of LSD and immobilization on, 692

—, —, —, effect of probenecid and immobilization on, 694

Tryptophane, -containing peptides other than caerulein, occurrence in skin of *Phyllomedusa*, 205

(+)-**Tubocurarine**, and atropine, effects on acetylcholine depolarization and contracture of denervated muscle, 419

—, effect on prostaglandin E_1 , output from phrenic nerve-diaphragm, rat, 698

—, potency in antagonizing responses of muscle preparations to nicotine-like drugs, 251

U

Ulcers, oral and gastric stress-induced, rats, 543P

Uptake₂, accumulation of noradrenaline, localization in, 1

—, demonstration in hearts perfused with low concentration of noradrenaline, 642

—, effects on phenoxybenzamine and on extraneuronal metabolism of noradrenaline, 642

—, role in extraneuronal metabolism of catecholamines in rat heart, 638

V

Vas deferens, and heart, effects of phenoxybenzamine on uptake and metabolism of noradrenaline in, rat, 632

—, isolated, effect of decentralization and reserpine-treatment on the sensitivity of, to stimulant drugs, 514

—, noradrenaline uptake by, effects of phenoxybenzamine and other drugs on, 632

—, reserpinized, pharmacological nature of the response to postganglionic nerve stimulation, 52

Vasoconstrictors, effects on salivary myoepithelium, 666

Vasodilators, effects on salivary myoepithelium, 666

Vasopressin, action on colon tissue effect of replacement of sodium ions with sucrose or mannitol, 308

—, action on isolated proximal colon, methyl-oxytocin effect on, guinea-pig, 306

—, and carbachol alteration of potassium concentration effect on colon tissue response to, 308

—, contraction of colon effect of tetrodotoxin of, 310

—, effect on salivary myoepithelium, dog, 677

—, induced contractions, effect of magnesium concentration increase on, colon, 309

—, response, effect of sodium azide and triethyl tin sulphate on, in colon, 310

—, studies on the mode of action on colon of guinea-pig, 306

Vasopressors, effects on salivary myoepithelium, 666

Ventricular pressures effect of β -adrenoceptor blockade on, dog, 343

Instructions to Authors

1. **Manuscripts** (2 copies) should be typed in double spacing on one side of paper not larger than foolscap (33×20.5 cm). There should be a separate title page giving the names and addresses of the authors in alphabetical order.

2. **A short summary of results and conclusions** (arranged in numbered paragraphs), **tables and legends to figures** should be typed on separate sheets of paper.

3. **References** should be collected at the end of the paper. They should include the authors' names, year of publication, title of article, title of publication (abbreviated in accordance with the fourth edition of the *World List of Scientific Periodicals*), volume number and first and last page numbers. References to books should, in addition, include the names of editors, the edition number, where appropriate, and the town of origin and name of publisher.

4. **Figures** should NOT BE LARGER THAN FOOLSCAP (33×20.5 cm) and may be in the form of original drawings, recorded tracings or high quality photographic prints made from them. Negative prints of kymograph tracings (black on white) should be provided and both ordinates and abscissae should be calibrated.

5. **Lettering** on figures should be inserted in PENCIL. Symbols which are to appear in figures or legends should be chosen from the following:

× + ● ■ ○ □ △ ▲ ▽ ▼ ○ ● ◇

6. **Photographs and photomicrographs** should be printed on glossy paper and should be larger than the size required for reproduction.

7. **Tables** ideally should not have more than 84 characters to a line (counting spaces between columns as 4 characters) and certainly not more than 130 characters to a line, unless absolutely unavoidable.

8. **An abstract** of about 100 words suitable for inclusion in *International Abstracts of Biological Sciences* should be typed on a separate sheet.

General remarks. A recent issue of the Journal is a good guide to style. Papers are accepted only if accompanied by a statement that they have not and will not be published in whole or in part in any other Journal.

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Fifty reprints will be supplied to the authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs.