Edited for the British Pharmacological Society by

W. D. M. Paton (Chairman) R. S. Stacey (Secretary)
P. A. Nasmyth (Press Editor)
Jennifer Maclagan (Assistant Press Editor)

N. Ambache H. W. Kosterlitz R. B. Barlow J. Maddox J. M. Barnes J. F. Mitchell J. W. Black J. L. Mongar W. C. Bowman M. W. Parkes P. B. Bradley Mary Pickford S. Brenner (co-opted) H. P. Rang A. W. Cuthbert H. O. Schild C. T. Dollery D. F. Sharman W. S. Feldberg Hannah Steinberg L. G. Goodwin F. M. Sullivan F. Hobbiger J. R. Vane J. R. Hodges Marthe Vogt D. B. Hope

Editorial assistance is provided by the staff of Nature

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

Manuscripts (two copies) should be sent to Professor R. S. Stacey, St. Thomas's Hospital Medical School, London S.E.1. Authors should consult the suggestions inside the back cover.

Subscriptions. Three volumes of the journal are published annually, each volume containing four numbers. The annual subscription rate is £15 15s. in the United Kingdom and Republic of Ireland; \$48.50 U.S.A. and \$52.50 Canada (by air freight; second class postage paid at New York, N.Y.); £16 10s. all other overseas countries. Subscriptions should be sent to: Subscriptions Department, Macmillan (Journals) Ltd., Brunel Road, Basingstoke, Hampshire, England. Alternatively, the journal can be ordered through a subscription agent or bookseller.

Advertisements: Applications for advertising space and rates should be sent to: The Advertisement Department, *British Journal of Pharmacology*, T. G. Scott and Son Ltd., 1 Clement's Inn, London, WC2A 2ED, England. Tel: 01-242 6264; 01-405 4743. Grams: Textualist London W.C.2.

Copyright © 1970 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

The following are some of the manuscripts which will be published in future issues:

BERNEIS, K. H., PLETSCHER, A. and DA PRADA, M.: Phase separation in solutions of noradrenaline and adenosine triphosphate: influence of bivalent cations and drugs

GOURI, M. S. K. and SHIBATA, S.: β -adrenoceptor stimulating properties of *para*-dimethylaminobenzaldehyde

NOTT, M. W.: The possible role of adenosine in the coronary dilator action of some pyrimidopyrimidines and pteridines

DAWSON, W., JESSUP, SHEILA J., McDonald GIBSON, WENDY, RAMWELL, P. W. and SHAW, JANE E.: Prostaglandin uptake and metabolism by the perfused rat liver

PARRATT, J. R. and Wadsworth, R. M.: The effect of "selective" β -adrenoceptor blocking drugs on the myocardial circulation

FRIGO, G. M. and LECCHINI, S.: An improved method for studying the peristaltic reflex in the isolated colon

CREMA, A., FRIGO, G. M. and LECCHINI, S.: A pharmacological analysis of the peristaltic reflex in the isolated colon of the guinea-pig or cat

ABEL, R. M., REIS, R. L. and TURNBULL, M. J.: The sensitivity of the brain to barbiturate during chronic administration and withdrawal of barbitone sodium in the rat

ABEL, R. M., REIS, R. L. and STAROSCIK, R. N.: The pharmacological basis of coronary and systemic vasodilator actions of diazepam (Valium)

FINCH, L. and LEACH, G. D. H.: The contribution of the sympathetic nervous system to the development and maintenance of experimental hypertension in the rat

ACRED, P., BROWN, D. M., CLARK, B. F. and MIZEN, LINDA: The distribution of antibacterial agents between plasma and lymph in the dog

Short Communications

From June 1970 the British Journal of Pharmacology will contain a section for the rapid publication of Short Communications of special interest.

Papers for consideration should be marked "Short Communication", and be submitted in duplicate to the Secretary of the Editorial Board. They must be less than 1,200 words in length and may contain one figure or one table. To reduce publication delay to a minimum (about 6 weeks), correspondence between author and editor must be avoided. Manuscripts should therefore be prepared with great care and the customary form used in the Journal strictly observed (see instructions on the inside covers of a recent issue of the Journal). Short Communications will be accepted on the understanding that if authors' proofs are not returned before the journal goes to press, the Communication will be published with the Press Editor's corrections only. Communications not accepted for publication will be returned in approximately 2 weeks.

EDITED FOR

THE BRITISH PHARMACOLOGICAL SOCIETY

BY

W. D. M. Paton (Chairman) R. S. Stacey (Secretary)
P. A. Nasmyth (Press Editor)
Jennifer Maclagan (Assistant Press Editor)

N. Ambache D. B. Hope R. B. Barlow H. W. Kosterlitz J. M. Barnes J. Maddox J. W. Black J. F. Mitchell W. C. Bowman J. L. Mongar P. B. Bradley M. W. Parkes S. Brenner (co-opted) Mary Pickford A. W. Cuthbert H. P. Rang C. T. Dollerv H. O. Schild W. S. Feldberg D. F. Sharman L. G. Goodwin Hannah Steinberg D. F. Hawkins (co-opted) F. M. Sullivan F. Hobbiger J. R. Vane J. R. Hodges Marthe Vogt

Editorial assistance is provided by the staff of Nature

VOLUME 39, 1970

LONDON
MACMILLAN (JOURNALS) LIMITED
4 LITTLE ESSEX STREET, W.C.2.

THE INTERNATIONAL SYSTEM OF UNITS (SI)

From February 1970 the British Journal of Pharmacology will use the symbols recommended in the SI (Système Internationale) (see Symbols, Signs and Abbreviations Recommended for British Scientific Publications (1969) (London: The Royal Society: price 7s.)). It is the policy of the Editorial Board to adopt SI units, although the use of certain non-SI units will for the time being be permitted. Full details of the changes involved will be published in a forthcoming "Instructions to Authors". The following is a list (a) of some of the commoner units with their recommended symbols, (b) of some non-SI units which may still be used, and (c) of units which will no longer be acceptable.

(a) SI units with recommended symbols

Unit Correct symbol kilogramme kg second, millisecond s ms mole, millimole, micromole, mol mmol μ mol nanomole, picomole nmol pmol metre, centimetre, millimetre, m cm mm

micrometre μ m Hertz Hz

(b) Some permitted non-SI units

 $A(=10^{-10}m=0.1 \text{ nm})$ ångström gramme min minute hour h M

molarity (mol/litre)

calorie cal (4.184 J) (Conversion factor to be given as a footnote at first

citation or in Methods)

mmHg (1.333 mbar) (Conversion millimetre of mercury

factor to be given as a footnote at

first citation or in Methods)

millibar mbar P poise curie

litre 1. (where there is danger of confusion

between the numeral '1' and the letter 'l', 'litre' should be written in full, and always at the end of a

sentence)

millilitre, microlitre ml μ l degree Celsius $^{\circ}C$

(c) Units no longer acceptable

Inch, foot, pound, pound per square inch, °F.

Expressions such as cycles per second (c/s) will no longer be accepted. Frequencies should be expressed in the appropriate approved symbols: thus a stimulation frequency should be given in Hz (frequency of irregular or occasional events should be given per unit time, s⁻¹, h⁻¹ etc.).

Instructions to Authors

- 1. Manuscripts (2 copies) should be typed in double spacing on one side of paper not larger than foolscap $(33 \times 20.5 \text{ cm})$. There should be a separate title page giving the names and addresses of the authors in alphabetical order.
- 2. A short summary of results and conclusions (arranged in numbered paragraphs), tables and legends to figures should be typed on separate sheets of paper.
- 3. References should be collected at the end of the paper. They should include the author's names, year of publication, title of article, title of publication (abbreviated in accordance with the fourth edition of the World List of Scientific Periodicals), volume number and first and last page numbers. References to books should, in addition, include the names of editors, the edition number, where appropriate, and the town of origin and name of publisher.
- 4. Figures should NOT BE LARGER THAN FOOLSCAP (33×20.5 cm) and may be in the form of original drawings, recorded tracings or high quality photographic prints made from them. Negative prints of kymograph tracings (black on white) should be provided and both ordinates and abscissae should be calibrated.
- 5. Lettering on figures should be inserted in PENCIL. Symbols which are to appear in figures or legends should be chosen from the following:



- 6. **Photographs and photomicrographs** should be printed on glossy paper and should be larger than the size required for reproduction.
- 7. **Tables** ideally should not have more than 84 characters to a line (counting spaces between columns as 4 characters) and certainly not more than 130 characters to a line, unless absolutely unavoidable.
- 8. An abstract of about 100 words suitable for inclusion in *International Abstracts of Biological Sciences* should be typed on a separate sheet.

General remarks. A recent issue of the journal is a good guide to style. Papers are accepted only if accompanied by a statement that they have not and will not be published in whole or in part in any other Journal.

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Fifty reprints will be supplied to the authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs.

LIBRARY

MAY 25 1970 BRITISH JOURNAL OF PHARMACOLOGY May 1970 Wolume 39 HEALTH Number 1

Contents

page

- ► 1 PADJEN, A. and RANDIĆ, MIRJANA. Some factors influencing the release of 5-hydroxyindol-3-ylacetic acid in the forebrain
- (9 HUTCHINS, D. A. and ROGERS, K. J. Physiological and drug-induced changes in the glycogen content of mouse brain
 - 26 MAGOS, L., with the technical assistance of JARVIS, J. A. E. The effects of carbon disulphide exposure on brain catecholamines in rats
 - 34 FISHLOCK, D. J. and GUNN, A. The action of angiotensin on the human colon in vitro
 - 40 BARRASS, B. C., BRIMBLECOMBE, R. W., RICH, P. and TAYLOR, JOAN V. Pharmacology of some acetylcholine homologues
- A49 COVILLE, P. F. and Telford, J. M. Influence of thyroid hormones on the sensitivity of cardiac and smooth muscle to biogenic amines and other drugs
 - 69 SCHILD, H. O. Lack of antagonism between thioglycerol and an oxytocin analogue not containing a disulphide bond
 - 73 Nustad, K. The relationship between kidney and urinary kininogenase
 - 87 NUSTAD, K. Localization of kiningenase in the rat kidney
 - 99 SALAKO, L. A. and SMITH, A. J. Changes in sodium pool and kinetics of sodium transport in frog skin produced by amiloride
- 110 Westfall, D. P. Nonspecific supersensitivity of the guinea-pig vas deferens produced by decentralization and reserpine treatment
- 121 WESTFALL, D. P. The effect of reserpine treatment and decentralization on the ion distribution in the vas deferens of the guinea-pig
- 128 MYLECHARANE, E. J. and RAPER, C. Prejunctional actions of some β -adrenoceptor antagonists in the vas deferens preparation of the guinea-pig
- 139 Levy, B. and Wasserman, M. 1-Isopropylamino-3-(4-indanoxy)-2-propanol HCl: a potent β-adrenoceptor antagonist
- 149 Lees, P. and Tavernor, W. D. Influence of halothane and catecholamines on heart rate and rhythm in the horse
- 160 GOLDMAN, J. M. and HADLEY, M. E. Evidence for separate receptors for melanophore stimulating hormone and catecholamine regulation of cyclic AMP in the control of melanophore responses
- 167 JOHNSON, G. E. and PUGSLEY, T. A. Studies on the interrelationship between the syntheses of noradrenaline and metaraminol
- 175 DAVIDSON, W. J. and INNES, I. R. Dissociation of potentiation of isoprenaline by cocaine from inhibition of uptake in cat spleen
- 183P PROCEEDINGS OF THE BRITISH PHARMACOLOGICAL SOCIETY, LONDON AND BECKENHAM, 2-4 April, 1970. (See pp. i, iii, v and vii for contents)