Edited for the British Pharmacological Society by

W. D. M. Paton (Chairman)

R. S. Stacey (Secretary)

P. A. Nasmyth (Press Editor)

Jennifer Maclagan (Assistant Press Editor)

N. Ambache D. B. Hope H. W. Kosterlitz R. B. Barlow J. M. Barnes J. Maddox J. W. Black J. F. Mitchell W. C. Bowman J. L. Mongar M. W. Parkes P. B. Bradley S. Brenner (co-opted) Mary Pickford A. W. Cuthbert H. P. Rang C. T. Dollery H. O. Schild W. S. Feldberg D. F. Sharman L. G. Goodwin Hannah Steinberg D. F. Hawkins (co-opted) F. M. Sullivan F. Hobbiger J. R. Vane J. R. Hodges Marthe Vogt

Editorial assistance is provided by the staff of Nature

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

Manuscripts (two copies) should be sent to Professor R. S. Stacey, St. Thomas's Hospital Medical School, London S.E.1. Authors should consult the suggestions inside the back cover.

Subscriptions. Three volumes of the journal are published annually, each volume containing four numbers. The annual subscription rate is £15 15s. in the United Kingdom and Republic of Ireland; \$48.50 U.S.A. and \$52.50 Canada (by air freight; second class postage paid at New York, N.Y.); £16 10s. all other overseas countries. Subscriptions should be sent to: Subscriptions Department, Macmillan (Journals) Ltd., Brunel Road, Basingstoke, Hampshire, England. Alternatively, the journal can be ordered through a subscription agent or bookseller.

Advertisements: Applications for advertising space and rates should be sent to: The Advertisement Department, *British Journal of Pharmacology*, T. G. Scott and Son Ltd., 1 Clement's Inn, London, WC2A 2ED, England. Tel: 01-242 6264; 01-405 4743. Grams: Textualist London W.C.2.

Copyright © 1970 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

Concise Antibiotic Treatment

W. Howard Hughes (MD, BS, FRCPath) H. C. Stewart (MD, PhD, FRCP, FFA RCS)

This portable reference book, to be used both in an emergency by the practising doctor and for quick revision by the student, fulfils an urgent need. It gives guidance on the drug and dosage most likely to be useful in the early stages of an infection, allowing for relative toxicity and cost of treatment, until advice on the organism present and its sensitivities can be obtained. There are also tables for easy reference to preparations, doses and routes of administration.

407 13880 3 146 pages 1970 **20s** (£1.00)

Available from leading booksellers or:



The Butterworth Group

88 Kingsway London WC2B 6AB

All communications regarding advertising should be addressed to the

Advertisement Department...

T G SCOTT & SON LTD

I Clement's Inn

London WC2A 2ED

Telephone 01-242 6264 01-405-4743

Rates and circulation details on request

Place your regular order for

the leading British journal in pharmacology

BRITISH JOURNAL OF PHARMACOLOGY

by sending a subscription to Macmillan (Journals) Ltd., Subscription Department, Brunel Road, Basingstoke, Hants, England.

3 VOLUMES (12 NUMBERS) PER ANNUM

U.K. and OVERSEAS £15 15s. 0d.

U.S.A. \$48.50 \\ CANADA \$52.50

By air freight

INDEX TO VOLUME 39

AUTHOR INDEX

Α

- ABEL, R. M., REIS, R. L. and STAROSCIK, R. N.
 The pharmacological basis of coronary and systemic vasodilator actions of diazepam (Valium), 261
- ACRED, P., BROWN, D. M., CLARK, B. F. and MIZEN, LINDA. The distribution of antibacterial agents between plasma and lymph in the dog, 439 AELLIG, W. H. and PRICHARD, B. N. C. The effect
- AELLIG, W. H. and PRICHARD, B. N. C. The effect of graded doses of practolol on the tachycardia induced by isoprenaline, Valsalva's manoeuvre and exercise, 193P
- ALLEN, J. D., KOFI EKUE, J. M., SHANKS, R. G. and ZAIDI, S. A. The effect on experimental cardiac arrhythmias of a new anticonvulsant agent Kö 1173, and its comparison with phenytoin and procainamide, 183P
- Angel, A. Two simple, relatively inexpensive, devices to measure the locomotor activity of anaesthetized or unanaesthetized animals, 243P
- Apostolov, K. and Selway, J. W. T. Structure of the myxoviruses (T)*, 257P
- Apostolov, K., Bauer, D. J. and Selway, J. W. T. Laboratory and clinical experience with methisazone (T), 251P
- Arenson, M. S. and Wilson, H. The peripheral parasympathetic innervation of the cat lacrimal gland, 242P
- ARMSTRONG, J. M. and BOURA, A. L. A. Aortic intubated hypertensive rats: responses to drugs and diurnal variations in arterial blood pressure, 227P
- ARMSTRONG, J. M. and BOURA, A. L. A. The effect of adrenergic neurone blockade on responses of the cat heart to sympathetic nerve stimulation, 228P
- ASSEM, E. S. K., PICKUP, P. M. and SCHILD, H. O. The inhibition of allergic reactions by sympathomimetic amines and methylxanthines, 212P
- ATKINSON, D. C. The relationship between the anti-inflammatory and irritant properties of inflammatory exudate, 211P

В

- BALAAM, D. G. and Young, P. A. Partial automation in the evaluation of physiological recordings (T), 256P
- BALASUBRAMANIAM, K., LUCAS, S. B., MAWER, G. E. and SIMONS, P. J. The kinetics of amylobarbitone metabolism in healthy men and women, 564
- BALASUBRAMANIAM, K., MAWER, G. E. and SIMONS, P. J. G. The kinetics of amylobarbitone metabolism in male and female subjects (T), 222P
- Barlow, R. B., Lowe, B. M., Pearson, J. D. M. and Rendall, H. M. Estimates of the size in solution of some ions which are active on the frog rectus and guinea-pig ileum, (T), 222P
- BARLOW, R. B., OLIVERIO, A., SATTA, M. and THOMPSON, G. M. Some central effects in mice of compounds related to nicotine, 647
- *(T), Title of abstract only.

- BARNETT, MARGARET, BUSHBY, S. R. M., BYE, A., FOX, A. F. J., SPILSBURY, J. F. and UDALL, V. Synergy of trimethoprim and sulphonamides (T), 256P
- BARRASS, B. C., BRIMBLECOMBE, R. W., RICH, P. and TAYLOR, JOAN V. Pharmacology of some acetylcholine homologues, 40
- BARROWMAN, J. A. and D'MELLO, A. The behaviour of diethylstilboestrol, a lipid-soluble drug, in simulated intestinal content, 189P
- Bartlet, A. L., and Hassan, T. Adrenoceptors of the chick rectum, 817
- BAUER, D. J. See APOSTOLOV, K., et al., 257P
- Baxter, M. G., MILLER, A. A. and Soroko, F. E. The effect of cyproheptadine on food consumption in the fasted rat, 229P
- BELL, C. Effects of circulating oestrogen on function of the cholinergic dilator nerves supplying the guinea-pig uterine artery, 190P
- BENNIE, M. See FAULKNER, D., 255P
- Berneis, K. H., Pletscher, A. and Prada, M. Da.
 Phase separation in solutions of noradrenaline
 and adenosine triphosphate: influence of
 bivalent cations and drugs, 382
- bivalent cations and drugs, 382
 BESSER, G. M., BUTLER, P. W. P., RATCLIFFE,
 J. G., REES, LESLEY and YOUNG, PAMELA.
 Release by amphetamine in man of growth
 hormone and corticosteroids: the effects of
 thymoxamine and propranolol, 196P
- BEVERIDGE, ELIZABETH. Chemotherapy of Trypanosoma cruzi: treatment of mouse infections (T), 257P
- BEVERIDGE, ELIZABETH. Drug resistance in Babesia rodhaini, 239P
- BHAGAT, B., CAVANAGH, D., MERRILD, B. N., RANA, M. W., and RAO, P. S. Noradrenaline and tyramine action on isolated atrial muscle of endotoxin-treated guinea-pigs, 688
- BHARGAVA, V. K., HORTON, R. W. and MELDRUM, B. S. Long-lasting convulsant effect on the cerebral cortex of Naja naja venom, 455
- BLACK, M. The use of phenobarbitone to investigate the pathogenesis of unconjugated hyperbilirubinaemia, 203P
- BLACKWELL, E. W., CONOLLY, M. E., DAVIES, D. S. and DOLLERY, C. T. The fate of isoprenaline administered by pressurized aerosols, 195P
- BLANE, G. F. and ROBBIE, D. S. Trial of etorphine hydrochloride (M99 Reckitt) in carcinoma pain: preliminary report, 252P
- BORN, G. V. R., and SMITH, J. B. Uptake, metabolism and release of [3H]-adrenaline by human platelets, 765
- BOULLIN, D. J. and O'BRIEN, R. A. Accumulation of dopamine by blood platelets from normal subjects and parkinsonian patients under treatment with L-dopa, 779
- BOURA, A. L. A., GREEN, A. F. and SAUNDERS, I. A. An antitussive test using guinea-pigs, 225P
- BOURA, A. L. A. See ARMSTRONG, J. M., 227P, 228P

- BOYDE, A., JOHNSTON, MARIAN, LITTLEJOHNS, D. and MONGAR, J. L. Methods for measuring morphological and electrical changes accompanying histamine release from isolated cells (T), 259P
- BOYLES, SUSAN, LEWIS, G. P., and WESTCOTT, BARBARA. Changes in the composition of hind limb lymph, after chemical injury, 798
- BRIMBLECOMBE, R. W., GREEN, D. M., STRATTON, JUNE, A. and THOMPSON, PAMELA B. J. The protective actions of some anticholinergic drugs in sarin poisoning, 822

BRIMBLECOMBE, R. W. See BARRASS, B. C., et al.,

Brown, D. M. See Acred, P., et al., 439

- BUCKLEY, G. A. and LWIN, SANN. The expansor secundariorum of the domestic fowl: a smooth muscle-nerve preparation without cholinergic receptors, 245P
- receptors, 245P
 Burgen, A. S. V., Colley, C. M., Metcalfe, J. C.,
 Metcalfe, S. M. and Turner, C. B. The
 binding of benzyl alcohol to erythrocyte
 membranes, 277P
- Burgess, I. and Burren, C. H. Studies on the larvae of *Toxocara canis* (Nematoda) in mice (T), 257P
- BURKA, B., HERMAN, E. and VICK, J. Role of the sympathetic nervous system in daunomycin-induced arrhythmia in the monkey, 501
- Burns, J., Horlington, M., Shaffer, M. and White, E. H. Inexpensive transmitters for heart rate measurements in groups of unrestrained rats (T), 258P
- Burrage, Karen, Hellmann, K. and Salsbury, A. J. Drug-induced inhibition of tumour cell dissemination, 205P
- BURREN, C. H. See BURGESS, I., 257P
- Bushby, S. R. M. See Barnett, Margaret, et al., 256P
- BUTLER, P. W. P. See BESSER, G. M., 196P BYE, A. See BARNETT, MARGARET, et al., 256P

C

- CALDWELL, I. C. Methods for the study of nucleotide, nucleic acid and protein metabolism, 237P
- Calne, D. B., French, T. M. and Spiers, A. S. D.
 The effects of dopamine, L-dopa, L-tyrosine,
 and pyridoxine on sympathetic nerve endings
 in man, 196P
- CARDINAL, D., HENSON, T. and SMITH, S. J. Pharmacological gadgets (T), 255P
- CARTER, SUSAN BONHAM, KAROUM, F., SANDLER, M. and YOUDIM, M. B. H. The effect of tyramine on phenolic acid and alcohol excretion in man, 202P
- CARTER, SUSAN BONHAM, KAROUM, F., SANDLER, M. and YOUDIM, M. B. H. The promotion of phenolic alcohol formation in man by reserpine and ethanol, 200P

CAVANAGH, D. See BHAGAT, B., 688

- CHALLAND, P., GOODFORD, P. J., NORRINGTON, F. E. A. and SHEPPEY, G. C. The application of on-line computing methods to the calculation of physico-chemical-activity relationships (T), 257P
- CHARLIER, R. Cardiac actions in the dog of a new antagonist of adrenergic excitation which does not produce competitive blockade of adrenoceptors, 668
- CHOTHIA, C., PAULING, P. and PETCHER, T. J. Crystallographic methods for determining the confirmation of cholinergic molecules (T), 259P

CHOTHIA, C., PAULING, P. and PETCHER, T. J.
The conformations of cholinergic agonists,
219P

- CHRISTMAS, A. J., HALL, D. W. R., HAYWARD, A. and MAXWELL, D. R. Relationship between the pharmacological and biochemical properties of a monoamine oxidase inhibitor preferentially affecting 5-hydroxytryptamine oxidation, 207P
- CLARK, B. F. See ACRED, P., et al., 439
- COLLEY, C. M. See BURGEN, A. S. V., et al., 217P COLLIER, B. and KATZ, H. S. The release of acetylcholine by acetylcholine in the cat's superior cervical ganglion, 428
- COLLINS, A. J., COSH, J. A. and RING, E. F. J. Quantitative infrared studies of inflammation in rheumatoid arthritis, 251P
- COLQUHOUN, D. How long does a molecule stay on the receptor? Explanation of a paradox, 215P
- CONOLLY, M. E. See BLACKWELL, E. W., et al., 195P
- CONTRERAS, E. and HUIDOBRO, F. Hyposensitivity to drugs induced by morphine and some related substances in the cat, 789

COSH, J. A. See COLLINS, A. J., et al., 251P COUPAR, I. M. The effect of isoprenaline on

- adrenoceptors in human saphenous vein, 465
 COVILLE, P. F. and Telford, J. M. Influence of
 thyroid hormones on the sensitivity of cardiac
 and smooth muscle to biogenic amines and
- other drugs, 49
 CRAMMER, J. L., ELKES, A. and WATT, D. C.
 Mode of anti-depressant action of imipramine
 in man (T), 221P
- CREMA, A., FRIGO, G. M. and LECCHINI, S. A pharmacological analysis of the peristaltic reflex in the isolated colon of the guinea-pig or cat, 334
- CURRY, S. H. Isotope dilution in drug analysis, 250P
- CURZON, G. and GREEN, A. R. Rapid method for the determination of 5-hydroxytryptamine and 5-hydroxyindoleacetic acid in small regions of rat brain, 653

D

- Dale, Maureen M. and Zilletti, L. Mast cell distribution in guinea-pig ileum and the Schultz-Dale reaction of the longitudinal muscle strip (T), 259P
- Dale, Maureen M. and Zilletti, Lucilla. The Schultz-Dale response of the longitudinal muscle strip preparation of guinea-pig ileum, 542
- Davidson, W. J. and Innes, I. R. Dissociation of potentiation of isoprenaline by cocaine from inhibition of uptake in cat spleen, 175
- DAVIES, D. S. See BLACKWELL, E. W., et al., 195P DAWSON, W., JESSUP, SHEILA J., McDONALD-GIBSON, WENDY, RAMWELL, P. W. and SHAW, JANE E. Prostaglandin uptake and metabolism by the perfused rat liver, 585
- DAY, M. D. and OWEN, D. A. A. The effect of reserpine on the pressor responses to angiotensin in the conscious cat, 414
- DHATTIWALA, A. S., JINDAL, M. N. and KELKAR, V. V. Effects of some drugs on the responses of the rat isolated, innervated urinary bladder to indirect electrical stimulation, 738

DICKERSON, G. and MARKHAM, J. M. Studies on the bacterial invasion of schistosomes (T), 258P

D'MELLO, A. See BARROWMAN, J. A., 189P DOEPFNER, W. Consequences of calcium and/or phosphorus deficient diets on various parameters of callus formation and on growth rate in young rats, 188P

DOLLERY, C. T. See BLACKWELL, E. W., 195P DORR, MARIAN, JOYCE, DAPHNÉ, KATZ, D. M., MARSHALL, I., STEINBERG, HANNAH and STOLLERMAN, I. P. Laboratory experiments suitable for practical classes in psychopharmacology, 246P

Dorr, Marian, JOYCE, DAPHNÉ, STEINBERG. HANNAH, SUMMERFIELD, A. and TOMKIEWICZ, M. Persistence of dose-related behaviour in

mice, 208P

DUCE, B. R., GARBERG, L. and SMITH, E. R. Effects on (\pm) -propanolol, (\pm) -, (+)-, and (--)alprenolol on unanaesthetized dogs with ventricular arrhythmias resulting from coronary artery ligation, 809

DUNCOMBE, W. G. and JOHNSON, P. An all-glass small animal metabolism unit with "fail safe" air supply and 14CO2 collection device for long term continuous radiorespiration studies, 238P

DUNCOMBE, W. G. and NEAL, R. A. Chemotherapy of Trypanosoma cruzi: effect of drugs against the crithidial stage (T), 257P

DUNDEE, J. W. and ISAAC, M. Interaction between intravenous alcohol and some sedatives and tranquillizers, 199P

E

EAKINS, K. E., KARIM, S. M. M. and MILLER, J. D. Antagonism of some smooth muscle actions of prostaglandins by polyphloretin phosphate, 556

EBLE, J. N., GOWDEY, C. W. and VANE, J. R. The potentiation of the cardiovascular responses of the dog to noradrenaline by desmethylimipramine, 185P

EDWARDS, D. C., FENTON, E. L., LARBI, E. B. and ZAIMIS, ELEANOR. Antiserum to nerve growth factor: development and potentialities (T), 258P

EDWARDS, D. C., FENTON, E. L., PEARCE, F. L., REDDING, KATHERINE, A. and VERNON, C. A. In vitro and in vivo effects of nerve growth factors isolated from mouse salivary gland and

Russell viper venom (T), 258P EISEN, V. and LOVEDAY, C. Effect of cellulose sulphate on serum complement, 831

ELKES, A. See CRAMMER, J. L., et al., 221P EVERETT, A. J. and JONES, C. R. Fluorescent measurement of pyrimethamine in urine (T),

F

FAREBROTHER, D. A. and UDALL, V. Whole body autoradiography (T), 255P

FAULKNER, D. and BENNIE, M. A simple accurate injection gun for repetitive dosing (T), 255P FAULKNER, D. and BENNIE, M. Meter for measur-

ing activity of small animals in metabolic

studies (T), 255P
FENTON, E. L. See EDWARDS, D. C., et al., 258P
FINBERG, J. P. M. and PEART, W. S. Function of smooth muscle of the rat renal pelvis-response of the isolated pelvis muscle to angiotensin and some other substances, 373

FINBERG, J. P. M. and PEART, W. S. Renal tubular flow dynamics during angiotensin diuresis in the rat, 357

FINCH, L. and LEACH, G. D. H. The contribution of the sympathetic nervous system to the development and maintenance of experimental

hypertension in the rat, 317

FIRTH, H., LEWIS, S. A., OGUNREMI, O. O. and OSWALD, I. The effect of acute administration of (meta trifluoro methyl-phenyl)-l(benzoyl oxy) ethyl amino-2-propane (780 SE) and fenfluramine on human sleep, 462

FISHLOCK, D. J. and GUNN, A. The action of angiotensin on the human colon in vitro, 34

Flegin, O. T., Morgan, D. H., Oates, J. A. and SHAND, D. G. The mechanism of the reversal of the effect of guanethidine by amphetamines in cat and man, 253P

FOLLENFANT, M. and GREEN, A. F. Effects of bethanidine on responses to ergotamine and

noradrenaline, 225P Fowler, J. S. L. Carbon tetrachloride metabolism in sheep and in Fasciola hepatica, 599

Fox, A. F. J. See Barnett, Margaret, et al., 256P

Frank, G. B. and JHAMANDAS, K. Effects of drugs acting alone and in combination on the motor activity of intact mice, 696
FRANK, G. B. and JHAMANDAS, K.

Effects of general stimulation on the electrical responses of isolated slabs of cats cerebral cortex, 707, 716

FRASER, P. J. Antagonists of the embryocidal effect of 5-hydroxytryptamine in the rat, 224P

FRENCH, T. M. See CALNE, D. B., et al., 196P FRIGO, G. M. and LECCHINI, S. An impro-An improved method for studying the peristaltic reflex in the

isolated colon, 346 FRIGO, G. M. See CREMA, A., et al., 334 FULLER, K. and HARVEY, A. E. C. The chemo-

therapy of helminthiases (T), 258P

G

GARBERG, L. See DUCE, B. R., 809

GARLAND, L. and WALKER, J. M. G. A screening method for antiarrhythmic agents in the rat,

GARTSIDE, I. B. and HARRISON-READ, P. E. Recording evoked potentials in the conscious rat: the maintenance of a constant behavioural baseline, 247P

GHOURI, M. S. K. and SHIBATA, S. β-adrenoceptor stimulating properties of para-dimethylaminobenzaldehyde, 447

GILBERT, D. The measurement, using a standard laboratory spectrophotometer, of drug binding to liver microsomes (T), 257P

GINSBORG, B. L. and STEPHENSON, R. P. Interaction of agonists and fast and slow acting antagonists with muscarinic receptors in guinea-pig ileum (T), 222P

GOLDMAN, J.M. and HADLEY, M. E. Evidence for separate receptors for melanophore stimulating hormone and catecholamine regulation of cyclic AMP in the control of melanophore responses, 160

GOODFORD, P. J. See CHALLAND, P., et al., 257P GOSSELIN, R. E. Drug receptor inactivation: a

new kinetic model, 215P Gowdey, C. W. See Eble, J. N., et al., 185P Green, A. F. See Boura, A. L. A., et al., 225P

GREEN, A. F. See FOLLENFANT, M., 225P GREEN, A. R. See Curzon, G., 653 GREEN, D. M. See BRIMBLECOMBE, R. W., 822 GREWAL, R. SINGH and KAUL, C. L. Mechanism of the antagonism of the hypotensive action of guanethidine by propranolol (T), 221P GRIFFIN, J. P. and TURNER, P. Human pharma-cology of taloximine, 249P

GRYGLEWSKI, R. and VANE, J. R. The inactivation of noradrenaline and isoprenaline in dogs, 573 Gunn, A. See Fishlock, D. J., 34

Н

HADDEN, D. R., LOWE, D. C., MONTGOMERY, D. A. D., SHANKS, R. G. and WEAVER, J. A. Propranolol and radioactive iodine in the treatment of thyrotoxicosis, 198P

HADLEY, M. E. See GOLDMAN, J. M., 160 HALL, D. W. R. See CHRISTMAS, A. J., et al., 207P

HARRISON-READ, P. E. See GARTSIDE, I. B., 247P HARVEY, A. E. C. See Fuller, K., 258P HASSAN, T. See BARTLET, A. L., 817

HAYLETT, D. G. and JENKINSON, D. H. Effects of noradrenaline on the membrane potential of

parenchymal cells in guinea-pig liver in vitro (T), 259P

HAYWARD, A. See CHRISTMAS, A. J., et al., 207P HAZELTON, H. R. and JOHNSON, P. Analysis of radioactively labelled compounds of pharmacological interest by gas-liquid radiochromatography, 236P Hazelton, H. R., Johnson, P. and Weatherley,

B. C. The use of gas-liquid chromatographymass spectrometry in biochemical pharma-

cology, 236P Hellmann, K. See Burrage, Karen, et al., 205P HENSON, T. See CARDINAL, D., et al., 255P HERMAN, E. See BURKA, B., 501

HERXHEIMER, A. and LIONEL, N. D. W. Assessing reports of therapeutic trials, 204P

HODGES, J. R. and HOTSON, R. T. adrenocortical activity in the ascorbic acid deficient guinea-pig, 193P

HODGES, J. R. and MITCHLEY, SUSAN. Circadian rhythm in plasma corticosterone concentration and pituitary adrenocorticotrophic response to stress in the betamethasone treated rat, 192P

Hodson, H. F. Development of a biologically active chemical series (T), 256P

Horlington, M. See Burns, J., et al., 258P HORTON, R. W. See BHARGAVA, V. K., et al., 455

Hotson, J. R. See Hodges, J. R., 193P HUGHES, J. and VANE, J. R. Relaxations of the isolated portal vein of the rabbit induced by

nicotine and electrical stimulation, 476 HUGHES, R. Integration and differentiation of phasic aortic flow and continuous recording of peripheral vascular resistance, 232P

HUGHES, R. and WEATHERALL, M. The response of stimulated and quiescent phrenic nerve diaphragm preparations to digoxin and ouabain, 233P

HUIDOBRO, F. See CONTRERAS, E., 789

HUMPHREY, P. P. A. Saturation effects in the uptake of decamethonium in skeletal muscle, 219P

HUNTER, K. R., LAURENCE, D. R. and STERN, G. M. Parkinsonism treated with L-dopa: interactions with other diseases and other drugs (T), 221P

HUTCHINS, D. A. and ROGERS, K. J. Physiological and drug-induced changes in the glycogen content of mouse brain, 9

INNES, I. R. See DAVIDSON, W. J., 175 IRESON, J. D., LESLIE, G. B. and McClelland, D. H. A videotape recording of some methods used to evaluate potential centrally acting drugs (T) 258P

IRESON, J. D., LESLIE, G. B. and McClelland, D. H. Television as a teaching aid in pharmacology (T) 258P Isaac, M. See Dundee, J. W., 199P

J

JAMES, I. M., LARBI, E. and ZAIMIS, ELEANOR. The effect of the acute intravenous administration of clonidine (St 155) on cerebral blood flow in man, 198P

JARVIS, J. A. E. See MAGOS, L., 26 JARVIS, M. J. and LADER, M. H. The effect of nitrous oxide on reaction time and cerebral evoked potential, 254P

JHAMANDAS, K. See FRANK, G. B., 707; 716; 796 JENKINSON, D. H. See HAYLETT, D. G., 259P JESSUP, SHEILA J. See DAWSON, W., 585

JINDAL, M. N. See DHATTIWALA, A. S., 138 JOHNSON, G. E. and PUGSLEY, T. A. Studies on

the interrelationship between the syntheses of noradrenaline and metaraminol, 167

JOHNSON, P. See DUNCOMBE, W. G., 238P JOHNSON, P. See HAZELTON, H. R., 236P

JOHNSTON, MARIAN. See BOYDE, A., et al., 259P JONES, C. R. and KING, H. L. Photo-copying of thin-layer plates by ultraviolet light (T) 256P

JONES, C. R. See EVERETT, A. J., 256P

JOYCE, DAPHNE. See DORR, MARIAN, et al., 208P; 246P

JUORIO, A. V. The distribution of catecholamines in the nervous system of an Octopoda mollusc,

K

KAJIMOTO, N. and TODA, N. Modification by ouabain of the electrical and mechanical effects of acetylcholine in isolated rabbit atria, 225

KARIM, S. M. See EAKINS, K. E., 556 KAROUM, F. See CARTER, SUSAN BONHAM, et al., 200P; 202P

KATZ, D. M. See DORR, MARIAN, et al., 246P

KATZ, H. S. See Collier, B., 428

KAUL, C. L. See GREWAL, R. SINGH, 221P KELKAR, V. V. See DHATTIWALA, A. S., 738

KING, H. L. See JONES, C. R., 256P KIRPEKAR, S. M. and WAKADE, A. R. Effect of β-haloalkylamines and ephedrine on noradrenaline release from the intact spleen of the cat, 533

KOFI EKUE, J. M., SHANKS, R. G., and ZAIDI, S. A. Observations on the sub-division of β -adrenoceptive receptors in the circulation of the dog,

Kofi Ekue, J. M. See Allen, J. D., et al., 183P KOSTERLITZ, H. W., LYDON, R. J. and WATT, A. J. The effects of adrenaline, noradrenaline and isoprenaline on inhibitory α and β -adrenoceptors in the longitudinal muscle of the guineapig ileum, 398

Krejčí, I., Pliška, V. and Rudinger, J. Change from agonism to antagonism in the action of some oxytocin analogues: interpretation by a receptor model, 217P

L

LADER, M. H. See JARVIS, M. J., 254P LARBI, E. and ZAIMIS, ELEANOR. The effect of the chronic administration of clonidine (St 155) on vascular smooth muscle (T), 221P LARBI, E. See JAMES, I. M., et al., 198P LARBI, E. B. See EDWARDS, D. C., et al., 258P LATTER, VICTORIA S. Chemotherapy of Trypanosoma cruzi: maintenance of the intracellular stage and effect of drugs (T), 257P LAURENCE, D. R. See HUNTER, K. R., et al., 221P LAVERY, HELEN A., LOWE, R. D. and SCROOP, G. C. Cardiovascular effects of prostaglandins mediated by the central nervous system of the dog, 511 LAWRENCE, A. J., SCHILD, H. O. and SMITH, G. M. Extraction and assay of urogastrone (T), 221 LEACH, G. D. H. See FINCH, L., 317 Lecchini, S. See Crema, A., et al., 334 Lecchini, S. See Frigo, G. M., 346 Lees, P. and Tavernor, W. D. Influence of halothane and catecholamines on heart rate and rhythm in the horse, 149 LESLIE, G. B. See IRESON, J. D., et al., 258P LEVY, B. and WASSERMAN, M. 1-Isopropylamino-3-(4-indanoxy)-2-propanol HCl: a potent β adrenoceptor antagonist, 139
Lewis, G. P., McMartin, C. and Yates, Cather-INE. An amino-acid receptor in the guinea-pig ileum, 213 LEWIS, G. P. See BOYLES, SUSAN, 798 LEWIS, S. A. See FIRTH, H., et al., 462 LIEDBERG, G. and PERSSON, C. G. A. Adrenoceptors in the cat choledochoduodenal junction studied in situ, 619 LIONEL, N. D. W. See HERXHEIMER, A., 204P LITTLEJOHNS, D. See BOYDE, A., et al., 259P LOVEDAY, C. See EISEN, V., 831 LOWE, B. M. See BARLOW, R. B., et al., 222P LOWE, D. C. See HADDEN, D. R., et al., 198P Lowe, R. D. See LAVERY, HELEN A., 511 LUCAS, S. B. See BALASUBRAMANIAN, K., 564 LWIN, SANN. See BUCKLEY, G. A., 245P LYDON, R. J. See KOSTERLITZ, H. W., et al., 398

М

McBride, A. and Turnbull, M. J. The brain acetylcholine system in barbitone-dependent and withdrawn rats, 210P McClelland. D. H. See Ireson, J. D., et al., 258P McDonald-Gibson, Wendy. See Dawson, W., 585 McLelland, D. H. See Ireson, J. D., et al., 258P McMartin, C. See Lewis, G. P., et al., 213 MAEGRAITH, B. G., and ONABANJO, A. O. effects of histamine in malaria, 755 Magos, L., with the technical assistance of Jarvis, J. A. E. The effects of carbon disulphide exposure on brain catecholamines in rats, 26 MALONE, J. C. and UDALL, V. Optic nerve atrophy after drug treatment (T), 256P MARKHAM, J. M. See DICKERSON, G., 258P MARSHALL, I. See DORR, MARIAN, et al., 246P MARSHALL, J. M. and Rüsse, M. W. Uterine response to adrenergic nerve stimulation in the guinea-pig, 187P

Marshall, R. J. A new muscarinic agent: 1,4,5,6-tetrahydro-5-phenoxypyrimidine (AH 6405), 191P Mawer, G. E. See Balasubramanian, K., 564

MAWER, G. E. See BALASUBRAMANIAN, K., 304
MAWER, G. E. See BALASUBRAMANIAN, K., et al.,
222P

Mawson, C. and Whittington, H. Evaluation of the peripheral and central antagonistic activities against 5-hydroxytryptamine of some new agents, 223P

MAXWELL, D. R. and RHODES, K. F. The effects of dimethothiazine on muscle spindle activity in the decerebrate cat, 520

MAXWELL, D. R. See CHRISTMAS, A. J., et al., 207P

MELDRUM, B. S. See BHARGAVA, V. K., et al., 455 MERRILD, B. N. See BHAGAT, B., 688

METCALFE, S. M. See BURGEN, A. S. V., et al., 217P

MILLER, A. A., SETHNA, D. M. and YOUNG, P. A. Initial suppression of the locomotor stimulant response to dexamphetamine in rats exposed to a novel environment, 230P

MILLER, A. A., SETHNA, D. M., and YOUNG, P. A.
The use of shock avoidance conditioning in
rats to investigate drugs potentiating dexamphetamine (T), 256P

MILLER, A. A. See BAXTER, M. G., et al., 229P

MILLER, J. D. See EAKINS, K. E., 556
MILLS, JANET E., and WIDDICOMBE, J. G. Role of
the vagus nerves in anaphylaxis and histamineinduced bronchoconstriction in guinea-pigs,
724

MITCHLEY, SUSAN. See HODGES, J. R., 192P MIZEN, LINDA. See ACRED, P., et al., 439 MONGAR, J. L. See BOYDE, A., et al., 259P

Montgomery, D. A. D. See Hadden, D. R., et al., 198P

Morgan, D. H., Oates, J. A. and Shand, D. G. Evidence that guanethidine does not block adrenergic nerves by acting as a false transmitter, 186P

MORGAN, D. H. See FLEGIN, O. T., et al., 253P MORTON, I. K. M., STAGG, C. J. and WEBSTER. R. A. Perfusion of the subarachnoid space and central canal of the mammalian spinal cord (T), 259P

Mulas, A. and Pepeu, G. Disappearance in rats with septal lesions of the stimulatory effect of hyoscine on exploratory behaviour, 209P

MYLECHARANE, E. J. and RAPER, C. Prejunctional actions of some β-adrenoceptor antagonists in the vas deferens preparation of the guinea-pig, 128

N

NEAL, R. A. See DUNCOMBE, W. G., 257P
NIMMO-SMITH, R. H. Inhibition of alcohol
dehydrogenase by aminophenoxyalkanes: a
possible mechanism of their retinotoxicity. 206P
NIMMO-SMITH, R. H. and SAVAGE, E. A. Cholinesterases of Schistosoma mansoni (T), 256P
NIMMO-SMITH, R. H. and SAVAGE, E. A. Histochemical localization of phosphomonoesterases

in Schistosoma mansoni (T), 256P Norrington, F. E. A. See Challand, P., et al.,

257P
Nott, M. W. The possible role of adenosine in the coronary dilator action of some pyrimidopyrimidines and pteridines, 287

Nustad, K. Localization of kininogenase in the rat kidney, 87

INDEX . 839

NUSTAD, K. The relationship between kidney and urinary kininogenase, 73

O

OATES, J. A. See FLEGIN, O. T., et al., 253P OATES, J. A. See MORGAN, D. H., et al., 186P O'BRIEN, R. A. See BOULLIN, D. J., 779 OCCOMORE, W. S. and RADLETT, A. J. The maintenance of aquatic and amphibious snails as intermediate hosts of trematodes (T), 258P OGUNREMI, O. O. See FIRTH, H., et al., 462 OLIVERIO, A. See BARLOW, R. B., 647 ONABANJO, A. O. See MAEGRAITH, B. G., 755 OSWALD, I. See FIRTH, H., et al., 462 OWEN, D. D. A. See DAY, M. D., 414

p

PADJEN, A. and RANDIĆ, MIRJANA. Some factors influencing the release of 5-hydroxyindol-3ylacetic acid in the forebrain, 1 PARRATT, J. R. and Wadden R. M. The effect of "selective" β -adrenoceptor blocking drugs on the myocardial circulation, 296 PAULING, P. and PETCHER, T. J. The conformations of muscarinic antagonists, 219P PAULING, P. See CHOTHIA, C., et al., 219P; 259P PEARCE, F. L. See EDWARDS, D. C., et al., 258P PEARSON, J. D. M. See BARLOW, R. B., et al., 222P PEART, W. S. See FINBERG, J. P. M., 357; 373 PENN, R. G. The effect of age, species and adrenaline on the recovery of isolated atria from anoxia, 309 PEPU, G. See MULAS, A., 209P Persson, C. G. A. See Leidberg, G., 619 PETCHER, T. J. See CHOTHIA, C., et al., 219P; 259P PETCHER, T. J. See PAULING, P., 219P PICKUP, P. M. See ASSEM, E. S. K., et al., 212P PLETSCHER, A. See BERNEIS, K. H., et al., 382 PLIŠKA, V. See KREJČÍ, I., et al., 217P PRADA, M. DA. See BERNEIS, K. H., et al., 382 PRICHARD, B. N. C. See AELLIG, W. H., 193P PRINCE, S. pH control in bicarbonate-buffered physiological saline solutions (T), 257P

Q

Pugsley, T. A. See Johnson, G. E., 167

QUILLIAM, J. P. and TAMARIND, D. L. The vesicle population of rat ganglionic synapses and the effects of some drugs, 244P

R

RADLETT, A. J. See OCCOMORE, W. S., 258P
RAMWELL, P. W. See DAWSON, W., 585
RANA, M. W. See BHAGAT, B., 688
RANDIĆ, MIRJANA. See PADJEN, A., 1
RANG, H. P. and RITTER, J. M. Relationships between antagonism and desensitization at nicotinic receptors (T), 222P
RAO, P. S. See BHAGAT, B., 688
RAPER, C. See MYLECHARANE, E. J., 128
RATCLIFFE, J. G. See BESSER, G. M., et al., 196P
REDDING, KATHERINE A. See EDWARDS, D. C., et al., 258P
REES, LESLEY. See BESSER, G. M., et al., 196P
REIS, R. I. See ABEL, R. M., et al., 261
RENDALL, H. M. See BARLOW, R. B., et al., 222P
RHODES, K. F. See MAXWELL, D. R., 520
RICH, P. See BARRASS, B. C., et al., 40

RICHARDS, W. H. G. Potentiation of the antimalarial effect of folic reductase inhibitors by sulphonamides (T), 257P

RICHARDS, W. H. G. and WILLIAMS, S. G. The study of antimalarial compounds in vitro, 237P

RING, E. F. J. See COLLINS, A. J., et al., 251P RITTER, J. M. See RANG, H. P., 222P ROBBIE, D. S. See BLANE, G. F., 252P ROGERS, K. J. See HUTCHENS, D. A., 9 RUDINGER, J. See KREIČI, I., et al., 217P RUSSE, M. W. See MARSHALL, J. M., 187P

S

SALAKO, L. A. and SMITH, A. J. Changes in sodium pool and kinetics of sodium transport in frog skin produced by amiloride, 99
SALSBURY, A. J. See BURRAGE, KAREN, et al., 205P SANDLER, M. See CARTER, SUSAN BONHAM, et al., 200P; 202P
SATTA, M. See BARLOW, R. B., 647; 648
SUPPRISE LA See BOURD, A. J. A. 225P

SAUNDERS, I. A. See BOURA, A. L. A., 225P
SAVAGE, E. A. See NIMMO-SMITH, R. H., 256P
SCHILD, H. O. Lack of antagonism between thioglycerol and an oxytocin analogue not containing a disulphide bond, 69

Schild, H. O. and Seaford, E. A servo-mechanism for readjusting the initial tension of isolated smooth muscle, 246P
Schild, H. O. See Assem, E. S. K., et al., 212P

SCHILD, H. O. See ASSEM, E. S. K., et al., 212P SCHILD, H. O. See LAWRENCE, A. J., et al., 221P SCHÜMANN, H. J., STARKE, K. and WERNER, U. Interactions of inhibitors of noradrenaline uptake and angiotensin on the sympathetic nerves of the isolated rabbit heart, 390

SCROOP, G. C. See LAVERY, H. A., 511 SEAFORD, E. See SCHILD, H. O., 246P SEGHATCHIAN, M. J. and WINDER, A. F. Evidence

for interaction between chlorpromazine and aldolase, 248P

SELWAY, J. W. T. See APOSTOLOV, K., 257P SETHNA, D. M. See MILLER, A. A., et al., 230P; 256P

256P
SHAFFER, M. See BURNS, J., et al., 258P
SHAND, D. G. See FLEGIN, O. T., et al., 253P
SHAND, D. G. See MORGAN, D. H., et al., 186P
SHANKS, R. G. See ALLEN, J. D., et al., 183P
SHANKS, R. G. See HADDEN, D. R., et al., 198P
SHANKS, R. G. See KOFI EKUE, J. M., et al., 184P
SHAW, JANE E. See DAWSON, W., 585
SHEPPEY, G. C. See CHALLAND, P., et al., 257P
SHIBATA, S. See GHOURI, M. S. K., 447
SIMMONDS, H. ANNE. The separation and identification of purines and pyra-

SIMMONDS, H. ANNE. The separation and identification of purines and pyrimidines and pyrazolopyrimidines in biological fluids (T), 258P SIMONS, P. J. See BALASUBRAMANIAM, K., 564

Simons, P. J. G. See Balasubramaniam, K., et al., 222P

SINGH, B. N., and WILLIAMS, E. M. VAUGHAN. A third class of anti-arrhythmic action. Effects on atrial and ventricular intracellular potentials, and other pharmacological actions on cardiac muscle, of MJ 1999 and AH 3474, 675

SINGH, B. N., and WILLIAMS, E. M. VAUGHAN. The effect of amiodarone, a new anti-anginal drug, on cardiac muscle, 657

SMITH, A. J. See SALAKO, L. A., 99 SMITH, E. R. See DUCE, B. R., 809

SMITH, G. M. See LAWRENCE, A. J., et al., 221P SMITH, J. B. See BORN, G. V. R., 765

SMITH, S. J. See CARDINAL, D., et al., 255P

SMITS, S. E. and TAKEMORI, A. E. Quantitative studies on the antagonism by naloxone of some narcotic and narcotic-antagonist analgesics, 627 SMITS, S. E. and TAKEMORI, A. E. Studies on the receptors involved in the action of the various agents in the phenylbenzoquinone analgesic assay in mice, 639 SOROKO, F. E. See BAXTER, M. G., et al., 229P SPIERS, A. S. D. See CALNE, D. B., et al., 196P SPILSBURY, J. F. See BARNETT, MARGARET, et al., STAGG, C. J. See Morton, I. K. M., et al., 259P STARKE, K. See SCHÜMANN, H. J., et al., 390 STAROSCIK, R. N. See ABEL, R. M., et al., 261 STEINBERG, HANNAH. See DORR, MARIAN, et al., 208P STEINBERG, HANNAH. See DORR, MARIAN, 246P STEPHENSON, R. P. See GINSBORG, B. L., 222P STERN, G. M. See HUNTER, K. R., et al., 221P STEVENSON, I. H. and TURNBULL, M. J. The sensitivity of the brain to barbiturate during chronic administration and withdrawal of barbitone

T

STRATTON, JUNE A. See BRIMBLECOMBE, R. W., 822

SUMMERFIELD, A. See DORR, MARIAN, et al., 208P

STOLERMAN, I. P. See DORR, MARIAN, 246P

sodium in the rat, 325

TAKEMORI, A. E. See SMITS, S. E., 627, 639 TAMARIND, D. L. See QUILLIAM, J. P., 244P TASHIRO, N. and TOMITA, T. The effects of papaverine on the electrical and mechanical activity of the guinea-pig taenia coli, 608 TAVERNOR, W. D. See LEES, P., 149 TAYLOR, JOAN V. See BARRASS, B. C., et al., 40 Telford, J. M. See Coville, P. F., 49 Thompson, G. M. See Barlow, R. B., 647; 648 THOMPSON, PAMELA, B. J. See BRIMBLECOMBE. R. W., 822 TODA, N. See KAJIMOTO, N. 225 TOMKIEWICZ, M. See DORR, MARIAN, et al., 208P TOMITA, T. See TASHIRO, N., 608
TRETHEWEY, J. The ventromedial nucleus of the hypothalamus and appetite control in the rat (T), 255P TURNBULL, M. J. See McBride, A., 210P TURNBULL, M. J. See STEVENSON, I. H., 325 TURNER, C. B. See BURGEN, A. S. V., et al., 217P TURNER, P. See GRIFFIN, J. P., 249P

U

Udall, V. See Barnett, Margaret, et al., 256P Udall, V. See Farebrother, D. A., 255P Udall, V. See Malone, J. C., 256P

v

VAN DEN BRINK, F. G. Apparent correlations between pA₂ and pD₂' values in a group of drugs with antihistaminic and anticholinergic properties, 220P

Vane, J. R. See Eble, J. N., et al., 185P Vane, J. R. See Gryglewski, R., 573 Vane, J. R. See Hughes, J., 476 Vernon, C. A. See Edwards, D. C., et al., 258P Vick, J. See Burka B., 501

W

WADSWORTH, R. M. See PARRATT, J. R., 296 WAKADE, A. R. See KIRPEKAR, S. M., 533 WALKER, J. M. G. See GARLAND, L., 229P WALKER, JOYCE L. and WEETMAN, D. F. Oxotremorine-induced hypertension in the anaesthetized rat, 490 Wasserman, M. See Levy, B., 139 WATT, A. J. See KOSTERLITZ, H. W., et al., 398 WATT, D. C. See CRAMMER, J. L., et al., 221P WEATHERALL, M. and WILLIAMS, R. Quantitative treatment of the distribution of drugs after intravenous injection, 234P WEATHERALL, M. See HUGHES, R., 133P WEATHERLEY, B. C. See HAZELTON, H. R., 236P WEAVER, J. A. See HADDEN, D. R., et al., 198P WEBSTER, R. A. See MORTON, I. K. M., et al., WEETMAN, D. F. See WALKER, JOYCE L., 490 WERNER, U. See SCHUMANN, H. J., et al., 390 WESTCOTT, BARBARA. See BOYLES, SUSAN, 798 WESTFALL, D. P. Nonspecific supersensitivity of the guinea-pig vas deferens produced by decentralization and reserpine treatment, 110 WESTFALL, D. P. The effect of reserpine treatment and decentralization on the ion distribution in the vas deferens of the guinea-pig, 121 WHITE, E. H. See BURNES, J., et al., 258P WHITTINGTON, H. See Mawson, C., 223P WIDDICOMBE, J. G. See MILLS, JANET E., 724 WILKINSON, S. Demonstration of an automated apparatus for peptide synthesis (T), 256P WILLIAMS, E. M. VAUGHAN. See SINGH, B. N., 657, 675 WILLIAMS, R. See WEATHERALL, M., 234P WILLIAMS, S. G. See RICHARDS, W. H. G., 237P WILSON, H. See ARENSON, M. S., 242P WINDER, A. F. See SEGHATCHIAN, M. J., 248P

Y

YATES, CATHERINE. See LEWIS, G. P., et al., 213 YOUDIM, M. B. H. See CARTER, SUSAN BONHAM, et al., 200P, 202P YOUNG, P. A. See BALAAM, D. G., 256P YOUNG, P. A. See MILLER, A. A., et al., 230P,

256P YOUNG, PAMELA. See BESSER, G. M., et al., 196P

Z

ZAIDI, S. A. See Allen, J. D., et al., 183P ZAIDI, S. A. See KOFI EKUE, J. M., et al., 184P ZAIMIS, ELEANOR. See EDWARDS, D. C., et al., 258P ZAIMIS, ELEANOR. See JAMES, I. M., et al., 198P ZAIMIS, ELEANOR. See LARBI, E., 221P ZILLETTI, L. See DALE, M. M., 259P, 542

SUBJECT INDEX

Α

- Acetylcholine, and angiotensin, colon responses to, atropine, hexamethonium, procaine, and lido-flazine effects on, 36
- --- action on colon, 35
- bladder responses to, hemicholinium-3 strychnine, morphine, methylpentynol, paraldehyde, tetraethylammonium and procaine, effects on, 741
- —, brain content, paraoxon and obidoxime treated rats, 732
- ----, cardiovascular responses to, anaesthetized rat, 61
- , effect on action potential duration, before and after ouabain, paired analyses, atria, 284
 , effect on sensitivity of isolated perfused
- heart, 49, 54
- —, effects on isolated tissue preparations, 45—, effect on transmitter release by nerve stimu-
- lation, superior cervical ganglion, 432
- —, electrical and mechanical effects, modification by ouabain, isolated rabbit atria, 275
- —, homologues, effects on blood pressure and nictitating membrane responses, anaesthetized cats, 46
- ----, ----, pharmacology, 40
- —, innervated and denervated vasa deferentia, comparison of sensitivity to, 748-752
- ---, mechanical effect, before and after ouabain, paired analyses, atria, 279
- —, or electrical stimulation, ileum responses to, adrenaline and noradrenaline inhibitory effects comparison, 406
- —, release, acetylcholine effect on, superior cervical ganglion, cat, 428
- —, by acetylcholine, in superior cervical ganglion, cat, 428
- gangnon, car, 426

 —, —, by nerve stimulation or by cholinergic drugs, superior cervical ganglion, 433
- —, —, carbachol effect on, superior cervical ganglion, cat, 428
- ganglion, cat, 428
 —, preganglionic nerve stimulation effect
- on, superior cervical ganglion, 428
 —, tension-frequency relationship changes caused
- by, atria, 277
 —, thyroxine effect on isolated ileum sensitivity
- to, 49, 56 —, thyroxine effect on uterus sensitivity to, 49,
- ileum, 63

 Acetylsalicylic acid, cross tolerance to in morphine-tolerant mice, 642
- ---, effect as a conditioning drug, 643
- Adenosine, role in pyrimidopyrimidines and pteridines coronary dilator action, 287
- Adenosine triphosphate and noradrenaline mixture aggregation, bivalent cations, amphetamine, tyramine and dopamine, and reserpine, effect on, 383
- Adrenaline, and noradrenaline, inhibitory effects on ileum responses to electrical stimulation or acetylcholine, comparison, 406
- —, concentration effect on accumulation of, and its metabolite, human platelets, 765
- ---, depressant effects on longitudinal muscle responses to electrical stimulation, 401
- ---, effect on heart rate, before and after propranolol or atropine administration, 151

Adrenaline (contd.)

- ---, ---, conscious, halothane-anaesthetized and ether-anaesthetized horses, before and after propanolol, 152
- effect on melanophore stimulating hormone and theophylline-induced skin darkening, 163
 effect on pelvis muscle, 373
- —, effect on recovery from anoxia, atria, 309, 314
- ----, effects on sphincter of Oddi, 619
- , hyposensitivity to, induced by morphine and related compounds, 791
- ---, innervated and denervated vasa deferentia comparison of sensitivity to, 748, 750
- —, propanolol action on effect of, on recovery from anoxia, atria, 309
- , radioactivity uptake and intracellular metabolism, amine metabolism inhibitors effect on,
- —, —, (±)-propranolol, dibenzyline, amitriptyline, chlorpromazine and prostaglandin E₁ effect on, 769
- —, thyroxine effect on aorta sensitivity to, 49, 60
 —, thyroxine effect on sensitivity of isolated perfused heart to, 49, 54
- —, thyroxine effect on uterus sensitivity to, 49, 56
- (-)-adrenaline, potency causing contractions, strips of saphenous vein, 465
- [3H]-adrenaline, platelet uptake, metabolism and release, 765
- Adrenals, dopamine content, carbon disulphide exposure effect on, 26
- Adrenergic nerves, evidence that guanethidine does not block them by acting as a false transmitter, 186P
- , stimulation, uterine response to, guinea-pig, 187P
- Adrenergic neurone blockade, effect on responses to sympathetic nerve stimulation, cat heart, 228P
- Adrenoceptors, in cat choledochoduodenal junction, in situ, 619
- —, isoprenaline effect on, saphenous vein, human, 465
- Adrenoceptor blocking agents, effect on brain glycogen content, 18
- α-adrenoceptor blockade, by phenoxybenzamine, effect on catecholamine depression of ileum responses to electrical stimulation, 405
- —, effect on diazepam-induced vasodilation, 261, 264
- β-Adrenoceptor, stimulation by p-dimethyl aminobenzaldehyde, 447
- —, sub-division, in circulation, observations on, 184P
- —, antagonists, prejunctional actions in vas deferens, 12
- —, —, prejunctional blockade, reversal by dexamphetamine and cocaine, vas deferens, 128
- —, —, prejunctional effects in vas deferens, resemblance to adrenergic blocking agent action, guanethidine, 128
- ----, blockade by USVC 6524, 139
- —, blockade effect on catecholamine and melanophore stimulating hormone-induced skin darkening, 163
- —, blockade, effect on diazepam-induced vasodilation, 261, 263

- β -adrenoceptor (contd.) , blocking activity of USVC 6524 in anaesthetized dog, isolated rat uterus and isolated guinea-pig tracheal strip, 140 blocking agent, MJ199, antagonism of pdimethylaminobenzaldehyde action by, 447 , chick rectum, and Ahlquist's classification, 817 β-adrenoceptors, mediation of amiodarone effects on heart rate, 669 Aerosols, pressurized, isoprenaline fate after administration by, 194P Age, effect on recovery from anoxia, isolated atria, 309, 311 AH 3473, effect on heart rate and electrocardiogram anaesthetized guinea-pigs, 678 **AH 3474,** and MJ 1999, comparison of activities with procaine on sciatic nerve, frog, 677 , protection against ouabain-induced ventricular fibrillation, urethane-anaesthetized guineapigs, 675 AH 6405, 1,4,5,6-tetrahydro-5-phenoxypyrimidine, a new muscarinic agent, 191P Ahlquist's classification, and adrenoceptors, 817 Alcohol, chlordiazepoxide interaction with, 200P , dehydrogenase, inhibition by aminophenoxyalkanes: possible mechanism for retinotoxicity, 206P -, diazepam interaction with, 200P -, excretion, tyramine effect on, 202P -, formation, phenolic, promotion by reserpine and ethanol, 200P -, pentobarbitone interaction with, 200P , promethazine interaction with, 200P Aldolase, and chlorpromazine, evidence for interaction between, 248P Allergy, allergic reactions, inhibition by sympathomimetic amines and methylxanthines, 212P N-allylbenzomorphan, -induced hyposensitivity to adrenaline, noradrenaline and angiotensin, 791 Amiloride, effect on sodium pool and kinetics of sodium transport in frog skin, 99, 101 Amino-acid receptor, in ileum, guinea-pig, 213P α-aminobutyric acid, effect on cerebral cortex electrical responses, 711 Aminophenoxyalkanes, alcohol dehydrogenase ininhibition by: possible mechanism for retinotoxicity, 206P Amiodarone, action potential prolongation, thyroxine effect on, 657 , and potassium iodide supplemented by thyroxine, effect on action potentials, ventricular fibres, 662 -, cardiac actions compared with (±)-propanolol, 668 -, effect on action potential ventricular fibres, rabbit, 662 -, effect on body growth rate, 657 -, effect on cardiac muscle, 657 -, effect on chronotropic responses to glucagon, anaesthetized dogs, 670 -, effects on heart rate, and contractions stimulated by glucagon, 670 -, mediated by β -adrenoceptors, 669 -, effect on ouabain toxicity, 660 -, effect on thyroid weight, 662 -, effects on ventricular pressure and cardiac output, 670 -, heart rate changes after, 659 , protection against ouabain-induced ventricular fibrillation, anaesthetized guinea-pigs, 657 Amitriptyline, effect on adrenaline radio-activity uptake and intracellular metabolism, 769
- Amphetamine, effect on exploratory behaviour, septal rats, 210P
- , effect on noradrenaline and adenosine triphosphate aggregation, 383
- mechanism of reversal of guanethidine effect, 252P
- -, release of growth hormone and corticosteroids, propanolol and thymoxamine effect on, man, 196P
- Amphetamine-like drugs, effect on brain glycogen content, 9, 17
- (\pm) -amphetamine, blood pressure responses to, 49 , thyroxine potentiation of pressor responses to, 49
- Ampicillin, concentration in plasma and lymph, dog, 444
- Amylobarbitone, metabolism kinetics, male and female (T), 222P
- -, man, 564
- Analgesic assay, mouse phenylbenzoquinone stretching test, 627
- Analgesics, effect on brain glycogen content, 19 Anaphylactic contraction, sequence of events in, ileum, 551
- Anaphylaxis, effect on respiratory and circulatory variables, paralysed and artificially ventilated guinea-pigs with vagi intact and with vagi cut,
- -, vagus nerves role in, 724
- (\pm) -, (+)- and (-)-alprenolol, effect on unanaesthetized dogs with ventricular arrhythmias resulting from coronary artery ligation, 809

 Angina, new anti-anginal drug, amiodarone effect
- on heart muscle, 657
- Angiotensin, action on human colon, 34, 35 , and acetylcholine, colon responses to, atro-
- pine, hexamethonium, procaine and lidoflazine effects on, 36
- -, cocaine and pronethalol, interaction on noradrenaline output during sympathetic nerve stimulation, isolated rabbit hearts, 392
- -, diuresis, renal tubular flow dynamics during, rat, 357
- -, effect on pelvis muscle, 373
- -, hyposensitivity to, induced by morphine and related compounds, 791
- -, pressor response to, anti-angiotensin action of reserpine reversal effect on, 422
- -, (\pm) -dopa and noradrenaline infusions after tranyleypromine effect on, 423
 - —, (\pm) -dopa effect on, 422
- -, α -methyldopa effect on, 424
- -, ---, noradrenaline effect on, 422
- ---, reserpine effect on, 419
- ----, syrosingopine effect on, 420
- -, tetrabenazine effect on, 420
- -, tranylcypromine effect on, 422
- Angiotensin II, effect on tubular volume and transit time during infusion, 365
- , renal clearance of lissamine green during infusion of, 366
- Animal metabolism study unit, with "fail safe" air supply, 238P
- Anoxia, effect of age, species and adrenaline on recovery from, isolated atria, 309
- Antiarrhythmic agent, screening method for, rat, 229P
- Antibacterial agents, distribution between plasma and lymph, dog, 439
- Anticholinergic, and antihistaminic properties, drugs with, correlation parameters between, 220P

- Anticholinesterases, effect on responses to electri-
- cal stimulation, portal vein, 485

 Anticonvulsant agent, new, Kö 1173, effect on cardiac arrhythmias, and comparison with phenytoin and procainamide, 183P
- Antidepressant, imipramine mode of action as, man (T), 221P
- Antigen, -induced histamine release, inhibition by isoprenaline, 213P
- Antihistaminic and anticholinergic properties, drugs with, correlation parameters between, 220P
- Antimalaria, compounds study, in vitro, 237P —, effect of sulphonamides, potentiation by folic reductase inhibitors (T), 267P

 Antiserum, to nerve growth factor, development
- and potentialities (T), 258P
- Antitussive test, guinea-pigs, 225P
- Aortic flow, phasic, integration and differentiation of, and continuous recording of peripheral vascular resistance, 232P
- Appetite, control, and the ventromedial nucleus of the hypothalamus (T), 255P
- Arrhythmia, antiarrhymic agent, screening method for, 229P
- daunomycin-induced, surgical procedures effects on, 505
- -, sympathetic nervous system role in, 501 -, ventricular, (+)-propranolol, (\pm) -, (+)-, and (-)-alprenolol effects on, 809
- Arthritis, rheumatoid, quantitative infrared studies of inflammation in, 251P
- Ascorbic acid, deficiency, pituitary-adrenocortical activity in, guinea-pig, 193P
- Atropine, administration, adrenaline effect on heart rate before and after, conscious horses, 151
- effect on diazepam-induced vasodilation, 261, 264
- -, effect on paraoxon effects on brain acetylcholine, 732
- -, effect on peristaltic reflex, 338
- -, hexamethonium, procaine and lidoflazine, effects on responses to angiotensin and acetylcholine of colon muscle, 36
- -, sulphate, antagonistic effect on activity of some drugs in PBQ analgesic assay, 643
- -, effect on brain glycogen content, 18 , use in protection against sarin poisoning, 822
- Auerbach's plexus, role in Schultz-Dale response,
- Automation, in the evaluation of physiological recordings (T), 256P
- Autoradiography, whole body (T), 255P

- Babesia rodhaini, drug resistance, 239P Bacteria, invasion of schistosomes (T), 258P Barbitone sodium, administration, central nervous system tolerance development to barbiturate during, 325
- -, brain sensitivity to barbiturate during chronic administration and withdrawal of, rat, 325
- Barbiturate, brain sensitivity to, during barbitone sodium chronic administration and withdrawal, rat, 325
- , central nervous system tolerance development to, during barbitone sodium administration, 325
- Behaviour, baseline, maintenance; recording evoked potentials in the conscious rat, 247
- -, dose-related, persistence, 208P
- exploratory, effect of septal lesions on hyoscine stimulatory effect, 209P

- Bemegride convulsions, effect on brain glycogen content, 16
- effect on cerebral cortex electrical responses, 716, 719
- , effect on sodium phenobarbitone central stimulants, 702
- N-α-benzoyl-L-arginine ethyl esterase activity, rat urine, 78
- N- α -benzoyl-L-arginine ethyl ester esterase, activity
- in kidney homogenates, 81 Benzyl alcohol, binding to erythrocyte membranes, 217P
- Betamethasone, treatment, circadian rhythm in plasma corticosterone concentration and pituitary adrenocorticotrophic response to stress during, rat, 192P
- Bethanidine, effects on responses to ergotamine and noradrenaline, 225P
- Biogenic amines, muscle sensitivity to, thyroid hormones effect on, 49
- Biological fluids, purines, pyrimidines, and pyrazolopyrimidines, separation and identification in (T), 258P
- Biologically active chemical series, development (T), 256P
- Bivalent cations, effect on noradrenaline and adenosine triphosphate solutions, 383
- Bladder, responses to indirect stimulation and acetylcholine, hemicholium-3 effect on, 741
- Blood, circulation, cerebral blood flow, clonidine effect on, 194P
- -, observations on the sub-division of β -adrenoceptors in, dog, 184P
- -, integration and differentiation phasic aortic flow and continuous recording of peripheral vascular resistance, 232P
- -, plasma, corticosterone concentration cadian rhythm, betamethasone-treated rat, 192P -, platelet, adrenaline, release by thrombin, 773
- -, reserpine effect on, 774 -, ---, [3H]-adrenaline uptake metabolism and
- release by, 765 -, normal, dopamine uptake by, 779
- -, pressure, and nictitating membrane responses, acetylcholines homologues effect, 46
- -, arterial, responses to drugs and arterial variations in, aortic intubated hypertensive rats, 227P
- -, reserpine effect on, 417
 - -, responses to (+)-amphetamine, potentiation, 49
 - -, responses to angiotensin, noradrenaline, tyramine, and McN-A-343, (±)-dopa effect on, 422
 - infusions of (\pm) -dopa and noradrenaline after tranyleypromine effect on, 423
 - -, ---, α -methyldopa effect on, 424 -, noradrenaline effect on, 422
 - reserpine effect on, 419
 reserversal of anti-angiotensin action of reserpine, 422
 - -, syrosingopine effect on, 420
- -, tetrabenazine effect on, 420 -, tranylcypromine effect on, 422
- red blood cells, membranes, benzyl alcohol binding to, 217P
- -, serum, cellulose sulphate effect on, 831
- , vessels, arterial pressure, effect of dimethothiazine on, 529
- , ---, portal vein relaxation, induced by nicotine and electrical stimulation, 476 , —, arterial pressure, prostaglandin \mathbf{F}_{2a}
 - effect on, 513

Blood, vessels (contd.)	Caramiphem, (and one of its analogues), use in
—, —, saphenous vein, adrenoceptors iso-	protection against sarin poisoning, 522
prenaline effect on, 465	Carbachol, effect on acetylcholine release, superior
Brain, cerebral blood flow, clonidine effect on,	cervical ganglion, 428
194P	Carbenicillin, concentration in plasma and lymph,
, cerebral cortex, depressant drugs effects on,	dog, 444
707	Carbon disulphide, effect on brain tyrosine con-
—, —, Naja naja venom long-lasting con-	tent, 26, 29
vulsant effect on, 455	—, exposure, effect on adrenal dopamine con-
—, electrical responses, γ-aminobutyric	tent, 26
acid effect on, 711	—, effect on brain catecholamines, 26—, effect on brain dopamine content,
,, bemegride, picrotoxin, niketh-	—, —, effect on brain dopamine content.
amide soffeine etwelphine and alutamate	
amide, caffeine, strychnine and glutamate	action of reserpine pretreatment on, 26, 28
effects on, 716	—, —, effect on brain monoamine oxidase, 26,
—, —, , y-butyrolactone effect on, 711 —, —, , chlorpromazine effect on, 711	29
oblorpromozine effect on 711	—, —, effect on brain noradrenaline content,
—, —, chlorpromazine enect on, 711	
,, diphenhydramine effect on, 711	26, 28
—, —, diphenhydramine effect on, 711 —, —, —, γ-hydroxybutyrate, effect on, 711 —, —, —, hyoscine effect on, 711	Carbon tetrachloride, metabolism, sheep and
husering effect on 711	
—, —, nyoscine ellect on, /11	Fasciola hepatica, 598
—, —, meprobamate effect on, 711	Carcinoma pain, trial of etorphine hydrochloride
—, —, meprobamate effect on, 711 —, —, pethidine effect on, 711	in, 252P
, permane check on, 711	
—, —, promethazine effect on, 711	Cardiovascular responses, potentiation to nor-
—, cerebral evoked potential, nitrous oxide effect	adrenaline by desmethylimipramine, 185P
on reaction times and, 254P	Cardiovascular system, butoxamine effect on, 296,
—, 5-hydroxyindol-3-ylacetic acid release in,	304
factors affecting, 1	—, isoprenaline effects, butoxamine action on,
, 5-hydroxytryptamine content, and 5-hydroxy-	305
, J-nydroxytryptamme content, and J-nydroxy	
indoleacetic acid, rapid method for the deter-	—, isoprenaline effects on, 296
mination of, 653	, mean responses to noradrenaline and acetyl-
—, hypersensitivity to pentobarbitone, 325	choline, anaesthetized rat, 61
, hypersensitivity to pentobarbitone, 525	
, hypothalamus ventromedial nucleus, and	Catecholamines, and brain glycogen metabolism,
appetite control, rat (T), 255P	relation between, 9
, mid-brain raphé electrical stimulation effect	Catecholamine, brain, carbon disulphide exposure
, mid-brain taphe executed still dation effect	
on the 5-hydroxyindol-3-ylacetic acid content	effect, 26
of forebrain, 1, 3	—, concentration, effect on foetus atria recovery
—, —, electrical stimulation effect on the 5-	from anoxia, 309
——, electrical stillulation effect on the 3-	
hydroxytryptamine content of forebrain, 1	, depression of ileum responses to electrical
—, optic nerve atrophy after drug treatment (T),	stimulation, α-adrenoceptor blockade by phen-
256P	oxybenzamine effect on, 405
, sensitivity to barbiturate, during barbitone	—, —, phenoxybenzamine and propranolol
sodium chronic administration and withdrawal,	combined effects on, 405
rat, 325	,, propranolol effect on, 404
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
, septal lesions, effect on hyoscine stimulatory	—, distribution in nervous system, Octopoda
action on exploratory behaviour, 209P	mollusc, 240P
Bronchoconstrictions, histamine-induced, role of	, store depletion, effect on diazepam-induced
vagus nerves in, 724	vasodilation, 261, 263
Butoxamine, action on isoprenaline cardio-	Catecholamine-induced skin darkening, β -adreno-
vascular effects, 305	ceptor blockade effect on, 163
	Cations, bivalent, effect on noradrenaline and
, effect on cardiovascular system, 296	tantone, privatent, circle on nordinaline and
, effects on general and myocardial haemo-	adenosine triphosphate aggregation, 383
dynamics, 304	Cellulose sulphate, effect on serum complement,
icontending affects on general and mun-	837
, isoprenaline effects on general and myo-	
cardial haemodynamics before and after, 306	Central nervous system, classification of drugs act-
γ-Butyrolactone, effect on cerebral cortex electrical	ing on, based on their effect on cortical
	neurones, 722
responses, 711	
, effect on sodium phenobarbitone ED50, 699	—, mediation of prostaglandins cardiovascular
B.W. 501C67, 5-hydroxytryptamine, antagonism by,	effects, 511
· ·	-, tolerance development to barbiturate, during
233P	
, 5-hydroxytryptamine embryocidal effect an-	barbitone sodium administration, 325
tagonism, 224P	Central stimulators, effects on brain glycogen con-
	tent, 16
~	
C	Centrally acting drugs, videotape recording of
Caffeine, effect on cerebral cortex electrical re-	some methods used to evaluate (T), 258P
	Chemotherapy, of helminthiases, (T), 258P
sponses, 716, 720	
-, effect on sodium phenobarbitone ED50, 702	—, Trypanosoma cruzi, drug effects against the
, , , , , , , , , , , , , , , , , , , ,	crithidial stage (T), 257P

Calcium, and/or phosphorus deficient diets, effect on callus formation and growth rate, young rats, 188P

-, concentration, variation effects on acetylcholine-induced response of rat uterus and guinea-

pig ileum, 63

Callus formation, calcium and/or phosphorus deficient diets effect on. young rats, 188P

crithidial stage (T), 257P

Chloramphenicol, concentration in plasma and lymph, dog, 444

Chlordiazepoxide, alcohol interaction with, 200P sistence of dose-related behaviour after, 208P ordiazepoxide hydrochlorida Chlordiazepoxide-dexamphetamine mixture,

Chlordiazepoxide hydrochloride, effect on brain glycogen content, 18

- Chlorothiazide, tubular volume and transit changes produced by, during diuresis, 362
- Chlorpromazine, and aldolase, evidence for interaction between, 248P
- ---, effect on adrenaline radioactivity uptake and intracellular metabolism, 769
 - —, effect on brain glycogen content, 18
- —, effect on cerebral cortex electrical responses, 711
- —, effect on sodium phenobarbitone ED50, 699 Cholinergic agonists, conformation, 219P
- Cholinergic and anticholinergic drugs, effect on brain glycogen content, 18
- Cholinergic dilator nerves, supplying uterine artery, circulating oestrogen effect on, 190P
- Cholinergic molecules, crystallographic methods for conformation determination (T), 259P
- Cholinergic receptors, a smooth muscle nerve preparation, expansor secundariorum, 245P
- Cholinesterases, Schistosoma mansoni, (T), 256P
 Ciba 39089-Ba, prejunctional blocking effect, vas deferens, 128
- Circadian rhythm, brain glycogen content, 9, 15—, in plasma corticosterone concentration and pituitary adrenocorticotrophic response to stress, betamethasone-treated rats, 192P
- Classification, centrally acting drugs, based on their action in intact mice, 702
- Clonidine, effect on cerebral blood flow, 194P
- —, effect on chronic administration on vascular smooth muscle (T), 221P
- Cloxacillin, concentration in plasma and lymph, dog, 444
- Cobra venom, long-lasting convulsant effect on cerebral cortex, 455
- Cocaine, angiotensin and pronethalol, interaction on noradrenaline output during sympathetic nerve stimulation, isolated rabbit hearts, 392
- —, dissociation of potentiation of isoprenaline by, from inhibition of uptake in cat spleen, 175
- —, effects on nicotine action on portal vein, 480
 —, effects on response to electrical stimulation, portal vein, 484
- —, isoprenaline and noradrenaline potentiation by, 178
- —, reversal of prejunctional blockade by β adrenoceptor antagonists, vas deferens, 128
- Colon, acetylcholine action on, 35—, angiotensin action, on, 34, 35
- —, peristaltic reflex, improved method for studying, 346
- Complement, serum, cellulose sulphate effect on, 831
- Computing methods, application to physicochemical activity relationships (T), 257P
- Conditioning, shock avoidance, to investigate drugs potentiating dexamphetamine, 256P
- Convulsion, long-lasting, induced by Naja naja venom, on cerebral cortex, 455
- Corticosteroids, and growth hormone, amphetamine release of, propanolol and thymoxamine effect on, man, 196P
- Corticosterone-induced hypertension, 6-hydroxydopamine and immunosympathectomy effects on, 320
- —, plasma concentration circadian rhythm, betamethazine-treated rat, 192P
- Crithidial stage, drug effects against, Trypanosoma cruzi chemotherapy (T), 257P
- Croton oil injury, hind limb lymph composition, changes after, 798

Crystallographic methods, for cholinergic molecules conformation determination (T), 259P Cyclazocine, naloxone antagonism of, 627

- Cyclizine, alcohol interaction with, 200P
- —, promethazine interaction with, 200P
- Cyproheptadine, effect on food consumption, fasted rat, 229P

D

- **Daumomycin,** effect on daunomycin-induced arrhythmias, 505
- ----, -induced arrhythmias, pharmacological pretreatment effect on, 505
- —, —, sympathetic nervous system role in, 501 —, —, surgical procedures, effects on, 505
- Decamethonium, saturation effects on skeletal muscle uptake of, 219P
- **Depressant drugs,** effects on electrical responses, cerebral cortex, 707
- **Desipramine,** protriptyline and pronethalol interaction on noradrenaline output during sympathetic nerve stimulation, isolated rabbit heart, 395
- **Desmethylimipramine,** cardiovascular responses potentiation to noradrenaline by, 185P
- Dexamphetamine, initial response of locomotor stimulant response to rats exposed to a novel environment, 230P
- —, reversal of prejunctional blockade by β-adrenoceptor antagonists, vas deferens, 128
- ----, chlordiazepoxide mixture, persistence of dose related behaviour after, 208P
- —, -potentiating drugs, shock avoidance conditioning use in the investigation of, 256P
- Dextromoradmine, -induced hyposensitivity to adrenaline noradrenaline and angiotensin, 791
- Dextrose, tubular volume and transit time changes produced by, during diuresis, 362
- Diazepam, alcohol interaction with, 200P
- —, coronary and systemic vasodilator actions, pharmacological basis of, 261
- —, effect on sodium phenobarbitone ED50, 699
 —, -induced vasodilation, β-adrenoceptor blockade effect on, 261, 263
- —, , α-adrenoceptor blockade effect on, 261,
- ______, atropine effect on, 261, 264
- ---, ---, catecholamine store depletion effect on, 261, 264
- ---, ganglionic blockade effect on, 261, 264 ---, vagotomy effect on, 261, 264
- Dibenzyline, effect on adrenaline radioactivity uptake and intracellular metabolism, 769
- **Dibutyryl cyclic 3',5'-AMP**, skin darkening by, 163
- Diethylstilboestrol, behaviour in simulated intestinal content, 189P
- Diets, calcium and/or phosphorus deficient, effect on callus formation and growth rate, young rats, 188P
- **Digoxin,** phrenic nerve diaphragm response to, 233P
- **Dimethylsulphoxide injury,** hind limb lymph composition changes after, 798
- Dimethothiazine, effect in arterial pressure, 529
 —, effects on muscle spindle activity, decerebrate cat, 520
 - ---, effects in spindle discharge, 523
- —, reduction of decerebrate rigidity, and effect on spindle discharge, 529
- Dimethylaminoalkalanols, pharmacology, 43 p-Dimethylaminobenzaldehyde, β-adrenoceptor stimulation by, 447

p-dimethylaminobenzaldehyde (contd.)

—, antagonism β-adrenoceptor blocking agent MJ199, 447

- ---, and MJ199 dose-response relationship study, 447
- 1-(2',6'-dimethyl-phenoxy)-2-aminopropane. See Kö 1173
- **Diphenhydramine,** effect on sodium phenobarbitone ED50, 699
- —, effect on cerebral cortex electrical responses, 711
- **Diphenhydramine hydrochloride,** effect on brain glycogen content, 18
- Dipyridamole, effect on portal vein relaxation,
- **Disulphide bond,** absence in an oxytocin analogue and thioglycerol, lack of antagonism between, 689
- Diuresis, angiotensin, renal tubular flow dynamics during, rat, 357
- —, tubular volume and transit time changes produced by noradrenaline, dextrose and chlorothiazide, during, 362
- **L-dopa**, effect on sympathetic nerve endings, man, 195P
- ----, Parkinsonism treatment, interactions with other diseases and other drugs (T), 221P
- (±)-dopa, effect on pressor responses to angiotensin, noradrenaline, tyramine, and McN-A-343, 422
- **Dopamine,** accumulation by blood platelets from normal subjects and parkinsonian patients under treatment with L-dopa, 779
- -, adrenal content, carbon disulphide exposure effect, 26
- ---, brain content, carbon disulphide exposure effect, action of reserpine pretreatment, 26, 28
- —, effect on noradrenaline and adenosine triphosphate aggregation, 383
- ----, effect on sympathetic nerve endings, man, 195P
- ---, innervated and denervated vasa deferentia comparison of sensitivity to, 748, 751
- ---, nervous tissue concentration of, *Eledone* cirrhosa, 241P
- —, uptake by blood platelets from normal subjects and parkinsonian patients under treatment with L-dopa, 779

Drug analysis, isotope dilution in, 250P

Drug, effects on brain glycogen, 9, 16

- —, effects on vesicle population, ganglionic synapses, rat, 244P
- —, receptor, inactivation, a new kinetic model, 215P
- ----, resistant, Babesia rodhaini, 239P
- -, treatment. Optic nerve atrophy after (T),
- —, potentiating, dexamphetamine, shock avoidance conditioning use in the investigation of, 256P
- ---, quantitative treatment of distribution after intravenous injection, 234P
- **Drug-induced,** inhibition of tumour cell dissemination, 205P
- **Drugs,** classification of those acting on central nervous system, based on their effect on cortical neurones, 722
- —, with anti-histaminic and anticholinergic properties, correlation parameters between, 220P

F

Electrical stimulation, induction of portal vein relaxation by, 476

Eledone cirrhosa, nervous tissue concentration of dopamine and noradrenaline, 241P

Embryocide, 5-hydroxytrypamine, antagonism by B.W. 501C67, B.W. 204C67 and xylamide, 224P Endotoxin treatment, effect on atrial muscle response to noradrenaline and tyramine, guineapig, 690

Environmental, effects, initial suppression of locomotor stimulant response, to dexamphetamine in ratio exposed to a novel environment, 230P

Enzyme activity, relationships between amount in urine and kidney, 83

----, levels, hind limb lymph after chemical injury, 801

Ephedrine, effect on noradrenaline release, intact spleen, cat, 533

Ergotamine, abolition of excitatory effects of nicotine, noradrenaline and transmural stimulation, portal vein, 481

—, bethanidine effect on responses to, 225P

Erythrocyte, membranes, benzyl alcohol binding to, 217P

Eserine, effect on portal vein relaxation, 485

Ethanol, phenolic alcohol formation promotion by, 200P

Ether-anaesthesia, adrenaline, noradrenaline and isoprenaline influence on heart rate in, before and after propanolol administration, horse, 152

Ethylmorphine, -induced hyposensitivity to adrenaline, noradrenaline, and angiotensin, 791

Etonitazene, -induced hyposensitivity to adrenaline, noradrenaline and angiotensin, 791

Etorphine hydrochloride, trial in carcinoma pain, 252P

Evoked potentials, recording maintenance of a constant behavioural baseline, 247

Exercise-induced tachycardia, practolol graded dosage effect on, 193P

Expansor secundariorum: a smooth muscle-nerve preparation without cholinergic receptors, 245P Eye, optic nerve atrophy after drug treatment (T), 256P

F

Fasting, cyproheptadine effect on food consumption, fasted rat, 229P

Fenfluramine, acute administration, effect on sleep, 462

----, contractions, attempted blockage of saphenous vein, 465

Foetus, atria, anoxia, endogenous catecholamine concentration effect on recovery from, 309

Folic reductase inhibitors, potentiation of sulphonamides antimalarial effect by (T), 267P

Food consumption, cyproheptadine effect on, fasted rat, 229P

G

Gadgets, pharmacological (T), 255P

Ganglion, blocking agents, effect on responses to electrical stimulation portal vein, 485

Ganglionic, blockade, effect on diazepam-induced vasodilation, 261, 264

—, synapses, vesicle population, drcg effects on, rat, 244P

Gas-liquid radiochromatography—mass spectrometry, use in biochemical pharmacology, 236P GD 131, effect on noradrenaline output, spleen, 537 Glucagon, heart rate and contractions stimulated by, amiodarone effect on, 670

D-glucose-induced hyperglycaemia, effect on brain glycogen content, 9, 13

Glutamate, effect on cerebral cortex electrical re-	Н
sponses, 716, 721	β -haloalkylamines, effect on noradrenaline release,
Glycogen, brain content, adrenoceptor blocking agents, 18	intact spleen, cat, 533
, amphetamine-like drugs effect on, 9,	Haloperidol, effect on brain glycogen content, 18 Halothane anaesthesia, adrenaline effect on heart rate in, horse, 151
,, analgesics effect on, 19,, atropine sulphate effect, 18	-, adrenaline, noradrenaline and isoprenaline
—, —, atropine sulphate effect, 18 —, —, bemegride convulsions, effect on, 16	influence on heart rate in, before and after
—, —, central stimulators, effect on, 16	propranolol administration, horse, 152 —, isoprenaline effect on heart rate in, horse,
—, —, central stimulators, effect on, 16 —, —, chlordiazepoxide hydrochloride, effect	151
on, 18	, noradrenaline effect on heart rate in, horse,
,, chlorpromazine hydrochloride effect,	151
, cholinergic and anticholinergic drugs, effect on, 18	Heart, adrenergic neurone blockade effect on response to sympathetic nerve stimulation, cat, 228P
,, circadian rhythm, 9, 15	—, β-adrenoceptor blocking drugs, effect on
, diphenhydramine hydrochloride effect,	myocardial circulation, 296
—, drug effects on, 9, 16	—, angiotensin, cocaine and pronethalol inter- action on noradrenaline output from, during
,, D-glucose-induced hyperglycaemia	sympathetic nerve stimulation, 392
effect on, 9, 13	, cardiac arrhythmias, effect of new anticon-
,, haloperidol effect on, 18	vulsant agent, Kö 1173, on, and its compari-
,, imipramine hydrochloride effect on, 18, killing method effect on, 9, 12	son with phenytoin and procainamide, 183P —, atria, anoxia, effect on age, species and
——, ——, meprobamate effect on 18	adrenaline on recovery from, 309
—, —, mepyramine maleate effect, 18	-, -, modification by ouabain of electrical
—, mescaline hydrochloride, effect on, 18 —, monoamine oxidase inhibitors effect on, 17	and mechanical effects of acetylcholine in, 275 —, tension-frequency relationship changes
, morphine hydrochloride effect, 18	caused by, 277 —, cardiac actions of amiodarone, comparison
—, —, neuroleptic drugs effect on, 18	with (±)-propranolol, 668
—, —, pentazocine effect, 18 —, —, pethidine hydrochloride effect, 18	, cardiac depressant effects of USVC 6524,
, petindine hydrocinoride effect, 18	139 —, cardiac nerve stimulation, noradrenaline out-
—, —, phenobarbitone sodium effect, 18 —, —, phenoxybenzamine hydrochloride,	put during, 391
effect. 18	, cardiovascular effects of prostaglandins,
—, —, phentolamine mesylate effect, 18 —, —, phenylbutazone sodium effect on, 18 —, —, phenytoin sodium effect, 18 —, physiological and drug-induced changes	mediated by the central nervous system, dog, 511
,, physiological and drug-induced changes	—, coronary artery ligation, effects of (±)-pro- pranolol, (±)-, (+)- and (-)-alprenolol on, 809
in, 9	, coronary dilator action, of some pyrimido-
—, —, physostigmine sulphate effect on, 18 —, —, propranolol hydrochloride effect, 18	pyrimidines and pteridines, adenosine possible
,, pyrogallol effect on, 18	role in, 287 , coronary dilator activity of dipyrimadole
—, —, reserpine effect on, 18	compounds, due to endogenous adenosine
—, temperature effects on, 9, 14 —, termorine hydrochloride effect on, 18	potentiation, 287
, brain metabolism, and catecholamines rela-	—, ouabain induced ventricular fibrillation,
tion between, 9	amiodarone protection against, anaesthetized guinea-pigs, 657
Glycollic acid esters, use in protection against	—, rate, β -adrenoceptors mediation of amio-
sarin poisoning, 822	darone effect on, 669
Growth, hormone and corticosteroids, amphetamine release of, propranolol and thymoxamine	—, —, amiodarone effects on, 659 —, and contractions, glucagon-stimulated,
effect on, man, 196P	amiodarone effect on, 670
, rate, calcium and/or phosphorus deficient	,, MJ 1999 effect on, anaesthetized
diets, effect on, young rats, 188P	guinea-pigs, 678
—, —, body amiodarone effect on, 657 Guanethidine, effect on daunomycin-induced	—, —, halothane effect on, horse, 149 —, —, and rhythm, halothane and catechol-
arrhythmias, 505	amines influence, 151
, effect on oxotremorine-induced hypertension,	, reserpine effect on, 417, transmitters, inexpensive, in groups
496	of unrestrained rats (T), 258P
—, effect on responses to electrical stimulation, portal vein, 484	, sympathetic nerves, noradrenaline uptake
—, evidence that it does not block adrenergic	inhibitors and angiotensin interaction on, 390—, ventricular fibres, action potential, amio-
nerves by acting as a false transmitter, 186P	darone effect on, 662
, hypotensive action, mechanism of antagon-	, effect of potassium iodide and amio-
ism by propranolol (T), 221P —, mechanism of amphetamine reversal of,	darone supplemented by thyroxine on, 662 Helminthiases, chemotherapy of (T), 258P
253P	Hemicholinium-3, influences on bladder responses
—, resemblance to β -adrenoceptor antagonists	to indirect electrical stimulation and to acetyl-
prejunctional effect in vas deferens, 128	choline, 741

Hexamethonium, effect on daunomycin-induced Hyoscine (contd.) arrhythmias, 505 , effect on cerebral cortex electrical responses, , effect on peristaltic reflex, 336 711 -, procaine, lidoflazine and atropine, effects on effect on exploratory behaviour, septal rats, responses to angiotensin and acetylcholine of 210P colon muscle, 36 -, effect on responses to electrical stimulation, Histamine, acid phosphate, respiratory and cardioportal vein, 485 vascular responses to, vagotomy effect on, 727, -, effect on sodium phenobarbitone ED50, 699 -, stimulatory effect on exploratory behaviour, -, effects in malaria, 755 septal lesions action on, 209P -, use in protection against sarin poisoning, 822 , effect on untreated, reserpine-treated and decentralized vas deferens, 110 Hyperbilirubinaemia, unconjugated, pathogenesis, barbiturate use in investigation of, 203P , -induced bronchoconstrictions, vagus nerves role in, 724 Hyperglycaemia, D-glucose-induced, effect -, isoprenaline inhibition of antigen-induced brain glycogen content, 9, 13 release of, 213P Hypertension, corticosterone-induced, 6-hydroxy-, release, morphological and electrical changes dopamine and immunosympathectomy effect accompanying, methods for measuring, isolated cells (T), 259P on, 320 , experimental, sympathetic nervous system contribution to the development and mainthyroxine effect on, aorta sensitivity to, 49, 60 tenance of, 17 -, isolated ileum sensitivity to, 49, 36 -, oxotremorine-induced, anaesthetized rat, 490 -, sensitivity of isolated perfused heart -, responses to drugs and diurnal variations in to, 49, 54 arterial blood pressure in, 227P , uterus sensitivity to, 49, 56 Hyposensitivity, to drugs, induced by morphine γ-Hydroxybutyrate, effect on cerebral cortex elecand some related substances in cat, 789 trical responses, 711 Hypotensive action, of guanethidine, mechanism of effect on sodium phenobarbitone ED50, 699 antagonism by propranolol (T), 221P 6-Hydroxydopamine, and immunosympathectomy, Hypothalamus, ventromedial nucleus, and appetite effect on corticosterone-induced hypertension, control in the rat (T), 255P -, experimental renal hypertension, development of, 318 , effects on resting systolic blood pressures of Ileum, amino-acid receptor in, guinea-pig, 213P chronic hypertensive and normotensive rats, , responses to electrical stimulation, catecholcomparison, 320 amine depression of, phenoxybenzamine α -5-Hydroxyindoleacetic acid, brain content, rapid adrenoceptor blockade effect on, 405 method for determination of, 653 -, propranolol effect on, 404 5-Hydroxyindol-3-ylacetic acid, release in forebrain, -, phenoxybenzamine, and propranolol effect of electrical stimulation of mid-brain combined effect on, 405 raphé on, 1 , or acetylcholine, comparison of nor--, effect of stimulation of peripheral adrenaline and adrenaline inhibitory effects on, sensory nerves on, 1, 3 406 -, factors affecting, 1 Inflammation, relationship between the -, probenecid effect on, 1, 4 inflammatory and irritant properties of inflam-3-Hydroxymorphinan, -induced hyposensitivity to matory exudate, 211P adrenaline, noradrenaline and angiotensin, 791 Inflammatory exudate, irritant and anti-inflam-8-Hydroxyquinoline, effect on adrenaline radiomatory properties, relationship between, 211P activity uptake and intracellular metabolism, Imipramine, antidepressant action mode, man (T), 772 221P 5-Hydroxytryptamine, antagonism by B.W. 501C67. -, hydrochloride, effect on brain glycogen content, 18 -, antagonism by methergolin, 223P Immunosympathectomy, and 6-hydroxydopamine, -, antagonism by xylamidine, 223P effect on corticosterone-induced hypertension, brain content, rapid method for determination of, 653 , effect on experimental renal hyper--, contractions, blockage by phentolamine and tension development, 318 thymoxamine, saphenous vein, 465 Inflammation, in rheumatoid arthritis, quantitative -, evaluation of peripheral and central antagoninfrared studies of, 251P istic activities against, by some new agents, Injection gun, simple and accurate for repetitive 223P dosing (T), 255P , oxidation, preferentially affected by mono-INPEA, effects on electrical stimulation action on amine oxidase inhibitor, relationship between portal vein, 481 the pharmacological and biochemical proper-Intestine, simulated intestinal content, behaviour ties, 207P of diethylstilboestrol in, 189P , thyroxine effect on isolated ileum sensitivity Ions, active on frog rectus and guinea-pig ileum, to, 49, 56 estimates of size in solution (T), 222P thyroxine effect on aorta sensitivity to, 49, Ion distribution, vas deferens, reserpine-treatment and decentralization effect on, guinea-pig, 121 thyroxine effect on uterus sensitivity to, 49, Isoprenaline, and noradrenaline, inactivation, dog, 56 573 Hyoscine, convulsant doses interaction with pheno-, antagonism by propranolol and phentolbarbitone, 699

amine, 818

Isoprenaline (contd.)	L
, cardiovascular effects, butoxamine action on,	I agrimal gland parasympathetic innervation cat
305 practolol action on, 296, 299	Lacrimal gland, parasympathetic innervation, cat, 242P
, practolol action on, 296, 299 , USVC 6524 effect on, 140	Learning, avoidance, effects on (-)-nicotine on, 650
—, contractions, competitive α -adrenoceptor	Levallorphan, induced hyposensitivity to adren-
blocking drugs effect on saphenous vein, 465 —, depressant effects on longitudinal muscle	aline, noradrenaline and angiotensin, 791 Levorphanol tartrate, analgesic effects, naloxone
responses to electrical stimulation, 401	antagonism of, 627
, effect on adrenoceptors, human saphenous	Lidoflazine, atropine, hexamethonium and pro-
vein, 465	caine, effects on responses to angiotensin and acetylcholine, of colon muscle, 36
—, effect on cardiovascular system, 296 —, effect on general and myocardial haemo-	Lymph, croton oil injury effects on composition,
dynamics, before and after butoxamine, 306	hind limb, 798
, effect on heart rate, conscious, halothane-	, dimethylsulphoxide injury effects on com-
anaesthetized and ether-anaesthetized horses, before and after propranolol, 152	position, hind limb, 798 Lipid-soluble drugs, diethyl stilboestrol, behaviour
, effect on myocardial haemodynamics, before	in simulated intestinal content, 189P
and after practolol, 300	Liver fluke, carbon tetrachloride metabolism in,
heart to, 49, 54	598 Locke solution, normal and altered, papaverine in,
-, effects on sphincter of Oddi, 619	effects on taenia coli, 610
—, fate after administration by pressurized	Locomotor, activity, measuring devices, anaesthe-
aerosols, 194P ——, -induced tachycardia, practolol graded doses	tized or unanaesthetized animals, 243P —, stimulant response, initial response to dex-
effect on, 193P	amphetamine, rats exposed to a novel environ-
, -induced vasopression, practolol effect on,	ment, 230P
296 —, infusions, appearance of uncharacterized	Lysergic acid diethylamide, effect on 5-hydroxy- indol-3-ylacetic acid release in the forebrain 1
substance after, 581	indol-3-ylacetic acid release in the forebrain, 1
, inhibition of antigen-induced histamine	
release, 213P	M
—, potentiation by cocaine, 178 —, potentiation dissociation by cocaine, from	Malaria, antimalaria compounds study in vitro,
inhibition of uptake in cat spleen, 175	237P
, removal by different vascular beds, phenoxy-	, histamine effects in, 755
benzamine effect on, 577 , removal from circulation by different vascu-	Mannitol, tubular volume and transit time changes produced by, rat with low initial urine flow,
lar beds, 577	362
, thyroxine effect on uterus sensitivity to, 49,	Marsilid, effect on adrenaline radioactivity uptake
56—, uptake by cat spleen, 178	and intracellular metabolism, 772 Mast cell, distribution in guinea-pig ileum, and the
(±)-isoprenaline, potency causing saphenous vein	Schultz-Dale reaction of the longitudinal
strip contraction, 465	muscle strip (T), 259P
1-Isopropylamino-3-(4-indanoxy)-2-propanol HCl, See USVC 6524, 139	—, role in Schultz-Dale response, 548
Isotope, dilution, in drug analysis, 250P	McN-A-343, pressor response to, antiangiotensin action of reserpine effect on, 422
	—, —, (±)-dopa effect on, 422 —, —, (±)-dopa and noradrenaline infusions
K	, (±)-dopa and noradrenaline infusions
A.	after tranylcypromine effect on, 423
Kidney, and urinary kininogenase, relationship be-	—, —, α-methyldopa effect on, 423 —, —, noradrenaline effect on, 422
tween, 73 —, and urine, enzyme activity amounts relation-	—, —, reserpine effect on, 419
ship between, 83	—, —, syringopine effect on, 420 —, —, tetrabenazine effect on, 420
—, homogenates, $N-\alpha$ -benzoyl-L-arginine ethyl	,, tranylcypromine effect on, 422
ester esterase activity in, 81 ——, kininogenase activity in, 80	Mebanazine, effect on adrenaline radioactivity
, localization in rat, of kininogenase in, 87	uptake and intracellular metabolism, 772 Mecamylamine, effect on daunomycin-induced
, renal hypertension development, experi-	arrhythmia, 505
mental, 6-hydroxydopamine and immuno- sympathectomy effect on, 319	Melanophore, responses, control, Anolis carolin- ensis, 160
Killing method, effect on brain glycogen content,	Melanophore, stimulating hormone, skin darken-
9, 12	ing by, 163
Kininogenase, activity kidney homogenates, 80—, activity of rat urine, 77	,, adrenaline effect on, 163
, localization in rat kidney, 87	—, -induced skin darkening, β-adrenoceptor blockade effect on, 163
—, urinary, and kidney, relationship between, 73	Membrane potential, parenchymal cells, noradren-
Kö 1173, new anticonvulsant agent, effect on car- diac arrhythmias, and comparison with	aline effect on, guinea-pig liver in vitro (T), 259P
phenytoin and procainamide, 183P	Meprobamate, effect on brain glycogen content, 18
Kynuramine, as a substrate for monoamine oxidase	—, effect on cerebral cortex electrical responses,
inhibitor, 27, 29	711

Meprobamate (contd.)

, effect on sodium phenobarbitone ED50, 699 Mepyramine maleate, effect on brain glycogen content, 18

Mescaline hydrochloride, effect on brain glycogen content, 18

Metabolism, studies, meter for measuring activity of small animals in (T), 255P

Metaraminol, α -methyl-m-tyrosine conversion to noradrenaline synthesis rate effect on, 167

Meter, for measuring activity of small animals in metabolic studies (T), 255P

hydrochloride, Methadone. analgesic effects. naloxone antagonism of, 627

, -induced hyposensitivity to adrenaline, noradrenaline and angiotensin, 791

Methergoline, 5-hydroxytryptamine antagonism by,

Methiodides, pharmacology, 43

Methisazone, laboratory and clinical experience with, (T), 257P

 α -methyldopa, effect on oxotremorine-induced hypertension, 496

Methylfurmethide, effect on untreated, reserpinetreated and decentralized vas deferens, 110

 α -methyl-m-tyrosine, conversion to metaraminol, noradrenaline synthesis rate effect on, 167 α -methylparatyrosine, effect on oxotremorineinduced hypertension, 496

Methylpentynol, effect on bladder responses to indirect electrical stimulation and to acetylcholine, 743

N-methyl pyridinium-2-aldoxime methanesulphonate (P2S), use in conjunction with anticholinergic drugs in sarin poisoning, 822

Methylsergide, antagonism by methysergide, 223P Methylxanthine, allergic reaction inhibition by, 212P

skin darkening by, 163

Methysergide, 5-hydroxytryptamine antagonism by,

liver, spectrophotometer measurement of drug binding to (T), 257P

MJ 1999, antagonism of p-dimethylaminobenzaldehyde by, 447

, effects on heart rate and electrocardiogram, anaesthetized guinea-pigs, 678

MJ 1999 and AH 3474 comparison of activities with procaine on sciatic nerve, frog, 677

, and *p*-dimethylaminobenzaldehyde, doseresponse relationship study, 447

, effect on intracellular potentials, and contractions, papillary muscles, cat, 682, 3

prejunctional blocking effect, vas deferens, 128

, protection against ouabain-induced ventricular fibrillation, urethane-anaesthetized guinea-pigs, 675

Model, new, kinetic, of drug receptor inactivation, 215P

Molluse, catecholamine distribution in the nervous system, 240P

Monoamine oxidase, brain content, carbon disulphide exposure effect on, 26, 29

-, inhibitors, effect on brain glycogen content, 17

-, preferentially affecting 5-hydroxytryptamine oxidation, relationship between pharmacological and biochemical properties, 207P

Morphine, effect on bladder responses to indirect electrical stimulation and to acetylcholine, 743

-, effect on portal vein relaxation, 486

Morphine (contd.)

, hydrochloride, effect on brain glycogen content, 18

-, -induced hyposensitivity to adrenaline, noradrenaline and angiotensin, 789

, sulphate, analgesic effects, naloxone antagonism of, 627

, -tolerant mice, cross-tolerance to acetylsalicylic acid and physostigmine sulphate in, 642

, cross-tolerance to other narcotic and narcotic antagonist analgesics in, 642

Motor activity, effects of drugs acting alone and

in combination, intact mice, 696

certain agent, new, 1,4,5,6-tetrahydro-5-Muscarinic phenoxypyrimidine (AH6405), 191P

-, agonists, conformation, 219P

-, receptors, interaction of agonists and fast and slow acting antagonists with muscarinic receptors in guinea-pig ileum (T), 222P

Muscle, atrial, noradrenaline and tyramine effect on, endotoxin-treated guinea-pigs, 690

-, cardiac and smooth, sensitivity to biogenic amines, thyroid hormones effect on, 49

-, circular and longitudinal, colon, effects of atropine, hexamethonium procaine and lidoflazine on the responses to acetylcholine and angiotensin of, 36

, expansor secundariorum, a smooth musclenerve preparation, without cholinergic receptors, 245P

longitudinal, adrenaline, noradrenaline, and isoprenaline, depressant effects on responses to electrical stimulation, 401

, adrenaline noradrenaline and isoprenaline depressant effects on responses to electrical stimulation, 401

, muscle strip preparation, guinea-pig ileum, 542

Schultz-Dale reaction of, and the mast cell distribution of guinea-pig ileum (T), 259P -, papillary, MJ 1999 effect on intracellular potentials and contractions of, 683

, pelvis, angiotensin, adrenaline and noradrenaline effect on, 373

-, phrenic nerve diaphragm, response to digoxin and ouabain, 233P

-, skeletal, decamethonium uptake, saturation effects on, 219P

, smooth, isolated, servo-mechanism for readjusting the initial tension of, 246

-, muscle actions, antagonism of prostaglandins in, by polyphloretin phosphate, 556 , sphincter of Oddi, adrenaline, noradrenaline,

isoprenaline, and terbutaline effects on, 619 , spindle, dimethothiazine effects on, decere-

brate cat, 520

, taenia coli, papaverine effects on, in the presence and absence of various ions, 608

-, vascular smooth, Clonidine chronic administration effect on (T), 221P

Myocardial circulation, "selective" β-adrenoceptor

blocking drugs effect on, 296

Myocardial haemodynamics, butoxamine effects on, 304

, isoprenaline effects on, before and after butoxamine, 306

-, before and after practolol, 300 Myxoviruses, structure, (T), 257P

Nalorphine hydrochloride, naloxone antagonism of, 627

Nalorphine hydrochloride (contd.)

, -induced hyposensitivity to adrenaline, noradrenaline and angiotensin, 791

Naloxone, antagonism of analgesic effects of morphine sulphate, levorphanol tartrate, methadone hydrochloride, pentazocine, cyclazocine, and nalorphine hydrochloride, 625

, hydrochloride, antagonistic effect on activity of some drugs in the PQB analgesic assay, 643 Nematode, Toxocara canis, larvae, studies of (T), 275P

Nerve, growth factor, antiserum, development and potentialities, 258P

-, in vitro and in vivo effects (T), 258P , parasympathetic innervation, lacrimal gland, cat, 242P

-, peripheral sensory nerve stimulation, effect on release of 5-hydroxyindol-3ylacetic acid in the forebrain, 1, 3

sympathetic, stimulation, adrenergic neurone blockade effect on response to cat heart, 228P , vagus, role in anaphylaxis and histamineinduced bronchoconstrictions in guinea-pigs, 724

Nervous system, catecholine distribution Octopoda mollusc, 240P

-, superior cervical ganglion, acetylcholine re-

lease in, acetylcholine, carbachol or preganglionic nerve stimulation effect on, 428

Nervous tissue, dopamine and noradrenaline concentration in, Eledone cirrhosa, 241P

Neuroleptic drugs, effect on brain glycogen content, 18

(-)-nicotine, effects on avoidance learning, 650 Nicotine, induction of portal vein relaxation by, 476

, -related compounds, central effects in mice, 647

Nicotinic receptors, relationships between antagonism and desensitization at (T), 222P

Nictitating membrane, responses, and bloodpressure, acetylcholine homologues effect, 46

Nikethamide, effect on cerebral cortex electrical responses, 716, 720

, effect on sodium phenobarbitone ED50, 702 Nitrous oxide, effect on reaction time and cerebral evoked potential, 254P

Noradrenaline, and adenosine triphosphate mixture aggregation, bivalent cations, amphetamine, tyramine and dopamine and reserpine effect on, 383

-, and adrenaline, inhibitory effects on ileum responses to electrical stimulation or acetylcholine, comparison, 406

-, and isoprenaline, inactivation, dog, 573 and metaraminol, interrelationship between the syntheses of, 167

, antagonism by propranolol and phentolamine, 818

-, bethanidine effect on responses to, 255P , brain content, carbon disulphide exposure

effect, 26, 28 -, cardiovascular responses to anaesthetized

, cardiovascular responses potentiation to, by

desmethylimipramine, 185P contractions, competetive α -adrenoceptors blocking drugs effect on saphenous vein, 465

depressant effects on longitudinal muscle responses to electrical stimulation, 401

-, effect on atrial muscle, endotoxin-treated guinea-pigs, 688, 690

Noradrenaline (contd.)

, effect on heart rate, conscious, halothaneanaesthetized and ether-anaesthetized horses, before and after propranolol, 152

effects on parenchymal cells membrane potential, guinea-pig liver in vitro (T), 259P

-, effect on pelvis muscle, 373

-, effect on pressor responses to angiotensin, noradrenaline, tyramine and McN-A-343, 422 -, effects on sphincter of Oddi, 619

-, effect on untreated, reserpine-treated and decentralized vas deferens, 110

-, hyposensitivity to, induced by morphine and related compounds, 791

-, innervated and denervated vasa deferentia comparison of sensitivity to, 233, 748, 751

, nervous tissue concentration of, Eledone cirrhosa, 241P
-, output, angiotensin, cocaine and pronethalol

interaction on, during sympathetic stimulation, isolated rabbit heart, 392

, —, desipramine, protriptyline and pronethalol interaction on, during sympathetic nerve stimulation, isolated rabbit heart, 395

-, ---, during cardiac nerve stimulation, 391 -, SY 28 effect on, spleen, 534

-, ---, PBZ effect on, spleen, 534

-, GD131 effect on, spleen, 537 -, potentiation by cocaine, 178

-, pressor response to, antiangiotensin action of reserpine reversal effect on, 422

—, (\pm) -dopa and noradrenaline infusion after tranylcypromine effect on, 423

-, (\pm) -dopa effect on, 422

-, α -methyldopa effect on, 424 -, ---, noradrenaline effect on, 422

-, ---, reserpine effect on, 419

-, ---, syrosingopine effect on, 420 -, ---, tetrabenazine effect on, 420 -, -, tranylcypromine effect on, 422

, release, ephedrine effect on, intact spleen cat, 533

-, β-haloalkylamines effect on, spleen, 533 removal by different vascular beds, phenoxybenzamine effect on, 577

, removal from circulation by different vascular beds, 577

, synthesis rate effect on alpha-methyl-mtyrosine conversion to metaraminol, 167

-, thyroxine effect on, sensitivity of isolated perfused heart, 49, 54

-, —, uterus sensitivity to, 49, 56 -, —, aorta sensitivity to, 49, 60

-, tubular volume and transit times changes

produced by, during diuresis, 362, —, rats with low initial urine flow, 362

-, uptake by cat spleen, 179

-, uptake inhibitors, interaction with angiotensin on heart sympathetic nerves, 390 (-)-noradrenaline, potency causing saphenous vein

strip contraction, 465 Normophine, -induced hyposensitivity to adrenaline,

noradrenaline and angiotensin, 791

Nucleic acid, nucleotide and protein metabolism, methods for study, 237P

Nucleotide, nucleic acid and protein metabolism, methods for study, 237P

Obidoxime, effect on paraoxon-induced rise in brain acetylcholine, 732

Octopoda, mollusc, catecholamine distribution in the nervous system of, 240P

Oestrogen, circulating, effect on cholinergic dilator nerves supplying uterine artery, guinea-pig, 190P

Ouabain, acetylcholine effect on action potential before and after, paired analyses, atria, 284

—, acetylcholine mechanical effect before and after, paired analyses, atria, 279

-induced ventricular fibrillation, amiodarone protection against, anaesthetized guinea-pigs,

657
—, modification of electrical and mechanical effects of acetylcholine by, isolated rabbit

atria, 275

—, phrenic nerve diaphragm response to, 233P

—, toxicity, amiodarone effect on, 660

Oxotromorine-induced hypertension, effect of agonists of sympathetic nerve function on, 496

—, -induced hypertension in anaesthetized rat, 490

Oxymetazoline, innervated and denervated vasa deferentia, comparison of sensitivity to, 748, 752

Oxytocin, analogue not containing a disulphide bond, and thioglycerol, lack of antagonism between, 69

Oxytocin analogues, change from agonism to antagonism in the action of, interpretation by a receptor model, 217P

P

Papaverine, effects on electrical and mechanical activity, guinea-pig taenia coli, 608

—, in calcium-free Locke solution, effects on taenia coli, 614

---, in excess calcium solution, effects on taenia coli, 614

—, in excess magnesium, effects on taenia coli, 625

—, in excess potassium solution, effects on taenia coli, 612

---, in low sodium Locke solution, effects on taenia coli, 613

---, in normal Locke solution, effects on taenia coli, 609

Paraldehyde, effect on bladder responses to indirect electrical stimulation and to acetylcholine, 743 Paraoxon, induced rise in brain acetylcholine, atropine effect on, 732

, , obidoxime effect on, 732

Parasympathetic innervation, peripheral, lacrimal gland, cat, 242P

Parenchymal, cells membrane potential, noradrenaline effects on, guinea-pig liver, in vitro (T), 259P

Pargyline, effect on daunomycin-induced arrhythmia, 505

Parkinsonian patients, under treatment with Ldopa, and normal subjects, dopamine accumulation by blood platelets from, 779

Parkinsonism, L-dopa treated, interactions with other diseases and other drugs (T), 221P

Pelvic nerve, stimulation, effect on peristaltic reflex, 339

Pelvis muscle, angiotensin, adrenaline and noradrenaline effect on, 373

Penicillin G, concentration in plasma and lymph, dog, 444

Penicillin V, concentration in plasma and lymph, dog, 444

Pentazocine, effect on brain glycogen content, 18—, naloxone antagonism of, 627

Pentobarbitone, alcohol interaction with, 200P—, brain hypersensitivity to, 325

Pentolinium, effect on oxotremorine-induced hypertension, 496

Peptide synthesis, automated apparatus for, demonstration (T), 256P

Peristaltic reflex, atropine effect on, 338

—, hexamethonium effect on, 336 —, nervous stimulation effect on, 352

, of the colon, improved method for studying, 346

—, pelvic nerve stimulation effect on, 339 —, temperature effects on, 352

Pethidine, effect on cerebral cortex electrical responses, 711

----, effect on sodium phenobarbitone ED50, 699

—, hydrochloride, effect on brain glycogen content, 18

—, -induced hyposensitivity to adrenaline, noradrenaline and angiotensin, 791

Pharmacological gadgets (T), 255P

Pharmacology, biochemical, gas-liquid radiochromatography-mass spectrometry use in, 236P
—, television as a teaching aid in (T), 258P

Phase separation, in noradrenaline and adenosine triphosphate solutions: bivalent cations and amphetamine, tyramine and dopamine influence on, 382

Phenethicilin, concentration in plasma and lymph, dog, 444

Phenobarbitone, interaction with central stimulants, 701

---, interaction with hyoscine convulsant doses, 699

—, sodium, effect on brain glycogen content, 18 —, use in investigation of unconjugated hyperbilirubinaemia pathogenesis, 203P

Phenolic, acid, excretion, tyramine effect on, 202P
—, alcohol formation, ethanol promotion of, 200P

-, reserpine promotion of, 200P

Phenoxybenzamine, α -adrenoceptor blockade, effect on catecholamine depression of ileum responses to electrical stimulation, 405

—, and propranolol, combined effects on catecholamine depression of ileum responses to electrical stimulation, 405

—, blockage of noradrenaline and isoprenaline contractions by, saphenous vein, 465

---, effect on daunomycin-induced arrhythmias, 505

---, effect on noradrenaline and isoprenaline removal by different vascular beds, 577

—, effect on noradrenaline output, spleen, 534 —, hydrochloride, effect on brain glycogen content, 18

Phentolamine, abolition of excitory effects of nicotine, noradrenaline and transmural stimulation, portal vein, 481

, a blockage of 5-hydroxytryptamine contractions by, saphenous vein, 465

---, and propranolol, antagonism of isoprenaline, noradrenaline and phenylephrine, 818

—, blockage of noradrenaline and isoprenaline contractions by, saphenous vein, 465

—, effect on adrenaline radioactivity uptake and intracellular metabolism, 772

---, effect on oxotremorine-induced hypertension, 496

---, mesylate, effect on brain glycogen content, 18

Phenylbenzoquinone, analgesic assay, studies on the receptors involved in the action of various agents in, 639

---, stretching test, analgesic assay, 627

- Phenylbutazone, sodium, effect on brain glycogen content, 18
- Phenylephrine, antagonism by propranolol and phentolamine, 818
- (-)-phenylephrine, potency, causing saphenous vein strip contraction, 465
- Phenytoin, and procainamide, comparison with Kö 1173, a new anticonvulsant agent, effect on cardiac arrhythmias, 183P
- —, sodium, effect on brain glycogen content, 18 **Phosphomonoesterases**, histochemical localization, Schistosoma mansoni (T), 256P
- Phosphorus, and/or calcium deficient diets, effect on callus formation and growth rate, young rats, 188P
- **Photo-copying,** thin-layer plates by ultraviolet light (T), 256P
- Phrenic nerve diaphragm, response to digoxin and ouabain, 233P
- **Physico-chemical,** activity relationships, application of computing methods to, (T), 257P
- Physiological recordings, partial automation in the evaluation of, (T), 256P
- Physostigmine, cross tolerance to in morphine tolerant mice, 642
- ----, sulphate, effect as a conditioning drug, 643 ----, ----, effect on brain glycogen content, 18
- Picrotoxin, effect on cerebral cortex electrical responses, 716, 719

 —, effect on sodium phenobarbitone EDS0, 702
- ——, effect on sodium phenobarbitone ED50, 702 **PINN**, effects on sphincter of Oddi, 619
- Pituitary, adrenocortical activity ascorbic acid demethasone-treated rat, 192P
- ----, adrenocorticotrophic response to stress, betamethazone-treated rat, 192P
- **Plasma,** and lymph, antibacterial agents distribution between, dog, 439
- Platelets, concentration effect of added adrenaline on adrenaline and its metabolite accumulation, 768
- **Polyphloretin phosphate,** antagonism of prostaglandin smooth muscle actions by, 556
- Potassium, effect on untreated reserpine-treated and decentralized vas deferens, 110
- —, iodide and amiodarone supplemented by thyroxine, effect on action potentials, ventricular fibres, 662
- **Practolol,** action on isoprenaline cardiovascular effects, 296, 299
- —, effect on isoprenaline induced vasodepression, 296
- —, graded doses effect on isoprenaline, Valsalva's manoeuvre and exercise-induced tachycardia, 193P
- —, isoprenaline effect on myocardial haemodynamics before and after, 300
- Preganglionic nerve stimulation, effect on acetylcholine release, superior cervical ganglion, 428
- Probenecid, effect on 5-hydroxyindol-3-ylacetic acid release in the forebrain, 1, 4
- Procainamide, and phenytoin, comparison with Kö 1173, a new anticonvulsant agent, effect on cardiac arrhythmias, 183P
- Procaine, action on sciatic nerve, comparison with MJ 1999 and AH 3474, frog, 677
- —, effect on bladder responses to indirect electrical stimulation and to acetylcholine, 743

Procaine (contd.)

- —, lidoflazine, atropine and hexamethonium, effects on responses to angiotensin and acetyl-choline of colon muscle, 36
- Promethazine, alcohol interaction with, 200P
- effect on cerebral cortex electrical responses,
- —, effect on sodium phenobarbitone ED50, 699 Pronethalol, cocaine and angiotensin, interaction on noradrenaline output during sympathetic nerve stimulation, isolated rabbit heart, 392
- desipramine and protriptyline, interaction on noradrenaline output, during sympathetic nerve stimulation, isolated rabbit heart, 395
 - prejunctional blocking effect, vas deferens, 128
- Propranolol, action on adrenaline effect on recovery from anoxia, atria, 309
- , administration, adrenaline effect on heart rate before and after, conscious horses, 151 , administration, adrenaline, noradrenaline and isoprenaline effect on heart rate, conscious, believes as a series of the conscious of th
- halothane-anaesthetized and ether-anaesthetized horses, before and after, 152 and phentolamine, antagonism of isoprena-
- line, noradrenaline and phenylnephrine, 818

 , and phenoxybenzamine, combined effects on catecholamine depression of ileum responses to electrical stimulation, 405
- , effect on amphetamine release of growth hormone and corticosteroids, man, 196P
- ---, effect on catecholamine depression of ileum responses to electrical stimulation, 404
- geffect on electrical stimulation, 404

 portal vein, 481
- —, effect on oxotremorine-induced hypertension, 496
- —, guanethidine hypotensive action antagonism mechanism (T), 221P
- tent, 18 —, potency as a β -adrenoceptor antagonist as
- compared to USVC 6524, 139

 —, prejunctional blocking effects, vas deferens, 121
- (±)-Propranolol, effect on unanaesthetized dogs with amiodarone, 668
- —, effect on adrenaline radioactivity uptake and intracellular metabolism, 769
- , effect on daunomycin-induced arrhythmias,
- (+)-Propranolol, effect on unanaesthetized dogs with ventricular arrhythmias resulting from coronary artery ligation, 809
- —, effect on daunomycin-induced arrhythmia, 505
- Prostaglandin, cardiovascular effects, mediated by the central nervous system, dog, 511
- ----, effect on portal vein relaxation, 486
- , smooth muscle actions of, antagonism by polyphloretin sulphate, 556
- , uptake and metabolism, perfused rat liver, 585
- Prostaglandin A₁, cardiovascular effects, 516
- Prostaglandin E₁, cardiovascular effects, 515
- ---, effect on adrenaline radioactivity uptake and intracellular metabolism, 769
- —, labelled, radioactivity distribution in solvent extracts of liver following recirculation of, 595
- **Prostaglandin** $\mathbf{F}_1\alpha$, cardiovascular effects, 515 **Prostaglandin** $\mathbf{F}_2\alpha$, cardiovascular effects, 513
- ---, effect on arterial pressure, 513

Prostaglandin F₂\alpha (contd.)

—, effect on cardiac output and peripheral resistance, 514

—, effect on heart rate and central venous pressure, 514

----, effect on vertebral artery blood flow, 514

Protein, metabolism, nucleic acid and nucleotide, methods for study, 237P

Protriptyline, desipramine and pronethalol interaction on noradrenaline output, during sympathetic nerve stimulation, isolated rabbit heart, 395

Psychopharmacology, laboratory experiments suitable for practical classes in, 246P

Pteridine, derivatives and pyrimidopyrimidines, ability to potentiate adenosine produced heart block, investigation, 287

Purines, pyrimidines and pyrazolopyrimidines, separation and identification in biological fluids, (T), 258P

Pyrazolopyrimidines, pyrimidines and purines, separation and identification in biological fluids (T), 258P

Pyridoxine, effect on sympathetic nerve endings, man, 195P

Pyrimethamine, in urine, fluorescent measurement (T), 256P

Pyrimidines, pryazolopyrimidines and purines, separation and identification in biological fluids (T), 258P

Pyrimidopyrimidines, and pteridine derivatives ability to potentiate adenosine produced heart block, investigation, 287

Pyrogallol, effect on adrenaline radioactivity uptake and intracellular metabolism, 772

-, effect on brain glycogen content, 18

R

Radiorespiration, study device, 238P

Receptor, length of stay of molecule on: explanation of a paradox, 215P

—, model, interpretation of oxytocin analogue action change from agonism to antagonism, 217P

Reserpine, and decentralization, effect on ion distribution, vas deferens, guinea-pig, 121

---, effect on blood pressure and heart rate, 417

---, effect on brain glycogen content, 18
---, effect on daunomycin-induced arrhythmia,

505
—, effect on noradrenaline and adenosine tri-

phosphate phase separation, 385

——, effect on oxotremorine-induced hypertension, 496

—, effect on platelet adrenaline, 774

—, effect on pressor responses to angiotensin, conscious rat, 414

----, ----, noradrenaline, tyramine and McN-A-343, 419

—, effect on resting systolic blood pressure of chronic hypertensive and normotensive rats, 321

—, phenolic alcohol formation promotion by, 200P

----, pretreatment, effect on portal vein responses to nicotine, 485

—, reversal of anti-angiotensin action effect on pressor responses to angiotensin, noradrenaline, tyramine and McN-A-343, 420

—, reversal of anti-angiotensin action of, effect on pressor responses to angiotensin, noradrenaline, tyramine and McN-A-343, 422 Reserpine (contd.)

—, treatment, and decentralization, vas deferens nonspecific supersensitivity produced by, guinea-pig, 110

action on brain dopamine content, 26, 28

Respiration, study device, 238P

Retinotoxicity, possible mechanism: aminophenoxyalkanes inhibition of alcohol dehydrogenase, 206P

Russell viper venom, and mouse salivary gland nerve growth factors isolated from, in vivo and in vitro effects (T), 258P

S

Saline solutions, bicarbonate-buffered physiological, pH control in, 257P

Salivary gland, mouse, and venom, Russell viper, nerve growth factors isolated from in vitro and in vivo effects (T), 258P

Sarin poisoning, anticholinergic drugs protective actions in, 822

Saturation, effects on decamethonium uptake by skeletal muscle, 219P

Schistosomes, bacterial invasion of (T), 258P Schultz-Dale response, Auerbach's plexus role in, 547

, longitudinal muscle strip, and the mast cell distribution in guinea-pig ileum (T), 259P

—, longitudinal muscle strip preparation, guineapig ileum, 542

---, mast cells role in, 548

780SE, acute administration effect on sleep, 462 Sedatives, alcohol interaction with, 199P

Servo-mechanism, for readjusting the initial tension of isolated smooth muscle, 246

Sheep, carbon tetrachloride metabolism in, 598 Skin darkening, by melanophore stimulating hormone, dibutyryl cyclic 3',5'-AMP and methylxanthines, 163

---, compounds causing, 160

Sleep, fenfluramine acute administration effect on, 462

—, 780SE acute administration effect on, 462 —, (m-trifluoro methyl-phenyl)-1-(benzoyl oxy) ethyl amino-2-propane (780SE) acute administration effect on, 462

Snails, aquatic and amphibious, maintenance as intermediate hosts of trematodes (T), 258P

Sodium phenobarbitone, ED50 effect of diphenhydramine, promethazine, chlorpromazine, γhydroxybutyrate, γ-butyrolactone, hyoscine, pethidine, meprobamate and diazepam, 699

Sodium pool, amiloride effect on, frog skin, 99, 101 Sodium transport, kinetics, amiloride effect on frog skin, 99, 101

—, pool, active, estimation, frog skin, 100 Species, effect on recovery from anoxia, atria, 309,

311

Spleen, isoprenaline and noradrenaline uptake by,

178

Spinal cord, subarachnoid space and central canal

perfusion, mammals (T), 259P Stress, pituitary adrenocorticotrophic response to,

betamethazone-treated rat, 192P

Strychnine, effects on bladder responses to indirect

electrical stimulation and to acetylcholine, 743

effect on cerebral cortex electrical responses,
716, 721

—, effect on sodium phenobarbitone ED50, 702 Sulphadiazine, concentration in plasma and lymph, dog, 444

- Sulphonamides, and trimethoprim, synergy (T),
- —, antimalarial effect, potentiation, by folic reductase inhibitors (T), 267P
- Surgical procedures, effects on daunomycin-induced arrhythmias, 505
- SY 28, effect on noradrenaline output, spleen, 534 Sympathetic nerve, endings, dopamine, L-dopa, L-
- tyrosine and pyridoxine effects on, man, 195P Sympathetic nervous system, contribution to development and maintenance of experimental
 - hypertension, rat, 317
 —, role in daunomycin-induced arrhythmia,
- monkey, 501

 Sympathomimetic amines, allergic reaction inhibition by, 212P
- Synephrine, mean pressor responses to, pithed rats,
- Syrosingopine, effect on pressor response to angiotensin, noradrenaline, tyramine and McN-A-343, 420

1

- Tachycardia, isoprenaline, Valsalva's manœuvre and exercise-induced, practolol graded doses effect on, 193P
- Taloximine, human pharmacology of, 249P Teaching aid, television as, in pharmacology (T),
- 258P
 Television, as a teaching aid in pharmacology (T),
- 258P
- Temperature effects, brain glycogen content, 9, 14—, on peristaltic reflex, 352
- Terbutaline, effects on sphincter of Oddi, 619
 Tetrabenazine, effect on pressor responses to angiotensin, noradrenaline, tyramine and McN-A-
- 343, 420 **Tetraethylammonium,** effect on bladder responses to indirect electrical stimulation and to acetylcholine, 743
- 1,4,5,6-tetrahydro-5-phenoxypyrimidine, (AH 6405),
- a new muscarinic agent, 191P **Tetrodotoxin**, effects on nicotine action on portal vein, 480
- -, effects on responses to electrical stimulation, portal vein, 484
- Theophylline, induced skin darkening, adrenaline effect on, 163
- Therapeutic trials, assessing reports of, 204P
- Thin-layer plates, photocopying by ultraviolet light (T), 256P
- **Thioglycerol,** and oxytocin analogue not containing a disulphide bond, lack of antagonism between, 69
- Thrombin, platelet adrenaline release by, 773
- Thymoxamine, blockage of 5-hydroxytryptamine contractions by, saphenous vein, 465
- —, blockage of noradrenaline and isoprenaline contractions by, saphenous vein, 465
- —, effect on amiodarone action potential prolongation, 657
- effect on amphetamine release of growth hormone and corticosteroids, man, 196P
- Thyroid, hormones, influence on sensitivity of cardiac and smooth muscle to biogenic amines and other drugs, 49
- ---, weight, amiodarone effect on, 662
- Thyroxine, effect on isolated aorta sensitivity to noradrenaline, adrenaline, histamine and 5-hydroxytryptamine, 49, 60
- —, effect on isolated ileum sensitivity to acetylcholine, histamine and 5-hydroxytryptamine, 49, 56

Thyroxine (contd.)

- —, effect on isolated perfused heart, sensitivity to noradrenaline, adrenaline, isoprenaline, acetylcholine and histamine, 49, 54
- —, effect on isolated rat uterus, sensitivity to noradrenaline, adrenaline, isoprenaline, acetylcholine, histamine and 5-hydroxytryptamine, 49, 56
- ----, potentiation of pressor responses to (+)-amphetamine, 49
- ----, -supplemented potassium iodide and amiodarone, effect on action potentials, ventricular fibres, 662
- Tolazoline, blockage of noradrenaline and isoprenaline contractions by, saphenous vein, 465
- Toxocara canis, larvae, studies on (T), 257P Tranquillizers, alcohol interaction with, 199P
- Tranylcypromine, (±)-dopa and noradrenaline infusions after, effect on pressor responses to angiotensin, noradrenaline, tyramine and McN-A-343, 422
- —, effect on pressor responses to angiotensin, noradrenaline, tyramine and McN-A-343, 422

 Tremstodes, aquatic and amphibious spails, main
- Trematodes, aquatic and amphibious snails, maintenance as intermediate hosts of (T), 258P
- Tremorine hydrochloride, effect on brain glycogen content, 18
- Trials, assessing reports of, 204P
- (m-trifluoro methyl-phenyl)-1-(benzoyl oxy) ethyl amino-2-propane, acute administration effect on sleep, 462
- **Trimethoprim,** and sulphonamides, synergy (T), 256P
- **Tropolone 4-acetamide,** effect on adrenaline radioactivity uptake and intracellular metabolism, 772
- Tropolone, effect on adrenaline radioactivity uptake and intracellular metabolism, 772
- Trypanosoma cruzi, chemotherapy, effect of drugs against the crithidial stage (T), 257P
- , , maintenance of the intracellular stage and effect of drugs (T), 257P
- _____, ____, treatment of mouse infections (T), 257P
- **Tumour cell, dissemination, drug-induced inhibition,** of, 205P
- **Tyramine,** effect on atrial muscle, endotoxin-treated guinea-pigs, 688, 690
- —, effect on noradrenaline and adenosine triphosphate aggregation, 383
- —, effect on phenolic acid and alcohol excretion, man, 202P
- ----, pressor response to, anti-angiotensin action of reserpine reversal effect on, 422
- -, (±)-dopa and noradrenaline infusions after tranylcypromine effect on, 423
 - -, -, (\pm) -dopa effect on, 422
- ---, α -methyldopa effect on, 423
- -, -, noradrenaline effect on, 422
- —, —, reserpine effect on, 419
- -, -, syrosingopine effect on, 420
- ---, tetrabenazine effect on, 420
- , —, tranylcypromine effect on, 422
- Tyrosine, brain content, carbon disulphide exposure effect, 26, 29
- L-tyrosine, effect on sympathetic nerve endings, man, 195P

U

Ultraviolet light, thin-layer plates photocopying by (T), 256P

Urinary kininogenase, and kidney, relationship between, 73

Urine, and kidney, enzyme activity amounts relationship between, 83

—, $N-\alpha$ -benzoyl-L-arginine esterase activity in,

-, kininogenase activity, rat, 77

—, pyrimethamine in, fluorescent measurement, (T), 256P

Urogastrone, extraction and assay (T), 221P

USVC 6524, β-adrenoceptor blockade by, 139

—, β-adrenoceptor blocking activity in anaesthetized dog, isolated rat uterus and isolated guinea-pig tracheal strip, 140

—, cardiac depressant effects, 139

----, effect on isoprenaline cardiovascular responses, 140

—, potency as a β-adrenoceptor antagonist compared to propranolol, 139

Uterus, response to adrenergic nerve stimulation, guinea-pig, 187P

Uterus, uterine artery, circulating oestrogen effects on function of the cholinergic dilator nerves supplying, guinea-pig, 190P

v

Vagotomy, effect on diazepam-induced vasodilation, 261, 264

—, effect on respiratory and cardiovascular responses to histamine acid phosphate, 727-9 Valium. See Diazepam

Valsalva's manoeuvre, induced tachycardia, practolol graded dosage effect on, 193P

Vas deferens, innervated and denervated, comparison to sensitivities to agonist drugs, 748

—, ion distribution, reserpine treatment and decentralization effect on, guinea-pig, 121

Vas deferens (contd.)

—, nonspecific supersensitivity produced by decentralization and reserpine treatment, guinea-pig, 110

—, prejunctional blockade by β-adrenoceptor antagonists, reversal by dexamphetamine and

cocaine, 128

, propranolol, prejunctional blocking effect, pronethalol, MJ 1999 and Ciba 39089-Ba, 128
 , untreated, reserpine-treated and decentralized, noradrenaline, methylfurmethide, hist-

amine and potassium, effect on, 110

Vascular resistance, peripheral, integration and differentiation of phasic aortic flow and con-

tinuous recording of, 232P Vasodilator actions, coronary and systemic, of dia-

zepam, pharmacological basis of, 261 Vasopression, isoprenaline-induced, practolol effect

on, 296

Venom, Naja naja, long-lasting convulsant effect on

cerebral cortex, 455

—, Russell viper, and salivary gland, mouse, nerve growth factors isolated from, in vivo and in vitro effects (T), 258P

Ventromedial nucleus, of the hypothalamus, and appetite control, (T), 255P

Veretrine, effects on nicotine action on portal vein, 480

Vesicle, population, ganglionic synapses, drug effects on, rat, 244P

Videotape recording, of some methods used to evaluate potential centrally acting drugs (T), 258P

Х

Xylamidine, 5-hydroxytryptamine antagonism by,

---, 5-hydroxytryptamine embryocidal effect antagonism, 224P

Instructions to Authors

- 1. Manuscripts (2 copies) should be typed in double spacing on one side of paper not larger than foolscap $(33 \times 20.5 \text{ cm})$. There should be a separate title page giving the names and addresses of the authors in alphabetical order.
- 2. A short summary of results and conclusions (arranged in numbered paragraphs), tables and legends to figures should be typed on separate sheets of paper.
- 3. References should be collected at the end of the paper. They should include the author's names, year of publication, title of article, title of publication (abbreviated in accordance with the fourth edition of the World List of Scientific Periodicals), volume number and first and last page numbers. References to books should, in addition, include the names of editors, the edition number, where appropriate, and the town of origin and name of publisher.
- 4. Figures should NOT BE LARGER THAN FOOLSCAP (33×20.5 cm) and may be in the form of original drawings, recorded tracings or high quality photographic prints made from them. Negative prints of kymograph tracings (black on white) should be provided and both ordinates and abscissae should be calibrated.
- 5. Lettering on figures should be inserted in PENCIL. Symbols which are to appear in figures or legends should be chosen from the following:



- 6. **Photographs and photomicrographs** should be printed on glossy paper and should be larger than the size required for reproduction.
- 7. **Tables** ideally should not have more than 84 characters to a line (counting spaces between columns as 4 characters) and certainly not more than 130 characters to a line, unless absolutely unavoidable.
- 8. An abstract of about 100 words suitable for inclusion in *International Abstracts of Biological Sciences* should be typed on a separate sheet.

General remarks. A recent issue of the journal is a good guide to style. Papers are accepted only if accompanied by a statement that they have not and will not be published in whole or in part in any other Journal.

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Fifty reprints will be supplied to the authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs.

BRITISH JOURNAL DE PHARMACOLOGY Number 4

August 1970 MATIONAL VIRGINITIES & 329 page Systematic Pharmacology SINGH, B. N. and VAUGHAN WILLIAMS, E. M. The effect of amiodarone, a new anti-anginal drug, on cardiac muscle. (SP1, AP1, DM2) 657 668 CHARLIER, R. Cardiac actions in the dog of a new antagonist of adrenergic excitation which

does not produce competitive blockade of adrenoceptors. (SP1, AP1)
SINGH, B. N. and VAUGHAN WILLIAMS, E. M. A third class of anti-arrhythmic action. Effects on atrial and ventricular intracellular potentials, and other pharmacological actions on cardiac muscle, of MJ 1999 and AH 3474. (SP1, AP1, DM2)
BHAGAT, B., CAVANAGH, D., MERRILD, B. N., RANA, M. W. and RAO, P. S. Noradrenaline

and tyramine action on isolated atrial muscle of endotoxin-treated guinea-pigs. (SP1, AP1)

and tylamine action on isolated arrial muscle of endotoxin-treated guinea-pigs. (SPI, API)
 FRANK, G. B. and JHAMANDAS, K. Effects of drugs acting alone and in combination on the motor activity of intact mice. (SP2, DM2)
 FRANK, G. B. and JHAMANDAS, K. Effects of general depressant drugs on the electrical responses of isolated slabs of cat's cerebral cortex. (SP2, DM2)
 FRANK, G. B. and JHAMANDAS, K. Effects of general stimulant drugs on the electrical responses

of isolated slabs of cat's cerebral cortex. (SP2, DM2)
MILLS, JANET E. and WIDDICOMBE, J. G. Role of the vagus nerves in anaphylaxis and histamine-724 induced bronchoconstrictions in guinea-pigs. (SP3, SP1, AP2)

Autopharmacology

732 MILOŠEVIĆ, M. P. Acetylcholine content in the brain of rats treated with paraoxon and obid-

DHATTIWALA, A. S., JINDAL, M. N. and KELKAR, V. V. Effects of some drugs on the responses of the rat isolated, innervated urinary bladder to indirect electrical stimulation. (API) BIRMINGHAM, A. T., PATERSON, G. and WÓJCICKI, J. A comparison of the sensitivities of inner-

vated and denervated rat vasa deferentia to agonist drugs. (API, PK3, DM2)
MAEGRAITH, B. G. and ONABANJO, A. O. The effects of histamine in malaria. (AP2, TX)

Pharmacokinetics

BORN, G. V. R. and SMITH, J. B. Uptake, metabolism and release of [3H]-adrenaline by human 765 platelets. (PK3)
BOULLIN, D. J. and O'BRIEN, R. A. Accumulation of dopamine by blood platelets from

normal subjects and parkinsonian patients under treatment with L-DOPA. (PK3, CP) CONTRERAS, E. and HUIDOBRO, F. Hyposensitivity to drugs induced by morphine and some

789 related substances in the cat. (PK3)

Drug Mechanisms

798 BOYLES, SUSAN, LEWIS, G. P. and WESTCOTT, BARBARA. Changes in the composition of hind limb lymph after chemical injury. (DM1)

DUCE, B. R., GARBERG, L. and SMITH, É. R. Effects of (\pm) -propranolol, (\pm) -, (+)-, and 809 (-)-alprenolol on unanaesthetized dogs with ventricular arrhythmias resulting from coronary artery ligation. (DM2, SP1)

BARTLET, A. L. and HASSAN, T. Adrenoceptors of the chick rectum. (DM2)

Clinical Pharmacology, Experimental Therapy

822 BRIMBLECOMBE, R. W., GREEN, D. M., STRATTON, JUNE A. and THOMPSON, PAMELA B. J. The protective actions of some anticholinergic drugs in sarin poisoning. (CP, DM2)

SHORT COMMUNICATION

831 EISEN, V. and LOVEDAY, C. Effect of cellulose sulphate on serum complement. (AP2, M)

834 Index to Volume 39

Systematic Pharmacology

Cardiovascular system SP1 Central nervous system SP2 Other physiological systems SP3

Pharmacokinetics

Storage, distribution, fate PK1 Synthesis, metabolism PK2 Uptake, release PK3

Clinical Pharmacology, Experimental Therapy CP Chemotherapy Ci Miscellaneous M CT

Autopharmacology

Adrenergic, cholinergic transmission AP1 Histamine, kinins, prostaglandins, etc. AP2 Hormones AP3

Drug Mechanisms

Molecular, cellular, biochemical, biophysical DM1 Receptors, antagonism, potentiation, tolerance DM2

Pharmacometrics PM Psychopharmacology PP Toxicology TX